

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/255752289>

Size-, shape-, and assembly-controlled synthesis of Cu_{2-x}Se nanocrystals via a non-injection phosphine-free colloidal method

ARTICLE *in* CRYSTENGCOMM · DECEMBER 2011

Impact Factor: 4.03 · DOI: 10.1039/C1CE05887H

CITATIONS

15

READS

6

5 AUTHORS, INCLUDING:



Hang Yuan

Tsinghua University

18 PUBLICATIONS 212 CITATIONS

SEE PROFILE



Lan Ma

Tsinghua University

32 PUBLICATIONS 363 CITATIONS

SEE PROFILE

Size-, Shape-, and Assembly-Controlled Synthesis of Cu_{2-x}Se Nanocrystals via a Non-injection Phosphine-Free Colloidal Method

Huaibin Shen¹, Hongzhe Wang¹, Hang Yuan², Lan Ma^{2}, and Lin Song Li^{1*}*

¹Key Laboratory for Special Functional Materials, Henan University, Kaifeng 475004, P. R. China;

²Life Science Division, Graduate School at Shenzhen, Tsinghua University, Shenzhen, 518055, PR
China

E-mail: lsli@henu.edu.cn, malan@sz.tsinghua.edu.cn




Figure S1. TEM images of typical Cu_{2-x}Se nanodiscs by tilting along the x-axis: A) $+25^\circ$, B) 0° , C) -25° .




Figure S2. TEM images of typical elongated hexagonal bipyramid-shaped Cu_{2-x}Se nanocrystals by tilting along the x-axis: $+25^\circ$ (right), 0° (middle), -25° (left).




Figure S3. TEM images of typical triangular Cu_{2-x}Se nanocrystals by tilting along the x-axis: +25° (right), 0° (middle), -25° (left).




Figure S4. The selected-area electron diffraction (SAED) patterns of three different shaped Cu_{2-x}Se samples synthesized by Route 1 (A), Route 2 (B), and Route 3 (C).




Figure S5. EDS spectra of three different shaped Cu_{2-x}Se samples synthesized by Route 1 (A), Route 2 (B), and Route 3 (C).




Figure S6. UV/vis absorption spectra of three different shaped Cu_{2-x}Se samples synthesized by Route 1 (a), Route 2 (b), and Route 3 (c).