IN THIS ISSUE

ISSN 1144-0546 CODEN NJCHES 29(1) 1-252 (2005)







See Luca Prodi, page 20.

The front cover shows the enhancement in fluorescence with increasing concentration of Cd²⁺ ions (from left to right) in methanol solutions of a crown ether receptor linked with an 8-hydroxyquinoline derivative, irradiated with UV light.

A good understanding of luminescent chemosensors and the mechanisms involved in translating analyte recognition into luminescent signal modulation is essential in the development of macroscopic sensing devises.

CHEMICAL SCIENCE

C1

Drawing together the research highlights and news from all RSC publications, Chemical Science provides a 'snapshot' of the latest developments across the chemical sciences showcasing newsworthy articles, as well as the most significant scientific advances.

Chemical Science

January 2005/Volume 2/Issue 1 www.rsc.org/chemicalscience

EDITORIALS

NJC set to strengthen further

Professor Jean-Pierre Majoral, the new Editor-in-Chief, reflects on recent developments and looks forward to further strengthening the position of NJC as an "International Journal of the Chemical Sciences".



14

Editorial

This "All Aboard" special issue of New Journal of Chemistry (NJC) contains letters, papers, perspectives and opinions authored by members of the NJC Editorial and Advisory Boards.



EDITORIAL STAFF

Managing editor (RSC)

Mike Corkill

Managing editor (CNRS)

Denise Parent

Assistant managing editor

Gérard Calleia (CNRS)

Publishing assistant

Jackie Cockrill (RSC)

Team leader, serials production

Helen Saxton (RSC)

Technical editors

Caroline Moore (RSC) Elinor Richards (RSC) Ken Wilkinson (RSC)

Editorial secretaries

Florence Lepage (CNRS) Sonya Spring Julie Thompson Rebecca Gotobed

Publisher, journals and reviews

Adrian Kybett (RSC)

New Journal of Chemistry (Print: ISSN 1144-0546; electronic: ISSN 1369-9261) is published 12 times a year by the Centre National de la Recherche Scientifique (CNRS), 3 rue Michel-Ange, 75794 Paris cedex 16, France, and the Royal Society of Chemistry (RSC), Thomas Graham House, Science Park, Milton Road, Cambridge, UK CB4 0WF.

All orders, with cheques made payable to the Royal Society of Chemistry, should be sent to Portland Customer Services, Commerce Way, Colchester, Essex, CO2 8HP, UK. Tel +44 (0) 1206 226050; E-mail sales@rscdistribution.org

2005 Annual (print + electronic) subscription price: £650; US\$1075. 2005 Annual (electronic) subscription price: £585; US\$965. Customers in Canada will be subject to a surcharge to cover GST. Customers in the EU subscribing to the electronic version only will be charged VAT.

If you take an institutional subscription to any RSC journal you are entitled to free, site-wide web access to that journal. You can arrange access via Internet Protocol (IP) address at www.rsc.org/ip.
Customers should make payments by cheque in sterling payable on a UK clearing bank or in US dollars payable on a US clearing bank. Periodicals postage paid at Rahway, NJ, USA and at additional mailing offices. Airfreight and mailing in the USA by Mercury Airfreight International Ltd., 365 Blair Road, Avenel, NJ 07001, USA.

US Postmaster: send address changes to New Journal of Chemistry, c/o Mercury Airfreight International Ltd., 365 Blair Road, Avenel, NJ 07001. All despatches outside the UK by Consolidated Airfreight.

Advertisement sales: Tel +44 (0) 1223 432243; Fax +44 (0) 1223 426017; E-mail advertising@rsc.org

NIC

New Journal of Chemistry

An international journal for the chemical sciences

www.rsc.org/njc

The New Journal of Chemistry is a broad-based primary journal encompassing all branches of the chemical sciences. Published monthly, it contains full research articles, letters, opinions and perspectives.

EDITORIAL BOARD

Editor-in-chief

Jean-Pierre Majoral, Toulouse, France

Consulting editor

Odile Eisenstein, Montpellier, France

Board members

Laurent Bonneviot, Lyon, France John A Gladysz, Erlangen, Germany George Gokel, St Louis, MO, USA Luca Prodi, Bologna, Italy Paul Raithby, Bath, UK David Reinhoudt, Enschede, The Netherlands Alan Rowan, Nijmegen, The Netherlands Michael Scott, Gainesville, FL, USA Jonathan W Steed, Durham, UK Michael Veith, Saarbrücken, Germany Vivian Yam, Hong Kong, PR China

Associate editors

Manuscripts should be directed to the appropriate Editor detailed below.

Supramolecular chemistry and crystal engineering

Dr Jonathan W Steed
Department of Chemistry
University Science Laboratories
University of Durham
South Road
Durham
UK DH1 3LE
Fax (+44) (0) 191 384 4737
Tel (+44) (0) 191 384 2085
E-mail jon.steed@dur.ac.uk

Organic & bioorganic

Professor George Gokel
Departments of Chemistry and
Molecular Biology & Pharmacology
Washington University Medical
School
Campus Box 8103
660 S. Euclid Ave.
St Louis, MO 63110, USA
Fax (+1) 314 362 9298
Tel (+1) 314 362 9297
E-mail ggokel@molecool.wustl.edu

Alternatively, any author may submit direct to the

Montpellier Editorial Office

Dr Denise Parent New Journal of Chemistry Université Montpellier II Place Eugène Bataillon B.P. 8 34095 Montpellier cedex 5 France Fax (+33) (0) 4 67 14 48 79 Tel (+33) (0) 4 67 14 48 78 E-mail njc@univ-montp2.fr

International advisory board

Markus Antonietti, MPI, Potsdam, Germany Didier Astruc, Talence, France Jerry Atwood, Columbia, MO, USA Pierre Braunstein, Strasbourg,

France Kenneth Caulton, Bloomington, IN, USA

Robert Crabtree, New Haven, CT. USA

Pierre Dixneuf, Rennes, France

François Fajula, Montpellier, France Andrew B Holmes, Melbourne, Australia Reinhard W Hoffmann, Marburg, Germany Miguel Julve, Valencia, Spain Peter Junk, Monash, Australia Henryk Koslowski, Wroclaw, Poland

Bernard Meunier, Toulouse,

France

Jan Reedijk, Leiden,
The Netherlands
Kari Rissanen, Jyväskylä,
Finland
Clément Sanchez, Paris, France
Jeremy K M Sanders,
Cambridge, UK
Philippe Sautet, Lyon, France
Jean-Pierre Sauvage,
Strasbourg, France
Ulrich Schubert, Vienna, Austria
Hideki Sugihara, Tsukuba,
Japan

INFORMATION FOR AUTHORS

Authors may reproduce/republish portions of their published contribution without seeking permission from the CNRS and the RSC, provided that any such republication is accompanied by an acknowledgement in the form: (Original Citation) – Reproduced by permission of the CNRS and the RSC.

©The Royal Society of Chemistry and the Centre National de la Recherche Scientifique 2005. Apart from fair dealing for the purposes of research or private study for non-commercial purposes, or criticism or review, as permitted under the Copyright, Designs and Patents Act 1988 and the Copyright and Related Rights Regulations 2003, this publication may only be reproduced, stored or transmitted, in any form or by any means, with the prior permission in writing of The Royal Society of Chemistry (the Publisher) or in the case of reprographic reproduction in accordance with


the terms of licences issued by the Copyright Licensing Agency in the UK. US copyright law is applicable to users in the USA. The Royal Society of Chemistry (the Publisher) takes reasonable care in the preparation of this publication but does not accept liability for the consequences of any errors or omissions.

Royal Society of Chemistry: Registered Charity No. 207890

Luminescent chemosensors: from molecules to nanoparticles

Luca Prodi

Luminescent chemosensors are finding applications in many fields of great social and economical importance. Through the discussed compounds the reader will be able to follow our step-by-step approach towards this fascinating research field, in which, we believe, a very important role will be played by nanoparticles.




32

Zirconate complexes: multifaceted reagents

Jean-Pierre Majoral* and Maria Zablocka*

Design, characterization and versatile behaviour of zirconocene-ate complexes are reviewed.



42

The metathesis reactions: from a historical perspective to recent developments

Didier Astruc

The development of the metathesis reactions is reviewed from a historical perspective and the latest developments and perspectives are given.




OPINION


57

Hybrid materials. Functional properties. From Maya Blue to 21st century materials

Pedro Gómez-Romero and Clément Sanchez

The field of hybrid organic-inorganic nanocomposites is quickly evolving towards functional materials and applications while broadening spectacularly the variety of hybrid combinations explored. Improved understanding and control of the chemistry, processing and microstructure of these versatile systems leads to new opportunities in dealing with increasingly complex chemistries and materials.






Hybrid non-silica mesoporous thin films

Paula C. Angelomé, Sara Aldabe-Bilmes, Mauricio E. Calvo, Eduardo L. Crepaldi, David Grosso, Clément Sanchez* and Galo J. A. A. Soler-Illia*

Mesoporous hybrid TiO₂ and ZrO₂ thin films with organic functions attached to the walls are produced by evaporationinduced self-assembly (EISA) followed by pore postfunctionalisation.

64



Hydrogen bonds between ammonium ions and aromatic rings exist and have key consequences on solid-state and solution phase properties

Christos A. Ilioudis, Michael J. Bearpark and Jonathan W. Steed*

An azacyclophane binds strongly to H⁺ via a charge-assisted $NH \cdots \pi$ interaction.




Preparation of α,β -unsubstituted *meso*-arylbidipyrrins *via* metal-templated, oxidative coupling of dipyrrins

Hubert S. Gill, Isaac Finger, Ivana Božidarević, Florence Szydlo and Michael J. Scott*

New *meso*-aryl-α,β-unsubstituted bisdipyrrinato nickel complexes, prepared from a one-pot procedure, give easy access to an unprecedented class of meso-aryl-α,β-unsubstituted bidipyrrins.

72



1,1,6,7-Tetrafluoroindanes: improved liquid crystals for LCD-TV application

Matthias Bremer* and Lars Lietzau

A synthesis involving ortho-metallation, intramolecular Heck reaction and oxidative fluorination as key steps yielded tetrafluoroindanes whose highly negative values for dielectric anisotropies found experimentally were not expected based on quantum chemical calculations.

Tuning the synthesis of a dinitroaromatic towards a new trinitroaromatic stabilized energetic material

Olivier Siri* and Pierre Braunstein*

Depending on experimental conditions, nitration of 6 affords either a new isomer of diaminotrinitrobenzene 3, whose deflagration temperature of 298 °C is of interest for heat-resistant explosives, or 4 whose crystal structure determination reveals an interesting hydrogen-bonding network in the solid-state.


$$\begin{array}{c|c} Ts & Nitration & NO_2 \\ NH & inder & NH_2 \\ NH & G & Ts & Nitration & NH_2 \\ \hline & Nitration & NH_2 & NH_2 \\ \hline & Nitration & NH_2 & NH_2 \\ \hline & Nitration & NH_2 & NH_2 \\ \hline & NH_2 & NH_2 & NH_2 \\ \hline \end{array}$$

80

Cation-reinforced donor-acceptor pseudorotaxanes

Sofia I. Pascu, Thibaut Jarrosson, Christoph Naumann, Sijbren Otto, Guido Kaiser and Jeremy K. M. Sanders*

Li⁺ is a remarkable template for the formation of pseudorotaxanes from an electron-rich crown ether and a pyromellitic diimide.




90


Anion binding by Ag(I) complexes of urea-substituted pyridyl ligands

David R. Turner, Benjamin Smith, Elinor C. Spencer, Andres E. Goeta, Ivana Radosavljevic Evans, Derek A. Tocher, Judith A. K. Howard and Jonathan W. Steed*

Reaction of a *meta*-ureidopyridyl ligand with AgNO₃ results in a discrete, self-assembled cooperative anion pair binding system in solution. In contrast, other combinations give hydrogen-bonded polymers.




99



Michel Meyer, Laurent Frémond, Alain Tabard, Enrique Espinosa, Guy Yves Vollmer, Roger Guilard* and Yves Dory


A combination of NMR, potentiometric, spectrophotometric, and DFT results enabled us to unravel the solution structure and unusual acid-base properties of the title compound, which displays slow proton-transfer kinetics.



109

Leopoldo Contreras, Margarita Paneque, Murielle Sellin, Ernesto Carmona,* Pedro J. Pérez, Enrique Gutiérrez-Puebla, Angeles Monge and Caridad Ruiz

Bis(carbon dioxide) and carbonyl carbonate complexes of molybdenum stabilized by PMe₃ and HN(CH₂CH₂PMe₂)₂ ligands have been prepared and structurally characterized by X-ray crystallography.




Weak interactions between resorcinarenes and diquaternary alkyl ammonium cations

Heidi Mansikkamäki, Christoph A. Schalley, Maija Nissinen and Kari Rissanen*

An analysis of the interactions of resorcin[4] arenes with alkyl ammonium cations reveals a remarkable structural variety of the complexes due to subtle effects from the cation size and charge, the nature of the counterions and the presence of solvents.

128




The syntheses and structures of some main group complexes of the sterically hindered N,N'-bis(2,6diisopropylphenyl)-4-toluamidinate ligand

René T. Boeré, Marcus L. Cole and Peter C. Junk*

The reaction of the bulky benzamidine N,N'-bis(2,6diisopropylphenyl)-4-toluamidine (HDippAm) with metal alkyls of lithium, magnesium and aluminium is reported. The three compounds generated: [Li(DippAm)(THF)₂] (1), [Mg(DippAm)₂] (2) and [Al(DippAm)Me₂] (3), the latter also obtained via the reaction of 1 with Me₂AlCl, exhibit rigid geometries that, as evidenced by VT $^{1}\bar{\text{H}}$ NMR, are maintained at increased temperatures.

135




N,N'-Bis(2,6-diisopropylphenyl)formamidinate complexes of the heavy alkaline earths

Marcus L. Cole and Peter C. Junk*

The reaction of heavy alkaline earth metals with two equivalents of a bulky formamidine in the presence of bis(pentafluorophenyl)mercury affords the bis(formamidinate) species in good to moderate yield. These species serve as a model for the synthesis and composition of targeted divalent lanthanoid compounds.

141



Preparation of multi-nanocrystalline transition metal oxide (TiO₂-NiTiO₃) mesoporous thin films


David Ortiz de Zárate, Cédric Boissière, David Grosso, Pierre-Antoine Albouy, Heinz Amenitsch, Pedro Amoros and Clément Sanchez*

Ordered mesoporous thin films with crystalline walls made of TiO2 anatase and NiTiO3 ilmenite nanocrystals have been prepared by the evaporation induced self-assembly process and a carefully controlled thermal treatment.

Molecular rearrangements of diynes coordinated to triosmium carbonyl clusters: reactions of [Os₃(μ-H)₂(CO)₁₀] and [Os₃(CO)₁₀(MeCN)₂] with 1,4-dipyridylbuta-1,3-diyne

Lionel P. Clarke, Jacqueline M. Cole, John E. Davies, Alexandra French, Olivia F. Koentjoro, Paul R. Raithby* and Gregory P. Shields


Reaction of $[Os_3(\mu-H)_2(CO)_{10}]$ with 1,4-dipyridylbuta-1,3-diyne yields two new clusters, $[Os_3(\mu-H)(CO)_{10}\{\mu-\eta^1:\eta^1-(C_8H_5N)-C-(C_5H_4N)\}]$ and $[Os_3(\mu-H)(CO)_{10}-\{\mu_3-\eta^1:\eta^1-(C_5H_4N)-C-H_4N)-C-H_4N]$ $C(C_8H_6N)$], in which the diyne has rearranged to form a substituted indolizine ring system.



Michael Veith,* Markus Ehses and Volker Huch

X-Ray crystallography shows systematic changes in the structure of the dimeric alkoxy stannylene $[Sn(O^tBu)_2]_2$ on complexation with group 6 pentacarbonyl fragments. Temperature variable heteronuclear NMR spectroscopy reveals a stepwise exchange of the terminal and bridging substituents for the trinuclear complexes.


165



Keith Man-Chung Wong, Wei-Ping Li, Kung-Kai Cheung and Vivian Wing-Wah Yam*


Unlike the oxacrown ether containing complexes, the thia- and selenacrown ether analogues show high binding affinity towards silver ions; selective and specific binding properties have also been studied for various metal cations of different sizes and different degrees of hardness and softness.


173





Long V. Dinh and John A. Gladysz*

Rate studies of the title reactions confirm that the active catalysts generated from $CIRh[P(CH_2CH_2(CF_2)_{n-1}CF_3)_3]_3$ (n = 6, 8) can be efficiently recovered and used for at least four cycles.










182

New light on the mechanism of the solid state [2 + 2]cycloaddition of alkenes: a database analysis

Frank H. Allen,* Mary F. Mahon, Paul R. Raithby,* Gregory P. Shields and Hazel A. Sparkes

Knowledge mining techniques have been applied to an analysis of the mechanism of solid state [2 + 2] cycloaddition reactions of alkenes. The alkenes do not have to be parallel for the reaction to occur, and a large twist angle of the reacting species can lead to a puckered cyclobutane reaction product.



4


One-electron oxidation-induced dimerising C–C coupling of a 2,5-diamino-1,4-benzoquinonediimine: a chemical and electrochemical investigation ${\bf C}$

Jean-philippe Taquet, Olivier Siri, Jean-Paul Collin, Abdellatif Messaoudi and Pierre Braunstein*

The one-electron oxidation of 3 leads to the formation of the benzoquinonemonoiminemonoiminium salt 5 and of the new dimer 4, which provides the first non-dehydrogenative C–C coupling in quinonoid chemistry. Chemically induced reduction of 4 reverses the process and regenerates 3.

193






New d⁴ dihydrides of Ru(IV) and Os(IV) with π -donor ligands: M(H)₂(chelate)(PⁱPr₃)₂ with chelate = ortho-XYC₆H₄ with X, Y = O, NR; R = H or CH₃

German Ferrando-Miguel, Peng Wu, John C. Huffman and Kenneth G. Caulton*

The pictured molecules are non-octahedral species with dianionic, not quinoid chelate ligands.

205




Structure and medium effects on hydraphile synthetic ion channel toxicity to the bacterium *E. coli*

W. Matthew Leevy, Michael R. Gokel, George B. Hughes-Strange, Paul H. Schlesinger and George W. Gokel*

The toxicity of synthetic hydraphile channels with various side arms against *E. coli* is pH-dependent and is enhanced in the presence of hydrophobic side chains.

210





 $[Cr^{II}(L)(CN)_4]^-$: a new building block in designing cyanide-bridged 4,2-ribbon-like chains $\{[Cr^{III}(L)(CN)_4]_2Mn(H_2O)_2\} \cdot nH_2O$ [L=2-aminomethylpyridine (n=6) and 1,10-phenanthroline (n=4)


Luminita Toma, Rodrigue Lescouëzec, Jacqueline Vaissermann, Patrick Herson, Valérie Marvaud, Francesc Lloret and Miguel Julve*

The use of stable tetracyanochromate(III) species as a complex ligand towards fully hydrated manganese(II) ions provides new cyanide-bridged crossed double bimetallic chains exhibiting metamagnetic properties.


Solid-phase synthesis of peptide-platinum complexes using platinum-chelating building blocks derived from amino acids

Marc S. Robillard, Sophie van Alphen, Nico J. Meeuwenoord, Bart A. J. Jansen, Gijs A. van der Marel, Jacques H. van Boom and Jan Reedijk*

To expand the diversity of platinum structures available through a solid-phase combinatorial or parallel synthesis approach, amino acids are employed as precursors in the synthesis of platinum-chelating building blocks.



226



Alvaro Aballay, Eric Clot, Odile Eisenstein,* Maria Teresa Garland, Fernando Godoy, A. Hugo Klahn,* Juan Carlos Muñoz and Beatriz Oelckers

 $Cp*Re(CO)_2$ inserts selectively into the C–Cl bond of 1-R-2,4- $C_6Cl_2H_3$: insertion occurs at the 2-position for R=OMe and F, but at the 4-position for R=Me and CF_3 .




232

Amine adducts of titanium tetraalkoxides

Helmut Fric and Ulrich Schubert*

The formation of Lewis base–Lewis acid adducts must be taken into account when Lewis basic nitrogen compounds are co-reacted with titanium alkoxides (and metal alkoxides in general), especially in sol-gel processes.




237

The generation of mesostructured crystalline CeO_2 , ZrO_2 and CeO_2 – ZrO_2 films using evaporation-induced self-assembly

Torsten Brezesinski, Markus Antonietti,* Matthijs Groenewolt, Nicola Pinna and Bernd Smarsly

Mesostructured thin films of CeO_2 , ZrO_2 and CeO_2 – ZrO_2 with highly crystalline pore walls and well-ordered arrays of mesopores are obtained by EISA and a controlled temperature procedure.



243

Multiple ionic interactions for noncovalent synthesis of molecular capsules in polar solvents

Francesca Corbellini, Fijs W. B. van Leeuwen, Hans Beijleveld, Huub Kooijman, Anthony L. Spek, Willem Verboom, Mercedes Crego-Calama* and David N. Reinhoudt*

Schematic representation of the molecular capsules resulting from the self-assembly of oppositely charged (thia)calix[4]arenes *via* multiple ionic interactions.



AUTHOR INDEX

Aballay, Alvaro, 226 Albouy, Pierre-Antoine, 141 Aldabe-Bilmes, Sara, Allen, Frank H., 182 Amenitsch, Heinz, 141 Amoros, Pedro, 141 Angelomé, Paula C., 59 Antonietti, Markus, 237 Astruc, Didier, 42 Bearpark, Michael J., Beijleveld, Hans, 243 Boeré, René T., 128 Boissière, Cédric, 141 Božidarević, Ivana, 68 Braunstein, Pierre, 75, 188 Bremer, Matthias, 72 Brezesinski, Torsten, 237 Calvo, Mauricio E., 59 Carmona, Ernesto, Caulton, Kenneth G., 193 Cheung, Kung-Kai, 165 Clarke, Lionel P., 145 Clot, Eric, 226 Cole, Jacqueline M., 145 Cole, Marcus L., 128, 135 Collin, Jean-Paul, 188 Contreras, Leopoldo, 109 Corbellini, Francesca, 243 Crego-Calama, Mercedes, 243 Crepaldi, Eduardo L., 59 Davies, John E., 145 Dinh, Long V., 173 Dory, Yves, 99 Ehses, Markus, 154

Eisenstein, Odile, 226 Espinosa, Enrique, 99 Ferrando-Miguel, German, 193 Finger, Isaac, 68 Frémond, Laurent, 99 French, Alexandra, 145 Fric, Helmut, 232 Garland, Maria Teresa, 226 Gill, Hubert S., 68 Gladysz, John A., 173 Godoy, Fernando, 226 Goeta, Andres E., 90 Gokel, George W., 205 Gokel, Michael R., 205 Gómez-Romero, Pedro, Groenewolt, Matthijs, Grosso, David, 59, 141 Guilard, Roger, 99 Gutiérrez-Puebla, Enrique, 109 Herson, Patrick, 210 Howard, Judith A. K., 90 Huch, Volker, 154 Huffman, John C., 193 Hughes-Strange, George B., 205 Ilioudis, Christos A., 64 Jansen, Bart A. J., 220 Jarrosson, Thibaut, 80 Julve, Miguel, 210 Junk, Peter C., 128, 135 Kaiser, Guido, 80 Klahn, A. Hugo, 226 Koentjoro, Olivia F., 145

Kooijman, Huub, 243 Leevy, W. Matthew, 205 Lescouëzec, Rodrigue, 210 Li, Wei-Ping, 165 Lietzau, Lars, 72 Lloret, Francesc, 210 Mahon, Mary F., 182 Majoral, Jean-Pierre, 32 Mansikkamäki, Heidi, 116 Marvaud, Valérie, 210 Meeuwenoord, Nico J., Messaoudi, Abdellatif, 188 Meyer, Michel, 99 Monge, Angeles, 109 Muñoz, Juan Carlos, 226 Naumann, Christoph, Nissinen, Maija, 116 Oelckers, Beatriz, 226 Ortiz de Zárate, David, 141 Otto, Sijbren, 80 Paneque, Margarita, 109 Pascu, Sofia I., 80 Pérez, Pedro J., 109 Pinna, Nicola, 237 Prodi, Luca, 20 Radosavljevic Evans, Ivana, Raithby, Paul R., 145, 182 Reedijk, Jan, 220 Reinhoudt, David N., 243 Rissanen, Kari, 116 Robillard, Marc S., 220 Ruiz, Caridad, 109 Sanchez, Clément, 57, 59, 141 Sanders, Jeremy K. M., 80

Schalley, Christoph A., 116 Schlesinger, Paul H., 205 Schubert, Ulrich, 232 Scott, Michael J., Sellin, Murielle, 109 Shields, Gregory P., 145, 182 Siri, Olivier, 75, 188 Smarsly, Bernd, 237 Smith, Benjamin, 90 Soler-Illia, Galo J. A. A., Sparkes, Hazel A., 182 Spek, Anthony L., 243 Spencer, Elinor C., 90 Steed, Jonathan W., 64, 90 Szydlo, Florence, 68 Tabard, Alain, 99 Taquet, Jean-philippe, 188 Tocher, Derek A., 90 Toma, Luminita, 210 Turner, David R., 90 Vaissermann, Jacqueline, 210 van Alphen, Sophie, 220 van Boom, Jacques H., van der Marel, Gijs A., van Leeuwen, Fijs W. B., 243 Veith, Michael, 154 Verboom, Willem, 243 Vollmer, Guy Yves, 99 Wong, Keith Man-Chung, 165 Wu, Peng, 193 Yam, Vivian Wing-Wah, 165 Zablocka, Maria, 32

FREE E-MAIL ALERTS

Contents lists in advance of publication are available on the web via www.rsc.org/njc – or take advantage of our free e-mail alerting service (www.rsc.org/ej_alert) to receive notification each time a new list becomes available.

ADVANCE ARTICLES AND ELECTRONIC JOURNAL

Free site-wide access to Advance Articles and the electronic form of this journal is provided with a full-rate institutional subscription. See www.rsc.org/ejs for more information.

* Indicates the author for correspondence: see article for details.

9

Electronic supplementary information (ESI) is available *via* the online article (see http://www.rsc.org/esi for general information about ESI).