Soft Matter

www.rsc.org/softmatter

The Royal Society of Chemistry is the world's leading chemistry community. Through our high impact journals and publications we connect the world with the chemical sciences and invest the profits back into the chemistry community.

IN THIS ISSUE

ISSN 1744-683X CODEN SMOABF 11(19) 3737-3948 (2015)



Cover


See Arash Nikoubashman et al., pp. 3767-3771. Image reproduced by permission of Arash Nikoubashman from Soft Matter, 2015, 11, 3767.

REVIEW

3746

Effects of nanoscopic-confinement on polymer dynamics

Kiriaki Chrissopoulou and Spiros H. Anastasiadis* Polymer dynamics under severe confinement show distinct differences from the behavior in the bulk.




COMMUNICATION

3767

Self-assembly of Janus particles under shear

Emanuela Bianchi, Athanassios Z. Panagiotopoulos and Arash Nikoubashman*

Shear-induced growth and breakup of a spherical Janus micelle.



Editorial staff

Evecutive editor

Nicola Wise

Deputy editor

Pete Livermore

Editorial production manager

Anna Pendlebury

Development editor

Katie Nicholson

Publishing editors

Laura Fisher, Suzanne Howson, Carla Pegoraro, Elisabeth Ratcliffe

Publishing assistants

Kate Bandoo, Allison Holloway

Liz Dunn

For queries about submitted papers, please contact Anna Pendlebury, Editorial production manager in the first instance. E-mail: softmatter@rsc.org

For pre-submission gueries please contact Nicola Wise, Executive editor.

E-mail: softmatter-rsc@rsc.org

Soft Matter (print: ISSN 1744-683X; electronic: ISSN 1744-6848) is published 48 times a year by The Royal Society of Chemistry, Thomas Graham House, Science Park, Milton Road, Cambridge, UK CB4 OWF

All orders, with cheques made payable to The Royal Society of Chemistry, should be sent to RSC Order Department, Royal Society of Chemistry, Thomas Graham House, Science Park, Milton Road, Cambridge, CB4 0WF, UK.

Tel +44 (0)1223 432398; E-mail orders@rsc.org

2015 Annual (print+electronic) subscription price: £1498; \$2795. 2015 Annual (electronic) subscription price: £1423: \$2655. Customers in Canada will be subject to a surcharge to cover GST. Customers in the EU subscribing to the electronic version only will be charged VAT.

If you take an institutional subscription to any Royal Society of Chemistry journal you are entitled to free, site-wide web access to that journal. You can arrange access via Internet Protocol (IP) address at www.rsc.org/ip.

Customers should make payments by cheque in sterling payable on a UK clearing bank or in US dollars payable on a US clearing bank.

The Royal Society of Chemistry takes reasonable care in the preparation of this publication but does not accept liability for the consequences of any errors or omissions. Inclusion of an item in this publication does not imply endorsement by The Royal Society of Chemistry of the content of the original documents to which that item refers

Advertisement sales: Tel +44 (0) 1223 432246; Fax +44 (0) 1223 426017; E-mail advertising@rsc.org

For marketing opportunities relating to this journal, contact marketing@rsc.org





Soft Matter

www.rsc.org/softmatter

Soft Matter is an international journal publishing high quality interdisciplinary fundamental research into all of soft matter, including complex fluids, with a particular focus on the interfaces between biology, physics, and chemistry, to include materials. The main research areas include: bulk soft matter assemblies, soft nanotechnology and self-assembly, biological aspects of soft matter, surfaces, interfaces, and interactions, building blocks/synthetic methodology, theory, modelling, and simulation.

Editorial board

Chair

Michael Rubinstein, University of North Carolina at Chapel Hill, USA

Associate editors

Jianbin Huang, Peking University, China

Christos Likos, University of Vienna, Austria Paul Janmey, University of

Pennsylvania, USA Darrin Pochan, University of Delaware, USA

Dimitris Vlassopoulos, University of Crete, Greece Kathleen Stebe, University of Pennslyvania, USA

Editorial board members

Anna Balazs, University of Pittsburgh, USA

Jian Ping Gong, Hokkaido University, Japan

Jennifer Lewis, Harvard University,

Peter Schurtenburger, Lund

University, Sweden Sam Safran, Weizmann Institute of Science, Israel Jan Vermant, ETH Zurich. Switzerland

Advisory board

Markus Antonietti, Max- Planck-Institut für Kolloid und Grenzflachenforschung, Germany

Piero Baglioni, University of Florence,

Arindam Banerjee, Indian Association for the Cultivation of Science, India Patricia Bassereau, Section de Recherche de l'Institut Curie, PhysicoChimie Curie (UMR CNRS

Vincent Craig, Australian National University, Australia

John Dutcher, University of Guelph, Canada

Glenn Fredrickson, University of California at Santa Barbara, USA Bartosz Grzybowski, Northwestern University, USA

lan Hamley, University of Reading, UK

Roque Hidalgo-Alvarez, University of Grenada, Spain Olli Ikkala, Aalto University School of

Science, Finland Kazunori Kataoka, University of Tokyo,

Japan Eugenia Kumacheva, University of

Toronto, Canada Kazue Kurihara, Tohoku University, Japan

Frans Leermakers, Wageningen University, The Netherlands Ludwik Leibler, ESPCI, France Junbai Li, Institute of Chemistry, Chinese Academy of Sciences, China

Dongsheng Liu, Tsinghua University, China

Tom McLeish, University of Durham,

Phillip B. Messersmith, Northwestern University, USA Aline Miller, University of Manchester,

UK Sébastien Perrier, University of Warwick, UK

David Quéré, ESPCI, France Sriram Ramaswamy, Indian Institute of Science, India

Jens Rieger, BASF Aktiengesellschaft,

Ulrich S. Schubert, Friedrich-Schiller-University of Jena, The Netherlands Howard Stone, Princeton University, USA

Hajime Tanaka, University of Tokyo, Japan .

Emanuela Zaccarelli, Università degli Studi di Roma, Italy

Information for authors

Full details on how to submit material for publication in Soft Matter are given in the Instructions for Authors (available from http://www.rsc.org/authors). Submissions should be made via the journal's homepage: http://www.rsc.org/softmatter

Submissions: The journal welcomes submissions of manuscripts for publication as Full Papers, Communications, Reviews, Tutorial Reviews, Emerging Areas, Highlights and Opinions. Full Papers and Communications should describe original work of high quality and impact.

Colour figures are reproduced free of charge. Additional details are available from the Editorial Office or http://www.rsc.org/authors

Authors may reproduce/republish portions of their published contribution without seeking permission from The Royal Society of Chemistry, provided that any such republication is accompanied by an acknowledgement in the form: (Original Citation)-Reproduced by permission of The Royal Society of Chemistry.

This journal is [®]The Royal Society of Chemistry 2015. Apart from fair dealing for the purposes of research or private study for non-commercial purposes, or criticism or review, as permitted under the Copyright, Designs and Patents Act 1988 and the Copyright and Related Rights Regulation 2003, this publication may only be reproduced, stored or transmitted, in any form or by any means, with the prior permission in writing of the Publishers or in the case of reprographic reproduction in accordance with the terms of licences issued by the Copyright Licensing Agency in the UK. US copyright law is applicable to users in the USA.

@ The paper used in this publication meets the requirements of ANSI/NISO Z39.48-1992 (Permanence of Paper).


Registered Charity No. 207890.

3772

Optically isotropic liquid crystal media formulated by doping star-shaped cyclic oligosiloxane liquid crystal surfactants in twin nematic liquid crystals

Namil Kim, Dae-Yoon Kim, Minwook Park, Yu-Jin Choi, Soeun Kim, Seung Hee Lee and Kwang-Un Jeong*

The formation of an optically isotropic liquid crystal (LC) medium by doping the star-shaped LC molecular surfactant in a nematic LC medium may allow us to develop new electro-optical LC devices.




3780

Formation of adhesion domains in stressed and confined membranes

Nadiv Dharan and Oded Farago

We use computer simulations of a coarse-grained molecular model of supported lipid bilayers to study the formation of adhesion domains in confined membranes, and in membranes subjected to a non-vanishing surface tension. When the membrane is subjected to compression, the condensation of the adhesion domains triggers membrane buckling.




3786

Cluster coarsening on drops exhibits strong and sudden size-selectivity

Aidan I. Brown and Andrew D. Rutenberg*


Protein clusters localize to larger drops while coarsening, providing a physical size-selectivity mechanism for autophagy receptor proteins.




3794

Simulation methods for solvent vapor annealing of block copolymer thin films

A. F. Hannon, W. Bai, A. Alexander-Katz and C. A. Ross* Simulations using implicit and explicit models of solvent vapor annealed block copolymer thin films enhance the understanding of SVA experiments.



3806




Nanostructures in superhydrophobic Ti6Al4V hierarchical surfaces control wetting state transitions

Yizhou Shen, Jie Tao,* Haijun Tao, Shanlong Chen, Lei Pan and Tao Wang

This paper mainly reports the wetting state of liquid droplets on a Ti6Al4V micro-nanoscale hierarchical structured hydrophobic surface.

3812




Failing softly: a fracture theory of highly-deformable materials

T. Goldman Boué, R. Harpaz, J. Fineberg and E. Bouchbinder*

A fracture theory of highly-deformable materials has been developed and shown to quantitatively agree with extensive experiments.


3822



Tunable synthesis of self-assembled cyclic peptide nanotubes and nanoparticles

Leming Sun, Zhen Fan, Yongzhong Wang, Yujian Huang, Michael Schmidt and Mingjun Zhang*

Different sizes and morphologies of cyclic peptide self-assembled nanostructures were obtained through phase equilibrium, pH-driven, and pH-sensitive methods.



A multiscale approach for modeling actuation response of polymeric artificial muscles

Soodabeh Sharafi and Guoqiang Li*


Artificial muscles are emerging materials in the field of smart materials with applications in aerospace, robotic, and biomedical industries.

3844

Adhesive contact of a rigid circular cylinder to a soft elastic substrate - the role of surface tension

Tianshu Liu, Anand Jagota and Chung-Yuen Hui*


This article studies the effects of surface tension on the adhesive contact mechanics of a long rigid cylinder on an infinite half space comprising an incompressible elastic material.




3852

Chirality separation of mixed chiral microswimmers in a periodic channel

Bao-quan Ai,* Ya-feng He* and Wei-rong Zhong* We numerically studied the dynamics and separation of mixed chiral microswimmers in a channel with regular arrays of rigid half-circle obstacles. Mixed chiral microswimmers can be separated by applying the shear flow or the constant load.






3860

Tuning the mesomorphic properties of phenoxy-terminated smectic liquid crystals: the effect of fluoro substitution

Matthew Thompson, Carolyn Carkner, Nicholas J. Mosey, Nadia Kapernaum and Robert P. Lemieux*

The mesomorphic properties of phenoxy-terminated liquid crystals can be tuned with fluoro substituents on the phenoxy end-group.




3869


Helical alignment inversion of microtubules in accordance with a structural change in their lattice

Kazuhiro Shikinaka,* Saori Mori, Kiyotaka Shigehara and Hiroyasu Masunaga

Finely-regulated giant helical alignments of microtubules with centimeter order according to their lattice structure form over a temperature gradient during anisotropic spiral propagation via tubulin dimer addition in a capillary cell.



3875






Modeling tensorial conductivity of particle suspension networks

Tyler Olsen and Ken Kamrin*

We have derived and tested a new model that relates the fabric structure of a particle suspension network to its tensorial electrical conductivity.

3884




Control of the breakup process of viscous droplets by an external electric field inside a microfluidic device

Yuehao Li, Mranal Jain, Yongting Ma and Krishnaswamy Nandakumar*

Microfluidic devices incorporated with external electric field have demonstrated their capabilities in controlling the breakup process of viscous droplets where conventional microfluidics is ineffective.

3900




Quasi-2d fluids of dipolar superballs in an external field

Per Linse

(Top) Dipolar superballs with dipole moment in 001, 011, and 111-direction and (bottom) structure in quasi-2d fluids with an external field in the horizontal direction. The degree of attraction between strings depends and the structures formed depends decisively on the direction of the dipole in the principal axis system of the superballs.

3913



A design path for the hierarchical self-assembly of patchy colloidal particles


E. Edlund, O. Lindgren and M. Nilsson Jacobi Patchy colloidal particles are promising candidates for building blocks in directed self-assembly.

3920

Solvent-driven interactions between hydrophobically-coated nanoparticles

Stéphanie Hajiw, Julien Schmitt, Marianne Impéror-Clerc and Brigitte Pansu*

Observation of a large attraction between gold nanoparticles covered with hexanethiol or dodecanethiol suspended in flexible linear alkanes.




3927

Polyethylene glycol and divalent salt-induced DNA reentrant condensation revealed by single molecule measurements

Chao Cheng, Jun-Li Jia and Shi-Yong Ran*

In this study, we investigated the DNA condensation induced by polyethylene glycol (PEG) with different molecular weights (PEG 600 and PEG 6000) in the presence of NaCl or MgCl₂ by using magnetic tweezers (MT) and atomic force microscopy (AFM).




3936

A cosolvency effect on tunable thermosensitive core-shell nanoparticle gels

Sang Min Lee and Young Chan Bae*

Schematic depiction of a core-shell structure composed of the PMMA core and the PHEMA shell, and the influence of three co-solvents on the volume transition temperature of the core-shell gels in 1-propanol solution.



CORRECTION

3946

Correction: Self-assembly of Janus particles under shear

Arash Nikoubashman,* Emanuela Bianchi and Athanassios Z. Panagiotopoulos