# SUBJECT INDEX

A

Acetabularia—alga (Polyphysa) protoplast differentiation, involvement of cytoskeletal elements, Zimmer & Werz 105; mediterranea, alga, heterogeneity of chloroplasts, Lüttke 483

Acid release in rat caudal epididymal spermatozoa, extracellular sodium effect, Wong et al. 97

Acronycine effect on division of rat leukemia cells, Low & Auersperg 15

Actin—in Ascaris lumbricoides, nematode, sperm, Nelson & Ward 149; in oxyntic cell, Koenig et al.

Adhesion—cell-substratum and cell-monolayer, dependent upon cellular cholesterol biosynthesis, Cavenee et al. 31; non-, mouse teratoma cells, isolation of aggregation inhibitory factor, Capelle et al. 470, sites, murine fibroblast cell-substratum, fibronectin pools, Murray & Culp 237

Agar, autoclaved, containing granulocyte-macrophage colony growth inhibitor, Dixon et al. 478.

Aggregation inhibitory factor, isolation from nonadhesive mouse teratoma cells, Capelle et al. 470

Aging of chick embryo fibroblast, time-course studies on polyploid nucleus accumulation, Kaji & Matsuo 410

Alga—Acetabularia mediterranea, heterogeneity of chloroplasts, Lüttke 483; Polyphysa (Acetabularia) protoplast differentiation, involvement of cytoskeletal elements, Zimmer & Werz 105

Alignment on glass fibres, differences in normal and transformed cells, Fisher & Tickle 407

Amoeba, Dictyostelium discoideum, auto-inhibitor of zygote giant cell formation, O'Day et al. 456

Amoeboid motility in Ascaris lumbricoides, nematode, sperm, Nelson & Ward 149

Ascaris lumbricoides, nematode, sperm, amoeboid motility and actin, Nelson & Ward 149

Antigen, blood group I and i, changes in expression and polarisation in post-implantation mouse embryos and teratocarcinomas associated with cell differentiation, Kapadia et al. 185

Avian leukemia virus, cells, hematopoietic target, Graf et al. 331

H

Behavior of rat Schwann cells in vitro, Dubois-Dalcq et al. 283

Biochemical identification of cytokeratin proteins present in mammalian liver tissue hepatocytes, Franke et al. 299

Biosynthesis, cellular cholesterol, dependency of cellsubstratum and cell-monolayer adhesion, Cavenee et al. 31

Blastocladiella emersonii zoospore, potassium-induced depolarization of transmembrane potential preceding encystment, Jen & Haug 79

Blastomere, two-cell mouse embryo, polyethylene glycol-induced fusion, Spindle 465

Burst-stimulating factor in chick erythroid cell culture, identification of ovotransferrin, Coll & Ingram 173 C

Cardiac muscle cell, culture in serum-free media, Claycomb 231

Cell—animal, permeability of junctions, Finbow & Pitts 1; cardiac muscle, culture in serum-free media, Claycomb 231: CHO and V79, metabolic cooperation following treatment with tumor promoter, Warren et al. 427; culture, chick erythroid, identification of ovotransferrin as heme-, colony- and burststimulating factor, Coll & Ingram 173; -cycle initiation rate in Saccharomyces cerevisiae, yeast, αfactor effect, Samokhin et al. 267; cycle progression and cyclic nucleotide fluctuations, absence of correlation, Oleinick et al. 373; cycle, transition probability model and transformed cell line, family tree analysis, van Zoelen et al. 395; Dictyostelium discoideum, amoebae, fusion with one another and with erythrocyte ghosts, Kuhn & Parish 89; differentiation, association of changes in expression and polarization of blood group I and i antigens in post-implantation mouse embryos and teratocarcinomas, Kapadia et al. 185; epithelial, lens, grown in culture, cell shape-mediated growth control, Iwig et al. 47; erythroleukemia, mouse, induction by microinjection of hexamethylene-bisacetamide (HMBA), Diacumakos et al. 73; formation, zygote giant, auto-inhibitor in amoeba, Dictyostelium discoideum, O'Day et al. 456; ganglionic, chick embryo dorsal root, nerve growth factor (NGF) influencing potassium movements, Skaper & Varon 353; glioma, replacement of serum with defined medium increasing  $\beta$ -adrenergic receptor number, Dibner et al. 424; HeLa, nuclear shell, isolation and partial characterization, Hubert et al. 446; hybrid, teratocarcinoma-Friend, expression of globin genes, McBurney et al. 277; hybrid somatic, interspecific, analysis of mitochondrial DNA species, using restriction endonucleases. Hayashi et al. 458; leukemia, rat, acronycine and cytochalasin B effects on division, Low & Auersperg 15; leukemia, avian, hematopoietic target, Graf et al. 331; line L<sub>6</sub>, influence of external diffusible factors on myogenesis, Delain et al. 217; line, leukemic, promyelocytic, human, induction of differentiation, Olsson & Olofsson 225; line, parent and virustransformed, receptors for hyaluronate on surface, Underhill & Toole 419; line, rat liver epithelial, influence of culture conditions on cell morphology and tyrosine aminotransferase levels, Malan-Shibley & Type 363; line, transformed, and transition probability model for cell cycle, family tree analysis, van Zoelen et al. 395; -monolayer adhesion dependent upon cellular cholesterol biosynthesis, Cavenee et al. 31; morphology in rat liver epithelial cell lines, influence of culture conditions, Malan-Shibley & Iype 363; mouse teratoma, non-adhesive, isolation of aggregation inhibitory factor, Capelle et al. 470; normal and transformed, differences in alignment on glass fibres, Fisher & Tickle 407; oxyntic, actin and myosin, Koenig et al. 319; pheochromocytoma, rat, effects of nerve growth factor (NGF) on Na<sup>+</sup>-, K<sup>+</sup>-pump, Boonstra et al. 452;

porcine granulosa cultured in serum-free medium, enhanced multiplication and progesterone production, Stokłosowa et al. 430; rat Sertoli, temporal sequence of cell shape changes after experimental elevation of intracellular cAMP, Spruill et al. 131; Schwann, primary and secondary, rat, structure and behavior, Dubois-Dalcq et al. 283; shape changes in rat Sertoli cells after experimental elevation of intracellular cAMP, temporal sequence, Spruill et al. 131; shape-mediated growth control of lens epithelial cells grown in culture, Iwig et al. 47; -substratum adhesion dependent upon cellular cholesterol biosynthesis, Cavenee et al. 31; -substratum, murine fibroblast, adhesion sites, fibronectin pools, Murray & Culp 237; tumor, rat brain, 9L, depletion of polyamine content by DFMO treatment inhibiting proliferation and G1 to S transition, Seidenfeld et al. 209; tumor, correlation between bizarre colony morphology and metastatic potential, Cifone 435; twomouse embryo blastomeres, polyethylene glycol-induced fusion, Spindle 465; vegetative Labyrinthula, formation of whirling aggregates, Nakatsuji et al. 412; whole-, transmission electron microscopy (TEM) revealing cytochalasin B effects on cytoplasmic contractile network, Britch & Allen 161

Cellular—cholesterol biosynthesis dependence, cellsubstratum and cell-monolayer adhesion, Cavenee et al. 31; extra-, sodium effect on acid release and motility initiation in rat caudal epididymal spermatozoa, Wong et al. 97; intra-, cAMP, temporal sequence of cell shape changes in rat Sertoli cells after experimental elevation, Spruill et al. 131

Chloroplast heterogeneity in Acetabularia mediterranea, alga, Lüttke 483

Cholesterol biosynthesis, cellular, dependence of cellsubstratum and cell-monolayer adhesion, Cavenee et al. 31

Chromatin, macronuclear, mating type transformation by transfer in ciliate, *Paramecium tetraurelia*, Koizumi & Kobayashi 441

Chromatoid body, [3H]uridine labelling in rat pachytene spermatocytes, Söderström 488

Chromosome, fixed, DNAse digestion revealing NORs in man, Gagné 476

Ciliate—Paramecium bursaria, inhibition of lysosomal fusion with symbiont-containing vacuoles, Karakashian & Rudzinska 387; Paramecium caudatum, transplantation of germ nuclei, Fujishima & Hiwatashi 63; Paramecium tetraurelia, mating type transformation by transfer of macronuclear chromatin, Koizumi & Kobayashi 441

Colchicine—inhibition and translocation of hepatocyte lysosomes following partial hepatectomy, Mori et al. 25; toxicity to rat hepatocytes, prevention by glucagon hydrocortisone and insulin, Galivan 379

Colony—morphology, bizarre, correlation with metastatic potential of tumor cells, Cifone 435; -stimulating factor in chick erythroid cell cultures, identification of ovotransferrin, Coll & Ingram 173

Contractile network, cytoplasmic, cytochalasin B effects revealed by whole-cell transmission electron microscopy (TEM), Britch & Allen 161

Cyclic AMP, intracellular, temporal sequence of cell shape changes in rat Sertoli cells after experimental elevation, Spruill et al. 131

Cytochalasin B effects—on cytoplasmic contractile

network revealed by whole-cell transmission electron microscopy (TEM), Britch & Allen 161; on division of rat leukemia cells, Low & Auersperg 15

Cytokeratin proteins present in mammalian liver tissue hepatocytes, biochemical and immunological identification, Franke et al. 299

Cytoplasmic contractile network, cytochalasin B effects revealed by whole-cell transmission electron microscopy (TEM), Britch & Allen 161

Cytoskeletal elements and their involvement in *Polyphysa* (*Acetabularia*), alga, protoplast differentiation, Zimmer & Werz 105

### D

Deoxyribonuclease digestion of fixed chromosomes specifically revealing NORs, Gagné 476

Deoxyribonucleic acid (DNA)—in frog embryos, base composition of nuclear RNA, transcription, Flickinger & Shepherd 57; species, mitochondrial, in interspecific hybrid somatic cells, analysis using restriction endonucleases, Hayashi et al. 458

Depolarization, potassium-induced, of transmembrane potential in *Blastocladiella emersonii* zoospores preceding encystment, Jen & Haug 79

Dictyostelium discoideum, amoebae—auto-inhibitor of zygote giant cell formation, O'Day et al. 456; cell fusion with one another and with erythrocyte ghosts, Kuhn & Parish 89

Differentiation—cell association, changes in expression and polarization of blood group I and i antigens in post-implantation mouse embryos and teratocarcinomas, Kapadia et al. 185; induced in human promyelocytic leukemic cell line, Olsson & Olofsson 225; protoplast, *Polyphysa* (*Acetabularia*), alga, involvement of cytoskeletal elements, Zimmer & Werz 105

Diffusible factors, external, influence on myogenesis of line L<sub>6</sub> cells, Delain et al. 217

D,L-α-Diffuoromethylornithine (DFMO) treatment, inhibition of proliferation and G1 to S transition depleting 9L rat brain tumor cell polyamine content, Seidenfeld et al. 209

Digestion, DNase, of fixed chromosomes specifically revealing NORs in man, Gagné 476

Division of rat leukemia cells, acronycine and cytochalasin B effects, Low & Auersperg 15

## E

Egg, sea urchin, Strongylocentrotus purpuratus, interspecific fusion, Bennet & Mazia 197

Electron microscopy, transmission (TEM), whole-cell, revealing cytochalasin B effects on cytoplasmic contractile network, Britch & Allen 161

Embryo—chick, dorsal root ganglionic cells, nerve growth factor (NGF) influencing potassium movements, Skaper & Varon 353; chick, fibroblast, aging, time-course studies on polyploid nucleus accumulation, Kaji & Matsuo 410; frog, base composition of nuclear RNA transcribed from DNA, Flickinger & Shepherd 57; mouse, post-implantation, changes in expression and polarization of blood group I and i antigens associated with cell differentiation, Kapadia et al. 185; two-cell mouse blastomeres, polyethylene glycol-induced fusion, Spindle 465

Encystment, preceded by potassium-induced depolarization of transmembrane potential in *Blasto*cladiella emersonii zoospores, Jen & Haug 79

Enucleation of human fibroblasts, intermediate filaments, Laurila et al. 41

Epithelial cell lines, rat liver, influence of culture conditions on cell morphology and tyrosine aminotransferase levels, Malan-Shibley & Iype 363

Erythrocyte ghosts, fusion with Dictyostelium cells, Kuhn & Parish 89

Erythroid cell cultures, chick, identification of ovotransferrin as heme-, colony- and burst-stimulating factor, Coll & Ingram 173

Erythroleukemia cells, mouse, induction by microinjection of hexamethylene-bisacetamide (HMBA), Diacumakos et al. 73

Evolution, heat, by human skin fibroblasts in monolayer culture, Schaarschmidt & Reichert 480

F

Family tree analysis of transformed cell line and transition probability model for cell cycle, van Zoelen et al. 395

Fibroblast—cell-substratum, murine adhesion sites, fibronectin pools, Murray & Culp 239; chick embryo aging, time-course studies on polyploid nucleus accumulation, Kaji & Matsuo 410; human, intermediate filaments in enucleation, Laurila et al. 41; human skin, heat evolution in monolayer culture, Schaarschmidt & Reichert 480

Fibronectin pools in murine fibroblast cell-substratum adhesion sites, Murray & Culp 237

Filament, intermediate, in enucleation of human fibroblasts. Laurila et al. 41

Friend teratocarcinoma cell hybrids, expression of globin genes, McBurney et al. 277

Fusion—Dictyostelium discoideum, amoebae, cells with one another and with erythrocyte ghosts, Kuhn & Parish 89; interspecific, of sea urchin, Strongylocentrotus purpuratus, eggs, Bennett & Mazia 197; lysosomal, with symbiont-containing vacuoles in ciliate, Paramecium bursaria, Karakashian & Rudzinska 387; polyethylene glycol-induced, of two-cell mouse embryo blastomeres, Spindle 465

G

Gastropoda, mollusk, marine, presence of H2b histone in spermatozoa, Colom & Subirana 462 Gene, globin, expression in teratocarcinoma-Friend

cell hybrids, McBurney et al. 277 Germ nuclei, transplantation in ciliate, *Paramecium* 

Germ nuclei, transplantation in ciliate, Paramecium caudatum, Fujishima & Hiwatashi 63

Ghost erythrocyte, fusion with Dictyostelium discoideum, amoebae, cells, Kuhn & Parish 89

Glass fibre alignment, differences of normal and transformed cells, Fisher & Tickle 407

Globin genes, alpha, embryonal carcinoma-derived, expression in Friend cell hybrids, McBurney et al. 277

Glucagon preventing colchicine toxicity to rat hepatocytes, Galivan 379

Glycan stimulation of macrophages, Seljelid et al. 121 Granulocyte-macrophage colony growth, autoclaved agar containing inhibitor, Dixon et al. 478 Growth—cone, spinal cord neurons, structural proteins, Jockusch & Jockusch 345; control, cell shape-mediated, of lens epithelial cells grown in culture, Iwig et al. 47; factor, nerve (NGF) effect on Na<sup>+</sup>-, K<sup>+</sup>-pump in rat pheochromocytoma cells, Boonstra et al. 452; granulocyte-macrophage colony, inhibitor contained in autoclaved agar, Dixon et al. 478; nerve factor (NGF) influencing potassium movements in chick embryo dorsal root ganglionic cells, Skaper & Varon 353

H

Heat evolution by human skin fibroblasts in monolayer culture, Schaarschmidt & Reichert 480

HeLa cells, nuclear shell, isolation and partial characterization, Hubert et al. 446

Hematopoietic target cells of avian leukemia viruses, Graf et al. 331

Heme-stimulating factor in chick erythroid cell cultures, identification of ovotransferrin, Coll & Ingram 173

Hepatectomy resulting in translocation of hepatocyte lysosomes, Mori et al. 25

Hepatocyte—lysosomes, translocation following partial hepatectomy and its inhibition by colchicine, Mori et al. 25; mammalian liver tissue, biochemical and immunological identification of cytokeratin proteins, Franke et al. 299; rat, prevention of colchicine toxicity by glucagon, hydrocortisone and insulin, Galivan 379

Heterogeneity of chloroplasts in Acetabularia mediterranea, alga, Lüttke 483

Hexamethylene-bisacetamide (HMBA) induction of mouse erythroleukemia cells by microinjection, Diacumakos et al. 73

Histone, H2b, presence in spermatozoa from marine gastropoda, mollusk, Colom & Subirana 462

Hormonal control of meiosis in Marthasterias glacialis, starfish, oocytes, Dorée 115

Hyaluronate on surface of parent and virus-transformed cell lines, receptor, Underhill & Toole 419

Hybrid—cell, teratocarcinoma-Friend, expression of globin genes, McBurney et al. 277; somatic cells, interspecific analysis of mitochondrial DNA species using restriction endonucleases, Hayashi et al. 458

Hydrocortisone preventing colchicine toxicity to rat hepatocytes, Galivan 379

I

Immunological identification of cytokeratin proteins present in mammalian liver tissue hepatocytes, Franke et al. 299

Implantation, post-, embryos, changes in expression and polarization of blood group I and i antigens, Kapadia et al. 185

Inheritance, maternal, of proteins synthesized in mammalian mitochondria, Yatscoff et al. 417

Inhibition—by colchicine and translocation of hepatocyte lysosomes following partial hepatectomy, Mori et al. 25; lysosomal fusion with symbiont-containing vacuoles in ciliate, *Paramecium bursaria*, Karakashian & Rudzinska 387; of proliferation and Gl to S transition following depletion of 9L rat brain

tumor cell polyamine content by DFMO treatment, Seidenfeld et al. 209

Inhibitor—auto-, of zygote giant cell formation in amoeba, Dictyostelium discoideum, O'Day et al. 456; granulocyte-macrophage colony growth contained in autoclaved agar, Dixon et al. 478

Inhibitory factor, aggregation, isolation from non-adhesive mouse teratoma cells, Capelle et al. 470

Insulin preventing colchicine toxicity to rat hepatocytes, Galivan 379

Isolation of nuclear shell of HeLa cells, Hubert et al. 446

J

Junction permeability between animal cells, Finbow & Pitts 1

L

Labyrinthula vegetative cells, formation of whirling aggregates, Nakatsuji et al. 412

Lens epithelial cells grown in culture, cell shapemediated growth control, Iwig et al. 47

Leukemia—cells, rat, acronycine and cytochalasin B effects on division, Low & Auersperg 15; virus, avian, cells, hematopoietic target, Graf et al. 331

Leukemic cell line, promyelocytic, human, induction of differentiation, Olsson & Olofsson 227

Lymphoblast, EB-virus transformed, purification and characterization of human lysosomes, Harms et al. 251

Lysosome—fusion with symbiont-containing vacuoles in ciliate, *Paramecium bursaria*, inhibition, Karakashian & Rudzinska 387; hepatocyte, translocation following partial hepatectomy and inhibition by colchicine, Mori et al. 25; human, from EB-virus transformed lymphoblasts, purification and characterization, Harms et al. 251

## M

Macrophage—glycan stimulation, Seljelid et al. 121; granulocyte colony growth inhibitor containing autoclaved agar, Dixon et al. 478

Mammalian—liver tissue hepatocytes, biochemical and immunological identification of cytokeratin proteins, Franke et al. 299; mitochondria, protein synthesis, maternal inheritance, Yatscoff et al. 417 Marthasterias glacialis, starfish, oocytes, hormonal

control of meiosis, Dorée 115

Medium replacing serum, increasing  $\beta$ -adrenergic receptor number in glioma cells, Dibner et al. 424

Meiosis in Marthasterias glacialis, starfish, oocytes, hormonal control, Dorée 115

Membrane, trans-, potential, in *Blastocladiella emersonii* zoospores preceding encystment, potassium-induced depolarization, Jen & Haug 79

Metabolic cooperation in CHO and V79 cells following treatment with tumor promoter, Warren et al. 427

Metastatic potential and bizarre colony morphology, correlation in tumor cells, Cifone 435

Microinjection of hexamethylene-bisacetamide (HMBA) induction of mouse erythroleukemia cells, Diacumakos et al. 73

Mitochondria, mammalian, protein synthesis, maternal inheritance, Yatscoff et al. 417

Mitochondrial DNA species, analysis in interspecific hybrid somatic cells using restriction endonucleases, Hayashi et al. 458

Mollusk, gastropoda, marine, presence of H2b histone in spermatozoa, Colom & Subirana 462

Monolayer culture, heat evolution by human skin fibroblasts, Schaarschmidt & Reichert 480

Morphology—cell, influence of culture conditions in rat liver epithelial cell lines, Malan-Shibley & Iype 363; colony, bizarre, correlation with metastatic potential of tumor cells, Cifone 435

Motility—amoeboid, in nematode, Ascaris lumbricoides, sperm, Nelson & Ward 149; initiation in rat caudal epididymal spermatozoa, extracellular sodium effect on acid release, Wong et al. 97

Movement, potassium, in chick embryo dorsal root ganglionic cells, influence of nerve growth factor (NGF), Skaper & Varon 353

Multiplication, enhanced, of porcine granulosa cells cultured in serum-free medium, Stoktosowa et al. 430

Myelocytic, pro-, leukemic cell line, human, induction of differentiation, Olsson & Olofsson 225

Myogenesis of line  $L_6$  cells, influence of external diffusible factors, Delain et al. 217

Myosin in oxyntic cell, Koenig et al. 319

Ν

Nematode, Ascaris lumbricoides sperm, amoeboid motility and actin, Nelson & Ward 149

Nerve growth—factor (NGF), effect on Na<sup>+</sup>-, K<sup>+</sup>pump in rat pheochromocytoma cells, Boonstra &
van der Saag 452; factor (NGF) influencing potassium movements in chick embryo dorsal root ganglionic cells, Skaper & Varon 353

Neuron, spinal cord, structural proteins in growth cone, Jockusch & Jockusch 345

NOR in man revealed by DNAse digestion of fixed chromosomes, Gagné 476

Nuclear—macro-, chromatin in ciliate, Paramecium tetraurelia, mating type transformation by transfer, Koizumi & Kobayashi 441; RNA transcribed from DNA in frog embryos, base composition, Flickinger & Shepherd 57; shell, HeLa cells, isolation and partial characterization, Hubert et al. 446

Nuclease, endo-, restriction, used in analysis of mitochondrial DNA species in interspecific hybrid somatic cells, Hayashi et al. 458

Nuclei, germ, transplantation in Paramecium caudatum, Fujishima & Hiwatashi 63

Nucleotide fluctuations, cyclic, and cell cycle progression, absence of correlation, Oleinick et al. 373

Nucleus accumulation, polyploid time-course studies, aging of chick embryo fibroblast, Kaji & Matsuo 410

0

Oocyte, Marthasterias glacialis, starfish, hormonal control of meiosis, Dorée 115

Ovotransferrin, identification as heme-, colony- and burst-stimulating factor in chick erythroid cell cultures, Coll & Ingram 173

Oxyntic cell, actin and myosin, Koenig et al. 321

Pachytene spermatocytes, rat, [3H]uridine labelling of chromatoid body, Söderström 488

Paramecium—bursaria, ciliate, inhibition of lysosomal fusion with symbiont-containing vacuoles, Karakashian & Rudzinska 389; caudatum, ciliate, transplantation of germ nuclei, Fujishima & Hiwatashi 63; tetraurelia, ciliate, mating type transformation by transfer of macronuclear chromatin, Koizumi & Kobayashi 441

Permeability, junctions between animal cells, Finbow & Pitts 1

Pheochromocytoma cells, rat, nerve growth factor (NGF) effects on Na<sup>+</sup>-, K<sup>+</sup>-pump, Boonstra et al. 452

Polarization of blood group I and i antigen, changes in post-implantation embryos and teratocarcinomas of mouse associated with cell differentiation, Kapadia et al. 185

Polyethylene glycol-induced fusion of two-cell mouse embryo blastomeres, Spindle 465

Polyphysa (acetabularia), alga, protoplast differentiation, involvement of cytoskeletal elements, Zimmer & Werz 105

Porcine granulosa cells cultured in serum-free medium, enhanced multiplication and progesterone production, Stoktosowa et al. 430

Potassium—induced depolarization of transmembrane potential in *Blastocladiella emersonii* zoospores preceding encystment, Jen & Haug 79; movements in chick embryo dorsal root ganglionic cells, influence of nerve growth factor (NGF), Skaper & Varon 353

Progesterone production, enhanced, of porcine granulosa cells cultured in serum-free medium, Stoklosowa et al. 430

Progression, cell cycle, and cyclic nucleotide fluctuations, absence of correlation, Oleinick et al. 373

Proliferation inhibition by depletion of 9L rat brain tumor cell polyamine content by DFMO treatment, Seidenfeld et al. 209

Promoter tumor, treatment followed by metabolic cooperation in CHO and V79 cells, Warren et al. 427

Protein—cytokeratin, present in mammalian liver tissue hepatocytes, biochemical and immunological identification, Franke et al. 299; structural, in growth cone of spinal cord neurons, Jockusch & Jockusch 345; synthesis, mammalian mitochondria, maternal inheritance, Yatscoff et al. 417

Protoplast, *Polyphysa* (acetabularia), alga, differentiation, involvement of cytoskeletal elements, Zimmer & Werz 105

Pump, Na<sup>+</sup>-, K<sup>+</sup>-, nerve growth factor (NGF) effect in rat pheochromocytoma cells, Boonstra et al. 452

## L

Receptor—\$\beta\$-adrenergic, replacement of serum with defined medium increasing number in glioma cells, Dibner et al. 424; for hyaluronate on surface of parent and virus-transformed cell lines, Underhill & Toole 419

Ribonucleic acid (RNA)—nuclear, transcribed from DNA in frog embryos, base composition, Flickinger & Shepherd 57

S

Saccharomyces cerevisiae, yeast, α-factor effect on cell-cycle initiation rate, Samokhin et al. 267

Schwann cells, rat, structure and behavior, Dubois-Dalcq et al. 283

Sea urchin, Strongylocentrotus purpuratus, eggs, interspecific fusion, Bennett & Mazia 197

Serum—-free medium, cardiac muscle cell culture, Claycomb 231; -free medium, culture of porcine granulosa cells, enhanced multiplication and progesterone production, Stoktosowa et al. 430; replacement with defined medium increasing β-adrenergic receptor number in glioma cells, Dibner et al. 424

Somatic cells, hybrid, interspecific, analysis of mitochondrial DNA species using restriction endonucleases, Hayashi et al. 458

Species, mitochondrial DNA, analysis, in interspecific hybrid somatic cells using restriction endonuclease, Hayashi et al. 458

Sperm, nematode, Ascaris lumbricoides, amoeboid motility and actin, Nelson & Ward 149

Spermatocyte, rat pachytene, [3H]uridine labelling of chromatoid body, Söderström 488

Spermatozoa—marine gastropoda, presence of H2b histone, Colom & Subirana 462; rat caudal epididymal, extracellular sodium effects on acid release and motility initiation, Wong et al. 97

Spinal cord neurons, embryonic mouse, structural proteins in growth cone, Jockusch & Jockusch 345 Starfish, Marthasterias glacialis oocytes, hormonal

Starfish, Marthasterias glacialis oocytes, hormona control of meiosis, Dorée 115

Strongylocentrotus purpuratus, sea urchin eggs, interspecific fusion, Bennett & Mazia 197

Structure—proteins in growth cone of cultured spinal cord neurons, Jockusch & Jockusch 347; rat primary and secondary Schwann cells in vitro, Dubois-Dalcq et al. 283

Surface of parent and virus-transformed cell lines, receptors for hyaluronate, Underhill & Toole 419

Symbiont-containing vacuoles in ciliate, *Paramecium bursaria*, inhibition of lysosomal fusion, Karakashian & Rudzinska 387

Synthesis, protein, in mammalian mitochondria, maternal inheritance, Yatscoff et al. 417

T

Teratocarcinoma-Friend cell hybrids, expression of globin genes, McBurney et al. 277; mouse, post-implantation, changes in expression and polarization of blood group I and i antigens associated with cell differentiation, Kapadia et al. 185

Teratoma cells, mouse, non-adhesive, isolation of aggregation inhibitory factor, Capelle et al. 470

Tissue, mammalian liver, hepatocytes, biochemical and immunological identification of cytokeratin proteins, Franke et al. 299

Toxicity, colchicine, to hepatocytes, prevention by glucagon, hydrocortisone and insulin, Galivan 379

Transfer of macronuclear chromatin in ciliate, Paramecium tetraurelia, mating type transformation, Koizumi & Kobayashi 441

Transformation—cell line and transition probability model for cell cycle, family tree analysis, van Zoelen et al. 395; lymphoblasts, EB-virus, purification and characterization of human lysosomes, Harms et al. 251; mating type, by transfer of macronuclear chromatin in ciliate, *Paramecium tetraurelia*, Koizumi & Kobayashi 441

Transition—G1 to S, inhibition of proliferation by depletion of 9L rat brain tumor cell polyamine content by DFMO treatment, Seidenfeld et al. 209; probability model for cell cycle and transformed cell line, family tree analysis, van Zoelen et al. 395.

Translocation of hepatocyte lysosomes following partial hepatectomy and its inhibition by colchicine, Mori et al. 25

Transplantation of germ nuclei in ciliate, Paramecium caudatum, Fujishima & Hiwatashi 63

Tumor—cell correlation between bizarre colony morphology and metastatic potential, Cifone 435; cell, depletion of 9L rat brain, polyamine content by DFMO treatment inhibiting proliferation and G1 to S transition, Seidenfeld et al. 209; promoter, treatment followed by metabolic cooperation in CHO and V79 cells, Warren et al. 427

Tyrosine aminotransferase levels in rat liver epithelial cell lines, influence of culture conditions, Malan-Shibley & Iype 363

U

Uridine, tritiated, labelling of chromatoid body in rat pachytene spermatocytes, Söderström 488

V

Vacuole, symbiont-containing, in ciliate, *Paramecium bursaria*, inhibition of lysosomal fusion, Karakashian & Rudzinska 387

Vegetative cells, Labyrinthula, formation of whirling aggregates, Nakatsuji et al. 412

Virus—EB-, transformed lymphoblasts, purification and characterization of human lysosomes, Harms et al. 251; leukemia avian cells, hematopoietic target, Graf et al. 331; transformed cell lines, receptor for hyaluronate on surface, Underhill & Toole 419

Whirling aggregates, formation by Labyrinthula vege-

tative cells, Nakatsuji et al. 412

Y

Yeast, Saccharomyces cerevisiae, α-factor effect on cell-cycle initiation rate, Samokhin et al. 267

Z

Zoospore, Blastocladiella emersonii, potassium-induced depolarization of transmembrane potential preceding encystment, Jen & Haug 79

Zygote giant cell formation in amoeba, Dictyostelium discoideum, auto-inhibitor, O'Day et al. 456