Selected Titles

| Adv. Colloid Interface Sci. 54 (1995) Polymers at solid interfaces: a spin labelling approach H. Hommel | Hydrophilic-hydrophobic biodegradable polymers: release characteristics of hydrogen-bonded, ring-containing polymer matrices S.J. Huang, LH. Ho, E. Hong, O. Kitchen |
|---|---|
| AIChE J. 40(12) (1994) | Chem. Mater. 6(12) (1994) |
| Solubilization of trichloroethylene by polyelectrolyte/surfactant complexes | Aluminosilicate/poly(ethylene glycol) copolymers: a new class of polyelectrolytes |
| H. Ûchiyama, S.D. Christian, E.E. Tucker, J.F. Scamehorn 1969 | G.C. Rawsky, T. Fujinami, D.F. Shriver2208 |
| Control of emulsion polymerization reactors (Journal Review) J. Dimitratos, G. Eliçabe, C. Georgakis | Photodeposition of thin polydiacetylene films from solution that exhibit large third-order optical nonlinearities M.S. Paley, D.O. Frazier, H. Abdeldayem, S. P. McManus. 2213 |
| Parallel transport of BSA by surface and pore diffusion in strongly basic chitosan | Clay-reinforced epoxy nanocomposites |
| H. Yoshida, M. Yoshikawa, T. Kataoka2034 | T. Lan, T.J. Pinnavaia2216 |
| Anal. Chem. 66(24) (1994) Determination of volatile organic compounds at the part per trillion level in complex aqueous matrices using membrane introduction mass spectrometry | Poly[(ether ether sulfone)-co-(ether sulfone)]/silicon oxide micro-composites produced via the sol-gel reaction for tetraethylorthosilicate K.A. Mauritz, R. Ju |
| S. Bauer, D. Solyom | Structural precursors and electronic structure of the ladder type polymer poly(bis(benzimidazo)benzophenanthroline) (BBB): a combined UPS/XPS and STM study |
| hemoglobin HY. Chen, HX. Ju, YG. Xun4538 | A.W. Munz, D. Schmeisser, W. Göpel |
| Poly(3,3'-diaminobenzidine) film on a gold electrode for selective preconcentration and stripping analysis of selenium (IV) Q. Cai, S.B. Khoo | formation A.F. Rubira, J.D. Rancourt, M.L. Caplan, A.K. St. Clair, L.T. Taylor2351 |
| Biomaterials 15(14) (1994) Studies on a new radiopaque polymeric biomaterial A. Benzina, M.A.B. Kruft, F. Bär, F.H. van der Veen, C.W. Bastiaansen, V. Heijnen, C. Reutelingsperger, L.H. Koole1122 | Composite polymer electrolytes using fumed silica fillers: rheology and ionic conductivity S.A. Khan, G.L. Baker, S. Colson |
| Anticancer drug, ara-C, release from pHEMA hydrogels R.M. Trigo, M.D. Blanco, J.M. Teijón, R. Sastre | One-dimensional inorganic polymers: synthesis and structural characterization of the main-group metal polymers K ₂ HgSnTe ₄ , (Et ₄ N) ₂ HgSnTe ₄ , (Ph ₄ P)GeInTe ₄ , and RbInTe ₂ S.S. Dhingra, R.C. Haushalter |
| Biomaterials 15(15) (1994) Biodegradation of PLA/GA polymers: increasing complexity M. Vert, J. Mauduit, S. Li | One-dimensional mercury telluride polymers: synthesis and structure of (Et4N) ₂ Hg ₂ Te ₄ and (Me ₄ N) ₄ Hg ₃ Te ₇ •(0.5en) S.S. Dhingra, C.J. Warren, R.C. Haushalter, A.B. Bocarsly 2382 |
| Photopolymerization of dental composite matrices A. Maffezzoli, A. Della Pietra, S. Rengo, L. Nicolais, G. Valletta | Colloids Surf. A: Physicochem. Eng. Aspects 92(1/2) (1994) Adsorption of metanil yellow on a positively charge-modified ny- |
| Collagen-based new bioartificial polymeric materials P. Giusti, L. Lazzeri, S. De Petris, M. Palla, M.G. Cascone | lon 66 membrane D.E. Jan, S. Raghavan |
| Recent results on functional polymers and macromonomers of interest as biomaterials or for biomaterial modification P. Ferruti, E. Ranucci, L. Sartore, F. Bignotti, M.A. Marchisio, P. Bianciardi, F.M. Veronese | strength F. Carrique, L. Zurita, A.V. Delgado9 |

| A comparative study on the electrokinetic behavior of bovine serum albumin molecules adsorbed onto different polymer colloids A. Martín-Rodríguez, M.A. Cabrerizo-Vílchez, | Adhesion of platelets and neutrophilic granulocytes on glass and FEP teflon during exposure to shear stress in a parallel plate flow chamber system |
|---|---|
| R. Hidalgo-Alvarez113 | C.L. Klein, M. Otto, H. Köhler, T.G. van Kooten, W. Sliwa-Tomczok, J. Tomczok, C.J. Kirkpatrick229 |
| Effect of surface charge density on the electrosurface properties of positively charged polystyrene beads | Compos. Struct. 29(4) (1994) |
| A. Fernández Barbero, R. Martinez García, M.A. Cabrerizo | Characterization of delamination behavior of unidirectional |
| Vílchez, R. Hidalgo-Alvarez121 | graphite/PEEK laminates using cracked lap shear (CLS) specimens |
| Electrokinetic characterization and colloidal stability of polystyrene | K.Y. Rhee379 |
| latex particles partially covered by IgG/a-CPR and m-BSA proteins | Characterization of the longitudinal tensile behavior of pultruded l- |
| J.M. Peula, J. Puig, J. Serra, F.J. de las Nieves, R. Hidalgo-Alvarez127 | shape structural members using coupon specimens Y. Wang, AH. Zureick463 |
| | · |
| Surface and electrokinetic characterization of functional aldehyde polymer colloids | Compos. Sci. Technol. 52(2) (1994) |
| D. Bastos, R. Santos, J. Forcada, R. Hidalgo-Alvarez, | In situ observation and probabilistic prediction of microscopic failure processes in CFRP cross-ply laminates |
| F.J. de las Nieves | N. Takeda, S. Ogihara183 |
| Polymer depletion layers as measured by electrophoresis | A note on the Monte Carlo simulation of the tensile deformation |
| A. Krabi, E. Donath175 | and failure process of unidirectional composites |
| Colloids Surf. A: Physicochem. | J. Yuan, Y. Xia, B. Yang197 |
| Eng. Aspects 92(3) (1994) | Data for designing with continuous-glass-fibre-reinforced |
| Orientation and reversible (?) transitions at incipient collapse of a | polypropylene |
| polymer resin monolayer at an air/water interface | A.C. Lowe, D.R. Moore, I.M. Robinson205 |
| D.J. Morantz221 | The development of an improved mode III delamination test for |
| Quantitative analysis of albumin adsorption onto uncoated and | composites |
| poly(ether urethane-coated ZnSe surfaces using the attenuated total | P. Robinson, D.Q. Song217 |
| reflection FTIR technique J.S. Jeon, S. Raghavan, R.P. Sperline255 | The bonded repair of fibre composites: effect of composite moisture |
| CHAIR CORNEL CONTRACTOR | content J.E. Robson, F.L. Matthews, A.J. Kinloch235 |
| Colloids Surf. A: Physicochem. Eng. Aspects 93 (1994) | |
| In situ spectroscopic investigations of adsorbed surfactant and | Static and cyclic biaxial bending of CFRP panels |
| polymer layers in aqueous and non-aqueous systems | A.S. Chen, F.L. Matthews267 |
| P. Somasundaran, S. Krishnakumar79 | Investigation of the transverse properties of a unidirectional car- |
| Interface and polymerisation studies of pyromellitic diimide-based | bon/epoxy laminate: Part 1 — Matrix properties |
| polyimide thin films on silver | A.H. Rezaifard, M.G. Bader, P.A. Smith275 |
| P.Y. Timbrell, N. Than-Trong, R.N. Lamb181 | Investigation of the transverse properties of a unidirectional car- |
| Ultrathin self-assembled polymer films on solid surfaces. 4. | bon/epoxy laminate: Part 2 — Laminate properties |
| Electrochemical analysis of film microstructure on gold electrodes | A.H. Rezaifard, M.G. Bader, P.A. Smith287 |
| F. Sun, Y. Lei, D.W. Grainger191 | Ind. Eng. Chem. Res. 33(12) (1994) |
| Forces between polyelectrolyte-coated surfaces: relations between | Effect of heterogeneous secondary pyrolysis reactions on the ther- |
| surface interaction and floc properties | mal decomposition of polyurethane scrap |
| P.M. Claesson, M.A.G. Dahlgren, L. Eriksson293 | D.Y. Takamoto, M.A. Petrich3004 |
| Electrostatic characterization of biological and polymeric surfaces | Estimation of Hansen solubility parameters for (hydroxyethyl)- and |
| by electrostatic force microscopy | (hydroxypropyl)cellulose through molecular simulation P. Choi, T.A. Kavassalis, A. Rudin3154 |
| Y. Leng, C.C. Williams335 | r. Choi, 1.A. Kavassaus, A. Kuaut |
| Compression of polyethylene glycol chains grafted onto silicon ni- | Int. J. Biol. Macromol.: Struct., Funct. |
| tride surface as measured by scanning force microscopy | Interactions 16(5) (1994) |
| A.S. Lea, J.D. Andrade, V. Hlady349 | γ-Poly(glutamic acid) formation by Bacillus licheniformis 9945a: |
| Colloids Surf. B: Biointerfaces 3(3) (1994) | physiological and biochemical studies G.A. Birrer, AM. Cromwick, R.A. Gross265 |
| Fluid shear induced endothelial cell detachment from modified | |
| polystyrene substrata | J. Phys. I 4(12) (1994) |
| T.G. van Kooten, J.M. Schakenraad, H.C. van der Mei, | Projection of the Rouse model onto macroscopic equations of mo- |
| A. Dekker, C.J. Kirkpatrick, M. Walter, D. Korzec, J. Engemann, H.J. Busscher147 | tion for polymers under shear HP. Wittmann, G.H. Fredrickson1791 |
| Calleida Comé Da Distractura 2/4) (1004) | |
| Colloids Surf. B: Biointerfaces 3(4) (1994) Surface chemical studies of aging and solvent extraction effects on | J. Phys. II 4(12) (1994) |
| plasma-treated polystyrene | Perturbations of microemulsion droplets by confinement and ad- sorption of polymer |
| P.C. Schamberger, J.I. Abes, J.A. Gardella, Jr203 | J. Lal, L. Auvray2119 |
| | Random hydrophilic-hydrophobic copolymers |
| | T. Garel. L. Leibler. H. Orland2139 |

| Complex layered phases in asymmetric diblock copolymers I.W. Hamley, M.D. Gehlsen, A.K. Khandpur, K.A. Koppi, J.H. Rosedale, M.F. Schulz, F.S. Bates, K. Almdal, | J. Controlled Release 32(3) (1994) Immunogenicity of poly-D-lysine, a potential polymeric drug carrier |
|--|--|
| K. Mortensen | H. Vermeersch, J.P. Remon225 |
| Branched polymers in restricted geometry: Flory theory, scaling and blobs | Characterization and morphological analysis of protein-loaded poly(lactide-co-glycolide) microparticles prepared by water-in-oil-in- |
| T.A. Vilgis, P. Haronska, M. Benhamou2187 | water emulsion technique C. Yan, J.H. Resau, J. Hewetson, M. West, W.L. Rill, |
| Rotational invariance and Goldstone modes in nematic elastomers and gels | M. Kende |
| P.D. Olmsted | Improved synthesis of adriamycin-conjugated poly(ethylene oxide)- |
| Surface segregation in model symmetric polyolefin diblock copolymer melts | poly(aspartic acid) block copolymer and formation of unimodal mi- cellar structure with controlled amount of physically entrapped adri- amycin |
| M. Sikka, N. Singh, F.S. Bates, A. Karim, S. Satija, C.F. Majkrzak2231 | M. Yokoyama, T. Okano, Y. Sakurai, K. Kataoka269 |
| · | J. Mater. Chem. 4(12) (1994) |
| Small angle neutron scattering experiments in smectic A and smectic B phases of diluted liquid crystal copolysiloxanes | Photoresists based on a novel photorearrangement of o -nitrobenzylic polymers |
| S. Lecommandoux, L. Noirez, M. Mauzac, F. Hardouin2249 | A. Ajayaghosh, M.V. George, T. Yamaoka1769 |
| Adsorption of long polymers dissolved in a semi-dilute solution of shorter chains | Sulfonated polyaniline films as cation insertion electrodes for bat- |
| JU. Sommer, M. Daoud2257 | tery applications, Part 1. — Structural and electrochemical characterization |
| J. Adv. Mater. 26(2) (1995) | C. Barbero, M.C. Miras, B. Schnyder, O. Haas, R. Kötz 1775 |
| Mechanical properties of interleaved PMR-15 composites D.E. Hirt | Preparation and properties of <i>stat</i> -copoly(oxyethylene/oxypropy- |
| | lene)-LiClO ₄ polymer electrolytes M. Nekoomanesh H., D.J. Wilson, C. Booth, J.R. Owen1785 |
| Thermal stability of aramid fiber reinforced honeycomb core for thermoplastic facesheet applications | Comparative kinetic analyses for epoxy resins cured with imida- |
| R.A. Shimansky, R.E. Magee54 | zole-metal complexes G.J. Buist, I. Hamerton, B.J. Howlin, J.R. Jones, S. Liu, |
| J. Appl. Phys. 76(12) (1994) | J.M. Barton |
| Anisotropic dc conductivity in stretch-oriented iodine-doped poly[3-(4-octylphenyl)-2,2'-bithiophene] | Polypyrrole-poly(epichlorohydrin-co-ethylene oxide) blend: an elec- |
| P. Dyreklev, O. Inganäs7915 | troactive, electrochromic and elastomeric material MA. De Paoli, D.J. Maia |
| Electrical breakdown of polyethylene terephthalate under hydrostatic | |
| pressure N. Zebouchi, R. Essolbi, D. Malec, H.T. Giam. B. Ai, | Electrochemistry of poly(3-thiopheneacetic acid) in aqueous solu- tion: evidence for an intramolecular chemical reaction |
| M. Bendaoud8218 | P.N. Bartlett, D.H. Dawson1805 |
| J. Appl. Phys. 77(1) (1995) | Polyaniline alloys with poly(3-sulfonato-4-hydroxystyrene) |
| Free volume and ionic conductivity of poly(ether urethane)-LiClO ₄ polymeric electrolyte studied by positron annihilation | M. Inoue, F. Medrano, M. Nakamura, M.B. Inoue, Q. Fernando1811 |
| Z.L. Peng, B. Wang, S.Q. Li, S.J. Wang334 | |
| J. Appl. Phys. 77(2) (1995) | J. Mater. Sci. 29(23) (1994) Development of porous zirconia spheres by polymerization-induced |
| Orientational relaxation in cross-linked nonlinear optical polymers K.M. White, E.M. Cross833 | colloid aggregation-effect of polymerization rate M.J. Annen, R. Kizhappali, P.W. Carr, A. McCormick6123 |
| Erratum: "Selective incorporation of dye molecules on poly(methyl | Phase II to phase I crystal transformation in polybutene-1 single |
| methacrylate) surface fabricated by laser irradiation" [J. Appl. Phys. | crystals: a reinvestigation S. Kopp, J.C. Wittmann, B. Lotz |
| 76, 4872 (1994)] T. Uchida, N. Shimo, H. Sugimura, H. Masuhara951 | |
| J. Colloid Interface Sci. 169(2) (1995) | Swelling parameter of polypropylene used in household appliances N.M. Sammes, S. Vohora, A.M. Cartner |
| Hydrodynamic thickness and deformation of adsorbed layers of polyethylene oxides | Oxygen gas permeability and the mechanical properties of poly(n- |
| N.V. Churaev, I.P. Sergeeva, V.D. Sobolev300 | butylamino)-(di-n-hexyamino) phosphazene membranes M. Kajiwara |
| Structures and stabilities of adsorbed proteins | |
| C.A. Haynes, W. Norde313 | J. Mater. Sci. Lett. 13(23) (1994) Sliding friction and wear of a continuous glass fibre/nylon compos- |
| Dynamic properties of poly(DL-lactide) and polyvinyl alcohol | ite against steel L. Ye, P.H. Lam1684 |
| monolayers at the air/water and dichloromethane/water interfaces F. Boury, Tz. Ivanova, I. Panaïotov, J.E. Proust, A. Bois, | L. Ye, P.H. Lam1084 |
| J. Richou380 | Prog. Colloid Polym. Sci. 96 (1994) |
| Hierarchical structure of lattices in film formation of core-shell type | Glass transition in polymer molecules and networks S.F. Edwards, S.M. Aharoni |
| polymer microspheres K. Ishizu, M. Sugita, H. Kotsubo, R. Saito456 | Monte Carlo simulation of the glass transition of polymer melts |
| | K. Binder7 |

| B. Wunderlich | |
|---|---------------|
| Relaxation in networks strained in the glass-transit HG. Kilian, V. Kraus | |
| Models of cooperative dynamics near the glass tran J. Jäckle | |
| Polymers and the phase rule R. Koningsveld, H. Berghmans, E. Nies | 46 |
| Phase equilibria in polymer/solvent systems. VI. In transitions of the solvent on phase equilibria of systems | |
| W. Borchard | 55 |
| Pure Appl. Chem. 66(12) (1994) Graphic representations (chemical formulae) of (IUPAC Recommendations 1994) Commission on Macromolecular Nomenclature (I. J. Kahovec, P. Kratochvil) | R.E. Bareiss, |
| Basic classification and definitions of polymeric (IUPAC Recommendations 1994) Commission on Macromolecular Nomenclature (IR.F.T. Stepto, U.W. Suter) | . Mita, |

120