

LITERATURE SECTION

Due to an unfortunate error overlooked in proofs, the numbering of the references in the literature section jumped up discontinuously from 2159 to 5160 in Vol. 8 issue 3 on page 411 and continued in the five thousand range throughout Vol. 8 issue 6. It is being restored back to the proper two thousand range in this issue. The readers are requested to change all the numbers from 5160 up to 5415 to the proper sequence 2160 up to 2415.

FRANCE

2416. J. P. Biberian et M. Bienfait, Temperature de Debye de surface du graphite, *Compt. Rend.* **B**, **270**, 20, 1301-1305 (1970).
2417. G. Colin et C. Mazieres, Mesure de la resistivite par courants induits. II. Probleme pose par 1-anisotropie magnetique. III. Etude *in situ* de l'interaction brome pyrocarbone, *J. Chim. Phys. Physico-Chim. Biol.* **67**, 2, 323-9 (1970).
2418. Co-Minh-Duc, *et al.*, Produits d'insertion ternaires graphite-metal alcalindimethoxyethane. Etude radiocristallographique, *Compt. Rend.* **C**, **270**, 8, 657-59 (1970).
2419. Co-Minh-Duc, *et al.*, Etude thermogravimetrique de composes d'insertion ternaires graphite de Madagascar-metaux alcalins-dimethoxy-ethane, *Compt. Rend.* **C**, **270**, 11, 961-964 (1970).
2420. J. M. Delolme et L. Bonnetain, Formation de graphite sur le nickel mise en evidence par adsorption, *Compt. Rend.* **C**, **270**, 2, 123-127 (1970).
2421. M. Ducarroir, Influence de divers facteurs sur la vitesse de depot de pyrocarbone au four solaire, *Compt. Rend.* **C**, **270**, 8, 702-06 (1970).
2422. A. Feugier, Carbon-soot in flames, *Rev. Inst. Franc. Petrole. Ann. Combust. Liquides* **24**, 11, 1374 (1969).
2423. M. Francois, *et al.*, Sur la reactivite des carbones. Oxyreactivite du charbon de bois, *Compt. Rend.* **C**, **270**, 2, 208-212 (1970).
2424. D. Ginderow et R. Setton, Composes d'insertion dans le graphite a partir de reactifs en solution, *Compt. Rend.* **C**, **270**, 2, 135-38 (1970).
2425. C. Meltzheim, Graphitization in coking plants, *Cent. Docum. Ciderurgique Circ. Inform. Tech.* **11**, 2451-9 (1969).
2426. J. M. Perrot et M. Bastick, Role de la diffusion des produits inhibiteurs de la reaction dans l'activation des carbones par la vapeur d'eau et l'anhydride carbonique, *Compt. Rend.* **C**, **270**, 7, 584-88 (1970).
2427. M. Roques et M. Bastick, Sorption et diffusion d'azote, d'oxygene et d'anhydride carbonique dans des carbones ultramicroporeux et dans un tamis moleculaire, *Bull. Soc. Chim. France* **4**, **A**, 1252 (1970).
2428. A. Thomy et X. Duval, Adsorption de molecules simples sur Graphite. I - Homogeneite de la surface du graphite exfolie. Organinalite et complexite des isothermes d'adsorption, *J. Chim. Phys. Physico-Chim. Biol.* **66**, 11-12, 1966-76 (1969).
2429. A. Thomy et X. Duval, Adsorption de molecules simples sur graphite. II - Variation du potentiel d'adsorption en fonction du nombre de couches adsorbees, *J. Chim. Phys. Physico-Chim. Biol.* **67**, 2, 286-291 (1970).
2430. M. Otterbein, *et al.*, Oxydation du carbone vitreux a hautes temperatures, *Compt. Rend.* **C**, **270**, 8, 662-66 (1970).
2431. R. Vignaud, Contribution a l'etude d'electrodes de carbone au contact de solutions electrolytiques, *J. Chim. Phys. Physico Chim. Biol.* **67**, 5, 973-82 (1970).

GERMANY

2432. E. Fischer, *et al.*, Development of a process for reprocessing graphitic feed and breed elements by chlorination, *Kerntechnik* **12**, 8, 321-26 (1970).
2433. S. Kiessling and M. Stoeppler, Pyrolytic method for the digestion of highly radioactive graphite samples, *Fresenius Z. Anal. Chem.* **249**, 5, 293-96 (1970).

2434. E. Merz, On the disintegration of graphite by formation of electrolytic graphite intercalation compounds, *Kerntechnik* **12**, 8, 341–46 (1970).
2435. H. H. Oelert and E. A. Hemmer, New Results of investigations of the structure of coal by spectroscopic methods. I. Absorption spectroscopy in the ultraviolet visible and infrared regions, *Erdol Kohle-Erdgas* **23**, 2, 87–91 (1970).

GREAT BRITAIN

2436. C. J. Adkins, *et al.*, Electrical conduction in amorphous carbon, *Phil. Mag.* **22**, 175, 183–9 (1970).
2437. A. J. Arvia, *et al.*, Kinetics and mechanism of the electrochemical oxidation of graphite in bisulphate melts, *Electrochim. Acta* **15**, 1, 9–25 (1970).
2438. J. Aveston, Fibres of high thermal stability, *Composites* **1**, 296–9 (Sept. 1970).
2439. R. J. Balcombe, *et al.*, Calibration equation for carbon resistance thermometers, *Sci. Instrum.* **3**, 43–8 (1970).
2440. R. A. Bancroft, Coated diamonds grind carbides better, *Metallwrg. Prod.* **114**, 69–70 (1970).
2441. M. Barber, *et al.*, High energy photoelectron spectroscopic study of carbon fibre surfaces, *Nature* **227**, 5263, 1131–32 (1970).
2442. K. McG. Bowling and P. L. Waters, Fluidized-bed char from Australian coals, *Fuel* **49**, 2, 146–65 (1970).
2443. L. J. Brennan, *et al.*, Comparative determinations of reactivities of chars, cokes, charcoals and graphite by thermogravimetric method, *Fuel* **49**, 1, 49–61 (1970).
2444. R. E. Burge, *et al.*, The small-angle scattering of electrons in thin films of evaporated carbon, *J. Phys. C. Proc. Phys. Soc.* **3**, 8, 1661–73 (1970).
2445. K. W. Carr, Just a thread of carbon, *Refract. J.* p. 9+ (1970).
2446. G. J. Cox, Spheroidal graphite austenitic irons for use at high temperatures, *Br. Foundrym.* **63**, 1–14 (1970).
2447. D. G. Evans and J. A. Hermann, The porosity of brown coal char, *Fuel* **49**, 2, 110–19 (1970).
2448. M. A. Field, Rate of combustion of size-graded fractions of char from a low-rank coal between 1200°K and 2000°K, *Combust. Flame* **13**, 3, 237–53 (1960).
2449. D. B. Fischbach, Isotropic high-temperature plasticity of graphite, *Phil. Mag.* **21**, 169, 1–7 (1970).
2450. S. Fujii, *et al.*, Infra-red spectra of Japanese coal: the absorption bands at 3030, 2930 and 1600 cm⁻¹, *Fuel* **49**, 1, 68–76 (1970).
2451. P. Grange, Carbon fibre composites for “low cost” engineering, *Plastics-Rubbers-Textiles* **1**, 4, Apr. (1970).
2452. A. F. Granger and W. R. Ladner, The flash heating of pulverized coal, *Fuel* **49**, 1, 17–26 (1970).
2453. H. M. Hawthorne, *et al.*, High strength, High modulus graphite fibres from pitch, *Nature* **227**, 5261, 946–47 (1970).
2454. R. J. R. Hawward, *et al.*, ESR measurement of free radicals in chars prepared by flashheating, *Fuel* **49**, 2, 223–26 (1970).
2455. R. L. Hewitt and M. C. deMalherbe, Design and manufacture of carbon fibre-reinforced plastic structures, *Metals. Mater.* **4**, 153–7 (1970).
2456. Hilliard, Graphite for chemical plant construction, *Chem. Ind.* **2**, 40–46 (1970).
2457. I. D. Hughes and H. M. Montagu-Pollock, Field emission microscopy of carbon, *J. Phys. D, Brit. J. Appl. Phys.* **3**, 2, 228–231 (1970).
2458. D. J. Johnson, Direct lattice resolution of layer planes in polyacrylonitrile based carbon fibres. X-ray diffraction and electron microscopy, *Nature* **226**, 5247, 750–51 (1970).
2459. D. J. Johnson and C. N. Tyson, Low-angle X-ray diffraction and physical properties of carbon fibres, *J. Phys. Sec. D, Brit. J. Appl. Phys.* **3**, 526–34 (1970).
2460. B. P. Kirk and H. C. Wilkinson, Application of Unterzaucher method to the determination of oxygen in coke, *Talanta* **17**, 6, 475–483 (1970).
2461. T. G. Lamond and C. R. Gillingham, Identification of carbon blacks in vulcanisates, *Rubber J.*, **152**, p. 65+ (1970).
2462. M. Langley, Carbon fibre composites, *Chart. Mech. Engr.* **17**, 56–60 (1970).
2463. H. A. J. McIntyre and D. A. Williams, The calcium atom-graphite grain 4430 A model, *Monthly Notices Roy. Astron. Soc.* **148**, 1, 53–63 (1970).
2464. J. R. McLoughlin, New High temperature carbon fibre composite, *Nature* **227**, 5259, 701 (1970).
2465. J. J. Marklew, Some aspects of carbon-fibre materials and their potential in general engineering, *Machinery* **116**, 922–7 (1970).

2466. A. Marsh and A. P. Warburton, Catalysis of graphitisation, *J. Appl. Chem.* **20**, 5, 133–43 (1970).
2467. I. Merces and E. Yeager, Kinetic studies of the oxygen-peroxide couple on pyrolytic graphite, *Electrochim. Acta* **15**, 6, 953–977 (1970).
2468. R. A. Morant, Crystallite size of pyrolytic graphite, *J. Phys. D. Brit. J. Appl. Phys.* **3**, 1367–73 (1970).
2469. R. J. Murphy and R. J. Ritter, Laser induced fracture and graphitization of diamond, *Ind. Diam. Rev.* **30**, 143–52 (1970).
2470. M. Neal, Carbon fibres . . . at BAC, *Flight* **97**, 595–7 (1970).
2471. D. Pearce, Designing in carbon-fibre reinforced metals, *Composites* **1**, 13–18, (Sept. 1969).
2472. D. Peters, Microwire threat to major carbon fibre market, *The Engineer* **230**, 5970, 36–37 (1970).
2473. L. N. Phillips and K. F. Rogers, Polyimide resins for carbon-fibre composites, *Composites* **1**, 286–9 (1970).
2474. J. A. Raymonds, Carbon fibre – the new material for industry, *Reinf. Plast.* **14**, p. 132+ (1970).
2475. B. P. Richards and E. A. Kellett, Effects of additives on graphitisability of carbons and graphite, *J. Appl. Chem.* **20**, 8, 240–45 (1970).
2476. E. S. Robinson, Carbon-13, *Nature* **228**, 5270, 487 (1970).
2477. A. P. Semenov, Friction and contact interaction of carbon materials, *Tribology* **3**, 103–4 (May 1970).
2478. J. L. Schultz, *et al.*, Evaluation of electrode binder pitch by mass spectrometry, *Fuel* **49**, 2, 175–80 (1970).
2479. G. H. Tidbury and R. Tetlow, Carbon fibre for vehicle structures, *Automat. Des. Engng.* **9**, 62–5 (1970).

JAPAN

2480. Y. Hishiyama, *et al.*, Galvanomagnetic effects in nitrate-doped graphite, *Japan J. Appl. Phys.* **9**, 8, 1017 (1970).
2481. A. Imatake and Y. Uemura, The calculation of the piezoabsorption of graphite in ultraviolet region, *J. Phys. Soc. Japan* **28**, 2, 410–19 (1970).
2482. M. Inagaki, Intensity ratio between (001) diffraction lines of a coke and a simple model of carbon layer plane, *Bull. Chem. Soc. Japan* **42**, 8, 2371–75 (1969).
2483. M. Inagaki, *et al.*, Kinetic studies of the graphitization process. III. Stages of graphitization process, *Bull. Chem. Soc. Japan* **43**, 3, 942 (1970).
2484. I. Ishii and I. Tsubata, Thermal pulse stability of carbon composition resistors, *Electronics Comms. Japan* **52**, 6, Part C, 105–112 (1969).
2485. K. Kamiya, *et al.*, Effect of pressure on graphitization of carbon. VII. Effect of pre-heattreatment on graphitization of carbon under high pressure, *Bull. Chem. Soc. Japan* **43**, 3, 926 (1970).
2486. K. Ohkita, and T. Tajima, Competitive reactions of free radicals on the carbon black surface, *J. Rubber Ind. (Japan)* **43**, 5, 379–385 (1970).
2487. S. Otani, Carbon fibre and pitch, *J. Japan. Petrol. Ind.* **13**, 6, 438–442 (1970).
2488. S. Otani and A. Oya, Effect of $AlCl_3$ on graphitizability of coal tar pitch, *J. Chem. Soc. Japan Ind.* **73**, 6, 1110–17 (1970).
2489. S. Otani and A. Oya, Graphitizability of pitch carbon, *J. Chem. Soc. Japan* **73**, 3, 493–8 (1970).
2490. S. Yajima and T. Hirai, Siliconated pyrolytic graphite. Part I. Preparation and some properties, *Science Reports Res. Instit. Tohoku Univ. Series A.* **21**, 3–4, 206–7 (1969).
2491. S. Yajima and T. Hirai, Siliconated pyrolytic graphite. Part 2. The state of silicon present in siliconated pyrolytic graphite, *Science Reports Res. Instit. Tohoku Univ. Series A.* **21**, 3–4, 207–8 (1969).
2492. S. Yajima and T. Hirai, Siliconated pyrolytic graphite, Part 3. Structural features, *Science Reports Res. Instit. Tohoku Univ. Series A.* **21**, 3–4, 208–9 (1969).
2493. S. Yajima and T. Hirai, Siliconated pyrolytic graphite. Part 4. Electrical resistivity, *Science Reports Res. Instit. Tohoku Univ.* **21**, 3–4, 209–end (1969).
2494. Y. Yoshida, Manufacture of formed coke by hot briquetting, *J. Fuel Soc. Japan* **48**, 738–45 (1969).
2495. T. Uda, Optical properties of graphite in the far-infrared region, *J. Phys. Soc. Japan* **28**, 4, 946–55 (1970).
2496. N. C. Wickramasinghe, Graphite-silicate grain mixture and the diffuse galactic light, *Publs. of Astronom. Soc. Japan* **22**, 1, 85–93 (1970).

NORTH AMERICA

2497. R. C. Bansal, *et al.*, Studies on ultraclean carbon surfaces. II. Kinetics of chemisorption of oxygen on graphon, *J. Colloid Interface Sci.* **32**, 2, 187–95 (1970).

2498. D. C. Berkebile, *et al.*, Carbon black feedstock from low temperature carbonization tar, I and E. C. Prod. Res. Dev. **9**, 3, 376–382 (1970).
2499. C. Berger, *et al.*, Polarization of high-energy photons using highly oriented graphite, *Phys. Rev. Letters* **25**, 19, 1366–70 (1970).
2500. O. L. Blakslee, *et al.*, Elastic constants of compression-annealed pyrolytic graphite, *J. Appl. Phys.* **41**, 8, 3373–83 (1970).
2501. M. C. Brockway, Graphite, *Reactor Mater.* **12**, 4, 236–7 (1969/70).
2502. C. S. Brooks and D. A. Scola, An examination of the surface reactivity of graphite fibers by gas-solid chromatography, *J. Colloid Interface Sci.* **32**, 4, 561–570 (1970).
2503. J. Cazaux, Sur la constante dielectrique du graphite dans l'ultraviolet, *Solid State Commun.* **8**, 7, 545–49 (1970).
2504. M. E. Dry, *et al.*, Factors influencing the formation of carbon on iron Fischer–Tropsch catalysts. I. The influence of promoters, *J. Catalysis* **17**, 3, 341–7 (1970).
2505. M. E. Dry, *et al.*, Factors influencing the formation of carbon on Iron Fischer–Tropsch catalysts. II. The effect of temperature and of gases and vapors present during Fischer–Tropsch synthesis, *J. Catalysis* **17**, 3, 347–355 (1970).
2506. T. W. Haas and J. T. Grant, Chemical effects on the KLL Auger electron spectrum from surface carbon (distinguishing between C and CO on Mo (110); E), *Appl. Phys. Letters* **16**, 4, 172–74 (1970).
2507. G. E. Johnson, *et al.*, Carbon black produced by the pyrolysis of coal, *I.E.C. Prod. R. D.* **9**, 3, 382–88 (1970).
2508. S. Langer, C. C. Adams, *et al.*, Retention of Iodine by pyrolytic carbon coated nuclear fuel particles, *Advan. Chem. Ser. No.* **93**, 63–71 (1970).
2509. L. M. Lee, *et al.*, Some dynamic mechanical properties of distended carbons, *AIAA J.* **8**, 8, 1421–29 (1970).
2510. D. C. Manning and F. Fernandez, Atomization for atomic absorption using a heated graphite tube, *Atomic Absorption Newsletter* **9**, No. 3, 65–70 (1970).
2511. H. Marsh and B. Rand, The characterization of microporous carbons by means of the Dubinin–Radushkevich equations, *J. Colloid Interface Sci.* **33**, 1, 101–117 (1970).
2512. W. D. Mason and C. L. Olson, The tubular carbon electrode, *Anal. Chem.* **42**, 4, 548–551 (1970).
2513. A. I. Medalia, Morphology of aggregates. VI. Effective volume of aggregates of carbon black from electron microscopy: Application to vehicle absorption and to die swell of filled rubber, *J. Colloid Interface Sci.* **32**, 1, 115–32 (1970).
2514. B. D. Middleton, Graphite fiber testing by optical means, *Mater. R. and S.* **10**, 2, 29–end (1969).
2515. J. I. Morrow, *et al.*, The reactivity of brominated activated carbon (BAC), *Atmos. Environment* **4**, 1, 87–93 (1970).
2516. D. A. Mortimer and M. Nicholas, The wetting of carbon by copper and copper alloys, *J. Mater. Sci.* **5**, 2, 149–156 (1970).
2517. R. Murdock and F. Swanson, The band structure of potassium graphite (C_8K), *Diss. Abs.* **30**, 8, B, 3839 (1970).
2518. D. G. Pearce, Designing with carbon-fibre-reinforced plastics, *Design. Engng.* **99**, 103.
2519. P. S. Peercy, *et al.*, Ultrafast rise time laser-induced stress waves (rise time 1 nsec; quartz and graphite surfaces; E), *Appl. Phys. Letters* **16**, 3, 120–22 (1970).
2520. A. K. Reed, T. L. Tewksbury, *et al.*, Development of a fluidized bed technique for the regeneration of powdered activated carbon, *Environ. Sci. Technol.* **4**, 5, 432–37 (1970).
2521. S. Sachidanandam and L. A. Girifalco, Acoustic phonons in some metal-graphite lamellar compounds, *Phys. Rev. B. Solid State* **1**, 2, 705–13 (1970).
2522. J. R. Schley, Use of impervious graphite in chemical process equipment, *Mat. Protection and Performance* **9**, 10, 11–14 (1970).
2523. E. J. Seldin and C. W. Nezbeda, Elastic constants and electron-microscope observations of neutron-irradiated compression-annealed pyrolytic and single-crystal graphite, *J. Appl. Phys.* **41**, 8, 3389–3401 (1970).
2524. G. P. Vdovykin, New Hexagonal modification of carbon in meteorites, *Geochem. Internat.* **9**, 5, 915–19 (1969).
- J. A. Woollan, Spin splitting, Fermi energy changes and anomalous g shifts in single-crystal and pyrolytic graphite, *Phys. Rev. Letters* **25**, 12, 810–4 (1970).
2526. C. I. Wu and J. R. Vinson, Free vibrations of plates and beams of pyrolytic graphite type materials, *AIAA J.* **8**, 2, 246–252 (1970).

U.S.S.R.

2527. Yu. M. Abzygildin, *et al.*, Low-temperature method of decalcifying petroleum coke, *Khim. Tekh. Toplivo. Masel* **4**, 27–30 (1970).
2528. V. N. Balabanov and A. A. Bulgakov, *et al.*, Absorption of ultrasound in diamond, *J. Exper. Theoret. Phys. Lett.* **11**, 10, 486–489 (1970).
2529. V. N. Balabanov, *et al.*, Hypersound absorption in diamond, *J. Exper. Theoret. Phys. Lett.* **11**, 10, 331–33 (1970).
2530. E. B. Baskina, *et al.*, Determination of specific surface of coke by thermal desorption chromatography, *Khim. Tverd. Topl. No.* **5**, 68–72 (1969).
2531. E. A. Bel'skaya and A. S. Tarabanov, Experimental study of the thermal conductivity of highly porous graphite materials, *Inzh. Fiz.* **18**, 4, 696–701 (1970).
2532. G. I. Berezin, *et al.*, Specific heat of normal propanol adsorbed on thermally graphitized carbon black, *Zh. Fiz. Khim* **44**, 2, 523–25 (1970).
2533. G. Y. Berner and A. S. Sorokin, *et al.*, Change in the size distribution of carbon black particles during their complete combustion, *Izv. Vyssh. Ucheb. Zaved. Chern. Met.* **13**, 3, 167–170 (1970).
2534. B. T. Boiko, *et al.*, Intermediate stages of graphitization in thin films of condensed carbon, *Sov. Phys. Solid State* **12**, 2, 381–85 (1970).
2535. A. V. Demin, and V. I. Rakcheeva, *et al.*, New class of synthetic graphites, *Tsvet. Metal.* **43**, 4, 61–62 (1970).
2536. B. V. Deryagin, *et al.*, Filamentary diamond crystals, *Soviet Phys. Crystl.* **14**, 3, 449–451 (1969).
2537. I. N. Ermolenko and R. N. Sviridova, Formation of the structure of pyrolytic carbon fibers, *Vest. Ak. N. Byelorusk Ser. Khim. No.* **6**, 40–44 (1969).
2538. V. I. Frolov and B. G. Ostronov, *et al.*, Catalytic action of alumino silicates on the graphitization of carbon materials, *Tsvet. Metal.* **43**, 2, 39–41 (1970).
2539. V. P. Eliutin, *et al.*, Combined coatings on graphite, *Izv. Akad. Nauk SSSR Neorgan. Mater.* **6**, 3, 414–18 (1970).
2540. V. P. Elyutin and U. A. Pavlov, *et al.*, Reaction of zirconium dioxide with carbon, *Izv. Vyssh. Ucheb. Zaved. Chern. Met.* **13**, 1, 5–9 (1970).
2541. V. I. Kasatochkin, *et al.*, Root-mean-square microdeformation in pyrocarbon, *Dokl. Akad. Nauk. SSSR (Proc. Acad. Sci. USSR)* **191**, 6, 1319–22 (1970).
2542. A. V. Kiselev, *et al.*, Preparation of adsorbed polymer layers on carbon black and their examination by gas chromatography, *Kolloid. Zh.* **32**, 4, 527–33 (1970).
2543. A. N. Kisilitsyn, S. N. Yumshanov, *et al.*, Charcoals from various kinds of wood as raw material for obtaining activated charcoals, *Gidroliz. Lesokhim. Prom.* **23**, 4, 18–20 (1970).
2544. V. Ya. Koshkarov, *et al.*, Use of petroleum coke with high sulfur content in the regeneration of sodium sulfate, *Khim. Prom. (Chem. Ind.)* **7**, 509–13 (1970).
2545. A. F. Kuteinikov, *et al.*, Spectrographic methods for determining micro-impurities in glassy carbon and carbon powder, *Zh. Analit. Khim* **25**, 10, 1999–2007 (1970).
2546. I. S. Levin, *et al.*, New types of special petroleum-based briquetting binders, *Khim. Tverd. Topl.* **6**, 93–9 (1969).
2547. N. N. Lezhnev, *et al.*, Enthalpy of carbon blacks formation, *Zh. Fiz. Khim.* **44**, 5, 1362–63 (1970).
2548. A. I. Lutkov, *et al.*, Methods for measuring heat conductivity of graphites, *Zavod. Lab.* **3**, 295–98 (1970).
2549. R. Z. Magaril, *et al.*, Kinetics of formation of coke in thermal processes of refining crude petroleum, *Khim. Tekh. Top. Masel.* **3**, 15–17 (1970).
2550. M. A. Magurpov, K. M. Gafurov, *et al.*, Electrical conductivity of an Epoxy resin filled with graphite, *Uzpekskii. Khim. Zh.* **13**, 6, 54–58 (1969).
2551. N. V. Malin, Activation of carbons in a fluidized bed and study of their porous structure. Mechanism of development of micropores in carbons, *Zh. Prikl. Khim. (Leningrad)* **43**, 7, 1538–1544 (1970).
2552. G. L. Oshmyan, Methods for determining the effectiveness of the action of active charcoal in Vodka production, *Fermentation Alcohol Ind.* **36**, 4, 22–25 (1970).
2553. E. M. Ostroumov, A. N. Deev, *et al.*, Influence of some factors of the physico mechanical parameters of graphitized material, *Tsvet. Metal* **43**, 5, 62–64 (1970).
2554. L. V. Perederzhin and I. F. Selyanin, *et al.*, Preparation of compact graphite in graphitic steel with spheroidized perlite, *Izv. Vyssh. Ucheb. Zaved. Chern. Met.* **13**, 2, 129–134 (1970).
2555. N. V. Pitak and T. A. Ansimova, *et al.*, Mullite-corundum refractories for lining reactors producing carbon black, *Refractories (USSR)* **35**, 9, 33–37 (1970).

2556. T. G. Plachenov, *et al.*, Porous structure of nonactivated carbon adsorbents from industrial types of phenolformaldehyde resins, *Zh. Prikl. Khim.* **43**, 1, 97–101 (1970).
2557. Yu. A. Pospelov, On the theory of graphite galvanomagnetic properties, *Fiz. Tverd. Tela.* **12**, 3, 835–41 (1970).
2558. L. A. Plutalova and G. B. Skripchenko, *et al.*, Effect of pressure on the structure of graphite materials during intensive wear, *Fiz. Khim. Mekh. Mater.* **6**, 1, 49–54 (1970).
2559. I. N. Samokhim and M. E. Semenov, *et al.*, Cavitation resistance of graphite materials, *Tsvet, Metal.* **43**, 3, 44–45 (1970).
2560. M. E. Semenov, *et al.*, An apparatus for reactivity determination of carbongraphite materials, *Zavod. Lab.* **36**, 5, 621–23 (1970).
2561. P. A. Severin, *et al.*, Dependence of the properties of poly(tetrafluoroethylene) on the degree of filling with microcrystalline graphite, *Khim. Prom. Ukr.* **No. 4**, 6–8 (1970).
2562. V. G. Shkavro, Formation and separation of graphite inclusions (refining foam) from molten cast iron, *Izv. Vyssh. Ucheb. Zaved. Chern. Met.* **13**, 2, 134–36 (1970).
2563. G. B. Skripchenko, Approximation of a testure distribution curve for graphite materials, *Fiz. Khim. Obrab. Mater.* **No. 3**, 148–150 (1970).
2564. M. A. Tanatarov, *et al.*, Coke-formation on zeolite, *Zh. Fiz. Khim.* **43**, 10, 2533–36 (1969).
2565. Iu. N. Vasiliev and V. M. Emelyanova, Oxidation rate and wear intensity of manmade graphite as influenced by phosphorous compounds, *Izv. Akad. Nauk SSSR. Neor. Mat.* **6**, 2, 201–207 (1970).

OTHER COUNTRIES

CZECHOSLOVAKIA

2566. J. Svatos, Polarization of π cephei and graphite core-ore mantle grains, *Bull. Astron. Inst. Czech.* **21**, 1, 54–64 (1970).

INDIA

2567. B. Prakash and B. Marincek, Electrical conductivity of coke and iron ore mixtures at high temperature, *Trans. Indian. Inst. Metals* **22**, 2, 10–16 (1969).
2568. S. R. Salgia and S. Banerjee, Effect of magnesium loss and annealing atmosphere on the first stage graphitization in white cast irons, *Trans. Indian Inst. Metals* **22**, 2, 25–29 (1969).

NETHERLANDS

2569. J. E. Broklehurst, *et al.*, Effect of radiolytic oxidation on the physical properties of graphite, *J. Nucl. Mater.* **30**, 2, 183–194 (1970).
2570. E. P. Pendency, Behavior of carbon at very high pressures and temperatures, *Proc. Koninkl. Ned. Akad. Wetenschap. Ser. B. Phys. Sci.* **72**, 5, 302–317 (1969).
2571. L. I. Erkin, Volumetric changes of coke under blast furnace conditions, *Metallurg.* **3**, 8–11 (1970).
2572. W. Rudzinski, Hindered rotation of benzene adsorbed on graphite, *Phys. Letters A* **31**, 9, 504–5 (1970).

POLAND

2573. A. Korta, Method for calculating the mean values of some parameters of capillary structure of active coals in accordance with Dubinin-Wicke Model. Mechanism of diffusion in coals with the pore structure corresponding to this model, *Chem. Stosow. A.* **14**, 2, 199–217 (1970).
2574. L. Piszczek, Influence of impregnant content on the durability of graphitized carbon electrodes impregnated with linseed oil in the process of manufacture of alkaline chlorates, *Chem. Stosow. Ser. A.* **14**, 1, 39–49 (1970).
2575. J. Salcewicz, *et al.*, Reactivity of formed coke in comparison with some other cokes, *Koks. Smola Gaz* **14**, 10, 275–8 (1969).
2576. J. Siedlewski and J. Zawadzki, The influence of activation mode on character of surface, sorptive capacities of catalytic properties of activated carbon. 1. Sorptive capacities of carbons activated by sulphur and oxygen, *Roczniki Chem.* **43**(9), 1695–701 (1969).
2577. A. Swinarski and M. Rozwadowski, *et al.*, Effect of modification of the surface of activated charcoals by ferric ions and magnesium ions on the adsorption and catalytic properties in the reaction with hydrogen sulphide, *Chem. Stosow. Ser. A* **13**, 4, 413–425 (1969).

ROUMANIA

2578. H. Stefan, *et al.*, Rethermalization in graphite, *Rev. Roum Phys.* **15**, 3, 329–339 (1970).

SWEDEN

2579. G. Holmen and O. Almen, Sputtering of graphite and iron by mercury ion bombardment, *Arkiv. Fysik* **40**, 5, 429–38 (1970).

YUGOSLAVIA

2580. T. Arsenijevic, Effect of coking rate on the quality of coke produced from mixture of coking and inert coals, *Tehnika* **24**, 10, 1677–89 (1969).