

<sup>3</sup>Ohio State University - Department Of Anesthesiology, Columbus, OH, USA

**14.17. The Two Day Rule: Evolution of Primary Closure Optimization in Damage Control Laparotomy.**

M. H. Lauerma<sup>1</sup>, J. Dubose<sup>1</sup>, D. M. Stein<sup>1</sup>, M. Bradley<sup>1</sup>, T. M. Scalea<sup>1</sup>; <sup>1</sup>University Of Maryland - R Adams Cowley Shock Trauma Center, Baltimore, MD, USA

**14.18. Massive Transfusion for Trauma Care in a Lower Middle Income Country- a Necessity or Luxury?**

A. A. Shah<sup>1</sup>, A. H. Haider<sup>1</sup>, Z. G. Hashmi<sup>1</sup>, M. Kiat<sup>4</sup>, S. N. Zafar<sup>5</sup>, A. Tareen<sup>2</sup>, Z. Rehman<sup>2</sup>, R. H. Sayyed<sup>2</sup>, H. Zafar<sup>2,3</sup>; <sup>3</sup>Aga Khan University Medical College, Karachi, Sindh, Pakistan; <sup>4</sup>University Of Arizona - Department Of Surgery, Tucson, AZ, USA; <sup>5</sup>Howard University College Of Medicine - Department Of Surgery, Washington, DC, USA; <sup>1</sup>Johns Hopkins University School Of Medicine - Center For Surgical Trials And Outcomes Research (CSTOR), Baltimore, MD, USA; <sup>2</sup>Aga Khan University Medical College - Department Of Surgery, Karachi, Sindh, Pakistan

**14.19. Elevated Creatine Phosphokinase is Associated with Indicators of Shock in Critically Ill Surgical Patients.**

K. J. Sowards<sup>1</sup>, K. Mukherjee<sup>1</sup>, P. R. Norris<sup>1</sup>, A. Shintani<sup>2</sup>, L. B. Ware<sup>3,4</sup>, L. J. Roberts<sup>5</sup>, A. K. May<sup>1</sup>; <sup>1</sup>Vanderbilt University Medical Center - Division Of Trauma And Surgical Critical Care, Nashville, TN, USA; <sup>2</sup>Vanderbilt University Medical Center - Department Of Biostatistics, Nashville, TN, USA; <sup>3</sup>Vanderbilt University Medical Center - Division Of Allergy, Pulmonary, And Critical Care Medicine, Nashville, TN, USA; <sup>4</sup>Vanderbilt University Medical Center - Department Of Pathology, Microbiology, And Immunology, Nashville, TN, USA; <sup>5</sup>Vanderbilt University Medical Center - Department Of Pharmacology, Nashville, TN, USA

**14.20. Diffuse Optical Spectroscopy (DOS) and Spatial Frequency Domain Imaging (SFDI) in a Porcine Model of Exsanguination Induced Cardiac Arrest.**

J. S. Berry<sup>1</sup>, T. S. Park<sup>1</sup>, A. I. Batchinsky<sup>1</sup>, S. M. Belenkiy<sup>1</sup>, R. V. Warren<sup>2</sup>, B. S. Keene<sup>2</sup>, A. Mazhar<sup>2</sup>, S. Mahon<sup>2</sup>, J. Q. Nguyen<sup>2</sup>, M. S. Brenner<sup>2</sup>, B. Choi<sup>2</sup>, A. J. Durkin<sup>2</sup>, A. Cerussi<sup>2</sup>, D. J. Cuccia<sup>3</sup>, L. C. Cancio<sup>1</sup>; <sup>1</sup>Institute Of Surgical Research, Fort Sam Houston, TX, USA; <sup>2</sup>Beckman Laser Institute, Irvine, CA, USA; <sup>3</sup>Modulated Imaging, Irvine, CA, USA

## TRAUMA/CRITICAL CARE 2: CLINICAL SCIENCE AND TRAUMA SYSTEMS

**15.1. ICU Design and Mortality in Trauma Patients.** N. Pettit<sup>2</sup>, T. Wood<sup>1</sup>, M. S. O'Mara<sup>1</sup>; <sup>1</sup>Grant Medical Center/OhioHealth - Trauma And Acute Care Surgery, Columbus, OH, USA; <sup>2</sup>Ohio University - Heritage College Of Osteopathic Medicine, Athens, OH, USA

**15.2. Religious Patients in the ICU Receive More Aggressive End-of-Life Care with No Improvement in Survival.**

M. C. Shinall<sup>3</sup>, J. M. Ehrenfeld<sup>2</sup>, O. D. Guillaumondegui<sup>1</sup>; <sup>1</sup>Vanderbilt University Medical Center - Division Of Trauma And Surgical Critical Care, Nashville, TN, USA; <sup>2</sup>Vanderbilt University Medical Center - Department Of Anesthesiology, Nashville, TN, USA; <sup>3</sup>Vanderbilt University Medical Center - Department Of Surgery, Nashville, TN, USA

**15.3. Decreased Incidence of Pulmonary Embolism in High Risk Trauma Patients with Improved Compliance to Protocol Based Inferior Vena Cava Filter Placement.**

C. Narasanna<sup>1</sup>, J. Paul<sup>1</sup>, I. Bhullar<sup>1</sup>; <sup>1</sup>University Of Florida - Surgery/Acute Care Surgery/Medicine, Jacksonville, FL, USA

**15.4. Injury Experience using the Nigerian Trauma Registry.**

L. D. Cassidy<sup>1</sup>, W. Olaomi<sup>3</sup>, E. Ameh<sup>2</sup>; <sup>1</sup>Medical College Of Wisconsin - Institute For Health & Society, Milwaukee, WI, USA; <sup>2</sup>Ahmadu Bello University - Paediatric Surgery, Zaria, ZARIA, Nigeria; <sup>3</sup>National Hospital - Surgery, Abuja, ABUJA, Nigeria

**15.5. Cost of Intentional Injuries in the United States: Who is Footing the Bill?**

V. K. Scott<sup>1</sup>, X. Hui<sup>1</sup>, C. G. Velopulos<sup>1</sup>, E. B. Schneider<sup>1</sup>, D. T. Efron<sup>1</sup>, E. E. Cornwell<sup>2</sup>, A. H. Haider<sup>1</sup>; <sup>1</sup>Johns Hopkins University School Of Medicine - Center For Surgical Trials And Outcomes Research, Baltimore, MD, USA; <sup>2</sup>Howard University College Of Medicine - Department Of Surgery, Washington, DC, USA

**15.6. Validation of Sepsis Screening Tool Utilizing StO2 in Emergency Department Patients.**

C. E. Goerlich<sup>1</sup>, J. J. McCarthy<sup>1</sup>, L. J. Moore<sup>1</sup>; <sup>1</sup>University Of Texas Health Science Center At Houston - Center For Translational Injury Research, Houston, TX, USA

**15.7. The Impact of Comorbidity on Mortality in Trauma Outcomes.**

C. F. Janowak<sup>1</sup>, P. J. Mercier<sup>2</sup>, S. K. Agarwal<sup>1</sup>; <sup>1</sup>University Of Wisconsin, Madison, WI, USA; <sup>2</sup>University Of Wisconsin - School Of Medicine And Public Health, Madison, WI, USA

**15.8. Maximizing Efficiency On Trauma Surgeon Rounds.**

A. Ramaniuk<sup>2</sup>, M. S. O'Mara<sup>1,2</sup>; <sup>1</sup>Grant Medical Center - Trauma And Acute Care Surgery, Columbus, OH, USA; <sup>2</sup>Ohio University - Heritage College Of Medicine, Athens, OH, USA

**15.9. Transfer of Trauma Patients to Level 1 and 2 Trauma Centers: Mortality Outcomes and Race - Insurance Disparities.**

B. Adesibikan<sup>1</sup>, S. N. Zafar<sup>1</sup>, A. Obirize<sup>1</sup>, W. R. Greene<sup>1</sup>, E. E. Cornwell<sup>1</sup>, A. H. Haider<sup>2</sup>; <sup>1</sup>Howard University College Of Medicine, Washington, DC, USA;