

ChemComm

Chemical Communications

www.rsc.org/chemcomm

RSC Publishing is a not-for-profit publisher and a division of the Royal Society of Chemistry. Any surplus made is used to support charitable activities aimed at advancing the chemical sciences. Full details are available from www.rsc.org

IN THIS ISSUE

ISSN 1359-7345 CODEN CHCOFS (7) 641–764 (2007)



Cover

See D. Venkataraman *et al.*, page 692. The illustration shows the packing of naphthyl ether and naphthalimide moieties into segregated stacks due to mutually phobic side-chain interactions. Image reproduced by permission of Travis L. Benanti, Pranorm Saejueng and D. Venkataraman, from *Chem. Commun.*, 2007, 692.



Inside cover

See Nadia C. Mösch-Zanetti *et al.*, page 701. Molecular oxygen is activated by a molybdenum(IV) compound. The kinetics of its formation was monitored by UV/VIS spectrometry, while the Uhrturm of Graz measured the time. Image reproduced by permission of Ganna Lyashenko, Gerald Saischek, Aritra Pal, Regine Herbst-Irmer and Nadia C. Mösch-Zanetti, from *Chem. Commun.*, 2007, 701.

CHEMICAL SCIENCE

C9

Drawing together the research highlights and news from all RSC publications, *Chemical Science* provides a 'snapshot' of the latest developments across the chemical sciences showcasing newsworthy articles, as well as the most significant scientific advances.

Chemical Science

February 2007/Volume 4/Issue 2

www.rsc.org/chemicalscience


FEATURE ARTICLES

657

Carbonylation of heterocycles by homogeneous catalysts

Tamara L. Church, Yutan D. Y. L. Getzler, Christopher M. Byrne and Geoffrey W. Coates*

This article summarizes the recent developments (particularly the uses of homogeneous organometallic catalysts) in ring-opening carbonylations, ring-opening carbonylative polymerizations and ring-expansion carbonylations of heterocycles, particularly epoxides, aziridines, lactones and oxazolines.



EDITORIAL STAFF

Editor

Sarah Thomas

Deputy editor

Kathryn Sear

Assistant editors

James Mitchell Crow, Nicola Nugent, Alison Stoddart, Katherine Vickers, Jenna Wilson

Publishing assistants

Jackie Cockrill, Jayne Gough, Rachel Hegarty

Team leader, serials production

Helen Saxton

Technical editors

Sue Askey, Celia Clarke, Nicola Convine, Alan Holder, Laura Howes, Sandra Jones, David Parker, Ken Wilkinson, Roger Young

Administration coordinator

Sonya Spring

Editorial secretaries

Donna Fordham, Jill Segev, Julie Thompson

Publisher

Emma Wilson

Chemical Communications (print: ISSN 1359-7345; electronic: ISSN 1364-548X) is published 48 times a year by the Royal Society of Chemistry, Thomas Graham House, Science Park, Milton Road, Cambridge, UK CB4 0WF. All orders, with cheques made payable to the Royal Society of Chemistry, should be sent to RSC Distribution Services, c/o Portland Customer Services, Commerce Way, Colchester, Essex, UK CO2 8HP. Tel +44 (0) 1206 226050; E-mail sales@rscdistribution.org

2007 Annual (print + electronic) subscription price: £1832; US\$3462. 2007 Annual (electronic) subscription price: £1649; US\$3116. Customers in Canada will be subject to a surcharge to cover GST. Customers in the EU subscribing to the electronic version only will be charged VAT. If you take an institutional subscription to any RSC journal you are entitled to free, site-wide web access to that journal. You can arrange access via Internet Protocol (IP) address at www.rsc.org/ip. Customers should make payments by cheque in sterling payable on a UK clearing bank or in US dollars payable on a US clearing bank. Periodicals postage paid at Rahway, NJ, USA and at additional mailing offices. Airfreight and mailing in the USA by Mercury Airfreight International Ltd, 365 Blair Road, Avenel, NJ 07001, USA. US Postmaster: send address changes to Chemical Communications, c/o Mercury Airfreight International Ltd, 365 Blair Road, Avenel, NJ 07001. All despatches outside the UK by Consolidated Airfreight. PRINTED IN THE UK

© The Royal Society of Chemistry, 2007. Apart from fair dealing for the purposes of research or private study for non-commercial purposes, or criticism or review, as permitted under the Copyright, Designs and Patents Act 1988 and the Copyright and Related Rights Regulations 2003, this publication may only be reproduced, stored or transmitted, in any form or by any means, with the prior permission in writing of the Publisher or in the case of reprographic reproduction in accordance with the terms of licences issued by the Copyright Licensing Agency in the UK. US copyright law is applicable to users in the USA. The Royal Society of Chemistry takes reasonable care in the preparation of this publication but does not accept liability for the consequences of any errors or omissions. Inclusion of an item in this publication does not imply endorsement by The Royal Society of Chemistry of the content of the original documents to which that item refers.

ChemComm

Chemical Communications

www.rsc.org/chemcomm

EDITORIAL BOARD

ChairmanRoeland J. M. Nolte, Nijmegen, The Netherlands
nolte@sci.kun.nl**Associate Editors**

P. Andrew Evans, Liverpool, UK
andrew.evans@liverpool.ac.uk
Jonathan L. Sessler, Austin, USA
chemcommun@cm.utexas.edu
T. Don Tilley, Berkeley, USA
chemcomm@berkeley.edu

Scientific Editors

Alois Fürstner, Mülheim, Germany
fuerstner@mpi-muelheim.mpg.de
Mir Wais Hosseini, Strasbourg, France
hosseini@chimie.u-strasbg.fr

Members

Shankar Balasubramanian, Cambridge, UK
sb10031@cam.ac.uk
Penny Brothers, Auckland, New Zealand
p.brothers@auckland.ac.nz

Jillian M. Buriak, Edmonton, Canada
jburiak@ualberta.ca

Ben L. Feringa, Groningen, The Netherlands
feringa@chem.rug.nl

David Haddleton, Warwick, UK
D.M.Haddleton@warwick.ac.uk
Peter Kündig, Geneva, Switzerland
Peter.Kundig@chiorg.unige.ch

Nazario Martín, Madrid, Spain
nazmar@quim.ucm.es

Keiji Maruoka, Kyoto, Japan
maruoka@kuchem.kyoto-u.ac.jp
Ryong Ryoo, Taejon, Korea
rryoo@kaist.ac.kr

Ferdi Schüth, Mülheim, Germany
schueth@mpi-muelheim.mpg.de

Nicholas J. Turner, Manchester, UK
nicholas.turner@manchester.ac.uk

EDITORIAL ADVISORY BOARD

Varinder Aggarwal, Bristol, UK
Frank Allen, CDC, Cambridge, UK
Jerry L. Atwood, Columbia, USA
Amit Basak, Kharagpur, India
Dario Braga, Bologna, Italy
Xiao-Ming Chen, Guangzhou, China
Derrick Clive, Alberta, Canada
Marcetta Darensbourg, College Station, USA
Scott E. Denmark, Urbana, USA
Shaojun Dong, Changchun, China
Chris Easton, Canberra, Australia
Gregory C. Fu, Cambridge, USA
Tohru Fukuyama, Tokyo, Japan
Lutz Gade, Heidelberg, Germany
Philip Gale, Southampton, UK
George W. Gokel, St Louis, USA
Trevor Hambley, Sydney, Australia
Craig Hawker, Santa Barbara, USA
Andrew B. Holmes, Melbourne, Australia
Amir Hoveyda, Boston, USA
Steven M. Howdle, Nottingham, UK
Taeghwan Hyeon, Seoul, Korea
Biao Jiang, Shanghai, China
Karl Anker Jørgensen, Aarhus, Denmark
Kimoon Kim, Pohang, Korea

Susumu Kitagawa, Kyoto, Japan
Shu Kobayashi, Tokyo, Japan
Jérôme Lacour, Geneva, Switzerland
Teck-Peng Loh, Singapore
Tien-Yau Luh, Taipei, Taiwan
Doug MacFarlane, Monash, Australia
David MacMillan, Princeton, USA
Seth Marder, Atlanta, USA
Ilan Marek, Haifa, Israel
E. W. 'Bert' Meijer, Eindhoven, The Netherlands
Achim Müller, Bielefeld, Germany
Catherine Murphy, South Carolina, USA
Atsuhiko Osuka, Kyoto, Japan
Ian Paterson, Cambridge, UK
Maurizio Prato, Trieste, Italy
C. N. R. Rao, Bangalore, India
Christopher A. Reed, Riverside, USA
Robin Rogers, Alabama, USA
Michael Sailor, San Diego, USA
Jonathan W. Steed, Durham, UK
Zhong-Qun Tian, Xiamen, China
Carsten Tschierske, Halle, Germany
Herbert Waldmann, Dortmund, Germany
Henry N. C. Wong, Hong Kong, China
Eiji Yashima, Nagoya, Japan

Advertisement sales: Tel +44 (0) 1223 432246; Fax +44 (0) 1223 426017; E-mail advertising@rsc.org

© The paper used in this publication meets the requirements of ANSI/NISO Z39.48–1992 (Permanence of Paper).

Royal Society of Chemistry: Registered Charity No. 207890.

Authors may reproduce/republish portions of their published contribution without seeking permission from the RSC, provided that any such republication is accompanied by an acknowledgement in the form: (Original Citation)–Reproduced by permission of The Royal Society of Chemistry.


FEATURE ARTICLES

675

Iridium-catalysed asymmetric allylic substitutions

Günter Helmchen,* Axel Dahnz, Pierre Dübon, Mathias Schelwies and Robert Weihofen

Ir-catalysed allylic substitutions can be carried out with a variety of C-, N- and O-nucleophiles to give branched substitution products with high degrees of regio- and enantioselectivity.




COMMUNICATIONS

692

**Segregated assemblies in bridged electron-rich and electron-poor π -conjugated moieties**

Travis L. Benanti, Pranorm Saejueng and D. Venkataraman*

We report a general strategy for the spontaneous segregation of electron-rich and electron-poor π -conjugated molecules using mutually phobic aliphatic fluorocarbon–hydrocarbon interactions.




695

**Construction of di-scFv through a trivalent alkyne–azide 1,3-dipolar cycloaddition**

Arutselvan Natarajan, Wenjun Du, Cheng-Yi Xiong, Gerald L. DeNardo, Sally J. DeNardo* and Jacquelyn Gervay-Hague*

Site specific ligation of scFv was achieved using 1,3-dipolar cycloaddition. Incorporation of a trialkyne linker was critical for efficient conjugation.




698

**Gold(I)-catalysed arylation of 1,6-enynes: different site reactivity of cyclopropyl gold carbenes**

Cateljine H. M. Amijs, Catalina Ferrer and Antonio M. Echavarren*

Gold(I)-catalysed addition of electron-rich arenes and heteroarenes to 1,6-enynes gives two different types of products by reaction of the intermediate cyclopropyl gold carbenes at the cyclopropane or at the carbene.





star service for authors

Organic & Biomolecular Chemistry ...

- easy online submission and manuscript tracking via ReSource
- free colour where scientifically justified
- short publication times, as low as 24 days from acceptance for papers, and 14 days for communications
- RSC Open Science, offering you the option of paying a fee in exchange for making your research paper available to all, via the web
- high exposure – top papers highlighted in the wider scientific press

There are many more reasons why you should choose OBC, in particular, we offer a first class professional publishing service as a society-based publisher. To get the best service, why not submit your work today?

...celebrating 5 years of publishing

RSCPublishing

www.rsc.org/obc

Registered Charity Number 207890


COMMUNICATIONS

701

Molecular oxygen activation by a molybdenum(IV) monooxo bis(β -ketiminato) complex

Ganna Lyashenko, Gerald Saischek, Aritra Pal, Regine Herbst-Irmer and Nadia C. Mösch-Zanetti*

Molybdenum(IV) monooxo compound that contains bis(β -ketiminato) ligands formed by oxygen atom transfer activates molecular oxygen forming a molybdenum(VI) monooxo peroxy complex. This represents a new entry into molybdenum peroxy derivatives.




704

The former “C₆₀F₁₆” is actually a double-caged adduct: (C₆₀F₁₆)(C₆₀)

Alexey A. Goryunkov, Ilya N. Ioffe, Pavel A. Khavrel, Stanislav M. Avdoshenko, Vitaly Yu. Markov, Z. Mazej, Lev N. Sidorov and Sergey I. Troyanov*

X-ray diffraction study of the substance originally believed to be C₆₀F₁₆ reveals a double-caged structure, (C₆₀F₁₆)(C₆₀), a finding supported by MALDI mass spectra and theoretical calculations.




707

A molecular turnstile in *para*-octanoyl calix[4]arene nanocapsules

Gennady S. Ananchenko,* Konstantin A. Udachin, Michaela Pojarova, Said Jebors, Anthony W. Coleman and John A. Ripmeester

The thermal treatment of different inclusion complexes of *para*-octanoyl calix[4]arene leads to the formation of a guest-free van der Waals nanocapsular framework possessing a remarkable stability caused by the high mobility of alkanoyl arms.




710

Enantioselective palladium-catalysed conjugate addition of arylsiloxanes

Francesca Gini, Bart Hessen, Ben L. Feringa and Adriaan J. Minnaard*

The complex formed from Pd(CH₃CN)₄(BF₄)₂ and (*R,R*)-MeDUPHOS is a highly enantioselective catalyst for the asymmetric conjugate addition of aryltriethylsiloxanes to a variety of unsaturated ketones, lactones and lactams.



Listen up Speak out



chemistryworld

Your favourite monthly magazine invites you to go interactive



The free monthly podcast from *Chemistry World* includes interviews and discussions on the latest topics in science: all in one bite sized chunk. Subscribe now at iTunes or download past and present podcasts directly from the *Chemistry World* website.

**Chemistry
World Blog**

News, opinion & discussion

Got something to say? Then why not speak out on our new *Chemistry World* Blog: an interactive forum, updated daily, for the latest news, opinions and discussion about the chemical sciences. Why not post a question or comment on the science hitting the headlines.

RSC | Advancing the
Chemical Sciences

www.chemistryworld.org

Registered Charity Number 207890


COMMUNICATIONS

713

From inconsistent results to high speed hydrosilylation

Virginie Comte,* Cédric Balan, Pierre Le Gendre* and Claude Moise

The hydrosilylation of various ketones in the presence of cationic rhodium catalysts containing diphosphine ligands proceeds much faster under dihydrogen pressure than under an inert atmosphere.




716

Investigating organocatalytic reactions: mass spectrometric studies of a conjugate *umpolung* reaction

Wolfgang Schrader,* Peni Purwa Handayani, Christian Burstein and Frank Glorius

An organocatalyzed conjugate *umpolung* reaction has been studied in detail using electrospray mass spectrometry, which allows support of the catalytic cycle by intercepting intermediates.




719

Biogenetic hypothesis and first steps towards a biomimetic synthesis of haouamines

Edmond Gravel, Erwan Poupon* and Reynald Hocquemiller

Following a plausible biogenetic pathway, advanced intermediates for the total synthesis of haouamines have been prepared. This is the first biomimetic approach reported for this class of complex alkaloids.





722

Organocatalytic asymmetric hydrophosphination of nitroalkenes

Giuseppe Bartoli, Marcella Bosco, Armando Carlone, Manuela Locatelli, Andrea Mazzanti, Letizia Sambri and Paolo Melchiorre*

The first direct asymmetric hydrophosphination (AHP) of nitroalkenes, catalyzed by a bifunctional *Cinchona* alkaloid derivative, has been accomplished.





Registered Charity Number 207890

ChemComm

... a leading international journal for the publication of communications on important new developments in the chemical sciences. It provides preliminary accounts of original and significant research that will appeal to a wide general readership or be of exceptional interest to the specialist.

- high impact – Impact Factor 4.426
- rapid publication – typically 60 days from receipt to publication
- 3 page communications, providing authors with the flexibility to develop their results and discussion
- high visibility – indexed in MEDLINE and other major databases
- high exposure – top papers are highlighted as “Hot Papers” to the wider scientific press
- free colour where scientifically necessary and no page charges

Submit your paper today at www.rsc.org/resource

Professor Andrew Evans US Associate Editor for organic chemistry

Professor Evans currently holds the Heath Harrison Chair of Organic Chemistry at the University of Liverpool, having recently moved from Indiana University. His research group is engaged in the development of new diastereo- and enantioselective metal-catalyzed reactions that facilitate the expeditious total synthesis of complex pharmacologically important natural products.

Happy to receive papers on important developments in organic chemistry, Professor Evans can be contacted via chemcomm@indiana.edu



25080690-D

RSC Publishing

www.rsc.org/chemcomm


COMMUNICATIONS

725

Ruthenium catalysed *N*-alkylation of amines with alcohols

Malai Haniti S. A. Hamid and Jonathan M. J. Williams*

Borrowing hydrogen in the *N*-alkylation of amines has been achieved using a ruthenium based catalyst.




728

Stereospecific construction of substituted piperidines. Synthesis of (–)-paroxetine and (+)-laccarin

John F. Bower, Thomas Riis-Johannessen, Peter Szeto, Andrew J. Whitehead and Timothy Gallagher*

Short and efficient enantioselective syntheses of (–)-paroxetine and (+)-laccarin are described based on the highly stereospecific cleavage of C(3)-substituted 1,3-cyclic sulfamidates.




731

Silver-catalyzed [2,3]-rearrangement of halonium ylides derived from allyl and propargyl halides and alkyl diazoacetates

Pasupathy Krishnamoorthy, R. Greg Browning, Shreeyukta Singh, Rasapalli Sivappa, Carl J. Lovely* and H. V. Rasika Dias*

A silver(I) complex derived from a polyfluorinated tris(pyrazolyl)borate effectively catalyzes carbene transfer to allylic and propargylic halides, leading to the formation of α -haloacetate derivatives.




734

Organocatalytic enantioselective conjugate addition of aldehydes to maleimides


Gui-Ling Zhao, Yongmei Xu, Henrik Sundén, Lars Eriksson, Mahmoud Sayah and Armando Córdova*

The first highly enantioselective organocatalytic conjugate addition of unmodified aldehydes to maleimides is presented. The novel reaction gives access to α -substituted succinimides with up to 15 : 1 dr and generally 97 \rightarrow 99% ee.



COMMUNICATIONS

736




Enantioselective desymmetrization of prochiral cyclohexanone derivatives *via* the organocatalytic direct aldol reaction

Jun Jiang, Long He, Shi-Wei Luo, Lin-Feng Cun and Liu-Zhu Gong*

Asymmetric desymmetrization of 4-substituted cyclohexanones using proline amide-catalyzed direct aldol reaction afforded β -hydroxyketones with three stereogenic centers in high enantioselectivities of up to >99% ee.

739




Probing the periphery of dendrimers by heterogeneous electron transfer

K. Krishnamoorthy, Raghunath Reddy Dasari, Arpornrat Nantalaksakul and S. Thayumanavan*

Generation-dependence in the accessibility to the peripheral electroactive functionalities in dendrimers has been studied by comparing two different classes of dendrimers with linear molecules.

742




Ultra-rapid processing of refractory carbides; 20 s synthesis of molybdenum carbide, Mo₂C

Simon R. Vallance, Sam Kingman* and Duncan H. Gregory*

Ultra-rapid microwave reactions yield refractory carbides such as superconducting Mo₂C in 20 s; dielectric properties of the components mediate the reaction process.

745



Oxidation of secondary amines catalyzed by dirhodium caprolactamate

Hojae Choi and Michael P. Doyle*

Secondary amines are converted to their corresponding imines with high chemo- and regioselectivity in oxidation reactions of *tert*-butyl hydroperoxide catalyzed by dirhodium caprolactamate [Rh₂(cap)₄].


COMMUNICATIONS

748

A theoretical analysis of a classic example of supramolecular catalysis

Peter Carlqvist and Feliu Maseras*

Computational chemistry is applied to the study of the 1,3-dipolar cycloaddition between an azide and an alkyne inside the macrocycle cucurbit[6]uril.




751

A (4,2)-connected niobium phosphate $\text{Na}_{13}\text{Nb}_3\text{P}_6\text{O}_{28}\text{F}_2$ with a unique 6.12-net layer: Synthesis, structure and ion exchange properties

Guang-Zhen Liu, Shou-Tian Zheng and Guo-Yu Yang*

A two-step hydrothermal process was employed to make a very open (4,2)-connected layered niobium phosphate, $\text{Na}_{13}\text{Nb}_3\text{P}_6\text{O}_{28}\text{F}_2$. The sheet consists of alternating 4-connected niobium octahedra and 2-connected phosphorus tetrahedra, forming a unique 6.12-net that has never previously been found in metal phosphates.




754

Achieving conformational control over C–C, C–N and C–O bonds in biaryls, N,N' -diarylureas and diaryl ethers: advantages of a relay axis

Mark S. Betson, Ann Bracegirdle, Jonathan Clayden,* Madeleine Helliwell, Andrew Lund, Mark Pickworth, Timothy J. Snape and Christopher P. Worrall

A sulfoxide substituent can control the orientation of a C–C, C–N or C–O bond.





757

Facile synthesis of ordered mesoporous carbons from F108/resorcinol–formaldehyde composites obtained in basic media

Changyi Liu, Lixia Li, Huaihe Song* and Xiaohong Chen

Highly ordered mesoporous carbon with cubic $Im\bar{3}m$ symmetry has been synthesized successfully via a direct carbonization of self-assembled F108 ($\text{EO}_{132}\text{PO}_{50}\text{EO}_{132}$) and resorcinol–formaldehyde composites obtained in a basic medium of nonaqueous solution.





An iron-catalysed hydrosilylation of ketones

Hisao Nishiyama* and Akihiro Furuta

The combination of $\text{Fe}(\text{OAc})_2$ and multi-nitrogen-based ligands can efficiently catalyse hydrosilylation of ketones to give the corresponding alcohols in high yields including asymmetric catalysis.

RSC eBook Collection

Access and download existing and new books from the RSC

- **Comprehensive:** covering all areas of the chemical sciences
- **Fully searchable:** advance search and filter options
- **Wide-ranging:** from research level monograph to popular science book

See for yourself – go online to search the collection and read selected chapters for free!



20100654

RSCPublishing

www.rsc.org/ebooks

Registered Charity Number 207890

AUTHOR INDEX

- Amijs, Catelijne H. M., 698
 Ananchenko, Gennady S., 707
 Avdoshenko, Stanislav M., 704
 Balan, Cédric, 713
 Bartoli, Giuseppe, 722
 Benanti, Travis L., 692
 Betson, Mark S., 754
 Bosco, Marcella, 722
 Bower, John F., 728
 Bracegirdle, Ann, 754
 Browning, R. Greg, 731
 Burstein, Christian, 716
 Byrne, Christopher M., 657
 Carlone, Armando, 722
 Carlqvist, Peter, 748
 Chen, Xiaohong, 757
 Choi, Hojae, 745
 Church, Tamara L., 657
 Clayden, Jonathan, 754
 Coates, Geoffrey W., 657
 Coleman, Anthony W., 707
 Comte, Virginie, 713
 Córdova, Armando, 734
 Cun, Lin-Feng, 736
 Dahnz, Axel, 675
 Dasari, Raghunath Reddy, 739
 DeNardo, Gerald L., 695
 DeNardo, Sally J., 695
 Dias, H. V. Rasika, 731
 Doyle, Michael P., 745
 Du, Wenjun, 695
 Dübon, Pierre, 675
 Echavarren, Antonio M., 698
 Eriksson, Lars, 734
 Feringa, Ben L., 710
 Ferrer, Catalina, 698
 Furuta, Akihiro, 760
 Gallagher, Timothy, 728
 Gervay-Hague, Jacquelyn, 695
 Getzler, Yutan D. Y. L., 657
 Gini, Francesca, 710
 Glorius, Frank, 716
 Gong, Liu-Zhu, 736
 Goryunkov, Alexey A., 704
 Gravel, Edmond, 719
 Gregory, Duncan H., 742
 Hamid, Malai Haniti S. A., 725
 Handayani, Peni Purwa, 716
 He, Long, 736
 Helliwell, Madeleine, 754
 Helmchen, Günter, 675
 Herbst-Irmer, Regine, 701
 Hessen, Bart, 710
 Hocquemiller, Reynald, 719
 Ioffe, Ilya N., 704
 Jebors, Said, 707
 Jiang, Jun, 736
 Khavrel, Pavel A., 704
 Kingman, Sam, 742
 Krishnamoorthy, K., 739
 Krishnamoorthy, Pasupathy, 731
 Le Gendre, Pierre, 713
 Li, Lixia, 757
 Liu, Changyi, 757
 Liu, Guang-Zhen, 751
 Locatelli, Manuela, 722
 Lovely, Carl J., 731
 Lund, Andrew, 754
 Luo, Shi-Wei, 736
 Lyashenko, Ganna, 701
 Markov, Vitaly Yu., 704
 Maseras, Feliu, 748
 Mazej, Z., 704
 Mazzanti, Andrea, 722
 Melchiorre, Paolo, 722
 Minnaard, Adriaan J., 710
 Moïse, Claude, 713
 Mösch-Zanetti, Nadia C., 701
 Nantalaksakul, Arpornrat, 739
 Natarajan, Arutselvan, 695
 Nishiyama, Hisao, 760
 Pal, Aritra, 701
 Pickworth, Mark, 754
 Pojarova, Michaela, 707
 Poupon, Erwan, 719
 Riis-Johannessen, Thomas, 728
 Ripmeester, John A., 707
 Saejueng, Pranorm, 692
 Saischek, Gerald, 701
 Sambri, Letizia, 722
 Sayah, Mahmoud, 734
 Schelwies, Mathias, 675
 Schrader, Wolfgang, 716
 Sidorov, Lev N., 704
 Singh, Shreeyukta, 731
 Sivappa, Rasapalli, 731
 Snape, Timothy J., 754
 Song, Huaihe, 757
 Sundén, Henrik, 734
 Szeto, Peter, 728
 Thayumanavan, S., 739
 Troyanov, Sergey I., 704
 Udachin, Konstantin A., 707
 Vallance, Simon R., 742
 Venkataraman, D., 692
 Weihofen, Robert, 675
 Whitehead, Andrew J., 728
 Williams, Jonathan M. J., 725
 Worrall, Christopher P., 754
 Xiong, Cheng-Yi, 695
 Xu, Yongmei, 734
 Yang, Guo-Yu, 751
 Zhao, Gui-Ling, 734
 Zheng, Shou-Tian, 751

FREE E-MAIL ALERTS AND RSS FEEDS

Contents lists in advance of publication are available on the web *via* www.rsc.org/chemcomm – or take advantage of our free e-mail alerting service (www.rsc.org/ej_alert) to receive notification each time a new list becomes available.



Try our RSS feeds for up-to-the-minute news of the latest research. By setting up RSS feeds, preferably using feed reader software, you can be alerted to the latest Advance Articles published on the RSC web site. Visit www.rsc.org/publishing/technology/rss.asp for details.

ADVANCE ARTICLES AND ELECTRONIC JOURNAL

Free site-wide access to Advance Articles and electronic form of this journal is provided with a full-rate institutional subscription. See www.rsc.org/ejs for more information.

* Indicates the author for correspondence: see article for details.





Electronic supplementary information (ESI) is available *via* the online article (see <http://www.rsc.org/esi> for general information about ESI).

14th IUPAC International Symposium on Organometallic Chemistry Directed Towards Organic Synthesis

Nara, Japan, 2 - 6 August, 2007



OMCOS14



Plenary Lectures:

J.-E. Bäckvall, J.-P. Genêt, T.-Y. Luh, N. Miyaura,
K. B. Sharpless, B. M. Trost.

Invited Lectures:

A. Baba, J. Du Bois, B. Breit, C. Bruneau, S. Chang,
A. B. Charette, P. G. Cozzi, S. E. Gibson, D. G. Hall,
T. F. Jamison, N. Kambe, P. Knochel, P. Kočovský,
M. J. Krische, J. Lacour, M. S. Sanford, Y. Tamaru,
Z. Xi, M. Yamaguchi, M. Yus.

OMCOS 14 Award Lecture

Short Oral Communications

Poster Presentations and Exhibitions



Secretariat OMCOS14
Department of Material Chemistry,
Graduate School of Engineering,
Kyoto University

E-mail: omcos14@mbox.kudpc.kyoto-u.ac.jp
Chair: Koichiro Oshima

Deadline for early registration and abstract submission is April 30, 2007.

<http://www.pac.ne.jp/omcos14/>