

Subject Index, 1973

- (S)-(+)-Absciscic acid**, conversion of blumenol A into: stereochemistry of the blumenols, 566
- Abstraction isotope effect**, variation in, for energetic tritium atoms, 941
- Acetaldehyde**, diazo-, matrix photolysis, 670
- Acetamide**, α -iodo-, γ -irradiated, the radical $\dot{\text{H}}\text{C}(\text{I})\text{CONH}_2$ in: hyperfine coupling of iodine in α -iodoalkyl radicals, 717
- Acetoin** derivatives, biacetyl photosensitized decomposition, 824
- Acetone**, hexafluoro-, insertion reactions with tricarbonyl(diene)-iron and π -cyclopentadienyl(diene)rhodium complexes, 114
photochemical reactions with 2,3-dimethylbut-2-ene, 316
- Acetonide** formation from olean-12-ene-16 α ,28- and -16 β ,28-diols, 787
- Acetylene**, mechanism of insertion into the methylgold bond: structure of a reaction intermediate, 373
phenyl-, hydrogen exchange in, and the hydroxide ion anomaly, 761
phosphino-, novel cleavage by palladium(II) and platinum(II): Preparation and structure of complexes of 1,3-bis(diphenylphosphino)-2-trifluoromethylpropene derived from 3,3,3-trifluoropropynyl diphenylphosphine, 388
- Acetylenedicarboxylate**, dimethyl, Pd^{II} -induced trimerisation: intermediacy of a σ -butadienyl complex and structure of $[\text{Pd}\{\text{C}_6(\text{CO}_2\text{Me})_4\text{CO}_2\text{Me}\}\text{C}(\text{CO}_2\text{Me})\text{Cl}\}\{\text{acac}\}]$, 436
- Acetylenes**, alkoxy-, aryl substituted, photoaddition of phenanthraquinone. Formation of 1,3-dioxoles, 188
and allenes, vinyl cations in acid-catalysed isomerisations of, 177
 β -alkylation of pyridine and quinoline 1-oxides with: mechanism, 569
- Acetylenes**, new synthesis. Novel rearrangement of $\alpha\alpha$ -dichlorodibenzyl sulphides, 955
novel synthesis of heterocyclic compounds from, 280
one-step conversion of carbonyl compounds into, 151
- Acetylenic** ammonium ylides, apparent [2,3]sigmatropic rearrangements, 657
cyclisation leading to chloroarylidene tetrahydrofuran-2,4,5-triones, 265
- Achiral** molecules in a cholesteric solvent, optical activity, 712
- Acid halides**, direct cleavage of esters to, 425
- (-)- α -Acorenol** and **(+)- β -acorenol**, stereospecific synthesis, 526
- Acridine** derivatives, 9-alkyl-, synthesis, 794
- Acridone** alkaloids, two novel, from *Atalantia ceylanica* (Rutaceae), 615
N-methyl-, chemiluminescence induced by potassium superoxide, 200
- Acylation**, electrochemical, of aromatic compounds, 473
Intramolecular Friedel-Crafts, stereochemistry, 84
- Acyloin** condensation of aldehydes catalysed by N-laurylthiazolinium bromide, 891
- Adamantane**. Equilibration of biadamantane isomers, 685
2-oxa-, novel synthesis, 197
2-iodo-, crystal structure—an axial iodide, 927
- Addition** and substitution reactions, unsymmetrical cyanocuprates as reagents in, 88
- Adenine**, 3,9-dimethyl- and 3-methyl-9-ethyl-, synthesis *via* N'-alkoxy-1-alkyl-5-formamidoimidazole-4-carboxamidine, 917
- Adenosine**, 3-deaza-, novel synthesis, 64
deprotonation in aqueous base, unequivocal potentiometric assignment of the site, 485
- Aglaialol**, a (24S)-24,25-epoxytriterpene, configuration, 115
- Alcohols**, complex formation and photochemical oxidation by bipyridylum salts in homogeneous solution and at an air-water interface, 592
conversion into amides using chlorodiphenylmethylum hexachloroantimonate in nitrile solvents, 331
hydrogen-exchange with triphenylgermane, 780
mechanistic controversy in silver oxide-bromine induced cyclizations: dynamic stereochemistry, 451
- Alcohols—continued**
primary, α -deuteriated, determination of the enantiomeric purity and absolute configuration, 274
secondary, absolute configurations. Gas chromatographic modification of Horeau's method, 194
use of pyridinium and flavin derivatives for recycling of catalytic amounts of NAD^+ during preparative-scale horse liver alcohol dehydrogenase-catalysed oxidations of, 205
- Aldehyde** homologation, aryl; a new β -arylethylamine synthesis, 781
- Aldehydes**, acyloin condensation of, catalysed by N-laurylthiazolinium bromide, 891
and ketones, amine-catalysed cycloaddition of, in reactions of isoquinolinium ylides, 188
and ketones, cyanosilylation. Convenient route to cyanohydrin derivatives, 55
and ketones, reactions with silicon-carbon double-bonded intermediates, 167
o-hydroxy-, and ketones, conversion into o-hydroxyanilides by monochloramine, 716
- Aldolases**, Class I and II, and triosephosphate isomerase, an inhibitor of: phosphoglycolohydroxamic acid. A potential antibacterial and antifungal agent, 713
- Aldoximes**, neutral conversions into nitriles at low temperature, 628
- Alginate** system, calcium order-disorder transition: characterization of polysaccharide structure and interactions by circular dichroism, 245
- Aliphatic** compounds, long-chain, deuterium isotope effects on ^{13}C chemical shifts in, 692
- Alkaloids**, *Adina* alkaloids: the structure of rubenine, 765
Biogenetically modelled synthesis of a samandarine-type alkaloid, 288
Biosynthesis of shihunine, an alkaloid of the orchid *Dendrobium pierardii*, 522
Conversion of becologanin into *Corynanthe*-type alkaloids, 886
protoberberine-type total synthesis, 137
Stereochemistry of hydrogen removal β to nitrogen in the biological conversion of O-methylnorbelladine into the montanine-type alkaloids, 430
Stereochemistry of the conversion of tyramine and hordenine into tyrosol by *Willia anomala* Hansen, 862
Synthetic entry to the hexacyclic *Aspidosperma* alkaloids. Total synthesis of (\pm) -4-hydroxyaspidofractinine, 301
Total synthesis of the alkaloids clivonine and clividine, 302
Total synthesis of the alkaloids (\pm) -oxocrinine and (\pm) -oxomartidine *via* anodic oxidation, 550
Total synthesis of yohimbine-type alkaloids. Yohimbine skeleton and angustidine, 732
Two novel acridone alkaloids from *Atalantia ceylanica* (Rutaceae), 615
- Alkanes**. Analysis of the ^{13}C T_1 relaxation times in n-alkanes 757
azo-, conversion of *NN'*-dialkylsulphamides into. Formation of the thiadiaziridine 1,1-dioxide ring system, 397
- Alkenes**, fluoro-, effect of radical size and structure on the orientation of addition of perfluoroalkyl radicals, 496
oxidative radical addition: convenient route to $\gamma\delta$ -unsaturated acids and γ -lactones, 693
reactions with dialkylplatinum(II) complexes, observations by electron spin resonance spectroscopy of free radicals, 861
some, exchange with deuterium and isomerization of, catalysed by gallium oxide, 231
steroidal, unusual mercury(II) acetate oxidations, 56
- trans-Alkenyl** ketones and *trans,trans*-dienes, conjugated, highly stereoselective and general synthesis *via* hydroboration, 606
- Alkyl** bromides, preparation from the corresponding alcohols and Me_3SBr_2 , 212
halides, primary; can they hydrolyse by the ion-pair mechanism? 51

- Alkyl**—*continued*
 radicals, perfluoro-, effect of radical size and structure on the orientation of addition to fluoroalkenes, 496
- Alkyldimethylsulphonium** salts, long-chain, base-catalysed reaction with carbonyl compounds in benzene-water; oxiran formation, 527
- 2-Alkylidenecyclobutanols**, ring contraction to cyclopropyl carbonyl compounds, 103
- Alkylmetal** carbonyl compounds, oxidatively induced carbonyl insertion and nucleophilic cleavage reactions, 163
- Alkylnitrenium** ions, unconstrained, semi-empirical molecular orbital calculations, 461
- Alkyne** insertion, and olefin isomerization: activation of platinum complexes by methyl fluorosulphonate, 766
- Alkynes** and dienes, reactions on magnesium and other metal films, 478
 a novel system for highly stereospecific reduction of to *cis*-olefins: "P-2 nickel" catalyst with ethylenediamine, 553
- Alkynyltrialkylborate** salts, alkylation and protonation—a new general method for the preparation of ketones, 544
- Allene**, 1,1-dimethyl-, cycloadditions of arylketens and thermal isomerisation of a 2-methylenecyclobutanone adduct to a 2-isopropylidenecyclobutanone, 733
 nickel-catalysed reactions with active hydrogen compounds, 472
- Allenenes** and acetylenes, vinyl cations in acid-catalysed isomerisations of, 177
 hindered, reactions with ozone, 340
 Synthesis and some thermal reactions of conjugated *meso*-diallenes, 432
- Allelic** alcohols, synthesis, 709
 and sesquiacetylenic structures of prop-2-ynyl dianions, 576
- Allo-ocimine** and cholestatriene. Triplet lifetime of conjugated trienes, 799
- Allyl** acetates, abnormal ozonolysis: a structural factor, 618
 cation, fluorinated long-lived, 509
 radical, electrocyclic transformation of the cyclopropyl radical to, *ab initio* calculations, 334
 π -Allyl isomerisation, new type: conversion of 1,1- into 1,2-dimethylallyl complexes of cobalt and rhodium, 86
- N-Allylhydrazones**, thermally induced [3,3] sigmatropic rearrangement, 662
- Allylic** anilinium ylides derived from *o*- and *p*-dimethylamino-phenol, rearrangement reactions, 651
 anions, charge control in protonation of, 407
- o*-Allylphenol**, asymmetric induction in the cyclisation of, with chiral mercury(II) carboxylates. The effect of dimethyl sulphoxide, 573
- (\pm)-Altenuene**, fungal metabolite, X-ray crystal structure revision, 682
- Alternariol** trimethyl ether, selective chromic acid oxidation; X-ray crystal structure of the major product, 333
- Aluminium** bond configuration in $\text{AlCl}_3 \cdot \text{NH}_3$: an electron diffraction study, 750
 Crystal and molecular structure of hepta- μ_3 -methylimido-heptakis(methylaluminium). A new aluminium-nitrogen cage, 934
 Electron-deficient transition metal cluster compounds: preparation and crystal structures of some molybdenum- and tungsten-aluminium compounds, 426
 Structure of aluminotitanium hydride $[(\text{C}_2\text{H}_5)(\text{C}_2\text{H}_4)\text{TiHAl}(\text{C}_2\text{H}_5)_2]_2$, 227
 X-Ray crystal structure of the pentanitratooaluminate anion, 595
- Amide** formation from reactions of isocyanates with β -ketimine complexes: reactions of co-ordinated ligands, 690
- Amides**, conversion of alcohols into, using chlorodiphenylmethylum hexachloroantimonate in nitrile solvents, 331
 tertiary. Reactive tertiary amide nitrogen in nonrigid systems, 352
- Amine** oxide, chiral, asymmetric induction in allylic rearrangement, 848.
- Amines**, aliphatic, photoreduction of 4-chlorobiphenyl by, 384
 aromatic, and carbon monoxide, new hydrogen selenide-triethylamine catalysed synthesis of formanilides from, 853
 cyclic, rearrangement catalysed by palladium, 307
 phenylalkyl-, *meta*-photocyclisation, 330
- Amino-acids**. Biosynthetic origin of D-isoleucine in the monamycins, 782
 New synthesis of (\pm)-cucurbitine, 2
 and peptides, crystal structures of seven cadmium(II) complexes: model compounds for metal-protein interaction, 753
 reaction with peroxyacetyl nitrate, 74
- Amino-groups**, slow proton transfer involving, 463
- Amino-protecting** group, alkali-labile substituted benzyloxy-carbonyl, 593
- Ammonia**, amination of phenol: high acidity of silica-titania and its high catalytic activity, 676
 and carboxylic acids, aniline and other aromatic amines from. A metal-catalysed process, 666
 Lone-pair orbital in NH_3 and the calculation of the HNH angle, 736
 solutions, liquid, of metal salts; Raman spectra, 914
 (\pm)- α -Amorphene, stereospecific total synthesis, 598
- Ampicillin**, 6-epi-, intramolecular nucleophilic attack in, 484
- β -Amyrin**, enzyme-catalysed formation from a bicyclic isomer of 2,3-epoxysqualene, 73
- 5 α -Androstan-17 α β -yl** tosylate, D-homo-, unexpected inversion of configuration at a quaternary centre during acetolysis, 341
- Angustidine** and the yohimbine skeleton. Total synthesis of yohimbine-type alkaloids, 732
- Anhydrases**. Hyperfine coupling to ^{13}C -cyanide in electron spin resonance spectra of pentacyanocobaltate(II) and cobalt(II) carbonic anhydrase, 905
- Anhydrides**, photoexcited charge-transfer complexes with electron-rich olefins; oxetan formation, 296
- Anil** formation by oxidative depolymerization, 562
- Anilides**, *o*-hydroxy-, conversion of *o*-hydroxyaldehydes and ketones into, by monochloramine, 716
- Aniline** and other aromatic amines from carboxylic acids and ammonia. A metal-catalysed process, 666
- Anilines**, benzylidene-, ring-substituted, low-temperature mesomorphism, 202
 N-2'-chloroallyl-, conversion into 2-methylindoles, 208
- Anilinium ylides**, allylic, derived from *o*- and *p*-dimethylamino-phenol, rearrangement reactions, 651
 2-oxy-, sigmatropic rearrangements, 653
 2-oxy-, CIDNP in rearrangement of. Simultaneous concerted and non-concerted reactions, 654
- Anils**, addition of chlorosulphonylisocyanate: formation of triazinediones, 570
- Anthracene**, *cis-syn-cis*-2,2,6,6-tetramethoxyperhydro-, conformation and ring topomerization, 594
- Anthracenes**, 1,5-disubstituted 9,10-dihydro-9,10-bridged, non-anomalous absolute configuration, 239
 1,5-disubstituted 9,10-dihydro-9,10-etheno-, absolute configuration as revealed by chemical correlation, 22
 (–)-1,5-disubstituted 9,10-dihydro-9,10-etheno- or -ethano-, absolute configuration. Comparison of X-ray and circular dichroism studies, 21
- Anthraquinone** derivatives, simple, photochemical nucleophilic substitution, 111
- Antiaromatic** three-membered rings and their valence tautomers, MINDO/3 and NDDO study, 688
- Antibiotic X-537A**, fluorimetric complexing constants and circular dichroism measurements with univalent and bivalent cations, 431
- Antibiotics**. Biosynthesis of the antibiotic thermozymocidin. Incorporation of [$1\text{-}^{13}\text{C}$]acetate: ^{13}C nuclear magnetic resonance study, 788
 β -lactam, related dehydropeptides: scheme for biosynthesis of penicillins and cephalosporins, 790
 Molecular weight and structure of the antibiotic vancomycin, 772
- Antimony**. Conversion of alcohols into amides using chlorodiphenylmethylum hexachloroantimonate in nitrile solvents, 331
 Formation of methylketenylacylium ion in $\text{SbF}_5\text{-FSO}_3\text{H}$, 5
 pentafluoride, intercalation in the lattice of graphite, 815
 Preparation and characterization of perfluorophosphonium hexadecafluorotriantimonate(V) $[\text{PF}_4]^+[\text{Sb}_3\text{F}_{16}]^-$, 559
- Aplysterol**, synthesis of 24,28- and X-ray crystal structure of aplysterol: unusual marine sterols, 825
- Aporphine** synthesis, novel oxidative photochemical. Total synthesis of cornamine and nandazurine, 915

- Appearance potentials** and electron impact ionization, determination, 730
- Arene** complexes of mercury(II), preparation and carbon-13 nuclear magnetic resonance spectra, 626
- π -**Arene** complex, structural evidence for a new type containing poly(1-pyrazolyl)borate ligands and carbocyclic π -acceptor ligands. X-Ray analysis of [tetrakis(1-pyrazolyl)borato]-(*h*⁶-benzene)ruthenium(II) hexafluorophosphate, 847
- Arenediazonium** and benzoyl cations, molecular complexation by macrocyclic polyethers, 481
- fluoroborates, substitution of 6a-thiathiophthens and related compounds with: rearrangement into novel heterocyclic systems, 92
- ions, pathways for decomposition: question of aryne participation, 545
- salts, substituent effects in reaction with methylamine, 701
- Arenes**, hydroquinone as a reducing agent for conversion of arylidiazonium salts into, 604
- Argon** matrix, photoionisation of π -cyclopentadienyl nitrosylnickel in, 407
- Aromatic** compounds, electrochemical acylation, 473
- molecules, cationic metal-dienyl complexes as electrophilic reagents on, 540
- Aromatic substitution**, concerning the π -complex mechanism for. D Tritiation in trifluoromethanesulphonic acid, 836
- with peroxydicarbonates cerium(IV) ammonium nitrate-promoted, 109
- Aroylchloromaleic** anhydrides from thermal rearrangement of chloroarylidenetetrahydrofuran-2,4,5-triones, 265
- Arsenic**. Arsole metal complexes, 258
- Arsine**. Osmium nitrido-complexes with triphenyl-phosphine, -arsine, and -stibine, with evidence for nitrene-like behaviour of the phosphine complex, 418
- Arsinimines**, formation by reactions of triphenylarsine with compounds generally believed to be nitrene precursors, 586
- Arylazo** and aryl-di-imine derivatives of platinum metals, 176
- Aryldiazonium** salts, hydroquinone as a reducing agent for conversion into arenes, 605
- Arylidenetetrahydrofuran-2,4,5-triones**, chloro-, acetylenic cyclisation leading to, 265
- thermal rearrangement to aroylchloromaleic anhydrides, 265
- Aryne** participation, question of, in pathways for the decomposition of arenediazonium ions, 545
- Aspidofractinine**, (\pm)-4-hydroxy-, total synthesis. Synthetic entry to the hexacyclic *Aspidosperma* alkaloids, 301
- ent-16S-Atis-13-ene** system, novel, hydride induced conversion of an *ent*-beyer-15-ene 12-*p*-tosylhydrazine into, 552
- Attraction**, nonbonded, in organic molecules and substituent effects on nonbonded attraction, 278
- Avenaciolide**, metabolite, Fourier transform nuclear magnetic resonance spectra: biosynthetic studies with carbon-13, 212
- Azabicycles**, model, thermal chelotropy in; the question of linear *vs.* non-linear extrusion, 840
- Azacyclopropenylidenimine**: a low energy dimer of hydrogen cyanide, 435
- Azaethers**, macrocyclic, multidentate chelating agents, 831
- Azaspiro[2,2]pentane**, 1,2-diphenyl-, synthesis, 33
- 3H-Azepine**, 2-dimethylamino-4,5-dihydro-, photoreaction, 327
- Azepines**. Concerted rotational-inversion process in 5-acyl-10,11-dihydrodibenz[*b,f*]azepines, 282
- Azetidine**, ring puckering: electron diffraction study, 772
- Azetidin-2-ones**, 4-(alk-2-ynylthio), some, hydration of the triple bond, 57
- Aziridine** ring of mitomycin B, incorporation of the amino-group of D-[¹⁵N]glucosamine into. Mitomycin biosynthesis by *Streptomyces verticillatus*, 88
- Azirines**, aryl-, rationale for the direction of regioselectivity in photocycloaddition of, 342
- Azo**-compound photolysis, *cis*-intermediates, 263
- compounds, use of nuclear magnetic resonance shift reagents with: pyrazoline stereochemistry, 557
- group stereochemistry and a correlation with ultraviolet absorption spectra, 314
- zoalkanes**, conversion of *NN'*-dialkylsulphamides into. Formation of the thiadiaziridine 1,1-dioxide ring system, 397
- Azobenzenes**, *ortho*-metallation: mechanistic results, 558
- Azocine**, 1,2-dihydro-, new synthesis, 665
- Azulene**, ferrocene-sensitized photoalkoxycarbonylation. A transition-metal catalysed photoreaction, 871.
- Azulenes**, hydro-, photochemical approach to, by photolysis of a β -unsaturated ketone: synthetic organic photochemistry, 501
- synthesis based on intramolecular carbene addition, 882
- Barbaralane** system, 9-aza-, (9-azatricyclo[3,3,1,0^{3,8}]nona-3,6-diene), 779
- Benzanilides**, photocyclization to phenanthridones with elimination of the *ortho*-methoxy-group, 647
- Benzene** and BF₃-Et₂O, reaction of cyclo-octenylidene derivatives with, 890
- and hexafluorobenzene, photoreaction between, 457
- Crystal structure of di- μ -sulphur dioxide-pentakis(*t*-butyl isocyanide)-triangulo-tripalladium-dibenzene, 445
- 3,5-dinitrocyano-, kinetic and thermodynamic intermediates formed by attack of methoxide ion: high resolution nuclear magnetic resonance study of chemical reactions using flowing liquids, 743
- protiodetritiation in trifluoroacetic acid, 952
- vapour, photoreactions at 2537 Å, 738
- Benzenediazonium** ion, conversion of 1-phenylazo-2-naphthol into: another route to phenyl radicals, 572
- Benzenes**, alkyl-, deuteration. Iridium(III) salts as homogeneous metal catalysts for hydrogen isotope exchange in organic compounds; comparison with heterogeneous iridium, 749
- alkyl-, ring expansion by the zinc-carbenoid reaction with diethylzinc and iodoform, 216
- azo, *ortho*-metallation: mechanistic results, 558
- Benzenoid** compounds, activated, dichotomy in reaction of phthalimidonitrene with, 67
- Benzimidazoles**, *N*-amino-, from acid-catalysed cyclisation of *o*-nitrophenylhydrazines, 41
- Benzimidazolium** salts, 1,3-polymethylene-, and related systems, preparation and properties. *N*-Bridged heterocycles, 427
- Benzimidazolones**, *N*-hydroxy-, synthesis and reactivity, 96
- Benzoate**, methyl, photochemical reactions, 468
- Benzo[c]cinnoline N-oxides** as 1,3-dipoles, 837
- 1,2-Benzocyclobutadienequinone**, reaction with zerovalent platinum: preparation and structure of (1,1-bistriphenylphosphine)platinabenzocyclopentenedione, 158
- Benzocyclobutene-1,2-dione**, 4,5-dihydroxy-, (a benzologue of squaric acid), synthesis, and a general synthesis of benzocyclobutene-1,2-diones, 248
- Benzocyclo-octatrienedione** and 2,3-benzohomotropone, formation of two derivatives by dichlorocarbene ring expansion, 363
- Benzocyclopropene**, 7,7-difluoro-2,5-diphenyl-, preparation by halide exchange, 895
- 1H-1,5-Benzodiazepine-3-carbonitrile**, 4-amino-, and related compounds, synthesis, 367
- 3H-1,2-Benzodiazepines**, thermolysis, 85
- 2H-1,4-Benzodiazepin-2-ones**, 1,3-dihydro-, stereochemistry of the enzymic 3-hydroxylation of, 721
- Benzofuran** derivatives, photochemical dimerization, 903
- Benzo[b]furanones** and indolones, *cis*-octahydro-, conformational features. 1,2-Cycloaddition of dichloroketen to cycloolefins and the aza-ring expansion of cyclobutanones, 3
- Benzonitriles**, 2,3- and 3,4-dimethyl-, 1,4-dienes from the nitration of, and a 1,3-rearrangement of a nitro-group, 396
- Benzophenone**, anomalous product in photolysis in acidified methanol, 504
- 2-isopropenyl-, photochemistry, 619
- 1,4-Benzoquinone**, 2,6-di-*t*-butyl-, photolysis, a new rearrangement, 844
- 5,6-Benzo-1,2,4-triazine** 1-oxides, reaction with Grignard reagents, 622
- 1-Benzoxepin**, reaction with singlet oxygen: a novel endoperoxide, 344
- Benzoyl** and arenediazonium cations, molecular complexa by macrocyclic polyethers, 481
- peroxide, mechanism of formation of biaryls in thermolysis of, in polyfluorinated aromatic solvents, 286
- Benzyldieneacetone**, reaction with (cyclo-octa-1,5-diene)tricar-bonylruthenium, 912

- Benzylideneanilines**, ring-substituted, low-temperature mesomorphism, 202
- Benzoyloxycarbonyl** amino-protecting group, substituted, alkali-labile, 593
- Benzynes**, Novel 1:1 and 2:1 cycloadducts with, cycloaddition reactions of [2,2](2,5)-furanophane, 930
- Benzynes** and dienolate anions, substituted naphthalenes from, 524
- Betaines**, heteroaromatic, ring expansion of, with cyclopropene derivatives, 833
- ent-Beyer-15-ene** 12-*p*-tosylhydrazone, hydride induced conversion into the novel *ent*-16S-atris-13-ene system, 552
- Biacetyl** photosensitized decomposition of acetoin derivatives, 824
- Biadamantane** isomers, equilibration, 685
- Biaryls**, mechanism of formation in the thermolysis of benzoyl peroxide in polyfluorinated aromatic solvents, 286
- Bicyclo[3,2,0]hepta-1,4-diene**, 3-oxo-, 214
- Bicyclo[3,2,0]hept-2-enes**, 4-methylene-, photoreactions, 458
- Bicyclo[2,2,0]hexanes**, hexamethyl-, inversion and ring opening, 364
- Bicyclo[4,3,0]nona-3,7-dien-2-one**, 7-acetyl-3,5,5,9,9-pentamethyl-1,6-diaza-, end product of photochemical generation of a vinylketen from 5-acetyl-3,3-dimethyl-3*H*-pyrazole; identification by X-ray crystallographic analysis, 247
- Bicyclo[3,3,1]nonanes**, synthesis of *via* Cope reaction of an enol, 549
- Bicyclo[4,2,1]nonanes**, aza-, novel, from anhydrodihydro-nucleosides, 495
- Bicyclo[5,2,0]nona-2,5,8-triene**, 4-aza-, and derivatives, 601
- Bicyclo[2,2,2]octadienedione**, isocyanides from monoimines of, 699
- Bicyclo[2,2,2]oct-1-ene**; formation from 1-ethoxybicyclo[2,2,2]-oct-2-yl-lithium and reaction with *t*-butyl-lithium, 542
- Bicyclo[3,2,1]oct-3-enes**, 3,4-diaryl-2-hydroxy-1,2,5-triaza-, from the peracid oxidation of 3,4-diaryl-6-7-dihydro-1-methyl-1*H*-1,2,5-triazepines, 642
- Bicyclo[9,3,1]pentadec-11-en-15-one**, 1-dimethylaminomethyl-13-methyl-13-aza-, and 13,16-dimethyl-13,16-diazatri-cyclo[9,3,3,1¹¹]octadecan-18-one: novel products from a Mannich reaction with cyclododecanone, 238
- 2,2'-Bi-1,3-dithiole** and 7,7,8,8-tetracyanoquinodimethane, crystal structure of the radical-cation radical-anion salt from, 471
- 2,2'-Bi-1,3-dithioliumnickel** bismaleonitriledithiolate, 923
- Biferrocenylene(II,III)** picrate, Mössbauer and magnetic susceptibility studies, 329
- Bile salt** micelles, binding site of naphthalene to, as determined by ¹H nuclear magnetic resonance, 918
- Biphenyl**, 4-chloro-, photoreduction of, by aliphatic amines, 384
- Bis(diphenylmethylene trisulphur)** tetranitride, crystal and molecular structure, 36
- Blumenols**, and theaspirone, stereochemistry, 565
stereochemistry: conversion of blumenol A into (S)-(+)-abscisic acid, 566
- Bombykol**. Stereoselective synthesis of conjugated *trans*-enynes readily convertible into conjugated *cis*, *trans*-dienes and its application to the synthesis of the pheromone, 874
- Boracyclanes**, light-induced reaction with bromine in the presence of water. Ring contraction of boracyclanes to produce carbocyclic structures, 801
- Boranes**. Crystal and molecular structure of *trans*-dichlorobis-(hexaborane-10)platinum(II), 354
electron-rich heteroatom-containing, preparation, 914
Gaseous bivalent borenium cations, 386
metallo-, electronic considerations, 543
Preparation and crystallographic characterization of a 2:1 adduct of ethynyldecabododecaborane(12) and *trans*-IrCl(CO)(PPh₃)₂, 465
Preparation and structure of a singly hydrogen-bridged organoborane anion, 377
Synthesis and molecular structure of a metalloborane zwitterion Mn(CO)₃[B₉H₁₂{O(CH₂)₄NEt₃}], 295
- Borate** salts, alkynyltrialkyl-, alkylation and protonation—a new general method for the preparation of ketones, 544
- Borohydride**, potassium tri-isopropoxy-. New mild complex hydride reducing agent with high stereoselectivity for reduction of ketones, 391
- Boron**. Cage compound (BMe)₆(CH)₄, 532
Crystal and molecular structure of [Me₅N]⁺[PhCHB₁₀H₁₀-CPh]⁻: relation to the C₂B₁₀H₁₂⁻ ion, 257
Determination of the molecular structure of C₄B₂H₆ by microwave spectroscopy, 928
Stereochemistry and order of the three alkyl migrations in the cyanoborate process, 186
Synthesis and molecular structure of a metalloborane zwitterion Mn(CO)₃[B₉H₁₂{O(CH₂)₄NEt₃}], 295
Synthesis of cobaltaferracarboranes: two methods, 805
Thermal isomerizations of steroidal boranes: isomerizations at the junction of the hydrindanic steroidal system, 942
trifluoride. Reaction of cyclo-octenylidene derivatives with benzene and BF₃-Et₂O, 890
tris(pentafluoro-orthotellurate), B(OTeF₅)₃. Preparation and Lewis acidity, 134
trisulphide and phosphine oxides, optically active phosphine sulphides from, 273
- Botryococcene**—a tetramethylated acyclic triterpenoid of algal origin, 284
- Bridged-ring** system, new heterocyclic, structure and novel reactivity, 597
- Bromine**. CBr₃⁻ and related anions, 577
dioxide, Raman spectrum and structure, 446
Dynamic stereochemistry: mechanistic controversy in the silver oxide-bromine induced cyclizations of alcohols, 451
β-Bromoethyl radical, CIDNP, 179
β-Bromohydroperoxides, mechanism of dehydrobromination, 343
- Bromonium** ions, four-membered ring, 361
- Brønsted** exponents and energy of reaction, Marcus rate theory and the relationship between, 371
plots, curved, pyridinolysis of methyl chloroformate and the interpretation of, in nucleophilic reactions, 828
- Butadiene**, acid-promoted amination on nickel(0), 770
- Buta-1,3-diene**, addition of singlet and triplet silylene, 637
- Butadiyne**, diphenyl-, fragmentation of 3,6-diphenyl-4,5-dehydropyridazine to, 819
- Butane**, 1,1,1,4,4,4-hexafluoro-, analysis of multinuclear magnetic resonance spectra, 454
- Butane-2,3-dione** dihydrazone and formaldehyde, metal ion directed syntheses of macrocyclic, tricyclic, and quadricyclic metal complexes from: template condensations, 62
- Butanes** and deuterium, exchange between on alumina, evidence for carbanionic intermediates, 799
- But-2-ene**, 2,3-dimethyl-, photochemical reactions with acetone, 316
- t*-Butoxycarbonyl** radicals, rate of addition to 2-methyl-2-nitrosopropane ('*t*-nitrosobutane'): spin trapping, 173
- t*-Butyl chloride**, effect of hydrogen peroxide on the rate of hydrolysis of, 514
new information on aqueous hydrolysis of, 663
- But-2-yne**, hexafluoro-, reaction with nickelocene and the crystal structure of [C₆H₅NiCF₃CCCF₃]₄, 865
- (CH)₁₀ series**, unusual anionic rearrangement, 599
- ¹³C Nuclear magnetic resonance** study of the structure and dynamical properties of Rh₄(CO)₁₂ in solution, 807
- Cadmium**. High resolution ¹¹³Cd nuclear magnetic resonance by pulse Fourier transform, 394
Model compounds of metal-protein interaction: crystal structures of seven cadmium(II) complexes of amino-acids and peptides, 753
- Caesium** thiocyanate and two isomeric macrocyclic crown polyethers, 6,7,9,10,17,18,20,21-octahydro-7*R*,9*R*,18*S*,20*S*-tetramethyldibenzo[*b,k*][1,4,7,10,13,16]hexaoxacyclo-octadecin (isomer F) and 6,7,9,10,17,18,20,21-octahydro-7*R*,9*R*,18*R*,20*R*-tetramethyldibenzo[*b,k*][1,4,7,10,13,16]hexaoxacyclo-octadecin (isomer G); synthesis and crystal structures of complexes between, 694
- Calcium**. Characterization of polysaccharide structure and interactions by circular dichroism: order-disorder transition in the calcium alginate system, 245
- Calonysterone**, an unusually modified phytoecdysone, 737
- (-)-Campherenone**, (+)-epicampherenone, (-)-β-santalene, and (+)-epi-β-santalene; synthesis and absolute configuration of the campherenones, 255
- Camphor** derivatives, 8-substituted, synthetic route to, 911

- Carbamate** system, intramolecular nucleophilic attack on, by the ionized carboxy-group, 82
- Carbanions**, structural effects on elimination from, 175
- Carbene** addition, intramolecular, synthesis of azulenes based on, 882
- Carbenes**, imino-, hydrogen transfer in, a new synthesis of isoquinolines, 835
- Carbocyclic** structures produced by ring contraction of boracyclanes. Light-induced reaction of boracyclanes with bromine in the presence of water, 801
- Carbon**. Applicability of the Karplus relation to $^{31}\text{PCC}^{13}\text{C}$ coupling constants, 287
 CBr_4^- and related anions, 577
 Substituent effects on the ^{13}C relaxation time along aliphatic chains. Application to a prostaglandin, 951
- Carbon-13** nuclear magnetic resonance signals from quaternary carbon atoms, method for selective enhancement of, 809
 CIDNP in the reversible addition of pentafluorobenzoyloxy radicals to chlorobenzene, 953
- Carbon-carbon** sigma bonds, cleavage by $\text{Ru}_3(\text{CO})_{12}$, 87
- Carbon dioxide**, adducts with copper(II) complexes, 306
- Carbon monoxide** and aromatic amines, new hydrogen selenide-triethylamine catalysed synthesis of formanilides from, 853
 novel catalysts for low-temperature oxidation: $\text{SnO}_2\text{-CuO}$ gels, 210
 reaction with iron porphyrins, 325
- Carbonium** ion, optically active, direct observation of, and measurement of the free-energy barrier to racemisation, 182
- Carbonyl** anions, production by the vacuum ultraviolet photolysis of matrix isolated metal carbonyls, 763
 compounds, β -alkoxy and β -alkylthio $\alpha\beta$ -unsaturated, reaction of lithium dialkylcuprates, 907
 compounds, alkylmetal, oxidatively induced carbonyl insertion and nucleophilic cleavage reactions, 163
 compounds, base-catalysed reaction with long-chain alkyl-dimethylsulphonium salts: oxiran formation, 527
 compounds, hydrosilylation, and alcoholysis of diarylsilanes; catalysis by rhodium and ruthenium complexes. Selective catalytic route to bifunctional silanes, 38
 compounds, one-step conversion into acetylenes, 151
 infrared band, unusual, in a new mesoionic system, 402
 olefin metathesis in sequential photochemical and thermal steps: regiospecific thermal cleavage of some oxetan photo-adducts, 374
- Carbonyls**, metal-carbon monoxide bond strength in, and heat of formation of dicobalt octacarbonyl, 317
 some metal-metal bonded, kinetic and spectroscopic parameters for, 267
- Carborane**, metallo- trimetallic, synthesis by polyhedral expansion, 706
- Carboranes**. Electron diffraction determination of the molecular structure of 1,6-dicarba-closo-hexaborane(6), 276
- Carboxylic acids** and ammonia, aniline and other aromatic amines from. A metal-catalysed process, 666
- Catalysis**, unusual, with nickel(0) complexes, 157
- Cations**, organic, application of lanthanide induced shift reagents by outer sphere complexation, 630
- Cephalosporins**, C-2-C-3-tricyclic, synthesis, 671
 from novel conversion of penicillins, 58
 and penicillins, scheme for biosynthesis: dehydropeptides related to β -lactam antibiotics, 790
- Cerium**. Cerium(IV) ammonium nitrate-promoted aromatic substitution with peroxydicarbonates, 109
 Formation of β -phase hydrides by palladium-cerium solutions, 102
- Chelating** agents, multidentate: macrocyclic azaethers, 831
- Chemiluminescence** of *N*-methylacridone induced by potassium superoxide, 200
- Chemiluminescent** model compounds: bioluminescence of coelenterates, 467
- Chiral** lanthanide nuclear magnetic resonance shift reagents, 381
 recognition of a prochiral (*meso*-carbon) centre by $\Lambda(-)_{436}\text{-}\alpha$ -1,2,9-diamino-4,7-diazadecanecobaltate, 332
- Chloroformate**, methyl-, pyridinolysis, and the interpretation of curved Brönsted plots in nucleophilic reactions, 828
- Chlorosulphonylisocyanate** addition to anils: formation of triazinediones, 570
- 5 α -Chol-22-en-3 β -ol**, 24,24-dimethyl-, *cis*-isomer of the C_{26} marine sterol, 424
- Cholestatriene** and allo-ocimine. Triplet lifetime of conjugated trienes, 799
- Cholest-5-en-19-ol** nitrile, 3 β -acetoxy-, photolysis, 752
- Cholesteric** solvent, optical activity of achiral molecules in, 712
- Chroman-4-one**, 3-benzyl-: biosynthesis of eucomin, 438
- Chromenylation**, phenol, regiospecificity, 580
- Chromium**. *cis*-Activation by the nitrate-ligand in ammine-chromium(III) ions, 61
 Isolation of cyclohexene oxide from the chromyl chloride oxidation of cyclohexene, 195
 Mechanism of methoxyphenylcarbene insertion into Group IV element-hydrogen bonds *via* a chromium carbene complex, 578
 Molecular structure of chromyl fluoride, CrO_2F_2 : an electron diffraction study, 633
 Observation of pentacarbonylchromium on flash photolysis of hexacarbonylchromium in cyclohexane solution, 105
 One-electron reduction of tris(bipyridyl) complexes of cobalt(III) and chromium(III), 640
 Preparation and magnetic behaviour of complex bromides of chromium(II), 632
 Slow dissociation of the chromium(II) acetate dimer, 904
 Synthesis and characterization of tetranitrosylchromium, 40
 Use of luminescence spectroscopy to determine infrared and Raman inactive fundamentals: τ_{2u} vibrational frequencies of the $\text{Cr}(\text{CN})_6^{3-}$ ion, 489
- CIDNP**, carbon-13 in the reversible addition of pentafluorobenzoyloxy radicals to chlorobenzene, 953
- Cinnamates**, 2-azido-, reductive cyclisation to 2-substituted quinolines, 29
- Cinnamic** acids labelled with deuterium or tritium at the α -position, 563
- Cinnoline** 1- and 2-*N*-oxides, 4-methyl-, photolysis, 345
- Cinnolines**, 5-amino-, novel formation from 5-oxo-5,6,7,8-tetrahydrocinnolines—abnormal course of Schmidt and Beckmann rearrangements, 926
- Citrylidene** cyclisation, stereochemistry and mechanism, 582
- Claisen rearrangement**, association with a novel [1,5] sigmatropic rearrangement, 491
- Clathrate** guest molecule, internal rotation, 621
- Cleistanthane** ring system, conversion of a pimarane diterpene into, 312
- Clivonine** and clividine alkaloids, total synthesis, 302
- Cobalt**. Aquoterpyridine-(1,10-phenanthroline)cobalt(II): a low pH oxygen carrier, 868
 Chiral recognition of a prochiral (*meso*-carbon) centre by $\Lambda(-)_{436}\text{-}\alpha$ -1,2,9-diamino-4,7-diazadecanecobaltate, 332
 Cobalt to oxygen migration of the trimethylsilyl group in trimethylsilylcobalt tetracarbonyl, 497
 Crystal and molecular structure of a cationic sodium complex the sodium tetraphenylborate adduct of *NN'*-ethylenebis-(salicylideneiminato)cobalt(II). Cobalt(II), nickel(II), and copper(II) complexes of quadridentate Schiff bases as complexing agents for lithium, sodium, and ammonium cations, 384
 Crystal and molecular structure of di-iodotetrakis(phenylisocyanide)cobalt(II). A strictly linear Co-I-Co bridge, 853
 Formation of a Co-O₂ complex by the co-ordination of free superoxide ion, 781
 Heat of formation of dicobalt octacarbonyl and the metal-carbon monoxide bond strength in carbonyls, 317
 Higher oxidation state iron and cobalt phthalocyanine derivatives. Phthalocyanine radical cation complexes, 483
 Hyperfine coupling to ^{13}C -cyanide in electron spin resonance spectra of pentacyanocobaltate(II) and cobalt(II) carbonic anhydrase, 905
 Intramolecular and intermolecular ligand exchange in five-coordinate cobalt(I) complexes, 221
 Isolation and characterization of chloro(ethyl)dimethylglyoximate dimethylglyoximecobalt(III) hydrate. Protonated cobaloxime, 415
 Laser-Raman and infrared spectra of μ -superoxodicobalt(III) complexes, 864
 Ligand field photochemistry of $\text{Co}(\text{en})_3^{3+}$; reaction with $\text{Fe}(\text{CN})_6^{4-}$ in NaCl solutions, 351

Cobalt—*continued*

- Ligand field photochemistry of d^8 complexes. High yield photoaquation mode in $\text{Co}(\text{NH}_3)_5\text{N}_3^{2+}$, 674
- mechanism of aquation of (dimethyl sulphoxide)penta-ammine-cobalt(III) perchlorate, 822
- Metal complexes of novel sulphur- and phosphorus-containing heterocycles. Preparation and structure of tricarbonyl η^4 -(1-pentafluorophenyl-2,3,4,5-tetrakis(trifluoromethylthiophen)manganese and π -cyclopentadienyl-(1-hydroxy-2,3,4,5-tetrakis(trifluoromethyl)phosphole 1-oxide)cobalt, 583
- New organometallic reagent, $\text{KCo}[\text{P}(\text{OR})_3]_4$, 683
- New type of π -allyl isomerisation: conversion of 1,1- into 1,2-dimethylallyl complexes of cobalt and rhodium, 86
- One-electron reduction of tris(bipyridyl) complexes of cobalt(III) and chromium(III), 640
- oxide, reduced, nitrogen chemisorption on, with K_2O as promoter, 270
- Oxygen adduct of cobaltocene, 230
- Oxygen carrier and redox properties of some cobalt chelates, including vitamin B_{12} , 810
- Preparation, crystal structure, and magnetic properties of a binuclear cobalt(II) carboxylate, 52
- Preparation of 1-methyl-2,2-diphenylcyclopropylcobaloxime and theoretical considerations for its mode of formation, 153
- Radical anions and other reduced species of the Co_3C cluster, 894
- Some tetranuclear nickel(II), cobalt(II), and mixed cobalt(II)/cobalt(III) complexes of a binucleating ligand, 392
- Transition metal cryptates: crystal and molecular structure of a cobalt(II) cryptate, $[\text{Co}(\text{C}_{16}\text{H}_{32}\text{N}_2\text{O}_5)][\text{Co}(\text{SCN})_4]$, 816
- 18-Tungstotetracobalto(II)diphosphate and related anions: a novel structural class of heteropolyanions, 139
- Cobaltaferracarboranes**, two methods of synthesis, 805
- Cochlioquinones**, biosynthesis, 213
- Coelenterates**, bioluminescence: chemiluminescent model compounds, 467
- Colubrinol** acetate and colubrinol, antileukaemic ansa macrocyclics from *Colubrina texensis*: plant antitumour agents, 390
- Concinndiol**, a bromo-diterpene alcohol from the red alga, *Laurencia concinna*. Marine natural products, 470
- Configuration** assignment from proton spin-lattice relaxation time measurements, 459
- Conformational** analysis of some *trans*-2-decalones, 949
- Conformational free energy** (ΔG value) of the amino-group in cyclohexylamine from low temperature carbon-13 nuclear magnetic resonance spectroscopy, 945
- Convallamarogenin**, the steroidal sapogenin, origin of the 27-methylene group, 184
- Co-ordination compounds**, solvent cages, glasses, crystals, and related systems cation vibrations in, 161
- Copper**. Adducts of copper(II) complexes with carbon dioxide, 306
- Aromatic complexes of copper(I) trifluoromethanesulphonate, 12
- Chloro-bridged triplet ground-state copper(II) dimer, 133
- complexes of biologically active molecules: preparation and structure of chlorobis-(2-thiouracil)copper(I) dimethylformamide solvate, 869
- Copper(I) ketenide, 921
- Criticism of the use of the Ising model to describe linear chains of antiferromagnetically coupled copper(II) ions, 178
- Crystal structure of a binuclear five-co-ordinate copper(II) complex with tetra-amine macrocyclic ligands and single chloride bridge, 289
- Crystal structure of the copper nitrate-dinitrogen tetroxide adduct $\text{Cu}(\text{NO}_3)_2 \cdot \text{N}_2\text{O}_4$, 644
- Crystal structure (at -40°) of tetrakis[trimethylsilylmethylcopper(I)], an alkyl bridged, square planar, tetranuclear copper(I) cluster, 475
- Dimeric copper(II) carboxylate complexes with unusually low magnetic moments, 702
- Molecular structure of the ground state triplet $\text{Cu}_6\text{Cl}_6^{2-}$ dimer in $(\text{Ph}_4\text{As})\text{CuCl}_3$, 607
- Molecular structures of an aliphatic disulphide and of its cyclic dimeric copper(I) complex, 876
- Preparation and structures of the $\text{Me}_4\text{N}[\text{M}^1\{\text{M}^2(\text{CO})_3(\pi\text{-C}_5\text{H}_5)\}_2]$ salts ($\text{M}^1 = \text{Cu}^I$ or Ag^I ; $\text{M}^2 = \text{Mo}$ or W), 71
- X-Ray crystal structure of copper(I) acetate, 124

Copper—*continued*

- X-Ray crystal structure of the thiamine hydrochloride-copper(II) complex, 900
- Reaction of lithium dialkylcuprates with β -alkoxy and β -alkylthio $\alpha\beta$ -unsaturated carbonyl compounds, 907
- Reduction of a ketone by lithium di-*n*-butylcuprate, 320
- Six-membered Cu_3S_3 ring in decakis(thiourea)tetracopper(I) hexafluorosilicate monohydrate: X-ray crystallographic structure determination, 256
- SnO_2 -CuO gels: novel catalysts for the low-temperature oxidation of carbon monoxide, 210
- Trimethylsilylmethylcopper, a stable copper(I) alkyl, 24
- Unsymmetrical cyano-cuprates as reagents in substitution and addition reactions, 88
- Coproporphyrin-III** and protoporphyrin-IX, biosynthetic intermediates between, 183
- Coproporphyrins**, ^{13}C nuclear magnetic resonance spectra, 401
- Cordycepin**, 4'-thio-, synthesis, 686
- Cornforth** rearrangement, nature of intermediate, 925
- Corunne** and nandazurine, total synthesis. Novel oxidative photochemical aporphine synthesis, 915
- Costunolide** and dihydrocostunolide in solution, conformations. Simultaneous application of the nuclear Overhauser effect and an n.m.r. shift reagent, 620
- Cryptates**: control over bivalent/monovalent cation selectivity, 15
- transition metal: crystal and molecular structure of a cobalt(II) cryptate, $[\text{Co}(\text{C}_{16}\text{H}_{32}\text{N}_2\text{O}_5)][\text{Co}(\text{SCN})_4]$, 816
- with macrotricyclic ligands: crystal and molecular structure of the silver 3-cryptates, $\text{C}_{24}\text{H}_{48}\text{N}_4\text{O}_6 \cdot 3\text{AgNO}_3$, 678
- (-)-**Cryptomerion**, synthesis, absolute configuration, and photocyclisation of the sesquiterpene, 236
- Crystals**, solvent cages, co-ordination compounds, glasses, and related systems, cationic vibrations in, 161
- (\pm)-**Cucurbitine**, new synthesis of the amino-acid, 2
- Cyanate**, oxygen-bonded; X-ray crystal structure and variable temperature magnetic susceptibility of di- μ -cyanatobis-[2,2',2''-triaminotriethylamine]dinickel(II) tetraphenylborate, 411
- Cyanide**, hydrogen. Azacyclopentenylidenimine: a low energy dimer, 435
- nitrosyl, microwave spectrum and structure, 241
- Cyanoborate** process, stereochemistry and order of the three alkyl migrations in, 186
- Cyanogen** isocyanate, microwave spectrum and structure, 47
- Cyanohydrin**, convenient route to derivatives. Cyanosilylation of aldehydes and ketones, 55
- p-Cyanophenyl azide**, effect of wavelength on photolysis in dimethylamine, 360
- Cycloaddition**, polar, stereoselectivity due to electrostatic repulsion, 156
- reactions of [2,2](2,5)-furanophane. Novel 1:1 and 2:1 cycloadducts with benzyne, 930
- Cycloalkanones**, α -cyano-, photochemical ring enlargement, 640
- Cyclobutadiene**, an aza-: 2-phenylbenzazete, 19
- Cyclobutane**, methylene rocking and minimum bond tortuosity in, 786
- monoterpenoid, first vegetable monocyclic: "junione" [1-(2,2-dimethylcyclobutyl)but-1-en-3-one], 746
- Cyclobutane-1,2-dicarboxylates**, dimethyl, substituent effects on the competing thermal cracking and isomerization of, 375
- Cyclobutane-1,2-dione**, microwave spectrum, planarity, and dipole moment, 612
- Cyclobutanols**, 2-alkylidene-, ring contraction to cyclopropyl carbonyl compounds, 103
- Cyclobutanone**, adduct, 2-methylene-, thermal isomerisation to a 2-isopropylidenecyclobutanone: cycloadditions of arylketenes to 1,1-dimethylallene, 733
- Cyclobutanones**. Aza-ring expansion; 1,2-cycloaddition of dichloroketen to cyclo-olefins. Conformational features of *cis*-octahydrobenzo[*b*]furanones and *cis*-octahydroindolones, 3
- 1H-Cyclobut[b]indoles**, tetrahydro-, synthesis: photoaddition of olefins to indoles, 311
- Cyclododecanone**, novel products from a Mannich reaction: 13,16-dimethyl-13,16-diazatricyclo[9,3,3,1¹,1¹]octadecan-18-one and 1-dimethylaminomethyl-13-methyl-13-azabicyclo[9,3,1]pentadec-11-en-15-one, 238

- Cycloheptatriene**, reaction with ruthenium carbonyl: X-ray crystallographic determination of the molecular structure of $\text{Ru}_3(\text{CO})_6(\text{C}_7\text{H}_7)(\text{C}_7\text{H}_9)$, 726
 tricarbonyliron deactivation towards electrophilic attack, 482
- Cycloheptatrienethione**, cycloaddition with dienophiles, 196
- Cycloheptatrienyl** complexes, bridging: X-ray crystal structure of $[\text{Ru}_2(\text{CO})_5(\text{SiMe}_3)(\text{C}_7\text{H}_6\text{SiMe}_3)]$, 727
- Cyclohexa-1,3-diene**, symmetry-forbidden pyrolysis of, and unimolecular isomerisation of hexa-1, *trans*-3,5-triene, 14
- Cyclohexa-2,5-dien-1-one**, 3,4-dimethyl-4-nitro-, adduct intermediate in formation, 300
- Cyclohexadienones**, 6/5-fused cross-conjugated, photochemical rearrangements in protic solvents, 469
- Cyclohexanediones**, polychlorinated, new route to, 83
- Cyclohexene oxide**, isolation from the chromyl chloride oxidation of cyclohexene, 195
- Cyclohex-2-enones**, 3-(but-3-enyl)oxy- and 3-(pent-4-enyl)oxy-, intramolecular photocycloaddition: stereospecific formation of 2-oxabicyclo-[3,2,0]heptane and -[4,2,0]octane systems, 101
- Cyclohexyl**, 2-(but-3-enyl)-, and deca-5,9-dienyl radicals, cyclization, 280
- Cyclohexylamine**, conformational free energy (ΔG value) of the amino-group in; from low temperature carbon-13 nuclear magnetic resonance spectroscopy, 945
- Cyclo-octatrienedione**, benzo-, and 2,3-benzohomotropone, formation of two derivatives by dichlorocarbene ring expansion, 363
- Cyclo-octenylidene** derivatives, reactions with benzene and $\text{BF}_3\text{-Et}_2\text{O}$, 890
- Cyclopentadiene**, reactions with carbonyl-ruthenium and -osmium complexes: formation of carbonyl-metal hydrides, 326
- Cyclopentadienyl** group as a two-centre three-electron ligand: crystal and molecular structure of triscyclopentadienyl-titanium, 97
- Cyclopentadienylides**, sulphonium, formation. Photolysis of diazocyclopentadiene in alkyl sulphides, 365
- π -Cyclopentadienyl nitrosylnickel**, photoionisation in an argon matrix, 407
- Cyclopentasarcosyl**, crystal and solution conformation, 646
- Cyclopent-2-enones**, 4-hydroxy-2-(prop-2-enyl)-, isomerisation to 2-n-propylcyclopent-2-ene-1,4-diones, 875
- Cyclophanes**, synthesis by photochemical extrusion of sulphur, 406
- Cyclopropane**, *cis*-divinyl-, isolation and characterisation, 319
 systems, vinyl-, alternative modes of addition of dienophiles, 859
- Cyclopropanecarbaldehydes**, ring-fused, novel epimerizations catalysed by iodide salts, 403
- Cyclopropanethiol** (homothioenol) formation by β -hydrogen abstraction: thione photochemistry, 130
- Cyclopropene** derivatives. Ring expansion of heteroaromatic betaines with, 833
- Cyclopropenone**, diphenyl-, rearrangements in reactions with isoxazoles, 349
- Cyclopropyl azides**, thermolysis: stereochemistry of the olefin forming process, 739
 carbonyl compounds from ring contraction of 2-alkylidene-cyclobutanols, 103
 groups, influence of in hydrolysis of alkylphenylphosphinanimides in acidic solution, 774
 radical, electrocyclic transformation to the allyl radical, *ab initio* calculations, 334
- Cyclopropylethylenes**, selective hydrogenation of a double bond of, by di-imine, 525
- Cyclopropylmethyl** systems, base-catalysed ring expansions in, 394
- 1-Cyclopropylvinyl** cations, effect of 2-substitution on rearrangement, 589
- Cytochalasins E and F**, revised structures, 551
- β -Damasconone** and related compounds, simple synthesis, 161
- α -Damascone**, alternative synthesis; Lewis acid catalysed Diels-Alder reaction with inverse electron demand, 742
- Deca-5,9-dienyl** and 2-(but-3-enyl)cyclohexyl radicals, cyclization, 280
- cis*-Decahydroquinoline**, effect of *N*-alkylation on the position of conformational equilibrium, 666
- trans*-2-Decalones**, conformational analysis, 949
- Dendrobine**, aspects of biosynthesis of the terpenoid, 729
- 5'-Deoxyadenosylcobalamin**, mechanism of reactions catalysed by. Facilitation of intramolecular 1,2-shifts in radicals by protonation, 939
- Deuterium**. Evidence for carbanionic intermediates during exchange between butanes and deuterium on alumina, 799
 resonance, proton-noise-decoupled, at natural abundance, by Fourier transform, 70
- meso*-Diallenes**, conjugated, synthesis and some thermal reactions, 432
- Diamantane**, splitting effect of added diamantan-4-ol on the first pre-melting transition, 7
- Diazepines**. Synthesis of 4-amino-1*H*-1,5-benzodiazepine-3-carbonitrile and related compounds, 367
- Diazepin-2-ones**, 1,3-dihydro-2*H*-1,4-benzo-, stereochemistry of the enzymic 3-hydroxylation, 721
- Diazoacetaldehyde**, matrix photolysis, 670
- 5*H*-Dibenz[*b,f*]azepine** derivatives, photochemical cyclodimerisation, 244
- Dibenz[*b,f*]azepines**, 5-acyl-10,11-dihydro-, concerted rotational-inversion process, 282
- 2,3,4,5-Dibenzoxepin**, synthesis. Photorearrangement of 9,10-epoxy-9,10-dihydrophenanthrene, 37
- Dibenzyl** ($^{12}\text{CH}_2$, $^{13}\text{CH}_2$) sulphoxide—an example of optical activity due to isotopic dissymmetry of carbon, 645
- 1,6-Dicarba-closo-hexaborane(6)**, electron diffraction determination of the molecular structure, 276
- Di-*o*-carvocrotide** and di-*o*-thymotide, conformational behaviour, 571
- Dichlorocarbene** ring expansion, formation of two benzocyclo-octatrienedione and 2,3-benzohomotropone derivatives, 363
- Dichloroketen**, 1,2-cycloaddition to cyclo-olefins, and the azaring expansion of cyclobutanones. Conformational features of *cis*-octahydrobenzo[*b*]furanones and *cis*-octahydroindolones, 3
- Dictyopteris**, dihydrotropone from, 937
- 1,1-Dideuterio-2-phenyl-2-*o*-tolylethylene**, photoinduced intramolecular hydrogen abstraction, 529
- Diels-Alder** additions with *exo*-selectivity, 421
 reactions of non-conjugated olefins, *endo*-selectivity in, 420
- Dienes** and alkynes, reactions on magnesium and other metal films, 478
trans,trans-, and *trans*-alkenyl ketones, conjugated, highly stereoselective and general synthesis *via* hydroboration, 606
- 1,4-Dienes** from the nitration of 2,3- and 3,4-dimethylbenzonitriles and a 1,3-rearrangement of a nitro-group, 396
- 5,6-Dienol**, synthesis, 444
- Dienolate** anions and benzynes, substituted naphthalenes from, 524
- Dienophiles**, alternative modes of addition to vinylcyclopropane systems, 859
 cycloaddition of cycloheptatrienethione with, 196
- 2,2-Di-(*p*-ethoxyphenyl)-3,3-dimethyloxetan**, a new insecticide, X-ray determination of structure, 34
- Dihydrotropone** from *Dictyopteris*, 937
- Di-imine**, selective hydrogenation of a double bond of cyclopropylethylenes by, 525
- trans*-Di-isopropylethylene**, detection of unstable intermediates during liquid-phase ozonolysis, 575
- Dimethylbromosulphonium** bromide. Preparation of alkyl bromides from the corresponding alcohols and Me_2SBr_2 , 212
- 1,1-Dimethyl-1-phenacylhydrazinium** bromide, rearrangement, 53
- Dinitrogen tetroxide**-copper nitrate adduct, $\text{Cu}(\text{NO}_3)_2\cdot\text{N}_2\text{O}_4$, crystal structure, 644
- Diosquinone**, a naphthoquinonylnaphthoquinone epoxide, 463
- 1,3,2-Dioxaphospholans** from hexafluoroacetone and phosphetans, X-ray analysis. Square pyramidal phosphorus, 856
- 1,3,2-Dioxaphosphorinan-2-ones**, 2-substituted, chemical studies of their stereochemistry, 310
- 1,4,2-Dioxazines**, 2,3,3-trimethyl- and 2-methyl-tetrahydro-, preparation and conformational analysis, 908
- 1,3-Dioxoles**, formation. Photoaddition of phenanthraquinone to alkyl-substituted alkoxyacetylenes, 188
- Diphenylcyclopropenone**, rearrangements in reactions with isoxazoles, 349
- Diphenylmethane** derivatives, new synthesis, 488

- 1,3-Dipoles**, benzo[*c*]cinnoline *N*-oxides as, 837
- Disulphide**, aliphatic, molecular structures of, and of its cyclic dimeric copper(I) complex, 876
- Diterpenoids**. Convenient synthesis of the tricyclo[3,2,1,0^{2,7}]-octane system: simplified synthesis of the diterpenoid trachylobane, 689
- Microbiological transformations of 17-norkauran-16-one and 16-norphylloladan-16-one by *Aspergillus niger*, 143
- 1,2-Dithiin** 1,1-dioxides, and 5,6-dihydro-, substituted: addition of sulphenes to thioamide vinyllogues, 672
- α -(1,2-Dithiol-3-ylidene)** ketones, photochemically-induced *cis-trans*-isomerisation, 123
- Di-*o*-thymotide** and di-*o*-carvocrotide, conformational behaviour, 571
- Divinyloxiran-dihydro-oxepin** rearrangement, biological, stereochemistry: X-ray studies of the sesquiterpenoids miscandenin and dihydromikanolide, 428
- Donor ligand** complexation *vs. ortho*-metallation, 724
- Dopastin**, a dopamine β -hydroxylase inhibitor of microbial origin, synthesis, 147
- E2 Transition states** with non-linear proton abstraction, isotope effects, 850
- Ecdysone** biosynthesis in the blowfly *Calliphora stygia*, 203
- Electrode** surfaces, Raman spectra, 80
- Electron** impact ionization and appearance potentials, determination, 730
- polarization, chemically induced, and exciplex formation, 121
- Enamine** anions, stabilized, 636
- Enmein** and oridonin, diterpenes, biosynthesis from *ent*-16-kaurene, 434
- trans-Enynes**, conjugated, stereoselective synthesis of those readily convertible into conjugated *cis,trans*-dienes and its application to the synthesis of the pheromone bombykol, 874
- Enzyme** model system, new, showing marked substrate specificity, 898
- Epoxides**, chiral, configurational correlations for by nuclear magnetic resonance spectroscopy in optically active solvents, 25
- neighbouring hydroxy-group participation in the opening of, by nucleophiles, 839
- new method for converting into olefins: use of triphenylphosphine selenide and trifluoroacetic acid, 253
- Epoxydon**, biosynthesis with [¹³C]acetate, 814
- $\beta\gamma$ -Epoxy-ketones** of macroholes from their photolysis: synthetic organic photochemistry, 223
- Erbium**. Differences in Er^{III} complexation with chloride and nitrate ions determined by the ultrasonic relaxation technique, 354
- Ergosterol** '5 β ,8 β -peroxide', identity, 530
- Eriolangan** and eriolanin, novel antileukaemic *seco*-eudesmanolides from *Eriophyllum lanatum*, 842
- Eriolanin**, and eriolangan, novel antileukaemic *seco*-eudesmanolides from *Eriophyllum lanatum*, 842
- Esters**, direct cleavage to acid halides, 425
- Etamycin**, peptide antibiotic, biosynthesis. Origin of the 3-hydroxypicolinyl and amino-acid fractions, 185
- Ethane**, excited, isotope effect on lifetime, 146
- Ethyl** acetate, 2-chloro-1-(chloromethyl)-, thermal rearrangement, 269
- radical, β -bromo-, CIDNP studies, 179
- Ethylamine**, β -aryl-, new synthesis by aryl aldehyde homologation, 781
- C-Ethylation**, biological, simulation using sulphoxide anions as intermediates, 145
- Ethylene**, chlorotrifluoro-, addition of bistrifluoromethyl trioxide. Direct synthesis of fluorocarbon peroxide, 386
- 1,1-dideuterio-2-phenyl-2-*o*-tolyl, photoinduced intramolecular hydrogen abstraction in, 529
- trans*-di-isopropyl-, detection of unstable intermediates during liquid-phase ozonolysis, 575
- Laser-Raman spectrum of polyethylene under high pressure, 16
- oligomerisation with zirconium arylalkyls and alkenyls, 132
- polymerization, electrochemical formation of initiators, 138
- Preparation of five-co-ordinate platinum- π -ethylene complex: (biacetyl)bismethylphenylhydrazonodichloro- π -ethylene-platinum(II), 369
- tetracyano-, termolecular complexes with weak electron donors, 609
- Ethylene**—*continued*
- vinylidene complex derived from: H₂O₃(CCH₂)(CO)₃, hydrogenation and fluxional behaviour, 277
- Ethylenes**, cyclopropyl-, selective hydrogenation of a double bond of, by di-imine, 525
- 1,1-diphenyl, reactions with. Fluorination with xenon fluoride, 845
- Ethylidene**, 1,1,1-trifluoro-, a formal insertion reaction of tricarbonyl- π -tetramethylcyclobutadieneiron with, ring-expansion reactions of π -cyclobutenyliron complexes, 112
- Eucomin**, a 3-benzylchroman-4-one, biosynthesis, 438
- seco-Eudesmanolides**, eriolangan and eriolanin, novel antileukaemic, from *Eriophyllum lanatum*, 842
- Europium**; the barrier to rotation about the Eu-N bond in the 3-picoline diadduct of tris-(2,2,6,6-tetramethylheptane-3,5-dionato)europium(III), Eu(dpm)₃(3-pic)₂, 936
- Eu(fod)₃ induced ³J_{HF} variation and conformational changes in seven-membered ring phosphates, 494
- Mass spectrometric observation of gaseous EuCN and the determination of its atomization energy, 561
- Three-co-ordinate scandium(III) and europium(III); crystal and molecular structures of their tris-hexamethyldisilylamides, 669
- Everninomicin B**, hydrolysis products, 531
- Exciplex** formation and chemically induced electron polarization, 121
- Exciplexes**, formation between aromatic hydrocarbons and halogenated anions, 262
- Extrusion**, thermal cheletropy in model azabicycles; the question of linear *vs.* non-linear, 840
- 2-cis-Farnesol**, biosynthesis, 465
- Farnesols**, 2-*trans*-, 6-*trans*- and 2-*cis*-, 6-*trans*-, biosynthesis by soluble enzymes from tissue cultures of *Andrographis paniculata*, 378
- Fatty acids**, dehydrogenation to the corresponding $\alpha\beta$ -unsaturated derivatives, 94
- Ferrocene**, 1,1'-bis-(α -hydroxyisopropyl)-, intramolecular cyclization reaction, 199
- sensitized photoalkoxycarbonylation of azulene. A transition-metal catalysed photoreaction, 871
- Ferrocenes**. Mössbauer and magnetic susceptibility studies of biferrocenylene(II,III) picrate, 329
- Flavin** and pyridinium derivatives for recycling of catalytic amounts of NAD⁺ during preparative-scale horse liver alcohol dehydrogenase-catalysed oxidations of alcohols, 205
- a new compound, roseoflavin, X-ray crystallographic determination, 703
- Flavone**, 3,4'-dihydroxy-, base-catalysed autoxidation, 9
- Flavonoid** and terphenyl metabolites, biosynthesis by the fungus *Aspergillus candidus*, 555
- Fluorene-9-methanol**, used as a phosphate protecting group in the synthesis of deoxyribo-oligonucleotides, 803
- Fluorescence**, aromatic hydrocarbon, quenching by alkylpyridinium halides, 728
- Fluorine**. Direct observation of an isolated state in the ion C₂F₆⁺: a violation of the quasi-equilibrium theory of mass spectra, 832
- Gas-phase nucleophilicities of the anions: H⁻, F⁻, OH⁻, and NH₂⁻, 35
- non-equivalence of the apical fluorine atoms on pentacoordinate phosphorus studies by ¹⁹F nuclear magnetic resonance spectroscopy, 745
- Formanilides**, new hydrogen selenide-triethylamine catalysed synthesis from aromatic amines and carbon monoxide, 853
- Free-radical ligand**, stable, spin density delocalization from, onto diamagnetic metal ions, 748
- Free radicals** as intermediates in the oxidative addition of alkyl halides to platinum(0), 948
- Friedel-Crafts** acylation, intramolecular, stereochemistry, 84
- Fulvalene**, octachloro-, Diels-Alder reactions, 910
- Furan** compounds, template effect in synthesis, 534
- mechanistic aspects of electrophilic attack on. Molecular electrostatic potentials, 617
- Furanoid** norditerpene, novel, from *Teucrium viscidum* var. *Miquelianum*: tuecvin, 793
- 9-Furoic acid**, 5-nitro-, and 5-nitrouacil, oxidative denitration by hydroxy-radicals, 309

- [2,2](2,5)-**Furophane**, cycloaddition reactions of. Novel 1:1 and 2:1 cycloadducts with benzyne, 930
- β -**D-Galactopyranosylpyridinium** cation, β -galactosidase-catalysed hydrolysis, 535
- Gallium**. *X*-Ray structural characterization of the pyrazolyl dideuteriogallane dimer, 189
Synthesis and structure of a five-co-ordinate gallium complex: chlorobis-(8-hydroxy-2-methylquinolinato)gallium(III), 884
- Gentamine C₁**, 3-amino-2,3-dideoxy- α -*D*-arabino-hexopyranosyl, synthesis, 675
- Germacranolide**, novel cytotoxic, from *Elephantopus mollis*: molephantin. *X*-Ray crystal structure, 476
sesquiterpene dilactone, new, carbon-13 and proton magnetic resonance study of the structure and conformation, 614
- Germane**, triphenyl-, hydrogen-exchange with alcohols, 780
- Germanium**. Novel formation of polygermanes, 127
silicon, and tin pentafluoro-orthotellurates, 600
- $\Delta^{10}(11)$ -Gibbanes** and related compounds, stereochemistry of catalytic reduction: intramolecular keto-carbenoid addition to double bonds, 548
- Gibberellin** biosynthesis in the mutant BL-41a of *Gibberella fujikuroi*, 777
- Glasses**, solvent cages, co-ordination compounds, crystals, and related systems, cation vibrations in, 161
- D-Gluconate**, 2,5-diketo-: new intermediate for the synthesis of *N*-methyl- and -aryl-5-oxopyridazinium derivatives, 796
- D-[¹⁵N]Glucosamine**, incorporation of the amino-group of into the aziridine ring of mitomycin B. Mitomycin biosynthesis by *Streptomyces verticillatus*, 88
- D-Glucose**, 2,4-diacetamido-2,4,6-trideoxy-, synthesis and identification with the diacetamido-sugar of *Bacillus licheniformis*, 668
6-phosphates, deoxyfluoro-, disodium, high resolution field desorption mass spectrometry, 416
- Glyceraldehyde**: an *X*-ray study of DL-glyceraldehyde dimer, 880
- Glycerol** derivatives, nucleophilic substitution in. Reactions of acylglycerols with triphenylphosphine and carbon tetrachloride, 110
- 6-Glycosylpyrazolo[3,4-*d*]pyrimidines**, 4-amino-, synthesis, 680
- Gold**. Antisymbiosis and the *trans*-effect in gold(I) thiocyanate complexes, 613
Crystal structure of [Xe₂F₁₁]⁺[AuF₆]⁻, 131
Hydrogenation over supported gold catalysts, 444
Mechanism of insertion of an acetylene into the methylgold bond: structure of a reaction intermediate, 373
New route to aryl-gold σ -bonded complexes, 851
New type of organogold compound. Molecular structure of [(π -C₆H₅)Fe(π -C₆H₄)Au₂(PPh₃)₂]⁺[BF₄]⁻, 338
Spontaneous isomerization of *t*-butylgold(III), 423
- Graphite**, intercalation of antimony pentafluoride in the lattice of, 815
- Grignard reagents**, homogeneous catalytic activation by nickel complexes. New stereospecific method for reduction of alkoxy-, chloro-, and fluoro-silanes, 164
reaction with 5,6-benzo-1,2,4-triazine 1-oxides, 622
- Group VIII B Metals**, reductive nitrosylation, 64
- Guanosine**, 7-methyl-, demethylation with lithium 2-methylpropane-2-thiolate, 387
- Hallactones A and B**, insect toxins from *Podocarpus hallii*, structures, 166
- Halogen** anions and aromatic hydrocarbons, formation of exciplexes between, 262
- Hepta-5,6-dienyl** toluene-*p*-sulphonate, cationic cyclization involving a remote allene function in trifluoroethanolysis of, 679
- Heptaketide** naphthalic anhydride from *Verticillium lamellicola*—lamellicolic anhydride, 108
- [3,2,0]Heptane** and [4,2,0]octane, 2-oxabicyclo-, stereospecific formation: intramolecular photocycloaddition of 3-(but-3-enyl)oxy- and 3-(pent-4-enyl)oxy-cyclohex-2-enones, 101
- Heterocycles**, *N*-bridged. Preparation and properties of 1,3-polymethylenebenzimidazolium salts and related systems, 427
- Heterocyclic** bridged-ring system, new, structure and novel reactivity, 597
compounds, nitrogen, quaternised, simple method for demethylation, 32
compounds, novel synthesis from acetylenes, 280
systems, novel, from substitution of 6a-thiathiophthens and related compounds with arenediazonium fluoroborates with accompanying rearrangement, 92
- Heteropolyanions**, novel structural class: 18-tungstotetracobalt(II)diphosphate and related anions, 139
- Hexamethyldisilane**, kinetically determined bond dissociation energies, 323
- Hexane**, 1-acetoxy-4,5-epoxy-, and *trans*- and *cis*-1-acetoxy-3,4-epoxy-pentane, acid-catalysed rearrangements, 261
- Hexa-1,trans-3,5-triene**, unimolecular isomerisation and symmetry-forbidden pyrolysis of cyclohexa-1,3-diene, 14
- α -D-ribo-Hexopyranoside**, 2,6-diacetamido-2,3,6-trideoxy-, ethyl, a derivative of the diamino-sugar component of the antibiotic nebramycin factor 6, synthesis, 710
- D-Homo-5 α -androstane-17 α -yl** tosylate, unexpected inversion of configuration of a quaternary centre during acetylation, 341
- "Homo-Favorskii" reaction**, evidence against a keten intermediate in, 771
intermediacy of a keten, 165
- Homotropone**, 2,3-benzo-, and benzocyclo-octatrienedione, formation of two derivatives by dichlorocarbene ring expansion, 363
- Hordenine** and tyramine, stereochemistry of conversion into tyrosol by *Willia anomala* Hansen, 862
- Horeau's** method, gas chromatographic modification. Absolute configurations of secondary alcohols, 194
- Hydrazine**-producing intermediate in the nitrogen fixing system cp₂TiCl₂ + Pr¹MgCl + N₂, 169
- Hydrazines**, reactions with platinum-nitrile complexes; *X*-ray structural characterization and electrochemistry of *trans*-bis-1-acetyl-3-*t*-butyl-1,2,4-triazabutadieneplatinum, 297
- Hydrazonates**, aliphatic, 932
- Hydrides**, β -phase, formation by palladium-cerium solid solutions, 102
- Hydrocarbon** fluorescence, aromatic, quenching by alkylpyridinium halides, 728
molecules, strained, theoretical study of proton approach towards, 747
- Hydrocarbons**, aliphatic open-chain, proton chemical shift and localization, 536
aromatic, and halogen anions, formation of exciplexes between, 262
aromatic, disproportionation of toluene over electron donor-acceptor complexes with sodium, 498
[CH]₁₀. Directed synthesis of pentacyclo [6,4,0^{8,11},0^{7,9},0^{10,12}]-dodeca-2,4-diene, 409
studies of hot hydrogen reactions with; effect of helium moderator, 107
Unusual anionic rearrangement in the [CH]₁₀ series, 599
- Hydrogen** atoms adsorbed on clusters of nickel atoms, CNDO MO calculations, 625
compounds, active, nickel-catalysed reactions with allene, 472
exchange, aromatic, steric hindrance in, 936
Gas-phase nucleophilicities of the anions: H⁻, F⁻, OH⁻, and NH₂⁻, 35
hot, reactions with hydrocarbons, effect of helium moderator in studies, 107
Reappraisal of an inconsistency in recoil tritium chemistry, 225
- Hydrogenation** over supported gold catalysts, 444
- Hydrogen cyanide**, a low energy dimer: azacyclopropenylidenimine, 435
- Hydrogen peroxide**, effect on the rate of hydrolysis of *t*-butyl chloride, 514
- Hydroquinone** as a reducing agent for conversion of aryldiazonium salts into arenes, 605
- Hydroxamic** acids, oxidative cleavage, nitrosocarbonyl compounds as intermediates, 704
- Illudin M**, sesquiterpenoid, incorporation of [²⁻³H₂]- and [4(*R*)-4-³H]-mevalonoid hydrogen atoms, 171

- Imidazole-4-carboxamidine**, *N'*-alkoxy-1-alkyl-5-formamido-, synthesis of 3,9-dimethyl- and 3-methyl-9-ethyl-adenine *via*, 917
- Imines**, bicyclic, alkylation with the Stork–Dowd reagent system, 299
- Imino-group**, novel method for conversion into the carbonyl group *via* nitrosoimines: preparation of *S*-alkyl thiocarbamates from *S*-alkylisothioureas, 13
- 4-Iminoacetidin-2-one** derivatives, formation. Cycloaddition of isocyanates to ketenimines, 271
- Indene** radical cation, photochemical and ferric ion-induced formation and reactions of: radical cations, 677
- Indolequinones**, synthesis. New synthetic route to the pyrrolo[1,2-*a*]indole ring systems, 358
- Indoles**, 2-methyl-, conversion of *N*-2'-chloroallylanilines into, 208
photoaddition of ketones: synthesis of oxeto[2,3-*b*]indoles, 13
Photoaddition of olefins to indoles: synthesis of tetrahydro-1*H*-cyclobut[*b*]indoles, 311
- Indolones** and benzo[*b*]furanones, *cis*-octahydro-, conformational features. 1,2-Cycloaddition of dichloroketen to cyclo-olefins and the aza-ring expansion of cyclobutanones, 3
- INDOR** nuclear magnetic resonance spectra, pseudo, using double resonance difference spectroscopy and the Fourier transform technique, 611
- Intramolecular 1,2-shifts**, facilitation of in radicals by protonation. The mechanism of reactions catalysed by 5'-deoxyadenosylcobalamin, 939
- Iodine** atoms, excited, chemical reactions, 683
Hyperfine coupling of iodine in α -iodoalkyl radicals: the radical $\text{HC}(\text{I})\text{CONH}_2$ in γ -irradiated α -iodoacetamide, 717
kinetics of the gas-phase reaction with trimethylsilane and the bond dissociation energy $D(\text{Me}_3\text{Si}-\text{H})$, 513
- α -Iodocarboxylates**, new class of reagents for their formation: thallium(i) carboxylates, 359
- Iodoform** and diethylzinc, ring-expansion of alkylbenzenes by the zinc-carbenoid reaction with, 216
- Iodomethyl** sulfoxides, synthesis, 319
- Ions**, metastable and normal, appearance potentials and the kinetic shift, 510
- Iridium**. Iridium(III) salts as homogeneous metal catalysts for hydrogen isotope exchange in organic compounds: comparison with heterogeneous iridium for the deuteration of alkylbenzenes, 749
Large ring compounds involving *trans*-bonding bidentate ligands, 947
New hydrido-iridium(III) isomer of $\text{Ir}(\text{PPh}_3)_2(\text{CO})\text{Cl}$, 857
Preparation and crystallographic characterization of a 2:1 adduct of ethynyldicarbododecaborane(12) and *trans*- $\text{IrCl}(\text{CO})(\text{PPh}_3)_2$, 465
Preparation and X-ray crystal and molecular structure of di- μ -diphenylphosphido-bis(triphenylphosphinecarbonyl-iridium), 946
Preparation and X-ray crystal structure of tetranitrosylbis(triphenylphosphine)di-iridium, 789
- Iron**. Chiral tricarbonylcyclobutadieneiron complexes, 76
Electrophilic substitution of tricarbonyl(norbornadiene)iron, 271
Formal insertion reaction of tricarbonyl- π -tetramethylcyclobutadieneiron with 1,1,1-trifluoroethylidene; ring-expansion reactions of π -cyclobutenyliron complexes, 112
Higher oxidation state iron and cobalt phthalocyanine derivatives. Phthalocyanine radical cation complexes, 483
Insertion reactions of hexafluoroacetone with tricarbonyl-(diene)iron and π -cyclopentadienyl(diene)rhodium complexes, 114
Intramolecular cyclization reaction of 1,1'-bis-(α -hydroxyisopropyl)ferrocene, 199
Ligand field photochemistry of $\text{Co}(\text{en})_3^{3+}$; reaction with $\text{Fe}(\text{CN})_6^{4-}$ in NaCl solutions, 351
Magnetic and Mössbauer investigations of *NN*-disubstituted dithiocarbamate-iron(II) complexes, 902
Monocarbon monoxide complexes of iron(II): synthesis and X-ray structural characterisation, 337
Mössbauer and magnetic susceptibility studies of biferrocenylene(II,III) picrate, 329
New method for determining signs of Mössbauer quadrupole splittings: relative signs of ^{119}Sn and ^{57}Fe quadrupole splittings in $\{\text{Fe}(\text{SnCl}_3)[\text{P}(\text{OMe})_3]_3\}^+ \text{BPh}_4^-$, 503
- Iron**—*continued*
Nitric oxide complexes of iron(II) and iron(III) porphyrins, 897
 $\text{N}_4\text{O}_6^{2+}$ group: X-ray crystal structure of $\text{Fe}(\text{NO})_3 \cdot 1.5 \text{N}_2\text{O}_4$, 347
Oxidations of a quadridentate iron(II) Schiff base complex by organic molecules, 17
Paramagnetic hydrido- and chloro-complexes of iron(I), 233
porphyrins and carbon monoxide, reaction between, 325
Primary photochemistry of matrix isolated tricarbonylcyclobutadieneiron, 681
Synthesis of cobaltaferracarboranes: two methods, 805
meso-Tetraphenylmethoxyisoporphyriniron(III) chloride, 715
Tricarbonyliron deactivation of a cycloheptatriene towards electrophilic attack, 482
(\pm)-**4-Isoavenaciolide**, a metabolite of *Aspergillus avenaceus*, total synthesis, 499
- Isocyanates**, amide formation from reactions with β -ketoimine complexes: reactions of co-ordinated ligands, 690
cycloaddition to ketenimines. Formation of 4-iminoacetidin-2-one derivatives, 271
- D-Isoleucine**, biosynthetic origin in the monamycins, 782
- Isoquinoline**, *cis-trans* Isomerisation and ligand exchange reactions of an isoquinoline-platinum(II) complex, 486
- Isoquinolines**. Hydrogen transfer in imminocarbenes; a new synthesis of, 835
- Isoquinolinium** ylides, reactions: amine-catalysed cycloaddition of aldehydes and ketones, 188
- Isothiazolo[2,3- α]pyridinium** salts, synthesis, 150
- Isoxazoles**, rearrangements in reactions with diphenylcyclopropenone, 349
- 5-Isoxazolylalkyl** carbanions, acylation: synthesis of bis- and tris-isoxazole compounds, 233
- "Junionone"** [1-(2,2-dimethylcyclobutyl)but-1-en-3-one], the first vegetable monocyclic cyclobutane monoterpene, 746
- Karplus** relation, applicability to $^{31}\text{PCC}^{13}\text{C}$ coupling constants, 287
- ent-16-Kaurene**, biosynthesis of the diterpenes enmein and oridonin from, 434
- Keten**, intermediacy in the "Homo-Favorskii" reaction, 165
intermediate in the "Homo-Favorskii" reaction, evidence against, 771
- Ketenimines** from cycloaddition of isocyanates. Formation of 4-iminoacetidin-2-one derivatives, 271
- Keto-carbenoid** addition to double bonds, intramolecular, stereochemistry of the catalytic reduction of $\Delta^9(11)$ -gibbenes and related compounds, 548
- β -**Ketoimine** complexes, amide formation from reactions with isocyanates: reactions of co-ordinated ligands, 690
- Ketone**, reduction by lithium di-*n*-butylcuprate, 320
 $\beta\gamma$ -unsaturated, photochemical approach to hydroazulenes by photolysis of: synthetic organic photochemistry, 501
- Ketones**, alicyclic, direct deoxygenation of, a new olefin synthesis, 935
and aldehydes, amine-catalysed cycloaddition of, in reactions of isoquinolinium ylides, 188
and aldehydes, cyanosilylation. Convenient route to cyanohydrin derivatives, 55
and aldehydes, reactions with silicon-carbon double-bonded intermediates, 167
and *o*-hydroxyaldehydes, conversion into *o*-hydroxyanilides by monochloramine, 716
aromatic α -halogeno-, zinc-induced free-radical reactions with terminal olefins, 858
dehydrogenation, new method: fragmentation of selenoxides, 695
 $\beta\gamma$ -epoxy-, macrolides from their photolysis: synthetic organic photochemistry, 223
 $\beta\gamma$ -epoxy, photochemistry: photoisomerization of 2,2,4,4-tetramethyl-7-oxabicyclo[4,1,0]heptan-3-one, 881
new general method for their preparation—alkylation and protonation of alkynyltrialkylborate salts, 544
new mild complex hydride reducing agent with high stereoselectivity for their reduction. Potassium tri-isopropoxyborohydride,
photoaddition to indoles: synthesis of oxeto[2,3-*b*]indoles, 13
- Kinetic shift** and appearance potentials of metastable and normal ions, 510
- Kolbe reaction**, stereoselectivity and adsorption in, 305

- Krypton.** Cations KrF^+ , XeOF_3^+ , and XeOF_5^+ and oxidizing properties of KrF^+ , 26
difluoride adducts, new, 370
- α -Lactams**, thermal decomposition: new ring expansion of an α -lactam to a β -lactam system, 48
- β -Lactams**, synthesis by photolytic Wolff rearrangement, 328
- Lactone**, C_{16} -terpenoid, a plant growth regulator, biosynthesis, 802
- Lactones**, method for alkylating, 711
 α -methylene, general route to: α -carboxylation of lactones, 501
- γ -Lactones** and $\gamma\delta$ -unsaturated acids, convenient route to: oxidative radical addition to alkenes, 693
- Lamellicolic anhydride**—a heptaketide naphthalic anhydride from *Verticillium lamellicola*, 108
- Lanthanide** induced shift reagents, application to organic cations by outer sphere complexation, 630
nuclear magnetic resonance shift reagents, chiral, 381
nuclear magnetic resonance shift reagents, nature of the species present in solutions of, 113
and related metals, cleavage of metal-metal and metal-halogen bonds by, 775
shift reagent systems, solvation numbers for, 339
- Lead.** Stabilisation of metals in a low co-ordinative environment using the bis(trimethylsilyl)methyl ligand: coloured Sn^{II} and Pb^{II} alkyls, $\text{M}[\text{CH}(\text{SiMe}_3)_2]_2$, 317
- Ligands**, heterocyclic, equilibria in complexes of, 585
trans-bonding bidentate, large ring compounds involving, 947
- Linear dichroism**, use of for the establishment of rotameric conformations of acetyl substituted steroids, 943
- Liquid crystalline esters**, unsymmetrical, 396
- Lithium**, *t*-butyl-, reaction with 1-ethoxybicyclo[2,2,2]oct-2-yl-lithium; formation of bicyclo[2,2,2]oct-1-ene, 542
dialkylcuprates, reaction with β -alkoxy- and β -alkylthio- $\alpha\beta$ -unsaturated carbonyl compounds, 907
di-*n*-butylcuprate, reduction of a ketone by, 320
Electron-deficient transition-metal compounds: a lithiobis- π -cyclopentadienylmolybdenum tetramer: crystal structure and properties, 759
2-methylpropane-2-thiolate, demethylation of 7-methylguanine with, 387
Synthesis and crystal structure of bicyclo[1,1,0]butan-1-yl-lithium-tetramethylethylenediamine, 44
- Long-chain** aliphatic compounds, deuterium isotope effects on ^{13}C chemical shifts in long-chain aliphatic compounds, 692
- Luciferin**, *Renilla* (sea pansy), and its analogues, chemiluminescence, 492
- Macrocyclic** systems, novel multi-bridged, 366
- Magnesium.** Hydrazine-producing intermediate in the nitrogen fixing system: $\text{cp}_2\text{TiCl}_2 + \text{PrMgCl} + \text{N}_2$, 169
iodide reaction with tosylates, 821
Reactions of alkynes and dienes on magnesium and other metal films, 478
reactivity, effect of added metal salts. Activated metals, 879
- Malonate** anion, fluxional isomerism—an instance of intramolecular homoconjugate addition, 81
- Manganese**, and rhenium carbonyl difluorosulphoximides, 823
Crystal structure of di- μ -hydroxo-bis-[NN' -trimethylenebis(salicylaldiminato)manganese(III)]-tetrapyrroline, a supposed oxygen carrier, 760
Dicarbonyl(methylcyclopentadienyl)(benzonorbornadienone)-manganese, 795
Group VI transition metal carbonyl derivatives, 405
Metal complexes of novel sulphur- and phosphorus-containing heterocycles. Preparation and structure of tricarbonyl- η^4 -(1-pentafluorophenyl-2,3,4,5-tetrakis(trifluoromethyl)thiophen)-manganese and π -cyclopentadienyl-(1-hydroxy-2,3,4,5-tetrakis(trifluoromethyl)phosphole 1-oxide)cobalt, 583
Preparation and molecular structure of (3-acetyl-4,5-dihydrofuran-2-yl)tetracarbonylmanganese(I), 243
Synthesis and molecular structure of a metalloborane zwitterion $\text{Mn}(\text{CO})_5[\text{B}_9\text{H}_{12}\{\text{O}(\text{CH}_2)_4\text{NEt}_3\}]$, 295
Three- and five-co-ordinate manganese(II) in zeolite A, 382
- Marcus rate theory** and the relationship between Brønsted exponents and energy of reaction, 371
- Maslinic acid** and 3-epimaslinic acid, biosynthesis of the terpenes, in tissue cultures of *Isodon japonicus* Hara, 707
- Mass spectra**, Direct observation of an isolated state in the ion C_6F_6^+ : a violation of the quasi-equilibrium theory of, 832
- Mass spectrometry.** Fragmentation occurring in proton-transfer chemical-ionization mass spectrometry, 872
- Meisenheimer** complexes, thio-analogues, 229
- Mephenesin** isomers: absolute configuration of 3-aryloxypropane-1,2-diols and derivatives, 896
- Mercury.** Asymmetric induction in the cyclisation of *o*-allylphenol with chiral mercury(II) carboxylates. Effect of dimethyl sulphoxide, 573
Binding of methylmercury by amino-acids: X-ray structure of DL-penicillaminatomethylmercury(II), 741
Novel mercury(II) porphyrins: identification of porphyrin primary 'type-isomers', 515
Preparation and carbon-13 nuclear magnetic resonance spectra of arene complexes of mercury(I), 626
Preparation and crystal structure of the Hg_2^{2+} ion, 723
- Mesoionic system**, new, unusual carbonyl infrared band, 402
- [2,2]Metacyclophanes**, unsymmetrically-substituted, *via* a free-radical substitution reaction, 220
- Metal**, alkyl-, carbonyl compounds; oxidatively induced carbonyl insertion and nucleophilic cleavage reactions, 163
arsole complexes, 258
bis-phosphine derivatives, deceptive ^{13}C nuclear magnetic resonance spectra, 455
carbonyls, production of carbonyl anions by vacuum ultraviolet photolysis of, 763
chelates, bridging intermediates in a redistribution reaction of some, 50
complexes, macrocyclic, tricyclic, and quadricyclic. Metal ion directed syntheses from butane-2,3-dione dihydrazone and formaldehyde: template condensations, 62
dienyl complexes, cationic, as electrophilic reagents on aromatic molecules, 540
hydrides, carbonyl-, formation: reactions of cyclopentadiene with carbonyl-ruthenium and -osmium complexes, 326
ions, diamagnetic, spin density delocalization from a stable free-radical ligand onto, 748
-metal and metal-halogen bond cleavage by lanthanide and related metals, 775
-metal bonded carbonyls, kinetic and spectroscopic parameters for, 267
salts, Raman spectra of liquid ammonia solutions of, 914
- Metallation** of 2-vinylpyridine by rhodium(III), 838
internal, of *N*- or *P*-donor bidentate ligands to give multi-dentate organometallic compounds, 516
- ortho-Metallation** *vs.* donor ligand complexation, 724
- Metalloborane**, mixed-metal bimetallic monocarbon, synthesis by polyhedral expansion, 560
trimetallic, synthesis by polyhedral expansion, 706
- Metals**, Group VIIIb, reductive nitrosylation, 64
- Methane** derivatives, diphenyl-, new synthesis, 488
Electron diffraction study of gaseous $\text{CH}(\text{NO}_2)_3$ and $\text{CCl}(\text{NO}_2)_3$, 709
Linnett planar, 163
- Methionine**, stereospecific oxidation to methionine sulphoxide by tetrachloroauric(III) acid, 878
- Methoxide**, sodium, adduct with 2-methoxytropone: a flattened, conjugated seven-membered ring with tetrahedral carbon, 523
- Methoxyphenylcarbene** insertion into Group IV element-hydrogen bonds *via* a chromium carbene complex, mechanism, 578
- Methyl** groups, vinylic, conformation, 754
halides, triaryl-, one-electron transfer in reactions with the perfluoro-*t*-butyl anion, 458
isonitrile, insertion into niobium- and tantalum-chlorine bonds, 127
nitrite rotamers, vibrational assignments, 450
- Methylamine**, reaction with arenediazonium salts: substituent effects, 701
- N-Methylaminosulphonates**, aryl, evidence consistent with an elimination mechanism in their hydrolysis, 356
- Methylene** group, unusual photochemical loss of, 502
- α -Methylene** lactones, general route to: α -carboxylation of lactones, 500
- Methyl iodide**(III) difluoride, 739
- Methylketenylacylium** ion, formation in $\text{SbF}_5\text{-FSO}_3\text{H}$, 5
- Methylthiomethyl** esters, formation and hydrolysis, 224

- [2-3H₂]- and [4(R)-4-3H]-Mevalonoid hydrogen atoms, incorporation into the sesquiterpenoid illudin M, 171
- Micellar** solutions, counter-ion nuclear magnetic resonance chemical shifts in, 93
- Microwave** spectroscopy, determination of the molecular structure of C₄B₂H₆, 928
- Mikanolide**, dihydro-, and miscandenin, X-ray studies of the sesquiterpenoids: stereochemistry of the biological divinylloxiran-dihydro-oxepin rearrangement, 428
- Miscandenin** and dihydromikanolide, sesquiterpenoids, X-ray studies: stereochemistry of the biological divinylloxiran-dihydro-oxepin rearrangement, 428
- Mitomycin** biosynthesis by *Streptomyces verticillatus*. Incorporation of the amino-group of D-[¹⁵N]glucosamine into the aziridine ring of mitomycin B, 88
- Molephantin**, a novel cytotoxic germacranolide from *Elephantopus mollis*. X-Ray crystal structure, 476
- Mollisin**, Fourier transform ¹³C nuclear magnetic resonance spectrum; utilization of ¹³C—¹³C coupling in structural and biosynthetic studies, 867
- Molybdenum** and tungsten hexafluorides, oxidising behaviour, 667
- Electron-deficient transition metal cluster compounds: Preparation and crystal structures of some molybdenum- and tungsten-aluminium compounds, 426
- Electron-deficient transition-metal compounds: a lithiobis- π -cyclopentadienylmolybdenum tetramer: crystal structure and properties, 759
- Heptakis(alkyl isocyanide)molybdenum(II) complexes, 202
- Novel free-radical-containing molybdenum(V) complex, 120
- Observation of a π - to σ -rearrangement upon proton addition to bicyclo[6,1,0]nonatrienetricarbonylmolybdenum, 187
- Preparation and structures of the Me₄N[M^I{M^{II}(CO)₅(π -C₅H₅)₂}₂] salts (M^I = Cu^I or Ag^I; M^{II} = Mo or W), 71
- Preparation, spectrum, and substitution properties of Mo-(H₂O)₆³⁺, 767
- X-Ray structural and Raman data, including remarkable resonance Raman effects, for quadruple molybdenum-to-molybdenum bonds, 399
- Separation and unusual stability of the sulphur bridged ion Mo₂S₂O₄²⁺, 909
- Synthesis of bis- π -benzene-titanium and -molybdenum using metal vapours, 866
- Montanine**-type alkaloids, biological conversion of *O*-methyl-norbelladine into, stereochemistry of hydrogen removal β to nitrogen, 430
- Monoterpenes**, Raman circular intensity differential observations on some, 152
- Monaterpenoid**, first vegetable monocyclic cyclobutane, "junione" [1-(2,2-dimethylcyclobutyl)but-1-en-3-one], 746
- Muscalure**, (Z)-tricos-9-ene, one-step synthesis of the housefly sex attractant, 735
- Mycelianamide**, biosynthetic incorporation of stereoselectively labelled [β -³H]tyrosine into, 322
- Mycophenolic acid**, halogenated analogues, 222
- Nandazurine**, and corunnine, total synthesis. Novel oxidative photochemical aporphine synthesis, 915
- Naphthalene**, binding site of, to bile salt micelles as determined by ¹H nuclear magnetic resonance, 918
- derivatives, 1-aryltetrahydro-, molecular crowding and remote substituent effects, 487
- [²H₈]Naphthalene, infrared spectroscopy in its lowest triplet state, 528
- [2,2](2,7)Naphthalenophane-1,11-diene, synthesis, 806
- Naphthalenes**, substituted, from benzynes and dienolate anions, 524
- Naphthalic** anhydride, heptaketide, from *Verticillium lamellicola*—lamellicolic anhydride, 108
- 2-Naphthol**, 1-phenylazo-, conversion into the benzenediazonium ion: another route to phenyl radicals, 572
- 2-Naphthonitrile** and vinyl ethers, photoreaction; a novel photorearrangement of the primary cycloadduct, 219
- 1,4-Naphthoquinone**, 2-benzimidoyl-3-hydroxy-, and its analogues, photochemical synthesis. A new type of plant growth regulator, 218
- Naphthoquinonylnaphthoquinone** epoxide: diosquinone, 463
- Naphthyl** ketones, α \rightarrow β rearrangements under Friedel-Crafts acylation conditions, 362
- 1,8-Naphthyridine**, 1,5,7-trisubstituted 4-oxo-1,4,5,8-tetrahydro-, spontaneous hydroxylation, 579
- Nebramycin** factor 6, antibiotic, synthesis of a derivative of the diamino-sugar component: ethyl-2,6-diacetamido-2,3,6-trideoxy- α -D-ribo-hexopyranoside, 710
- Neighbouring hydroxy-group participation** in the opening of epoxides by nucleophiles, 839
- Neopentane** molecule recently labelled by recoil tritium, evidence for the non-equilibration of vibrational excitation energy, 474
- Nephelauxetic** effect and Pauling electronegativity, 635
- Nickel**, 2,2'-Bi-1,3-dithiolyliumnickel bismaleonitridedithiolate, 923
- CNDO MO Calculations for hydrogen atoms absorbed on clusters of nickel atoms, 625
- Conversion of distorted tetrahedral bis(benzylidiphenylphosphine)dibromonickel(II) into a pure planar complex by high pressure, 266
- Crystal and molecular structure of tetrafluoroethylene-1,1,1-tris(diphenylphosphinomethyl)ethanenickel, 198
- Evidence for a dissociative mechanism in the reaction of a five-co-ordinate nickel(II) complex, 556
- Mass spectroscopic detection of Ni(CS)₄, 705
- Photoelectron spectrum of bis-(π -allyl)nickel, 250
- Photoionisation of π -cyclopentadienylnitrosylnickel in an argon matrix, 407
- "P-2 nickel" catalyst with ethylenediamine, a novel system for highly stereospecific reduction of alkynes to *cis*-olefins, 553
- Pressure induced irreversible conversion of distorted tetrahedral dichloro-*trans*-2-(2'-quinolyl)methylene-3-quinolindinenickel(II), [Ni(qnqn)Cl₂], into binuclear square pyramidal [Ni(qnqn)Cl₂]₂, 719
- X-Ray crystal structure and variable-temperature magnetic susceptibility of di- μ -cyanato-bis-[2,2',2''-triaminotriethylamine]dinickel(II) tetraphenylborate; an oxygen-bonded cyanate, 411
- Reaction of hexafluorobut-2-yne with nickelocene and the crystal structure of [C₆H₅NiCF₃CCCCF₃]₄, 865
- Solvatochromic dithiolene α -di-imine nickel complexes, 433
- Some tetranuclear nickel(II), cobalt(II), and mixed cobalt(II)/cobalt(III) complexes of a binucleating ligand, 392
- Synthesis and crystal structure of bis(triethylphosphine)-[hexakis(trifluoromethyl)benzene]platinum, and of a nickela-cycloheptatriene complex, 31
- Trigonal pyramidal five-co-ordinated Ni(0) complex, 886
- Unusual catalysis with nickel(0) complexes, 157
- Nicotinamide** mononucleotide, solution conformation: a nuclear Overhauser effect investigation, 42
- Nigrifactin**, biosynthesis, 75
- Niobium**. Eight-co-ordinated metal chelate with a D₄ square antiprismatic configuration: tetrakis(dipivaloylmethanato)-niobium(IV), 242
- Insertion of methyl isonitrile into niobium- and tantalum-chlorine bonds, 127
- The octacyanonioate(IV) ion, 816
- Nitrates**. N₄O₆²⁺ group: X-ray crystal structure of Fe(NO₃)₃·1.5N₂O, 347
- Nitric oxide** complexes of iron(II) and iron(III) porphyrins, 897
- Nitrile**, methyl, vibrational assignments for rotamers, 450
- sulphides, 524
- Nitriles**, neutral conversion into, at low temperature, 628
- Nitro-group**, 1,3-rearrangement of, and 1,4-dienes from the nitration of 2,3- and 3,4-dimethylbenzonitriles, 396
- ortho-Nitrobenzyl** resin, removal of protected peptides from, by photolysis, 610
- Nitrogen** chemisorption on reduced cobalt oxide with K₂O as promotor, 270
- heterocyclic compounds, quaternised, simple method for demethylation, 32
- Nitrogen-15 nuclear magnetic resonance spectroscopy. Spin-coupling between directly bonded ¹⁵N-nuclei, 602
- Nitronylnitroxide**, free-radical, and diamagnetic succinimide, X-ray structures, 888
- Nitrosamine** photoaddition to norbornene and the mechanism of nitroalkane cleavage, 827
- N-Nitrosobis(2,4,6-trimethylbenzyl)amine**, abnormal reduction with lithium aluminium hydride, 98
- Nitrosocarbonyl** compounds as intermediates in the oxidative cleavage of hydroxamic acids, 704

- Nitrosoimines**, conversion of the imino-group into the carbonyl group *via*, novel method; preparation of *S*-alkyl thiocarbamates from *S*-alkylisothiourreas, 13
- Nitrosyl cation**, co-ordinated, electrophilic behaviour, 919
cyanide, microwave spectrum and structure, 241
ligand as an oxidant, 650
- Nitrosylation**, reductive, of Group VIIIb metals, 64
- Nitroxides**, acyl, stable, synthesis, 883
- Nonbonded attraction** in organic molecules and substituent effects on nonbonded attraction, 278
- Norbelladine**, *O*-methyl-, stereochemistry of hydrogen removal β to nitrogen in biological conversion into the montanine-type alkaloids, 430
- Norbornadiene**, co-ordinated, *endo*-attack on: crystal structure of di- μ -chloro-bis(*endo*-3-phenylnorbornen-2-yl-*endo*-palladium), 698
- Norbornene**, nitrosamine photoaddition to, and the mechanism of nitrosalkane cleavage, 827
- Norborn-2-ene**, 5-methylene-, photoelectron spectrum and through-space interactions (homobutadiene conjugation), 627
- Norbornen-7-ylum** dication, 7-triphenylphosphonio- formation: a non-classical dication, 574
- 17-Norkauran-16-one** and 16-norphylloladan-16-one, microbiological transformations by *Aspergillus niger*, 143
- Norlignan**, novel dihydronaphthalene; sequirin-D (*sequoia sempervirens*). Constitution, 649
- Nuclear magnetic resonance**, ^{13}C spectra of bis-phosphonates, 933
high resolution ^{113}Cd , by pulse Fourier transform, 394
shift reagents, chiral lanthanide, 381
shift reagents, lanthanide, nature of the species present in solutions of, 113
slow rotation of a methyl group, 830
spectra, carbon-13, deuterium isotope effects, 408
spectra, pseudo-INDOR, using double resonance difference spectroscopy and the Fourier transform technique, 611
spectral assignments, carbon-13, in large molecules with the aid of spin-lattice relaxation data, 379
spectroscopy, nitrogen-15. Spin-coupling between directly bonded ^{15}N -nuclei, 602
use of differential solvent shifts, 744
- Nucleic acid constituents**, aza analogues: crystal structures of 6-azauracil and 6-azathymine, 439
- Nucleosides** and nucleotides, water-soluble alkylating agent for: 1-oxidopyridin-2-yl diazomethane, 673
anhydrodihydro-, novel azabicyclo[4,2,1]nonanes from, 495
Synthesis of 4'-thiocordycepin, 686
- Nucleotides**. Combined use of ^1H and ^{31}P fast Fourier transform nuclear magnetic resonance spectroscopy and line shape computer simulations to determine the torsional diastereomers constrained to the C(5')-O(5') bonds of pyridine dinucleotides, 140
Oligonucleotide synthesis on polar polymer supports. Use of a polypeptide support, 193
Solution conformation of nicotinamide mononucleotide: a nuclear Overhauser effect investigation, 42
- Obtusifoliol**, inversion of the 4β -hydrogen during conversion of the sterol into poriferasterol by *Ochromonas malhamensis*, 149
- Olean-12-ene-16 α ,28-** and **-16 β ,28-diols**, acetone formation from, 787
- Olefin** complexes of palladium(II) and platinum(II), role of electronic effects in determining their thermodynamic stabilities, 591
forming process, stereochemistry: thermolysis of cyclopropyl azides, 739
isomerization and alkyne insertion: activation of platinum complexes by methyl fluorosulphonate, 766
Metathesis, new catalyst, 174
new synthesis, direct deoxygenation of alicyclic ketones, 935
Rydberg transition, optical activity, 253
- Olefinic double-bond**, solvent participation in catalytic *trans*-hydrogenation, 234
- Olefins**, electron-rich, Cr^0 , Fe^0 , Ir^{I} , Ni^{II} , Pd^{II} , Pt^{II} , and Au^{I} mono-, and oligo-carbene species from electron-rich olefins, 206
electron-rich, oxetan formation from photoexcited charge-transfer complexes of anhydrides with, 296
- Olefins** *continued*
new method for converting epoxides into: use of triphenylphosphine selenide and trifluoroacetic acid, 253
non-conjugated, *endo*-selectivity in Diels-Alder reactions, 420
cis-, novel system for highly stereospecific reduction to alkynes: "P-2 nickel" catalyst with ethylenediamine, 553
Novel through-space hydrogen-fluorine spin-spin coupling in some five-co-ordinate platinum(II) fluoro-olefin complexes stabilized by the hydrotris-(1-pyrazolyl)borate ligand, 870
photoaddition to indoles: synthesis of tetrahydro-1*H*-cyclobut[b]indoles, 311
Regiospecific thermal cleavage of some oxetan photoadducts: carbonyl-olefin metathesis in sequential photochemical and thermal steps, 374
stereospecific reaction of, with sulphur trioxide-dioxan, 841
synthesis by desulphuration of $\alpha\beta$ -unsaturated phenyl sulphones, 351
terminal, zinc-induced free-radical reactions with aromatic α -halogenoketones, 858
- Oligonucleotide** synthesis on polar polymer supports. Use of a polypeptide support, 193
- Oligonucleotides**, deoxyribo-, use of fluorene-9-methanol as a phosphate protecting group in the synthesis of, 803
- Organic** molecules, nonbonded attraction in, and substituent effects on nonbonded attraction, 278
- Organometallic** compounds, multidentate, given by internal metallation of *N*- and *P*-donor bidentate ligands, 516
- Oridonin** and enmein, diterpenes, biosynthesis from *ent*-16-karene, 434
- Oroidin**, a bromopyrrole derivative from marine sponge; reinvestigation into structure, 78
- Osmium**. Anomalous ^1H nuclear magnetic resonance spectra of new osmium complexes, 77
Hydrogenation and fluxional behaviour of $\text{H}_2\text{Os}_3(\text{CCH}_2)(\text{CO})_9$, a vinylidene complex derived from ethylene, 277
nitrido-complexes with triphenyl-phosphine, -arsine, and -stibine, with evidence for nitrene-like behaviour of the phosphine complex, 418
Reactions of cyclopentadiene with carbonyl-ruthenium and -osmium complexes: formation of carbonyl-metal hydrides, 326
- 3-Oxabicyclo[3,2,0]hepta-1,4-diene**, 214
- 2-Oxabicyclo[4,2,0]octane** and 2-oxabicyclo [3,2,0]heptane, stereospecific formation: intramolecular photoaddition of 3-(but-3-enyl)oxy- and 3-(pent-4-enyl)oxy-cyclohex-2-enones, 101
- Oxa-penam**, synthesis and some properties, 293
- Oxazole**, 2-phenyl-, photo-rearrangement, 539
- Oxazolo[4,3-*c*][1,4]thiazinium** chloride, 3,8-dihydro-3,3,8,8-tetramethyl-6-phenoxyacetamido-1-oxo-, *X*-ray crystal structure: novel ring expansion product of penicillin V β -sulphoxide, 226
- Oxapin**, 2,3:4,5-dibenzo-, synthesis. Photorearrangement of 9,10-epoxy-9,10-dihydrophenanthrene, 37
- Oxetan**, 2,2-di-(β -ethoxyphenyl)-3,3-dimethyl-, a new insecticide; *X*-ray determination of structure, 34
formation from photoexcited charge-transfer complexes of anhydrides with electron-rich olefins, 296
photoadducts, regiospecific thermal cleavage of some: carbonyl-olefin metathesis in sequential photochemical and thermal steps, 374
- Oxeto[2,3-*b*]indoles**, synthesis: photoaddition of ketones to indoles, 13
- Oxidant**, nitrosyl ligand as, 650
- Oximes**, phenolic, intramolecular cyclisation with manganese(III) tris(acetylacetonate), 604
- Oxiran** formation in the base-catalysed reaction of long-chain alkyl dimethylsulphonium salts and carbonyl compounds in benzene-water, 527
- (\pm)-**Oxocrinine** and (\pm)-oxomaritidine, total synthesis of the alkaloids *via* anodic oxidation, 550
- Oxophlorin**, octaethyl-, stable radical, 1
- Oxygen** carrier and redox properties of some cobalt chelates, including vitamin $\text{B}_{12\text{r}}$, 810
carrier, low pH; aquoterpyridine-(1,10-phenanthroline)-cobalt(II), 868
effect on the photochemistry of 4-methyl-1-phenylpentan-1-one, 207

Oxygen—continued

- Formation of a Co–O₂ complex by the co-ordination of free superoxide ion, 781
 Reactivity of O₂^{•−} on ZnO, 877
 removal from samples used in nuclear magnetic resonance studies of spin-lattice relaxation times, 893
 Surface oxygen species on isotopically labelled surfaces, 955
Ozone, reactions with hindered allenes, 340

Palladium, *endo*-Attack on co-ordinated norbornadiene; crystal structure of di- μ -chloro-bis(*endo*-3-phenylnorbornen-2-yl-*endo*-palladium), 698

- Crystal structure of di- μ -sulphur dioxide-pentakis(*t*-butyl isocyanide)-triangulo-tripalladium-dibenzene, 445
 Dichloro-1,2-bis(isopropylseleno)ethanepalladium(II): a conformational study by nuclear magnetic resonance, 797
 Formation of β -phase hydrides by palladium–cerium solid solutions, 102
 Novel cleavage of a phosphinoacetylene by palladium(II) and platinum(II): preparation and structure of complexes of 1,3-bis(diphenylphosphino)-2-trifluoromethylpropene derived from 3,3,3-trifluoropropenyldiphenylphosphine, 388
 Palladium(0), tertiary phosphine complexes, 938
 X-Ray crystallographic determination of the molecular structure of bis-(μ -*N,N*-dimethylthiocarbamoyl)-bis[chloro(trimethyl phosphite)palladium(II)], 493
 X-Ray crystallographic determination of the structure of μ -diphenylacetylenebis-(π -pentaphenylcyclopentadienyl)dipalladium(I), 368
 X-Ray molecular structure of bis-(*t*-ornithinato)palladium(II). Conformation of the seven-membered chelate ring, 170
 rearrangement of cyclic amines catalysed by, 307
 Role of electronic effects in determining the thermodynamic stabilities of olefin complexes of palladium(II) and platinum(II), 591
 Structure and bonding in tris(dibenzylideneacetone)dipalladium(0), 207

Structure of $[\text{Pd}\{\text{C}_5(\text{CO}_2\text{Me})_4(\text{CO}_2\text{Me})\text{C}(\text{CO}_2\text{Me})\text{Cl}\}\{\text{acac}\}]$ and the intermediacy of a σ -butadienyl complex in the Pd^{II}-induced trimerisation of dimethyl acetylenedicarboxylate, 436

[2,*n*]Paracyclophan-(*n* + 7)-enes, syntheses and reactions, 520**Pauling** electronegativity and nephelauxetic effect, 635**DL-Penicillaminatomethylmercury(II)**, X-ray structure: binding of methylmercury by amino-acids, 741**Penicillin** sulphoxides, multiple rearrangements, 259

V, β -sulphoxide, novel ring expansion product: X-ray crystal structure of 3,8-dihydro-3,3,8,8-tetramethyl-6-phenoxy-acetamido-1-oxo-oxazolo[4,3-*c*][1,4]thiazinium chloride, 226
Penicillins and cephalosporins, scheme for biosynthesis: dehydropeptides related to β -lactam antibiotics, 790
 new degradation, 477
 vinylic sulphoxides from, 303

Pentacyclo[6,4,0^{6,11},0^{7,9},0^{10,12}]dodeca-2,4-diene, directed synthesis. [CH]₁₂ hydrocarbons, 409**Penta-2,3-dienes**, excited singlet, non-radiative lifetime of, from the absolute rate of a 5–3 hydrogen shift in the vapour phase, 818**Pentalene**, transition-metal carbonyl complex, 587**Pentane**, *trans*- and *cis*-1-acetoxy-3,4-epoxy-, and 1-acetoxy-4,5-epoxy-hexane, acid-catalysed rearrangements, 261**Pentan-1-one**, 2-methyl-1-phenyl-, effect of oxygen on photochemistry, 207**Peptide** antibiotic elamycin, biosynthesis. Origin of the 3-hydroxypicolinyl and amino-acid fractions, 185
 sequencing, method, 392**Peptides**, and amino-acids, crystal structures of seven cadmium(II) complexes: model compounds for metal–protein interaction, 753

Crystal and solution conformation of cyclopentascosyl, 646
 Dehydropeptides related to β -lactam antibiotics: scheme for the biosynthesis of penicillins and cephalosporins, 790
 Oligonucleotide synthesis on polar polymer supports. Use of a polypeptide support, 193

protected, removal from an *ortho*-nitrobenzyl resin by photolysis, 610
 Unique conformation of the cyclic octapeptide of sarcosine and a related depsiptide, 346

Periodic reaction, homogeneous, inhibition by radical scavengers, 30**Peroxides**, fluorocarbon, direct synthesis. Addition of bistrifluoromethyl trioxide to chlorotrifluoroethylene, 386

Reaction of 1-benzoxepin with singlet oxygen: a novel *endo*-peroxide, 344

Peroxyacetyl nitrate, reaction with amines, 74**Peroxydicarbonates**, cerium(IV) ammonium nitrate-promoted aromatic substitution with, 109**Phenanthraquinone**, photoaddition to alkyl-substituted alkoxyacetylenes. Formation of 1,3-dioxoles, 188**Phenanthrene**, 9,10-epoxy-9,10-dihydro-, photorearrangement. Synthesis of 2,3:4,5-dibenzoxepin, 37**Phenanthridones**, from photocyclization of benzanilides with elimination of the *ortho*-methoxy-group, 647**Phenol**, amination with ammonia; high acidity of silica–titania and its high catalytic activity, 676

chromenylation, regioselectivity, 580

o- and *p*-dimethylamino-, rearrangement reactions of allylic anilinium ylides derived from, 651

Phenolic oximes, intramolecular cyclisation with manganese(III) tris(acetylacetonate), 604**Phenyl** azide, *p*-cyano-, effect of wavelength on photolysis in dimethylamine, 360

–carbon bonds, electronic and steric effects on hindered rotation about, 95

chlorosulphate, reaction with anions. A possible displacement at chlorine, 210

radicals, another route to: conversion of 1-phenylazo-2-naphthol into the benzenediazonium ion, 572

radicals, desulphurization of episulphides by, 901

Phenylacetylene, hydrogen exchange and the hydroxide ion anomaly, 761**Phenylalkylamines**, *meta*-photocyclisation, 330**2-Phenylbenzazete**, an azacyclobutadiene, 19**p-Phenylenediamine** radical cation, resonance Raman spectrum, 192**Phenylhydrazines**, *o*-nitro-, acid-catalysed cyclisation to *N*-aminobenzimidazoles, 41**Phenylnitromethane**, 4-nitro-, proton-transfer reactions with bases, kinetic isotope effects in various solvents, 854**Pheromones**. Stereoselective synthesis of conjugated *trans*-enynes readily convertible into conjugated *cis,trans*-dienes and its application to the synthesis of the pheromone bombykol, 874**Phosphate** protecting group, use of fluorene-9-methanol as, in the synthesis of deoxyribo-oligonucleotides, 803**Phosphates**. High resolution field mass spectrometry of disodium deoxyfluoro-D-glucose 6-phosphates, 416
 seven-membered-ring, Eu(fod)₃ induced ³J_{HF} variation and conformational changes in, 494**Phosphetans** and hexafluoroacetone, X-ray analysis of 1,3,2-dioxaphospholans from. Square pyramidal phosphorus, 856**Phosphetidines**. Nuclear magnetic resonance studies of pseudo-rotation in some unsymmetrical diazadiphosphetidines, 23**Phosphinanilides**, alkylphenyl-, hydrolysis in acidic solution: influence of cyclopropyl groups, 774**Phosphine** complexes, tertiary, of platinum(II), hydrogen–deuterium exchange at a saturated carbon atom, 191

Deceptive ¹³C nuclear magnetic resonance spectra in bisphosphine metal derivatives, 455

oxide. Applicability of the Karplus relation to ³¹PCC¹³C coupling constants, 287

–platinum cluster compounds, 650

sulphides, optically active, from phosphine oxides and boron trisulphide, 273

tertiary, palladium(0) complexes, 938

triphenyl-, and carbon tetrachloride, reaction of acylglycerols with. Nucleophilic substitution in glycerol derivatives, 110

Phosphines. Crystal and molecular structure of tetraphenylcyclotetraphosphine monosulphide, 623

osmium nitrido-complexes with triphenyl-phosphine, -arsine, and -stibine, with evidence for nitrene-like behaviour of the phosphine complex, 418

X-Ray crystal structure and interconversions of three isomeric platinum complexes containing metallated *t*-butyldi-*o*-tolylphosphine ligands, 128

- Phosphinoacetylene**, novel cleavage by palladium(II) and platinum(II): Preparation and structure of complexes of 1,3-bis(diphenylphosphino)-2-trifluoromethylpropene derived from 3,3,3-trifluoropropynyldiphenylphosphine, 388
- Phosphoglycolhydroxamic acid**: inhibitor of Class I and II aldolases and triosephosphate isomerases. Potential antibacterial and antifungal agent, 713
- Phospholes**, 1,3,2-benzodithia-, preparation, and X-ray crystal structure of 2-methyl-2,2'-spirobi-(1,3,2-benzodithiaphosphole), 144
- Phosphoniumbornen-7-ylum** dication, 7-triphenyl-: a non-classical dication, 574
- Phosphonitric chloride** trimer, bonding in: electron spin resonance evidence for the radical anion, 313
- Phosphonium** bromide, triphenyl(prop-2-ynyl)-, preparation of 1,3,5-trisubstituted pyrazoles, methyltriphenyl-5-phenylpyridazin-3-ylphosphonium bromide, and 4-substituted 2-methylquinolines from, 7
- hexadecafluorotriantimonate(V), perfluoro-, $[\text{PF}_4]^+[\text{Sb}_3\text{F}_{16}]^-$, preparation and characterization, 559
- Phosphorane**, benzoylmethylene(triphenyl)-, photolysis, 567
- Phosphoranylpyrrole**, 2-methyl-5-tetrafluoro-, preparation and structure, 190
- Phosphorus**. Applicability of the Karplus relation to $^{31}\text{PCC}^{13}\text{C}$ coupling constants, 287
- ^{13}C Nuclear magnetic resonance spectra of bis-phosphonates, 933
- Internal metallation of N- or P-donor bidentate ligands to give multidentate organometallic compounds, 516
- Non-equivalence of the apical fluorine atoms on pentacoordinate phosphorus studied by ^{19}F nuclear magnetic resonance spectroscopy, 745
- pentavalent, insensitivity to steric hindrance of a nucleophilic neighbouring-group substitution at, 238
- Preparation and nuclear magnetic resonance parameters for perfluoroalkyl-substituted phosphorus(V) hydrides, 813
- Preparation and X-ray crystal and molecular structure of di- μ -diphenylphosphido-bis(triphenylphosphinecarbonyliridium), 946
- square pyramidal, X-Ray analysis of the 1,3,2-dioxaphospholans from hexafluoroacetone and phosphetans, 856
- and sulphur-containing heterocycles, novel, metal complexes. Preparation and structure of tricarbonyl- η^4 -(1-pentafluorophenyl-2,3,4,5-tetrakis(trifluoromethylthiophen)manganese and π -cyclopentadienyl-(1-hydroxy-2,3,4,5-tetrakis(trifluoromethylphosphole 1-oxide)cobalt, 583
- Photolysis** of 2,6-di-*t*-butyl-1,4-benzoquinone: a new rearrangement, 844
- of R_3Sn . Tris[bis(trimethylsilyl)methyl]tin(III), $\text{R}_3\text{Sn}^\cdot$, an unusually stable stannyl radical, 829
- Phthalimidonitrene**, dichotomy in reaction with activated benzenoid compounds, 67
- Phthalocyanine** radical cation complexes. Higher oxidation state iron and cobalt phthalocyanine derivatives, 482
- Phytoecdysone**, unusually modified: calonysterone, structure, 737
- Picolinyl**, 3-hydroxy-, and amino-acid fractions, origin of in the biosynthesis of the peptide antibiotic etamycin, 185
- Pictet-Gams reaction**, observations of mechanism, 889
- Pimarane** diterpene, conversion into the cleistanthane ring system, 312
- Platinum**. Bromination of 2-(alkenyl)pyridine complexes of platinum(II), 817
- Carbon-13 nuclear magnetic resonance study of the styrene-platinum(II) bond, 449
- complexes, activation by methyl fluorosulphonate: olefin isomerization and alkyne insertion, 766
- Crystal and molecular structure of *trans*-dichlorobis(hexaborane-10)platinum(II), 354
- Free radicals as intermediates in the oxidative addition of alkyl halides to platinum(0), 948
- Halogen exchange in platinum(IV) complexes, 931
- Hydrogen-deuterium exchange at a saturated carbon atom in tertiary phosphine complexes of platinum(II), 191
- cis-trans* Isomerisation and ligand exchange reactions of an isoquinoline-platinum(II) complex, 486
- Large ring compounds involving *trans*-bonding bidentate ligands, 947
- Mechanisms of substitution reactions of platinum(0) complexes, 631
- Platinum**—*continued*
- metals, arylazo and aryl-di-imine derivatives, 176
- Novel through-space hydrogen-fluorine spin-spin coupling in some five-co-ordinate platinum(II) fluoro-olefin complexes stabilized by the hydrotris-(1-pyrazolyl)borate ligand, 870
- Observation by electron spin resonance spectroscopy of free radicals in reactions of dialkylplatinum(II) complexes with alkenes, 861
- Origin of line broadening in the hydridic nuclear magnetic resonance of isothiocyanato-platinum(II) complexes, 249
- phosphine cluster compounds, 650
- Preparation of a five-co-ordinate platinum- π -ethylene complex: (biacetyl bismethylphenylhydrazon)dichloro- π -ethyleneplatinum(II), 368
- X-Ray crystal structure and interconversions of three isomeric platinum complexes containing metallated *t*-butyldi-*o*-tolylphosphine ligands, 128
- Reaction of 1,2-benzocyclobutadienequinone with zerovalent platinum: preparation and structure of (1,1-bistriphenylphosphine)platinabenzocyclopentenedione, 158
- Reactions of hydrazines with platinum-nitrile complexes: X-ray structural characterization and electrochemistry of *trans*-bis-1-acetyl-3-*t*-butyl-1,2,4-triazabutadieneplatinum, 297
- Role of electronic effects in determining the thermodynamic stabilities of olefin complexes of palladium(II) and platinum(II), 591
- Synthesis and crystal structure of bis(triethylphosphine)-[hexakis(trifluoromethyl)benzene]platinum, and of a nickelacycloheptatriene complex, 31
- Polar bonds**, vicinal, their conformational and chemical consequences, 90
- Pollinastanol** acetate, a 9,19-cyclopropane steroid, X-ray crystal and molecular structure, 929
- Polyethers**, macrocyclic crown, two isomeric: 6,7,9,10,17,18,20,21-octahydro-7*R*,9*R*,18*S*-20*S*-tetramethyldibenzo[*b,h*][1,4,7,10,13,16]hexaoxacyclo-octadecan (isomer F) and 6,7,9,10,17,18,20,21-octahydro-7*R*,9*R*,18*R*,20*R*-tetramethyldibenzo[*b,h*][1,4,7,10,13,16]hexaoxacyclo-octadecan (isomer G); synthesis and crystal structures of complexes with caesium thiocyanate, 694
- macrocyclic, molecular complexation of arenediazonium and benzoyl cations by, 481
- Polyethylene**, laser-Raman spectrum under high pressure, 16
- 1,3-Polyethylenebenzimidazolium** salts and related systems, preparation and properties. N-Bridged heterocycles, 427
- Polysaccharide** structure and interactions, characterization by circular dichroism: order-disorder transition in the calcium alginate system, 245.
- Poriferasterol**, inversion of the 4 β -hydrogen during the conversion of the sterol obtusifolol by *Ochromonas malhamensis* into, 149
- Porphobilinogen** synthesis, 43
- Porphyrin** biosynthesis, intermediates: studies with ^{14}C - and ^{13}C -labelled pyromethanes, 768
- primary 'type-isomers', identification: novel mercury(II) porphyrins, 515
- zinc octaethyl, magnetic circular emission spectrum, 546
- Porphyrins**. Assignment of ^{13}C -signals from *meso*-carbons by syntheses of ^{13}C -protoporphyrin-IX dimethyl esters, 441
- Biosynthetic intermediates between coproporphyrinogen-III and protoporphyrin-IX, 183
- iron, reaction with carbon monoxide, 325
- iron(II) and iron(III), nitric oxide complexes, 897
- 2- and 4-Monoformyldeuterioporphyrin-IX, 453
- ^{13}C nuclear magnetic resonance spectra of coproporphyrins, 401
- meso*-Tetraphenylmethoxyisoporphyriniron(III) chloride, 715
- Type-III biosynthesis: nature of the rearrangement process, 442
- Potassium**. Nitrogen chemisorption on reduced cobalt oxide with K_2O as promoter, 270
- Proanthocyanidin-A2**, dimeric, and its derivatives, structure, 518
- Prochiral** (*meso*-carbon) centres, chiral recognition of, by $\Delta(-)_{436}\text{-}\alpha\text{-}l\text{-}2,9\text{-diamino-4,7-diazadecanecobaltate}$, 332
- Propane**, 2-methyl-2-nitroso-, ('*t*-nitrosobutane'), rate of addition of *t*-butoxycarbonyl radicals: spin trapping, 173
- Propane-1,2-diols**, 3-aryloxy-, and derivatives, absolute configuration: mephensin isomers, 896

- [2,2,2]Propellane**, theoretical approach to synthesis, 291
- Prop-2-ynyl dianions**, sesquiacetylenic and allenic structures, 576
substituted nitroxide radical, decomposition: X-ray crystal structure of the product, 751
- Prostaglandin**, E₁, stereoselective total synthesis, 180
E₂, preparation from *Plexaura homomalla*, 254
series, regioselective intramolecular photocyclisation in, 480
Substituent effects on the ¹³C relaxation time along aliphatic chains. Application to a prostaglandin, 951
- Prostaglandins**, 11-deoxy-10 α -hydroxy-, synthesis, 119
- Protein-metal interaction**, model compounds for: crystal structures of seven cadmium(II) complexes of amino-acids and peptides, 753
- Protiodetritiation** of benzene in trifluoroacetic acid, 952
- Protoberberine-type alkaloids**, novel total synthesis, 137
- Protoporphyrin-IX** and coproporphyrinogen-III, biosynthetic intermediates between, 183
¹³C-, dimethyl esters, assignment of ¹³C-signals from the *meso*-carbons by syntheses of, 441
- Pyranoses**, 1,4-anhydro-, formation from 1-*O*-acetyl-6-deoxy-2,3-*O*-isopropylidene-4-*O*-methylsulphonyl- α -L-manno- and -talo-pyranose, 142
- Pyrazine**, 1,4-dibenzyl-1,4-dihydro-2,6-diphenyl-, suprafacial [1,3] sigmatropic benzyl shift in, 511
- Pyrazole**, 5-acetyl-3,3-dimethyl-3*H*-, photochemical generation of a vinylketen from, and identification of the end product as 7-acetyl-3,5,5,9,9-pentamethyl-1,6-diazabicyclo[4.3.0]-nona-3,7-dien-2-one by X-ray crystallographic analysis, 247
- Pyrazoles**, 1,3,5-trisubstituted, methyltriphenyl-5-phenylpyridazin-3-ylphosphonium bromide, and 4-substituted 2-methylquinolines; formation from triphenyl(prop-2-ynyl)phosphonium bromide, 7
- Pyrazoline stereochemistry**. Use of nuclear magnetic resonance shift reagents with azo-compounds, 557
- Pyrazolo[3,4-*d*]pyrimidines**, 4-amino-6-glycosyl-, synthesis, 680
- Pyridazine**, 3,6-diphenyl-4,5-dehydro-, fragmentation to diphenylbutadiene, 819
dicyanomethylides, photolysis, 521
- Pyridazinium derivatives**, *N*-methyl- and -aryl-5-oxido-, new intermediate for synthesis: 2,5-diketo-D-gluconate, 796
- Pyridine** and quinoline 1-oxides, β -alkylation with acetylenes: studies of the mechanism, 569
Crystal structure of di- μ -hydroxo-bis-[*NN'*-trimethylenebis(salicylaldiminato)manganese(III)]-tetrapyridine, a supposed oxygen carrier, 760
dinucleotides, determination of torsional diastereomers constrained to the C(5')-O(5') bonds: combined use of ¹H and ³¹P fast Fourier transform nuclear magnetic resonance spectroscopy and line shape computer simulations, 140
2-vinyl, metallation of, by rhodium(III), 838
- Pyridinium cation**, β -D-galactopyranosyl- β -galactosidase-catalysed hydrolysis, 535
1-(2,4-dinitrophenyl)-3-oxido-; rearrangement and dipolar additions, 292
and flavin derivatives for recycling of catalytic amounts of NAD⁺ during preparative-scale horse liver alcohol dehydrogenase-catalysed oxidations of alcohols, 205
halides, alkyl-, quenching of aromatic hydrocarbon fluorescence by, 728
iodide solutions, *N*-methyl-, ultrasonic relaxation evidence for two types of ion pairs, 696
- Pyridinolysis** of methyl chloroformate and the interpretation of curved Brønsted plots in nucleophilic reactions, 828
- Pyridin-2-yl diazomethane**, 1-oxido-; a water-soluble alkylating agent for nucleosides and nucleotides, 673
- 2-Pyrones**, alkylated 4-hydroxy-, convenient syntheses, 568
- Pyrophosphoramides**, diastereoisomeric, effect of chiral solvents on ³¹P nuclear magnetic resonance spectra, 18
- Pyrrole**, 2-methyl-5-tetrafluorophosphoranyl-, preparation and structure, 190
- Pyrroles**. Reinvestigation into the structure of oroidin, a bromopyrrole derivative from marine sponge, 78
- Pyrrolo[1,2-*a*]indole** ring systems, new synthetic route to. Synthesis of indolequinones, 358
- Pyrrolo[1,2-*d*]-as-triazine**. A new heteroaromatic system, 35
- Pyrrmethanes**, ¹⁴C- and ¹³C-labelled, studies with: intermediates in porphyrin biosynthesis, 768
- Pyrylium perchlorate**, 4-ethyl-2,6-dimethyl-, light-induced 1,2-transposition and 2,6-bonding in, 410
- Quinodimethane**, 7,7,8,8-tetracyano-, and 2,2'-bi-1,3-dithiole, crystal structure of the radical-cation radical-anion salt from, 471
7,7,8,8-tetracyano-, 1,6-photoaddition of toluene, 9
- Quinoline** and pyridine 1-oxides, β -alkylation with acetylenes: studies of the mechanism, 569
- Quinolines**, 1,2-dihydro-, photochemical reactions, 922
2-substituted, from reductive cyclisation of 2-azidocinnamates, 29
4-substituted 2-methyl-, trisubstituted pyrazoles, and methyltriphenyl-5-phenylpyridazin-3-ylphosphonium bromide; preparation from triphenyl(prop-2-ynyl)phosphonium bromide, 7
- α -**Quinolylimine** as the long-lived photocoloured form, 684
- o-Quinones**. Reaction of 1,2-benzocyclobutadienequinone with zerovalent platinum: preparation and structure of (1,1-bis-triphenylphosphine)platinabenzocyclopentenedione, 158
- Quinones**. Total synthesis of (\pm)-scabequinone, 718
- Radical cations**: photochemical and ferric ion-induced formation and reactions of indene radical cation, 677
- E2 Reactions**, attractive interactions in: the origin of the *syn-anti* duality and the divergent stereoselectivity of the two competing pathways, 168
- Reaction**, energy of, and Brønsted exponents; Marcus rate theory and relationship between, 371
- Reagent**, organometallic, new: KCo[P(OR)₃]₃, 683
- Reformatsky-Claisen reaction**, a new synthetically useful sigmatropic process, 117
- Rhenium** and manganese carbonyl difluorosulphoximides, 823
A μ -dinitrogen complex with a long N-N bond. X-Ray crystal structure of [(PMe₂Ph)₄ClReN₂MoCo₄(OMe)], 808
new compounds: preparation and crystal structures of Re(CO)₅F·ReF₅ and [Re(CO)₅]⁺[Re₂F₁₁]⁻, 321
- Rhodium**. Crystal structure of μ -octaethylporphinato-bis[dicarbonylrhodium(II)], 792
Hydrogenation of tris(triphenylphosphine)chlororhodium(II), 629
Insertion reactions of hexafluoroacetone with tricarbonyl-(diene)iron and π -cyclopentadienyl(diene)rhodium complexes, 114
Metallation of 2-vinylpyridine by rhodium(III), 838
New type of π -allyl isomerisation: conversion of 1,1- and 1,2-dimethylallyl complexes of cobalt and rhodium, 86
Structure and dynamical properties of Rh₄(CO)₁₂ in solution: ¹³C nuclear magnetic resonance study, 807
Variable temperature ¹³C nuclear magnetic resonance of dicyclopentadienyltricarbonyldirrhodium, 79
- Rheoadanes**, convenient route, 740
- Ring 'flipping'** in bis(cyclo-octatetraene)titanium(II); an organometallic intramolecular redox reaction which involves only the geometrical deformation of organic ligands, 172
- Roseoflavin**, a new flavin compound, X-ray crystallographic determination of a derivative, 703
- Rotameric conformations** of acetyl substituted steroids, use of linear dichroism for the establishment of, 943
- Rotation**, slow, of a methyl group. Nuclear magnetic resonance, 830
- Rotational isomers**, enantiomeric, direct observation using ¹H nuclear magnetic resonance spectroscopy, 537
- Rubene**, structure: *Adina* alkaloids, 765
- Rubidium**. Cleavage of carbon-carbon sigma bonds by Ru₃(CO)₁₂, 87
- Ruthenium**. Bridging cycloheptatrienyl complexes: X-ray crystal structure of [Ru₂(CO)₈(SiMe₃)(C₇H₆SiMe₃)], 727
Isomeric conformations in a pentaco-ordinated ruthenium compound; crystal and molecular structures of the orange and violet isomers of (Ph₃P)₂[(CF₃)₂C₂S₂]Ru(CO), 39
Reaction of benzylideneacetone with (cyclo-octa-1,5-diene) tricarbonylruthenium, 912
Reaction of cycloheptatriene with ruthenium carbonyl: X-ray crystallographic determination of the molecular structure of Ru₃(CO)₈(C₇H₇)(C₇H₉), 726
Reactions of cyclopentadiene with carbonyl-ruthenium and -osmium complexes: formation of carbonyl-metal hydrides, 326

Ruthenium—*continued*

Structural evidence for a new type π -arene complex containing poly(1-pyrazolyl)borate ligands and carbocyclic π -acceptor ligands. X-Ray analysis of [tetrakis(1-pyrazolyl)borato](*h*⁶-benzene)ruthenium(II) hexafluorophosphate, 847.

Saccharides, mono-, and their derivatives, five- and six-membered rings in: rules for conformation nomenclature, 505

Salicylides. Conformational behaviour of di-*o*-thymotide and di-*o*-carvocrotide, 571

Samandarine-type alkaloid, biogenetically modelled synthesis, 288

(-)- β -**Santalene**, (-)-campherenone, (+)-epicampherenone, and (+)-epi- β -santalene; synthesis and absolute configuration of the terpenes, 235

Sapogenins. Origin of the 27-methylene group of the steroidal sapogenin convallamarogenin, 184

Sarcosine, unique conformation of the cyclic octapeptide of, and a related depsipeptide, 346

(\pm)-**Scabequinone**, total synthesis, 718

Scandium. Stable silylmethyl and neopentyl complexes of scandium(III) and yttrium(III), 126

Three-co-ordinate scandium(III) and europium(III): crystal and molecular structures of their tris(2,2,6,6-tetramethyl-3-pyridyl)amides, 669

Secalonic acid, new, isolation, 464

Secologanin, conversion into *Corynanthe*-type alkaloids, 886

Selenium. Dichloro-1,2-bis(isopropylseleno)ethanepalladium(II): a conformational study by nuclear magnetic resonance, 797
Signs of nuclear spin-spin coupling constants involving selenium: effect of electron lone pairs, 10

Selenophen. Reversal in the sequence of two highest occupied molecular orbitals in the series thiophen, selenophen, and tellurophen, 541

Selenoxides, fragmentation: new method for dehydrogenation of ketones, 695

Semibullvalene and related substances, carbon-13 nuclear magnetic resonance spectral analysis, 135
stereoselective 1,4-bromination, and tri-*n*-butyl-in hydride reduction of the dibromide, 129

Sesquiritin-D (*Sequoia sempervirens*), a novel dihydronaphthalene norlignan, constitution, 649

Sesquiterpenes. Carbon-13 and proton magnetic resonance study of the structure and conformation of a new geracranolide sesquiterpene dilactone, 614

Synthesis, absolute configuration, and photocyclisation of the sesquiterpene (-)-cryptomerin, 236

zizaene-related, rearrangement, 447

Sesquiterpenoids. Aspects of the biosynthesis of the terpenoid dendrobine, 729

Incorporation of [2-³H₂]- and [4(*R*)-4-³H]-mevalonoid hydrogen atoms into the sesquiterpenoid illudin M, 171

Miscandenin and dihydromikanolide, X-ray studies: stereochemistry of the biological divinylloxiran-dihydro-oxepin rearrangement, 428

Shift reagent systems, lanthanide, solvation numbers for, 339

Shift reagents, lanthanide induced, application to organic cations by outer sphere complexation, 630

nuclear magnetic resonance, chiral lanthanide, 381

Shihunine, an alkaloid of the orchid *Dendrobium pierardii*, biosynthesis, 522

[1,5] **Sigmatropic rearrangement**, novel, association of the Claisen rearrangement, 491

Sigmatropic rearrangements, [4,5] anionic, 658

[2,3] anionic, concertedness in, 656

apparent [2,3], of acetylenic ammonium ylides, 657

more [4,5], 661

Silacyclobutane, 1,1-diphenyl-, photochemical generation of an intermediate containing a silicon-carbon double bond or its equivalent from, 54

Silane, dimethylindenyl-, reductive solvolysis: evidence for a two-step mechanism, 533

trimethyl-, and iodine, kinetics of the gas-phase reaction between and the bond dissociation energy $D(\text{Me}_3\text{Si}-\text{H})$, 513

Silanes, alkoxy-, chloro-, and fluoro-, new stereospecific method for reduction. Homogeneous catalytic activation of Grignard reagents by nickel complexes, 164

bifunctional, selective catalytic route to. Catalysis by rhodium and ruthenium complexes of the alcoholysis of diarylsilanes and the hydrosilylation of carbonyl compounds, 38

Silanes—*continued*

Kinetically determined bond dissociation energies in hexamethyldisilane, 323

phenyl-, ²⁹Si-{¹H} nuclear Overhauser effects, 255

Silicates. Crystal structure of the β -12-tungstosilicate anion, 648

Silicon, germanium, and tin pentafluoro-orthotellurates, 600

High acidity of silica-titania and its high catalytic activity for amination of phenol with ammonia, 676

mechanism of nucleophilic substitution at: kinetic evidence on the slow formation of a five-co-ordinate silicon intermediate, 116

Reactions of silicon-carbon double-bonded intermediates with aldehydes and ketones, 167

Silver. Cryptates with macrotricyclic ligands: crystal and molecular structure of the silver [3]-cryptates, C₂₄H₄₈N₄O₆·3AgNO₃, 678

Dynamic stereochemistry: mechanistic controversy in the silver oxide-bromine induced cyclizations of alcohols, 451

New type of σ -bonded organosilver compound: [Ag-C(OR)=N-Ar]₃, 260

Preparation and structures of the Me₄N[M¹{M²(CO)₃(π -C₅H₅)₂}] salts (M¹ = Cu^I or Ag^I; M² = Mo or W), 71

X-Ray crystal structure of ethylenebis(biguanide)silver(III) perchlorate, 46

Silyl, trimethyl-, cobalt to oxygen migration of the group in trimethylsilylcobalt tetracarbonyl, 496

Silylene, singlet and triplet, addition to buta-1,3-diene, 637

Silylmethyl and neopentyl complexes of scandium(III) and yttrium(III), stable, 126

Sodium. Crystal and molecular structure of a cationic sodium complex: the sodium tetraphenylborate adduct of *NN'*-ethylenebis(salicylideneiminato)cobalt(II). Cobalt(II), nickel(II), and copper(II) complexes of quadridentate Schiff bases as complexing agents for lithium, sodium, and ammonium cations, 384

Disproportionation of toluene over electron donor-acceptor complexes of aromatic hydrocarbons with sodium, 498

Solvent cages, co-ordination compounds, glasses, crystals, and related systems, cation vibrations in, 161

Spin-lattice relaxation times, removal of oxygen from samples used in nuclear magnetic resonance studies of, 893

Spin trapping: rate of addition of *t*-butoxycarbonyl radicals to 2-methyl-2-nitrosopropane ('*t*-nitrosobutane'), 173

Spiro[2,3]hexan-4-ones, flash thermolysis. Case of vinylketen generation, 795

Spiro[2,2]pentane, 1,2-diphenylaza-, synthesis, 33

Sporidesmin G, X-ray crystallographic determination of the stereochemistry of the tetrathio-bridge in, 554

Squalene, 2,3-epoxy-, enzyme-catalysed formation of β -amyrin from a bicyclic isomer of, 73

Squaric acid, synthesis of a benzologue of, (4,5-dihydroxybenzocyclobutene-1,2-dione), and general synthesis of benzocyclobutene-1,2-diones, 248

Stemonamine, a new alkaloid from *Stemona japonica* Miq., X-ray crystallographic determination of structure: isolation of isostemonamine, 125

Steric hindrance in aromatic hydrogen exchange, 936

Steroidal alkenes, unusual mercury(II) acetate oxidation, 56

Steroids, acetyl substituted, use of linear dichroism for the establishment of rotameric conformations of, 943

Efficient synthesis and mechanisms of formation of 4-azido-, 4-thiocyanato-, and 4-isothiocyanato-3-oxo- $\Delta^4,6$ -steroids, 72

Generation and reaction of 2,4-dienolate ions from Δ^4 -3-keto-steroids with lithium hexamethyldisilazane, 564

Hyperacidic media. Novel route to 13 α -steroids, 785

Light-induced formation of seco-steroids, 480

Origin of the 27-methylene group of the steroidal sapogenin convallamarogenin, 184

X-Ray analysis of Nic-11 from *Nicandra physaloides*; a 17-spirobicyclomethylsteroid, 821

X-Ray crystal and molecular structure of pollinastanol acetate, a 9,19-cyclopropane steroid, 929

Thermal isomerizations of steroidal boranes: isomerizations at the junction of the hydrindanic steroidal system, 942

Sterols. Identity of ergosterol '5 β ,8 β -peroxide', 530

cis-Isomer of the C₂₆ marine sterol 24,24-dimethyl-5 α -chol-22-en-3 β -ol, 424

Photolysis of 3 β -acetoxycholest-5-en-19-ol nitrite, 752

Sterols—*continued*

- unusual marine, synthesis of 24,28-didehydroaplysterol and X-ray crystal structure of aplysterol, 825
- Steviol** and its derivatives, metabolism of, by *Gibberella fujikuroi*, mutant B1-41a, 778
- Stibine**. Osmium nitrido-complexes with triphenyl-phosphine, -arsine, and -stibine, with evidence for nitrene-like behaviour of the phosphine complex, 418
- (-)-**Stilbenediamine**, absolute configuration, 422
- Stipitalide**, a new tropolone from *Penicillium stipitatum* Thom; determination of structure, 65
- Strychnine**, biosynthesis, 217
- Styrene**. Carbon-13 nuclear magnetic resonance study of the styrene-platinum(II) bond, 449
- and derivatives, low temperature stopped flow studies of the stage I polymerisation by HClO_4 and CH_2Cl_2 , 419
- Substitution** and addition reactions, unsymmetrical cyanocuprates as reagents in, 88
- Succinimide**, diamagnetic, and a free radical nitronylnitroxide, X-ray structures, 888
- Succinimides**, *N*-halogeno-, carbon-sulphur bond cleavage in the reaction of benzyl and *t*-butyl sulfoxides with, 4
- Sugars**. Synthesis of 2,4-diacetamido-2,4,6-trideoxy-D-glucose and its identification with the diacetamido-sugar of *Bacillus licheniformis*, 668
- Sulphamides**, *NN'*-dialkyl-, conversion into azoalkanes. Formation of the thiadiaziridine 1,1-dioxide ring system, 397
- Sulphenes**, addition to thioamide vinylogues: substituted 5,6-dihydro-1,2-dithiin 1,1-dioxides and 1,2-dithiin 1,1-dioxides, 672
- Sulphides**. Desulphurization of episulphides by phenyl radicals, 901
- α -dichlorodibenzyl, novel rearrangement. New synthesis of acetylenes, 955
- α -halogeno-, oxidative chlorination of as a synthetic route to α -halogeno-sulphoxides, sulphinyl chlorides, and sulphonyl chlorides, 50
- nitrile, 524
- α -**Sulphinyl** carbanion derived from methyl 1-phenylethyl sulphoxide, nature of, 398
- Sulphonamide** cleavage, convenient method, 664
- Sulphonates**, aryl *N*-methylamino-, evidence consistent with an elimination mechanism in their hydrolysis, 356
- Sulphone** di-imines, *N*-toluene-*p*-sulphonyl-, synthesis, 590
- Sulphones**, $\alpha\beta$ -unsaturated phenyl, synthesis of olefins by desulphuration of, 351
- Sulphonic acid**, trifluoromethane-. Concerning the π -complex mechanism for aromatic substitution. Detritiation in, 836
- Sulphonium** cations, cyclic five-membered, stereochemistry of the hydrogen-deuterium base-catalysed exchange and conformation, 156
- cyclopentadienylides, formation. Photolysis of diazocyclopentadiene in alkyl sulphides, 365
- salts, long-chain alkyl dimethyl-, base-catalysed reaction with carbonyl compounds in benzene-water: oxiran formation, 527
- Sulphoxide** anions as intermediates in simulation of biological C-ethylation, 145
- dimethyl, effect on asymmetric induction in the cyclisation of *o*-allylphenol with chiral mercury(II) carboxylates, 573
- methyl 1-phenylethyl, nature of the α -sulphinyl carbanion derived from, 398
- Sulphoxides**, benzyl and *t*-butyl, carbon-sulphur bond cleavage in reaction with *N*-halogenosuccinimides, 4
- iodomethyl, synthesis, 319
- site of protonation: carbon-13 nuclear magnetic resonance evidence, 251
- vinylic, from penicillins, 303
- Sulphoximides**, some cyclic, synthesis, 776
- Sulphur**-bridged ion $\text{Mo}_2\text{S}_2\text{O}^{2+}$, separation and unusual stability, 909
- Crystal and molecular structure of bis(diphenylmethylene)-trisulphur tetranitride, 36
- deposited from a thiocyanate melt onto a platinum electrode, photoelectric effect, 154
- NS_4^- anion; the blue species formed by heptasulphur imide in basic media, 734

Sulphur—*continued*

- and phosphorus-containing heterocycles, novel, metal complexes. Preparation and structure of tricarbonyl- η^4 -(1-pentafluorophenyl)-2,3,4,5-tetrakis(trifluoromethylthio)phenyl-manganese and π -cyclopentadienyl (1-hydroxy-2,3,4,5-tetrakis(trifluoromethyl)phosphine-1-oxide)cobalt, 583
- Synthesis of cyclophanes by photochemical extrusion of sulphur, 406
- Sulphur trioxide**-dioxan. Stereospecific reaction of olefins with, 841
- Tantalum**. Insertion of methyl isonitrile into niobium- and tantalum-chlorine bonds, 127
- Tellurium**. Bistetraethylammonium chlorobis-(1,2-dicyanoethylene-1,2-dithiolato)tellurium(III): a paramagnetic tellurium complex, 624
- Boron tris(pentafluoro-orthotellurate) $\text{B}(\text{OTeF}_5)_3$. Preparation and Lewis acidity, 134
- Pentafluoro-orthotellurates of silicon, germanium, and tin, 600
- Tellurophen**. Reversal in the sequence of two highest occupied molecular orbitals in the series thiophen, selenophen, and tellurophen, 541
- Tellurophens**, 2-substituted, electric dipole moments, 342
- Terpenes**. Acetonide formation from olean-12-ene-16 α ,28- and -16 β ,28-diols, 787
- Biosynthesis of the diterpenes enmein and oridonin from *ent*-16-kaurene, 434
- Biosynthesis of the terpenes maslinic acid and 3-epimaslinic acid in tissue cultures of *Isodon japonicus* Hara, 707
- Carbon-13 and proton magnetic resonance study of the structure and conformation of a new germacranolide sesquiterpene dilactone, 614
- Configuration of aglaol, a (24S)-24,25-epoxytriterpene, 116
- Conversion of a pimarane diterpene into the claianthane ring system, 312
- Marine natural products. Concinnadiol, a bromo-diterpene alcohol from the red alga, *Laurencia concinna*, 470
- Metabolism of steviol and its derivatives by *Gibberella fujikuroi* mutant B1-41a, 778
- Raman circular intensity differential observations of some monoterpenes, 152
- Rearrangement of zizaene-related sesquiterpenes, 447
- Stereospecific total synthesis of (\pm)- α -amorphene, 598
- Synthesis and absolute configuration of the terpenes (-)-campherone, (+)-epicampherone, (-)- β -santalene, and (+)-epi- β -santalene, 235
- Teucvin a novel furanoid norditerpene from *Teucrium viscidum* var. *Miquelianum*, 793
- Terpenoids**. Biosynthesis of a C_{16} -terpenoid lactone, a plant growth regulator, 802
- Terphenyl** and flavonoid metabolites, biosynthesis by the fungus *Aspergillus candidus*, 555
- Tetracyanoethylene**, termolecular complexes with weak electron donors, 609
- Tetrahydrofuran-2,4,5-triones**, chloroarylidene-, acetylenic cyclisation leading to, 265
- chloroarylidene-, thermal rearrangement to aroylchloromaleic anhydrides, 265
- NNN'-Tetramethylmethanedianamine**, 783
- Tetramic acid**, α -acetyl- γ -(β -indolyl)methyl-. A biosynthetic intermediate of cyclopiazonic acid and of bis-secodehydrocyclopiazonic acid, 812
- Tetraphenylcyclotetraphosphine** monosulphide, crystal and molecular structure, 623
- Teucvin**, novel furanoid norditerpene from *Teucrium viscidum* var. *Miquelianum*, 793
- Thallium**. Thallium(I) carboxylates: a new class of reagents for the formation of α -iodocarboxylates, 359
- Theaspirone** and the blumenols, stereochemistry, 565
- Thermal cheletropy** in model azabicycles; the question of linear vs. non-linear extrusion, 840
- Thermozymocidin**, biosynthesis of the antibiotic. Incorporation of [$1\text{-}^{13}\text{C}$]acetate: ^{13}C nuclear magnetic resonance study, 788
- Thiadiaziridine** 1,1-dioxide ring system, formation. Conversion of *NN'*-dialkylsulphamides into azoalkanes, 397
- Thiamine** hydrochloride-copper(II) complex, X-ray crystal structure, 900

- 6a-Thiathiophthens**, and related compounds, substitution with arenediazonium fluoroborates: rearrangement into novel heterocyclic systems, 92
- 1,4-Thiazine oxides**, thermal racemisation: evidence for a sigmatropic pathway, 285
- Thietan** 1,1-dioxides, α -bromination, 861
- cis*- and *trans*-3-ethyl-2-propyl-, photolysis; evidence for the formation of unscavangeable diradical intermediates, 106.
- 1-oxides, 3-*t*-butyl-, isomeric, heats of oxidation, 121
- Thiocarbamates**, S-alkyl, preparation from S-alkylisothio-ureas; novel method for the conversion of the imino-group into the carbonyl group *via* nitrosoimines, 13
- Thiocarboxylates**, S-alkyl, photodecomposition modes, 294
- Thiols**. Crystal structure of the radical-cation radical-anion salt from 2,2'-bi-1,3-dithiole and 7,7,8,8-tetracyanoquino-dimethane, 471
- Thiomethyl** esters, methyl-, formation and hydrolysis, 224
- Thione** photochemistry: cyclopropanethiol (homothioenol) formation by β -hydrogen abstraction, 130
- Thiophen**, selenophen, and tellurophen, reversal in the sequence of two highest occupied molecular orbitals in the series, 541
- Thorium**. Structure of the dimer in ammonium tri- μ -fluorobis-(hexafluorothorate) hydrate, 69
- Three-membered** rings, antiaromatic, and their valence tautomers, a MINDO/3 and NDDO study, 688
- Thymine**, ultrasonic degradation, 414
- 6-aza-, and 6-azauracil, crystal structures: aza analogues of nucleic acid constituents, 439
- Tin**. New method for determining signs of Mössbauer quadrupole splittings: relative signs of ^{119}Sn and ^{57}Fe quadrupole splittings in $\{\text{Fe}(\text{SnCl}_3)[\text{P}(\text{OMe})_3]_3\}^+\text{BPh}_4^-$, 503
- ^{35}Cl Nuclear quadrupole resonance study of the *cis-trans* isomerism of tin tetrachloride complexes, 429
- Preparation and X-ray crystal structure of Sn_3F_8 , 944
- Resonance Raman spectrum of tin tetraiodide, 762
- silicon, and germanium pentafluoro-orthotellurates, 600
- SnO_2 -CuO gels: novel catalysts for the low-temperature oxidation of carbon monoxide, 210
- Stabilisation of metals in a low co-ordinative environment using the bis(trimethylsilyl)methyl ligand: coloured Sn^{II} and Pb^{II} alkyls, $\text{M}[\text{CH}(\text{SiMe}_3)_2]_2$, 317
- Synthesis of tetrakis(trifluoromethyl)tin, 104
- $\text{Tris}[\text{bis}(\text{trimethylsilyl})\text{methyl}]\text{tin}(\text{III})$, R_3Sn^+ , an unusually stable stannyl radical, from photolysis of R_3Sn , 829
- Titanium**. Crystal and molecular structure of triscyclopentadienyltitanium: the cyclopentadienyl group as a two-centre three-electron ligand, 97
- High acidity of silica-titania and its high catalytic activity for amination of phenol with ammonia, 676
- Hydrazine-producing intermediate in the nitrogen fixing system: $\text{cp}_2\text{TiCl}_2 + \text{PrMgCl} + \text{N}_2$, 169
- Ring 'flipping' in bis(cyclo-octatetraene)titanium(II); an organometallic intramolecular redox reaction which involves only the geometrical deformation of organic ligands, 172
- Structure of aluminotitanium hydride $[(\text{C}_5\text{H}_5)(\text{C}_5\text{H}_4)\text{Ti}(\text{H})(\text{C}_2\text{H}_5)_2]_2$, 227
- Synthesis of bis- π -benzene-titanium and -molybdenum using metal vapours, 866
- Toluene**, disproportionation over electron donor-acceptor complexes of aromatic hydrocarbons with sodium, 498
- 1,6-photoaddition to 7,7,8,8-tetracyanoquinodimethane, 9
- N-Toluene-p-sulphonylsulphone** di-imines, synthesis, 590
- Toluenes**, tetrafluoro- and pentafluoro-, dipole moment evidence for hyperconjugation, 723
- Tosylates**, 3-oxo-, solvolysis; 1,4-carbonyl participation, 756
- reaction of magnesium iodide with, 821
- Trachylobane**, diterpenoid, simplified synthesis: convenient synthesis of the tricyclo[3,2,1,0^{2,7}]octane system, 689
- Transition metal** carbene complexes, general synthesis: Cr^0 , Fe^0 , Ir^{I} , Ni^{II} , Pd^{II} , Pt^{II} , and Au^{I} mono- and oligo-carbene species from electron-rich olefins, 206
- carbonyl complex of pentalene, 587
- carbonyl derivatives of manganese, Group VI, 405
- centre, free-radical displacement reactions at: bimolecular homolytic substitution ($\text{S}_{\text{H}}2$) at square-planar Pt^{II} , 350
- cluster compounds, electron deficient: preparation and crystal structures of some molybdenum- and tungsten-aluminium compounds, 426
- complex, evidence for a two-stage process in electron-transfer to, 917
- 1,2,5-Triazepines**, 3,4-diaryl-6,7-dihydro-1-methyl-1H, 3,4-diaryl-2-hydroxy-1,2,5-triazabicyclo[3,2,1]oct-3-enes from per-acid oxidation of, 642
- 1,2,4-Triazine** 1-oxides, 5,6-benzo-, reaction with Grignard reagents, 622
- Triazinediones**, formation: chlorosulphonylisocyanate addition to anils, 570
- Tribenzo[*a,e,i*]cyclododecane**, 5,6,11,12,17,18-hexahydro-, and its derivatives, conformational behaviour, 638
- (Z)-Tricos-9-ene** (Muscalure), one-step synthesis of the house-fly sex attractant, 735
- Tricyclo[3,3,1,0^{2,8}]nona-3,6-diene**, 9-aza-, the 9-azabarbaralane system, 779
- Tricyclo[9,3,3,1¹¹]octadecan-18-one**, 13,16-dimethyl-13,16-diaza-, and 1-dimethylaminomethyl-13-methyl-13-azabicyclo[9,3,1]pentadec-11-en-15-one: novel products from a Mannich reaction with cyclododecanone, 238
- Tricyclo[3,2,1,0^{2,7}]octane** system: convenient synthesis: simplified synthesis of the diterpenoid trachylobane, 689
- Tricyclo[2,1,0,0^{2,5}]pentan-3-one** derivatives, transition metal-catalysed reactions. Decarbonylation, 45
- Tridecaborane(19)**, crystal structure, 308
- Trienes**, conjugated, triplet lifetime. Allo-ocimine and cholestatriene, 799
- Trimethylenemethane** dianion; metallation reactions, 275
- 1,3,5-Trinitrobenzene**. ^1H nuclear magnetic resonance evidence for *cis-trans*-isomerism in the $\text{C}_6\text{H}_3(\text{NO}_2)_3 \cdot (\text{SO}_3^{2-})_2$ adduct, 215
- Triosephosphate** isomerase and class I and II aldolases, an inhibitor of: phosphoglycolohydroxamic acid. A potential antibacterial and antifungal agent, 713
- Triplet**-singlet energy transfer in solution, 634
- Triptycenes**, 1,6-bis-(1-cyano-1-methylethyl)-, stable isomers, 232
- Triterpenoid** oxide from *Rhododendron macrophyllum*, structure, 357
- Triterpenoids**. Botryococcene—a tetramethylated acyclic triterpenoid of algal origin, 284
- from *Guarea glabra* (Meliaceae): a new skeletal class identified by chemical, spectroscopic, and X-ray evidence, 159
- 1,3,5-Trithian**, pathway of its oxidative chlorination, 49
- Tritium** atoms, energetic, variation in the abstraction isotope effect for, 941
- reappraisal of an inconsistency in recoil chemistry, 225
- Tropine**, pseudo-, synthesis, 720
- Tropolone** acetate, temperature-dependent carbon-13 nuclear magnetic resonance spectra, 283
- Tropolones**. Determination of the structure of stipitalide, a new tropolone from *Penicillium stipitatum* Thom., 65
- Tropone**, crystal structure at -60°C , 66
- 2-methoxy-, adduct with sodium methoxide: a flattened, conjugated seven-membered ring with tetrahedral carbon, 523
- Tungsten**. Crystal structure of the β -12-tungstosilicate anion, 648
- Electron-deficient transition metal cluster compounds: preparation and crystal structures of some molybdenum- and tungsten-aluminium compounds, 426
- and molybdenum hexafluorides, oxidising behaviour, 667
- Preparation and structures of the $\text{Me}_2\text{N}\{\text{M}^1\{\text{M}^2(\text{CO})_5(\pi\text{-C}_5\text{H}_5)\}_2\}$ salts ($\text{M}^1 = \text{Cu}^{\text{I}}$ or Ag^{I} ; $\text{M}^2 = \text{Mo}$ or W), 71
- Sign of $1/J(^{31}\text{P}-^{183}\text{W})$ in octahedral complexes of tungsten(0), 336
- Synthesis and X-ray crystallographic characterization of $[\text{Et}_4\text{N}]_2[\text{W}_2(\text{CO})_2\text{H}_2]$ including the direct location and the refinement of the two bridging hydride ligands, 691
- Synthesis and structure of $\text{HW}_6(\text{CO})_9(\text{NO})$, 181
- 18-Tungstotetracobalto(II)diphosphate and related anions: a novel structural class of heteropolyanions, 139
- Tungsten-fluorine** system, transport reactions, 846
- Tyramine** and hordenine, stereochemistry of conversion into tyrosol by *Willia anomala* Hansen, 862
- $[\beta\text{-}^3\text{H}]\text{Tyrosine}$, stereoselectively labelled, biosynthetic incorporation into mycelianamide, 322
- $\gamma\delta$ -Unsaturated acids and γ -lactones, convenient route: oxidative radical addition to alkenes, 693
- Uracil**, 6-aza-, and 6-azathymine, crystal structures: aza analogues of nucleic acid constituents, 439

Uracil—*continued*

5-nitro-, and 5-nitro-9-furoic acid, oxidative denitration by hydroxy-radicals, 309

Uracils. Copper complexes of biologically active molecules: preparation and structure of chlorobis-(2-thiouracil)copper(II) dimethylformamide solvate, 869

Uranium. Absorption spectrum and reaction kinetics of the photoreactive state of the uranyl ion, 59

(C₆H₅)₄P[UOCl₅]: a new type of uranium(VI) oxochloro-complex, 820

Dichloro-derivatives of *NN'*-ethylenebis(salicylideneiminato)-uranium(IV) and a redistribution reaction for a uranium(IV) chelate, 784

pentafluoride, one electron reduction synthesis, 920

X-Ray crystallographic characterization of the uranium-carbon σ -bond in tricyclopentadienylphenylethynyluranium(IV), 452

Uridines, deoxyhalogeno-, preparation, 201

Vancomycin, molecular weight and structure of the antibiotic, 772

Vinyl cations in acid-catalysed isomerisations of acetylenes and allenes, 177

cations, 1-cyclopropyl-, effect of 2-substitution on rearrangement, 589

ethers and 2-naphthonitrile, photoreaction; a novel photorearrangement of the primary cycloadduct, 219

Vinylcyclopropane systems, alternative modes of addition of dienophiles, 859

Vinyllic methyl groups, conformation, 754

sulphoxides from penicillins, 303

Vinylidene complex derived from ethylene: hydrogenation and fluxional behaviour of H₂Os₃(CCH₂)(CO)₉, 277

Vinylketen generation, case of. Flash thermolysis of spiro-[2,3]hexan-4-ones, 795

photochemical generation from 5-acetyl-3,3-dimethyl-3*H*-pyrazole and identification of the end product as 7-acetyl-3,5,5,9,9-pentamethyl-1,6-diazabicyclo[4,3,0]nona-3,7-dien-2-one by *X*-ray crystallographic analysis, 247

Vinylogues, thioamide, addition of sulphenes: substituted 5,6-dihydro-1,2-dithiin 1,1-dioxides and 1,2-dithiin 1,1-dioxides, 672

Vitamin B₁₂, biosynthesis: the macrocycle and studies on the geminal methyl groups of ring c, 404

model compound, evidence for intermediates in substitution reactions, 413

Vitamin B_{12a}, oxygen carrier and redox properties of some cobalt chelates, 810

Xenon. Cations KrF⁺, XeOF₃⁺, XeF₃⁺, and XeOF₅⁺ and oxidizing properties of KrF⁺, 26

Crystal structure of [Xe₂F₁₁]⁺[AuF₂]⁻, 131

difluoride, fluorination with. Reactions with 1,1-di-phenylethylenes, 845

Yohimbine skeleton and angustidine. Total synthesis of yohimbine-type alkaloids, 732

Yttrium. Stable silylmethyl and neopentyl complexes of scandium(III) and yttrium(III), 126

Zeolite A, three- and five-co-ordinate manganese(II) in, 382

Zinc, highly reactive, preparation. Activated metals, 269
octaethylporphyrin, magnetic circular emission spectrum, 546

Reactivity of O₂⁻ on ZnO, 877

Ring-expansion of alkylbenzenes by the zinc-carbenoid reaction with diethylzinc and iodoform, 216

Zirconium. Ethylene oligomerisation with zirconium aryl-alkyls and alkenyls, 132

Zizaene-related sesquiterpenes, rearrangement, 447

Zoanthoxanthin, a heteroaromatic base from *Parazoanthus* *cfr.* *axinellae* (Zoantharia): structure confirmation by *X*-ray crystallography, 99

Zwitterionic ligands, crystal structures of complexes with, 68