Journal of Materials Chemistry B

Materials for biology and medicine

www.rsc.org/MaterialsB

The Royal Society of Chemistry is the world's leading chemistry community. Through our high impact journals and publications we connect the world with the chemical sciences and invest the profits back into the chemistry community.

IN THIS ISSUE

ISSN 2050-750X CODEN JMCBDV 4(1) 1-178 (2016)



Cover


See Guoping Chen et al., pp. 37-45. Image reproduced by permission of Guoping Chen from J. Mater. Chem. B. 2016, 4, 37.

REVIEW

Cellular modulation by the elasticity of biomaterials

Fengxuan Han, Caihong Zhu, Qianping Guo, Huilin Yang and Bin Li*

The elasticity of the extracellular matrix has been increasingly recognized as a dominating factor of cell fate and activities. This review provides an overview of the general principles and recent advances in the field of matrix elasticity-dependent regulation of a variety of cellular activities and functions, the underlying biomechanical and molecular mechanisms, as well as the pathophysiological implications.



COMMUNICATIONS

A facile and one-step ethanol-thermal synthesis of MoS₂ quantum dots for two-photon fluorescence imaging

Wei Gu, Yinghan Yan, Xuni Cao, Cuiling Zhang,* Caiping Ding and Yuezhong Xian*

MoS₂ quantum dots with two-photon fluorescence features are synthesized through a one-step solvothermal approach and successfully used for cellular bioimaging.



Editorial Staff

Executive Editor

Fiona McKenzie

Managing Editor

Editorial Production Manager

Will Dennis

Development Editor

Sarah Thirkell

Publishing Editors

Polly-Anna Ashford, Emma Cooper, Laura King, Carole Martin, Emma Stephen, Polly Wilson, Jason Woolford, Ruth Zadik

Publishing Assistants

Aliya Anwar, Emily Finney, Julie Ann Roszkowski

Publisher

Liz Dunn

For queries about submitted papers, please contact Will Dennis, Editorial Production Manager in the first instance. E-mail: materialsB@rsc.org

For pre-submission gueries please contact Fiona McKenzie, Executive Editor. E-mail: materialsB-rsc@rsc.org

Journal of Materials Chemistry B (print: ISSN 2050-750X; electronic: ISSN 2050-7518) is published 48 times a year by The Royal Society of Chemistry, Thomas Graham House, Science Park, Milton Road, Cambridge, UK CB4 0WF.

All orders, with cheques made payable to The Royal Society of Chemistry, should be sent to RSC Order Department, Royal Society of Chemistry, Thomas Graham House, Science Park, Milton Road, Cambridge, CB4 0WF, UK. Tel +44 (0)1223 432398 E-mail orders@rsc.org

2016 Annual (print+electronic) subscription price: £1887; \$3026. 2016 Annual (electronic) subscription price: £1792; \$2875. Customers in Canada will be subject to a surcharge to cover GST. Customers in the EU subscribing to the electronic version only will be charged VAT. If you take an institutional subscription to any Royal Society of Chemistry journal you are entitled to free, site-wide web access to that journal. You can arrange access via Internet Protocol (IP) address at www.rsc.org/ip.

Customers should make payments by cheque in sterling payable on a UK clearing bank or in US dollars payable on a US clearing bank.

The Royal Society of Chemistry takes reasonable care in the preparation of this publication but does not accept liability for the consequences of any errors or omissions. Inclusion of an item in this publication does not imply endorsement by The Royal Society of Chemistry of the content of the original documents to which that item refers.

Advertisement sales: Tel +44 (0) 1223 432246; Fax +44 (0) 1223 426017;

E-mail advertising@rsc.org

For marketing opportunities relating to this journal, contact marketing@rsc.org





Journal of Materials Chemistry B

www.rsc.org/materialsB

Journal of Materials Chemistry B is a weekly journal in the materials field. The journal is interdisciplinary, publishing work of international significance on all aspects of materials chemistry related to biology and medicine. Articles cover the fabrication, properties and applications of materials.

Editorial Board

Editor-in-Chief

Nazario Martín, Universidad Complutense Madrid, Spain

Deputy Editor-in-Chief

Christine Schmidt, University of Florida, USA

Associate Editors

Jiang Chang, Shanghai Institute of Ceramics, China

Guoping Chen, National Institute for Materials Science, Japan Jeroen Cornelissen, University of

Twente, The Netherlands Xinyan Tracy Cui, University of Pittsburgh, USA

Dal-Hee Min, Seoul National University, Korea

Marc in het Panhuis, University of Wollongong, Australia

Xiaogang Qu, Changchun Institute of Applied Chemistry, Chinese Academy of Sciences, China Zhengzhong Shao, Fudan University,

Laura Suggs, University of Texas at Austin, USA

Advisory Board

- C. Bettinger, Carnegie Mellon University, USA
- S. Bose, Washington State University,
- H. Cölfen, University of Konstanz, Germany
- J. Collier, University of Chicago, USA T. Desai, University of California, San
- Francisco, USA E. Duguet, University of Bordeaux,
- L. Estroff, Cornell University, USA C. Fan, Shanghai Institute of Applied Physics, Chinese Academy of Sciences, China
- A. Gedanken, Bar-Ilan University,
- N. Gianneschi, University of California, San Diego, USA
- A. Higuchi, National Central University, Japan

- K. Kasper, The University of Texas Health Science Center at Houston.
- B. Keselowsky, University of Florida, USA
- J. Khandare, Maharashtra Institute of
- Pharmacy, Pune, India L. Korley, Case Western Reserve University, USA
- Z.-C. Li, Peking University, China E. D.-L. Ma, Hong Kong Baptist
- University, Hong Kong L. Liz-Marzan, CIC biomaGUNE,
- Spain G. Malliaras, Ecole Nationale Supérieure des Mines de Saint
- Etienne, France H.-Q. Mao, Johns Hopkins University,

- D. Martin, University of Delaware, USA K. Masters, University of Wisconsin-Madison, USA
- A. Miserez, Nanyang Technological University, Singapore
- A. Khademhosseini, Harvard-MIT, USA K. Schenke-Layland, Fraunhofer Institute for Interfacial Engineering and Biotechnology IGB, Germany
 - W. Shen, Monash University, Australia Y. Shen, Zhejiang University, China
 - M. Stenzel, University of New South Wales, Australia
 - J. Temenoff, Georgia Institute of Technology, USA
 - J. van Hest, Radboud University Nijmegen, The Netherlands
 - Z. Zhong, Soochow University, China

Information for Authors

Full details on how to submit material for publication in Journal of Materials Chemistry B are given in the Instructions for Authors (available from http://www.rsc.org/authors). Submissions should be made via the journal's homepage: http://www.rsc.org/materialsB.

Submissions: The journal welcomes submissions of manuscripts for publication as Full Papers, Communications, Reviews, Highlights and Applications. Full Papers and Communications should describe original work of high quality and impact which must highlight the novel properties or applications (or potential properties/ applications) of the materials studied.

Colour figures are reproduced free of charge Additional details are available from the Editorial Office or http://www.rsc.org/authors

Authors may reproduce/republish portions of their published contribution without seeking permission from The Royal Society of Chemistry, provided

that any such republication is accompanied by an acknowledgement in the form: (Original Citation)-Reproduced by permission of The Royal Society of Chemistry

This journal is © The Royal Society of Chemistry 2016. Apart from fair dealing for the purposes of research or private study for non-commercial purposes, or criticism or review, as permitted under the Copyright, Designs and Patents Act 1988 and the Copyright and Related Rights Regulation 2003, this publication may only be reproduced, stored or transmitted, in any form or by any means, with the prior permission in writing of the Publishers or in the case of reprographic reproduction in accordance with the terms of licences issued by the Copyright Licensing Agency in the UK. US copyright law is applicable to users in the USA.

The paper used in this publication meets the requirements of ANSI/NISO Z39.48-1992 (Permanence of Paper)

Registered Charity No. 207890.




COMMUNICATIONS

32

Gemcitabine and chlorotoxin conjugated iron oxide nanoparticles for glioblastoma therapy

Qingxin Mu, Guanyou Lin, Victoria K, Patton, Kui Wang, Oliver W. Press and Migin Zhang*

Nanoparticles bearing gemcitabine and chlorotoxin show efficient cancer cell uptake and killing, extended blood half-life, and blood-brain barrier penetration.




PAPERS

Regulating the stemness of mesenchymal stem cells by tuning micropattern features

Xinlong Wang, Tomoko Nakamoto, Ida Dulińska-Molak, Naoki Kawazoe and Guoping Chen*

The stemness of MSCs was significantly influenced by cell morphogenesis regulated by micropatterns, and was always accompanied with change of nuclear activity and cytoskeleton mediated nanomechanics.




46

Novel drug delivery nanosystems based on out-inside bifunctionalized mesoporous silica yolk-shell magnetic nanostars used as nanocarriers for curcumin

Peilin Huang, Baozhen Zeng, Zhuoxian Mai, Juntao Deng, Yueping Fang, Wenhua Huang,* Hongwu Zhang,* Jinying Yuan, Yen Wei and Wuyi Zhou*

Bifunctionalized yolk-shell magnetic mesoporous silica is used as a curcumin nanocarrier with magnetic response and increased cellular uptake.




57

Superparamagnetic iron-doped nanocrystalline apatite as a delivery system for doxorubicin


Michele lafisco,* Christophe Drouet,* Alessio Adamiano, Patricia Pascaud, Monica Montesi, Silvia Panseri, Stephanie Sarda and Anna Tampieri

Iron-doped superparamagnetic apatite nanoparticles are promising materials for magnetic drug delivery systems due to their ability to strongly bind the anticancer doxorubicin and provide an active control over the drug release by using a low-frequency pulsed electromagnetic field.



PAPERS

71




Gallium-containing mesoporous bioactive glass with potent hemostatic activity and antibacterial efficacy

Sara Pourshahrestani, Ehsan Zeimaran, Nahrizul Adib Kadri, Nicola Gargiulo, Shani Samuel, Sangeetha Vasudevaraj Naveen, Tunku Kamarul and Mark R. Towler*


Gallium-containing mesoporous bioactive glass can be considered as an efficient hemostatic material due to its merits of increased platelet adhesion and thrombin formation as well as antibacterial properties.

87



Nd3+-doped LiYF₄ nanocrystals for bio-imaging in the second near-infrared window


Xinyi Jiang, Cong Cao, Wei Feng* and Fuyou Li* In vivo bioimaging of high spatial resolution based on LiYF₄:Nd in the second near-infrared window.



rBMSC and bacterial responses to isoelastic carbon fiber-reinforced poly(ether-ether-ketone) modified by zirconium implantation

Jian Li, Shi Qian, Conggin Ning and Xuanyong Liu* PEEK-based biomaterials have great potential applications as hard tissue substitutes in bone tissue engineering.

105



Protein-modified hollow copper sulfide nanoparticles carrying indocyanine green for photothermal and photodynamic therapy

Lu Han, Yang Zhang, Xu-Wei Chen, Yang Shu* and Jian-Hua Wang*

Protein-modified hollow copper sulfide nanoparticles carrying indocyanine green (ICG) facilitate combined therapeutic effects including photothermal therapy of CuS nanocarriers and cytotoxic effects of photodynamic and photothermal therapy by ICG.


PAPERS

113

Tumor-targeting, enzyme-activated nanoparticles for simultaneous cancer diagnosis and photodynamic therapy

Huaxia Shi, Wucheng Sun, Changbing Liu, Guiying Gu, Bo Ma, Weili Si, Nina Fu, Qi Zhang,* Wei Huang* and Xiaochen Dong*

On-site activated diiodostyryl bodipy conjugated HA nanoparticles with specific targets synthesized via self-assembly were used for the suppression of tumor growth and exact tumor diagnosis with reduced side effects.




121

Preparation of small-sized graphene oxide sheets and their biological applications

Minfang Zhang,* Toshiya Okazaki, Yoko lizumi, Eijiro Miyako, Ryota Yuge, Shunji Bandow, Sumio lijima and Masako Yudasaka

Small-sized graphene oxide (S-GO) sheets with lengths of 20-50 nm and widths of 2-10 nm are prepared from carbon nanohorns. Because of their appropriate sizes, abundant carboxylic groups, and strong fluorescence, the S-GO sheets may be superior choices for biomedical and diagnostic applications.




128

Prussian blue nanoparticles encapsulated inside a metal-organic framework via in situ growth as promising peroxidase mimetics for enzyme inhibitor screening

Linjing Su, Yuhao Xiong, Haiguan Yang, Peng Zhang and Fanggui Ye*

Metal-organic framework-based peroxidase mimetics for enzyme-inhibitor screening.




135

Ca²⁺, pH and thermo triple-responsive mechanized Zr-based MOFs for on-command drug release in bone diseases


Li-Li Tan, Nan Song, Sean Xiao-An Zhang, Haiwei Li, Bo Wang and Ying-Wei Yang*

A new design opens up the possibility of developing smart biomaterials for bone cancer (lowered pH and hypercalcemia) therapy.



PAPERS

141




Unimolecular micelles of camptothecin-bonded hyperbranched star copolymers via β-thiopropionate linkage: synthesis and drug delivery

Liang Qiu, Qing Liu, Chun-Yan Hong* and Cai-Yuan Pan*

The pH- and redox-sensitive camptothecin-loaded unimolecular micelles display low cytotoxicity and controlled drug release in a sustained manner.


152



Direct exfoliation of graphite into graphene in aqueous solutions of amphiphilic peptides

Meiwen Cao, Ningning Wang, Lei Wang, Yu Zhang, Yucan Chen, Zilong Xie, Zongyi Li, Elias Pambou, Ruiheng Li, Cuixia Chen, Fang Pan, Hai Xu,* Jeffery Penny, John R. P. Webster and Jian R. Lu* Peptide-mediated solution phase graphene exfoliation.

162




Ammonia sensing for enzymatic urea detection using organic field effect transistors and a semipermeable membrane

F. X. Werkmeister, T. Koide and B. A. Nickel*

Organic transistors detect the enzymatic breakdown of urea via ammonia diffusion into the transistor through a semipermeable parylene-C membrane.

169



Dual-targeted activatable photosensitizers with aggregation-induced emission (AIE) characteristics for image-guided photodynamic cancer cell ablation

Youyong Yuan, Shidang Xu, Chong-Jing Zhang, Ruoyu Zhang and Bin Liu*

The currently available photosensitizers (PSs) for photodynamic therapy (PDT) can easily lead to undesirable normal cell death due to their intrinsic photo-toxicity and lack of selectivity for cancer cells.