

Correction to *Tetra*-Substituted Pyridinylimidazoles As Dual Inhibitors of p38 α Mitogen-Activated Protein Kinase and c-Jun N-Terminal Kinase 3 for Potential Treatment of Neurodegenerative Diseases

Felix Muth, Marcel Günther, Silke M. Bauer, Eva Döring, Sabine Fischer, Julia Maier, Peter Drückes, Jürgen Köppler, Jörg Trappe, Ulrich Rothbauer, Pierre Koch, and Stefan A. Laufer*

Journal of Medicinal Chemistry 2015, 58, 443-456. DOI:10.1021/jm501557a

Page 453. The structures and values in Table 3 should be as shown below.

Table 3. Biological Activities of *Tetra*-Substituted Pyridinylimidazoles 16 (n = 3)

		JNK3		ρ38α		\mathbf{R}^{a}			JNK3		ρ38α		\mathbf{R}^a
cpd	R ₁	IC ₅₀ [μΜ]	±SEM	IC ₅₀ [μΜ]	±SEM	JNK3/ p38α	cpd	R ₁	IC ₅₀ [μΜ]	±SEM	IC ₅₀ [μΜ]	±SEM	JNK3/ p38α
16a		0.161	0.002	0.211	0.001	0.8	16g	· — NH	0.085	0.001	0.163	<0.001	0.5
16b		0.155	0.002	0.144	0.001	1.1	16h	·———	0.174	0.001	0.229	0.090	0.8
16c	·—————————————————————————————————————	0.085	<0.001	0.050	<0.001	1.7	16 i	· P	0.094	0.001	0.195	0.004	0.5
16d		0.149	0.003	0.261	<0.001	0.6							
16e		0.299	0.003	0.172	0.002	1.7	16 j		0.048	<0.001	0.226	0.002	0.2
16f		0.086	0.001	0.166	0.004	0.5	16k	·——NH	0.153	0.002	0.137	<0.001	1.1

^aRatio IC₅₀ (JNK3)/IC₅₀ (p38 α).