

**Correction to “Conformal Organic-Inorganic Hybrid Network Polymer Thin Films by Molecular Layer Deposition using Trimethylaluminum and Glycidol”** [*The Journal of Physical Chemistry B* 2011, 115, 5930–5938. DOI: 10.1021/jp201186k]. Bo Gong, Qing Peng, and Gregory N. Parsons\*

The Acknowledgment should read as follows.

#### ■ ACKNOWLEDGMENT

This work was supported by the National Science Foundation project CBET-1034374, and DOE project #08NT0001925. We are grateful to Ying Liu, Mark D. Walters and Roberto Garcia for assistance with AFM, XPS and TEM data collection, respectively. We thank Mr. Shane DiDona for visual imaging of the FTIR reactor layout. We also thank Steve George and Charles Musgrave at UC Boulder for discussions regarding MLD reaction mechanisms and TMA/glycidol results. This work was originally presented June 23, 2010 at the AVS International Topical Conference on Atomic Layer Deposition (ALD 2010) Seoul, Korea, (AVS Chico CA): Bo Gong, Qing Peng, and Gregory N. Parsons, “A Two-Step Lewis Acid-Catalyzed Epoxide Ring-Opening Molecular Layer Deposition Process for Stable Hybrid Organic-Aluminum Oxide Films”. We note that other results on molecular layer deposition using glycidol and trimethylaluminum were also presented at the same conference: R.A. Hall, B. Yoon, and S. M. George, “Molecular Layer Deposition of Hybrid Organic-Inorganic Films Using Trimethylaluminum and Sugar Alcohols”.

DOI: 10.1021/jp205915n

Published: August 26, 2011