ANALYTICAL CHEMISTRY

Volume 28, No. 2 Issued February 23, 1956 © Copyright 1956 by the American Chemical Society

Director of Publications, Applied Journals, ACS

C. B. LARRABEE

Editorial Director, Applied Journals, ACS

WALTER J. MURPHY

Executive Editor: JAMES M. CROWE **Science Editor:** LAWRENCE T. HALLETT

Production Manager: JOSEPH H. KUNEY

Associate Editors

Robert G. Gibbs, Stella Anderson, G. Gladys Gordon, Bertha Reynolds, Charlotte C. Sayre, Ruth Cornette, Katherine I. Biggs

Assistant Editors

Betty V. Kieffer, Sue Jones

Editorial Assistants

Ruth C. Laubach, Fern S. Jackson, Ruth M. Howorth, Lois J. Bennett, Marion Wilburn, Marjorie W. Rynders, Joyce A. Richards, Martha Bengston, Ann W. Knox

Staff Artist

Melvin D. Buchner

Contributing Editor R. H. Müller

Advisory Board

H. F. Beeghly, Harvey Diehl,
Robert M. Fowler, Louis Gordon,
W. W. Hilty, Robert Kunin,
Elmer E. Leininger, H. A. Liebhafsky,
J. J. Lingane, Villiers W. Meloche,
O. D. Shreve, V. A. Stenger,
Al Steyermark, P. W. West, J. H. Yoe

This Month's Cover. Reports on current research in analytical chemistry and applied spectroscopy plus demonstrations of modern laboratory equipment will highlight a week-long conference and exposition at Pittsburgh, February 27-March 2. Leading figures in the development of the Seventh Annual Pittsburgh Conference on Analytical Chemistry and Applied Spectroscopy and the Exposition of Modern Laboratory Equipment are (left to right) N. D. Coggeshall, chairman, Spectroscopy Society of Pittsburgh; R. G. Russell, chairman, Pittsburgh Conference; and Henry Freiser, chairman, Analytical Group, Pittsburgh Section, American Chemical Society (see cover). These dual events, sponsored by the Analytical Chemistry Group and the Spectroscopy Society, have attained international recognition. For further details see page 33 A.

CONTENTS EDITORIAL	4.45	
REPORT FOR MANAGE-	145	DDOCD AND AND DDTVIEW
MENT. Sales Departments Depend on the Analyst N. E. Hathaway	7 A	PROGRAM AND PREVIEW Pittsburgh Conference on Analytical Chemistry
ANALYST'S COLUMN	27 A	and Applied Spectros- copy 33 A
NEWS	65 A	Exposition of Modern
ANALYST'S CALENDAR .	66 A	Laboratory Equipment 51 A
LABORATORY OF THE MONTH	69 A	
INSTRUMENTATION R. H. Müller	73 A	NEW PRODUCTS 82 A
READERS' INFORMATION SERVICE	79 A	MANUFACTURERS' LITERATURE 90 A
Scientific and Technic	al Artic	les
Fisher Award Address Precipitation of Sulfides form Homogenet E. H. Swift and E. A. Butler	ous Solutions by	Thioacetamide
Quality Control in Petroleum Research Labo E. J. Newchurch, J. S. Anderson, a	oratory nd E. H. Spence	
Determination of High Boiling Paraffin Hyd F. J. Ludzack and C. E. Whitfield	Irocarbons in Po	lluted Water
Determination of Anionic Detergents in Sur W. A. Moore and R. A. Kolbeson	face Waters and	Sewage with Methyl Green 161
Determination of Low Chemical Oxygen Down W. A. Moore and W. W. Walker	emands of Surfac	e Waters by Dichromate Oxidation 164
Chromatographic Separation and Determine through C ₁₀ and Dicarboxylic Acids C ₁ G. B. Corcoran	ation of Straight	-Chain Saturated Monocarboxylic Acids Ct
Chromatography of α-Keto Acid 2,4-Dinitra Alton Meister and P. A. Abendsche	ophenylhydrazo ein	nes and Their Hydrogenation Products 171
Photometric Determination of Copper in Al J. W. Fulton and Jane Hastings	luminum and Les	ad-Tin Solder with Neocuproine 174
Instrumentation and Principles of Flame Spe Multichannel Flame Spectrometer B. L. Vallee and Marvin Margoshes Effect of Extraneous Ions in Simultaneou Marvin Margoshes and B. L. Vallee	ıs Determination	
Spectrochemical Determination of Trace Qu R. G. Keenan and J. F. Kopp		It in Animal Tissues
Spectrophotometric Determination of Total K. B. McCall	Hemoglobin in	Plasma
Spectrophotometric Studies of Some 2,4-Di L. A. Jones, J. C. Holmes, and R. B	nitrophenylhydr 3. Seligman	azones 191
Spectrophotometric Determination of Iron w J. M. Zehner and T. R. Sweet	_	anilic Acid
Infrared Analysis of Paint Vehicles Based of C. D. Miller and O. D. Shreve	on Alkyd-Nitros	gen Resin Blends
Spectrophotometric Determination of Mag boxanilido)-naphthalene-1'-(2-hydrox C. K. Mann and J. H. Yoe	gnesium with So ybenzene-5-sulfo	odium 1-Azo-2-hydroxy-3-(2,4-dimethylcar- onate)
X-Ray Diffraction Powder Data for Some 1, R. R. Pfeiffer	3,4-Oxadiazole	s
Determination of Equivalent Weights by Ga W. M. Stokes, F. C. Hickey, O.P.,	amma Ray Count and W. A. Fish	ting of lodine-131–Labeled Derivatives 207
Polarography of Potassium Tetraphenylboral A. F. Findeis, Jr., and Thomas de V	t e(III) in <i>N,N'-</i>D ries	imethylformamide
Some Components of Gas Phase of Cigarett J. S. Osborne, Stephen Adamek, an	e Smoke d M. E. Hobbs	
Leaching of Some Fission Products from Some Bernd Kahn	il	216
Colorimetric Determination of p-Acetopher F. J. Bandelin and R. E. Pankratz	netidide	
Standard Potential of Iodine-Iodine Monoc D. F. Bowersox, E. A. Butler, and E.	:yanide Half Ce l . H. Swift	ll
Determination of Sulfuric and Sulfonic Acid L. J. Cali and J. W. Loveland	ds in Sour Oil .	
Separation of Rare Earths from Thorium Nitr M. W. Lerner and G. J. Petretic	ate	
Determination of Cadmium and Zinc Silve Kallmann, C. G. Steele, and N		
Continuous Determination of Trace Amount F. W. Karasek, R. J. Loyd, D. E. Lup	ter, and E. A. H	louser
Meutron Activation Analysis with van de C G. J. Atchison and W. H. Beamer		
Amperometric Titrations of Micromolar Sol J. G. Nikelly and W. D. Cooke	utions	

(Continued on page 4 A)

Three Great Waco **MAGNETIC STIRRERS**



the JUMBO

Five gallon bottles or 12 inch jars can be supported easily on this 11" diameter 8" high stirrer. By far, the most powerful magnetic stirrer . . . used for agitating large volumes in closed systems, under vacuum or pressure, for stirring through heating mantles and for viscous

WACO JUMBO MAGNETIC STIRRER. Complete with 2 teflon-covered stirrer bars, one $^5/_8''$ x $1^1/_2''$, and one $^5/_8''$ x $2^5/_8''$. For 115 volts, 5-60 cycle AC. \$69.50 each.

Standard the

Convenient round shape, 6" diameter, only 4½" high for agitating liquids in closed or open systems, under vacuum or pressure.

WACO STANDARD MAGNETIC STIRRER. Complete with two teflon coated stirring bars, $3/8'' \times 3/4''$ and $3/8'' \times 11/4''$, mounting rod. For 115 volts 50/60 cycles AC. Each \$28.50.

the Junior

Titration stirrer is only 31/4" diameter x 3" high ..ideal size for all titration assemblies. Ideal for micro and semi-micro systems.

WACO JUNIOR TITRATION STIRRER. Complete with monel cased magnetic stirrer with $^{1}/_{2}''$ plastic mounting rod, teflon bar $^{3}/_{8}'' \times ^{3}/_{4}''$. Each \$30.00.



Laboratory Supplies and Equipment WILKENS-ANDERSON CO. 4525 W. Division St. Chicago 51, III.

Circle No. 4 A on Readers' Service Card, page 79 A

CONTENTS, continued

Apparatus for Molecular Filtration			246						
C. F. Hiskey and A. N. Kivert Electrometric Titration of Compounds Containing Positive Chlorine or Bromine									
R. W. Freedman									
W. J. Schmitt, S.J., E. J. Moriconi, and	W. F. C	Connor	249						
Determination of Silicones in Textile Materials G. M. Petty			250						
Titrimetric Determination of Zirconium in Magn P. J. Elving and E. C. Olson	esium A	Alloys	251						
Chromatographic Separation of Alcohols as Xar J. W. Spanyer and J. P. Phillips	nthates		253						
Colorimetric Determination of Aliphatic α -Nitro L. R. Jones and J. A. Riddick	ohydrox	y Compounds	254						
Determination of Total Nitrogen in Reformer Ch R. W. King and W. B. M. Faulconer	harge Sto	ock	255						
Concentration of Solutes for Paper Chromatography									
Determination of Methylol Groups in Phenolic G. A. Stenmark and F. T. Weiss	Resins		260						
Periodate Test for Catechol and Hydroquinone O. M. Windrath			263						
Polarographic Determination of 2-Cyanopyridine									
J. M. S. Jarvie, R. A. Osteryoung, and G. J. Janz Colorimetric Ninhydrin Reaction for Measurement of a-Amino Nitrogen									
Corrections			236						
CRYSTALLOGRAPHIC DATA									
Isovanillin (3-Hydroxy-4-methoxybenzaldeh) H. A. Rose	yde) .		267						
P-Fructose 2,4-Dinitrophenylhydrazone Dioxa F. T. Jones, D. R. Black, and L. M. White	ane Solv e	ate	268						
SCIENTIFIC COMMUNICATION			269						
MEETING REPORT			270						
AIDS FOR THE ANALYST									
Apparatus for Automatic Determination of Gel Time	272	Aluminum Melting Point Block F. F. Anderson	281						
Multiple-Unit Fusion Rack	273	Improved Migration Cell	281						
Electrolytic Oxidation of Plutonium	274	Universal Reactor-Crystallizer-Dryer for Unitized Handling of Several Operations Ray Wendland	282						
Multiple Exposure Film Method of X-Ray Diffraction Powder Analysis J. T. Quen	275	Chromatographic Chamber for Simultaneous Preparation of Many Paper Chromatograms . I. R. Hunter, D. F. Houston, and H. S.	283						
Simplified Method for McLeod Gage Design	276	I. R. Hunter, D. F. Houston, and H. S. Owens							
Peter Lott		Convenient Starch Electrophoresis Apparatus . Kenneth Paigen	284						
Inexpensive Microtitrator	277	Needle Valve Stopcock	286						
Ethylene Carbonate as Cyroscopic Solvent S. K. Gross and Conrad Schuerch	277	T. D. Perrine Heated Vacuum Desiccator	287						
Spinning Band Still for Vacuum Operation R. G. Nester	278	F. T. Wadsworth							
Simple Large Volume Fraction Collector for Column Chromatography Victor Ginsburg	279	Anhydrous Hydrogen Chloride Generator Harry Taniguchi and G. J. Janz Trough for Use in Descending Paper Chroma-	287						
Adaptation of Potassium Bromide Disk Press for Microdisk in Pressing in Vacuo R. A. Pickering	280	J. F. Thompson and M. V. Marion	288						
Evaporator Feeder	280	Packing Adsorbents in Chromatographic Columns	288						

GUIDE FOR AUTHORS, published in December 1955 issue, page 2050, gives copy requirements which should be observed in preparing manuscripts for editorial consideration. Manuscript (2 copies) should be submitted to the Editorial Director, 1155 Sixteenth St., N.W., Washington 6, D. C.

The American Chemical Society assumes no responsibility for the statements and opinions advanced by contributors to its publications. Views expressed in the editorials are those of the editors and do not necessarily represent the official position of the American Chemical Society.

the American Chemical Society.

Published monthly by the American Chemical Society, from 20th and Northampton Sts., Easton, Pa. Executive Offices, Editorial Headquarters, and Circulation Department, 1155 Sixteenth St., N.W., Washington 6, D. C. Advertising Office: 450 Park Ave., New York 22, N. Y. Branch Editorial Offices: 86 East Randolph St., Chicago 1, Ill., 623 West Bldg., Houston 2, Tex.; 2 Park Ave., New York 16, N. Y.; 703 Mechanics' Institute Bldg., San Francisco 4, Calif.; Bush House, Aldwych, London. Entered as second-class matter at the Post Office at Easton, Pa., U.S.A., February 18, 1948, under the Act of March 3, 1879.

	1956 Subscription Rates			
	1 yr.	2 yr.	3 yr.	
Members, foreign and domestic	\$ 4.00	\$ 7.00	\$10.00	
Nonmembers, domestic and Canada	5.00	9.00	12.00	
Nonmembers, foreign except Canada	15.00	27.50	40.00	

Postage to countries not in the Pan-American Union \$1.50 yearly. Canadian postage \$0.50 yearly. Single copies: current issues, \$1.50 (April, issued in two parts, priced at \$2.00). Claims for missing numbers will not be allowed if received more than 60 days from date of mailing plus time normally required for postal delivery of journal and claim. No claims allowed from subscribers in Central Europe, Asia, or the Pacific Islands other than Hawaii, or because of failure to notify the Circulation Department of a change of address, or because copy is "missing from files." CHANGE OF ADDRESS: Notify Circulation Department, American Chemical Society, 1155 Sixteenth St., N.W., Washington 6, D. C. Such notification should include both old and new addresses and postal zone number, if any. The American Chemical Society also publishes: Industrial and Engineering Chemistry, Chemical And Engineering Chemistry, Chemical And Engineering Chemistry, Chemical And Engineering Chemistry, Journal of Agricultural and Food Chemistry, and The Journal of Physical Chemistry, Journal of Agricultural and Food Chemistry, and The Journal of Chemistry Rates on request.

Journal of Organic Chamistry. Rates on request.