

# ChemComm


Chemical Communications

www.rsc.org/chemcomm

RSC Publishing is a not-for-profit publisher and a division of the Royal Society of Chemistry. Any surplus made is used to support charitable activities aimed at advancing the chemical sciences. Full details are available from www.rsc.org


## IN THIS ISSUE

ISSN 1359-7345 CODEN CHCOFS (12) 1241–1340 (2006)



### Cover

A schematic illustration of the assembled structural changes of liquid crystalline complexes based on a triphenylphosphine oxide from columnar simple stack to cubic and to columnar sandwich induced by metal cation–phosphine oxide interactions. Image reproduced by permission of Tsukasa Hatano and Takashi Kato from *Chem. Commun.*, 2006, 1277.



### Inside cover

View of a photoswitchable bis(azobenzene) silicon phthalocyanine triad over the Palm Grove of Elche, a UNESCO World Heritage Site, at both sunrise and sunset. Image reproduced by permission of José L. Rodríguez-Redondo, Ángela Sastre-Santos, Fernando Fernández-Lázaro, Dilcelli Soares, Gianluca C. Azzellini, Bevan Elliott and Luis Echegoyen from *Chem. Commun.*, 2006, 1265.


## FEATURE ARTICLE

1253

### Palladium-catalyzed direct arylation of simple arenes in synthesis of biaryl molecules

Louis-Charles Campeau and Keith Fagnou\*

Intramolecular and intermolecular catalytic direct arylation reactions of simple arenes: methodological development and application in organic synthesis.



## COMMUNICATIONS


1265



### Phthalocyanine-modulated isomerization behaviour of an azo-based photoswitch

José L. Rodríguez-Redondo, Ángela Sastre-Santos, Fernando Fernández-Lázaro,\* Dilcelli Soares, Gianluca C. Azzellini,\* Bevan Elliott and Luis Echegoyen\*

Selective excitation of the phthalocyanine moiety of a photoswitchable azobenzene–phthalocyanine–azobenzene triad allows for modification of the *E*–*Z* ratio, which in turn controls the emission intensity of the phthalocyanine.



## EDITORIAL STAFF

**Editor**

Sarah Thomas

**Deputy editor**

Kathryn Sear

**Assistant editors**Sarah Dixon, Nicola Nugent, Alison Stoddart,  
Katherine Vickers, Jenna Wilson**Publishing assistants**Jackie Cockrill, Jayne Drake, Jayne Gough,  
Rachel Hegarty**Team leader, serials production**

Helen Saxton

**Technical editors**Celia Clarke, Laura Howes, Sandra Jones,  
Caroline Moore, David Parker, Michael Smith,  
Ken Wilkinson**Administration coordinator**

Sonya Spring

**Editorial secretaries**Lynne Braybrook, Donna Fordham, Jill Segev,  
Julie Thompson**Publisher**

Adrian Kybett

Chemical Communications (print: ISSN 1359-7345; electronic: ISSN 1364-548X) is published 48 times a year by the Royal Society of Chemistry, Thomas Graham House, Science Park, Milton Road, Cambridge, UK CB4 0WF. All orders, with cheques made payable to the Royal Society of Chemistry, should be sent to RSC Distribution Services, c/o Portland Customer Services, Commerce Way, Colchester, Essex, UK CO2 8HP. Tel +44 (0)1206 226050; E-mail [sales@rscdistribution.org](mailto:sales@rscdistribution.org)

2006 Annual (print + electronic) subscription price: £1745; US\$3193. 2006 Annual (electronic) subscription price: £1570; US\$2874. Customers in Canada will be subject to a surcharge to cover GST. Customers in the EU subscribing to the electronic version only will be charged VAT. If you take an institutional subscription to any RSC journal you are entitled to free, site-wide web access to that journal. You can arrange access via Internet Protocol (IP) address at [www.rsc.org/ip](http://www.rsc.org/ip). Customers should make payments by cheque in sterling payable on a UK clearing bank or in US dollars payable on a US clearing bank. Periodicals postage paid at Rahway, NJ, USA and at additional mailing offices. Airfreight and mailing in the USA by Mercury Airfreight International Ltd., 365 Blair Road, Avenel, NJ 07001, USA. US Postmaster: send address changes to Chemical Communications, c/o Mercury Airfreight International Ltd., 365 Blair Road, Avenel, NJ 07001. All despatches outside the UK by Consolidated Airfreight. PRINTED IN THE UK

© The Royal Society of Chemistry, 2006. Apart from fair dealing for the purposes of research or private study for non-commercial purposes, or criticism or review, as permitted under the Copyright, Designs and Patents Act 1988 and the Copyright and Related Rights Regulations 2003, this publication may only be reproduced, stored or transmitted, in any form or by any means, with the prior permission in writing of the Publisher or in the case of reprographic reproduction in accordance with the terms of licences issued by the Copyright Licensing Agency in the UK. US copyright law is applicable to users in the USA. The Royal Society of Chemistry takes reasonable care in the preparation of this publication but does not accept liability for the consequences of any errors or omissions. Inclusion of an item in this publication does not imply endorsement by The Royal Society of Chemistry of the content of the original documents to which that item refers.

## ChemComm

Chemical Communications

[www.rsc.org/chemcomm](http://www.rsc.org/chemcomm)

## EDITORIAL BOARD

**Chairman**Roeland J. M. Nolte, Nijmegen, The Netherlands  
[nolte@sci.kun.nl](mailto:nolte@sci.kun.nl)Shankar Balasubramanian, Cambridge, UK  
[sb10031@cam.ac.uk](mailto:sb10031@cam.ac.uk)Hans-Ulrich Blaser, Solvias AG, Switzerland  
[hans-ulrich.blaser@SOLVIAS.com](mailto:hans-ulrich.blaser@SOLVIAS.com)P. Andrew Evans, Bloomington, USA  
[chemcomm@indiana.edu](mailto:chemcomm@indiana.edu)Alois Fürstner, Mülheim, Germany  
[fuerstner@mpi-muelheim.mpg.de](mailto:fuerstner@mpi-muelheim.mpg.de)David Haddleton, Warwick, UK  
[D.M.Haddleton@warwick.ac.uk](mailto:D.M.Haddleton@warwick.ac.uk)Donald Hilvert, Zürich, Switzerland  
[hilvert@org.chem.ethz.ch](mailto:hilvert@org.chem.ethz.ch)Mir Wais Hosseini, Strasbourg, France  
[hosseini@chimie.u-strasbg.fr](mailto:hosseini@chimie.u-strasbg.fr)Barbara Imperiali, Cambridge, USA  
[chemcomm@mit.edu](mailto:chemcomm@mit.edu)Nazario Martín, Madrid, Spain  
[nazmar@quim.ucm.es](mailto:nazmar@quim.ucm.es)Dermot O'Hare, Oxford, UK  
[chemcomm@chem.ox.ac.uk](mailto:chemcomm@chem.ox.ac.uk)Ryong Ryoo, Taejeon, Korea  
[rryoo@kaist.ac.kr](mailto:rryoo@kaist.ac.kr)Ferdi Schüth, Mülheim, Germany  
[schueth@mpi-muelheim.mpg.de](mailto:schueth@mpi-muelheim.mpg.de)Jonathan L. Sessler, Austin, USA  
[chemcomm@cm.utexas.edu](mailto:chemcomm@cm.utexas.edu)T. Don Tilley, Berkeley, USA  
[chemcomm@berkeley.edu](mailto:chemcomm@berkeley.edu)

## ASSOCIATE EDITORS

All submissions should be sent via ReSource:

<http://www.rsc.org/resource>

Manuscripts from North America should be submitted to the appropriate Associate Editor:

**Supramolecular**

Jonathan L. Sessler

**Organic**

P. Andrew Evans

**Chemical biology**

Barbara Imperiali

**Inorganic, Organometallic and Materials**

T. Don Tilley

Submissions from all other regions should be submitted to the Editor via ReSource at <http://www.rsc.org/resource>. For further information see <http://www.rsc.org/authors>

## SCIENTIFIC EDITORS

The Scientific Editors welcome enquiries from potential authors regarding the submission and scientific content of papers. For more information please see <http://www.rsc.org/authors>

Dermot O'Hare  
Donald Hilvert  
Mir Wais Hosseini  
Alois Fürstner

## EDITORIAL ADVISORY BOARD

Varinder Aggarwal, Bristol, UK  
Takuzo Aida, Tokyo, Japan  
Frank Allen, CCDC, Cambridge, UK  
Jerry L. Atwood, Columbia, USA  
Dario Braga, Bologna, Italy  
Jillian M. Buriak, Alberta, Canada  
Derrick Clive, Alberta, Canada  
Marcetta Darensbourg, College Station, USA  
Gregory C. Fu, Cambridge, USA  
Tohru Fukuyama, Tokyo, Japan  
Lutz Gade, Heidelberg, Germany  
Philip Gale, Southampton, UK  
George W. Gokel, St Louis, USA  
Craig Hawker, Santa Barbara, USA  
Andrew B. Holmes, Melbourne, Australia  
Amir Hoveyda, Boston, USA  
Kazuyuki Kuroda, Tokyo, Japan

Jérôme Lacour, Geneva, Switzerland  
David MacMillan, Pasadena, USA  
E. W. 'Bert' Meijer, Eindhoven, The Netherlands  
Jason Micklefield, Manchester, UK  
Achim Müller, Bielefeld, Germany  
Catherine Murphy, South Carolina, USA  
Atsuhiko Osuka, Kyoto, Japan  
Ian Paterson, Cambridge, UK  
Maurizio Prato, Trieste, Italy  
Christopher A. Reed, Riverside, USA  
Robin Rogers, Alabama, USA  
Michael Sailor, San Diego, USA  
Jonathan W. Steed, Durham, UK  
Carsten Tschierske, Halle, Germany  
Herbert Waldmann, Dortmund, Germany  
Henry N. C. Wong, Hong Kong, PR China

**Advertisement sales:** Tel +44 (0) 1223 432246; Fax +44 (0) 1223 426017; E-mail [advertising@rsc.org](mailto:advertising@rsc.org)

☞ The paper used in this publication meets the requirements of ANSI/NISO Z39.48-1992 (Permanence of Paper).

Royal Society of Chemistry: Registered Charity No. 207890.


Authors may reproduce/republish portions of their published contribution without seeking permission from the RSC, provided that any such republication is accompanied by an acknowledgement in the form: (Original Citation)–Reproduced by permission of The Royal Society of Chemistry.

1268

### Synthesis of highly loaded Cu/Ce mesoporous silica. Active catalyst for the simultaneous reduction of SO<sub>2</sub> and NO with CO

Constantinos C. Pantazis\* and Philippos J. Pomonis

Highly loaded (15 wt.%) Cu/Ce mesoporous silica with high thermal stability and metal dispersion. This catalytic system was the first bimetallic mesoporous silica successfully tested for the simultaneous reduction of SO<sub>2</sub> and NO with CO.




1271

### Mechanism of cellulose dissolution in the ionic liquid 1-*n*-butyl-3-methylimidazolium chloride: a <sup>13</sup>C and <sup>35/37</sup>Cl NMR relaxation study on model systems

Richard C. Remsing, Richard P. Swatloski, Robin D. Rogers\* and Guillermo Moyna\*

<sup>13</sup>C and <sup>35/37</sup>Cl NMR relaxation measurements on several model systems demonstrate that the solvation of cellulose by the ionic liquid (IL) 1-*n*-butyl-3-methylimidazolium chloride ([C<sub>4</sub>mim]Cl) involves hydrogen-bonding between the carbohydrate hydroxyl protons and the IL chloride ions in a 1 : 1 stoichiometry.




1274

### Structures and phase transition of multi-layered water nanotube confined to nanochannels

Makoto Tadokoro,\* Syoko Fukui, Tadanori Kitajima, Yuki Nagao, Shin'ichi Ishimaru, Hiroshi Kitagawa, Kiyoshi Isobe and Kazuhiro Nakasuji

A huge water nano-cluster (water nano-tube) stabilized by a molecular porous crystal has a phase transition between condensation and fusion of water molecules inside the channels.




1277

### A columnar liquid crystal based on triphenylphosphine oxide—its structural changes upon interaction with alkaline metal cations


Tsukasa Hatano and Takashi Kato\*

A triphenylphosphine oxide (TPPO) compound bearing 3,4,5-tridodecyloxybenzyloxy moieties exhibits a columnar liquid crystalline phase, and by changing its self-assembled structure, is responsive to alkaline metal cations due to cation–phosphine oxide interactions.





1280




### A synthetic receptor for phosphocholine esters

Felix H. Zelder, Riccardo Salvio and Julius Rebek Jr.\*

A bifunctional Zn-salen modified cavitand, reminiscent of the enzyme phospholipase C, shows high efficiency and synergic effect in the binding of the phospholipid DOPC.

1283




### Sulfur, normally a poison, strongly promotes chemoselective catalytic hydrogenation: stereochemistry and reactivity of crotonaldehyde on clean and S-modified Cu(111)

May E. Chiu, Georgios Kyriakou, Federico J. Williams, David J. Watson, Mintcho S. Tikhov and Richard M. Lambert\*

Sulfur adatoms strongly activate the otherwise inert Cu(111) surface towards chemoselective hydrogenation of crotonaldehyde by electronically perturbing and strongly tilting the reactant.

1286




### A coordination $\pi$ - $\pi$ framework exhibits spontaneous magnetization

Lu-Lin Li, Kuan-Jiuh Lin,\* Chin-Jun Ho, Chia-Pin Sun and Hung-Duen Yang\*

A  $\pi$ - $\pi$  scaffolding framework comprising alternating  $\Delta$ - and  $\Lambda$ -iron(II) chiral building units,  $[\text{Fe}^{\text{II}}(\Delta)\text{Fe}^{\text{II}}(\Lambda)(\text{ox})_2(\text{phen})_2]_n$ , reveals spontaneous magnetization that gives rise to pronounced hysteresis loops below 10 K.

1289



### Improving catalytic properties of P450 BM3 haem domain electrodes by molecular Lego

Andrea Fantuzzi, Yergalem T. Meharena, Paul B. Briscoe, Carlo Sassone, Beatrice Borgia and Gianfranco Gilardi\*

The communication shows how the catalytic properties of cytochrome P450 BM3 immobilised onto an electrode surface are improved by means of the molecular Lego approach. The P450 activity is measured in terms of the amount of *p*-nitrocatechol product formed. When the P450 catalytic module is linked to flavodoxin a 6-fold improvement is demonstrated.


## COMMUNICATIONS

1292

### Growth of FePt nanocrystals by a single bimetallic precursor $[(\text{CO})_3\text{Fe}(\mu\text{-dppm})(\mu\text{-CO})\text{PtCl}_2]$

Hyon Min Song, Jung Hoon Hong, Yong Bok Lee, Wan Seop Kim, Youngmee Kim, Sung-Jin Kim and Nam Hwi Hur\*

Face-centered tetragonal FePt nanoparticles were synthesized from the bimetallic compound  $(\text{CO})_3\text{Fe}(\mu\text{-dppm})(\mu\text{-CO})\text{PtCl}_2$ . This process represents an important step toward the synthesis of ferromagnetic nanoparticles which serve as a high density magnetic media matrix.




1295

### Lewis and Brønsted multifunctionality: an unusual heterocycle from the reaction of bis(pentafluorophenyl)borinic acid with nitriles

George J. P. Britovsek,\* Juri Ugolotti, Patricia Hunt and Andrew J. P. White

The combination of Lewis and Brønsted acidity as well as Lewis basicity in  $(\text{C}_6\text{F}_5)_2\text{BOH}$  results in a remarkable reactivity towards organonitriles to give novel heterocyclic compounds containing a BOBOCN ring.




1298

### Enzyme stabilizer DTT catalyzes nitrilase analogue hydrolysis of nitriles

Margit Winkler, Anton Glieder and Norbert Klemperer\*

Amides are the dominating products in some nitrilase catalyzed conversions of  $\alpha$ -activated nitriles. Unexpectedly this hydrolytic reaction is also catalyzed by 1,4-dithio-DL-threitol (DTT), a standard antioxidizing enzyme stabilizer.




R = Nitrilase or 1,4-Dithio-DL-threitol (DTT)

1301

### Bridging ligand planarity as a route to long-lived, near infrared emitting dinuclear ruthenium(II) complexes


Matthew I. J. Polson, Frédérique Loiseau, Sebastiano Campagna\* and Garry S. Hanan\*

The solid-state structure, redox behaviour and photophysical properties of a long-lived, near infrared emitting dinuclear ruthenium(II) complex are reported.



## COMMUNICATIONS


1304

**A doubly folded spacer in a self-assembled hybrid material**

Hicham Elhamzaoui, Bernard Jousseume,\*  
Thierry Toupance, Cécile Zakri, Monique Biesemans,  
Rudolph Willem and Hassan Allouchi

The hydrolysis of a bridged  $\alpha,\omega$ -bis(trialkynylstannylated) compound leads to a hybrid material ordered by self-assembly where the spacer forms two six-membered [1,2]oxastanninane rings by intramolecular coordination.


1307

**TEMPO-mediated, room temperature synthesis of pure CoO nanoparticles**

Anna Lagunas, Antoni Mairata i Payeras, Ciril Jimeno and Miquel A. Pericàs\*

Monodisperse CoO nanoparticles (*ca.* 3.0 nm diameter) can be prepared at room temperature by TEMPO-mediated decarbonylation of dicobalt octacarbonyl. Controlled aggregation of the nanoparticles can be used for the preparation of hybrid materials.


1310

**Chemically induced enhancement of the opto-electronic response of *Halobacterium* purple membrane monolayer**

Yongdong Jin, Noga Friedman, David Cahen\* and Mordechai Sheves\*

Monolayers of the bacteriorhodopsin-containing purple membrane (PM) on a substrate show a significantly enhanced photovoltage after PM acetylation, probably due to an improved orientation of the PM on the surface.

1313

**Pyridines *via* solid-supported [2 + 2 + 2] cyclotrimerization**

Ramesh S. Senaiar, Douglas D. Young and Alexander Deiters\*

The cobalt-catalyzed [2 + 2 + 2] cyclotrimerization of two alkynes and a nitrile was conducted on a solid-support. This represents the first selective crossed pyridine formation using two different alkynes.


## COMMUNICATIONS

1316

### 2-Diazoacetoacetic acid, an efficient and convenient reagent for the synthesis of $\alpha$ -diazo- $\beta$ -ketoesters

Michael E. Meyer, Eric M. Ferreira and Brian M. Stoltz\*

The formation of various  $\alpha$ -diazo acetoacetic esters can be obtained in a single transformation with good to excellent yields using readily available 2-diazoacetoacetic acid.




1319

### A structurally characterized Ni–Al methyl-bridged complex with catalytic ethylene oligomerization activity

Zhiqiang Weng, Shihui Teo, Lip Lin Koh and T. S. Andy Hor\*

A bimetallic Ni–Al (2.5087(15) Å) complex  $[\eta\text{-C}_5\text{H}_4\text{CH}=\text{N}(\text{C}_6\text{F}_5)]\text{Fe}[\eta\text{-C}_5\text{H}_4\text{PPh}_2]\text{Ni}(\text{AlMe}_3)$  that mimics the active intermediate in the “Ziegler Nickel Effect” has been isolated and crystallographically established. It is active towards ethylene oligomerization under moderate conditions.




1322

### Ultrafast enzyme immobilization over large-pore nanoscale mesoporous silica particles

Junming Sun, He Zhang, Ruijun Tian, Ding Ma,\* Xinhe Bao,\* Dang Sheng Su and Hanfa Zou

Nanoscale silica particles with ordered large mesopores ( $\sim 13$  nm) have an unusual ultrafast biomolecule adsorption speed, and the amount of enzyme that can be immobilized is larger than that of conventional mesoporous silica, which has potential applications in the fast separation of biomolecules.



1325


### Selective catalytic activity of ball-shaped Pd@MCM-48 nanocatalysts

Hee-Yoon Lee,\* Suyoung Ryu, Hongkyu Kang, Young-wook Jun and Jinwoo Cheon\*



## COMMUNICATIONS

1328




### Synthesis of Ru–Pt and Ru–Pd mixed-metal imido clusters from a diruthenium imido-methylene scaffold [(Cp\*Ru)<sub>2</sub>( $\mu_2$ -NPh)( $\mu_2$ -CH<sub>2</sub>)]

Shin Takemoto, Hidenobu Morita, Ken Kamikawa and Hiroyuki Matsuzaka\*

The diruthenium complex **1** serves as a bifunctional scaffold for cluster synthesis, producing a  $\mu_3$ -imido  $\text{Ru}_2\text{Pt}$  cluster on treatment with a Pt(0) complex and a  $\mu_3$ -methyldiene  $\text{Ru}_4\text{Pd}_2$  cluster with a Pd(II) complex.

1331



### Pressure effect on the electrical conductivity and superconductivity of $\beta$ -(BDA-TTP)<sub>2</sub>I<sub>3</sub>

Jun-ichi Yamada,\* Kazuya Fujimoto, Hiroki Akutsu, Shin'ichi Nakatsuji, Akira Miyazaki, Masashi Aimitsu, Satoshi Kudo, Toshiaki Enoki and Koichi Kikuchi

Pressure application of up to 14 kbar dramatically changes the electrical conductivity behaviour of  $\beta$ -(BDA-TTP)<sub>2</sub>I<sub>3</sub> and, simultaneously, induces superconductivity with an onset temperature of around 10 K.

## ADDITION AND CORRECTION

1334

Hisahiro Hagiwara,\* Yoshitaka Sugawara, Takashi Hoshi and Toshio Suzuki

**Sustainable Mizoroki–Heck reaction in water: remarkably high activity of Pd(OAc)<sub>2</sub> immobilized on reversed phase silica gel with the aid of an ionic liquid**



## AUTHOR INDEX

- Aimatsu, Masashi, 1331  
 Akutsu, Hiroki, 1331  
 Allouchi, Hassan, 1304  
 Azzellini, Gianluca C., 1265  
 Bao, Xinhe, 1322  
 Biesemans, Monique, 1304  
 Borgia, Beatrice, 1289  
 Briscoe, Paul B., 1289  
 Britovsek, George J. P., 1295  
 Cahen, David, 1310  
 Campagna, Sebastiano, 1301  
 Campeau, Louis-Charles, 1253  
 Cheon, Jinwoo, 1325  
 Chiu, May E., 1283  
 Deiters, Alexander, 1313  
 Echegoyen, Luis, 1265  
 Elhamzaoui, Hicham, 1304  
 Elliott, Bevan, 1265  
 Enoki, Toshiaki, 1331  
 Fagnou, Keith, 1253  
 Fantuzzi, Andrea, 1289  
 Fernández-Lázaro, Fernando, 1265  
 Ferreira, Eric M., 1316  
 Friedman, Noga, 1310  
 Fujimoto, Kazuya, 1331  
 Fukui, Syoko, 1274  
 Gilardi, Gianfranco, 1289  
 Glieder, Anton, 1298  
 Hanan, Garry S., 1301  
 Hatano, Tsukasa, 1277  
 Ho, Chin-Jun, 1286  
 Hong, Jung Hoon, 1292  
 Hor, T. S. Andy, 1319  
 Hunt, Patricia, 1295  
 Hur, Nam Hwi, 1292  
 Ishimaru, Shin'ichi, 1274  
 Isobe, Kiyoshi, 1274  
 Jimeno, Ciril, 1307  
 Jin, Yongdong, 1310  
 Jousseume, Bernard, 1304  
 Jun, Young-wook, 1325  
 Kamikawa, Ken, 1328  
 Kang, Hongkyu, 1325  
 Kato, Takashi, 1277  
 Kikuchi, Koichi, 1331  
 Kim, Sung-Jin, 1292  
 Kim, Wan Seop, 1292  
 Kim, Youngmee, 1292  
 Kitagawa, Hiroshi, 1274  
 Kitajima, Tadanori, 1274  
 Klempier, Norbert, 1298  
 Koh, Lip Lin, 1319  
 Kudo, Satoshi, 1331  
 Kyriakou, Georgios, 1283  
 Lagunas, Anna, 1307  
 Lambert, Richard M., 1283  
 Lee, Hee-Yoon, 1325  
 Lee, Yong Bok, 1292  
 Li, Lu-Lin, 1286  
 Lin, Kuan-Jiuh, 1286  
 Loiseau, Frédérique, 1301  
 Ma, Ding, 1322  
 Mairata i Payeras, Antoni, 1307  
 Matsuzaka, Hiroyuki, 1328  
 Meharenn, Yergalem T., 1289  
 Meyer, Michael E., 1316  
 Miyazaki, Akira, 1331  
 Morita, Hidenobu, 1328  
 Moyna, Guillermo, 1271  
 Nagao, Yuki, 1274  
 Nakasuji, Kazuhiro, 1274  
 Nakatsuji, Shin'ichi, 1331  
 Pantazis, Constantinos C., 1268  
 Pericàs, Miquel A., 1307  
 Polson, Matthew I. J., 1301  
 Pomonis, Philippos J., 1268  
 Rebek Jr., Julius, 1280  
 Remsing, Richard C., 1271  
 Rodríguez-Redondo, José L., 1265  
 Rogers, Robin D., 1271  
 Ryu, Suyoung, 1325  
 Salvio, Riccardo, 1280  
 Sassone, Carlo, 1289  
 Sastre-Santos, Ángela, 1265  
 Senaiar, Ramesh S., 1313  
 Sheves, Mordechai, 1310  
 Soares, Dilceli, 1265  
 Song, Hyon Min, 1292  
 Stoltz, Brian M., 1316  
 Su, Dang Sheng, 1322  
 Sun, Chia-Pin, 1286  
 Sun, Junming, 1322  
 Swatloski, Richard P., 1271  
 Tadokoro, Makoto, 1274  
 Takemoto, Shin, 1328  
 Teo, Shihui, 1319  
 Tian, Ruijun, 1322  
 Tikhov, Mintcho S., 1283  
 Toupance, Thierry, 1304  
 Ugolotti, Juri, 1295  
 Watson, David J., 1283  
 Weng, Zhiqiang, 1319  
 White, Andrew J. P., 1295  
 Willem, Rudolph, 1304  
 Williams, Federico J., 1283  
 Winkler, Margit, 1298  
 Yamada, Jun-ichi, 1331  
 Yang, Hung-Duen, 1286  
 Young, Douglas D., 1313  
 Zakri, Cécile, 1304  
 Zelder, Felix H., 1280  
 Zhang, He, 1322  
 Zou, Hanfa, 1322

## FREE E-MAIL ALERTS AND RSS FEEDS


Contents lists in advance of publication are available on the web *via* [www.rsc.org/chemcomm](http://www.rsc.org/chemcomm) – or take advantage of our free e-mail alerting service ([www.rsc.org/ej\\_alert](http://www.rsc.org/ej_alert)) to receive notification each time a new list becomes available.

**RSS** Try our RSS feeds for up-to-the-minute news of the latest research. By setting up RSS feeds, preferably using feed reader software, you can be alerted to the latest Advance Articles published on the RSC web site. Visit [www.rsc.org/publishing/technology/rss.asp](http://www.rsc.org/publishing/technology/rss.asp) for details.

## ADVANCE ARTICLES AND ELECTRONIC JOURNAL

Free site-wide access to Advance Articles and electronic form of this journal is provided with a full-rate institutional subscription. See [www.rsc.org/ejs](http://www.rsc.org/ejs) for more information.

\* Indicates the author for correspondence: see article for details.

 Electronic supplementary information (ESI) is available *via* the online article (see <http://www.rsc.org/esi> for general information about ESI).



**A high-impact chemical biology journal with a particular focus at the interface between chemistry and the -omic sciences and systems biology.**

**See for yourself – examples of papers are listed below.**

**For further details and to submit your best work, visit [www.molecularbiosystems.org](http://www.molecularbiosystems.org)**

## New and recent articles:

### Reviews and Highlights

Establishment of the platform for reverse chemical genetics targeting novel protein–protein interactions

*Hisashi Koga*

Molecular mechanisms of ethylene signaling in *Arabidopsis*

*Larissa M. Benavente and Jose M. Alonso*

### Papers and Methods

The comparative metabolomics of age-related changes in the urinary composition of male Wistar-derived and Zucker (fa/fa) obese rats

*R. E. Williams, E. M. Lenz, M. Rantalainen and I. D. Wilson*

Conformational chemistry of surface-attached calmodulin detected by acoustic shear wave propagation

*Xiaomeng Wang, Jonathan S. Ellis, Emma-Louise Lyle, Priyanka Sundaram and Michael Thompson*

### Opinion

Small molecules in an RNAi world

*Ulrike S. Eggert, Christine M. Field and Timothy J. Mitchison*

Immunomodulatory effects of *Pseudomonas aeruginosa* quorum sensing small molecule probes on mammalian macrophages

*Gemma L. Thomas, Christine M. Böhner, Hannah E. Williams, Catherine M. Walsh, Mark Ladlow, Martin Welch, Clare E. Bryant and David R. Spring*

Simple SNP typing assay using a base-discriminating fluorescent probe

*Akimitsu Okamoto, Kazuki Tainaka, Yuji Ochi, Keiichiro Kanatani and Isao Saito*