Catalysis Science & Technology

A multidisciplinary journal focussing on all fundamental science and technological aspects of catalysis www.rsc.org/catalysis

RSC Publishing is a not-for-profit publisher and a division of the Royal Society of Chemistry. Any surplus made is used to support charitable activities aimed at advancing the chemical sciences. Full details are available from www.rsc.org


IN THIS ISSUE

ISSN 2044-4753 CODEN CSTAGD 3(4) 821-1152 (2013)



Cover

See Kröcher et al., pp. 942-951. Image reproduced by permission of Oliver Kröcher from Catal. Sci. Technol.. 2013, 3, 942.



Inside cover

See Richards et al., pp. 900-911. Image reproduced by permission of Ryan M. Richards from Catal. Sci. Technol., 2013, 3, 900.


PERSPECTIVES

833

New trends in the synthesis of crystalline microporous materials

Giuseppe Bellussi, Angela Carati, Caterina Rizzo and Roberto Millini*

This perspective article focuses on the challenges, recent progress and research directions in the preparation of microporous materials for applications in heterogeneous catalysis.




858

The potential of spectroscopic methods applied to heterogeneous catalysts for olefin polymerization

Elena Groppo,* Kalaivani Seenivasan and Caterina Barzan

Spectroscopic methods have the potential to reach a detailed understanding of the active sites in heterogeneous catalysts for olefin polymerization; this target has a high industrial and economic impact.



EDITORIAL STAFF

Managing editor

Jamie Humphrey

Deputy editor

Fiona McKenzie

Senior publishing editor

Andrew Shore

Development editor

Matthew Cude

Publishing editors

Rachel Cooper, Debora Giovanelli, Helen Lunn, Amy Middleton-Gear, Kirsty Muirhead, Jennifer Newton, Michael Parkin, Elizabeth Woodhouse

Publishing assistants

Kate Bandoo, Emily Barbour

Publisher

Niamh O'Connor

For queries about submitted articles please contact Andrew Shore, Senior Publishing Editor, in the first instance. E-mail catalysis@rsc.org

For pre-submission gueries please contact Jamie Humphrey, Managing editor. E-mail catalysis-rsc@rsc.org

Catalysis Science & Technology (print: ISSN 2044-4753; electronic: ISSN 2044-4761) is published monthly by the Royal Society of Chemistry, Thomas Graham House, Science Park, Milton Road, Cambridge, UK CB4 0WF.

All orders, with cheques made payable to the Royal Society of Chemistry, should be sent to RSC, Order Department, Royal Society of Chemistry, Thomas Graham House, Science Park, Milton Road, Cambridge, CB4 0WF, UK

Tel +44 (0)1223 432398; E-mail orders@rsc.org

2013 Annual (print + electronic) subscription price: £1550; US\$2713. 2013 Annual (electronic) subscription price: £1473; US\$2577. Customers in Canada will be subject to a surcharge to cover GST. Customers in the EU subscribing to the electronic version only will be charged VAT.

If you take an institutional subscription to any RSC journal you are entitled to free, site-wide web access to that journal. You can arrange access via Internet Protocol (IP) address at www.rsc.org/ip. Customers should make payments by cheque in sterling payable on a UK clearing bank or in US dollars payable on a US clearing bank.

US Postmaster: send address changes to Catalysis Science & Technology, c/o Mercury Airfreight International Ltd., 365 Blair Road, Avenel, NJ 07001.

All despatches outside the UK by Consolidated Airfreight.

Advertisement sales: Tel +44 (0) 1223 432246; Fax +44 (0) 1223 426017; E-mail advertising@rsc.org

For marketing opportunities relating to this journal, contact marketing@rsc.org

Catalysis Science & Technology

A multidisciplinary journal focussing on all fundamental science and technological aspects of catalysis

www.rsc.org/catalysis

RSC Publishing is a not-for-profit publisher and a division of the Royal Society of Chemistry. Any surplus made is used to support charitable activities aimed at advancing the chemical sciences. Full details are available from www.rsc.org

EDITORIAL BOARD

Co-Editors-in-Chief

Piet van Leeuwen, Institute of Chemical Research of Catalonia (ICIQ), Spain

Noritaka Mizuno. University of Tokyo, Japan

Associate Editors

Paul Chirik Princeton University, USA Paul Kamer University of St Andrews, UK Javier Pérez-Ramírez, ETH Zürich. Switzerland Tsunehiro Tanaka,

Members

Kuiling Ding, Shanghai Institute of Organic Chemistry, China Dervn Foga. University of Ottawa, Canada Stan Golunski, University of Cardiff, UK David Jackson,

University of Glasgow, UK Axel Knop-Gericke, Fritz Haber Institute of the

Max Planck Society, Germany Johannes de Vries. DSM Research/University of Groningen, The Netherlands

ADVISORY BOARD

Kyoto University, Japan

Isabel Arends, Delft University of Technology, The Netherlands Alfons Baiker, ETH Zurich, Switzerland Robin Bedford, University of Bristol, UK George Britovsek, Imperial College London, UK

Bruno Chaudret, National Centre of Scientific Research (CNRS), France Michel Che, Université Pierre et Marie Curie, France

Chien-Tien Chen, National Tsing Hua University, Taiwan

Matt Clarke, University of St Andrews, UK Christophe Coperet, ETH Zurich,

Avelino Corma, Valencia University, Spain Antoni Llobet, ICIQ, Spain Richard Crooks, The University of Texas at Guildo Mul, Twente University, The

lan Fairlamb, University of York, UK

Ben Feringa, University of Groningen, The Netherlands

John Fossey, University of Birmingham,

Greg Fu, California Institute of Technology, USA

Belfast, UK

Bruce Gates, University of California, USA James J. Spivey, Louisiana State Gideon Grogan, University of York, UK Chris Hardacre, Queen's University

John Hartwig, University of Illinois, USA Graham Hutchings, University of Cardiff,

Can Li, Dalian Institute of Chemical Physics, China

Kyoko Nozaki, University of Tokyo, Japan

Steven Nolan, University of St Andrews,

Robert M. Rioux, The Pennsylvania State University, USA

Tito Scaiano, University of Ottawa, Canada

University, USA

Mizuki Tada, University of Tokyo, Japan Franklin Tao, University of Notre Dame,

Nick Turner, Manchester University. UK Andv York, Johnson Matthev, UK Francisco Zaera, University of California,

INFORMATION FOR AUTHORS

Full details on how to submit material for publication in Catalysis Science & Technology are given in the Instructions for Authors (available from http://www.rsc.org/authors). Submissions should be made via the journal's homepage: http://www.rsc.org/catalysis.

Authors may reproduce/republish portions of their published contribution without seeking permission from the RSC, provided that any such republication is accompanied by an acknowledgement in the form: (Original Citation)-Reproduced by permission of The Royal Society of Chemistry.

This journal is © The Royal Society of Chemistry 2013. Apart from fair dealing for the purposes of research or private study for non-commercial purposes, or criticism or review, as permitted under the Copyright, Designs and

Patents Act 1988 and the Copyright and Related Rights Regulation 2003, this publication may only be reproduced, stored or transmitted, in any form or by any means, with the prior permission in writing of the Publishers or in the case of reprographic reproduction in accordance with the terms of licences issued by the Copyright Licensing Agency in the UK. US copyright law is applicable to users in the USA.

The Royal Society of Chemistry takes reasonable care in the preparation of this publication but does not accept liability for the consequences of any errors or omissions.

requirements of ANSI/NISO Z39.48-1992 (Permanence of Paper).

Royal Society of Chemistry: Registered Charity No. 207890.




PERSPECTIVES

879

Aqueous phase photocatalytic nitrate destruction using titania based materials: routes to enhanced performance and prospects for visible light activation

Mikaela Shand and James A. Anderson*

Representation of the simultaneous destruction of nitrate and oxalic acid over metal promoted titania activated by visible radiation.




MINIREVIEWS

900

Nanoscale (111) faceted rock-salt metal oxides in catalysis

Christopher A. Cadigan, April R. Corpuz, Feng Lin, Christopher M. Caskey, Kenneth B. H. Finch, Xue Wang and Ryan M. Richards

Wet chemical syntheses and catalytic properties of (111) faceted rock-salt structure metal oxides MgO and NiO are reviewed.




912

Copper N-heterocyclic carbene complexes in catalysis

Jonathan D. Egbert, Catherine S. J. Cazin* and Steven P. Nolan*

N-Heterocyclic carbene ligated copper complexes act as catalysts in a variety of reactions.




COMMUNICATIONS

927

Direct conversion of cellulose to levulinic acid and gamma-valerolactone using solid acid catalysts

David Martin Alonso, Jean Marcel R. Gallo, Max A. Mellmer, Stephanie G. Wettstein and James A. Dumesic*

Cellulose can be converted to levulinic acid at high yields (>65%) over solid acid catalysts using gamma-valerolactone (GVL) as the solvent. This levulinic acid can be hydrogenated to produce GVL, thereby eliminating separation steps.




Zinc-catalyzed Meinwald rearrangement of tetrasubstituted 1-alkynyloxiranes to tertiary α-alkynylketones

María J. González, Jesús González, Carmela Pérez-Calleja, Luis A. López* and Rubén Vicente*

Efficient access to tertiary α -alkynylketones *via* a zinc-catalyzed Meinwald-type rearrangement of 1-alkynyloxiranes is reported.

935




Active participation of amine-derived radicals in photoredox catalysis as exemplified by a reductive cyclization

Hossein Ismaili, Spencer P. Pitre and Juan C. Scaiano*

Amine-derived radicals can act as electron donors inducing the same cyclizations usually performed under photoredox catalysis conditions.

938




Heterogeneously catalysed production of isosorbide *tert*-butyl ethers

Marcus Rose,* Katharina Thenert, Rebecca Pfützenreuter and Regina Palkovits*

Biogenic isosorbide has been converted to high boiling liquids by heterogeneously catalysed etherification with *tert*-butanol as well as with isobutene.

PAPERS

942



Catalytic urea hydrolysis in the selective catalytic reduction of NO_x : catalyst screening and kinetics on anatase TiO_2 and ZrO_2


Andreas M. Bernhard, Daniel Peitz, Martin Elsener, Tilman Schildhauer and Oliver Kröcher*

Catalytic urea thermolysis into NH₃ and HNCO was found to be the rate-determining step in urea hydrolysis on TiO₂.

Hematite nanoparticle-templated hollow carbon nanonets supported palladium nanoparticles: preparation and application as efficient recyclable catalysts

Maiyong Zhu, Ying Wang, Chengjiao Wang, Wei Li and Guowang Diao*

Hollow carbon nanonets (HCN), which are attractive materials for catalyst support, were fabricated using the pre-synthesized hematite nanoparticles as the hard template.




962

Kinetics of propane dehydrogenation over Pt-Sn/Al₂O₃

Santiago Gómez-Quero, Theodoros Tsoufis, Petra Rudolf, Michiel Makkee, Freek Kapteijn and Gadi Rothenberg*

A comprehensive kinetic study shows that propane dehydrogenates following a Langmuir mechanism, releasing hydrogen with surface reaction as the rate-limiting step.




972

Stabilized hierarchical USY zeolite catalysts for simultaneous increase in diesel and LPG olefinicity during catalytic cracking

Cristina Martínez, Danny Verboekend, Javier Pérez-Ramírez and Avelino Corma*

A strategic combination of post-synthetic modifications results in mesoporous hydrothermally stable FCC catalysts giving enhanced propylene, diesel and bottoms conversion.





982

A hybrid nanocomposite precursor route to synthesize dispersion-enhanced Ni catalysts for the selective hydrogenation of o-chloronitrobenzene

Jia Wang, Guoli Fan and Feng Li*

Highly dispersed supported Ni catalysts for selective hydrogenation of o-chloronitrobenzene to o-chloroaniline were achieved from a hybrid nanocomposite precursor route.






Recyclable nanoscale copper(1) catalysts in ionic liquid media for selective decarboxylative C-C bond cleavage

Michael T. Keßler, Christian Gedig, Sebastian Sahler, Patricia Wand, Silas Robke and Martin H. G. Prechtl*

Cu₂O nanoparticles in phosphonium ionic liquids as a recyclable and effective catalytic system for protodecarboxylation of 2-nitrobenzoic acid derivatives.

1002




Combustion synthesis of $LaMn_{1-x}Al_xO_{3+\delta}$ $(0 \le x \le 1)$: tuning catalytic properties for methane deep oxidation

Hend Najjar, Jean-François Lamonier, Olivier Mentré, Jean-Marc Giraudon* and Habib Batis

 $LaMn_{1-x}Al_xO_{3+y}$ (0 $\leq x \leq$ 1) synthesized by a combustion method. The specific area varies from 6 to 22 m 2 g $^{-1}$. Best catalytic activity for x = 0.1. Correlation of this activity with amounts of non-stoichiometric oxygen and Mn superficial concentration.

1017




Synthesis of mesoporous bimetallic Ni-Cu catalysts supported over ZrO₂ by a homogenous urea coprecipitation method for catalytic steam reforming of ethanol

Pankaj Kumar Sharma, Navin Saxena, Arti Bhatt, Chitra Rajagopal and Prasun Kumar Roy*

Synthesis of mesoporous Ni–Cu bimetallic oxides supported over ZrO₂ by homogenous urea co-precipitation technique and its catalytic efficacy towards steam reforming of ethanol has been explored.

1027




Green, low-cost synthesis of photoluminescent carbon dots by hydrothermal treatment of willow bark and their application as an effective photocatalyst for fabricating Au nanoparticles-reduced graphene oxide nanocomposites for glucose detection

Xiaoyun Qin, Wenbo Lu, Abdullah M. Asiri, Abdulrahman O. Al-Youbi and Xuping Sun* AuNPs-rGO nanocomposites were prepared via photoreduction using CNDs as a photocatalyst.

A bulky phosphite modified rhodium catalyst for efficient hydroformylation of disubstituted alkenes and macromonomers in supercritical carbon dioxide

Ard C. J. Koeken* and Niels M. B. Smeets

The application of Rh as catalyst in combination with a bulky phosphite ligand in the presence of supercritical CO₂ yields high conversions in the hydroformylation of disubstituted alkenes and related macromonomers with high selectivity to the product aldehydes.




1046

On the chemical fixation of supercritical carbon dioxide with epoxides catalyzed by ionic salts: an in situ FTIR and Raman study

Stéphanie Foltran, Jérôme Alsarraf, Frédéric Robert, Yannick Landais, Eric Cloutet, Henri Cramail and Thierry Tassaing*

A kinetic analysis of the cycloaddition of CO₂ onto styrene oxide has been performed for a range of ionic liquids at 80 °C and 8 MPa. TBD · HBr and MMImI have shown better efficiency than the standard TBABr.



1056

Preparation of L-phenylalaninol with high ee selectivity by catalytic hydrogenation of L-phenylalaninate over Cu/ZnO/Al₂O₃ catalyst

Chunyou Gao, Xiuzheng Xiao, Dongsen Mao and Guanzhong Lu*

 $Cu/ZnO/Al_2O_3$ (Cu/Zn/Al = 1.0:0.3:1.0) catalyzed hydrogenation of L-phenylalaninate by H₂ at 110 °C and 4 MPa for 5 h gave 69.2% yield of L-phenylalaninol with 99.84% ee.


$$\begin{array}{c} \text{OCH}_3 \\ \text{NH}_2 \end{array} \begin{array}{c} \text{OH} \\ \text{Cu/ZnO/Al}_2\text{O}_3 \end{array} + \text{CH}_3\text{OH} \end{array}$$

1063

Effect of tetrahedral aluminum on the catalytic performance of Al-SBA-15 supported Ru catalysts in Fischer-Tropsch synthesis


Sufang Chen, Jinlin Li,* Yuhua Zhang, Yanxi Zhao and Jinping Hong

The product selectivity is mainly determined by the Altetra content, a higher Altetra content results in lower C_{11+} selectivity in FTS.



PAPERS

1069




The effect of CO on NO reduction over Pt/Pd-based NSR catalysts at low temperature

Qingging Zhang, Liangfang Lv, Jinxin Zhu, Xinguan Wang, Jun Wang and Meiging Shen*

The present work investigates the effect of CO on NO reduction during the rich period over Pt/Pd-based NSR catalysts at low temperature.

1078




Shape-controlled synthesis of Pt nanostructures and evaluation of catalytic and electrocatalytic performance

Sourov Ghosh and C. Retna Raj*

It is demonstrated that the interconnected peanut-like Pt nanoparticles have significantly high catalytic and electrocatalytic activity with respect to the dendritic and quasispherical nanoparticles.

1086




Photocatalytic H₂ production of composite one-dimensional TiO₂ nanostructures of different morphological structures and crystal phases with graphene

Tse Jian Wong, Fang Jeng Lim, Minmin Gao, Gah Hung Lee and Ghim Wei Ho*

One-dimensional TiO₂ nanostructures of different structural phases with graphene composites were employed as photocatalysts for photocatalytic H₂ production.

1094



Iron(III) porphyrin supported on metahalloysite: an efficient and reusable catalyst for oxidation reactions


Guilherme Sippel Machado, Omar José de Lima, Kátia Jorge Ciuffi, Fernando Wypych and Shirley Nakagaki*

Preparation of highly effective catalyst for oxidation reactions based on iron(III) porphyrin immobilized on metahalloysite.

Biodiesel synthesis from the esterification of free fatty acids and alcohol catalyzed by long-chain Brønsted acid ionic liquid

Legin He, Shenjun Qin,* Tao Chang, Yuzhuang Sun and Xiaorui Gao

A long-chain Brønsted acid IL based on alkylammonium salts was synthesized. The IL as catalyst was applied to the catalytic synthesis of biodiesel from free fatty acids (FFAs). Hammett acidity of the IL was measured using UV-visible spectroscopy.




1108

Controlled preparation and characterization of supported CuCr₂O₄ catalysts for hydrogenolysis of highly concentrated glycerol

Zihui Xiao, Jinghai Xiu, Xinkui Wang, Bingsen Zhang, Christopher T. Williams, Dangsheng Su and Changhai Liang*

Hydrogenolysis performance of highly concentrated glycerol over the Cu-Cr catalysts was tuned by the Cu-Cr molar ratio.




1116

A strong-field pentadentate ligand in iron-based alkane oxidation catalysis and implications for iron(IV) oxo intermediates

Emma Wong, Jonathan Jeck, Michaela Grau, Andrew J. P. White and George J. P. Britovsek*

A novel iron(II) complex containing a strong field pentadentate ligand has been investigated as a catalyst for alkane oxidation.




1123

One-pot synthesis of gold nanoparticles embedded in silica for cyclohexane oxidation

Cuihua Wang, Lifang Chen* and Zhiwen Qi*

Highly-dispersed gold nanoparticles embedded in amorphous silica were prepared by a facile one-pot process utilizing thioether functional groups to anchor AuCl₄⁻. The 0.2% Au/M-SiO₂ catalyst exhibited a high TOF of 21 097 h⁻¹ under the dipolar non hydrogen bond donor (HBD) acetone solvent at 423 K and 1.5 MPa O₂ for 3 h.




Organosilver(1/11) catalyzed C-N coupling reactions - phenazines

Bojidarka Ivanova* and Michael Spiteller

Organosilver catalyzed C-N coupling reactions producing a substantially different phenazine based molecular architecture, involving dinuclear Ag^I/Ag^{II} organometallic precursors.

1136




Old Yellow Enzyme-mediated reduction of β-cyano-α,β-unsaturated esters for the synthesis of chiral building blocks: stereochemical analysis of the reaction

Elisabetta Brenna,* Francesco G. Gatti, Alessia Manfredi, Daniela Monti and Fabio Parmeggiani

The Old Yellow Enzyme-mediated reduction of β-cyano-α,β-unsaturated esters afforded useful chiral building blocks and showed an interesting stereochemical outcome.

1147



Ullmann coupling of aryl iodides catalyzed by gold nanoparticles stabilized on nanocrystalline magnesium oxide

Keya Layek, H. Maheswaran* and M. Lakshmi Kantam Gold nanoparticles stabilized on nanocrystalline magnesium oxide is demonstrated to be an efficient heterogeneous catalytic system for the Ullmann coupling of aryl iodides.