See discussions, stats, and author profiles for this publication at: https://www.researchgate.net/publication/49690332

Highly sensitive and selective fluorescent chemosensor for Ag+ based on a coumarin-Se2N chelating conjugate

ARTICLE in CHEMICAL COMMUNICATIONS · FEBRUARY 2011

Impact Factor: 6.83 · DOI: 10.1039/c0cc04589f · Source: PubMed

CITATIONS READS
42 10

6 AUTHORS, INCLUDING:



Yan Lu

Tianjin University of Technology

42 PUBLICATIONS 645 CITATIONS

SEE PROFILE



Cite this: Chem. Commun., 2011, 47, 2408–2410

www.rsc.org/chemcomm

COMMUNICATION

Highly sensitive and selective fluorescent chemosensor for Ag⁺ based on a coumarin–Se₂N chelating conjugate[†]

Shanshan Huang, a Song He, a Yan Lu, a Fangfang Wei, a Xianshun Zeng and Liancheng Zhao b

Received 25th October 2010, Accepted 23rd November 2010 DOI: 10.1039/c0cc04589f

A highly sensitive and selective fluorescent chemosensor SC1 for Ag^+ based on a coumarin–Se₂N chelating conjugate has been synthesized and characterized. Due to inhibiting a photoinduced electron transfer (PET) quenching pathway, a fluorescent enhancement factor of 4-fold is observed under the binding of the Ag^+ cation to the chemosensor SC1 with a detection limit down to the 10^{-8} M range.

As heavy metal ions can cause severe risks for the environment and human health, highly selective cation sensing is imperative for many areas of technology, including environmental, biological, clinical, and waste management applications. Silver ions are known to bind with various metabolites, including amine, imidazole, and carboxyl groups, and inactivate sulfhydryl enzymes. There are also many reports on silver bioaccumulation and toxicity. On the other hand, the widely used silver nanoparticles (AgNPs)⁴ are also known to generate highly reactive oxygen species and may destroy the environmentally benign bacteria by inhibiting their growth and disturbing their reproductive ability. Thus, development of sensitive and selective methods for the determination of trace amounts of silver ions (Ag +) in various media is of considerable importance for the environment and human health.

Traditional quantitative approaches,⁵ such as atomic absorption spectroscopy and inductively coupled plasmamass spectroscopy, have been reported for the trace-quantity determination of Ag⁺. Potentiometric methods for Ag⁺ assay based on ion-selective electrodes (ISEs) are also reported with a detection limit down to the ppb range. But, most of these methods are expensive and time-consuming in practice. Therefore, in addition to the sophisticated methods, sensitive

and selective optical sensors for Ag + with simple instrumental implementation and easy-operation have received much attention. 6-8 But, Ag + belongs to the so-called "silent ions" since, unlike some biological metal ions (such as Cu²⁺ or Fe²⁺). it does not have an intrinsic spectroscopic or magnetic signal because of its d¹⁰ electronic configuration which is known as fluorescence quencher, discrimination between Ag+ and chemically close ions presents a challenge. The fluorometric detection of such ions is based on the use of small-molecule fluorescent chemosensors that consist of an ionophorechromophore system. These chemosensors may coordinate selectively to the target ion and respond to changes in ion levels with changes in their fluorescence profile that may be translated to accurate measurements of the ion concentrations. Most of the reported fluorescent chemosensors for Ag+ are based on a fluorescence quenching mechanism.7 Only a few fluorescence "turn on" chemosensors for Ag+ have been described and developed by now.8

Herein, we report a new Ag⁺-ion-specific fluorescent chemosensor Silver Coumarin **1** (SC1), which takes advantage of both the high selenophilicity of Ag⁺ and high photostability of coumarin fluorophore. The choice of the Se₂N ionophore was based on our previous reports using similar pendant or crown ether systems for the coordination of heavy metals.⁹ The chemosensor SC1 has excellent selectivity for Ag⁺ ions over relevant competing metal ions with a fluorescent enhancement factor of 4-fold by inhibiting a photoinduced electron transfer (PET) quenching pathway, thus resulting in the enhancement of fluorescence, ^{1c} and with the detection limit reaching the 10⁻⁸ M range in ethanol/water.

The synthesis of SC1, Scheme 1, began with SeN_2 receptor 1, formed by the reaction of bis(2-chloroethyl)amine with the sodium salts of phenylselenol, which was prepared *in situ* by the reaction of 1,2-diphenyldiselenide with NaBH₄ in the

Scheme 1 Synthesis of chemosensor SC1.

^a Key Laboratory of Display Materials & Photoelectric Devices, Ministry of Education, School of Materials Science & Engineering, Tianjin University of Technology, Tianjin 300384, China. E-mail: luyan@tjut.edu.cn, xshzeng@tjut.edu.cn; Fax: +86 22-60215226; Tel: +86 22-60216748

^b School of Materials Science and Engineering, Institute of Information Functional Materials & Devices, Harbin Institute of Technology, Harbin 150001, China. E-mail: lczhao@hit.edu.cn; Fax: +86 451-86418329; Tel: +86 451-86418329

[†] Electronic supplementary information (ESI) available: Experimental details; synthesis of 1 and SC1; the emission spectra of SC1 with Ag salts with different counteranions (ClO₄⁻, NO₂⁻, PF₆⁻, AcO⁻ and BF₄⁻); Job's plot; ¹H and ¹³C NMR spectra of 1 and SC1 or other electronic format. See DOI: 10.1039/c0cc04589f

presence of NaOH. SC1 was prepared successfully *via* a Mannich reaction by the condensation of 1 and Coumarin 4 with formaldehyde in THF/HOAc at 50 °C. All the reactions were achieved in reasonable yields and characterized by MS, ¹H- and ¹³C-NMR, and elemental analysis.

The spectroscopic properties of the chemosensor SC1 were evaluated in a ethanol/water (1:1, v/v) solution. As shown in Fig. 1, the chemosensor SC1 exhibits a maximal absorption at 320 nm ($\varepsilon = 1.035 \times 10^4 \, \mathrm{M^{-1} \, cm^{-1}}$). Upon addition of silver ions (0–3 equiv.), the absorbance at 320 nm decreases gradually, and simultaneously, a significant absorption band like a shoulder at 375 nm increases. The presence of three clear isobestic points at 250, 271, 348 nm implies the conversion of the free chemosensor SC1 to the only Ag⁺ complex. Moreover, the absorbance at 375 nm remains constant in the presence of more than 1 equiv. of silver ions, indicating the formation of a 1:1 complex between the chemosensor SC1 and silver ion, which is in good agreement with 1:1 stoichiometry for the silver complex determined by Job's plot yielded from UV-vis absorption (Fig. S1, ESI†).

Fig. 2 shows the fluorescence spectrum of compound SC1 and those in the presence of different amounts of Ag in H_2O /ethanol (1 : 1, v/v). As displayed in Fig. 2, the titration of Ag⁺ into SC1 gave a new emission band centered at 445 nm which showed a linear enhancement with the increase of [Ag⁺]_{total} when the ratio of [Ag⁺]_{total}/[SC1] is below or equal to 1:1. When the ratio reached 1:1, however, higher [Ag⁺]_{total} did not lead to any further emission enhancement as shown in the inset of Fig. 2. The enhancement of emission intensity in Ag⁺-binding titrations saturated at the addition of one equivalent of AgNO₃ suggested that SC1 forms a 1:1 complex with Ag⁺ in H₂O/ethanol (1:1, v/v), which is in agreement with the UV/vis titration results. The association constant is calculated as $1.61 \times 10^8 \,\mathrm{M}^{-1}(R = 0.999)$ by using nonlinear least-square analysis (Fig. S2, ESI†). From the changes in Ag+-dependent fluorescence intensity (Fig. S3, ESI†), the detection limit was estimated to be $5.2 \times 10^{-8} \text{ M.}^{10} \text{ Similar}$ fluorescence enhancement was observed for SC1 after the addition of Ag^+ salts with different counteranions (ClO $_4^-$, NO $_2^-$, PF $_6^-$, AcO $^-$ and BF $_4^-$) (Fig. S4, ESI \dagger). Reversible binding of SC1 with Ag+ was also carried out. Addition of Na₂S to a mixture of SC1·Ag⁺ results in diminishing of the fluorescence intensity at 445 nm, which




Fig. 1 UV-vis spectra of chemosensor **SC1** (10.6 μM) upon titration of Ag^+ (0–3 equiv.) in ethanol/water (1 : 1, v/v), $[Ag^+]/[SC1] = 0$, 0.08, 0.16, 0.25, 0.32, 0.42, 0.5, 0.58, 0.66, 0.75, 0.83, 0.92, 1, 1.5, 2, 2.5, 3. Inset: absorbance of **SC1** at 375 nm as a function of $C_{Ag}^+/[C_{SC1}]$.




Fig. 2 Fluorescent titration spectra of SC1 (4 μ M) in the presence of different concentrations of Ag $^+$ in ethanol/water (1 : 1, v/v), [Ag $^+$]/[SC1] = 0, 0.1, 0.2, 0.3, 0.4, 0.5, 0.6, 0.7, 0.8, 0.9, 1.0, 1.2, 1.7, 2.2. Inset: the fluorescence at 445 nm of SC1 (4 μ M) as a function of the Ag $^+$ concentration. $\lambda_{ex}=360$ nm.

signifies the regeneration of the free SC1. The fluorescence can be recovered by adding Ag⁺ again (Fig. S5, ESI[†]).

Subsequently, we evaluated the response of the chemosensor **SC1** to other metal ions. As shown in Fig. 3, the addition of 2 equiv. of Na $^+$, K $^+$, NH $_4^+$, Mg $^{2+}$, Ca $^{2+}$, Pb $^{2+}$, Co $^{2+}$, Cd $^{2+}$, Zn $^{2+}$, Ni $^{2+}$, Cr $^{3+}$, Fe $^{3+}$, and Al $^{3+}$ has no obvious effect on the fluorescence emission, whereas Hg²⁺, Cu²⁺ responded with a significant decrease in the fluorescent intensity. In contrast, the addition of Ag+ resulted in an enhancement of the emission intensity (with an enhancement factor of 4-fold) positioned around 445 nm as shown in Fig. 3. On the other hand, upon the addition of 50 equiv. of Na⁺, K⁺, NH₄⁺, Mg^{2+} , Ca^{2+} , Pb^{2+} , Co^{2+} , Cd^{2+} , Zn^{2+} , Ni^{2+} , Cr^{3+} , Fe^{3+} to the chemosensor SC1 solution, only Na+, NH₄+, Mg²⁺ and Ca²⁺ produced a much weaker fluorescence enhancement compared to Ag+. Pb2+ and most of transition metal ions responded with a significant decrease in the fluorescent intensity (Fig. S6, ESI†); thus, SC1 can function as an highly selective fluorescence chemosensor for the Ag⁺ cation.

To explore further the utility of SC1 as an ion-selective fluorescent chemosensor for Ag^+ , the competition experiments are conducted in which SC1 (5.0 μ M) is first mixed with five





Fig. 3 Fluorescence spectra of **SC1** (5.0 μ M) upon the addition of the nitrate salts (2.0 equiv.) of Na⁺, K⁺, NH₄⁺, Ag⁺, Mg²⁺, Ca²⁺, Pb²⁺, Hg²⁺, Co²⁺, Cd²⁺, Zn²⁺, Ni²⁺, Cu²⁺, Cr³⁺, Fe³⁺, and Al³⁺ in ethanol/H₂O (1:1, v/v). Inset: histogram representing the fluorescence enhancement and quenching of **SC1** in the presence of metal ions. For the entire test, excitation and emission were performed at 360 and 445 nm.



equivalent of various metal ions, and then one equivalent of Ag^+ is added. The fluorescence spectra are exploited to monitor the competition events. As can be seen from Fig. 4, no strong interference was observed in the presence of 5 equiv. of a series of metal ions. In the presence of Ca^{2+} , Cd^{2+} , Fe^{3+} , K^+ , Mg^{2+} , Na^+ , NH_4^+ , Ni^{2+} , Pb^{2+} , Zn^{2+} , the emission spectra are almost identical to that obtained in the presence of Ag^+ alone. In the case of Al^{3+} , Co^{2+} , Cr^{3+} , Cu^{2+} and Hg^{2+} , the emission intensities are about 10% diminished to that obtained in the presence of Ag^+ alone. The results demonstrated that the chemosensor SC1 is able to discriminate between Ag^+ and chemically close ions, especially Cu^{2+} and Hg^{2+} which are common interfering anions in many cases $^{7/-i,8a-c}$ are eliminated.

In summary, we have prepared a fluorescence chemosensor SC1 for silver ions in ethanol/water, which demonstrates a unique ability to discriminate between Ag^+ and chemically close ions and with a detection limit down to the 10^{-8} M range. The highly selective and sensitive Ag^+ -chemosensor SC1 may have wide applications for quantitative measurement of silver ions.

This work was sponsored by the NCET-09-0894, NNSFC (20972111, 21074093, 21004044), the NSFT (08JCYBJC-26700), SRF for ROCS, SEM and the State Key Lab. Elemental-Organic Chemistry at Nankai University (NO. 0802, 0908).

Notes and references

- 1 (a) E. M. Nolan and S. J. Lippard, Chem. Rev., 2008, 108, 3443; (b) R. Krämer, Angew. Chem., Int. Ed., 1998, 37, 772; (c) A. P. de Silva, H. Q. N. Gunaratne, T. Gunnlaugsson, A. J. M. Huxley, C. P. McCoy, J. T. Rademacher and T. E. Rice, Chem. Rev., 1997, 97, 1515; (d) B. Valeur and I. Leray, Coord. Chem. Rev., 2000, 205, 3; (e) V. Amendola, L. Fabbrizzi, F. Forti, M. Licchelli, C. Mangano, P. Pallavicini, A. Poggi, D. Sacchi and A. Taglieti, Coord. Chem. Rev., 2006, 250, 273; (f) D. A. Leigh, M. A. F. Morales, E. M. Perez, J. K. Y. Wong, C. G. Saiz, A. M. Z. Slawin, A. J. Carmichael, D. M. Haddleton, A. M. Brouwer, W. J. Buma, G. W. H. Wurpel, S. Leon and F. Zerbetto, Angew. Chem., Int. Ed., 2005, 44, 3062.
- 2 (a) Q. L. Feng, J. Wu, G. Q. Chen, F. Z. Cui, T. N. Kim and J. O. Kim, J. Biomed. Mater. Res., 2000, 52, 662; (b) A. B. Lansdown, J. Wound Care, 2002, 11, 125; (c) M. Yamanaka, K. Hara and J. Kudo, Appl. Environ. Microbiol.,

- 2005, **71**, 7589; (*d*) University of Missouri-Columbia (2008, April 30), Silver nanoparticles may be killing beneficial bacteria in waste water treatment, *Science-Daily* [Online]; http://www.sciencedaily.com/releases/2008/04/z080429135502.htm.
- (a) H. T. Ratte, Environ. Toxicol. Chem., 1999, 18, 89;
 (b) M. Kazuyuki, H. Nobuo, K. Takatoshi, K. Yuriko, H. Osamu, I. Yashihisa and S. Kiyoko, Clin. Chem. (Washington, D. C.), 2001, 47, 763;
 (c) A. T. Wan, R. A. Conyers, C. J. Coombs and J. P. Masterton, Clin. Chem. (Washington, D. C.), 1991, 37, 1683;
 (d) M. R. Ganjali, P. Norouzi, T. Alizadeh and M. Adib, J. Braz. Chem. Soc., 2006, 17, 1217;
 (e) X. B. Zhang, Z. X. Han, Z. H. Fang, G. L. Shen and R. Q. Yu, Anal. Chim. Acta, 2006, 562, 210;
 (f) H. Q. Peng, B. W. Brooks, R. Chan, O. Chyan and T. W. L. Point, Chemosphere, 2002, 46, 1141.
- 4 (a) J. R. Morones, J. L. Elechiguerra, A. Camacho, K. Holt, J. B. Kouri, J. T. Ramírez and M. J. Yacaman, Nanotechnology, 2005, 16, 2346; (b) V. Sambhy, M. M. MacBride, B. R. Peterson and A. Sen, J. Am. Chem. Soc., 2006, 128, 9798; (c) E.-R. Kenawy, S. D. Worley and R. Broughton, Biomacromolecules, 2007, 8, 1359; (d) A. Kumar, P. K. Vemula, P. M. Ajayan and G. John, Nat. Mater., 2008, 7, 236.
- (a) A. Ceresa, A. Radu, S. Peper, E. Bakker and E. Pretsch, Anal. Chem., 2002, 74, 4027; (b) K. Kimura, S. Yajima, K. Tatsumi, M. Yokoyama and M. Oue, Anal. Chem., 2000, 72, 5290; (c) M. Mazloum, M. S. Niassary, S. H. M. Chahooki and M. K. Amini, Electroanalysis, 2002, 14, 376; (d) R. K. Shervedani and M. K. Babadi, Talanta, 2006, 69, 741; (e) M. Javanbakht, M. R. Ganjali, P. Norouzi, A. Badiei and A. Hasheminasab, Electroanalysis, 2007, 19, 1307; (f) S. Chung, W. Kim, S. B. Park, I. Yoon, S. S. Lee and D. D. Sung, Chem. Commun., 1997, 965; (g) F. Teixidor, M. A. Flores, L. Escriche, C. Viñas and J. Casabó, Chem. Commun., 1994, 963; (h) X. Zeng, L. Weng, L. Chen, X. Leng, H. Ju, X. He and Z. Z. Zhang, J. Chem. Soc., Perkin Trans. 2, 2001, 545; (i) A. R. Zanganeh and M. K. Amini, Electrochim. Acta, 2007, 52, 3822; (j) M. R. Bryce, B. Johnston, R. Kataky and K. Toth, Analyst, 2000, 125, 861.
- 6 (a) K. M. K. Swamy, H. N. Kim, J. H. Soh, Y. Kim, S.-J. Kim and J. Yoon, *Chem. Commun.*, 2009, 1234; (b) M. Schmittel and H. Lin, *Inorg. Chem.*, 2007, 46, 9139.
- 7 (a) H. Tong, L. X. Wang, X. B. Jing and F. S. Wang, Macromolecules, 2002, 35, 7169; (b) N. Zhou, L. Wang, D. W. Thompson and Y. Zhao, Org. Lett., 2008, 10, 3001; (c) J. Ishikawa, H. Sakamoto, S. Nakao and H. Wada, J. Org. Chem., 1999, 64, 1913; (d) C. Huang, X. Peng, Z. Lin, J. Fan, A. Ren and D. Sun, Sens. Actuators, B, 2008, 133, 113; (e) J. Kang, M. Choi, J. Y. Kwon, E. Y. Lee and J. Yoon, J. Org. Chem., 2002, 67, 4384; (f) M. Shamsjur, K. Alizadeh, M. Hosseini, C. Caltagirone and V. Lippolis, Sens. Actuators, B, 2006, 113, 892; (g) P. Singh and S. Kumar, Tetrahedron, 2006, 62, 6379; (h) L. Jia, Y. Zhang, X. Guo and X. Qian, Tetrahedron Lett., 2004, 45, 3969; (i) N. Saleh, Luminescence, 2009, 24, 30.
- 8 (a) R. H. Yang, W. H. Chan, A. W. M. Lee, P. F. Xia, H. K. Zhang and K. A. Li, J. Am. Chem. Soc., 2003, 125, 2884; (b) L. Liu, G. Zhang, J. Xiang, D. Zhang and D. Zhu, Org. Lett., 2008, 10, 4581; (c) S. Iyoshi, M. Taki and Y. Yamamoto, Inorg. Chem., 2008, 47, 3946; (d) K. Rurack, M. Kollmannsberger, U. Resch-Genger and J. Daub, J. Am. Chem. Soc., 2000, 122, 968; (e) A. Chatterjee, M. Santra, N. Won, S. Kim, J. K. Kim, S. B. Kim and K. H. Ahn, J. Am. Chem. Soc., 2009, 131, 2040; (f) L. Liu, D. Zhang, G. Zhang, J. Xiang and D. Zhu, Org. Lett., 2008, 10, 2271; (g) M. D. Pandey, A. K. Mishra, V. Chandrasekhar and S. Verma, Inorg. Chem., 2010, 49, 2020; (h) E. U. Akkaya and A. Coskun, J. Am. Chem. Soc., 2005, 127, 10464.
- 9 (a) X. Zeng, X. Leng, L. Chen, H. Sun, F. Xu, Q. Li, X. He and Z. Z. Zhang, J. Chem. Soc., Perkin Trans. 2, 2002, 796; (b) X. Zeng, X. Han, L. Chen, Q. Li, F. Xu, X. He and Z. Z. Zhang, Tetrahedron Lett., 2002, 43, 131.
- 10 A. Caballero, R. Martinez, V. Lloveras, I. Ratera, J. Vidal-Gancedo, K. Wurst, A. Tarraga, P. Molina and J. Veciana, J. Am. Chem. Soc., 2005, 127, 15666.