Physics Today

Aharonov-Bohm, Meet Hall

Hideo Aoki

Citation: Physics Today 40(10), 158 (1987); doi: 10.1063/1.2820252


View online: http://dx.doi.org/10.1063/1.2820252

View Table of Contents:

http://scitation.aip.org/content/aip/magazine/physicstoday/40/10?ver=pdfcov

Published by the AIP Publishing





Mail to:
STN International
Marketing, Dept. 35787
2540 Olentangy River Rd.
P.O. Box 02228
Columbus, Ohio 43202
USA

Yes, rush me my FREE Superconductors Update information packet!
Name:
Address:

letters

with payment of journal subscriptions; payment of page charges for articles authored by Latin American physicists and submitted to refereed journals in the United States; acquisition of small spare parts, pieces of equipment and maintenance items needed to keep major equipment running; and payment of per diem expenses for selected Latin American physicists while they were in the United States.

Many Mexican scientists benefited from the program and we gratefully acknowledge the support received. Our country has been suffering an economic crisis in the last several years, and the program briefly gave relief to the Mexican physics community. It is difficult to overestimate how this kind of program can help to keep physics research running. Fortunately, persons like Leo Falicov and Leon Lederman, who were responsible for the program, understand well the problems and limitations that the Latin American physics community suffers. We also acknowledge their understanding and interest in helping the development of physics in Latin America.

After two years of fruitful activities, the Latin American Assistance Program has ended. We feel that an extension or renewal would be most welcome. The economic situation in our countries, far from being stabilized, is worse now than it was two years ago. Any support from programs like the one mentioned would certainly not just give some breath to the Latin American physics community, but could be essential to the development and survival of physics research in the area. We therefore urge the international physics community to conceive new assistance programs in the spirit of the Latin American Assistance Program.

J. L. MORAN-LOPEZ
F. MEJIA-LIRA
Universidad Autonoma de San Luis Potosi
H. NAVARRO
Universidad Autonoma de Puebla
J. FLORES

R. Barrera Universidad Nacional Autonoma de Mexico

Mexico

M. A. Perez Centro de Investigacion y de Estudios Avanzados IPN

4/87

Aharonov-Bohm, meet Hall

I read with interest the letter by Francisco Izaguirre (October 1986, page 15) speculating on the similarities between the Aharonov-Bohm effect and the quantized Hall effect. It was

THE BEST OF BOTH WORLDS

Instant Information At Your Fingertips...

Fi-NET (Physics Information Network) is an Electronic Database Service offered Free of Charge to Members of AIP Member and Affiliated Societies. Services Include:

- Job Notices
- Calendars of Meetings
- Advance Abstracts
- Journal Article Titles
- Online Ordering
- Announcements

Fi-MAIL is a State-of-the-Art Electronic Mail System Serving the Entire Physics & Astronomy Community

- No Registration Fee
- No Monthly Charge
- Pay Only for Connect Time and Usage Charges

FURTHER INFORMATION AVAILABLE ONLINE

Dial local Telenet number (for assistance call 1-800-336-0437) ■ At the high-pitched tone, press ⟨ENTER⟩ twice ■ At the display TERMINAL = press ⟨ENTER⟩ ■ At the @ prompt, type TELEMAIL and press ⟨ENTER⟩ ■ For Username?, type AIP.ONLINE and press ⟨ENTER⟩ ■ For Password?, type NEWUSER and press ⟨ENTER⟩ ■ Further details about AIP's electronic services will display along with online registration instructions.

Information Services of the American Institute of Physics • (516) 349-7800



American Institute of Physics Conference Proceedings 135.

Proceedings of a conference held at the Congressional Office of Technology Assessment in Washington, D.C., April 1985.

New technological ideas in energy conservation . . .

ENERGY SOURCES

Conservation and Renewables

Edited by David Hafemeister, Henry Kelly, and Barbara Levi

Packed with ideas that point the way to future advances, this important volume surveys energy-conservation technology in buildings, windows, lighting, appliances, HVAC, industry, automobiles, electrical generation, and more.

Applications of the most advanced research

Leading experts from national laboratories, industry, and academia detail recent achievements and future options, including . . .

- smart meters to "spot price" electricity
- off-peak cooling to reduce peak power demands
- prism method of conservation scorekeeping
- passive solar heating and passive cooling systems in buildings
- controls for indoor air quality
- steam-injected, gas turbine cogeneration
- photovoltaic technologies
- applications of maximally concentrating optics for solar energy collection
- wind turbines

hydro-power

- liquid and gaseous fuels from biomass
- DOE-2 Computer Program for Thermal Simulations

Sound technical options

Energy Sources: Conservation and Renewables analyzes specific techniques to enhance end-use efficiency. Reviewing the past decade's technical progress, it shapes the discussion of energy options and planning for the coming years.

"The ideas discussed in these chapters are too numerous to summarize, but together they give a clear signal that there are soundly based technical options which can continue to reduce America's energy consumption in the future."

The Editors

682 pages • Clothbound • 6½" × 9½" •
1985 • ISBN 0-88318-334-X • LC 85-73019
\$55.00 (20% discount available to members of AIP
Member and Affiliated Societies)

= AMERICAN INSTITUTE OF PHYSICS =

Send your order with payment to: American Institute of Physics Marketing Services 335 East 45 Street New York, NY 10017

Amex, Visa & MC accepted: To place your credit card order: call 1-800-AIP-PHYS; In New York State, call 212-661-9404

letters

indeed this similarity that led me to look into the matter and to show that a close relation between the two effects does in fact exist; namely, the quantum Hall conduction in finite systems depends on the external Aharonov-Bohm magnetic flux.1 The essential point is that the flux-averaged Hall conductivity reduces to a topological invariant (in mathematical language), which provides a precise theoretical basis for the quantized Hall effect as well as a physical picture for the structure of the wavefunction in quantum Hall systems.2 In this sense, the A-B effect and the quantized Hall effect are inseparable. Another important point seems to be that under certain well-defined conditions, we may regard the quantized Hall effect as an example of a macroscopic quantum phenomenon in this context. This observation could lead to a novel experimental setup, involving a quantum Hall system, for demonstrating macroscopic quantum phenomena, a current example of which is provided³ by superconducting systems in squips.

References

- 1. H. Aoki, Phys. Rev. Lett. 55, 1136 (1985).
- Q. Niu, D. J. Thouless, Y. S. Wu, Phys. Rev. B 31, 3372 (1985). H. Aoki, T. Ando, Phys. Rev. Lett. 57, 3093 (1986).
- A. J. Leggett, in Proc. Int. Symp. on Foundations of Quantum Mechanics, Tokyo 1986, Phys. Soc. Japan, to be published. HIDEO AOKI

University of Tokyo Tokyo, Japan

12/86

Planetary rings: Another theory

It is interesting that people seem uniformly to regard finding two small satellites on either side of the epsilon ring of Uranus to be a "triumph" for the theory of planetary rings (PHYSICS TODAY, August 1986, page 17).

Unfortunately, some people have jumped to the uncritical assumption that almost all ring structure around Uranus (and Saturn) simply results from "shepherding." In the case of Uranus, 18 satellites, one pair shepherding each of the 9 (then) known rings, were predicted, not just 2. Worse, there are a lot more rings. Yet worse, there are also about half a dozen newly discovered satellites, of just the size expected for shepherds, that have no "sheep" in between.

The situation is even more extreme for Saturn, where it is placidly assumed that myriads of (as yet undetected) shepherding satellites account for the intricately structured rings found there. Again, only two candidate shep-