

Preliminary investigation of elongational flow of dilute polymer solutions

S. T. J. Peng and R. F. Landel

Citation: Journal of Applied Physics 50, 5083 (1979); doi: 10.1063/1.325585

View online: http://dx.doi.org/10.1063/1.325585

View Table of Contents: http://scitation.aip.org/content/aip/journal/jap/50/7?ver=pdfcov

Published by the AIP Publishing

Articles you may be interested in

Flow-induced chain scission in dilute polymer solutions: Algorithm development and results for scission dynamics in elongational flow

J. Rheol. 51, 1223 (2007); 10.1122/1.2789945

Steady, elongational flow of dilute solutions of once-bent, once-broken, and deformable rod polymers

J. Chem. Phys. 93, 2116 (1990); 10.1063/1.459037

Stress Jump at the Inception of Shear and Elongational Flows of Dilute Polymer Solutions due to Internal Viscosity

J. Rheol. 31, 495 (1987); 10.1122/1.549949

Dilute polymer solutions in elongational flow

Phys. Fluids 20, S49 (1977); 10.1063/1.861758

Preliminary investigation of elongational flow of dilute polymer solutions

J. Appl. Phys. 47, 4255 (1976); 10.1063/1.322450



Providing the utmost in sensitivity, accuracy and resolution for applications in materials characterization and nano research

- Photovoltaics
- Ceramics
- Polymers
- DNA film structures
- Thin films
- Coatings
- Paints
 Packaging materials

Click here to learn more



Erratum: Preliminary investigation of elongational flow of dilute polymer solutions [J. Appl. Phys. 47, 4255 (1976)]

S. T. J. Peng and R.F. Landel Jet Propulsion Laboratory, California Institute of Technology, Pasadena, California 91103 PACS numbers: 46.30.Jv, 47.90. + a, 99.10. + g

The concentrations given in our previous paper under the above title have been found to be in error. They are all too low by a factor of 1.86. Since the concentration scale reduction was a relative one, to that of the most dilute solution, Fig. 8 remains unchanged. Hence the observation that the data superpose with merely a horizontal translation of the time scale, with no vertical shift, is also unaffected.

ANNOUNCEMENTS

Combined annual meetings of the Electron Microscopy Society of America and the Microbeam Analysis Society, San Antonio, 13–17 August 1979

PACS numbers: 01.10.Fv, 07.80. + x

The combined 37th annual meeting of the Electron Microscopy Society of America and 14th annual meeting of the Microbeam Analysis Society will be held at the Convention Center in San Antonio, Tex., 13–17 August 1979. Research workers in the physical sciences will be particularly interested in the Workshop on Analytical Electron Microscopy, and the Annual Symposia on scanning electron microscopy—imaging with backscattered electrons, very-high-resolution imaging, Monte Carlo calculations for SEM and electron

microprobe, unconventional imaging, surface analysis, and laser Raman microanalysis. Further information regarding preregistration and hotel reservations for this meeting can be obtained by writing to either Dr. Robert Dobrott (MAS Local Arrangements Chairman), Texas Instruments, P.O. Box 225936, Dallas, Tex. 75265, or Dr. William McCombs (EMSA Local Arrangements Chairman), Department of Microbiology, Scott and White Clinic, Temple, Tex. 76501.