

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/239074033>

Unexpected Conformational Properties of 1-Trifluormethyl-1-Silacyclohexane, C₅H₁₀SiHCF₃: Gas Electron Diffraction, Low Temperature NMR, and Quantum Chemical Calculations

ARTICLE in CHEMISTRY - A EUROPEAN JOURNAL · SEPTEMBER 2009

Impact Factor: 5.73 · DOI: 10.1002/chem.200990139

CITATIONS

10

READS

12

5 AUTHORS, INCLUDING:



Sigridur Jonsdottir

University of Iceland

28 PUBLICATIONS 467 CITATIONS

SEE PROFILE



Agust Kvaran

University of Iceland

87 PUBLICATIONS 1,111 CITATIONS

SEE PROFILE



Ingvar Arnason

University of Iceland

41 PUBLICATIONS 529 CITATIONS

SEE PROFILE

CHEMISTRY

A EUROPEAN JOURNAL

Supporting Information

© Copyright Wiley-VCH Verlag GmbH & Co. KGaA, 69451 Weinheim, 2006

“Unexpected Conformational Properties of 1-Trifluormethyl-1-Silacyclohexane, C₅H₁₀SiHCF₃: Gas Electron Diffraction, Low Temperature NMR, and Quantum Chemical Calculations[§]”

Georgiy V. Girichev,^[a] Nina I. Giricheva,^[b] Andras Bodi,^[c] Palmar I. Gudnason,^[c]
Sigridur Jonsdottir,^[c] Agust Kvaran,^[c] Ingvar Arnason*,^[c] and Heinz Oberhammer*^[d]

[a] Prof. Dr. G. V. Girichev, Ivanovo State University of Chemistry and Technology, Ivanovo 153460, Russia,

[b] Prof. Dr. N. I. Giricheva, Ivanovo State University, Ivanovo 153025, Russia,

*[c] Prof. Dr. I. Arnason, Prof. Dr. Agust Kvaran, Dr. S. Jonsdottir, P. I. Gudnason, Andras Bodi
Science Institute, University of Iceland, Dunhaga 3, IS-107 Reykjavik, Iceland,*

Fax: (+354) 552-8911

E-mail: ingvara@raunvis.hi.is

[d] Prof. Dr. H. Oberhammer

*Institut für Physikalische und Theoretische Chemie, Universität Tübingen, Auf der Morgenstelle 8,
72076 Tübingen, Germany*

Fax: (+49) 7071-295490

E-mail: heinz.oberhammer@uni-tuebingen.de

[§] *Conformations of Silicon-Containing Rings. Part 6. For Part 5 see ref. ^[1]*

*Structure 5a:**B3LYP/6-31G** geometry optimization*

Standard orientation:

Center Number	Atomic Number	Atomic Type	Coordinates (Angstroms)		
			X	Y	Z
1	14	0	0.139578	0.000000	1.049141
2	6	0	-0.938990	1.510660	0.716146
3	6	0	-0.938991	-1.510659	0.716146
4	6	0	-1.820507	1.296549	-0.538140
5	6	0	-1.820508	-1.296549	-0.538139
6	6	0	-2.652286	-0.000001	-0.505965
7	1	0	0.777360	0.000000	2.391955
8	6	0	1.620330	0.000000	-0.195213
9	9	0	1.207288	0.000000	-1.497008
10	9	0	2.417506	-1.091124	-0.045027
11	9	0	2.417506	1.091124	-0.045028
12	1	0	-0.332199	2.417790	0.615642
13	1	0	-1.579486	1.665946	1.595561
14	1	0	-0.332200	-2.417790	0.615643
15	1	0	-1.579486	-1.665945	1.595562
16	1	0	-1.182545	1.286052	-1.430898
17	1	0	-2.496618	2.152675	-0.654767
18	1	0	-1.182546	-1.286051	-1.430898
19	1	0	-2.496618	-2.152675	-0.654767
20	1	0	-3.333100	-0.000001	-1.365626
21	1	0	-3.291652	-0.000001	0.389169

SCF Done: E(RBLYP) = -824.317794616 A.U. after 13 cycles

No. of imaginary frequencies: 0

Zero-point correction= 0.164750 (Hartree/Particle)

Thermal correction to Energy= 0.175431

Thermal correction to Enthalpy= 0.176375

Thermal correction to Gibbs Free Energy= 0.127794

*Structure 5a:**MP2/6-31G** geometry optimization*

Standard orientation:

Center Number	Atomic Number	Atomic Type	Coordinates (Angstroms)		
			X	Y	Z
1	14	0	-0.133905	0.000005	1.063635
2	6	0	0.935609	-1.503920	0.723082
3	6	0	0.935601	1.503934	0.723073
4	6	0	1.782134	-1.287075	-0.544734
5	6	0	1.782127	1.287085	-0.544742
6	6	0	2.613301	-0.000012	-0.515029
7	1	0	-0.780803	0.000007	2.391213
8	6	0	-1.594572	-0.000003	-0.193105
9	9	0	-1.167313	-0.000006	-1.493514
10	9	0	-2.395487	1.093332	-0.053254
11	9	0	-2.395481	-1.093342	-0.053247
12	1	0	0.330412	-2.408371	0.633919
13	1	0	1.599472	-1.657184	1.579405
14	1	0	0.330398	2.408381	0.633904
15	1	0	1.599463	1.657207	1.579395
16	1	0	1.128463	-1.262036	-1.419870
17	1	0	2.450563	-2.140354	-0.681386
18	1	0	1.128458	1.262048	-1.419878
19	1	0	2.450565	2.140358	-0.681389
20	1	0	3.287685	-0.000018	-1.374288
21	1	0	3.249311	-0.000013	0.376941

SCF Done: E(RHF) = -820.886056818 A.U. after 12 cycles

E2 = -0.1445532709D+01 EUMP2 = -0.82233158952622D+03

No. of imaginary frequencies: 0

Zero-point correction= 0.169420 (Hartree/Particle)

Thermal correction to Energy= 0.179892

Thermal correction to Enthalpy= 0.180836

Thermal correction to Gibbs Free Energy= 0.132850

*Structure 5a:**B3LYP/6-311G* geometry optimization*

Standard orientation:

Center Number	Atomic Number	Atomic Type	Coordinates (Angstroms)		
			X	Y	Z
1	6	0	-1.172542	0.013780	1.508491
2	6	0	-1.172542	-1.518558	1.295774
3	6	0	-1.868874	-1.971938	0.000000
4	6	0	-1.172542	-1.518558	-1.295774
5	6	0	-1.172542	0.013780	-1.508491
6	14	0	-0.503999	0.919392	-0.000000
7	1	0	-1.928711	-3.065527	0.000000
8	1	0	-0.140345	-1.886398	1.292311
9	1	0	-1.660587	-1.999025	2.150853
10	1	0	-2.200713	0.361191	1.674649
11	1	0	-0.616725	0.279904	2.413226
12	1	0	-0.140345	-1.886398	-1.292311
13	1	0	-1.660587	-1.999025	-2.150853
14	1	0	-0.616725	0.279904	-2.413226
15	1	0	-2.200713	0.361191	-1.674649
16	1	0	-0.788538	2.376368	-0.000000
17	1	0	-2.907566	-1.613579	0.000000
18	6	0	1.431947	0.807646	-0.000000
19	9	0	1.983765	1.404569	-1.090225
20	9	0	1.983765	1.404569	1.090225
21	9	0	1.885818	-0.479916	-0.000000

SCF Done: E(RB+HF-LYP) = -824.472249791 A.U. after 13 cycles

No. of imaginary frequencies: 0

Zero-point correction= 0.164224 (Hartree/Particle)

Thermal correction to Energy= 0.174931

Thermal correction to Enthalpy= 0.175875

Thermal correction to Gibbs Free Energy= 0.127250

*Structure 5a:**CBS-QB3 calculation*

Standard orientation:

Center Number	Atomic Number	Atomic Type	Coordinates (Angstroms)		
			X	Y	Z
1	6	0	-0.934421	-1.504824	0.705352
2	6	0	-1.836294	-1.295614	-0.535443
3	6	0	-2.667441	0.000000	-0.492456
4	6	0	-1.836294	1.295614	-0.535444
5	6	0	-0.934421	1.504824	0.705352
6	14	0	0.136142	-0.000000	1.038321
7	1	0	-3.358065	0.000000	-1.341927
8	1	0	-1.216081	-1.288822	-1.438522
9	1	0	-2.512860	-2.150855	-0.635602
10	1	0	-1.561205	-1.662140	1.592806
11	1	0	-0.326017	-2.408088	0.598095
12	1	0	-1.216081	1.288822	-1.438522
13	1	0	-2.512860	2.150855	-0.635602
14	1	0	-0.326017	2.408088	0.598095
15	1	0	-1.561205	1.662140	1.592806
16	1	0	0.769716	0.000000	2.376579
17	1	0	-3.293942	0.000000	0.409816
18	6	0	1.625763	-0.000000	-0.192401
19	9	0	2.423463	1.090657	-0.035794
20	9	0	2.423463	-1.090657	-0.035794
21	9	0	1.231661	-0.000000	-1.500000
Temperature=			298.150000	Pressure=	1.000000
E(ZPE)=			0.162058	E(Thermal)=	0.172860
E(SCF)=			-821.077728	DE(MP2)=	-1.867302
DE(CBS)=			-0.193733	DE(MP34)=	-0.081785
DE(CCSO)=			-0.043443	DE(Int)=	0.060218
DE(Empirical)=			-0.096874		
CBS-QB3 (0 K)=			-823.138589	CBS-QB3 Energy=	-823.127788
CBS-QB3 Enthalpy=			-823.126843	CBS-QB3 Free Energy=	-823.175641

*Structure 5a:**B3LYP/6-311G* PCM geometry optimization, CH₂Cl₂ solvent*

Standard orientation:

Center Number	Atomic Number	Atomic Type	Coordinates (Angstroms)		
			X	Y	Z
1	6	0	0.939254	-1.510758	-0.695273
2	6	0	1.849390	-1.295851	0.537555
3	6	0	2.678868	-0.000049	0.487074
4	6	0	1.849402	1.295756	0.537682
5	6	0	0.939465	1.510795	-0.695265
6	14	0	-0.124858	0.000115	-1.040030
7	1	0	3.377806	-0.000108	1.330758
8	1	0	1.239240	-1.292742	1.448583
9	1	0	2.527982	-2.150967	0.632688
10	1	0	1.561032	-1.677027	-1.585109
11	1	0	0.331855	-2.414709	-0.579045
12	1	0	1.238990	1.292581	1.448574
13	1	0	2.527974	2.150867	0.633028
14	1	0	0.332166	2.414807	-0.579125
15	1	0	1.561320	1.676851	-1.585077
16	1	0	-0.771165	-0.000175	-2.375748
17	1	0	3.298146	0.000015	-0.420532
18	6	0	-1.632615	0.000021	0.187333
19	9	0	-2.436385	1.090787	0.030566
20	9	0	-2.438923	-1.088380	0.027193
21	9	0	-1.260238	-0.002463	1.501885

SCF Done: E(RB+HF-LYP) = -824.475811029 A.U. after 1 cycles

No. of imaginary frequencies: 0

Zero-point correction=	0.163377 (Hartree/Particle)
Thermal correction to Energy=	0.174134
Thermal correction to Enthalpy=	0.175078
Thermal correction to Gibbs Free Energy=	0.126365

*Structure 5a:**B3LYP/6-311G* PCM geometry optimization, CHCl₃ solvent*

Standard orientation:

Center Number	Atomic Number	Atomic Type	Coordinates (Angstroms)		
			X	Y	Z
1	6	0	-0.939839	1.510895	-0.695453
2	6	0	-1.849735	1.295407	0.537407
3	6	0	-2.678527	-0.000819	0.486983
4	6	0	-1.848371	-1.296193	0.536872
5	6	0	-0.938634	-1.510379	-0.696346
6	14	0	0.126169	0.000761	-1.039212
7	1	0	-3.377067	-0.001346	1.330895
8	1	0	-1.239218	1.292384	1.448059
9	1	0	-2.528619	2.150154	0.633117
10	1	0	-1.561528	1.677892	-1.585130
11	1	0	-0.332616	2.414777	-0.578607
12	1	0	-1.237463	-1.292761	1.447267
13	1	0	-2.526324	-2.151680	0.632568
14	1	0	-0.330625	-2.413800	-0.580063
15	1	0	-1.560395	-1.677464	-1.585949
16	1	0	0.769975	0.001391	-2.376335
17	1	0	-3.298627	-0.000966	-0.420077
18	6	0	1.633028	0.000199	0.188009
19	9	0	2.438081	-1.088236	0.026518
20	9	0	2.435534	1.091151	0.031669
21	9	0	1.258453	-0.003348	1.501634

SCF Done: E(RB+HF-LYP) = -824.475225697 A.U. after 1 cycles
 Zero-point correction= 0.163525 (Hartree/Particle)
 Thermal correction to Energy= 0.174273
 Thermal correction to Enthalpy= 0.175217
 Thermal correction to Gibbs Free Energy= 0.126514

*Structure 5a:**B3LYP/6-311G* IPCM calculation, CH₂Cl₂ solvent (e = 8.93)*

Standard orientation:

Center Number	Atomic Number	Atomic Type	Coordinates (Angstroms)		
			X	Y	Z
1	6	0	0.939254	-1.510758	-0.695273
2	6	0	1.849390	-1.295851	0.537555
3	6	0	2.678868	-0.000049	0.487074
4	6	0	1.849402	1.295756	0.537682
5	6	0	0.939465	1.510795	-0.695265
6	14	0	-0.124858	0.000115	-1.040030
7	1	0	3.377806	-0.000108	1.330758
8	1	0	1.239240	-1.292742	1.448583
9	1	0	2.527982	-2.150967	0.632688
10	1	0	1.561032	-1.677027	-1.585109
11	1	0	0.331855	-2.414709	-0.579045
12	1	0	1.238990	1.292581	1.448574
13	1	0	2.527974	2.150867	0.633028
14	1	0	0.332166	2.414807	-0.579125
15	1	0	1.561320	1.676851	-1.585077
16	1	0	-0.771165	-0.000175	-2.375748
17	1	0	3.298146	0.000015	-0.420532
18	6	0	-1.632615	0.000021	0.187333
19	9	0	-2.436385	1.090787	0.030566
20	9	0	-2.438923	-1.088380	0.027193
21	9	0	-1.260238	-0.002463	1.501885

SCF Done: E(RB+HF-LYP) = -824.475929164 A.U. after 9 cycles

*Structure 5a:**B3LYP/6-311G* IPCM calculation, CHCl₃ solvent (e = 4.9)*

Standard orientation:

Center Number	Atomic Number	Atomic Type	Coordinates (Angstroms)		
			X	Y	Z
1	6	0	-0.939839	1.510895	-0.695453
2	6	0	-1.849735	1.295407	0.537407
3	6	0	-2.678527	-0.000819	0.486983
4	6	0	-1.848371	-1.296193	0.536872
5	6	0	-0.938634	-1.510379	-0.696346
6	14	0	0.126169	0.000761	-1.039212
7	1	0	-3.377067	-0.001346	1.330895
8	1	0	-1.239218	1.292384	1.448059
9	1	0	-2.528619	2.150154	0.633117
10	1	0	-1.561528	1.677892	-1.585130
11	1	0	-0.332616	2.414777	-0.578607
12	1	0	-1.237463	-1.292761	1.447267
13	1	0	-2.526324	-2.151680	0.632568
14	1	0	-0.330625	-2.413800	-0.580063
15	1	0	-1.560395	-1.677464	-1.585949
16	1	0	0.769975	0.001391	-2.376335
17	1	0	-3.298627	-0.000966	-0.420077
18	6	0	1.633028	0.000199	0.188009
19	9	0	2.438081	-1.088236	0.026518
20	9	0	2.435534	1.091151	0.031669
21	9	0	1.258453	-0.003348	1.501634

SCF Done: E(RB+HF-LYP) = -824.475295136 A.U. after 9 cycles

*Structure 5e:**B3LYP/6-31G** geometry optimization*

Standard orientation:

Center Number	Atomic Number	Atomic Type	Coordinates (Angstroms)		
			X	Y	Z
1	14	0	-0.076672	0.000001	-0.605568
2	6	0	0.861479	1.508271	0.026442
3	6	0	0.861482	-1.508269	0.026440
4	6	0	2.387424	1.296012	-0.123602
5	6	0	2.387426	-1.296007	-0.123604
6	6	0	2.906871	-0.000005	0.526785
7	1	0	-0.210849	0.000002	-2.087505
8	6	0	-1.887869	-0.000001	0.065227
9	9	0	-1.926867	-0.000002	1.427254
10	9	0	-2.587947	-1.091293	-0.343909
11	9	0	-2.587948	1.091291	-0.343907
12	1	0	0.614190	1.646857	1.087523
13	1	0	0.544473	2.422411	-0.487251
14	1	0	0.614193	-1.646856	1.087521
15	1	0	0.544476	-2.422409	-0.487254
16	1	0	2.915828	2.152459	0.313398
17	1	0	2.655815	1.289330	-1.189522
18	1	0	2.915831	-2.152457	0.313389
19	1	0	2.655816	-1.289319	-1.189524
20	1	0	2.645009	-0.000008	1.594650
21	1	0	4.002616	-0.000006	0.481455

SCF Done: E(RBLYP) = -824.317047920 A.U. after 7 cycles

No. of imaginary frequencies: 0

Zero-point correction= 0.164487 (Hartree/Particle)

Thermal correction to Energy= 0.175307

Thermal correction to Enthalpy= 0.176251

Thermal correction to Gibbs Free Energy= 0.127058

*Structure 5e:**MP2/6-31G** geometry optimization*

Standard orientation:

Center Number	Atomic Number	Atomic Type	Coordinates (Angstroms)		
			X	Y	Z
1	14	0	0.069961	0.000001	-0.604230
2	6	0	-0.854921	-1.496641	0.046316
3	6	0	-0.854918	1.496644	0.046319
4	6	0	-2.369757	-1.286660	-0.132195
5	6	0	-2.369754	1.286667	-0.132192
6	6	0	-2.890821	-0.000007	0.516226
7	1	0	0.180885	0.000003	-2.078596
8	6	0	1.875142	-0.000001	0.057961
9	9	0	1.907579	-0.000002	1.423237
10	9	0	2.579873	1.093332	-0.347048
11	9	0	2.579871	-1.093335	-0.347050
12	1	0	-0.628967	-1.608621	1.110694
13	1	0	-0.531959	-2.417647	-0.442079
14	1	0	-0.628964	1.608622	1.110697
15	1	0	-0.531954	2.417651	-0.442075
16	1	0	-2.905780	-2.141036	0.287342
17	1	0	-2.616798	-1.265808	-1.198632
18	1	0	-2.905776	2.141039	0.287355
19	1	0	-2.616797	1.265822	-1.198630
20	1	0	-2.627067	-0.000010	1.578857
21	1	0	-3.982021	-0.000008	0.467424

SCF Done: E(RHF) = -820.886028483 A.U. after 7 cycles

E2 = -0.1444434231D+01 EUMP2 = -0.82233046271358D+03

No. of imaginary frequencies: 0

Zero-point correction= 0.169213 (Hartree/Particle)

Thermal correction to Energy= 0.179819

Thermal correction to Enthalpy= 0.180764

Thermal correction to Gibbs Free Energy= 0.132096

*Structure 5e:**B3LYP/6-311G* geometry optimization*

Standard orientation:

Center Number	Atomic Number	Atomic Type	Coordinates (Angstroms)		
			X	Y	Z
1	6	0	0.862994	-1.505009	0.033823
2	6	0	2.388120	-1.295640	-0.123928
3	6	0	2.913139	0.000239	0.519627
4	6	0	2.387710	1.295947	-0.123943
5	6	0	0.862509	1.504723	0.033705
6	14	0	-0.070694	-0.000320	-0.601525
7	1	0	2.665267	0.000205	1.589365
8	1	0	2.915324	-2.151112	0.312178
9	1	0	2.652053	-1.295869	-1.189493
10	1	0	0.543897	-2.419559	-0.475032
11	1	0	0.621235	-1.644121	1.094630
12	1	0	2.914585	2.151599	0.312208
13	1	0	2.651712	1.296286	-1.189492
14	1	0	0.620639	1.643861	1.094488
15	1	0	0.543013	2.419080	-0.475244
16	1	0	-0.197058	-0.000417	-2.081909
17	1	0	4.007024	0.000402	0.464047
18	6	0	-1.889843	-0.000094	0.061556
19	9	0	-1.938773	-0.002932	1.423735
20	9	0	-2.590204	1.091945	-0.345068
21	9	0	-2.592774	-1.088665	-0.349714

SCF Done: E(RB+HF-LYP) = -824.471675812 A.U. after 13 cycles

No. of imaginary frequencies: 0

Zero-point correction= 0.164057 (Hartree/Particle)

Thermal correction to Energy= 0.174869

Thermal correction to Enthalpy= 0.175813

Thermal correction to Gibbs Free Energy= 0.126612

*Structure 5e:**CBS-QB3 calculation*

Standard orientation:

Center Number	Atomic Number	Atomic Type	Coordinates (Angstroms)		
			X	Y	Z
1	6	0	0.857755	-1.500670	0.041468
2	6	0	2.383427	-1.296197	-0.127090
3	6	0	2.914823	0.000046	0.511835
4	6	0	2.383340	1.296241	-0.127112
5	6	0	0.857661	1.500620	0.041469
6	14	0	-0.070492	-0.000054	-0.595357
7	1	0	2.673539	0.000048	1.582800
8	1	0	2.911571	-2.151317	0.307602
9	1	0	2.638659	-1.295773	-1.194530
10	1	0	0.531028	-2.415466	-0.461379
11	1	0	0.620464	-1.627118	1.104708
12	1	0	2.911449	2.151407	0.307534
13	1	0	2.638541	1.295797	-1.194561
14	1	0	0.620393	1.627103	1.104714
15	1	0	0.530840	2.415372	-0.461392
16	1	0	-0.192453	-0.000033	-2.072189
17	1	0	4.007699	0.000081	0.445581
18	6	0	-1.885185	-0.000019	0.060123
19	9	0	-1.938855	-0.002852	1.422222
20	9	0	-2.583851	1.092226	-0.349804
21	9	0	-2.585712	-1.089315	-0.354425
Temperature=			298.150000	Pressure=	1.000000
E(ZPE)=			0.161869	E(Thermal)=	0.172784
E(SCF)=			-821.077655	DE(MP2)=	-1.866327
DE(CBS)=			-0.193767	DE(MP34)=	-0.081820
DE(CCSO)=			-0.043365	DE(Int)=	0.060212
DE(Empirical)=			-0.096882		
CBS-QB3 (0 K)=			-823.137736	CBS-QB3 Energy=	-823.126820
CBS-QB3 Enthalpy=			-823.125876	CBS-QB3 Free Energy=	-823.175206

*Structure 5e:**B3LYP/6-311G* PCM geometry optimization, CH₂Cl₂ solvent*

Standard orientation:

Center Number	Atomic Number	Atomic Type	Coordinates (Angstroms)		
			X	Y	Z
1	6	0	0.863558	-1.507323	0.033169
2	6	0	2.389605	-1.295354	-0.122820
3	6	0	2.911847	0.000410	0.523336
4	6	0	2.388908	1.295880	-0.122832
5	6	0	0.862712	1.506818	0.032981
6	14	0	-0.061369	-0.000539	-0.602994
7	1	0	2.659496	0.000346	1.592349
8	1	0	2.915010	-2.151408	0.314924
9	1	0	2.654418	-1.294108	-1.188359
10	1	0	0.545496	-2.420746	-0.479457
11	1	0	0.622083	-1.646124	1.094709
12	1	0	2.913745	2.152269	0.314940
13	1	0	2.653776	1.294768	-1.188359
14	1	0	0.621194	1.645660	1.094511
15	1	0	0.543930	2.419894	-0.479809
16	1	0	-0.211918	-0.000551	-2.080586
17	1	0	4.006171	0.000693	0.469869
18	6	0	-1.885241	-0.000205	0.060694
19	9	0	-1.949179	-0.007546	1.424038
20	9	0	-2.592052	1.093775	-0.342087
21	9	0	-2.597944	-1.085619	-0.354171

SCF Done: E(RB+HF-LYP) = -824.475335133 A.U. after 1 cycles

No. of imaginary frequencies: 0

Zero-point correction= 0.163192 (Hartree/Particle)

Thermal correction to Energy= 0.174049

Thermal correction to Enthalpy= 0.174993

Thermal correction to Gibbs Free Energy= 0.125795

*Structure 5e:**B3LYP/6-311G* PCM geometry optimization, CHCl₃ solvent*

Standard orientation:

Center Number	Atomic Number	Atomic Type	Coordinates (Angstroms)		
			X	Y	Z
1	6	0	0.863926	-1.507304	0.034752
2	6	0	2.389781	-1.295217	-0.123815
3	6	0	2.912813	0.000597	0.521609
4	6	0	2.388737	1.296087	-0.123585
5	6	0	0.862652	1.506553	0.034237
6	14	0	-0.062443	-0.000871	-0.600752
7	1	0	2.661912	0.000327	1.590945
8	1	0	2.916437	-2.151158	0.312600
9	1	0	2.652794	-1.293872	-1.189815
10	1	0	0.545305	-2.421175	-0.476596
11	1	0	0.624206	-1.646007	1.096596
12	1	0	2.914369	2.152427	0.313281
13	1	0	2.652205	1.295227	-1.189473
14	1	0	0.622238	1.645627	1.095895
15	1	0	0.543091	2.419743	-0.477743
16	1	0	-0.209216	-0.001045	-2.078956
17	1	0	4.007055	0.001061	0.467004
18	6	0	-1.886307	-0.000257	0.060503
19	9	0	-1.949826	-0.003984	1.423634
20	9	0	-2.592069	1.092274	-0.346240
21	9	0	-2.596528	-1.087370	-0.352441

SCF Done: E(RB+HF-LYP) = -824.474777291 A.U. after 11 cycles

No. of imaginary frequencies: 0

Zero-point correction= 0.163336 (Hartree/Particle)

Thermal correction to Energy= 0.174181

Thermal correction to Enthalpy= 0.175125

Thermal correction to Gibbs Free Energy= 0.125950

*Structure 5e:**B3LYP/6-311G* IPCM calculation, CH₂Cl₂ solvent (e = 8.93)*

Standard orientation:

Center Number	Atomic Number	Atomic Type	Coordinates (Angstroms)		
			X	Y	Z
1	6	0	0.863558	-1.507323	0.033169
2	6	0	2.389605	-1.295354	-0.122820
3	6	0	2.911847	0.000410	0.523336
4	6	0	2.388908	1.295880	-0.122832
5	6	0	0.862712	1.506818	0.032981
6	14	0	-0.061369	-0.000539	-0.602994
7	1	0	2.659496	0.000346	1.592349
8	1	0	2.915010	-2.151408	0.314924
9	1	0	2.654418	-1.294108	-1.188359
10	1	0	0.545496	-2.420746	-0.479457
11	1	0	0.622083	-1.646124	1.094709
12	1	0	2.913745	2.152269	0.314940
13	1	0	2.653776	1.294768	-1.188359
14	1	0	0.621194	1.645660	1.094511
15	1	0	0.543930	2.419894	-0.479809
16	1	0	-0.211918	-0.000551	-2.080586
17	1	0	4.006171	0.000693	0.469869
18	6	0	-1.885241	-0.000205	0.060694
19	9	0	-1.949179	-0.007546	1.424038
20	9	0	-2.592052	1.093775	-0.342087
21	9	0	-2.597944	-1.085619	-0.354171

SCF Done: E(RB+HF-LYP) = -824.476775375 A.U. after 7 cycles

*Structure 5e:**B3LYP/6-311G* IPCM calculation, CHCl₃ solvent (e = 4.9)*

Standard orientation:

Center Number	Atomic Number	Atomic Type	Coordinates (Angstroms)		
			X	Y	Z
1	6	0	0.863926	-1.507304	0.034752
2	6	0	2.389781	-1.295217	-0.123815
3	6	0	2.912813	0.000597	0.521609
4	6	0	2.388737	1.296087	-0.123585
5	6	0	0.862652	1.506553	0.034237
6	14	0	-0.062443	-0.000871	-0.600752
7	1	0	2.661912	0.000327	1.590945
8	1	0	2.916437	-2.151158	0.312600
9	1	0	2.652794	-1.293872	-1.189815
10	1	0	0.545305	-2.421175	-0.476596
11	1	0	0.624206	-1.646007	1.096596
12	1	0	2.914369	2.152427	0.313281
13	1	0	2.652205	1.295227	-1.189473
14	1	0	0.622238	1.645627	1.095895
15	1	0	0.543091	2.419743	-0.477743
16	1	0	-0.209216	-0.001045	-2.078956
17	1	0	4.007055	0.001061	0.467004
18	6	0	-1.886307	-0.000257	0.060503
19	9	0	-1.949826	-0.003984	1.423634
20	9	0	-2.592069	1.092274	-0.346240
21	9	0	-2.596528	-1.087370	-0.352441

SCF Done: E(RB+HF-LYP) = -824.475936712 A.U. after 7 cycles

*Structure 5c:**CBS-QB3 calculation*

Standard orientation:

Center Number	Atomic Number	Atomic Type	Coordinates (Angstroms)		
			X	Y	Z
1	6	0	0.879373	-1.340111	-0.775296
2	6	0	1.782750	-1.351065	0.479292
3	6	0	2.862689	-0.242110	0.496234
4	6	0	2.441986	1.121916	-0.104157
5	6	0	0.963377	1.498189	0.151831
6	14	0	-0.101188	0.266970	-0.791379
7	1	0	3.179992	-0.095909	1.533962
8	1	0	1.147953	-1.253648	1.366595
9	1	0	2.277165	-2.322415	0.578359
10	1	0	1.481281	-1.413337	-1.688263
11	1	0	0.210134	-2.205546	-0.778799
12	1	0	3.103242	1.899092	0.291090
13	1	0	2.621278	1.111245	-1.186478
14	1	0	0.735417	1.454516	1.222506
15	1	0	0.762484	2.523431	-0.169985
16	1	0	-0.470552	0.732191	-2.148121
17	1	0	3.749182	-0.591352	-0.043612
18	6	0	-1.783171	0.006243	0.118433
19	9	0	-1.613544	-0.459645	1.389637
20	9	0	-2.497299	1.158563	0.225094
21	9	0	-2.585043	-0.891610	-0.514284

No. of imaginary frequencies: 0

Temperature=	298.150000	Pressure=	1.000000
E(ZPE)=	0.161951	E(Thermal)=	0.172927
E(SCF)=	-821.071248	DE(MP2)=	-1.867674
DE(CBS)=	-0.193799	DE(MP34)=	-0.081756
DE(CCSO)=	-0.043479	DE(Int)=	0.060235
DE(Empirical)=	-0.096864		
CBS-QB3 (0 K)=	-823.132634	CBS-QB3 Energy=	-823.121658
CBS-QB3 Enthalpy=	-823.120714	CBS-QB3 Free Energy=	-823.170241

*Structure 5a–5b:**B3LYP/6-311+G** STQN(Path) calculation input file*

```
#b3lyp/6-311+G** opt(qst3,path=11)
```

a

0 1

6	-0.940304	-1.511059	0.716595
6	-1.821426	-1.296792	-0.538348
6	-2.653436	0.000000	-0.506116
6	-1.821426	1.296792	-0.538348
6	-0.940304	1.511059	0.716595
14	0.139502	-0.000000	1.047671
1	-3.334360	0.000000	-1.366885
1	-1.183036	-1.286704	-1.431774
1	-2.498442	-2.153476	-0.654572
1	-1.582637	-1.666120	1.595868
1	-0.334937	-2.420264	0.615337
1	-1.183035	1.286704	-1.431774
1	-2.498442	2.153476	-0.654572
1	-0.334937	2.420264	0.615337
1	-1.582637	1.666120	1.595868
1	0.778015	-0.000000	2.391508
1	-3.293283	0.000000	0.389734
6	1.621413	-0.000000	-0.195084
9	2.418420	1.091044	-0.043632
9	2.418420	-1.091044	-0.043632
9	1.210671	-0.000000	-1.497540

b

0 1

6	0.836301	-1.550803	-0.177607
6	2.172877	-1.233229	0.538594
6	2.966864	-0.123193	-0.177224
6	2.431058	1.311917	0.062467
6	0.887397	1.444515	0.212238
14	-0.061057	0.054875	-0.638441
1	4.019319	-0.157058	0.129613
1	1.979080	-0.935179	1.578066
1	2.781242	-2.144885	0.592819
1	1.037092	-2.124798	-1.091394
1	0.199671	-2.185719	0.450798
1	2.899644	1.718872	0.967487
1	2.769488	1.948721	-0.763274
1	0.613457	1.373413	1.274064
1	0.551516	2.434604	-0.114449
1	-0.216132	0.238798	-2.107557
1	2.964610	-0.343503	-1.255590

	6	-1.866970	0.019950	0.043835
	9	-2.543654	1.171598	-0.207357
	9	-2.601022	-0.991610	-0.492097
	9	-1.889696	-0.158482	1.395429
ts				
0 1				
	6	0.836747	-1.562983	-0.243368
	6	2.140747	-1.254943	0.529583
	6	2.947269	-0.110174	-0.111938
	6	2.399548	1.296748	0.204619
	6	0.865372	1.514690	0.001203
	14	-0.074395	0.031794	-0.706265
	1	3.989969	-0.153059	0.227358
	1	1.905461	-0.990752	1.570147
	1	2.756547	-2.162061	0.577588
	1	1.079978	-2.101853	-1.168513
	1	0.185794	-2.229319	0.335779
	1	2.645357	1.525667	1.249255
	1	2.952194	2.025698	-0.399504
	1	0.395822	1.745992	0.965768
	1	0.681332	2.393092	-0.627413
	1	-0.318896	0.140652	-2.170644
	1	2.979861	-0.266100	-1.201688
	6	-1.840642	0.015264	0.073996
	9	-2.544664	1.145187	-0.201498
	9	-2.590072	-1.031153	-0.364440
	9	-1.788169	-0.087888	1.433161

Converged Path:

```

Min E( 1) = -824.499043908
      E( 2) = -824.498043541
      E( 3) = -824.495773739
      E( 4) = -824.493337717
      E( 5) = -824.491715874
TS  E( 6) = -824.491217539
      E( 7) = -824.491262868
      E( 8) = -824.491368216
      E( 9) = -824.491498445
      E(10) = -824.491615607
Min E(11) = -824.491659738

```

*Structure 5b–5c:**B3LYP/6-311+G** STQN(Path) calculation input file*

```
#b3lyp/6-311+G** opt(qst3,path=11)
```

b

0 1

6	0.836313	-1.550683	-0.178921
6	2.171936	-1.233265	0.539065
6	2.967061	-0.123521	-0.175939
6	2.431087	1.311814	0.062303
6	0.887414	1.444591	0.211574
14	-0.061218	0.055071	-0.639116
1	4.019043	-0.157394	0.132505
1	1.976810	-0.935055	1.578241
1	2.780077	-2.145019	0.594202
1	1.038460	-2.123571	-1.093111
1	0.199262	-2.186612	0.448030
1	2.899407	1.719661	0.967055
1	2.769706	1.947880	-0.763930
1	0.613159	1.373685	1.273331
1	0.551804	2.434703	-0.115329
1	-0.217023	0.239266	-2.108120
1	2.966423	-0.344295	-1.254206
6	-1.866799	0.019966	0.044048
9	-1.888808	-0.158027	1.395717
9	-2.543899	1.171359	-0.207184
9	-2.600865	-0.991960	-0.491180

c

0 1

6	0.878684	-1.336513	-0.802238
6	1.755168	-1.359712	0.471650
6	2.840530	-0.255196	0.522192
6	2.448390	1.111897	-0.091500
6	0.971820	1.512903	0.135515
14	-0.107103	0.278087	-0.807165
1	3.127452	-0.110949	1.571848
1	1.098456	-1.266489	1.346743
1	2.244300	-2.336704	0.575265
1	1.501390	-1.402885	-1.704532
1	0.209128	-2.204801	-0.825583
1	3.116234	1.883145	0.312946
1	2.647767	1.093236	-1.172757
1	0.728324	1.488623	1.206032
1	0.793940	2.539908	-0.202915
1	-0.492859	0.750179	-2.165048
1	3.743757	-0.609718	0.008813

6	-1.777485	0.006864	0.124444
9	-1.581198	-0.430685	1.401713
9	-2.509677	1.148475	0.214788
9	-2.567024	-0.917593	-0.484378

ts

0 1

6	0.850465	-1.503861	-0.386208
6	2.047280	-1.254916	0.561456
6	3.011099	-0.168066	0.047836
6	2.433642	1.282405	-0.053622
6	0.917016	1.434621	0.229425
14	-0.080053	0.119506	-0.679614
1	3.895699	-0.154976	0.695388
1	1.679805	-0.987355	1.561305
1	2.611888	-2.187732	0.689391
1	1.213007	-1.898594	-1.344613
1	0.180800	-2.268224	0.026946
1	2.978973	1.936229	0.637799
1	2.641262	1.677665	-1.055351
1	0.720120	1.308291	1.302748
1	0.589234	2.449448	-0.022612
1	-0.290996	0.431503	-2.120041
1	3.373607	-0.483329	-0.940236
6	-1.858130	0.017254	0.066962
9	-1.831863	-0.246246	1.404057
9	-2.553162	1.174996	-0.087468
9	-2.601741	-0.966598	-0.506725

Converged Path:

Min E(1) = -824.491659717
 E(2) = -824.491619356
 E(3) = -824.491506193
 E(4) = -824.491368193
 E(5) = -824.491252249
 TS E(6) = -824.491199817
 E(7) = -824.491318217
 E(8) = -824.491743232
 E(9) = -824.492349422
 E(10) = -824.492851535
 Min E(11) = -824.493065887

*Structure 5e-5d:**B3LYP/6-311+G** STQN(Path) calculation input file*

```
#b3lyp/6-311+G** opt(qst3,path=11)
```

```
e
```

```
0 1
```

6	-0.096449	1.504419	-0.027492
6	1.404218	1.299376	0.293588
6	2.028434	0.065869	-0.386645
6	1.460008	-1.284073	0.091197
6	-0.030188	-1.501628	-0.267862
14	-1.070836	-0.061991	0.365548
1	1.900449	0.148036	-1.476505
1	1.963642	2.195417	-0.006192
1	1.538428	1.209391	1.381592
1	-0.492195	2.372035	0.513692
1	-0.214767	1.725345	-1.097822
1	2.058110	-2.097623	-0.340234
1	1.591252	-1.358188	1.180809
1	-0.138861	-1.554422	-1.360434
1	-0.387192	-2.460579	0.126151
1	-1.377889	-0.186150	1.817486
1	3.110707	0.075149	-0.204133
6	-2.789179	-0.029008	-0.515024
9	-2.666401	0.109730	-1.864979
9	-3.496523	-1.170916	-0.304423
9	-3.568563	0.999812	-0.088150

```
d
```

```
0 1
```

6	-0.064951	-1.329527	-0.792851
6	1.223804	-1.418120	0.074885
6	1.732782	-0.081819	0.676561
6	1.485156	1.158780	-0.202938
6	0.006556	1.622384	-0.163113
14	-1.158953	0.139860	-0.353870
1	1.249478	0.086316	1.648658
1	1.051303	-2.119686	0.898777
1	2.019645	-1.859994	-0.538120
1	0.208352	-1.177086	-1.846902
1	-0.615399	-2.276650	-0.766799
1	2.130684	1.980811	0.131348
1	1.781900	0.942779	-1.238816
1	-0.197555	2.118551	0.795055
1	-0.189209	2.370442	-0.940944
1	-2.255326	0.353582	-1.336522
1	2.804640	-0.181849	0.886351

	6	-2.079948	-0.180652	1.316497
	9	-1.228799	-0.483483	2.338477
	9	-2.794042	0.904859	1.719762
	9	-2.957424	-1.215189	1.226818
ts				
0 1				
	6	-0.104409	-1.415058	-0.681834
	6	1.332143	-1.398285	-0.067603
	6	1.749480	-0.111523	0.674831
	6	1.505209	1.178689	-0.130433
	6	0.019838	1.617549	-0.126942
	14	-1.135683	0.134440	-0.354840
	1	1.216102	-0.043084	1.633931
	1	1.440609	-2.243899	0.621149
	1	2.055957	-1.571836	-0.874120
	1	-0.042933	-1.523200	-1.772360
	1	-0.663490	-2.294348	-0.339924
	1	2.122028	1.991291	0.273775
	1	1.845128	1.025212	-1.164647
	1	-0.219703	2.095347	0.832436
	1	-0.165436	2.375810	-0.897072
	1	-2.174250	0.337930	-1.400792
	1	2.814651	-0.194728	0.925295
	6	-2.156547	-0.104778	1.269882
	9	-1.365867	-0.354818	2.352565
	9	-2.891339	0.998153	1.577250
	9	-3.028793	-1.144556	1.181764

Converged Path:

```

Min E( 1) = -824.498903158
      E( 2) = -824.497834472
      E( 3) = -824.495572944
      E( 4) = -824.493373989
      E( 5) = -824.492113821
TS  E( 6) = -824.491772405
      E( 7) = -824.491799963
      E( 8) = -824.491880777
      E( 9) = -824.491965500
      E(10) = -824.492020493
Min E(11) = -824.492035330

```

*Structure 5d–5c:**B3LYP/6-311+G** STQN(Path) calculation input file*

```
#b3lyp/6-311+G** opt(calcfc,qst3,path=11) scf(cdiis,vshift=300) guess(always) nosymm
int=ultrafine
```

d

0 1

6	0.968062	-1.296845	-1.008997
6	1.832935	-1.466800	0.273050
6	2.165624	-0.164956	1.048344
6	2.326501	1.090213	0.169426
6	0.964946	1.644681	-0.320051
14	-0.120920	0.240895	-0.986820
1	1.374641	0.032838	1.784838
1	1.323332	-2.152920	0.958785
1	2.769845	-1.962921	-0.010550
1	1.623513	-1.166556	-1.882233
1	0.390589	-2.206229	-1.210085
1	2.851351	1.869541	0.736385
1	2.967975	0.859391	-0.692626
1	0.446551	2.133977	0.515351
1	1.110036	2.418193	-1.083904
1	-0.731099	0.524665	-2.313842
1	3.081278	-0.331797	1.628576
6	-1.639731	-0.013470	0.182009
9	-1.273980	-0.318255	1.459786
9	-2.414388	1.102222	0.259394
9	-2.447760	-1.022595	-0.238946

c

0 1

6	0.878785	-1.335828	-0.803815
6	1.753756	-1.360217	0.471099
6	2.839069	-0.255691	0.523948
6	2.448404	1.111326	-0.090742
6	0.971862	1.513378	0.134564
14	-0.107222	0.278596	-0.808061
1	3.123687	-0.111314	1.574215
1	1.095987	-1.267812	1.345481
1	2.242759	-2.337306	0.574384
1	1.502579	-1.401036	-1.705447
1	0.209393	-2.204187	-0.828948
1	3.116316	1.882316	0.314091
1	2.648905	1.092048	-1.171776
1	0.727309	1.489935	1.204859
1	0.794979	2.540285	-0.204701
1	-0.494049	0.750654	-2.165650

	1	3.743422	-0.610271	0.012599
	6	-1.776899	0.006829	0.124711
	9	-1.579402	-0.423582	1.404234
	9	-2.512751	1.146531	0.209181
	9	-2.563409	-0.923221	-0.479508
ts				
0 1				
	6	0.924796	-1.239901	-1.033784
	6	1.684817	-1.490764	0.293398
	6	2.413940	-0.253399	0.913496
	6	2.400034	1.042284	0.079683
	6	0.980873	1.623520	-0.123764
	14	-0.125865	0.321098	-0.940126
	1	1.965968	-0.026322	1.889955
	1	0.970450	-1.881686	1.025857
	1	2.413149	-2.293944	0.127954
	1	1.635826	-1.103389	-1.860702
	1	0.325096	-2.119735	-1.295005
	1	3.030101	1.786565	0.584110
	1	2.872086	0.863874	-0.896504
	1	0.558444	1.911634	0.848320
	1	1.019354	2.538539	-0.726729
	1	-0.688504	0.732314	-2.255075
	1	3.457440	-0.519288	1.119809
	6	-1.672209	-0.004264	0.172598
	9	-1.322054	-0.368858	1.440622
	9	-2.461174	1.096635	0.293067
	9	-2.460195	-0.999865	-0.312576

Converged Path:

```

Min E( 1) = -824.492020241
      E( 2) = -824.491960092
      E( 3) = -824.491801405
      E( 4) = -824.491586936
      E( 5) = -824.491409067
TS    E( 6) = -824.491331907
      E( 7) = -824.491466186
      E( 8) = -824.491858604
      E( 9) = -824.492393709
      E(10) = -824.492865328
Min E(11) = -824.493060816

```