Corrigendum to "Modeling the Zn2+ and Cd2+ metalation mechanism in mammalian metallothionein 1a" [Biochem. Biophys. Res. Commun. 426 (2012) 601–607]

ARTICLE *in* BIOCHEMICAL AND BIOPHYSICAL RESEARCH COMMUNICATIONS · MARCH 2013

Impact Factor: 2.3 · DOI: 10.1016/j.bbrc.2013.01.108

Biochemical and Biophysical Research Communications 432 (2013) 198–199

Contents lists available at SciVerse ScienceDirect

Biochemical and Biophysical Research Communications

journal homepage: www.elsevier.com/locate/ybbrc

Corrigendum

Corrigendum to "Modeling the Zn^{2+} and Cd^{2+} metalation mechanism in mammalian metallothionein 1a" [Biochem. Biophys. Res. Commun. 426 (2012) 601–607]

Duncan E.K. Sutherland [a], Kelly L. Summers [b], Martin J. Stillman [a,b,*]

[a] Department of Chemistry, The University of Western Ontario, London, Ontario, Canada N6A 5B7
[b] Department of Biology, The University of Western Ontario, London, Ontario, Canada N6A 5B7

The authors regret an error in Fig. 3. A corrected version of figure has been provided.

DOI of original article: http://dx.doi.org/10.1016/j.bbrc.2012.08.136
* Corresponding author. Address: Department of Chemistry, The University of Western Ontario, Richmond St., London, Ontario, Canada N6A 5B7. Fax: +1 519 661 3022.
E-mail address: martin.stillman@uwo.ca (M.J. Stillman).

http://dx.doi.org/10.1016/j.bbrc.2013.01.108



Fig. 3. Experimental and theoretical data showing Cd^{2+} (A, B, C) and Zn^{2+} (D, E, F) speciation during metalation of the full MT protein, as well as the α- and β-domains. Modeled data: (G, H, I) A model using noncooperativity rules (declining Kas) of ESI-MS data. (J, K, L) A model using weakly cooperativity rules (equal Kas). (M, N, O) A model using strongly cooperativity rules (increasing Kas). Each line corresponds to a different metalation state: Zn0 (), Zn1 (), Zn2 (), Zn3 (), Zn4 (), Zn5 (), Zn6 () and Zn7 ().