A general, energy-separable polynomial representation of the time-independent full Green operator with application to time-independent wavepacket forms of Schrödinger and Lippmann-...

ARTICLE *in* CHEMICAL PHYSICS LETTERS · NOVEMBER 1994

Impact Factor: 1.9 · DOI: 10.1016/0009-2614(94)01192-3

3 AUTHORS, INCLUDING:

Donald J. Kouri
University of Houston
470 PUBLICATIONS **10,588** CITATIONS

ELSEVIER

11 November 1994

Chemical Physics Letters 229 (1994) 678

CHEMICAL PHYSICS LETTERS

Erratum

A general, energy-separable polynomial representation of the time-independent full Green operator with application to time-independent wavepacket forms of Schrödinger and Lippmann–Schwinger equations (Chem. Phys. Letters 225 (1994) 37)

Y. Huang, D.J. Kouri, D.K. Hoffman

Received 27 September 1994

Eqs. (25) and (26) on page 42 have two incorrect signs and should be corrected as

$$\frac{1}{E-H} = -\frac{\mathrm{i}}{\sqrt{(\Delta H)^2-(E-\bar{H})^2}} \sum_n \frac{2^n[(E-\bar{H})-\mathrm{i}\sqrt{(\Delta H)^2-(E-\bar{H})^2}]^n}{(\Delta H)^{2n}} F_n(H) \tag{25}$$

and

$$\frac{1}{E-H} = -\frac{\mathrm{i}}{\sqrt{(\Delta H)^2-(E-\bar{H})^2}} \sum_n \frac{(2-\delta_{n0})[(E-\bar{H})-\mathrm{i}\sqrt{(\Delta H)^2-(E-\bar{H})^2}]^n}{(\Delta H)^n} T_n(H_{\mathrm{scale}}) , \tag{26}$$

respectively.

Elsevier Science B.V.
SSDI 0009-2614(94)01192-3