KEY WORD INDEX

acetylcholine, 735	corpus callosum, 481
acetylcholine receptors, 817	cortex, 405
ACh, 809	corticofugal projection, 655
activity patterning, 105	corticosterone, 985
Akt, 549	corticotectal, 535
alcoholism, 869	corticotropin-releasing factor, 459
allodynia, 891	corticotropin-releasing factor receptor, 459
Alzheimer's disease, 501, 725	cross-modal, 535
4-aminopyridine, 269	cross-sectional design, 523
Ammon's horn sclerosis, 841	5-CT, 901
amygdala, 269, 507	cytokines, 319
	Cytokines, 519
	d amanhatanaina 22
anxiety, 963	d-amphetamine, 33
apoptosis, 719, 831	dark rearing, 161
area dentata, 857	DARPP-32, 261
area Te1, 655	decerebrate preparation, 207, 467
aromatic I-amino acid decarboxylase, 629	dendritic inhibitory cells, 797
arousal, 963	dendritic spines, 549
aspartate, 395	dentate gyrus, 719
astrocytes, 429, 725	dentate hilus, 797
auditory, 535	detoxification, 869
• •	•
autonomic functions, 53	development, 629, 831
autonomic neurons, 327	diencephalon, 669
autoradiography, 901	dihydro-β-erythroidine, 647
autotomy, 945	dihydropyridine, 195
aversion, 241	Disc1, 3
axonal tracing, 573	disinhibition, 953
•	dissociation, 507
Barnes circular maze, 341	distribution, 3
basal K ⁺ -evoked glutamate levels, 367	Dlx, 605
BDNF, 985	dopamine, 283, 449, 619, 637, 757
· · · · · · · · · · · · · · · · · · ·	•
binocular vision, 121	dopamine D ₁ receptor, 33
biocytin, 655	dopamine D1 receptor, 449
blood flow, 709	dopamine D2 receptor, 449
brain, 831	dopamine receptor, 241
brain plasticity, 53	dopamine release, 147
brain regions, 725	dopamine transporter, 449
brainstem, 405	dopamine-β-hydroxylase promoter, 719
bromodeoxyuridine, 605	dopaminergic amacrine cells, 147
α -bungarotoxin, 405, 647	dopaminergic neuron, 173
a-bungarotoxin, 403, 047	dorsal horn, 879
077 000	,
calcium, 377, 869	dorsal striatum, 507
calcium imaging, 147	drug abuse, 241
calcium-binding proteins, 573	dye coupling, 973
callosal crossing, 113	dynamic clamping, 305
callosal pathway, 231	dynorphin, 105
CaMKII, 549	
capillary electrophoresis, 395	Egr-1, 247
capsaicin, 919	elevated plus maze, 283
carbonyl cyanide <i>m</i> -chlorophenylhydrazone (CCCP), 327	endocytosis, 11
	endothelin B receptor, 719
	• •
cell adhesion molecules, 841	enkephalin, 449
cell characterization, 549	epibatidine, 405
cell volume regulation, 89	epilepsy, 953
cellular osmoregulation, 89	epileptiform activity, 269
cerebellum, 305, 647	epileptiform discharge, 953
C-fibers, 919	estradiol, 459, 809
c-Fos, 247, 695	excitotoxins, 535
ChAT, 809	extracellular, 269
choline acetyltransferase, 743	, , , , , , , , , , , , , , , , , , , ,
choline transport, 809	fear conditioning, 247
cholinergic amacrine cells, 147	fear-sensitized startle, 283
	*
chromaffin cells, 781	female, 879
circadian rhythm, 789	FGF receptor type 1, 561
Cl ⁻ channel, 195	FGF-2, 561
clock gene, 789	FK506 derivatives, 351
coding, 305	FKBP52, 351
conditional place preference, 23	fluorescence immunolabeling, 573
conditioning, 183	forkhead transcription factor, 261
consolidation 735	Fos. 11, 43

Fos-FRA, 53	karyokinesis, 561
freezing behavior, 247	knockout mice, 901
frog, 669	
fusion, 121	learning, 247, 857
	lesions, 535
G protein-coupled receptor, 11	limbic, 183
GABA, 605	limbic system, 405
GABA _A receptor, 161	lipopolysaccharide, 619
GABA _A receptors, 929	local sleep, 481
GABAergic nonprincipal neurons, 797	locomotion, 33
GABAergic projection, 207	locus coeruleus, 137
GABAergic system, 593	long-term potentiation, 319, 857
gender difference, 459	L-type Ca ⁺⁺ channel, 195
	L type ou onamier, 100
gene therapy, 823	
gene-targeted mice, 725	male, 879
giant terminal, 655	MAPK, 319, 549
glia, 429	marginal zone, 605
glial cell line-derived neurotrophic factor, 137	maternal aggression, 439
glial cells, 781	maternal behaviour, 439
glial-neuronal signalling, 377	
glia-neurone signalling, 387	mecamylamine, 647
glucocorticoids, 429	mediobasal hypothalamus, 629
GluR2/3, 261	membrane electrical properties, 929
glutamate, 377, 395, 869	membrane excitability, 327
glycine, 421	memory, 247, 319, 507, 735
gonadectomy, 695	memory formation, 857
granule cells, 305	metabolism, 429
gravity, 53	mice, 735
guinea-pig, 919	microdialysis, 395, 439
	mitral/tufted cells, 929
habit, 507	MMP-2, 767
headache, 919	MMP-3, 767
hemicholinium-3, 735	MMP-9, 767
heparin-binding epidermal growth factor-like growth factor	morphine, 515
(HB-EGF), 757	morphology, 593
hierarchical processing, 113	Morris water escape task, 523
hippocampal formation, 137	mossy fibers, 305
hippocampus, 43, 341, 405, 429, 857	α -motoneurons, 467
homocysteic acid, 377, 387	mouse, 261, 515
HPA axis, 963	MPTP, 173
5-HT ₇ receptor, 901	MRI, 299
hyperalgesia, 743, 891	muscular tonus, 467
hyperexcitability, 593	myelin protein, 781
hypernatremia, 89	, , , , ,
hyperosmolarity, 89	Navon figures, 113
	•
hyperthermia, 637	neocortex, 231
hypophysiotropic, 221	neural cells, 823
hypothalamus, 11, 395	neural regeneration FKBP12, 351
	neurogenesis, 173
ibotenic acid, 535	Neurolab, 53
IL-1β, 619	neurologic deficits, 583
	• • • • • • • • • • • • • • • • • • • •
immediate early genes, 43, 53	neuronal interactions, 221
immunohistochemistry, 221, 515	neuronal progenitor cells, 173
immunophilin, 351	neuropathology, 869
in situ hybridization, 261	neuropeptide receptor, 147
in situ hybridization localization, 3	neuroplasticity, 137
in vivo release, 387	
incidental learning, 507	neurosecretory cells, 973
infarct, 583	neurotoxicity, 637
inflammation, 945	neurotrophic factor, 757
inhalation, 593	neutrophils, 945
inhibition. 305	NGF, 809
,	nicotinic acetylcholine receptors, 647
· · · · · · · · · · · · · · · · · · ·	
insulin-regulated aminopeptidase, 341	nitric oxide, 299, 421
interhemispheric EEG synchronisation, 481	NMDA, 377
interneurons, 573	NMDA receptors, 387
interocular disparity, 121	non-human primates, 725
intoxication, 593	noradrenergic neurons, 137
	•
intracellular recordings, 231	norepinephrine, 963
intracerebral infusion, 183	nucleus, 561
intraparenchymal NGF, 743	nucleus basalis magnocellularis, 743
ion channels, 817	nucleus raphe magnus, 685

nucleus tractus solitarius, 81	rofecoxib, 891 rotenone, 327
off-cell, 685	rotenone, 327 Ruthenium Red, 913
8-OH-DPAT, 901	, , , , , , , , , , , , , , , , , , , ,
olfactory bulb, 173	schizophrenia, 183
olfactory nerve-evoked synaptic responses, 929 on-cell, 685	Schwann cell, 743
ontogeny, 3	Schwann cells, 351
open field, 283	seizures, 231 sensory transmission, 387
operant learning, 23	sex steroids, 695
opiate, 879 κ-opioid, 105, 241	sexual behavior, 11
osmolality, 89	skin, 709
osmolyte, 89	sleep deprivation, 481, 695 sleep regulation, 481
ovariectomy, 459, 695 overexpression, 561	slice, 269
ovine, 789	slice-culture, 161
oxytocin, 973	somatosensory, 669
-50 004	spatial learning, 523 spatial memory, 43, 341
p53, 831 pain, 395, 879	spike-wave complexes, 231
paired-pulse inhibition, 593	spinal dorsal horn, 891
paraventricular nucleus, 81	spinophilin, 549
parietal, 43	spontaneous seizures, 269 SR141716A, 367
Parkinson's disease, 207, 619, 757 paroxysmal depolarizing shift, 953	stem cells, 823
partial nerve injury, 891	stereology, 283, 797
Pavlovian learning, 23	strain differences, 963
pedunculopontine tegmental nucleus, 207, 467 periglomerular cells, 929	stress, 283, 429, 439, 459, 709 stress vulnerability, 963
peripheral nerve, 781	stressor, 985
pharmacology, 817	striatum, 637
phosphatidylinositol kinase cascade, 515	substantia nigra, 629 substantia nigra pars reticulata, 207
phosphodiesterase PDE4B3, 857 photoperiod, 789	superior cervical ganglion, 561
physical activity, 985	superplate, 605
pit organ, 913	suppression, 121
pit vasculature, 913 place conditioning, 241	supraoptic nucleus, 81, 105 supraspinal, 515
plasma extravasation, 919	synapse, 501
polyamine, 299	synapses, 221
postsynaptic inhibition, 467 precedence effect, 113	synaptic, 501
precedence effect, 113 prenatal, 619	synaptic currents, 161 synaptic reorganization, 841
preoptic area, 695	synaptic responsiveness, 231
presynaptic GABA _B receptors, 929	
primary visual cortex, 121 principal neurons, 797	tachykinin peptide, 147
protein levels, 725	teleost, 973
proteinases, 767	TGF-β, 351 thalamic reticular nucleus, 655
protonophore, 327 psychostimulants, 637	thalamus, 387
PVN-spinal neurones, 421	the matrix, 261
	thermoreceptor, 913
quantitative PCR, 161	thermoregulation, 709 TNF α , 619
quinolinic acid, 23 quisqualic acid, 945	tonotopic organization, 655
quioquano dota,	transgene expression, 719
raphe, 709	transient focal cerebral ischemia, 583
raphe nucleus, 573 rat, 33, 43, 81, 183, 573, 629, 757, 809	transplantation, 137 treadmill, 583
α_2 receptor, 901	trigeminal ganglion neuron, 913
recombinant receptor, 195	trigeminus, 669, 919
reconsolidation, 735	TTC staining, 299
recovery of function, 523 reinnervation, 767	two-electrode voltage-clamp, 817 tyrosine hydroxylase, 629
release, 377	, ,
REM sleep, 207, 467	ultrastructure, 879
renal sympathetic activity, 421 retroviral vector, 173	unpredictable stress, 637
retrovirus, 823	
reward, 241	vasopressin, 973
RFamide, 81	vestibular, 669

visual, 535 visual cortex, 161

Wallerian degeneration, 767 warm-plate assay, 515

water maze, 743 WIN 55212–2, 685 WOX1, 831

Xenopus oocytes, 817