REFERENCES

REFERENCES:

Alexandrescu, A.T., Evans, P.A., Pitkeathly, M., Baum, J. and Dobson, C.M. (1993) Structure and dynamics of the acid-denatured molten globule state of alpha-lactalbumin: a two-dimensional NMR study. *Biochemistry* **32**, 1707-18.

Aoyama, A., Frohli, E., Schafer, R. and Klemenz, R. (1993) Alpha B-crystallin expression in mouse NIH 3T3 fibroblasts: glucocorticoid responsiveness and involvement in thermal protection. *Mol. Cell. Biol.* **13**, 1824-35.

Arakawa, T. and Timasheff, S.N. (1985) Theory of protein solubility. *Methods. Enzymol.* **114**, 49-77.

Augusteyn RC, Ellerton HD, Putilina T, Stevens A.(1988) Specific dissociation of alpha B subunits from alpha-crystallin. *Biochim. Biophys. Acta* **957**, 192-201.

Bennardini, F., Wrzosek, A. and Chiesi, M. (1992) Alpha B-crystallin in cardiac tissue. Association with actin and desmin filaments. *Circ. Res.* **71**, 288-94.

Bhat, S.P. and Nagineni, C.N. (1989) Alpha B subunit of lens-specific protein alpha-crystallin is present in other ocular and non-ocular tissues. *Biochem. Biophys. Res. Commun.* **158**, 319-25. Bose, S., Weikl, T., Bugl, H. and Buchner, J. (1996) Chaperone function of Hsp90-associated proteins. *Science*; **274**:1715-1717.

Bova, M.P., Yaron, O., Huang, Q., Ding, L., Haley, D.A., Stewart, P.L. and Horwitz, J. (1999) Mutation R120G in alphaB crystallin, which is linked to a desmin related myopathy results in an irregular structure and defective chaperone-like function. *Proc. Natl. Acad. Sci. U.S.A.* **96**, 6137-6142.

Brems, D.N., Plaisted, S.M., Havel, H.A. and Tomich, C.S. (1988) Stabilization of an associated folding intermediate of bovine growth hormone by site-directed mutagenesis. *Proc. Natl. Acad.*

Sci. U. S. A. 85, 3367-71.

Buchner, J. (1999) Hsp90 & Co. - a holding for folding. Trends Biochem. Sci.; 24:136-141.

Buchner, J., Grallert, H. and Jakob, U (1998) Analysis of chaperone functions using citrate synthase as non-native substrate protein. *Methods. Enzymol.* **290**, 323-338.

Bukau, B. and Horwich, A.L. (1998) The HSP70 and HSP60 chaperone machines. *Cell* **92**, 351-366.

Collins, K.D. and Washabaugh, M.W. (1985) The Hofmeister effect and the behaviour of water at interfaces. *Q Rev Biophys.* **18**, 323-422.

Craig, E.A., Gambill, D.B. and Nelson, R.J. (1993) Heat shock proteins: molecular chaperones of protein biogenesis. *Microbiol. Rev.* 57, 402-414.

Creighton TE. (1970) Protein folding pathways determined using disulphide bonds. *Bioessays* 14, 195-199.

Creighton, T.E. (1986) Disulfide bonds as probes of protein folding pathways. *Methods*. *Enzymol*. **131**, 83-106.

Das, K.P., Petrash, J.M. and Surewicz, W.K. (1996) Conformational properties of substrate proteins bound to a molecular chaperone alpha-crystallin. *J. Biol. Chem.* **271**, 10449-10452.

Dasgupta, S., Hohman, T.C. and Carper, D. (1992) Hypertonic stress induces alpha B-crystallin expression. *Exp. Eye. Res.* **54**, 461-70.

Datta, S.A. and Rao, C.M. (1999) Differential temperature-dependent chaperone-like activity of alphaA- and alphaB-crystallin homoaggregates. *J. Biol. Chem.* **274**, 34773-34778.

Davis, R., The Enzymes V (1945) (Boyer, P., Lardy, H., Myrback, K., Eds), Academic Press, NY, 545.

Djabali, K., Beatrice de Nechaud, London, F. and Portier M, -M. (1997) AlphaB crystallin interacts with intermediate filaments in response to stress. *J. Cell. Sci.***110**, 2759-2769.

Duguid, J.R., Rohwer, R.G. and Seed, B. (1988) Isolation of cDNAs of scrapie-modulated RNAs by subtractive hybridization of a cDNA library. *Proc. Natl. Acad. Sci. USA* **85**, 5738-5742.

Ehrnsperger, M., Graber, S., Gaestel, M. and Buchner, J. (1997) Binding of non-native protein to Hsp25 during heat shock creates a reservoir of folding intermediates for reactivation. *EMBO J.*; **16**: 221-229.

Ewbank, J.J and Creighton, T.E. (1993) Pathway of disulfide-coupled unfolding and refolding of bovine alpha-lactalbumin. *Biochemistry* **32**, 3677-3693.

Ewbank, J.J. and Creighton, T.E. (1991) The molten globule protein conformation probed by disulphide bonds. *Nature* **350**, 518-20.

Gao, Y., Thomas, J.O., Chow, R.L., Lee, G.H. and Cowan, N.J. (1992) A cytoplasmic chaperonin that catalyses the beta-actin folding. *Cell* **69**, 1043-1050.

Georgopoulos, C. and Welch, W.J. (1993) Role of the major heat shock proteins as molecular chaperones. *Ann. Rev. Cell. Biol.* **9**, 601-634.

Georgopoulos, C., Hendrix, R.W., Casjens, S.R and Kaiser A.D (1973) Host participation in bacteriophage lambda head assembly. *J.Mol. Biol.* **76**, 45-60.

Georgopoulos, G.C., Ang, D., Lieberek, K. and Zylicz. (1990) Properties of *E. coli* heat shock proteins and their role in bacteriophage lambda growth in Stress Proteins and their Role in Biology and Medicine (Morimoto, R.I., Tissieres, A. and Georgopoulos Eds.), CSH Laboratory Press, New York, p-191.

Gething, M,-J., McCammon, K. and Sambrook, J. (1986) Expression of wild-type and mutant forms of influenza hemagglutinin: the role of folding in intracellular transport. *Cell* **46**, 939-950. Glover, J.R. and Lindquist, S. (1998) HSP104, HSP70 and HSP40: A novel chaperone system that rescues previously aggregated proteins. *Cell* **94**, 73-82.

Goldberg M.S., Zhang, J, Sondek, S., Mathews, C.R., Fox, R.O. and Horwich, A.L. (1997)

Native-like structure of a protein-folding intermediate bound to the chaperonin GroEL. *Proc. Natl. Acad. Sci. U.S.A.* **94**, 1080-1085.

Goldberg, M.E., Rudolph, R. and Jaenicke, R. (1991) A kinetic study of the competition between renaturation and aggregation during the refolding of denatured-reduced egg white lysozyme. *Biochemistry* 30, 2790-2797.

Grallert, H., Rutkat, K. and Buchner, J. (1998) GroEL traps dimeric and monomeric unfolding intermediates of citrate synthase. *J. Biol. Chem.* **273**, 33305-33310.

Guptasarma, P. PhD thesis (1993) submitted to J.N.U, p54.

Hayer-Hartl, M.K., Ewbank, J.J., Creighton, T.E. and Hartl, F.U (1994) Conformational specificity of the chaperonin GroEL for the compact folding intermediates of alpha lactalbumin. *EMBO.J.* **13**, 3192-3202.

Hemmingsen, S.M., Woolford, C., Van der Vies, S.M., Tilly, K., Dennis, D.T., Georgopoulos, G.C., Hendrix, R.W. and Ellis, R.J. (1988) Homologous plant and bacterial proteins chaperone oligomeric protein assembly. *Nature* 333, 330-334.

Hoenders, H.J., and Bloemendal, H (1981) Molecular and Cellular Biology of the Eye Lens (Blomendal, H. ed.) 279-326, John Wiley and Sons Inc., New York.

Hohfeld, J. and Hartl, F.U. (1994) Post-translational protein import and folding. *Curr. Opin. Cell. Biol.* **6**, 499-509.

Hook, D.W and Harding, J.J. (1997) Molecular chaperones protect catalase against thermal stress. *Eur. J. Biochem.* **247**, 380-385.

Horwitz, J. (1992) Alpha-crystallin can function as a molecular chaperone. *Proc. Natl. Acad. Sci. U.S.A.* **89**, 10449-10453.

Hoshino, M., Kawata, Y. and Goto, Y. (1996) Interaction of GroEL with conformational states of horse cytochrome c. J. Mol. Biol. 262, 575-87.

Ikeguchi, M. and Sugai, S. (1989) Contribution of disulfide bonds to stability of the folding intermediate of alpha-lactalbumin. *Int. J. Pept. Protein. Res.* 33, 289-97.

Ikeguchi, M., Kuwajima, K. and Sugai, S. (1986) Ca2+-induced alteration in the unfolding behavior of alpha-lactalbumin. *J. Biochem. (Tokyo)* **99**, 1191-201.

Ingolia, Td. and Craig, E.A. (1982) Four small Drosophila heat shock proteins are related to each other and to mammalian alpha-crystallin. *Proc. Natl. Acad. Sci. U.S.A.* **79**, 2360-2364.

Iwaki, T., Iwaki, A., Fukumaki, Y. and Tateishi, J. (1995) Alpha B-crystallin in C6 glioma cells supports their survival in elevated extracellular K+: the implication of a protective role of alpha B-crystallin accumulation in reactive glia. *Brain. Res.* 673, 47-52.

Iyer, K.S. and Klee, W.A. (1973) Direct spectrophotometric measurement of the rate of reduction of disulfide bonds. The reactivity of the disulfide bonds of bovine α-lactalbumin. *J. Biol. Chem.* **248**, 707-710.

Jagannadham, M.V. and Balasubramanian, D. (1985) The molten globular intermediate form in the folding pathway of human carbonic anhydrase B. *FEBS*. *Lett.* **188**, 326-330.

Jakob, U., Gaestel, M., Engel, K. and Buchner, J. (1993) Small heat shock proteins are molecular chaperones. *J. Biol. Chem.* **268**, 1517-20.

Jakob, U., Lilie, H., Meyer, I. and Buchner, J. (1995) Transient interaction of Hsp90 with early unfolding intermediates of citrate synthase. Implications for heat shock in vivo. *J. Biol. Chem.* **270**, 7288-7294.

Karpusas, M., Branchaud, B. and Remington, S.J. (1990) Proposed mechanism for the condensation reaction of citrate synthase: 1.9-A structure of the ternary complex with oxaloacetate and carboxymethyl coenzyme A. *Biochemistry* 29,2213-2229.

Kim, K.K., Kim, R. and Kim, S.H. (1998) Crystal structure of the sHSP. Nature 394, 595-599.

Kingston, R.E. (1990) in Hormonal Control of Gene Regulation (Foulkes, G., and Cohen, P., eds) Elsevier Science Publishing Co., New York.

Klemenz, R., Frohli, E., Aoyama, A., Hoffmann, S., Simpson, R.J., Moritz, R.L. and Shafer, R. (1991) Alpha B crystallin accumulation is a specific response to Ha-ras and v-mos oncogene expression in mouse NIH 3T3 fibroblasts. *Mol. Cell. Biol.* 11, 803-812.

Klemenz, R., Frohli, E., Steiger, R.H., Schafer, R. and Aoyama, A. (1991) Alpha B-crystallin is a small heat shock protein. *Proc. Natl. Acad. Sci. U S A.* **88**, 3652-3656.

Kronman, M.J., Holmes, L.G. and Robbins, F.M. (1967) Inter- and intramolecular interactions of alpha-lactalbumin. 8. The alkaline conformational change. *Biochim. Biophys. Acta* **133**, 46-55. Kumar, L.V, Ramakrishna, T. and Rao, Ch.M. (1999) Structural and functional consequences of the mutation of a conserved arginine residue in alphaA and alphaB crystallins. *J. Biol. Chem.* **274**, 24137-24141.

Kuwajima, K. (1977) A folding model of alpha-lactalbumin deduced from the three-state denaturation mechanism. *J. Mol. Biol.* **114**, 241-58.

Kuwajima, K. (1996) The molten globule state of alpha-lactalbumin. *FASEB. J.* **10**, 102-109. Kuwajima, K., Ikeguchi, M., Sugawara, T., Hiraoka, Y. and Sugai, S. (1990) Kinetics of disulfide bond reduction in alpha-lactalbumin by dithiothreitol and molecular basis of superreactivity of the Cys6-Cys120 disulfide bond *Biochemistry* **29**, 8240-8249.

Landry, S.J., Jordan, R., McMacken, R. and Gierasch, L.M. (1992) Different conformations for the same polypeptide bound to chaperones DnaK and GroEL. *Nature* 355, 455-457.

Langer, T., Lu, C., Echols, H., Flanagan, J., Hayer, M.K. and Hartl, F.U. (1992) Successive action of DnaK, DnaJ and GroEL along the pathway of chaperone-mediated protein folding. *Nature*. **356**, 683-689.

Levinthal, C. (1968) Are there pathways for protein folding? J. Chim. Phys. 65, 44-45.

Levinthal, C. (1969) Mössbauer Spectroscopy in Biological Systems (edn. Debrunner, P., Tsibris, J.C.M. and Münck, E.) University of Illinois Press, Urbana, 22-24.

Lindner, R.A., Kapur, A. and Carver, J.A. (1997) The interaction of the molecular chaperone, alpha-crystallin, with molten globule states of bovine alpha-lactalbumin. *J. Biol. Chem.* **272**:27722-27729.

Litt, M., Kramer, P., LaMorticella, D.M., Murphey, W., Lovrien, E.W. and Weleber, R.G. (1998) Autosomal dominant congenital cataract associated with a missense mutation in the human alpha crystallin gene CRYAA. *Hum. Mol. Genet.* **7**, 471-474.

Manning, M.C. and Woody, R.W. (1989) Theoretical study of the contribution of aromatic side chains to the circular dichroism of basic bovine pancreatic trypsin inhibitor. *Biochemistry* **28**, 8609-8613.

Martin, J., Langer, T., Boteva, R., Schramel, A., Horwich, A.L. and Hartl, F.U. (1992) Chaperonin-mediated folding at the surface of GroEL through a molten globule-like intermediate.

Nature 352, 36-42.

Morimoto, R.I., Abravava, K., Mosser, D. and Williams, G.T. (1990) in Stress Proteins: Induction and Function (Schlesinger, M.J., Santoro, G., and Garaci, E.,eds) Springer-Verlag. Murano, S., Theweatt, R., Reis, R.J.S., Jones, R.A., Moerman, E.J. and Goldstein, S. (1991) Diverse gene sequences are overexpressed in werner syndrome fibroblasts undergoing premature replicative senescence. *Mol. Cell. Biol.* 11, 3905-3914.

Nitta, K. and Sugai, S. (1989) The evolution of lysozyme and alpha-lactalbumin. *Eur. J. Biochem.* **182**,111-118.

Nitta, K., Kita, N., Kuwajima, K. and Sugai, S. (1977) Equilibrium and kinetics of the unfolding of alpha-lactalbumin by guanidine hydrochloride (IV): dependence of the N equilibrium A transconformation on the temperature *Biochim. Biophys. Acta* **490**, 200-208.

Nover, L., Munsche, D., Neumann, D., Ohme, K. and Scharf, K.D. (1986) Control of ribosome biosynthesis in plant cell cultures under heat shock conditions. *Eur. J. Biochem.* **160**, 297-304. Nyman, P.O., Strid, L., Westermark, G. (1968) Carboxyl-terminal region of human and bovine erythrocyte carbonic anhydrases. I. Amino acid sequences of terminal cyanogen bromide fragments. *Eur. J. Biochem.* **6**, 172-189.

Otting, G., Liepinsh, E. and Wuthrich, K. (1991) Protein hydration in aqueous solution. *Science* **254**, 974-980.

Parsell, D.A., Kowal, A.S., Singer, M.A. and Lindquist, S. (1994) Protein disaggregation mediated by heat shock protein HSP104. *Nature* 372, 475-478.

Parsell, D.A., Taulien, J. and Lindquist, S. (1993) The role of the heat shock proteins in thermotolerance. *Phil. Trans. R. Soc. Lond. B.* **339**, 279-286.

Pelham, H.R.B. (1986) Speculations on the functions of the major heat shock and glucose regulated stress proteins. *Cell* **46**, 959-961.

Perisic, O., Xiao, H. and Lis, J.T. (1989) Stable binding of Drosophila heat shock factor to head-to-head and tail-to-tail repeats of a conserved 5 bp recognition unit. *Cell* **59**, 797-806.

Piatigorsky, J. and Wistow, G.J. (1989) Enzyme/crystallins: gene sharing as an evolutionary strategy. *Cell* 57, 197-199.

Ptitsyn, O.B. (1995) Molten globule and protein folding. Adv. in. Prot. Chem. 47, 83-229.

Rajaraman, K., Raman, B. and Rao, C.M. (1996) Molten-globule state of carbonic anhydrase binds to the chaperone-like alpha-crystallin. *J. Biol. Chem.* **271**, 27595-27600.

Rajaraman, K., Raman, B., Ramakrishna, T. and Rao, C.M. (1998) The chaperone-like alphacrystallin forms a complex only with the aggregation-prone molten globule state of alphalactalbumin. *Biochem. Biophys. Res. Commun.* **249**, 917-921.

Raman, B. (1997) PhD thesis submitted to J.N.U, 32-48.

Raman, B. and Rao, C.M. (1994) Chaperone-like activity and quaternary structure of alphacrystallin. *J. Biol. Chem.* **269**, 27264-27268.

Raman, B., Ramakrishna, T. and Rao, C.M. (1995) Temperature dependent chaperone-like activity of alpha-crystallin. *FEBS. Lett.* **365**, 133-136.

Raman, B., Ramakrishna, T. and Rao, C.M. (1997) Effect of the chaperone-like alpha-crystallin on the refolding of lysozyme and ribonuclease A. *FEBS. Lett.* **416**, 369-372.

Rao, C.M., Raman, B., Ramakrishna, T., Rajaraman, K., Ghosh, D., Datta, S., Trivedi, V.D. and Sukhaswami, M.B. (1998) Structural perturbation of alpha-crystallin and its chaperone-like activity. *Int. J. Biol. Macromol.* **22**, 271-281.

Rao, P.V., Horwitz, J. and Zigler, J.S., Jr. (1993) Alpha-crystallin, a molecular chaperone, forms a stable complex with carbonic anhydrase upon heat denaturation. *Biochem. Biophys. Res. Commun.* **190**, 786-793.

Remington, S., Wiegand, G. and Huber, R. (1982) Crystallographic refinement and atomic models of two different forms of citrate synthase at 2.7 and 1.7 A resolution. *J. Mol. Biol.* **158**, 111-152.

Rudiger, S., Germeroth, L., Schneider-Mergener, J. and Bukau, B. (1997) Substrate specificity of the DnaK chaperone determined by screening cellulose-bound peptide libraries. *EMBO J.* **16**, 1501-1507.

Rupley, J.A, Careri, G. (1991) Protein hydration and function. *Adv. Protein. Chem.* **41**, 37-172. Rutherford, S.L. and Lindquist, S. (1998) Hsp90 as a capacitor for morphological evolution. *Nature* **396**, 336-342.

Sax, C.M. and Piatigorsky, J. (1994) Expression of the alpha-crystallin/small heat-shock protein/molecular chaperone genes in the lens and other tissues. *Adv. Enzymol. Relat. Areas.*Mol. Biol. 69, 155-201.

Schmid, D., Baici, A., Gehring, H. and Christen, P. (1994) Kinetics of molecular chaperone action. *Science* **263**, 971-973.

Schmidt, M. and Buchner, J. (1992), Interaction of GroEL with an all beta-sheet protein. *J. Biol. Chem.* **267**, 16829-16833.

Schmidt, M., Bucheler, U., Kaluza, B. and Buchner, J. (1994) Correlation between the stability of the GroEL-protein ligand complex and the release mechanism. *J. Biol. Chem.*;**269**:27964-27972.

Schumacher, R.J., Hurst, R., Sullivan, W.P., McMahon, N.J., Toft, D.O. and Matts, R.L. (1994) ATP-dependent chaperoning activity of reticulocyte lysate. *J. Biol. Chem.* **269**, 9493-9499.

Sciandra, J.J. and Subjeck, J.R. (1983) The effects of glucose on protein synthesis and thermosensitivity in CHO cells. *J.Biol.Chem.* **258**, 12091-12093.

Segawa, T., Kuwajima, K. and Sugai, S. (1981) Kinetic correlations between the disulfide bond reduction and the induced conformational change of proteins. *Biochim Biophys Acta* **668**, 89-97. Semisotnov, G.V., Rodionova, N.A., Razgulyev, O.I., Uversky, V.N., Gripas, A.F. and Gilmanshin, R.I. (1991) Study of the "molten globule" intermediate state in protein folding by a hydrophobic fluorescent probe. *Biopolymers* **31**, 119-128.

Shechter, Y., Patchornik, A., and Burstein, Y. (1973) Selective reduction of cystine 1-8 in alphalactalbumin. *Biochemistry* **12**, 3407-3413.

Shroff, N.P., Cherian-Shaw, M., Bera, S. and Abraham, E.C. (2000) Mutation R116C results in highly oligomerised alphaA-crystallin with modified structure and defective chaperone-like function. *Biochemistry* **39**, 1420-1426.

Siezen, R.J., Bindels, J.G. and Hoenders, H.J. (1978) The quaternary structure of bovine alphacrystallin. Size and charge microheterogeneity: more than 1000 different hybrids? *Eur. J. Biochem.* **91**,387-396.

Siezen, R.J., Bindels, J.G. and Hoenders, H.J. (1980) The quaternary structure of bovine alphacrystallin. Effects of variation in alkaline pH, ionic strength, temperature and calcium ion concentration. *Eur. J. Biochem.* **111**, 435-444.

Srere, P.A. (1966) Citrate-condensing enzyme-oxalacetate binary complex. Studies on its physical and chemical properties. *J. Biol. Chem.* **241**: 2157-65.

Stancato, L.F., Hutchison, K.A., Krishna, P. and Pratt, W.B. (1996) Animal and plant cell lysates share a conserved chaperone system that assembles the glucocorticoid receptor into a functional heterocomplex with hsp90. *Biochemistry* 35, 554-561.

Stigter, D. and Dill, K.A.(1990) Charge effects on folded and unfolded proteins. *Biochemistry* **29**, 1262-1271.

Stryer, L. (1965) The interaction of a naphthalene dye with apomyoglobin and apohemoglobin. A fluorescent probe of non-polar binding sites. *J. Mol. Biol.* **13**, 482-495.

Sun, T.X., Das, B.K. and Liang, J.J. (1997) Conformational and functional differences between recombinant human lens alphaA- and alphaB-crystallin. *J Biol Chem.* **272**, 6220-6225.

Susek, R.E and Lindquist, S.L. (1989) HSP 26 of *Saccharomyces cerevisiae* is related to the superfamily of sHSPs but without a demonstrable function. *Mol. Cell. Biol.* **9**, 5265-5271.

Szabo, A., Langer, T., Schroder, H., Flanagan, J., Bukau, B. and Hartl, F.U. (1994) The ATP hydrolysis-dependent reaction cycle of the Escherichia coli Hsp70 system DnaK, DnaJ, and GrpE. *Proc. Natl. Acad. Sci. U.S.A.* **91**, 10345-10349.

Thomson, J.A. and Augusteyn, R.C. (1985) Ontogeny of human lens crystallins. *Exp. Eye. Res.* **40**, 393-410.

Tissieres, A., Mitchell, H.K. and Tracy, U. M. (1974) Protein synthesis in salivary glands of *Drosophila melanogaster*: relation to chromosome puffs. *J. Mol. Biol.* **84**, 389-398.

Trivedi, V.D., Raman, B., Rao, C.M. and Ramakrishna, T. (1997) Co-refolding denatured-

reduced hen egg white lysozyme with acidic and basic proteins. FEBS. Lett. 418, 363-366.

Uversky, V.N and Ptitsyn, O.B. (1996) Further evidence on the equilibrium "pre-molten globule state": four-state guanidinium chloride-induced unfolding of carbonic anhydrase B at low temperature. *J. Mol. Biol.* **255**, 215-228.

van den IJssel PR, Overkamp P, Knauf U, Gaestel M, de Jong WW. 1994 Alpha A-crystallin confers cellular thermoresistance. *FEBS. Lett.* **355**, 54-56.

Van der Ouderaa, F.J., de Jong, W.W., Hilderink, A., and Bloemendal, H. (1974) Eur. J. Biochem. 49, 157-168.

van Mierlo, C.P., Darby, N.J., Neuhaus, D. and Creighton, T.E. (1991) Two-dimensional 1H nuclear magnetic resonance study of the (5-55) single-disulphide folding intermediate of bovine pancreatic trypsin inhibitor. *J. Mol. Biol.* **222**, 373-390.

Vanaman, T.C., Brew, K. and Hill, R.L. (1970) The disulfide bonds of bovine alpha-lactalbumin. *J. Biol. Chem.* **245**, 4583-4590.

Veinger, L., Diamant, S., Buchner, J. and Goloubinoff, P. (1998) The small heat-shock protein IbpB from Escherichia coli stabilizes stress-denatured proteins for subsequent refolding by a multichaperone network. *J Biol Chem.* 273, 11032-11037.

Vicart, P., Caron, A., Guicheney, P., Li, Z., Prevost, M.C., Faure, A., Chateau, D., Chapon, F., Tome, F. and Dupret, J.M. (1998) A missense mutation in the alphaB-crystallin chaperone gene causes a desmin-related myopathy. *Nature Genetics* **20**, 92-95.

Ward, R.L. (1970) Zinc environmental differences in carbonic anhydrase isozymes. *Biochemistry*. **9**, 2447-2454.

Waters, E.R., Lee, G.J. and Vierling, E. (1996) Evolution, structure and function of the small heat shock proteins in plants. *J. Exp. Bot.* **47**, 325-338.

Welch, W.J. and Suhan, J.P. (1986) Cellular and biochemical events in mammalian cells during

and after recovery from physiological stress. J. Cell. Biol. 103, 2035-2052.

Whitney, P.L., Folsch, G., Nyman, P.O., and Malmstrom, B.G. (1967) Inhibition of human erythrocyte carbonic anhydrase B by chloroacetyl sulfonamides with labeling of the active site. J. Biol. Chem. 242, 4206-4211.

Zhi, W., Landry, S.J., Gierasch, L.M., and Srere, P.A. (1992) Renaturation of citrate synthase: influence of denaturant and folding assistants. *Protein Sci.*;1:522-529.

Zhi, W., Srere, P. and Evans, C.T. (1991) Conformational stability of pig citrate synthase and some active-site mutants. *Biochemistry* **30**, 9281-9286.

Zhu, X., Zhao, X., Burkholder, W.F., Gragerov, A., Ogata, C.M., Gottesman, M.E. and Hendrickson, W.A. (1996) Structural analysis of substrate binding by the molecular chaperone DnaK. *Science* 272, 1606-1614.

Zimmerman, J.L., Petri, W.L. and Meselson, M. (1983) Accumulation of specific subsets of *D. melanogaster* heat shock mRNA in normal development without heat shock. *Cell* 32, 1161-1170.

Zimmerman, S.B. and Minton, A.P. (1993) Macromolecular crowding: biochemical, biophysical and physiological consequences. *Ann. Rev. Biophy.Biomol. Struct.* **22**, 27-65.

Zwanzig, R., Szabo, A. and Bagchi, B. (1992) Levinthal's paradox. *Proc. Natl. Acad. Sci. U. S. A.* 89, 20-22.