Quinoline Derivatives as 5-HT6 Receptor PET Ligands

ARTICLE *in* ACS MEDICINAL CHEMISTRY LETTERS · APRIL 2014

Impact Factor: 3.12 · DOI: 10.1021/ml500045k · Source: PubMed

1 AUTHOR:

Gerard C Rossé
Dart NeuroScience LLC
70 PUBLICATIONS **295** CITATIONS

ACS Medicinal Chemistry Letters

PATENT HIGHLIGHT

pubs.acs.org/acsmedchemlett

Quinoline Derivatives as 5-HT$_6$ Receptor PET Ligands

Gerard Rosse*

Structure Guided Chemistry, Dart Neuroscience LLC, 7473 Lusk Boulevard, San Diego, California 92121, United States, and Adjunct Associate Professor, Department of Pharmacology and Physiology, College of Medicine, Drexel University, New College Building, 245 North 15th Street, Philadelphia, Pennsylvania 19102, United States

Title:	Quinoline Derivatives as 5-HT$_6$ Receptor PET Ligands		
Patent/Patent Application Number:	US-20130343993-A1	**Publication date:**	December 26, 2013
Priority Application:	US-20130343993-A1	**Priority date:**	January 08, 2012
Inventors:	Black, L. A.		
Assignee Company:	AbbVie Inc. USA		
Disease Area:	Alzheimer's Disease, deficits in memory, cognition, and learning	**Biological Target:**	5-HT$_6$ receptor

Summary: This application claims a series of quinolines for treating or preventing a condition or disorder related to memory deficits such as Parkinson's disease, Alzheimer's disease, mild cognitive impairment, depression, and anxiety. The invention claims also radiolabeled quinolines useful as diagnostic tools as 5-HT$_6$ receptor PET ligands.

Important Compound Classes:



Key Structures:



Example 1



Example 2



GSK-215083

Biological Assay: Compounds were evaluated in 5-HT$_6$, 5-HT$_{2A}$, and 5-HT$_{2B}$ receptor binding assays and against a panel of 78 receptors/drug targets.

Biological Data:

Compounds binding affinities

	Example 1	GSK-215083
Human 5-HT$_6$ K$_i$ (nM)	0.22	0.34
Human 5-HT$_{2A}$ K$_i$ (nM)	123 (559x)	0.39 (1.16x)
Human 5-HT$_{2B}$ K$_i$ (nM)	144 (654x)	

Rat PK (0.05 mg/kg, iv) for Example 1

Minutes after dose	Plasma conc. (ng/mL)	Free brain conc. (ng/g)	Free B/P ratio
3	104.5	21.5	0.21
5	83.5	23.1	0.28

Brain Distribution for Tritium Labeled Example 2

Minutes after dose	Stratium/ Cer.	Hippocampus/ Cer.	Cortex/Cer.
5	0.81	1.06	0.9
40	1.31	1.07	1.20

Received: January 31, 2014
Published: February 13, 2014

AUTHOR INFORMATION

Corresponding Author
*E-mail: grosse@dartneuroscience.com.

Notes
The authors declare no competing financial interest.