

## Affiliation Index

- Australian Cotton Research Institute, 160  
 Centre National de la Recherche Scientifique, 90  
 Ceregen, 229  
 Clemson University, 1,130,149  
 Colorado State University, 141  
 Cyanamid International, 187  
 Institut National de la Recherche Agronomique, 209  
 Institute of Arable Crops Research—Rothamsted, 52,72  
 IRAC-U.S., 187  
 Louisiana State University, 149  
 Mississippi State University, 229  
 Natural History Museum (United Kingdom), 72  
 Nemec Agriservices, 149  
 North Carolina State University, 141,229  
 Oklahoma State University, 198  
 Oregon State University, 10  
 Ruhr-Universität, 44  
 U.S. Department of Agriculture, 221  
 U.S. Environmental Protection Agency, 243  
 Université Paul Sabatier, 17  
 University College London, 149  
 University of Adelaide, 117  
 University of California—Riverside, 79  
 University of California—Davis, 169  
 University of Georgia, 130  
 University of Guelph, 28  
 University of Hawaii, 130  
 University of Idaho, 10  
 University of Illinois—Chicago, 97,198  
 University of Wisconsin, 106  
 Wageningen Agricultural University, 62  
 Weizmann Institute of Science, 169

## Subject Index

### A

- $\alpha$  subunit, role in forming functional sodium channel protein, 54  
 Abandonment, resistance management, 177–178  
 Abstinence, resistance management, 170–171  
*AcIn-R*, role in surveillance of resistant acetylcholinesterase in *Heliothis virescens*, 149–156  
 Acetohydroxy acid synthase, *See* Acetolactate synthase  
 Acetolactate synthase  
   function, 10  
   oligomeric structure, 10–11,13f  
   role in multiple mechanisms for herbicide resistance in *Lolium rigidum*, 117–127  
   target of pesticide resistance, 3  
 Acetolactate synthase inhibiting herbicides  
   laboratory selection for resistance, 11–12,14  
   molecular genetics of target site resistance, 10–15  
 Acetolactate synthase inhibitor resistance, selection, 11  
 Acetyl coenzyme A carboxylase, role in multiple mechanisms for herbicide resistance in *Lolium rigidum*, 117–127  
 Acetylcholinesterase  
   molecular genetics in insecticide-resistant *Drosophila melanogaster*, 17–26  
   surveillance in *Heliothis virescens*, 149–156  
   target of pesticide resistance, 3  
 Adenosine 5'-triphosphate (ATP) dependent  
   flash-induced signals, auxinic herbicide resistance, 38,40f

- Agricultural fungicides, 62
- Amplified esterase gene(s)  
examples of insecticide resistance, 72  
migration hypothesis, 90–95
- Amplified esterase gene expression in  
insecticide-resistant *Myzus persicae*  
DNA methylation of amplified sequences,  
73,75  
experimental description, 72–73  
inheritance of DNA methylation during  
sexual reproduction, 75–77  
quantification of amplified sequences,  
73,74f
- Antibiotic resistance, 97–103
- Antimycotics, use as agricultural  
fungicide, 62
- Aphid, example of amplified esterase  
genes, 72–78
- Arabidopsis*, molecular genetics of  
resistance, 10–15
- Australian insecticide resistance  
management strategy for *Helicoverpa*  
*armigera*  
early history, 161–163f  
later adaptations, 162–167f
- Auxinic herbicide(s), 28–29
- Auxinic herbicide resistance  
auxinic herbicides, 29–32  
comparison of resistant and susceptible  
*Sinapis arvensis* L., 33–37f  
development, 32  
experimental description, 29  
light scattering spectroscopy, 38–40f  
molecular genetic comparisons of  
*Sinapis arvensis* and *Arabidopsis*, 36
- Azole(s), use as agricultural fungicide, 62
- Azole fungicides, 62–69
- B**
- Bacillus thuringiensis*  
advantages as pesticides, 130–131  
endotoxins, 243–252  
insecticidal proteins, 229–240  
resistance development, 131  
resistance in *Plutella xylostella*,  
130–138
- Bacteria, transposon-encoded streptomycin  
resistance, 198–207
- Bacterial plant pathogens, molecular  
genetics and evolution of copper  
resistance, 79–86
- Bactericide resistance, role of detoxication  
in evolution, 4
- Bemisia tabaci*, See Sweet potato whitefly
- Biolistic bombardment, DNA delivery  
methods, 223
- Brassica napus* cell cultures, selection,  
12,14
- C**
- Chitin, advantages as target for pesticide  
action, 141
- Chitin synthesis inhibitor insecticides,  
141–146
- (4-Chloro-2-methylphenoxy)acetic acid,  
resistance in wild mustard, 28–40
- Chlorsulfuron  
multiple mechanisms for resistance in  
*Lolium rigidum*, 117–127  
selection, 11–12
- Chlorsulfuron resistant prickly lettuce,  
description, 14
- Cocklebur, herbicide resistance, 14–15
- Codon 302 of *Rdl*, target of pesticide  
resistance, 3
- Coffee berry borer, origin of insecticide  
resistance, 111–112
- Controlled release rate, resistance  
management, 180
- Conventional insecticides, problems, 130
- Copper, applications, 79
- Copper resistance  
identification, 79  
molecular genetics and evolution in  
bacterial plant pathogens, 79–86
- Corn cultures with imidazolinone  
herbicides, selection, 12
- Crop protection agents, development time  
and cost, 187–188
- CryIA toxins, role in resistance to  
*Bacillus thuringiensis* in *Plutella*  
*xylostella*, 130–138

- CryIA(c)-resistant *Heliothis virescens*, validation of diagnostic dose, 237,238f
- Culex pipiens*, *See* Mosquito
- Cyclodiene resistance gene *Rdl*, role in insecticide resistance, 106–115
- CYP51* gene, role in resistance in fungi to azole fungicides, 62–69
- Cytochrome P450 dependent sterol demethylase, role in resistance in fungi to azole fungicides, 62–69
- D
- D1 protein, molecular basis of plant resistance to photosystem II herbicides, 44–49
- Detoxication, role in evolution of bactericide resistance, 4
- Diagnostic dose, monitoring strategy for early detection of Lepidoptera resistance to *Bacillus thuringiensis* insecticidal proteins, 229–240
- Diamondback moth, resistance to *Bacillus thuringiensis*, 130–138
- Dicamba, resistance in wild mustard, 28–40
- (2,4-Dichlorophenoxy)acetic acid, resistance in wild mustard, 28–40
- Diclofop-methyl, multiple mechanisms for resistance in *Lolium rigidum*, 117–127
- Diflubenzuron, resistance, 142
- DNA methylation, role in amplified esterase gene expression in insecticide-resistant *Myzus persicae*, 72–78
- Dose rate, resistance management, 179
- Drosophila melanogaster*
- molecular genetics of acetylcholinesterase, 17–26
  - susceptibility to lufenuron, 141–146
- Drosophila* species, origin of insecticide resistance, 110–111
- E
- Ecology
- pesticide resistance management, 6
  - transposon-encoded streptomycin resistance in plant pathogenic bacteria, 198–207
- Electroporation, DNA delivery methods, 223
- Entomology, use of transgenic technology, 221
- Erwinia amylovora*, transposon-encoded streptomycin resistance, 200,202–203
- Esterase gene expression in insecticide-resistant *Myzus persicae*, amplified, *See* Amplified esterase gene expression in insecticide-resistant *Myzus persicae*
- Evolution
- insecticide resistance in mosquito, 90–95
  - pesticide resistance, 4
- F
- Federal Insecticide, Fungicide, and Rodenticide Act, 244
- Fenarimol, use as agricultural fungicide, 62
- Fitness mechanism, surveillance of resistant acetylcholinesterase in *Heliothis virescens*, 154
- Folding, acetylcholinesterase, 21
- Fungi, molecular genetics of resistance to azole fungicides, 62–69
- Fungicides
- classes, 2
  - molecular genetics of resistance in fungi, 62–69
  - problems of resistance development, 63
- G
- Gene(s), resistance, movement among plants, 209–218
- Gene expression, acetylcholinesterase, 17–18
- Gene sequences, pyrethroid-resistance houseflies, 52–60
- Genetic(s), molecular, *See* Molecular genetics
- Genetic engineering, resistance management, 179
- Genetic variability in *Drosophila melanogaster* for susceptibility to lufenuron, 142–146

Genetically altering insects  
 development of transgenic cotton plants,  
 221–222  
 DNA delivery methods, 222–224  
 ecological implications, 226  
 transposons as gene transfer vectors,  
 224–225  
 use of transgenic technology, 225–226

## H

*Helicoverpa armigera*, Australian  
 insecticide resistance management  
 strategy, 160–166  
*Helicoverpa zea*, comparison to *Bacillus*  
*thuringiensis* resistance monitoring  
 strategies, 229–240  
*Heliothis virescens*  
 comparison to *Bacillus thuringiensis*  
 resistance monitoring strategies,  
 229–240  
 surveillance of resistant  
 acetylcholinesterase, 149–156

Herbicide(s)  
 acetolactate synthase inhibiting, *See*  
 Acetolactate synthase inhibiting  
 herbicides  
 auxinic, 28–29  
 classes, 2  
 Herbicide resistance, multiple mechanisms  
 in *Lolium rigidum*, 117–127  
 Houseflies, pyrethroid resistant, sodium  
 channel gene sequences, 52–60

## I

Imidazolinone herbicides, 11  
 Inheritance mechanism, surveillance of  
 resistant acetylcholinesterase in  
*Heliothis virescens*, 154  
 Insect(s), genetically altering, *See*  
 Genetically altering insects  
 Insect pests, control methods, 221  
 Insecticidal proteins of *Bacillus*  
*thuringiensis*, monitoring strategies  
 for early detection of Lepidoptera  
 resistance, 229–240

Insecticide(s), classes, 2  
 Insecticide resistance, role of genes, 149  
 Insecticide resistance evolution in  
 mosquito  
 analysis by restriction endonuclease  
 digestion, 91,92t  
 polymorphism at esterase B locus in  
 susceptible populations, 94,95f  
 reason for similarity of restriction  
 maps, 91,93f  
 Insecticide resistance management strategy  
 Australian strategy for *Helicoverpa*  
*armigera*, 160–166  
 requirements, 160  
 Insecticide-resistant *Myzus persicae*,  
 amplified esterase gene expression,  
 72–78  
 Insertion sequence elements, 98

## K

*kdr* factor, 52–53  
*kdr* houseflies, sequences, 56–57  
*kdr*-type resistance, 53  
 Ketoconazole, use as agricultural  
 fungicide, 62  
 Kinetics, acetylcholinesterase, 21–22,24f  
 Knockdown resistance, 52–60  
 Kochia, sulfonylurea resistance, 14

## L

$\beta$ -Lactamase, resistance evolution, 4  
 Larval growth inhibition, monitoring  
 strategy for early detection of  
 Lepidoptera resistance to *Bacillus*  
*thuringiensis* insecticidal proteins,  
 229–240  
 Lepidoptera resistance to *Bacillus*  
*thuringiensis* insecticidal proteins,  
 monitoring strategies for early  
 detection, 229–240  
 Light scattering spectroscopy, auxinic  
 herbicide resistance, 38–40  
*Lolium rigidum*, 117–127

Low-rate pesticides, resistance management, 171

Lufenuron, genetic variability in *Drosophila melanogaster* for susceptibility, 141–146

## M

Management of pesticide resistance, *See* Resistance management

Mazalil, use as agricultural fungicide, 62

*MDR* gene, role in resistance in fungi to azole fungicides, 62–69

Methylation, role in amplified esterase gene expression in insecticide-resistant *Myzus persicae*, 72–78

Metsulfuron methyl resistance tobacco cell cultures, selection, 11–12

Miconazole, use as agricultural fungicide, 62

Microinjection, DNA delivery methods, 222–223

Migration, description, 209

Migration hypothesis, amplified esterase genes, 90–95

Mobile genetic elements, role in resistance of antibiotics and pesticides, 98–101

Molecular basis of plant resistance to photosystem II herbicides herbicides  
mode of action, 44–46f  
quantitative structure–activity relationship, 45,47  
target site mutations yielding herbicide tolerance, 47–49

Molecular biology, voltage-sensitive sodium channel, 54–55

Molecular diagnostic, knockdown resistance, 52–60

Molecular genetics  
acetylcholinesterase in insecticide-resistant *Drosophila melanogaster*  
folding of enzyme, 21  
gene coding of enzyme, 17  
gene expression of enzyme, 17–18  
kinetics of enzyme, 21–22,24f

Molecular genetics—*Continued*  
acetylcholinesterase in insecticide-resistant *Drosophila melanogaster*—*Continued*  
resistance to insecticides, 22–26  
structure of enzyme, 18–21  
copper resistance in bacterial plant pathogens, 80–85  
pesticide resistance management, 3–6  
resistance in fungi to azole fungicides, 63–69  
target site resistance to acetolactate synthase inhibiting herbicides, 10–15  
transposon-encoded streptomycin resistance in plant pathogenic bacteria, ecological fitness of Tn5393-containing plasmids, 198–207  
Molecular monitoring for specific resistance alleles, polymerase chain reaction techniques, 5  
Monitoring strategies for early detection of Lepidoptera resistance to *Bacillus thuringiensis* insecticidal proteins  
assay description, 231  
bioassay techniques, 237  
diagnostic doses, 230–231,233,235,236f,239  
dose mortality response evaluation, 231–233,237,239  
experimental description, 229  
growth inhibition response evaluation, 233,234f,239  
laboratory vs. field control, 240  
sampling, 235–237  
threat of insect resistance, 229–230  
validation of diagnostic dose, 237,238f  
Monogenic resistance, management, 180–184  
Mosquito  
control using insecticides, 90  
example of amplified esterase genes, 72  
insecticide resistance development, 90  
insecticide resistance evolution, 90–95  
origins of insecticide resistance, 106–115  
Movement, resistance gene movement among plants, 209–218

- Multidrug resistance, description, 66–67
- Multiple mechanisms for herbicide resistance in *Lolium rigidum* cytochrome P450 development of multiple resistance, 127
- cytochrome P450 herbicide multiple resistance in single biotype, 118–119
- cytochrome P450 inhibitors as synergists of herbicide action, 122f–126
- cytochrome P450 target site based resistance, 119–121
- enhanced herbicide detoxicative metabolism, 121
- genetics of multiple resistance, 126–127
- implications of multiple resistance for weed management strategies, 127
- Mustard, wild, auxinic herbicide resistance, 28–40
- Mutagenized *Arabidopsis thaliana* seed, 12
- Myzus persicae*, See Aphid
- N**
- Negative cross-resistance, resistance management, 178–179
- Negative selection mechanism, surveillance of resistant acetylcholinesterase in *Heliothis virescens*, 155
- Nucleotide-independent flash-induced signals, auxinic herbicide resistance, 38,39f
- O**
- Organophosphorus insecticide, pharmacodynamic mechanism of resistance, 3
- P**
- P-glycoproteins, 66–68
- Pathogenic bacteria, transposon-encoded streptomycin resistance, 198–207
- Pest resistance to pesticides, worldwide concern, 243
- Pesticide mixture usage, resistance management, 179
- Pesticide resistance, 1–4
- Pesticide resistance management concept, 2
- prophylactic strategies, 5–6
- role of U.S. Environmental Protection Agency, 243–252
- Pharmacodynamic mechanisms, pesticide resistance, 3
- Pharmacokinetic mechanisms, pesticide resistance, 3–4
- Photosystem II herbicides
- molecular basis of plant resistance, 44–49
- multiple mechanisms for resistance in *Lolium rigidum*, 117–127
- resistance, 44
- target of pesticide resistance, 3
- Picloram, resistance in wild mustard, 28–40
- Plant(s), resistance gene movement, 209–218
- Plant pathogen(s), molecular genetics and evolution of copper resistance, 79–86
- Plant pathogenic bacteria, transposon-encoded streptomycin resistance, 198–207
- Plant resistance to photosystem II herbicides, molecular basis, 44–49
- Plutella xylostella*, resistance to *Bacillus thuringiensis*, 130–138
- Polygenic resistance, management, 180–194
- Polymerase chain reaction amplification of specific alleles, molecular diagnostic for knockdown resistance, 59–61
- Polymerase chain reaction based methodologies, molecular diagnostic for knockdown resistance, 59
- Polymerase chain reaction techniques, molecular monitoring for specific resistance alleles, 5
- Polymorphism, screening techniques, 5
- Preemptive delaying strategies, resistance management, 179–180
- Prevention, resistance management, 169–184
- Prophylactic strategies, pesticide resistance management, 5–6

- Pseudomonas syringae*, transposon-encoded streptomycin resistance, 203–204
- Pyrethroid(s), primary site of action, 53
- Pyrethroid insecticides, resistance development, 52
- Pyrethroid resistance in *Heliothis virescens*, occurrence, 4–5
- Pyrethroid-resistant houseflies, sodium channel gene sequences, 52–60
- Pyrimidinyl oxybenzoate herbicides, 11
- Q
- Q<sub>B</sub> binding protein, molecular basis of plant resistance to photosystem II herbicides, 44–49
- R
- Red flour beetle, origin of insecticide resistance, 112
- Reduced pesticide usage, resistance management, 170–177
- Refugee concept, description, 215
- Regulation, pesticide resistance management, 6
- Remediation, resistance management, 169–184
- Resistance
- acetolactate synthase herbicides, molecular genetics, 10–15
  - antibodies and pesticides
  - antibiotic resistance, 98–101
  - initial comparisons, 97
  - pesticide resistance, role of transposable elements, 101–103
  - auxinic herbicides, *See* Auxinic herbicide resistance
  - Bacillus thuringiensis* in *Plutella xylostella*, 131–139
  - copper, *See* Copper resistance
  - evolution for insecticides in mosquito, 90–95
  - fungi to azole fungicides, molecular genetics, 62–69
  - Resistance—*Continued*
  - herbicide, *See* Herbicide resistance
  - insecticide, 149
  - Lepidoptera to *Bacillus thuringiensis* insecticidal proteins, monitoring strategies for early detection, 229–240
  - Myzus persicae*, role of esterase gene amplification, 72–78
  - pesticide, 1–4
  - Resistance gene movement among plants
  - experimental description, 209–210
  - gene flow between crops and weeds, 216–218
  - gene flow between populations, 214–215
  - gene flow within populations, 210–213
  - hybridization of gene flow between weed species, 215–216
  - Resistance management
  - guidelines, 191–193
  - modeling of polygenic and monogenic resistances, 180–184
  - preemptive delaying strategies, 179–180
  - reduced pesticide usage, 170–177
  - remedial possibilities, 177–179
  - role of U.S. Environmental Protection Agency, 243–252
  - strategies, 243
  - Resistance mechanisms, evolution, 154
  - Resistant acetylcholinesterase in *Heliothis virescens*, surveillance, 149–156
  - Restriction endonuclease digestion, analysis, 91,92*t*
  - Rotation, resistance management, 179
  - Russian thistle, herbicide resistance, 14
  - Ryegrass, *See* *Lolium rigidum*
- S
- Selective abandonment, resistance management, 178
  - Sequestration, description, 3–4
  - Sinapis arvensis* L., auxinic herbicide resistance, 28–40

- Sodium channel gene sequences in pyrethroid-resistant houseflies development of molecular diagnostic for knockdown resistance, 57–60  
molecular biology of voltage-sensitive sodium channel, 54–55  
sequences in susceptible *kdr* and *super-kdr* houseflies, 56–57
- Sterol demethylase inhibitors, 62  
*strA–strB* gene, dissemination among human and animal-associated bacteria, 205–206
- Streptomycin, 198–199
- Streptomycin resistance in plant pathogenic bacteria, *See* Transposon-encoded streptomycin resistance in plant pathogenic bacteria
- Structure, acetylcholinesterase, 18–21
- Sulfonylurea herbicides, 3,11  
*super-kdr* factor, 53  
*super-kdr* houseflies, sequences, 56–57
- Surveillance of resistant acetylcholinesterase in *Heliothis virescens*  
acetylcholinesterase inhibition frequencies, 150,153–154  
acetylcholinesterase inhibition genotype determination, 150–152*f*  
antiresistance strategy, 155  
comparison to other pest species, 155–156  
equilibrium mechanism, 155  
evolution of resistance mechanism, 154  
experimental description, 150  
inheritance mechanism, 154–155  
molecular genetics, 156  
number of alleles, 155
- Susceptible houseflies, sequences, 56–57
- Sustainable agriculture, description, 2
- Sweet potato whitefly, origin of insecticide resistance, 109*t*,112–114*f*
- Synergists, resistance management, 178
- T**
- Target site resistance to acetolactate synthase inhibiting herbicides, molecular genetics, 10–15
- Temporary abandonment, resistance management, 177–178
- Tn5393  
dissemination among nontarget phylloplane and soil bacteria, 205  
genetic characterization, 199–201*f*  
Tn5393-containing plasmids, ecological fitness, 204–206
- Tobacco budworm, *See Heliothis virescens*
- Tralkoxydim, multiple mechanisms for resistance in *Lolium rigidum*, 117–127
- Transgenesis, pesticide resistance management, 6
- Transgenic technology, genetically altering insects, 221–226
- Transposon(s), gene transfer vectors, 224–225
- Transposon-encoded streptomycin resistance in plant pathogenic bacteria  
ecological fitness of Tn5393-containing plasmids, 205–206  
experimental description, 199  
genetic characterization of Tn5393, 199–201*f*  
population dynamics of *strA–strB* genes, 200,202–204
- Triadimefon, use as agricultural fungicide, 62
- Triazine herbicides, pharmacodynamics mechanism of resistance, 3
- Triazolopyrimidine herbicides, 11
- 1,1,1-Trichloro-2,2-bis(*p*-chlorophenyl)-ethane, resistance management, 169–184
- U**
- U.S. Environmental Protection Agency's role in pesticide resistance management  
CryIII*A* case study, 251–252  
historical role in regulatory decisions, 244  
refinement of role, 245  
statutory authorities, 246  
types of regulatory actions, 246–251



## V

Viral infection, DNA delivery methods, 224

Voltage-sensitive sodium channel,  
molecular biology, 54–55

## W

Weed(s), variation within species in  
traits, 209

Weed populations, definition, 210

Wild mustard, auxinic herbicide  
resistance, 28–40

## X

*Xanthomonas campestris*, transposon-  
encoded streptomycin resistance, 204