

# Subject Index

## A

### Anthropogenic soil

- amorphous silica and soil organic carbon content, 10*f*
- amorphous silica preservation, 3
- ASi concentrations, 8
- background, 5
- C and Si accumulation rates, 11
- discussion and outlook, 9
- introduction, 4
- land management system, 6*f*
- SOC concentrations, 8
- soil organic carbon content and amorphous silica concentration, relation, 12*f*
- soil sampling and analysis, 7
- study area, 7

## B

### Biom mineralization, 157

- axial filament and its formation in vitro and in vivo, 160*f*
- biological hierarchy, soft matter, 168
- biosilica, 159
  - in vivo and in vitro, maturation steps, 171*f*
- conclusion, 172
- enzymatic machinery, elements
  - activity of silicatein- $\alpha$ , 165
  - enzyme kinetic studies, 162
  - silicateins, 161
  - silintaphins, 165
- introduction, 158
- paradigm shift of bio-polycondensation, 173
- from polymeric bio-silica to mesoscopic structures, 168
- precision bio-silica molding, 170*f*
- precision bio-silica molding and shaping, 169
- silicateines, 164*f*
- siliceous spicule synthesis, 163*f*
- soft matter formation, enzymatic machinery, 160
- soft silica and sol-gel bio-silica synthesis, 166
  - from sol/gel to soft matter, 167*f*

spicule, 159

## E

### Epoxy-functional silicones preparation

- conclusions, 45
  - concurrent acid catalyzed alkoxysilane condensation and epoxide CROP, 37
  - conducting sol-gel chemistry, laboratory procedure, 39
  - 3D prototypes, examples, 44*f*
  - $\alpha$ -epoxycyclohexylethyl- $\omega$ -trimethoxysilanes, preparation, 41*s*
  - hydrosilation methods, 35
  - introduction, 33
  - photoinitiated cationic polymerization, 34*s*
  - photoinitiated CROP, 41
    - real time FT-IR study, 42*f*
  - photopolymerization of II, 38*s*
  - photopolymerized epoxy-silicone IV, electrical and physical properties, 43*t*
  - reaction conditions, optimization, 40
  - sol-gel chemistry, application, 38
  - structures of epoxy-silicone monomers, 36*t*
- ### 3-Ethacryloxypropyltrimethoxysilane
- coating bond strength, effect of silane coupling agent, 53*t*
  - conclusions, 55
  - coupling agent effectiveness, 48
  - introduction, 47
  - mechanistic studies, 49
  - polyester polymer data, 52
  - reactivity, 50
  - surface tension considerations, 51
  - surface tension data, 52
    - comparison, 53*t*
  - typical properties, 51*t*
  - water contact angle data, comparison, 54*t*

## G

- General hydrolysis and condensation chemical reactions, 17*f*

## N

- New fluorosilicone block copolymers  
 addition of hydroxyl terminated silane, 83*f*  
 base-promoted polymerization, 82*f*  
 conclusions, 85  
 CS1K and segmented polymer  
 CS1K-*b*-PFCB8K, <sup>1</sup>H NMR, 84*f*  
 experimental  
 CS1K-*b*-PFCB8K, 81  
 CS1K-*b*-PFCB16K, 82  
 general procedures, 81  
 materials, 81  
 fluorinated arylene vinylene ether  
 (FAVE), 80  
 introduction, 79  
 perfluorocyclobutyl (PFCB), 80  
 results and discussion, 82  
 silicone-segmented PFCB aryl ether  
 polymers, selected properties, 85*t*  
 trifluorovinyl ethers (TFVE), 80  
 Novel thermoreversible block copolymers, 87  
 conclusions, 100  
 DSC thermograms, 93*f*  
 first-order kinetic polymerization, 90  
 GPC analysis, 91*t*  
 GPC and <sup>1</sup>H-NMR analyses, 95*t*  
<sup>1</sup>H-NMR traces, 92*f*  
 introduction, 88  
 PDMS macroinitiator (Br-PDMS-Br), 89  
 polyrotaxane, DSC thermograms, 96*f*  
 polyrotaxanes, structure, 94  
 preparation and characterization, 93  
 thermoreversible polyrotaxane  
<sup>1</sup>H-NMR, 97*f*, 99*f*  
 XRD, 98*f*, 100*f*

## P

- Pentablock copolymers, 103  
 conclusions, 109  
 controlled radical and radical  
 telomerization of VAc, <sup>1</sup>H-NMR, 106*t*  
 controlled telomerization of vinyl  
 acetate, 105*s*  
 DSC thermograms, 109*f*  
 first-order kinetic plot and monomer  
 conversion, 107*f*  
 GPC and <sup>1</sup>H-NMR analyses, results  
 obtained, 108*t*  
<sup>1</sup>H-NMR traces, 108*f*  
 introduction, 104

- PDMS macroinitiator (Br-PDMS-Br), 104  
 PVAc telomers, <sup>1</sup>H-NMR, 106*f*  
 radical and controlled radical  
 telomerization, PVAc telomers, 105  
 Plaggen soils, 11

## Q

- Quinone tethered silylethers  
 conclusions, 181  
 discussion, 178  
 experimental  
 synthesis of compound 1, 181  
 synthesis of compound 2, 182  
 synthesis of compound 3, 182  
 fluorescence emission spectra of BSA, changes, 180*f*  
 introduction, 177  
 powder-XRD, 179*f*  
 SEM figure of film prepared from  
 compound, 179*f*  
 trimethoxysilane group, 178*c*

## S

- Silicone elastomers, organic surface  
 modifications, 113  
 chemical vapor deposition procedure, 119*f*  
 conclusions, 129  
 grafting of silane to PDMS, 118*f*  
 introduction, 114  
 materials, 116  
 methods  
 chemical vapor deposition and  
 mechanically-assisted monolayers, 117  
 PDMS films, preparation, 117  
 modified elastomeric wound, 115*f*  
 modified silicone elastomers, surface  
 dynamics  
 amino-terminated moieties grafted  
 onto Sylgard® 184, 124  
 contact angle, relative humidity, 129*f*  
 contact angle, temperature-  
 dependence, 128  
 in-situ environmental variations,  
 contact angle measurements, 126  
 PDMS modified with -C<sub>3</sub>H<sub>6</sub>NH<sub>2</sub>  
 without elongation, 125*f*

varying relative humidity and temperature, contact angles, 127*f*  
 moisture vapor transport through surface-modified silicone elastomers, 123  
 packing density, 116*f*  
 surface chemistry and stability  
   contact angle measurements, 120  
   Fourier transform infrared in attenuated total reflectance mode, 120  
   moisture vapor permeability (MVP), 120  
 surface modifications, confirmation, 121  
 XPS data comparison, virgin PDMS sample, 122*f*  
**Silicone macromers**  
   acrylate functional silicone telechelic structures, 66*f*  
   asymmetric, symmetric, and T structure, 69*f*  
   backbone and architecture macromer modification, 68  
   characterization, 64  
   conclusions, 77  
   convergent branched silicone synthesis, 64  
   convergent branched silicones, 72  
     characterization data, 74*t*  
   cyclic siloxanes, base catalyzed chain growth equilibration, 66*s*  
   dual functional silicone macromers, synthesis, 63  
   higher order silicones with water, solubility study, 75*t*  
   hydride functional branched silicone precursors, synthesis, 64  
   hydride functional silicone macromers, 71  
   hydride functional silicone precursors, characterization data, 73*t*  
   introduction, 59  
   living anionic ring opening polymerization, 69*f*  
   living lithium siloxanolate chain, 67*s*  
   living polymerization technique, 60  
   materials, 62  
   methacrylate functional asymmetric silicone macromers, synthesis, 62  
   methacrylate functional silicone macromers, 65  
     characterization data, 70*t*  
   methacrylate functional symmetric silicone macromers, synthesis, 62  
   methacrylate functional T-structure silicone macromers, synthesis, 63

polydimethylsiloxane backbone, 60  
 polymer designations, description, 65  
 rheological comparison, 76*f*  
 telechelic polymer, 61  
 T-structure silicone macromer, 68  
 SOC. *See* Soil organic carbon (SOC)  
 Soil organic carbon (SOC), 3

## W

**Well-defined model poly(dimethylsiloxane) elastomers**  
   analysis of intractable silicone networks, analytical methodologies, 135  
   conclusions, 152  
   crosslinker molecules to polymer chains, 144*f*  
   engineering silicone elastomer architecture, factors, 134*f*  
   equilibrium solvent uptake data  
     model 11, 141*f*  
     model 13, 142*f*  
     model 17, 143*f*  
   experimental  
     equilibrium solvent uptake analysis, 138  
     materials, 136  
     model networks, synthesis, 136  
     NMR analysis, 137  
   fully cured sample of model 11-C, <sup>1</sup>H MAS NMR spectrum, 145*f*  
   <sup>1</sup>H MSE NMR analysis of models 13-B to 13-M, 146*f*  
   introduction, 133  
   model end-linked PDMS synthesized networks, 137*t*  
   model networks, optimization, 139  
   network formation in optimized systems, real-time analysis, 145  
   optimized model 11, derived T<sub>2</sub> distributions, 151*f*  
   optimized model 13  
     derived relaxation amplitude, 148*f*  
     derived T<sub>2</sub> distributions, 147*f*  
   optimized model 17  
     derived relaxation amplitude, 150*f*  
     derived T<sub>2</sub> distributions, 149*f*  
   Pt catalyst complex inactivation, proposed mechanism, 151*f*  
   TKSIL silane cross-linker, 140  
   vinyl end-group, Pt mediated hydrosilation, 139*f*  
   vinyl terminated PDMS resins, crosslinking, 140

- WSUD water treatment applications  
 breakthrough plots  
     arsenic ( $\text{As}^{3+}$ ), 28*f*  
     chromium ( $\text{Cr}^{3+}$ ), 30*f*  
     copper ( $\text{Cu}^{2+}$ ), 28*f*  
     lead ( $\text{Pb}^{2+}$ ), 29*f*  
     zinc ( $\text{Zn}^{2+}$ ), 29*f*  
 Clarke's laboratories, 27*f*  
 conclusions, 30  
 concrete storm water drains, 16*f*  
 experimental, 22  
     FTIR studies of base catalysed TMOS  
         hydrolysis, 23  
      $^1\text{H}$ -NMR studies of acid catalysed  
         TEOS hydrolysis, 23  
 FTIR studies of base catalysed TMOS  
     hydrolysis, 24  
      $^1\text{H}$ -NMR studies of acid catalysed TEOS  
         hydrolysis, 23  
 introduction, 15  
 SDWA laboratories, 27*f*  
 siloxane and silanol peak area ratios, 25*t*  
 sol-gel chemistry, 17  
     acid catalysed hydrolysis mechanism,  
         18  
     base catalysed hydrolysis mechanism,  
         19  
     sol-gel condensation mechanism, 20  
     sol-gel process, materials and  
         applications, 21  
 TMOS condensation, FTIR analysis, 25*f*  
 toxic metal absorption, breakthrough  
     analysis, 26