```diff
@@ -5,22 +5,22 @@

# OData Common Schema Definition Language (CSDL) JSON Representation Version 4.02

- ## Committee Specification Draft 02
+ ## Committee Specification 01

- ## 19 August 2026
+ ## 7 October 2026

$\hbox{}$

#### This stage:
+ https://docs.oasis-open.org/odata/odata-csdl-json/v4.02/cs01/odata-csdl-json-v4.02-cs01.md (Authoritative) \
+ https://docs.oasis-open.org/odata/odata-csdl-json/v4.02/cs01/odata-csdl-json-v4.02-cs01.html \
+ https://docs.oasis-open.org/odata/odata-csdl-json/v4.02/cs01/odata-csdl-json-v4.02-cs01.pdf
+
+ #### Previous stage:
https://docs.oasis-open.org/odata/odata-csdl-json/v4.02/csd02/odata-csdl-json-v4.02-csd02.md (Authoritative) \
https://docs.oasis-open.org/odata/odata-csdl-json/v4.02/csd02/odata-csdl-json-v4.02-csd02.html \
https://docs.oasis-open.org/odata/odata-csdl-json/v4.02/csd02/odata-csdl-json-v4.02-csd02.pdf

- #### Previous stage:
- https://docs.oasis-open.org/odata/odata-csdl-json/v4.02/csd01/odata-csdl-json-v4.02-csd01.md (Authoritative) \
- https://docs.oasis-open.org/odata/odata-csdl-json/v4.02/csd01/odata-csdl-json-v4.02-csd01.html \
- https://docs.oasis-open.org/odata/odata-csdl-json/v4.02/csd01/odata-csdl-json-v4.02-csd01.pdf
-

#### Latest stage:
```

```
https://docs.oasis-open.org/odata/odata-csdl-json/v4.02/odata-csdl-json-v4.02.md (Authoritative) \
https://docs.oasis-open.org/odata/odata-csdl-json/v4.02/odata-csdl-json-v4.02.html \
```

```
@@ -42,7 +42,7 @@ Heiko Theißen (heiko.theissen@sap.com), [SAP SE](http://www.sap.com/)

#### [Additional artifacts:]{id=AdditionalArtifacts}
This prose specification is one component of a Work Product that also includes:
- * JSON schemas: _OData CSDL JSON schema_. https://docs.oasis-open.org/odata/odata-csdl-json/v4.02/csd02/schemas/.
+ * JSON schemas: _OData CSDL JSON schema_. https://docs.oasis-open.org/odata/odata-csdl-json/v4.02/cs01/schemas/.

#### [Related work:]{id=RelatedWork}
This specification replaces or supersedes:
@@ -52,7 +52,7 @@ This specification is related to:
* _OData Version 4.02_. Edited by Michael Pizzo, Ralf Handl, and Heiko Theißen. A multi-part Work Product that includes:
  * _OData Version 4.02 Part 1: Protocol_. Latest stage: https://docs.oasis-open.org/odata/odata/v4.02/odata-v4.02-part1-protocol.html
  * _OData Version 4.02 Part 2: URL Conventions_. Latest stage: https://docs.oasis-open.org/odata/odata/v4.02/odata-v4.02-part2-url-conventions.html
-   * _ABNF components: OData ABNF Construction Rules Version 4.02 and OData ABNF Test Cases_. https://docs.oasis-open.org/odata/odata/v4.02/csd02/abnf/
+   * _ABNF components: OData ABNF Construction Rules Version 4.02 and OData ABNF Test Cases_. https://docs.oasis-open.org/odata/odata/v4.02/cs01/abnf/
* _OData Vocabularies Version 4.0_. Edited by Michael Pizzo, Ralf Handl, and Ram Jeyaraman. Latest stage: https://docs.oasis-open.org/odata/odata-vocabularies/v4.0/odata-vocabularies-v4.0.html
* _OData Common Schema Definition Language (CSDL) XML Representation Version 4.02_. Edited by Michael Pizzo, Ralf Handl, and Heiko Theißen. Latest stage: https://docs.oasis-
```

```diff
 open.org/odata/odata-csdl-xml/v4.02/odata-csdl-xml-v4.02.html
 * _OData JSON Format Version 4.02_. Edited by Ralf Handl, Mike Pizzo, and Heiko Theißen. Latest stage: https://docs.oasis-open.org/odata/odata-json-format/v4.02/odata-json-format-v4.02.html
 open.org/odata/odata-csdl-xml/v4.02/odata-csdl-xml-v4.02.html
 * _OData JSON Format Version 4.02_. Edited by Ralf Handl, Mike Pizzo, and Heiko Theißen. Latest stage: https://docs.oasis-open.org/odata/odata-json-format/v4.02/odata-json-format-v4.02.html
@@ -66,7 +66,7 @@ This document was last revised or approved by the OASIS Open Data Protocol (ODat
 
 TC members should send comments on this specification to the TC's email list. Any individual may submit comments to the TC by sending email to Technical-Committee-Comments@oasis-open.org. Please use a Subject line like "Comment on OData CSDL".
 
-This specification is provided under the [RF on RAND Terms Mode](https://www.oasis-open.org/policies-guidelines/ipr/#RF-on-RAND-Mode) of the [OASIS IPR Policy](https://www.oasis-open.org/policies-guidelines/ipr/), the mode chosen when the Technical Committee was established. For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the TC's web page (https://www.oasis-open.org/committees/odata/ipr.php).
+This specification is provided under the [RF on RAND Terms Mode](https://www.oasis-open.org/policies-guidelines/ipr/#RF-on-RAND-Mode) of the [OASIS IPR Policy](https://www.oasis-open.org/policies-guidelines/ipr/), the mode chosen when the Technical Committee was established. For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the TC's web page (https://www.oasis-open.org/committees/ipr.php?wg_abbrev=odata).
 
 Note that any machine-readable content ([Computer Language Definitions](https://www.oasis-open.org/policies-guidelines/tc-process-2017-05-26/#wpComponentsCompLang)) declared Normative for this Work Product is provided in separate plain text files. In the event of a discrepancy between any such plain text file and display content in the Work Product's prose narrative document(s), the content in the separate plain text file prevails.
```

@@ -79,8 +79,8 @@ When referencing this specification the following citation format should be used

```
**[OData-CSDL-JSON-v4.02]**

_OData Common Schema Definition Language (CSDL) JSON Representation Version 4.02_.
- Edited by Ralf Handl, Michael Pizzo, and Heiko Theißen. 19 August 2026. OASIS Committee Specification Draft 02.
- https://docs.oasis-open.org/odata/odata-csdl-json/v4.02/csd02/odata-csdl-json-v4.02-csd02.html.
Latest stage: https://docs.oasis-open.org/odata/odata-csdl-json/v4.02/odata-csdl-json-v4.02.html.

#### Notices
```

```
**[OData-CSDL-JSON-v4.02]**

_OData Common Schema Definition Language (CSDL) JSON Representation Version 4.02_.
+ Edited by Ralf Handl, Michael Pizzo, and Heiko Theißen. 7 October 2026. OASIS Committee Specification 01.
+ https://docs.oasis-open.org/odata/odata-csdl-json/v4.02/cs01/odata-csdl-json-v4.02-cs01.html.
Latest stage: https://docs.oasis-open.org/odata/odata-csdl-json/v4.02/odata-csdl-json-v4.02.html.

#### Notices
```

@@ -310,20 +310,20 @@ Normative representation-specific text

```
All other text is normative unless otherwise labeled.

<!--
- Here is a customized command line which will generate HTML from the markdown file (named `odata-csdl-json-v4.02-csd02.md`). Line breaks are added for readability only:

```
pandoc -f gfm+tex_math_dollars+fenced_divs+smart
       -t html
-      -o odata-csdl-json-v4.02-csd02.html
       -c styles/markdown-styles-v1.7.3b.css
       -c styles/odata.css
       -s
       --mathjax
       --eol=lf
       --wrap=none
       --metadata pagetitle="OData Common Schema Definition Language (CSDL) JSON Representation Version 4.02"
-      odata-csdl-json-v4.02-csd02.md
```
```

```
All other text is normative unless otherwise labeled.

<!--
+ Here is a customized command line which will generate HTML from the markdown file (named `odata-csdl-json-v4.02-cs01.md`). Line breaks are added for readability only:

```
pandoc -f gfm+tex_math_dollars+fenced_divs+smart
       -t html
+   -o odata-csdl-json-v4.02-cs01.html
       -c styles/markdown-styles-v1.7.3b.css
       -c styles/odata.css
       -s
       --mathjax
       --eol=lf
       --wrap=none
       --metadata pagetitle="OData Common Schema Definition Language (CSDL) JSON Representation Version 4.02"
+   odata-csdl-json-v4.02-cs01.md
```
```

```
329  This uses pandoc 3.8.3 from https://github.com/jgm/pandoc/releases/tag/3.8.3.
329  This uses pandoc 3.8.3 from https://github.com/jgm/pandoc/releases/tag/3.8.3.

@@ -6470,6 +6470,7 @@ acknowledged.

6470  | :--- | :--- | :--- | :--- |
6471  |Committee Specification Draft 01|2024-02-28|Michael Pizzo<br>Ralf Handl<br>Heiko Theißen| Import material from OData Common Schema Definition Language (CSDL) JSON Representation Version 4.01 <br>Changes listed in [section 1.1](#ChangesfromEarlierVersions)|
6472  |Committee Specification Draft 02|2026-08-19|Michael Pizzo<br>Ralf Handl<br>Heiko Theißen| Changes listed in [section 1.1](#ChangesfromEarlierVersions)|
6473  + |Committee Specification 01|2026-10-07|Michael Pizzo<br>Ralf Handl<br>Heiko Theißen| Non-material changes from public review feedback|
6473
6474  -------
6475
```

```
@@ -5,22 +5,22 @@

5
6   # OData Common Schema Definition Language (CSDL) XML Representation Version 4.02
7
8 - ## Committee Specification Draft 02
9
10 - ## 19 August 2026
11
12  $\hbox{}$
13
14  #### This stage:
15 + https://docs.oasis-open.org/odata/odata-csdl-xml/v4.02/cs01/odata-csdl-xml-v4.02-
```

docs/odata-csdl-xml/odata-csdl-xml.md

```
+ csdl-xml/v4.02/cs01/odata-csdl-xml-v4.02-cs01.html \
```

```diff
+ https://docs.oasis-open.org/odata/odata-csdl-xml/v4.02/cs01/odata-csdl-xml-v4.02-cs01.pdf
+
+ #### Previous stage:
  https://docs.oasis-open.org/odata/odata-csdl-xml/v4.02/csd02/odata-csdl-xml-v4.02-csd02.md (Authoritative) \
  https://docs.oasis-open.org/odata/odata-csdl-xml/v4.02/csd02/odata-csdl-xml-v4.02-csd02.html \
  https://docs.oasis-open.org/odata/odata-csdl-xml/v4.02/csd02/odata-csdl-xml-v4.02-csd02.pdf

-  #### Previous stage:
```

docs/odata-csdl-json/odata-csdl-json.md

```diff
-  https://docs.oasis-open.org/odata/odata-csdl-xml/v4.02/csd01/odata-csdl-xml-v4.02-csd01.md (Authoritative) \
- https://docs.oasis-open.org/odata/odata-csdl-json/v4.02/csd01/odata-csdl-xml-v4.02-csd01.html \
- https://docs.oasis-open.org/odata/odata-csdl-json/v4.02/csd01/odata-csdl-xml-v4.02-csd01.pdf
-
  #### Latest stage:
  https://docs.oasis-open.org/odata/odata-csdl-xml/v4.02/odata-csdl-xml-v4.02.md (Authoritative) \
  https://docs.oasis-open.org/odata/odata-csdl-xml/v4.02/odata-csdl-xml-v4.02.html \
@@ -42,7 +42,7 @@ Heiko Theißen (heiko.theissen@sap.com), [SAP SE](http://www.sap.com/)
  #### [Additional artifacts:]{id=AdditionalArtifacts}
  This prose specification is one component of a Work Product that also includes:
- * XML schemas: _OData EDMX XML Schema and OData EDM XML Schema_. https://docs.oasis-open.org/odata/odata-csdl-xml/v4.02/csd02/schemas/.
+ * XML schemas: _OData EDMX XML Schema and OData EDM XML Schema_. https://docs.oasis-open.org/odata/odata-csdl-xml/v4.02/cs01/schemas/.
  #### [Related work:]{id=RelatedWork}
  This specification replaces or supersedes:
@@ -52,7 +52,7 @@ This specification is related to:
```

```
52    * _OData Version 4.02_. Edited by Michael Pizzo, Ralf Handl, and Heiko Theißen. A multi-part Work Product that includes:
53      * _OData Version 4.02 Part 1: Protocol_. Latest stage: https://docs.oasis-open.org/odata/odata/v4.02/odata-v4.02-part1-protocol.html
54      * _OData Version 4.02 Part 2: URL Conventions_. Latest stage: https://docs.oasis-open.org/odata/odata/v4.02/odata-v4.02-part2-url-conventions.html
55    -   * _ABNF components: OData ABNF Construction Rules Version 4.02 and OData ABNF Test Cases_. https://docs.oasis-open.org/odata/odata/v4.02/csd02/abnf/
56    * _OData Vocabularies Version 4.0_. Edited by Michael Pizzo, Ralf Handl, and Ram Jeyaraman. Latest stage: https://docs.oasis-open.org/odata/odata-vocabularies/v4.0/odata-vocabularies-v4.0.html
57    * _OData Common Schema Definition Language (CSDL) JSON Representation Version 4.02_. Edited by Michael Pizzo, Ralf Handl, and Heiko Theißen. Latest stage: https://docs.oasis-open.org/odata/odata-csdl-json/v4.02/odata-csdl-json-v4.02.html
58    * _OData JSON Format Version 4.02_. Edited by Ralf Handl, Mike Pizzo, and Heiko Theißen. Latest stage: https://docs.oasis-open.org/odata/odata-json-format/v4.02/odata-json-format-v4.02.html
@@ -69,7 +69,7 @@ This document was last revised or approved by the OASIS Open Data Protocol (ODat
69
70    TC members should send comments on this specification to the TC's email list. Any individual may submit comments to the TC by sending email to Technical-Committee-Comments@oasis-open.org. Please use a Subject line like "Comment on OData CSDL".
71
72  - This specification is provided under the [RF on RAND Terms Mode]
```

```
52    * _OData Version 4.02_. Edited by Michael Pizzo, Ralf Handl, and Heiko Theißen. A multi-part Work Product that includes:
53      * _OData Version 4.02 Part 1: Protocol_. Latest stage: https://docs.oasis-open.org/odata/odata/v4.02/odata-v4.02-part1-protocol.html
54      * _OData Version 4.02 Part 2: URL Conventions_. Latest stage: https://docs.oasis-open.org/odata/odata/v4.02/odata-v4.02-part2-url-conventions.html
55  +   * _ABNF components: OData ABNF Construction Rules Version 4.02 and OData ABNF Test Cases_. https://docs.oasis-open.org/odata/odata/v4.02/cs01/abnf/
56    * _OData Vocabularies Version 4.0_. Edited by Michael Pizzo, Ralf Handl, and Ram Jeyaraman. Latest stage: https://docs.oasis-open.org/odata/odata-vocabularies/v4.0/odata-vocabularies-v4.0.html
57    * _OData Common Schema Definition Language (CSDL) JSON Representation Version 4.02_. Edited by Michael Pizzo, Ralf Handl, and Heiko Theißen. Latest stage: https://docs.oasis-open.org/odata/odata-csdl-json/v4.02/odata-csdl-json-v4.02.html
58    * _OData JSON Format Version 4.02_. Edited by Ralf Handl, Mike Pizzo, and Heiko Theißen. Latest stage: https://docs.oasis-open.org/odata/odata-json-format/v4.02/odata-json-format-v4.02.html
@@ -69,7 +69,7 @@ This document was last revised or approved by the OASIS Open Data Protocol (ODat
69
70    TC members should send comments on this specification to the TC's email list. Any individual may submit comments to the TC by sending email to Technical-Committee-Comments@oasis-open.org. Please use a Subject line like "Comment on OData CSDL".
71
72  + This specification is provided under the [RF on RAND Terms Mode]
```

```
(https://www.oasis-open.org/policies-guidelines/ipr/#RF-on-RAND-Mode) of the [OASIS IPR Policy](https://www.oasis-open.org/policies-guidelines/ipr/), the mode chosen when the Technical Committee was established. For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the TC's web page (https://www.oasis-open.org/committees/odata/ipr.php).

Note that any machine-readable content ([Computer Language Definitions](https://www.oasis-open.org/policies-guidelines/tc-process-2017-05-26/#wpComponentsCompLang)) declared Normative for this Work Product is provided in separate plain text files. In the event of a discrepancy between any such plain text file and display content in the Work Product's prose narrative document(s), the content in the separate plain text file prevails.
```

```
@@ -82,8 +82,8 @@ When referencing this specification the following citation format should be used
**[OData-CSDL-XML-v4.02]**

_OData Common Schema Definition Language (CSDL) XML Representation Version 4.02_.
- Edited by Ralf Handl, Michael Pizzo, and Heiko Theißen. 19 August 2026. OASIS Committee Specification Draft 02.
- https://docs.oasis-open.org/odata/odata-csdl-xml/v4.02/csd02/odata-csdl-xml-v4.02-csd02.html.
Latest stage: https://docs.oasis-open.org/odata/odata-csdl-xml/v4.02/odata-csdl-xml-v4.02.html.

#### Notices
```

```
(https://www.oasis-open.org/policies-guidelines/ipr/#RF-on-RAND-Mode) of the [OASIS IPR Policy](https://www.oasis-open.org/policies-guidelines/ipr/), the mode chosen when the Technical Committee was established. For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the TC's web page (https://www.oasis-open.org/committees/ipr.php?wg_abbrev=odata).

Note that any machine-readable content ([Computer Language Definitions](https://www.oasis-open.org/policies-guidelines/tc-process-2017-05-26/#wpComponentsCompLang)) declared Normative for this Work Product is provided in separate plain text files. In the event of a discrepancy between any such plain text file and display content in the Work Product's prose narrative document(s), the content in the separate plain text file prevails.

**[OData-CSDL-XML-v4.02]**

_OData Common Schema Definition Language (CSDL) XML Representation Version 4.02_.
+ Edited by Ralf Handl, Michael Pizzo, and Heiko Theißen. 7 October 2026. OASIS Committee Specification 01.
+ https://docs.oasis-open.org/odata/odata-csdl-xml/v4.02/cs01/odata-csdl-xml-v4.02-cs01.html.
Latest stage: https://docs.oasis-open.org/odata/odata-csdl-xml/v4.02/odata-csdl-xml-v4.02.html.

#### Notices
```

```
@@ -311,20 +311,20 @@ Normative representation-specific text
```

```
311   All other text is normative unless otherwise labeled.
312
313   <!--
314 - Here is a customized command line which will generate HTML from the markdown file (named `odata-csdl-xml-v4.02-csd02.md`). Line breaks are added for readability only:
315
316   ```
317   pandoc -f gfm+tex_math_dollars+fenced_divs+smart
318          -t html
319 -        -o odata-csdl-xml-v4.02-csd02.html
320          -c styles/markdown-styles-v1.7.3b.css
321          -c styles/odata.css
322          -s
323          --mathjax
324          --eol=lf
325          --wrap=none
326          --metadata pagetitle="OData Common Schema Definition Language (CSDL) XML Representation Version 4.02"
327 -        odata-csdl-xml-v4.02-csd02.md
328   ```
329
330   This uses pandoc 3.8.3 from https://github.com/jgm/pandoc/releases/tag/3.8.3.
```

```
@@ -6195,6 +6195,7 @@ acknowledged.
6195  | :--- | :--- | :--- | :--- |
6196  |Committee Specification Draft 01|2024-02-28|Michael Pizzo<br>Ralf Handl<br>Heiko Theißen| Import material from OData Common Schema Definition Language (CSDL) XML Representation Version 4.01 <br>Changes listed in [section 1.1](#ChangesfromEarlierVersions)|
6197  |Committee Specification Draft 02|2026-08-19|Michael Pizzo<br>Ralf Handl<br>Heiko Theißen| Changes listed in [section 1.1](#ChangesfromEarlierVersions)|
```

```
311   All other text is normative unless otherwise labeled.
312
313   <!--
314 + Here is a customized command line which will generate HTML from the markdown file (named `odata-csdl-xml-v4.02-cs01.md`). Line breaks are added for readability only:
315
316   ```
317   pandoc -f gfm+tex_math_dollars+fenced_divs+smart
318          -t html
319 +        -o odata-csdl-xml-v4.02-cs01.html
320          -c styles/markdown-styles-v1.7.3b.css
321          -c styles/odata.css
322          -s
323          --mathjax
324          --eol=lf
325          --wrap=none
326          --metadata pagetitle="OData Common Schema Definition Language (CSDL) XML Representation Version 4.02"
327 +        odata-csdl-xml-v4.02-cs01.md
328   ```
329
330   This uses pandoc 3.8.3 from https://github.com/jgm/pandoc/releases/tag/3.8.3.
```

```
+ |Committee Specification 01|2026-10-07|Michael Pizzo<br>Ralf Handl<br>Heiko Theißen| Non-material changes from public review feedback|

-------

-------
```

docs/odata-json-format/odata-json-format.md

```
@@ -5,22 +5,22 @@

# OData JSON Format Version 4.02

- ## Committee Specification Draft 02
+ ## Committee Specification 01

- ## 19 August 2026
+ ## 7 October 2026

$\hbox{}$

#### This stage:
+ https://docs.oasis-open.org/odata/odata-json-format/v4.02/cs01/odata-json-format-v4.02-cs01.md (Authoritative) \
+ https://docs.oasis-open.org/odata/odata-json-format/v4.02/cs01/odata-json-format-v4.02-cs01.html \
+ https://docs.oasis-open.org/odata/odata-json-format/v4.02/cs01/odata-json-format-v4.02-cs01.pdf
+
+ #### Previous stage:
https://docs.oasis-open.org/odata/odata-json-format/v4.02/csd02/odata-json-format-v4.02-csd02.md (Authoritative) \
https://docs.oasis-open.org/odata/odata-json-format/v4.02/csd02/odata-json-format-v4.02-csd02.html \
https://docs.oasis-open.org/odata/odata-json-format/v4.02/csd02/odata-json-format-v4.02-csd02.pdf

- #### Previous stage:
- https://docs.oasis-open.org/odata/odata-json-format/v4.02/csd01/odata-json-format-v4.02-csd01.md (Authoritative) \
```

```
- https://docs.oasis-open.org/odata/odata-json-format/v4.02/csd01/odata-json-format-v4.02-csd01.html \
- https://docs.oasis-open.org/odata/odata-json-format/v4.02/csd01/odata-json-format-v4.02-csd01.pdf
-
#### Latest stage:
https://docs.oasis-open.org/odata/odata-json-format/v4.02/odata-json-format-v4.02.md (Authoritative) \
https://docs.oasis-open.org/odata/odata-json-format/v4.02/odata-json-format-v4.02.html \
```

```
#### Latest stage:
https://docs.oasis-open.org/odata/odata-json-format/v4.02/odata-json-format-v4.02.md (Authoritative) \
https://docs.oasis-open.org/odata/odata-json-format/v4.02/odata-json-format-v4.02.html \
```

```
@@ -49,7 +49,7 @@ This specification is related to:
* _OData Version 4.02_. Edited by Michael Pizzo, Ralf Handl, and Heiko Theißen. A multi-part Work Product that includes:
  * _OData Version 4.02 Part 1: Protocol_. Latest stage. https://docs.oasis-open.org/odata/odata/v4.02/odata-v4.02-part1-protocol.html
  * _OData Version 4.02 Part 2: URL Conventions_. Latest stage. https://docs.oasis-open.org/odata/odata/v4.02/odata-v4.02-part2-url-conventions.html
-   * _ABNF components: OData ABNF Construction Rules Version 4.02 and OData ABNF Test Cases_. https://docs.oasis-open.org/odata/odata/v4.02/csd02/abnf/
* _OData Vocabularies Version 4.0_. Edited by Michael Pizzo, Ralf Handl, and Ram Jeyaraman. Latest stage: https://docs.oasis-open.org/odata/odata-vocabularies/v4.0/odata-vocabularies-v4.0.html
* _OData Common Schema Definition Language (CSDL) JSON Representation Version 4.02_. Edited by Michael Pizzo, Ralf Handl, and Heiko Theißen. Latest stage: https://docs.oasis-open.org/odata/odata-csdl-json/v4.02/odata-csdl-json-v4.02.html
* _OData Common Schema Definition Language (CSDL) XML Representation
```

```
@@ -49,7 +49,7 @@ This specification is related to:
* _OData Version 4.02_. Edited by Michael Pizzo, Ralf Handl, and Heiko Theißen. A multi-part Work Product that includes:
  * _OData Version 4.02 Part 1: Protocol_. Latest stage. https://docs.oasis-open.org/odata/odata/v4.02/odata-v4.02-part1-protocol.html
  * _OData Version 4.02 Part 2: URL Conventions_. Latest stage. https://docs.oasis-open.org/odata/odata/v4.02/odata-v4.02-part2-url-conventions.html
+   * _ABNF components: OData ABNF Construction Rules Version 4.02 and OData ABNF Test Cases_. https://docs.oasis-open.org/odata/odata/v4.02/cs01/abnf/
* _OData Vocabularies Version 4.0_. Edited by Michael Pizzo, Ralf Handl, and Ram Jeyaraman. Latest stage: https://docs.oasis-open.org/odata/odata-vocabularies/v4.0/odata-vocabularies-v4.0.html
* _OData Common Schema Definition Language (CSDL) JSON Representation Version 4.02_. Edited by Michael Pizzo, Ralf Handl, and Heiko Theißen. Latest stage: https://docs.oasis-open.org/odata/odata-csdl-json/v4.02/odata-csdl-json-v4.02.html
* _OData Common Schema Definition Language (CSDL) XML Representation
```

```
Version 4.02_. Edited by Michael Pizzo, Ralf Handl, and Heiko Theißen. Latest stage: https://docs.oasis-open.org/odata/odata-csdl-xml/v4.02/odata-csdl-xml-v4.02.html
```

```
@@ -62,7 +62,7 @@ This document was last revised or approved by the OASIS Open Data Protocol (ODat
```

```
TC members should send comments on this specification to the TC's email list. Any individual may submit comments to the TC by sending email to Technical-Committee-Comments@oasis-open.org. Please use a Subject line like "Comment on OData JSON Format".

- This specification is provided under the [RF on RAND Terms Mode](https://www.oasis-open.org/policies-guidelines/ipr/#RF-on-RAND-Mode) of the [OASIS IPR Policy](https://www.oasis-open.org/policies-guidelines/ipr/), the mode chosen when the Technical Committee was established. For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the TC's web page (https://www.oasis-open.org/committees/odata/ipr.php).

Note that any machine-readable content ([Computer Language Definitions](https://www.oasis-open.org/policies-guidelines/tc-process-2017-05-26/#wpComponentsCompLang)) declared Normative for this Work Product is provided in separate plain text files. In the event of a discrepancy between any such plain text file and display content in the Work Product's prose narrative document(s), the content in the separate plain text file prevails.
```

```
@@ -75,8 +75,8 @@ When referencing this specification the following citation format should be used
```

```
**[OData-JSON-Format-v4.02]**
```

```
Version 4.02_. Edited by Michael Pizzo, Ralf Handl, and Heiko Theißen. Latest stage: https://docs.oasis-open.org/odata/odata-csdl-xml/v4.02/odata-csdl-xml-v4.02.html

TC members should send comments on this specification to the TC's email list. Any individual may submit comments to the TC by sending email to Technical-Committee-Comments@oasis-open.org. Please use a Subject line like "Comment on OData JSON Format".

+ This specification is provided under the [RF on RAND Terms Mode](https://www.oasis-open.org/policies-guidelines/ipr/#RF-on-RAND-Mode) of the [OASIS IPR Policy](https://www.oasis-open.org/policies-guidelines/ipr/), the mode chosen when the Technical Committee was established. For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the TC's web page (https://www.oasis-open.org/committees/ipr.php?wg_abbrev=odata).

Note that any machine-readable content ([Computer Language Definitions](https://www.oasis-open.org/policies-guidelines/tc-process-2017-05-26/#wpComponentsCompLang)) declared Normative for this Work Product is provided in separate plain text files. In the event of a discrepancy between any such plain text file and display content in the Work Product's prose narrative document(s), the content in the separate plain text file prevails.

**[OData-JSON-Format-v4.02]**
```

```
76
77  _OData JSON Format Version 4.02_.
78 - Edited by Ralf Handl, Michael Pizzo, and Heiko Theißen. 19 August 2026. OASIS Committee Specification Draft 02.
79 - https://docs.oasis-open.org/odata/odata-json-format/v4.02/csd02/odata-json-format-v4.02-csd02.html.
80  Latest stage: https://docs.oasis-open.org/odata/odata-json-format/v4.02/odata-json-format-v4.02.html.
81
82  #### Notices
```

```
76
77  _OData JSON Format Version 4.02_.
78 + Edited by Ralf Handl, Michael Pizzo, and Heiko Theißen. 7 October 2026. OASIS Committee Specification 01.
79 + https://docs.oasis-open.org/odata/odata-json-format/v4.02/cs01/odata-json-format-v4.02-cs01.html.
80  Latest stage: https://docs.oasis-open.org/odata/odata-json-format/v4.02/odata-json-format-v4.02.html.
81
82  #### Notices
```

```
@@ -254,20 +254,20 @@ All examples in this document are non-normative and informative only.
254  All other text is normative unless otherwise labeled.
255
256  <!--
257 - Here is a customized command line which will generate HTML from the markdown file (named `odata-json-format-v4.02-csd02.md`). Line breaks are added for readability only:
258
259  ```
260  pandoc -f gfm+tex_math_dollars+fenced_divs+smart
261          -t html
262 -        -o odata-json-format-v4.02-csd02.html
263          -c styles/markdown-styles-v1.7.3b.css
264          -c styles/odata.css
265          -s
266          --mathjax
267          --eol=lf
268          --wrap=none
269          --metadata pagetitle="OData JSON Format Version 4.02"
270 -        odata-json-format-v4.02-csd02.md
271  ```
272
273  This uses pandoc 3.8.3 from https://github.com/jgm/pandoc/releases/tag/3.8.3.
```

```
254  All other text is normative unless otherwise labeled.
255
256  <!--
257 + Here is a customized command line which will generate HTML from the markdown file (named `odata-json-format-v4.02-cs01.md`). Line breaks are added for readability only:
258
259  ```
260  pandoc -f gfm+tex_math_dollars+fenced_divs+smart
261          -t html
262 +        -o odata-json-format-v4.02-cs01.html
263          -c styles/markdown-styles-v1.7.3b.css
264          -c styles/odata.css
265          -s
266          --mathjax
267          --eol=lf
268          --wrap=none
269          --metadata pagetitle="OData JSON Format Version 4.02"
270 +        odata-json-format-v4.02-cs01.md
271  ```
272
273  This uses pandoc 3.8.3 from https://github.com/jgm/pandoc/releases/tag/3.8.3.
```

```diff
@@ -494,7 +494,7 @@ This control information MUST continue to be included, as applicable,
 even in the `metadata=none` case.

 It is not valid to specify `metadata=none` on a [delta
-request](#DeltaPayload).

## <a id="ControllingtheRepresentationofNumbers" href="#ControllingtheRepresentationofNumbers">3.2 Controlling the Representation of Numbers</a>

@@ -938,7 +938,7 @@ value specifying the accuracy of the count, see [OData-Protocol, section 11.2.6.
### <a id="ControlInformationnextLinkodatanextLink" href="#ControlInformationnextLinkodatanextLink">4.6.6 Control Information: `nextLink` (`odata.nextLink`)</a>

 The `nextLink` control information indicates that a response
-is only a subset of the requested collection. It contains a [URL](URLsinMessageBodies) that
 allows retrieving the next subset of the requested collection.

 This control information can also be applied to [expanded to-many
@@ -955,7 +955,7 @@ in membership or value of nested entities.

### <a id="ControlInformationdeltaLinkodatadeltaLink" href="#ControlInformationdeltaLinkodatadeltaLink">4.6.8 Control Information: `deltaLink` (`odata.deltaLink`)</a>

-The `deltaLink` control information contains a [URL](URLsinMessageBodies) that can
 be used to retrieve changes to the current set of results. The
```

```diff
@@ -494,7 +494,7 @@ This control information MUST continue to be included, as applicable,
 even in the `metadata=none` case.

 It is not valid to specify `metadata=none` on a [delta
+payload](#DeltaPayload).

## <a id="ControllingtheRepresentationofNumbers" href="#ControllingtheRepresentationofNumbers">3.2 Controlling the Representation of Numbers</a>

@@ -938,7 +938,7 @@ value specifying the accuracy of the count, see [OData-Protocol, section 11.2.6.
### <a id="ControlInformationnextLinkodatanextLink" href="#ControlInformationnextLinkodatanextLink">4.6.6 Control Information: `nextLink` (`odata.nextLink`)</a>

 The `nextLink` control information indicates that a response
+is only a subset of the requested collection. It contains a [URL](#URLsinMessageBodies) that
 allows retrieving the next subset of the requested collection.

 This control information can also be applied to [expanded to-many
@@ -955,7 +955,7 @@ in membership or value of nested entities.

### <a id="ControlInformationdeltaLinkodatadeltaLink" href="#ControlInformationdeltaLinkodatadeltaLink">4.6.8 Control Information: `deltaLink` (`odata.deltaLink`)</a>

+The `deltaLink` control information contains a [URL](#URLsinMessageBodies) that can
 be used to retrieve changes to the current set of results. The
```

```
960  `deltaLink` control information MUST only appear on the last
961  page of results. A page of results MUST NOT have both a
```

```
@@ -1007,7 +1007,7 @@ of this specification.
```

```
1007 ### <a id="ControlInformationeditLinkandreadLinkodataeditLinkandodatareadLink" href="#ControlInformationeditLinkandreadLinkodataeditLinkandodatareadLink">4.6.10 Control Information: `editLink` and `readLink` (`odata.editLink` and `odata.readLink`)</a>
1008
1009 The `editLink` control information contains
1010 - the edit [URL](URLsinMessageBodies) of the entity; see [OData-Protocol, section 4.2](https://docs.oasis-open.org/odata/odata/v4.02/odata-v4.02-part1-protocol.html#ReadURLsandEditURLs).
1011
1012 The `readLink` control information contains the read URL of
1013 the entity or collection; see [OData-Protocol, section 4.2](https://docs.oasis-open.org/odata/odata/v4.02/odata-v4.02-part1-protocol.html#ReadURLsandEditURLs).
```

```
@@ -1076,7 +1076,7 @@ single entities and not written in responses if
```

```
1076 ### <a id="ControlInformationnavigationLinkandassociationLinkodatanavigationLinkandodataassociationLink" href="#ControlInformationnavigationLinkandassociationLinkodatanavigationLinkandodataassociationLink">4.6.12 Control Information: `navigationLink` and `associationLink` (`odata.navigationLink` and `odata.associationLink`)</a>
1077
1078 The `navigationLink` control information in a
1079 - response contains a _navigation [URL](URLsinMessageBodies)_ that can be used to retrieve an
```

```
960  `deltaLink` control information MUST only appear on the last
961  page of results. A page of results MUST NOT have both a
```

```
@@ -1007,7 +1007,7 @@ of this specification.
```

```
1007 ### <a id="ControlInformationeditLinkandreadLinkodataeditLinkandodatareadLink" href="#ControlInformationeditLinkandreadLinkodataeditLinkandodatareadLink">4.6.10 Control Information: `editLink` and `readLink` (`odata.editLink` and `odata.readLink`)</a>
1008
1009 The `editLink` control information contains
1010 + the edit [URL](#URLsinMessageBodies) of the entity; see [OData-Protocol, section 4.2](https://docs.oasis-open.org/odata/odata/v4.02/odata-v4.02-part1-protocol.html#ReadURLsandEditURLs).
1011
1012 The `readLink` control information contains the read URL of
1013 the entity or collection; see [OData-Protocol, section 4.2](https://docs.oasis-open.org/odata/odata/v4.02/odata-v4.02-part1-protocol.html#ReadURLsandEditURLs).
```

```
@@ -1076,7 +1076,7 @@ single entities and not written in responses if
```

```
1076 ### <a id="ControlInformationnavigationLinkandassociationLinkodatanavigationLinkandodataassociationLink" href="#ControlInformationnavigationLinkandassociationLinkodatanavigationLinkandodataassociationLink">4.6.12 Control Information: `navigationLink` and `associationLink` (`odata.navigationLink` and `odata.associationLink`)</a>
1077
1078 The `navigationLink` control information in a
1079 + response contains a _navigation [URL](#URLsinMessageBodies)_ that can be used to retrieve an
```

```
1080  entity or collection of entities related
      to the current entity via a
1081  [navigation property]
      (#NavigationProperty).
1082
```

```
@@ -1113,7 +1113,7 @@ and [OData-URL, section 4.14](https://docs.oasis-
open.org/odata/odata/v4.02/odat
```

```
1113  [`metadata=full`]
      (#metadatafullodatametadatafull)
1114  is requested.
1115
1116 - The `mediaEditLink` control information
      contains a [URL](URLsinMessageBodies)
      that
1117  can be used to update the binary stream
      associated with the media entity
1118  or stream property. It MUST be included
      for updatable streams if it
1119  differs from standard URL conventions
      relative to the edit link of the
```

```
@@ -1431,7 +1431,7 @@ satisfies the rule [enumValue]{.abnf} in
```

```
1431  [OData-ABNF](#ODataABNF). The preferred
      representation is the
1432  [enumerationMember]{.abnf}. If no
      `enumerationMember` (or
1433  combination of named enumeration members)
      is
1434 - available, the [enumMemberValue]{.abnf}
      representation may be used.
1435
1436  Geography and geometry values are
      represented as geometry types as
1437  defined in [RFC7946](#rfc7946).
```

```
@@ -2112,7 +2112,7 @@ Example 33: collection of entity references
```

```
2112    "@context":
      "http://host/service/$metadata#Collection
      ($ref)",
2113    "value": [
2114      { "@id": "Orders(10643)" },
2115 -    { "id": 10759" }
2116    ]
2117  }
2118  ```
```

```
@@ -2200,7 +2200,7 @@ occurrence
```

```
1080  entity or collection of entities related
      to the current entity via a
1081  [navigation property]
      (#NavigationProperty).
1082
```

```
1113  [`metadata=full`]
      (#metadatafullodatametadatafull)
1114  is requested.
1115
1116 + The `mediaEditLink` control information
      contains a [URL](#URLsinMessageBodies)
      that
1117  can be used to update the binary stream
      associated with the media entity
1118  or stream property. It MUST be included
      for updatable streams if it
1119  differs from standard URL conventions
      relative to the edit link of the
```

```
1431  [OData-ABNF](#ODataABNF). The preferred
      representation is the
1432  [enumerationMember]{.abnf}. If no
      `enumerationMember` (or
1433  combination of named enumeration members)
      is
1434 + available, the numeric representation may
      be used.
1435
1436  Geography and geometry values are
      represented as geometry types as
1437  defined in [RFC7946](#rfc7946).
```

```
2112    "@context":
      "http://host/service/$metadata#Collection
      ($ref)",
2113    "value": [
2114      { "@id": "Orders(10643)" },
2115 +    { "id": 10759 }
2116    ]
2117  }
2118  ```
```

```
2200    "value": [
2201      {
2202        "@odata.id": "Customers('BOTTM')",
2203 -      "ContactName": "Susan Halvenstern",
2204      },
2205      {
2206        "@odata.context": "#Customers/$deletedEntity",
```

```
2200    "value": [
2201      {
2202        "@odata.id": "Customers('BOTTM')",
2203 +      "ContactName": "Susan Halvenstern"
2204      },
2205      {
2206        "@odata.context": "#Customers/$deletedEntity",
```

```
@@ -2629,7 +2629,7 @@ Prefer: return=minimal, continue-on-error
2629      {
2630        "@Org.OData.Core.V1.ContentID": "2",
2631        "CustomerID": "AROUT",
2632 -      "ContactName": "Thomas Hardy",
2633      },
2634      {
2635        "@Org.OData.Core.V1.ContentID": "3",
```

```
2629      {
2630        "@Org.OData.Core.V1.ContentID": "2",
2631        "CustomerID": "AROUT",
2632 +      "ContactName": "Thomas Hardy"
2633      },
2634      {
2635        "@Org.OData.Core.V1.ContentID": "3",
```

```
@@ -3414,7 +3414,7 @@ Content-Length: ###
3414      },
3415      {
3416        "id": "2",
3417 -      "dependsOn": [ "1" ]
3418        "method": "post",
3419        "url": "$1/Orders",
3420        "body": <JSON representation of a new Order>
```

```
3414      },
3415      {
3416        "id": "2",
3417 +      "dependsOn": [ "1" ],
3418        "method": "post",
3419        "url": "$1/Orders",
3420        "body": <JSON representation of a new Order>
```

```
@@ -4097,9 +4097,9 @@ In order to be a conforming producer of the OData JSON format, a client or servi
4097    12. MAY support generating OData 4.02 JSON compliant payloads for requests with an `OData-Version` header value of `4.02`.
4098        1. MUST NOT percent-encode the fragment portion of a Context URL
4099        2. MUST order `@type` control information, if specified, immediately following `@removed` in a deleted entity for ordered payloads
4100 -      3. MUST return the `requestId` as the first property in a JSON Batch Request or Response Object and `body`, if specified, as the last property for ordered payloads
4101 -      4. SHOULD always follow [JSON Payload Ordering Constraints]
```

```
4097    12. MAY support generating OData 4.02 JSON compliant payloads for requests with an `OData-Version` header value of `4.02`.
4098        1. MUST NOT percent-encode the fragment portion of a Context URL
4099        2. MUST order `@type` control information, if specified, immediately following `@removed` in a deleted entity for ordered payloads
4100 +      3. MUST return the `id` as the first property in a JSON Batch Request or Response Object and `body`, if specified, as the last property for ordered payloads
4101 +      4. SHOULD always follow [JSON Payload Ordering Constraints]
```

```diff
(PayloadOrderingConstraints), regardless the presence of the `odata.streaming` format parameter
-    5. SHOULD represent identifiable transient entities using the pattern `odata:transient:{unique-identifier}`, and with an explicit `null` value for the `readlink` if the transient entity cannot be re-read
+    5. SHOULD represent identifiable transient entities using the pattern `odata:transient:{unique-identifier}`, and with an explicit `null` value for the `readLink` if the transient entity cannot be re-read
    6. SHOULD include the atomicity group in `dependsOn` for prerequisite requests that are in an atomicity group

In addition, in order to conform to the OData JSON format, a service:
```

```diff
@@ -4261,6 +4261,7 @@ The contributions of the OASIS OData Technical Committee members, enumerated in
| :--- | :--- | :--- | :--- |
|Committee Specification Draft 01|2024-02-28|Michael Pizzo<br>Ralf Handl<br>Heiko Theißen| Import material from OData JSON Format Version 4.01 <br>Changes listed in [section 1.1](#ChangesfromEarlierVersions)|
|Committee Specification Draft 02|2026-08-19|Michael Pizzo<br>Ralf Handl<br>Heiko Theißen| Changes listed in [section 1.1](#ChangesfromEarlierVersions)|
+ |Committee Specification 01|2026-10-07|Michael Pizzo<br>Ralf Handl<br>Heiko Theißen| Non-material changes from public review feedback|

-------
```

docs/odata-protocol/odata-protocol.md

```diff
@@ -5,22 +5,22 @@

# OData Version 4.02. Part 1: Protocol

- ## Committee Specification Draft 02
+ ## Committee Specification 01

- ## 19 August 2026
+ ## 7 October 2026
```

```
$\hbox{}$

#### This stage:
```

```
+ https://docs.oasis-open.org/odata/odata/v4.02/cs01/part1-protocol/odata-v4.02-cs01-part1-protocol.md (Authoritative) \
+ https://docs.oasis-open.org/odata/odata/v4.02/cs01/part1-protocol/odata-v4.02-cs01-part1-protocol.html \
+ https://docs.oasis-open.org/odata/odata/v4.02/cs01/part1-protocol/odata-v4.02-cs01-part1-protocol.pdf
+
+ #### Previous stage:
```

```
https://docs.oasis-open.org/odata/odata/v4.02/csd02/part1-protocol/odata-v4.02-csd02-part1-protocol.md (Authoritative) \
https://docs.oasis-open.org/odata/odata/v4.02/csd02/part1-protocol/odata-v4.02-csd02-part1-protocol.html \
https://docs.oasis-open.org/odata/odata/v4.02/csd02/part1-protocol/odata-v4.02-csd02-part1-protocol.pdf

- #### Previous stage:
- https://docs.oasis-open.org/odata/odata/v4.02/csd01/part1-protocol/odata-v4.02-csd01-part1-protocol.md (Authoritative) \
- https://docs.oasis-open.org/odata/odata/v4.02/csd01/part1-protocol/odata-v4.02-csd01-part1-protocol.html \
- https://docs.oasis-open.org/odata/odata/v4.02/csd01/part1-protocol/odata-v4.02-csd01-part1-protocol.pdf
-

#### Latest stage:
https://docs.oasis-open.org/odata/odata/v4.02/odata-v4.02-part1-protocol.md (Authoritative) \
```

```diff
26  https://docs.oasis-open.org/odata/odata/v4.02/odata-v4.02-part1-protocol.html \
26  https://docs.oasis-open.org/odata/odata/v4.02/odata-v4.02-part1-protocol.html \
@@ -42,9 +42,9 @@ Heiko Theißen (heiko.theissen@sap.com), [SAP SE](http://www.sap.com/)
42
43  #### [Additional artifacts:]{id=AdditionalArtifacts}
43  #### [Additional artifacts:]{id=AdditionalArtifacts}
44  This prose specification is one component of a Work Product that also includes:
44  This prose specification is one component of a Work Product that also includes:
45 - * _OData Version 4.02 Part 1: Protocol_ (this document). https://docs.oasis-open.org/odata/odata/v4.02/csd02/part1-protocol/odata-v4.02-csd02-part1-protocol.html
45 + * _OData Version 4.02 Part 1: Protocol_ (this document). https://docs.oasis-open.org/odata/odata/v4.02/cs01/part1-protocol/odata-v4.02-cs01-part1-protocol.html
46 - * _OData Version 4.02 Part 2: URL Conventions_. https://docs.oasis-open.org/odata/odata/v4.02/csd02/part2-url-conventions/odata-v4.02-csd02-part2-url-conventions.html
46 + * _OData Version 4.02 Part 2: URL Conventions_. https://docs.oasis-open.org/odata/odata/v4.02/cs01/part2-url-conventions/odata-v4.02-cs01-part2-url-conventions.html
47 - * ABNF components: _OData ABNF Construction Rules Version 4.02 and OData ABNF Test Cases Version 4.02_. https://docs.oasis-open.org/odata/odata/v4.02/csd02/abnf/.
47 + * ABNF components: _OData ABNF Construction Rules Version 4.02 and OData ABNF Test Cases Version 4.02_. https://docs.oasis-open.org/odata/odata/v4.02/cs01/abnf/.
48
48
49
49
50  #### [Related work:]{id=RelatedWork}
50  #### [Related work:]{id=RelatedWork}
@@ -68,7 +68,7 @@ This document was last revised or approved by the OASIS Open Data Protocol (ODat
68
68
69  TC members should send comments on this specification to the TC's email list. Any individual may submit comments to the TC by sending email to Technical-Committee-Comments@oasis-open.org. Please use a Subject line like "Comment on OData Protocol".
69  TC members should send comments on this specification to the TC's email list. Any individual may submit comments to the TC by sending email to Technical-Committee-Comments@oasis-open.org. Please use a Subject line like "Comment on OData Protocol".
70
70
71 - This specification is provided under the [RF on RAND Terms Mode](https://www.oasis-open.org/policies-guidelines/ipr/#RF-on-RAND-Mode) of the [OASIS IPR Policy](https://www.oasis-open.org/policies-guidelines/ipr/), the mode chosen when the Technical Committee was established. For information on whether any patents have been disclosed that may be essential to implementing
71 + This specification is provided under the [RF on RAND Terms Mode](https://www.oasis-open.org/policies-guidelines/ipr/#RF-on-RAND-Mode) of the [OASIS IPR Policy](https://www.oasis-open.org/policies-guidelines/ipr/), the mode chosen when the Technical Committee was established. For information on whether any patents have been disclosed that may be essential to implementing
```

```diff
-this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the TC's web page (https://www.oasis-open.org/committees/odata/ipr.php).
+this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the TC's web page (https://www.oasis-open.org/committees/ipr.php?wg_abbrev=odata).

 Note that any machine-readable content ([Computer Language Definitions](https://www.oasis-open.org/policies-guidelines/tc-process-2017-05-26/#wpComponentsCompLang)) declared Normative for this Work Product is provided in separate plain text files. In the event of a discrepancy between any such plain text file and display content in the Work Product's prose narrative document(s), the content in the separate plain text file prevails.

@@ -81,8 +81,8 @@ When referencing this specification the following citation format should be used
 **[OData-v4.02-Part1]**

 _OData Version 4.02. Part 1: Protocol_.
-Edited by Michael Pizzo, Ralf Handl, and Heiko Theißen. 19 August 2026. OASIS Committee Specification Draft 02.
-https://docs.oasis-open.org/odata/odata/v4.02/csd02/odata-v4.02-csd02-part1-protocol.html.
+Edited by Michael Pizzo, Ralf Handl, and Heiko Theißen. 7 October 2026. OASIS Committee Specification 01.
+https://docs.oasis-open.org/odata/odata/v4.02/cs01/odata-v4.02-cs01-part1-protocol.html.
 Latest stage: https://docs.oasis-open.org/odata/odata/v4.02/odata-v4.02-part1-protocol.html.

 #### Notices

@@ -407,20 +407,20 @@ All examples in this document are non-normative and informative only.
 All other text is normative unless otherwise labeled.

 <!--
-Here is a customized command line which will generate HTML from the markdown file (named `odata-v4.02-csd02-part1-protocol.md`). Line breaks are added for readability only:
+Here is a customized command line which will generate HTML from the markdown file (named `odata-v4.02-cs01-part1-protocol.md`). Line breaks are added for readability only:
```

```
412 ```
413 pandoc -f gfm+tex_math_dollars+fenced_divs+smart
414        -t html
415 -      -o odata-v4.02-csd02-part1-protocol.html
416        -c styles/markdown-styles-v1.7.3b.css
417        -c styles/odata.css
418        -s
419        --mathjax
420        --eol=lf
421        --wrap=none
422        --metadata pagetitle="OData Version 4.02. Part 1: Protocol"
423 -      odata-v4.02-csd02-part1-protocol.md
424 ```
425
426 This uses pandoc 3.8.3 from https://github.com/jgm/pandoc/releases/tag/3.8.3.
```

```
412 ```
413 pandoc -f gfm+tex_math_dollars+fenced_divs+smart
414        -t html
415 +      -o odata-v4.02-cs01-part1-protocol.html
416        -c styles/markdown-styles-v1.7.3b.css
417        -c styles/odata.css
418        -s
419        --mathjax
420        --eol=lf
421        --wrap=none
422        --metadata pagetitle="OData Version 4.02. Part 1: Protocol"
423 +      odata-v4.02-cs01-part1-protocol.md
424 ```
425
426 This uses pandoc 3.8.3 from https://github.com/jgm/pandoc/releases/tag/3.8.3.
```

```
@@ -706,7 +706,7 @@ OData clients include the
706 order to specify the maximum acceptable response version. Services
707 respond with the maximum supported version that is less than or equal to
708 the requested `OData-MaxVersion`, using decimal comparison. The syntax
709 - of the [OData-Version]{.abnf} and [OData-MaxVersion]{.abnf} header fields is defined
710 in [OData-ABNF](#ODataABNF).
711
712 Services SHOULD advertise supported versions of OData through the
```

```
706 order to specify the maximum acceptable response version. Services
707 respond with the maximum supported version that is less than or equal to
708 the requested `OData-MaxVersion`, using decimal comparison. The syntax
709 + of the [OData-Version]{.abnf-h} and [OData-MaxVersion]{.abnf-h} header fields is defined
710 in [OData-ABNF](#ODataABNF).
711
712 Services SHOULD advertise supported versions of OData through the
```

```
@@ -1182,7 +1182,7 @@ the same batch) are visible. The effect is as if the request generates a
1182 "snapshot" of the committed data as it existed at the start of the
1183 request.
1184
1185 - The` Isolation` header may be specified on a single or batch request. If
1186 it is specified on a batch then the value is applied to all statements
1187 within the batch.
```

```
1182 "snapshot" of the committed data as it existed at the start of the
1183 request.
1184
1185 + The `Isolation` header may be specified on a single or batch request. If
1186 it is specified on a batch then the value is applied to all statements
1187 within the batch.
```

```diff
@@ -1198,7 +1198,7 @@ A service returns [`410 Gone`](#ResponseCode410Gone) or
 [`404 Not Found`](#ResponseCode404NotFound) if a consumer tries to
 follow a next link referring to a snapshot that is no longer available.

-The syntax of the [Isolation]{.abnf} header is defined in
+The syntax of the [Isolation]{.abnf-h} header is defined in
 [OData-ABNF](#ODataABNF).

 A service MAY specify the support for `Isolation:snapshot` using an
@@ -1260,8 +1260,8 @@ many-to-many relationships). The service MUST NOT return entity
 references in place of requested entities if
 `allow-entityreferences` has not been specified in the request, unless
 explicitly defined by other rules in this document. The syntax of the
-[allow-entityreferences]{.abnf} preference is defined in
-[OData-ABNF](#ODataABNF).

+`allow-entityreferences` preference is defined in
+the [OData-ABNF](#ODataABNF) rule [allowEntityReferencesPreference]{.abnf}.

 In the case the service applies the `allow-entityreferences` preference
 it MUST include a [`Preference-Applied`](#HeaderPreferenceApplied)
@@ -1775,7 +1775,7 @@ A response to a [create](#CreateanEntity) or [upsert](#UpsertanEntity)
 operation that returns [`204 No Content`](#ResponseCode204NoContent)
 MUST include an `OData-EntityId` response header. The value of the
 header is the [entity-id](#EntityIdsandEntityReferences) of the entity
-that was acted on by the request. The syntax of the [OData-EntityId]{.abnf}
+that was acted on by the request. The syntax of the [OData-EntityId]{.abnf-h}
 header is defined in [OData-ABNF](#ODataABNF).

 The `OData-EntityID` header SHOULD NOT be included for the overall batch
```

```
@@ -5429,7 +5429,7 @@ then services that support ETags MUST NOT apply the change and instead
 The special value `*` can be used to match any existing entity but fail if the entity does not already exist.

 Added/changed entities that specify format-specific control information
-equivalent to an `If-Match-None: *` header [OData-JSON, section 4.6.11](https://docs.oasis-open.org/odata/odata-json-format/v4.02/odata-json-format-v4.02.html#ControlInformationetagodataetag)
+equivalent to an `If-None-Match: *` header [OData-JSON, section 4.6.11](https://docs.oasis-open.org/odata/odata-json-format/v4.02/odata-json-format-v4.02.html#ControlInformationetagodataetag)
 MUST NOT be treated as an update.

 The response, if requested, is a delta payload, in the same structure
@@ -7629,6 +7629,7 @@ The following individuals were members of the OASIS OData Technical Committee du
 | :--- | :--- | :--- | :--- |
 |Committee Specification Draft 01|2024-02-28|Michael Pizzo<br>Ralf Handl<br>Heiko Theißen| Import material from OData Version 4.01 Part 1: Protocol <br>Changes listed in [section 1.1](#ChangesfromEarlierVersions)|
 |Committee Specification Draft 02|2026-08-19|Michael Pizzo<br>Ralf Handl<br>Heiko Theißen| Changes listed in [section 1.1](#ChangesfromEarlierVersions)|
+|Committee Specification 01|2026-10-07|Michael Pizzo<br>Ralf Handl<br>Heiko Theißen| Non-material changes from public review feedback|

 -------
```

docs/odata-url-conventions/odata-url-conventions.md

```
@@ -5,22 +5,22 @@

 # OData Version 4.02. Part 2: URL Conventions
```

```
- ## Committee Specification Draft 02

- ## 19 August 2026

  $\hbox{}$

  #### This stage:
  https://docs.oasis-open.org/odata/odata/v4.02/csd02/part2-url-conventions/odata-v4.02-csd02-part2-url-conventions.md (Authoritative) \
  https://docs.oasis-open.org/odata/odata/v4.02/csd02/part2-url-conventions/odata-v4.02-csd02-part2-url-conventions.html \
  https://docs.oasis-open.org/odata/odata/v4.02/csd02/part2-url-conventions/odata-v4.02-csd02-part2-url-conventions.pdf

- #### Previous stage:
- https://docs.oasis-open.org/odata/odata/v4.02/csd01/part2-url-conventions/odata-v4.02-csd01-part2-url-conventions.md (Authoritative) \
- https://docs.oasis-open.org/odata/odata/v4.02/csd01/part2-url-conventions/odata-v4.02-csd01-part2-url-conventions.html \
- https://docs.oasis-open.org/odata/odata/v4.02/csd01/part2-url-conventions/odata-v4.02-csd01-part2-url-conventions.pdf
-
```

```
+ ## Committee Specification 01

+ ## 7 October 2026

  $\hbox{}$

  #### This stage:
+ https://docs.oasis-open.org/odata/odata/v4.02/cs01/part2-url-conventions/odata-v4.02-cs01-part2-url-conventions.md (Authoritative) \
+ https://docs.oasis-open.org/odata/odata/v4.02/cs01/part2-url-conventions/odata-v4.02-cs01-part2-url-conventions.html \
+ https://docs.oasis-open.org/odata/odata/v4.02/cs01/part2-url-conventions/odata-v4.02-cs01-part2-url-conventions.pdf
+
+ #### Previous stage:
  https://docs.oasis-open.org/odata/odata/v4.02/csd02/part2-url-conventions/odata-v4.02-csd02-part2-url-conventions.md (Authoritative) \
  https://docs.oasis-open.org/odata/odata/v4.02/csd02/part2-url-conventions/odata-v4.02-csd02-part2-url-conventions.html \
  https://docs.oasis-open.org/odata/odata/v4.02/csd02/part2-url-conventions/odata-v4.02-csd02-part2-url-conventions.pdf
```

```
#### Latest stage:
https://docs.oasis-open.org/odata/odata/v4.02/odata-v4.02-part2-url-conventions.md (Authoritative) \
https://docs.oasis-open.org/odata/odata/v4.02/odata-v4.02-part2-url-conventions.html \
```

```
@@ -42,9 +42,9 @@ Heiko Theißen (heiko.theissen@sap.com), [SAP SE](http://www.sap.com/)

#### [Additional artifacts:]{id=AdditionalArtifacts}
This prose specification is one component of a Work Product that also includes:
- * _OData Version 4.02 Part 1: Protocol_. https://docs.oasis-open.org/odata/odata/v4.02/csd02/part1-protocol/odata-v4.02-csd02-part1-protocol.html
- * _OData Version 4.02 Part 2: URL Conventions_ (this document). https://docs.oasis-open.org/odata/odata/v4.02/csd02/part2-url-conventions/odata-v4.02-csd02-part2-url-conventions.html
- * ABNF components: _OData ABNF Construction Rules Version 4.02 and OData ABNF Test Cases Version 4.02_. https://docs.oasis-open.org/odata/odata/v4.02/csd02/abnf/.

#### [Related work:]{id=RelatedWork}
This specification replaces or supersedes:
```

```
@@ -67,7 +67,7 @@ This document was last revised or approved by the OASIS Open Data Protocol (ODat

TC members should send comments on this specification to the TC's email list. Any individual may submit comments to the TC by sending email to Technical-Committee-Comments@oasis-open.org. Please use a Subject line like "Comment on OData URL Conventions".

- This specification is provided under the [RF on RAND Terms Mode](https://www.oasis-open.org/policies-
```

```
#### Latest stage:
https://docs.oasis-open.org/odata/odata/v4.02/odata-v4.02-part2-url-conventions.md (Authoritative) \
https://docs.oasis-open.org/odata/odata/v4.02/odata-v4.02-part2-url-conventions.html \

#### [Additional artifacts:]{id=AdditionalArtifacts}
This prose specification is one component of a Work Product that also includes:
+ * _OData Version 4.02 Part 1: Protocol_. https://docs.oasis-open.org/odata/odata/v4.02/cs01/part1-protocol/odata-v4.02-cs01-part1-protocol.html
+ * _OData Version 4.02 Part 2: URL Conventions_ (this document). https://docs.oasis-open.org/odata/odata/v4.02/cs01/part2-url-conventions/odata-v4.02-cs01-part2-url-conventions.html
+ * ABNF components: _OData ABNF Construction Rules Version 4.02 and OData ABNF Test Cases Version 4.02_. https://docs.oasis-open.org/odata/odata/v4.02/cs01/abnf/.

#### [Related work:]{id=RelatedWork}
This specification replaces or supersedes:

TC members should send comments on this specification to the TC's email list. Any individual may submit comments to the TC by sending email to Technical-Committee-Comments@oasis-open.org. Please use a Subject line like "Comment on OData URL Conventions".

+ This specification is provided under the [RF on RAND Terms Mode](https://www.oasis-open.org/policies-
```

```
-guidelines/ipr/#RF-on-RAND-Mode) of the [OASIS IPR Policy](https://www.oasis-open.org/policies-guidelines/ipr/), the mode chosen when the Technical Committee was established. For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the TC's web page (https://www.oasis-open.org/committees/odata/ipr.php).
+guidelines/ipr/#RF-on-RAND-Mode) of the [OASIS IPR Policy](https://www.oasis-open.org/policies-guidelines/ipr/), the mode chosen when the Technical Committee was established. For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the TC's web page (https://www.oasis-open.org/committees/ipr.php?wg_abbrev=odata).

Note that any machine-readable content ([Computer Language Definitions](https://www.oasis-open.org/policies-guidelines/tc-process-2017-05-26/#wpComponentsCompLang)) declared Normative for this Work Product is provided in separate plain text files. In the event of a discrepancy between any such plain text file and display content in the Work Product's prose narrative document(s), the content in the separate plain text file prevails.

@@ -80,8 +80,8 @@ When referencing this specification the following citation format should be used
**[OData-v4.02-Part2]**

_OData Version 4.02. Part 2: URL Conventions_.
- Edited by Michael Pizzo, Ralf Handl, and Heiko Theißen. 19 August 2026. OASIS Committee Specification Draft 02.
- https://docs.oasis-open.org/odata/odata/v4.02/csd02/odata-v4.02-csd02-part2-url-conventions.html.
+ Edited by Michael Pizzo, Ralf Handl, and Heiko Theißen. 7 October 2026. OASIS Committee Specification 01.
+ https://docs.oasis-open.org/odata/odata/v4.02/cs01/odata-v4.02-cs01-part2-url-conventions.html.
Latest stage: https://docs.oasis-open.org/odata/odata/v4.02/odata-v4.02-part2-url-conventions.html.

#### Notices

@@ -311,20 +311,20 @@ All examples in this document are non-normative and informative only.
All other text is normative unless otherwise labeled.
```

```
<!--
- Here is a customized command line which will generate HTML from the markdown file (named `odata-v4.02-csd02-part2-url-conventions.md`). Line breaks are added for readability only:

```
pandoc -f gfm+tex_math_dollars+fenced_divs+smart
       -t html
-      -o odata-v4.02-csd02-part2-url-conventions.html
       -c styles/markdown-styles-v1.7.3b.css
       -c styles/odata.css
       -s
       --mathjax
       --eol=lf
       --wrap=none
       --metadata pagetitle="OData Version 4.02. Part 2: URL Conventions"
-      odata-v4.02-csd02-part2-url-conventions.md
```

This uses pandoc 3.8.3 from https://github.com/jgm/pandoc/releases/tag/3.8.3.
```

```
<!--
+ Here is a customized command line which will generate HTML from the markdown file (named `odata-v4.02-cs01-part2-url-conventions.md`). Line breaks are added for readability only:

```
pandoc -f gfm+tex_math_dollars+fenced_divs+smart
       -t html
+      -o odata-v4.02-cs01-part2-url-conventions.html
       -c styles/markdown-styles-v1.7.3b.css
       -c styles/odata.css
       -s
       --mathjax
       --eol=lf
       --wrap=none
       --metadata pagetitle="OData Version 4.02. Part 2: URL Conventions"
+      odata-v4.02-cs01-part2-url-conventions.md
```

This uses pandoc 3.8.3 from https://github.com/jgm/pandoc/releases/tag/3.8.3.
```

@@ -2894,7 +2894,7 @@ Edm.Decimal totalseconds(Edm.Duration)

```
The `totalseconds` function returns the duration of the value in total
- seconds, including fractional seconds. The [totalSecondsMethodCallExpr]{.abnf}
syntax rule defines how the `totalseconds` function is invoked.

##### <a id="year" href="#year">5.1.1.8.14 `year`</a>
```

```
The `totalseconds` function returns the duration of the value in total
+ seconds, including fractional seconds. The [totalsecondsMethodCallExpr]{.abnf}
syntax rule defines how the `totalseconds` function is invoked.

##### <a id="year" href="#year">5.1.1.8.14 `year`</a>
```

@@ -3004,7 +3004,7 @@ type cast(expression,type)

```
The single parameter `cast` function returns the current instance cast
```

```
3005  to the type specified. The two-parameter  3005  to the type specified. The two-parameter
      `cast` function returns the                      `cast` function returns the
3006  object referred to by the expression cast   3006  object referred to by the expression cast
      to the type specified.                           to the type specified.
3007 - The [castMethodCallExpr]{.abnf}           3007 + The [castExpr]{.abnf}
3008  syntax rule defines how the `cast`         3008  syntax rule defines how the `cast`
      function is invoked.                             function is invoked.
3009                                             3009
3010  The `cast` function follows these          3010  The `cast` function follows these
      assignment rules:                                assignment rules:
@@ -3591,7 +3591,7 @@ Operators in the same category have equal precedence:
3591                                             3591
3592  Group|Operator|Description|ABNF            3592  Group|Operator|Description|ABNF
      Expression                                       Expression
3593  -----|--------|-----------|--------------  3593  -----|--------|-----------|--------------
      -                                                -
3594 - Grouping        | `( )`           |      3594 + Grouping        | `( )`           |
      Precedence grouping      | [parenExpr]           Precedence grouping      | [parenExpr]
      {.abnf}<br>[boolParenExpr]{.abnf}                {.abnf}
3595  Primary         | `/`             |        3595  Primary         | `/`             |
      Navigation      | [firstMemberExpr]                Navigation      | [firstMemberExpr]
      {.abnf}<br>[memberExpr]{.abnf}                   {.abnf}<br>[memberExpr]{.abnf}
3596                  | `has`           |        3596                  | `has`           |
      Enumeration Flags     | [hasExpr]{.abnf}         Enumeration Flags     | [hasExpr]{.abnf}
3597                  | `in`            | Is a   3597                  | `in`            | Is a
      member of  | [inExpr]{.abnf}                     member of  | [inExpr]{.abnf}
@@ -4428,6 +4428,7 @@ do we have considerations specific to URLs, for example length, encoding,
      privac
4428  | :--- | :--- | :--- | :--- |            4428  | :--- | :--- | :--- | :--- |
4429  |Committee Specification Draft 01|2024-   4429  |Committee Specification Draft 01|2024-
      02-28|Michael Pizzo<br>Ralf                     02-28|Michael Pizzo<br>Ralf
      Handl<br>Heiko Theißen| Import material          Handl<br>Heiko Theißen| Import material
      from OData Version 4.01 Part 2: URL              from OData Version 4.01 Part 2: URL
      Conventions <br>Changes listed in                Conventions <br>Changes listed in
      [section 1.1]                                    [section 1.1]
      (#ChangesfromEarlierVersions)|                   (#ChangesfromEarlierVersions)|
4430  |Committee Specification Draft 02|2026-   4430  |Committee Specification Draft 02|2026-
      08-19|Michael Pizzo<br>Ralf                     08-19|Michael Pizzo<br>Ralf
      Handl<br>Heiko Theißen| Changes listed in        Handl<br>Heiko Theißen| Changes listed in
      [section 1.1]                                    [section 1.1]
      (#ChangesfromEarlierVersions)|                   (#ChangesfromEarlierVersions)|
                                             4431 + |Committee Specification 01|2026-10-
                                                      07|Michael Pizzo<br>Ralf Handl<br>Heiko
                                                      Theißen| Non-material changes from public
                                                      review feedback|
4431                                             4432
4432  -------                                  4433  -------
```

4433 4434

docs/odata-vocabularies/odata-vocabularies.md

```diff
@@ -5,22 +5,22 @@

# OData Vocabularies Version 4.0

- ## Committee Specification Draft 03
+ ## Committee Specification 01

- ## 19 August 2026
+ ## 7 October 2026

$\hbox{}$

#### This stage:
+ https://docs.oasis-open.org/odata/odata-vocabularies/v4.0/cs01/odata-vocabularies-v4.0-cs01.md (Authoritative) \
+ https://docs.oasis-open.org/odata/odata-vocabularies/v4.0/cs01/odata-vocabularies-v4.0-cs01.html \
+ https://docs.oasis-open.org/odata/odata-vocabularies/v4.0/cs01/odata-vocabularies-v4.0-cs01.pdf
+
+ #### Previous stage:
https://docs.oasis-open.org/odata/odata-vocabularies/v4.0/csd03/odata-vocabularies-v4.0-csd03.md (Authoritative) \
https://docs.oasis-open.org/odata/odata-vocabularies/v4.0/csd03/odata-vocabularies-v4.0-csd03.html \
https://docs.oasis-open.org/odata/odata-vocabularies/v4.0/csd03/odata-vocabularies-v4.0-csd03.pdf

- #### Previous stage:
- https://docs.oasis-open.org/odata/odata-vocabularies/v4.0/csd02/odata-vocabularies-v4.0-csd02.md (Authoritative) \
- https://docs.oasis-open.org/odata/odata-vocabularies/v4.0/csd02/odata-vocabularies-v4.0-csd02.html \
```

```
22 - https://docs.oasis-open.org/odata/odata-vocabularies/v4.0/csd02/odata-vocabularies-v4.0-csd02.pdf
23 -
24 #### Latest stage:
25 https://docs.oasis-open.org/odata/odata-vocabularies/v4.0/odata-vocabularies-v4.0.md (Authoritative) \
26 https://docs.oasis-open.org/odata/odata-vocabularies/v4.0/odata-vocabularies-v4.0.html \
```

```
24 #### Latest stage:
25 https://docs.oasis-open.org/odata/odata-vocabularies/v4.0/odata-vocabularies-v4.0.md (Authoritative) \
26 https://docs.oasis-open.org/odata/odata-vocabularies/v4.0/odata-vocabularies-v4.0.html \
```

```
@@ -60,7 +60,7 @@ This document was last revised or approved by the OASIS Open Data Protocol (ODat
60
61 TC members should send comments on this specification to the TC's email list. Any individual may submit comments to the TC by sending email to Technical-Committee-Comments@oasis-open.org. Please use a Subject line like "Comment on OData Vocabularies".
62
63 - This specification is provided under the [RF on RAND Terms Mode](https://www.oasis-open.org/policies-guidelines/ipr/#RF-on-RAND-Mode) of the [OASIS IPR Policy](https://www.oasis-open.org/policies-guidelines/ipr/), the mode chosen when the Technical Committee was established. For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the TC's web page (https://www.oasis-open.org/committees/odata/ipr.php).
64
65 Note that any machine-readable content ([Computer Language Definitions](https://www.oasis-open.org/policies-guidelines/tc-process-2017-05-26/#wpComponentsCompLang)) declared Normative for this Work Product is provided in separate plain text files. In the event of a discrepancy between any such plain text file and display content
```

```
60
61 TC members should send comments on this specification to the TC's email list. Any individual may submit comments to the TC by sending email to Technical-Committee-Comments@oasis-open.org. Please use a Subject line like "Comment on OData Vocabularies".
62
63 + This specification is provided under the [RF on RAND Terms Mode](https://www.oasis-open.org/policies-guidelines/ipr/#RF-on-RAND-Mode) of the [OASIS IPR Policy](https://www.oasis-open.org/policies-guidelines/ipr/), the mode chosen when the Technical Committee was established. For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the TC's web page (https://www.oasis-open.org/committees/ipr.php?wg_abbrev=odata).
64
65 Note that any machine-readable content ([Computer Language Definitions](https://www.oasis-open.org/policies-guidelines/tc-process-2017-05-26/#wpComponentsCompLang)) declared Normative for this Work Product is provided in separate plain text files. In the event of a discrepancy between any such plain text file and display content
```

```
in the Work Product's prose narrative document(s), the content in the separate plain text file prevails.

@@ -73,8 +73,8 @@ When referencing this specification the following citation format should be used
**[OData-Vocabularies-v4.0]**

_OData Vocabularies Version 4.0_.
- Edited by Ralf Handl, Michael Pizzo, and Heiko Theißen. 19 August 2026. OASIS Committee Specification Draft 03.
- https://docs.oasis-open.org/odata/odata-vocabularies/v4.0/csd03/odata-vocabularies-v4.0-csd03.html.
+ Edited by Ralf Handl, Michael Pizzo, and Heiko Theißen. 7 October 2026. OASIS Committee Specification 01.
+ https://docs.oasis-open.org/odata/odata-vocabularies/v4.0/cs01/odata-vocabularies-v4.0-cs01.html.
Latest stage: https://docs.oasis-open.org/odata/odata-vocabularies/v4.0/odata-vocabularies-v4.0.html.

#### Notices
@@ -101,14 +101,16 @@ For complete copyright information please see the full Notices section in an App
- [8 JSON Vocabulary](#JSONVocabulary)
- [9 Repeatability Vocabulary](#RepeatabilityVocabulary)
- [10 Temporal Vocabulary](#TemporalVocabulary)
+ - [11 Conformance](#Conformance)
- [A References](#References)
  - [A.1 Normative References](#NormativeReferences)
  - [A.2 Non-Normative References](#NonNormativeReferences)
- - [B Acknowledgments](#Acknowledgments)
-   - [B.1 Special Thanks](#SpecialThanks)
-   - [B.2 Participants](#Participants)
- - [C Revision History](#RevisionHistory)
- - [D Notices](#Notices)
+ - [B Safety, Security and Privacy Considerations](#SafetySecurityandPrivacyConsiderations)
+ - [C Acknowledgments](#Acknowledgments)
+   - [C.1 Special Thanks](#SpecialThanks)
+   - [C.2 Participants](#Participants)
+ - [D Revision History](#RevisionHistory)
+ - [E Notices](#Notices)
:::

@@ -2176,6 +2178,13 @@ Property|Type|Description
```

```
2176  [Timeslice](Org.OData.Temporal.V1.xml#L161)|EntityType|A time slice with the same entity type as the binding parameter of the action<br>When it appears in the return type of an action in this vocabulary, the time slice has the same entity set as the binding parameter value.
2177
2178
2179  -------
2180
2181  # <a id="References" href="#References">Appendix A. References</a>
```

```
2178  [Timeslice](Org.OData.Temporal.V1.xml#L161)|EntityType|A time slice with the same entity type as the binding parameter of the action<br>When it appears in the return type of an action in this vocabulary, the time slice has the same entity set as the binding parameter value.
2179
2180
2181 + -------
2182 +
2183 + # <a id="Conformance" href="#Conformance">11 Conformance</a>
2184 +
2185 + Conforming services that expose annotations using terms defined in this document MUST adhere to
2186 + the syntax and semantics laid out in the term definition.
2187 +
2188  -------
2189
2190  # <a id="References" href="#References">Appendix A. References</a>
```

@@ -2213,23 +2222,21 @@ https://www.rfc-editor.org/info/rfc8174.

```
2213  _odata-vocabularies OASIS TC GitHub repository_.
2214  https://github.com/oasis-tcs/odata-vocabularies.
2215
2216 - <!-- TODO:
2217  -------
2218
2219 - # Appendix Safety, Security and Privacy Considerations
2220
2221 - do we have considerations specific to URLs, for example length, encoding, privacy (use $batch if in doubt), ...?
2222 - -->
2223
```

```
2222  _odata-vocabularies OASIS TC GitHub repository_.
2223  https://github.com/oasis-tcs/odata-vocabularies.
2224
2225  -------
2226
2227 + # <a id="SafetySecurityandPrivacyConsideration s" href="#SafetySecurityandPrivacyConsiderat ions">Appendix B. Safety, Security and Privacy Considerations</a>
2228
2229 + No security issues have been identified.
2230
```

```
2224  -------
2225
2226 - # <a id="Acknowledgments" href="#Acknowledgments">Appendix B. Acknowledgments</a>
2227
2228 - ## <a id="SpecialThanks" href="#SpecialThanks">B.1 Special Thanks</a>
2229
2230  The contributions of the OASIS OData Technical Committee members, enumerated in [OData-Protocol, section C.2] (https://docs.oasis-open.org/odata/odata/v4.02/odata-v4.02-part1-protocol.html#Participants), are gratefully acknowledged.
2231
2232 - ## <a id="Participants" href="#Participants">B.2 Participants</a>
2233
2234  **OData TC Members:**
2235
```

```
2231  -------
2232
2233 + # <a id="Acknowledgments" href="#Acknowledgments">Appendix C. Acknowledgments</a>
2234
2235 + ## <a id="SpecialThanks" href="#SpecialThanks">C.1 Special Thanks</a>
2236
2237  The contributions of the OASIS OData Technical Committee members, enumerated in [OData-Protocol, section C.2] (https://docs.oasis-open.org/odata/odata/v4.02/odata-v4.02-part1-protocol.html#Participants), are gratefully acknowledged.
2238
2239 + ## <a id="Participants" href="#Participants">C.2 Participants</a>
2240
2241  **OData TC Members:**
2242
```

```
@@ -2249,17 +2256,18 @@ The contributions of the OASIS OData Technical Committee members, enumerated in
2249
2250  -------
2251
2252 - # <a id="RevisionHistory" href="#RevisionHistory">Appendix C. Revision History</a>
2253
2254  | Revision | Date | Editor | Changes Made |
2255  | :--- | :--- | :--- | :--- |
2256  |Committee Specification Draft 01|2016-12-08|Michael Pizzo<br>Ralf Handl<br>Ram Jeyaraman| Documentation automatically extracted from XML source files|
2257  |Committee Specification Draft 02|2024-06-19|Michael Pizzo<br>Ralf Handl<br>Heiko Theißen| Documentation automatically extracted from XML source files|
2258  |Committee Specification Draft 03|2026-08-19|Michael Pizzo<br>Ralf Handl<br>Heiko Theißen| Documentation automatically extracted from XML source files|
```

```
2256
2257  -------
2258
2259 + # <a id="RevisionHistory" href="#RevisionHistory">Appendix D. Revision History</a>
2260
2261  | Revision | Date | Editor | Changes Made |
2262  | :--- | :--- | :--- | :--- |
2263  |Committee Specification Draft 01|2016-12-08|Michael Pizzo<br>Ralf Handl<br>Ram Jeyaraman| Documentation automatically extracted from XML source files|
2264  |Committee Specification Draft 02|2024-06-19|Michael Pizzo<br>Ralf Handl<br>Heiko Theißen| Documentation automatically extracted from XML source files|
2265  |Committee Specification Draft 03|2026-08-19|Michael Pizzo<br>Ralf Handl<br>Heiko Theißen| Documentation automatically extracted from XML source files|
```

```
                                                    2266 + |Committee Specification 01|2026-10-07|Michael Pizzo<br>Ralf Handl<br>Heiko Theißen| Non-material changes from public review feedback|
2259                                                2267
2260   -------                                      2268   -------
2261                                                2269
2262 - # <a id="Notices" href="#Notices">Appendix D. Notices</a>   2270 + # <a id="Notices" href="#Notices">Appendix E. Notices</a>
2263                                                2271
2264   <!-- Required section. Do not modify. -->    2272   <!-- Required section. Do not modify. -->
2265                                                2273
```