

4/1/2025

Trados 2024 User Guide for Visually- Impaired Translators with JAWS Screen Reader

**Trados Studio 2024 Version
18.0.2.3255**



Written by: Abdullah Ashraf

<https://www.linkedin.com/in/abdullah-ashraf-english-arabic-translator/>

Edited and Formatted by: Iman Refaat

[linkedin.com/in/iman-refaat-5266121a](https://www.linkedin.com/in/iman-refaat-5266121a)

Version: V2

**Trados 2024 User Guide for Visually-Impaired Translators with
JAWS Screen Reader
Trados Studio 2024 Version 18.0.2.3255**

Written by: Abdullah Ashraf

<https://www.linkedin.com/in/abdullah-ashraf-english-arabic-translator/>

Edited and Formatted by: Iman Refaat

<https://www.linkedin.com/in/iman-refaat-5266121a/>

Version: V2

Date: March 31, 2025

Contents

A. How to Translate a Single Document:	3
B. How to Create a New Project:	10
C. How to Translate a Package File:	16
D. How to Add/Create a TM:	20
E. How to Import/Export a TMX:	25
F. How to Translate within the Editor Pane:	27
G. How to Verify a File and Export it in Excel Format:	32
H. How to Analyze File and Export it in Excel Format:	38
I. How to Create a Term Base and Use it:	38
J. How to Deal with Comments in Segments:	44
K. How to Activate the Machine Translation:	47
L. How to Set the Auto Save/Auto Text Options:	48

- **Note 1:** Before working with Trados Studio, confirm that its window is set to open maximized by default for optimal screen reader performance. To do so, proceed with the following steps:
 1. Go to the Trados Studio shortcut on your desktop, then press the APPLICATIONS key (or SHIFT+APPLICATIONS key in Windows 11) to access the classic context menu. Press the UP-ARROW key once until you reach the “Properties” menu item. You can simply, after being positioned on the application's shortcut icon on desktop, press ALT+ENTER key to open the properties dialog box.
 2. Make sure that you are positioned on the shortcut tab. Then, press the tab key about four times until you reach “Run” combo box. It is set to “Normal” by default. Press the DOWN ARROW key twice until you reach “Maximized”; it is the last item within the combo box.
 3. You can press the ENTER key directly to confirm your choice, or you can press the TAB key to navigate until you reach the “Ok” button. Once you press “Ok”, a message will appear entitled “Access denied” says: “You will need to provide administrator permission to change these settings. Click “Continue” to complete this operation”, and you have two buttons, “Continue” button and “Cancel” button. In this case, press the “Continue” button by using either the ENTER key or the SPACEBAR.
- **Note 2:** The screen reader shortcuts used in this documentation is according to desktop keyboard layout

A. How to Translate a Single Document:

1. Go through the “File” button menu as per the following steps:
 - a. Press the ALT key to activate the ribbon menus; then, press the LEFT ARROW key once.
 - b. You are going to listen to the screen reader says: “Application menu button”. This is the “File” button menu that needs to be accessed. Press the DOWN ARROW key or the SPACEBAR to select it.
 - c. The first thing you find is the “Open” submenu and select it by pressing the RIGHT ARROW key. Then, press the DOWN ARROW key until you reach “Translate Single Document” menu item. It is the fourth item in the open submenu. Select it by pressing the ENTER key.

- d. It opens the “Open” dialog box, enabling you to navigate through your device to select the file you need to translate. Press SHIFT+TAB twice to be able to browse your device to choose the required file.
- **Note:** You can shorten all these steps in just one step, which is by using the shortcut key CTRL+SHIFT+O to open “Translate Single Document” dialog box.
2. Once you select the file you need to translate, a wizard will appear, guiding you to choose the source and target languages for your single document project. Then, follow the steps below:
 - a. The source language will be set by default to English, and the target language will be set by default to German. Use the TAB key to reach the source language combo box. To do this, press the TAB key four times.
 - b. The first combo box you find is for selecting the source language. Press ALT+DOWN ARROW key to open it correctly. Now, you can use the UP or DOWN ARROW keys to be able to select your project source language. After selecting your required language, press the ENTER key to apply your chosen source language or press ALT+UP ARROW key to close the combo box.
 - c. Press the TAB key one time only to find the second combo box. This combo box is for selecting the target language. Press ALT+DOWN ARROW key to open. Now, you are able to select your project target language. After selecting your required language, press the ENTER key to apply your chosen target language or press ALT+UP ARROW key to close the combo box.
3. A wizard to create a translation memory will appear. The first thing you will find in this wizard is a button labeled “Create Translation Memory”. Select it by pressing the SPACEBAR and follow the steps below:
 - d. The wizard “New Translation Memory” to create a TM for your project will appear. You will encounter an edit box where you can define your TM name. After defining your TM name, press the TAB key.
 - e. You will encounter a second edit box to provide a description for the TM if needed. It is optional. After providing a description for your TM, press the TAB key thrice until you reach the “Browse” button. This button is dedicated to choosing where to save your TM in your device. Press SPACEBAR to select it.

- f. A browse dialog box will open. Press SHIFT+TAB twice to go through your device in order to select where to save your TM. After selecting your required place, go back and press the TAB key until you reach the “Select Folder” button and select it by pressing the SPACEBAR.
 - g. Press the TAB key thrice until you reach the “Next” button. Press the SPACEBAR to proceed to the second page within the “New Translation Memory” wizard.
 - h. Keep using the TAB key until you reach the “Next” button. Press the SPACEBAR to proceed to the next step. Keep using the TAB key to reach the “Finish” button and select it by pressing the SPACEBAR to finalize the “New Translation Memory” wizard.
 - i. Now, you will find the “Close” button; press it by pressing the SPACEBAR. A new TM is created for your project.
4. The “Ok” button needs to be tapped in order to finalize creating translating a single document project process by pressing the TAB key. When you reach the “Ok” button, press the SPACEBAR. It will automatically guide you to the “Editor” pane to initiate the translation process (see [Section F](#)).
5. Trados Studio is divided into several view modes. After creating a single document project, it will be automatically listed in the "Manager" view. Then, follow these steps to access your projects:
 - a. You have to press the ALT key to activate the ribbon menus to reach the “View” ribbon where you can switch between different view modes that are available in Trados. Start using the RIGHT ARROW key until you find the “View” ribbon. It is the fourth ribbon; use the TAB key or the DOWN ARROW key to activate.
 - b. When the ribbon view is activated, press the TAB key once until you reach the “Manager” button. Press the ENTER key to switch to the “Manager” view.
6. Each view mode in Trados is divided into several sections. Make sure that you are in the “Manager details”. In order to navigate through different sections within the active view mode, you can press CTRL+TAB key and follow the steps below:
 - a. Keep holding on the CTRL key. Now, use the UP or DOWN ARROW keys to navigate through the different sections within the selected view mode to reach the required one in the current view mode. You need to reach the “Manager details”.

- b. After reaching the required window, release the CTRL key. It moves you directly to the selected section.
7. You can manage all your added projects from the “Manager” view. The “Manager” view is divided into two main sections; the first one is dedicated to your projects where you can manage your projects from, and the second one is dedicated to your current project's files and reports where you can manage them from. You can switch between your added projects as follows:
- a. Use the TAB key to navigate until you reach the Projects list box where you can navigate between your added projects to choose the project you need to translate.
 - b. Press the UP or DOWN ARROW keys to navigate between your current list of projects. You will find that your chosen project is selected once you focus on it by the UP or DOWN ARROW keys.
 - c. When you press the TAB key once, you will find the count of your current project's words and its due date if you previously have specified, and if you press the TAB key another time, you will find an announcement about the project's language pairs.
 - d. You can search for a specific project you need by its name. The first thing you will find after switching to the Manager view is an edit box where you can type the name of the project you need to go to. You will notice that the project list box will be filtered according to what you have written in this search box to choose the project you search for.
 - e. If you are positioned on the search box where you can search for a specific project by its name, In case you press the TAB key thrice from this position, you will encounter a combo box labeled “Sort Projects by” combo box where you can sort your projects in the projects list box, where you can arrange your projects alphabetically, by due date, creation date, or word count. You can navigate through these options by pressing the UP or DOWN ARROW keys.
8. If you press the TAB key one more time, you will reach to “Project menu” combo box where you can perform some actions on your selected project. You can open this combo box by pressing ALT+DOWN ARROW key, and you will find the following:
- a. You have the choice to remove the selected project from the list. After opening the combo box, just press the DOWN ARROW key about six times to reach the “Remove from List” menu item. It is the last item

- within the combo box, so you can also simply press the END key once to reach quickly to this option.
- b. After reaching it, press the ENTER key. A message will appear, saying: “Do you really want to close the selected projects?” This dialog contains only two buttons; you can press the “Yes” button if you mean to remove the project from the list. Otherwise, you can press the “No” button. As long as the project is found within this list, you cannot open it again. Move through the dialog controls using the TAB key. After reaching your choice, press the SPACEBAR.
 - c. There are some other options you will find in this combo box. For instance, through this combo box, you can move to the folder where your project files are being stored on your device. Just press the DOWN ARROW key twice till you reach “Open Project Folder” menu item. When you reach this option, press the ENTER key to open the folder where your project is located on your device.
 - d. The first option you will find in this combo box is the “Project Settings” menu item. This item enables you to go to the settings window that is dedicated directly for setting up your current selected project. However, there is another way to reach this option will be explained later. (see [Section D](#)). In case you need to close this combo box, you can simply press the ESCAPE key.
9. The second section you will find in the “Manager” view is that part related to your project's files. Press the TAB key to reach the files section in the “Manager” view. To manage your current project files, you have to do the following:
- a. Usually, a single document project consists of only one file, so all what you need is to press the TAB key until you reach your project's files. After you listen to the screen reader says: “Target files table”, you can press the TAB key once. You will reach your project file. Now, you can press the ENTER key to open in the “Editor” view and to start translation (see [Section F](#)).
 - b. There is a second way manages you to open your project file in the editor pane to start the translation process. After opening the “Manager” view, you can press the TAB key until you listen to the screen reader says: “Files tab”. At this moment, you can press the TAB key once; you will reach “Translate” combo box. It contains three options. The first one is

- “Translate”; the second one is “Review”, and the third one is “Sign Off”. The option needed from this combo box is the first one named “Translate”. You can simply press the ENTER key after ensuring that you are positioned on it to open your project in the “Editor” pane to start the translation process.
- c. In case you press the tab key once, you will encounter a combo box labeled “Batch Tasks”, from which, you can analyze, verify, and pre-translate your file. Press ALT+DOWN ARROW keys to show its available options, and if you need to choose any of them, just make sure that you are positioned on the option you need and press the ENTER key to open it. Its main options you may use will be tackled in the later sections. (see Sections [G](#), [H](#), and [K](#)). You can close the combo box by pressing the ESCAPE key.
10. The first thing you should do before starting translation is to save your project. You are going to find all saving options within the “File” button menu. After activation, you will find “Save” submenu below the “New” submenu. Press the DOWN ARROW key to reach to it. Then, press the RIGHT ARROW key or SPACEBAR to open. Follow the steps below to save the file:
- a. To save the file, you can press CTRL+S. At the first time you press this shortcut, the “Save As” dialog box will open.
 - a. The first field in this dialog box is an edit combo where you can define your file name.
 - b. After defining your file's name, press the TAB key once. You are going to move to the second field; this field is a combo box dedicated for selecting the file type. The extension of the bilingual file is .sdlxliff.
 - c. Press the TAB key twice until you reach the “Save” button and select it by pressing the ENTER key or SPACEBAR. The access key to quickly activate it is ALT+S.
 - d. In order to change your saved file destination, you can press SHIFT+TAB twice to access your device. You can do this after opening the “Save As” dialog box directly. Now, you can navigate through your device to choose an appropriate place to save your .sdlxliff file.
 - e. To save a bilingual file, you need to access “Save as” menu item. You can press F12 key to quickly access to it. Once you press this shortcut

key, a “Save As” dialog box will open. You can deal with it as explained above.

11. After finalizing your translation, you need to extract a clean file to deliver your work. There is more than one way to extract a clean file:

- a. To extract a clean file after finishing translating your single document, the first way is to access to “Save Target As” menu item. Press SHIFT+F12 shortcut key to quickly access to “Save Target As” dialog box. The “Save As” dialog box will open; you can deal with it as explained above. You will also find the "Save as target" option within the “Save As” sub menu in the file button menu.
- b. The second way to extract a clean file from your single document project is to use “Generate target translations” menu item that is in the “Batch tasks”. There are two ways to access “Batch tasks”. The first way is from the “Manager” view; activate ribbons by pressing the ALT key, and then, navigate using the RIGHT ARROW key until you reach the ribbon “View”. Activate it by pressing the DOWN ARROW key or the TAB key.
- c. After activating the ribbon, press the TAB key once. You will find the “Manager” view. Press the ENTER key to activate. Ensure that you are in the “Manager details” window. Keep pressing the TAB key to navigate. You will find the “Batch tasks” combo box in the files sections after “Translate” combo box. You can activate the “Batch tasks” combo box by pressing ALT+DOWN ARROW key. Press the DOWN ARROW key about eight times until you reach “Generate target translations” item and press the ENTER key to activate.
- d. The second way to access “Batch tasks” is from the “Editor” pane when you are inside the “Editor” pane performing the translation process. Activate the ribbons by pressing the ALT key. Activate the ribbon “Home” and press the TAB key twice until you reach “Batch tasks” submenu. Press the ENTER key or the SPACEBAR to activate. Press the DOWN ARROW key about nine times until you reach “Generate target translations”. Press the ENTER key to activate.
- e. After ensuring that you are positioned on the “Generate target translations” menu item and activating it, a wizard will appear. You can press SHIFT+TAB once until you reach the “Next” button and press the ENTER key or the SPACEBAR. It will proceed to the wizard's second

- page. Keep pressing the TAB key until you reach the “Finish” button and press the ENTER key or the SPACEBAR to proceed.
- f. A message box will appear saying: “Please wait while the selected tasks are being performed.” Wait few seconds and navigate using the TAB key until you reach the “Close” button and press the SPACEBAR. Another message box will appear entitled “Question dialog” saying: “Would you like to open the folder containing your exported documents?” It contains only two buttons “Yes” and “No”. Press the “Yes” button to open the folder containing your project's clean files. Otherwise, press the "No" button. Navigate using the TAB key to choose the required button and press the SPACEBAR to confirm your choice. Usually, Trados Studio saves your project's clean files within your project's folder on your device.
 - g. This way of extracting a clean file is more useful for multi-file projects or for packages, but you must ensure that you have selected all your project's/package's files (see [Section C](#), to know how to select all your project's/package's files). It is recommended to select all your project's files/package's files from the “Manager” view and to open all of them at the same time in the “Editor” pane and to start generating your clean files from your project/package from the “Batch Tasks” that is found in the “Home” ribbon because whenever you try using this option from “Batch tasks” combo box in the “Manager” view, the selection of the project/package files will be removed.
12. After finishing all what you want to do, it is the time to close the current project by following any of the steps below:
- a. Use the UP-ARROW key after activating to navigate. You are going to find “Close”, “Close All”, and “Exit” menu items:
 - Press CTRL+F4 to close current window.
 - Press CTRL+SHIFT+F4 to close all.
 - Press ALT+F4 to exit from the program.

B. How to Create a New Project:

- **Note:** In case your client delivers you multiple files, asking you to translate them, it will be difficult to translate these files one by one; therefore, opening a single document project is not suitable for this situation. Instead, you have the option to create a project to translate these files together into

one project. In the coming lines, the process of creating a project in Trados Studio will be explained in detail.

1. First of all, there is more than one way to access the “Create project” item as follows:

a. The first way is from the file button menu as follows:

- Press the ALT key to activate the ribbons and press the LEFT ARROW key once; you will listen to the screen reader says: “Application menu button”. This is the “File button menu” that is needed. Press the DOWN ARROW key to activate.
- Press the DOWN ARROW key once until you reach the “New” submenu. Press the ENTER key or the SPACEBAR to activate.
- The first item you will encounter is labeled “New local project” menu item. This is the needed item. Press the ENTER key to activate.

b. The second way is from the “Manager” view as follows:

- Activate the ribbons and press the RIGHT ARROW key until you reach the ribbon “View”. Activate the ribbon and press the TAB key once.
- You will encounter the “Manager” view. Press the ENTER key to activate.
- Press the TAB key twice; you will reach the “New project actions” button. It is after the searching box that is dedicated to searching for a specific project by its name. Activate it by pressing the SPACEBAR or the ENTER key.
- The first item you will encounter in this combo box is the “Create New Project” item. This is the needed item; press the ENTER key to activate.

c. You can simply press the shortcut key CTRL+N to create a new project.

2. After accessing the “Create project” item or pressing its dedicated shortcut key, a wizard will be opened:

a. The first thing you should do in the “Create a New Project” wizard’s first page is to define a name for your project.

b. Once the wizard is opened, press the TAB key thrice to reach an edit box labeled “Project Name” where you are asked to specify a name for your project. If it is your first project, it is named by default “Project 1”.

- c. After specifying a name for your project, press the TAB key twice to specify its location. You will encounter a button labeled “Browse for location path”; press the SPACEBAR to activate.
- d. A browse dialog box will open where you can browse your device to choose the appropriate folder for your project. Press SHIFT+TAB twice to be able to browse your device to choose the required folder for your project.
- e. It is very important to ensure that the chosen folder for your project is an empty folder and does not contain any files. After specifying your project's folder, keep pressing the TAB key until you reach the “Select folder” button. Press the SPACEBAR to confirm your choice.
- f. In case you press the TAB key once, you will encounter an edit box where you can find your project's location is written.
- g. In order to choose your project's source language, just press the TAB key once; you will encounter a combo box dedicated to choosing your project's source language, then follow the following steps:
 - Open this combo box by pressing ALT+DOWN ARROW. Navigate using the UP or DOWN ARROW keys to choose the source language for your project.
 - You can type the first letters for the language needed. For instance, in case your project source language is English, you can type its initial letters “eng” to quickly reach it etc.
 - Once you have chosen your project's source language, press the ENTER key to select.
- h. After selecting your project's source language, it is the time to select its target language; if you press the TAB key once, you will encounter the second combo box where you can choose your project's target language, then follow the following steps:
 - Apply the same steps you used for the previous combo box to this one in order to select your project's target language.
 - In case there is a previously chosen target language for your project, once you press the TAB key from the target language combo box, you will encounter a button that manages you to remove the designated target language in order to be able to specify another new target language for your project.

- This button is labeled “Remove all target languages” button. Press the SPACEBAR to activate.
- i. Now, it is the time to choose the files you are asked to translate, and you need to add to your project by following the steps below:
- Press the TAB key twice; you will encounter a button labeled “Add Files” button. Press the SPACEBAR to activate.
 - An “Open” dialog box will open that enables you to browse your device to choose the set of files you need to translate. Once this dialog box opens, press SHIFT+TAB twice to be able to browse your device to choose the files you need to translate.
 - After choosing the files you need, press the TAB key until you reach the “Open” button, or you can simply press the access key ALT+O.
 - If your project files are not placed on one folder on your device, you can repeat this step and choose your project files to add from anywhere from your device.
- j. If all your project files are gathered in one folder on your device, you can press the TAB key more than once until you reach a button labeled “Add existing folder” button. Press the SPACEBAR to activate, then follow the steps below:
- A browse dialog box will open where you can navigate through your device to choose the folder where your project's files are being stored.
 - In this browse dialog box, press SHIFT+TAB twice until you can access your device folders.
 - Navigate through your device folders to choose the folder where your project files are being stored and press the TAB key more than once until you reach the “Select Folder” button. Press the SPACEBAR to activate.
 - You can add more than one folder for your project, so repeat the same steps to do so.
- k. After adding your needed files to your project, and you need to remove all the files or any of them, you can press the TAB key once while you are positioned on “Add Files” button; you will encounter a button labeled “Remove Files” button. Press the SPACEBAR to activate, then follow the steps below:

- A confirmation message will appear entitled: “Question dialog”, saying: “Are you sure you want to remove the selected files?”.
 - You have two buttons in this dialog. The first one is the “Yes” button in case you need to remove this file/files, and its access key is the “Y” letter. The second button is the “No” button in case you need to cancel this process, and its access key is the “N” letter.
- l. You can do the same process in case your project contains one folder or more, and you need to remove it by following the steps below:
- You can press the TAB key consecutively until you reach a button labeled “Remove Folder” button. It is after the “Add Existing Folder” button. Press the SPACEBAR on “Remove Folder” button.
 - For instance, now, there is a folder that you have added to your project named “My Project”. After pressing the “Remove Folder” button, a confirmation message will appear entitled “Question dialog”, saying: “Are you sure you want to remove the folder ‘my project’ including all its contents?” You have the same buttons; the “Yes” button in case you need to remove the designated folder. Its access key is the “Y” letter, and you have the “No” button in case you need to cancel this process. Its access key is the “N” letter.
- m. It is the time to select your project files by following the steps below:
- Navigate using the TAB key consecutively until you reach “Project File” row. It is after the “Change File Type Settings” button.
 - After this button, press the TAB key once, and you will encounter a set of checkboxes; move between them using the UP or DOWN ARROW keys.
 - You have the option to select some of your added files by checking its related checkbox. To check/uncheck any of the checkboxes is by pressing the SPACEBAR.
 - You have the option to select all your project added files in one step by checking the first checkbox you encounter. It has no label.
 - In case you press the TAB key, you will show some details about your added files to your project that have been selected such as their name, their size and file type etc. It is very important to know that you cannot remove any of your project added files/folders unless you check the file/folder you need to remove.

- n. There is nothing more can be done regarding this page, so keep pressing the TAB key until you reach the “Next” button. Press the SPACEBAR or the ENTER key to proceed to the wizard's next page.
- o. Instead, if you want to create your project in just one step, and if you have the desire to cancel all the coming steps, you can press the TAB key, and you will encounter the “Finish” button. Press the SPACEBAR or the ENTER key to finalize.
- p. In the “Create a new project” wizard’s second page, then follow the steps below”
- The first thing you will encounter is an edit box where you can provide a description for your project; it is optional.
 - After pressing the TAB key once, you will encounter a checkbox labeled “Allow Source Editing” that enables you to edit your project's source text. It is unchecked by default. Press SPACEBAR to toggle.
 - After pressing the TAB key about five times, you will encounter an edit box where you can set a due date for your project, and if you press the TAB key one another time, you will encounter a second edit box where you can specify the due time for your project. Specifying the due date and time for your project is something optional. There is nothing more important to do on this page.
 - Keep pressing the tab key until you reach the “Next” button. Press the ENTER key or the SPACEBAR to proceed.
- q. You will be moved to the wizard subsequent page. It is about translation resources where you can create new TM for your project, or you can use an existing one. (To know how to deal with translation memories in detail refer to sections [D](#) and [E](#).). After adding your translation memory to your project, it is the time to proceed to the next page, so keep pressing the TAB key until you reach the “Next” button. Press the ENTER key or the SPACEBAR to proceed.
- r. The next page of the wizard is about the termbase. You have the ability to create a new termbase for your project or to use an existing one. (To know how to deal with termbases in detail, refer to [Section I](#)). After specifying a termbase for your project, you can move through the wizard subsequent page; press the TAB key until you reach the “Next” button.

- s. The next page is about group share. In cases where multiple translators are working on the project, they have the option to share it on the server to be able to work together on the project. Then, it is the time to go to the next page. Press the TAB key until you reach the “Next” button. Press the ENTER key or the SPACEBAR to proceed. There is nothing to do on this page, so navigate until you reach the “Next” button to move on. Press the ENTER key or the SPACEBAR to proceed. There is nothing to do on this page too, so keep pressing the TAB key until you reach the “Next” button to proceed to the subsequent page. Press the ENTER key or the SPACEBAR.
- t. The final page of the wizard provides you with a summary about your project. It manages to review all the information about your project such as its name, its location, the customer if specified, its due date and time if specified, the target languages, the available translatable files and its count, your project's translation memories and your project's termbases. Navigate between these controls using the TAB key. Keep pressing the TAB key until you reach the “Finish” button to finalize creating a new project process.
- u. Another dialog will appear; keep pressing the TAB key until you reach the “Close” button. Press the ENTER key or the SPACEBAR to activate.
- v. You will find that your project is listed within your project list box in the “Manager” view. You can go to it and start the translation process. (to know how to deal with the translation process in detail, see [Section F](#)).
- w. To extract clean files from your project after finalizing the translation process to deliver to your customer, you need to access “Generate Target Translations” option (to know about it in detail, see [Section A](#)).

C. How to Translate a Package File:

1. The extension of Trados package is .sdlppx. To open a Trados package, you can go to the “File” button menu, and then, go to “Open” Submenu. You are going to find a menu item named “Open Package”. Then, follow the following steps:
 - a. Press the ENTER key or SPACEBAR to select “Open Package”. You will see the “Open” dialog box, allowing you to navigate through your device and select the package you need to translate.

- b. Ensure you create an empty folder outside of the system partition (Partition C for example) to store your package files. The navigation to choose your targeted package through the “Open” dialog box is the same to what is covered above (see [Section A](#)).
 - c. You have the option to quickly access to “Open Package” dialog box by pressing ALT+CTRL+K.
 - d. You can access the “Open Package” dialog box through the “Manager” view as follows”
 - Go to the “Manager” view and press the TAB key once until you reach the “New project actions” button. You can activate it by pressing the SPACEBAR.
 - A combo box will open. The “Open package” item is the last item in this combo box, so you can simply press the END key once, and you will reach quickly to it.
 - Press the ENTER key, and you will find that the “Open package” open dialog box will appear where you can choose your required package to translate.
2. After choosing the required package you need to translate, press the ENTER key. Then, a wizard will appear. There is nothing to be edited in this wizard except choosing the destination where to save the package by following the steps below:
 - a. Use the TAB key until you listen to “Project Folder”, and you will find the current location where the package is going to be saved. Press the TAB key once until you encounter the “Browse” button, select it by pressing the SPACEBAR. A traditional browse dialog box will open. You will deal with it as explained above (see [Section A](#)).
 - b. You can navigate through your device to specify the new destination where you want to save your package. After selecting your new destination, Press the TAB key until you reach the “Select Folder” button. Press the SPACEBAR to select it.
 - c. Press the TAB key until you reach the “Finish” button. Wait until your package is imported to Trados Studio, and then, press the TAB key till you find the “Close” button. Press the SPACEBAR to select it.
3. You will find that your package is opened and listed in the Projects list box in the “Manager” view. Go to the “Manager” view and navigate through

your list of projects as explained above (see [Section A](#)) till you reach the package you need to translate then follow the steps below:

- a. The first thing you need to do after reaching the required package is to translate its files, so navigate using the TAB key to reach to the files section where you can open your package files in the “Editor” pane to start the translation process.
 - b. As you enter the files section, you'll first encounter a search box named “Search files by name” where you can type the desired file name and start translating it.
 - c. From the search edit box, if you press the TAB key once, you will listen to the screen reader saying: “Files tab”. As you know, unlike the single document projects, the package projects can consist of one file or more, so after saying the word “File”, you will notice that the screen reader says the total number of the files that are found in the chosen package. For illustration, if your selected package consists of two files, the screen reader will say: “File (2) tab.”
 - d. In case you need to open any of the package files to start translating, all what you need is to press the TAB key about five times from “File tab” to reach to your package files; you will find them after “Target files table”. You can navigate between them using the ARROW keys to choose the file you need to translate and press the ENTER key to open in the “Editor” pane to start the translation process for the chosen file.
 - e. If you want to open all the package files in one window, from “File tab”, press the TAB key about four times until you reach “Target files table”. At this point, you can press CTRL+A to select all the files, then press the ENTER key to open all the files at once in the “Editor” pane.
4. After finalizing translation, do not forget to save your files. Then, close it to create a Return Package (with the extension .sdlrpx) to be able to send it back to your client by following the steps below:
- a. To create a return package, make sure that the progress of your files is 100%.
 - b. Go to the “Manager” view in the way explained above (see [Section A](#)). Then, make sure that you are positioned on the required project in the Project list box. Then, press the TAB key thrice until you reach “Project menu” combo box. Open it by pressing ALT+DOWN ARROW keys.

- c. Navigate through this combo box by pressing the DOWN ARROW key about eight times until you reach “Create return package”. It is the eighth item in the combo box. Press the ENTER key.
- d. A wizard will open; you will be prompted to choose the files for which you need to create a return package among all package files then follow the steps below:
 - Use the TAB key until you reach the “Select all” button, and its access key is ALT+S. You can use this button if you need to select all package files to create a return package for them.
 - If you need to deselect all package files, use the TAB key once until you encounter the “Deselect all” button. Its access key is ALT+D.
 - In case you need to select specific files among all package files to create a return package for selected files only, you need to switch to JAWS cursor mode by pressing JAWS key+NUM PAD MINUS in the numeric keypad and start navigating using the ARROW keys to check whether your needed files are selected or not.
 - All package files are gathered within a list after the “File selection” button. This list is the second item within this wizard. Press the TAB key once when the wizard appears; you are going to find a list. It is not labeled by the screen reader.
 - To select any file within this list, press the SPACEBAR. There is no announcement given by the screen reader about either this file is selected or not. To make sure of that, you need to navigate through package files by JAWS cursor mode and to check whether or not your wanted files are selected.
 - Press the TAB key until you reach the “Next” button. Press the SPACEBAR to proceed to the second page. In the second page, use the TAB key until you reach an icon named “Return Package Location”. It is dedicated for selecting the place where you need to save the return package.
 - After reaching this icon, press the TAB key once. You will find the “Browse” button. Press the SPACEBAR to select it. A Browse dialog box will open; it enables you to navigate through your device to specify the required location where you need to save the

return package (see [Section A](#) to know how to deal with the browse dialog box).

- After specifying your return package location, press the TAB key once; you will find an edit box where you can provide a comment. It is optional. Press the TAB key until you reach the “Finish” button. Press the SPACEBAR to finalize the process.
- A dialog box will appear. Use the TAB key to move through its controls; you will find the “Open Target Folder” button. It directs you to the folder where your return package is saved.
- Press the TAB key once; you will find the “Send Package by Email” button. This option is dedicated in case you want to send your return package directly via email. There is nothing more to do except closing this dialog. Press the TAB key once to go to the “Close” button, then select it by pressing the SPACEBAR. Now, you created your return package.

D. How to Add/Create a TM:

1. In [Section A](#), the process of creating a TM is tackled, but there are some cases where you might forget to create a TM while creating a single document project. There are other methods to create/add a translation memory while the file/project is opened in the “Editor” view as follows:

- **Method 1:**

- a. Go to the File button menu. Press the DOWN ARROW key once until you reach the “New” submenu. It is the second item within the “File” button menu.
- b. Press SPACEBAR or the RIGHT ARROW key to select it. You will find the “New Translation Memory” menu item. It is the third menu item within the “New” submenu. Press the ENTER key to open the “New Translation Memory” wizard.
- c. Select the source and target languages.
- d. You will find the first combo box where you can select your TM source language after the “Browse” button directly. Press the TAB key about six times to reach to it.
- e. Open it by pressing ALT+DOWN ARROW key; then, use the UP or DOWN ARROW keys until you reach your required source language for

- your TM. Press the ENTER key to select your chosen source language or press the ALT+UP ARROW key to close the combo box.
- f. Keep pressing the TAB key several times until you reach the second combo box where you can determine the target language. Note that the screen reader will not say anything as you navigate using the TAB key until you reach the second combo box.
 - g. Choose the target language for your TM from the second combo box in the same way mentioned above. Ensure that your TM saving location is specified.
 - h. There is nothing more to do with this wizard, so keep pressing on the “Next” button until you reach the “Finish” button.
- **Method 2:**
- a. There is another way to create and manage a TM. This can be done from the “Project Settings” button. It is the first item in the “Home” ribbon while your file is opened in the “Editor” pane (you can also reach the “Project Settings” dialogue box from the “Manager” view as explained in [Section A](#)). Once you reach it, press the ENTER key to select it.
 - b. The main categories of the project settings are organized within a tree view layout; press the RIGHT ARROW key to expand any of them and press the LEFT ARROW key to collapse.
 - c. After opening “Project Settings”, the first tree view node you will encounter is the one associated with TM, labeled “Translation Memory and Automated Translation” which is opened by default.
 - d. Press the TAB key twice; you will encounter different TM related controls. These controls are a set of buttons aligned horizontally. Press the LEFT or RIGHT ARROW keys to navigate through them. The first button “Create” button is for creating a new TM. Its access key is ALT+C. Press SPACEBAR to select it. It guides you to the wizard of creating a TM as mentioned above.
 - e. Press the RIGHT ARROW key once; you will encounter another button labeled “Use” button; its access key is ALT+U. This button is useful in case you need to add an existing translation memory to your project. Press the SPACEBAR to select it. A dropdown menu will appear. It contains the menu item labeled “File-based Translation Memory”.

- f. Once you activate this menu item, an Open dialog box will open. This Open dialog box enables you to navigate through your device to choose the existed TM you want to add to your project.
 - g. Sometimes, JAWS screen reader refuses to respond when you click on the “File-based Translation Memory” menu item that exists within the dropdown menu. This problem happens only if this dropdown menu contains only one menu item. At this moment, it is recommended to resort to JAWS touch cursor to click on it. To switch to JAWS touch cursor, you need to press on JAWS KEY+SHIFT+NUM PAD PLUS according to desktop keyboard layout.
 - h. After switching to JAWS touch cursor mode, just press the TAB key several times until you listen to the screen reader says “File-based Translation Memory”. At this point, you can press the ENTER key or the SPACEBAR to activate. This opens a dialog box labeled “Open File-based Translation Memory” where you can browse your device and choose the required TM to add to your project. After that, you need to switch back to the PC cursor mode by pressing the NUM PAD PLUS twice.
 - i. After selecting the required TM that you need to add, press the TAB key until you reach the “Open” button, and its access key is ALT+O. At this moment, the TM you have added will be directly listed within your translation memories list.
2. All your added TMs are listed within ultra grid table; you can go to it by pressing the TAB key once. Use the ARROW keys to navigate through them, but the screen reader will not announce the TM name that you are focusing on. Instead, it will say: “band 0 and the row name”. Then, follow the following steps:
- a. In order to go to a specific TM, you need to switch to JAWS cursor mode. Press CTRL+HOME key to be sure that you are at the top of the screen. Start pressing the DOWN ARROW key until you listen to the screen reader says: “Embedded Content Processors”. Below this line, you will find that your TMs are listed, but you may listen to the screen reader says some words before the TM name. For instance, you may listen to the screen reader says the word “Verification” before the first TM name and the word “Language pairs” before the second TM name. The location of each TM is given below its name.

- b. Press the HOME key to place the JAWS cursor at the beginning of the line. Use CTRL+RIGHT ARROW until the screen reader announces the first words of the TM name. This is to make sure that JAWS cursor is positioned on the TM name. Then press CTRL+LEFT CLICK key; a small window will appear. The first thing that you will find in this window is the TM name.
 - c. In order to select the TM to be ready to perform any action on it, press SHIFT+TAB inside this small window that has appeared after pressing the LEFT CLICK key. You will see that the screen reader says nothing but the word “False”. Press the SPACEBAR and you will notice that the “False” value is turned into “True”. This indicates that the TM is selected and is ready for any action to be performed on it.
 - d. To enable or disable the TM, once the small window appears after clicking on the TM, just press the TAB key once, you will listen to the screen reader says: “Enabled”; it will be set to “True” if the TM is enabled and “False” if it is not. To enable or disable it, just press the SPACEBAR.
 - e. If you press the TAB key one more time, you will listen to the screen reader says the word: “Languages”. It adds nothing more, so ignore it. Once you press the TAB key one more time, you will listen to the screen reader says: “Lookup”; if you want to make the TM's units searchable, set its value to “True”; otherwise, you can set it to “False” by pressing the SPACEBAR.
 - f. Press the TAB key twice to reach the concordance field. You can set its value to “True” if you want the TM to be available for concordance search; otherwise, you can set its value to “False” by pressing SPACEBAR.
 - g. Press the TAB key one more time to reach the update field. To allow the TM to accept new updated units based on your translations, you can set its value to “True”; alternatively, you can set it to “False”. Press SPACEBAR to toggle.
 - h. After finishing setting up your TM from this small window, press the ENTER key. You will go back to the traditional “Project Settings” window, and your adjusted settings will be saved.
3. After finishing the “Use” button, Press the RIGHT ARROW key once, you will find the “Settings” button, and its access key is ALT+S. This button is

dedicated for setting up your TM that you are currently selecting. You can select it either by pressing the SPACEBAR or by pressing its mentioned access key. Then, follow the steps below:

- a. What matters most in the “Settings” window is its main tree view node that carries the selected TM name. When you press the TAB key to navigate, you will find that it gives you a lot of information about your TM, like the TM name, TM description, TM location, Source and Target languages, the name of its creator, creation date, and number of translation units. All such information is read only, and each piece of information is presented in a separate edit box; you can reach any of them using the TAB key until you reach the "Ok" button.
 - b. This “Settings” window is totally different from the other window mentioned above. The window mentioned earlier is used to configure the TM for performing various actions on it, such as performing concordance search, update the TM units, selecting the TM, etc.
4. If you navigate through the TM main controls using the RIGHT ARROW key, you will encounter “Move up” and “Move down” buttons. They are used to reposition the selected TM from its place to another one to rearrange your TMs in different order. Follow the steps below for further actions on the TM:
- a. If you want to remove a specific TM from TMs list, select the required TM following the instructions given above, and then, go back to the TM’s main controls as explained. Use the RIGHT ARROW key until you reach the “Remove” button, and its access key is ALT+R, then press the SPACEBAR to select it.
 - b. A confirmation message will appear. It says: “Are you sure to remove all the selected items?”. You will encounter “Yes” and “No” buttons. Use the TAB key to move between them. Press SPACEBAR on the “Yes” button in case you want to remove the selected TM; alternatively, you can press the SPACEBAR on the “No” button.
5. If you want to perform concordance search within the TM, you can do it inside the editor pane while translating the document by pressing F3 key and follow the steps below:
- a. If you want to perform source concordance, you can select the text from the source text using CTRL+SHIFT+LEFT or RIGHT ARROW when you are inside the editor pane. Then, you can press CTRL+F3, and you

- will be able to navigate to see results using the UP or DOWN ARROW keys.
- b. In case you have selected the required text to perform concordance on it, and you have pressed concordance dedicated shortcut key (F3), but you have seen that nothing appears on screen, you can switch to the concordance window following the way covered above related to CTRL+TAB in order to move between different sections of the selected view mode in Trados. You can also reach concordance search from the “View” ribbon; it is before the “Comments” button option and after the “Translation Results” option.

E. How to Import/Export a TMX:

1. In order to **Export** a specific TM in a .tmx file format, you need to go to the “Project Settings” as explained above (see [Section D](#)). The first tree view node you will encounter is that one associated with TMs, labeled “Translation Memory and Automated Translation”. Make sure that this tree view node is expanded; it is expanded by default. Then, follow the following steps:
 - a. Press the TAB key twice to reach TM different control buttons as explained above (see [Section D](#)). Press the LEFT ARROW key twice until you reach the “Export” button and press it by the SPACEBAR. Its access key is ALT+E. A one-page wizard will appear. Press the TAB key.
 - b. The first field you will find in this wizard is an edit box labeled “Export to”; here, you will specify where to save your exported TM but skip it for now. It is recommended to use the “Browse” button to do this.
 - c. Press the TAB key thrice until you encounter the “Browse” button and select it by pressing the SPACEBAR. A new dialog box will open; this dialog box is entitled “Select export file”. The first field you will encounter in this dialog is an edit combo labeled “File Name”. You can define here your exported TM name.
 - d. Press the TAB key once; you will encounter a combo box labeled “Save As Type”. Here, you can set the extension of your exported file. Since we are exporting a .tmx file, the extension is preset accordingly. Do not change it.
 - e. Press the TAB key twice until you reach the “Save” button. As you know, its access key is always ALT+S. It never changes. If you do not

- intend to do anything else within this dialog, you can press the SPACEBAR to apply your saving settings.
- f. If you want to specify where to save the exported TMX memory, once you are positioned on the “File Name” edit combo, you can press SHIFT+TAB twice. You will find yourself within your device where you can navigate and specify your saving location.
 - g. Press the TAB key thrice until you reach the “Finish” button and select it by pressing the SPACEBAR. A dialog box will appear. Press the TAB key to navigate. You will listen to the number of exported units, and you will also find the “Close” button, select it by pressing the SPACEBAR to complete the process.
2. In order to **Import** a .tmx file to your Trados TM project, you have to choose between two options, either to create a new TM using any of the methods explained above (see [Section D](#)) and to import your TMX memory to it. Or, to import your .tmx file to an existing TM. For doing so, follow the step below:
- a. To import a .tmx memory to Trados Translation memory, first of all, you have to access your “Project Settings”, and then, you will encounter the tree view node labeled “Translation Memory and Automated Translation”. Press the TAB key twice.
 - b. You will be on the TM control buttons covered above (see [Section D](#)); press the LEFT ARROW key thrice until you reach the “Import” button and select it by pressing the SPACEBAR. Its access key is ALT+I.
 - c. A wizard will open. Press SHIFT+TAB thrice until you reach the “Add Files” button, and if you press SHIFT+TAB twice, you will encounter another button named “Add Folder”.
 - d. If you need to add only a single .tmx memory, press the “Add File” button. However, if you aim to add more than one .tmx memory, and they are all stored in a specific folder on your device, then, press the “Add Folder” button.
 - e. If you press the “Add File” button, an open dialog box will open; press SHIFT+TAB key twice to access your device to choose the .tmx file you need to import. Moreover, if you press the “Add Folder” button, a “Browse” dialog box will open; you can press SHIFT+TAB key twice to be able to browse your device to choose the folder where your .tmx files are stored in case you need to add several .tmx files that are stored in a

- specific folder on your device. After selecting your desired folder, use the TAB key until you reach the “Select Folder” button and select it by pressing the SPACEBAR.
- f. Any file you are adding is listed within a list; press the TAB key or SHIFT+TAB to reach this list. Once you add a file to this list, a remove button will appear, and its access key is ALT+R. You can use this button to delete any file added to the list in case you do not need this file to be imported to your TM.
 - g. Once you have finished selecting the file/s to be added, press the TAB key until you reach the “Next” button and select it by pressing the SPACEBAR to proceed to the wizard second page. There is nothing to do on this page, so keep pressing the TAB key until you reach the “Next” button and select it by pressing the SPACEBAR to proceed.
 - h. Finally, you reach the last page in this wizard; press the TAB key until you reach the “Finish” button and select it by pressing the SPACEBAR to proceed.
 - i. Another dialog will appear. Use the TAB key to navigate; you will encounter a small table contains the imported files. After the screen reader announces the file name, it provides some other information such as number of imported units and number of invalid units. Keep pressing the TAB key until you reach the “Close” button and select it by pressing the SPACEBAR to finalize the process.
 - j. If you go to check the number of your translation memory units as explained above (see [Section D](#)), you will notice that this number is increased. This means that the importing process is successful.

F. How to Translate within the Editor Pane:

1. When you switch to the Editor pane and start translating, you will notice that JAWS screen reader announces segment status; it announces whether this segment is not translated, translated, draft, locked, translation approved, or translation rejected. It also announces the TM percentage matches, and in case there are high fuzzy matches, the program automatically inserts them into the segment.
2. The screen reader tells if there are TB (termbase) suggestions, but it tells only the first TB term match. If your TB contains more than one term related

to segment, JAWS screen reader announces nothing about this. This issue will be tackled in the termbase section (see [Section I](#)).

3. The screen reader announces details about the tags present within the segment and what type they are, such as “Tag CF” or “Placeholder” tag and so on.
4. The shortcuts that you can use during translation are as follows (you can also reach the following commands using generic functionality by going to the accessible ribbons):
 - a. Press F6 key to toggle between source and target.
 - b. Press CTRL+DOWN ARROW key to proceed to the next segment and CTRL+UP ARROW key to proceed to the previous one.
 - c. Press CTRL+ENTER key to confirm the current segment and to proceed to the next unconfirmed one.
 - d. Press ALT+CTRL+ENTER key in case you need to confirm the current segment and to proceed to the next segment either it is confirmed or not (approve translation).
 - e. Press CTRL+SHIFT+ENTER key if you want to reject the current segment.
 - f. Press CTRL+INSERT key to copy source to target.
 - g. Press ALT+SHIFT+INSERT key to copy all source to target.
 - h. To change the case of the first letter in the selected word, you can simply press SHIFT+F3 but after selecting the required word, use CTRL+SHIFT+LEFT or RIGHT ARROW. Avoid selecting spaces around the required word.
 - i. Press CTRL+SPACEBAR to clear the selected tag formatting, and in case you want to clear tag formatting in general within the current segment, you can press ALT+CTRL+SPACEBAR.
 - j. Press CTRL+EQUALS key to insert start and end tag CF.
 - k. If you need to delete the text contained within the segment till the end of row, you can press CTRL+D, and in case you want to delete the text contained within the segment till the next tag, you can simply press CTRL+SHIFT+D.
 - l. Press ALT+DELETE key to clear target segment. Its status turns into “Not translated”. Moreover, in case you want to delete draft segment, you can simply press ALT+SHIFT+DELETE key.

- m. If you need to insert the closing tag, this can be done by pressing CTRL+PERIOD key.
- n. Press CTRL+L to lock or unlock segments.
- o. To perform track changes, press CTRL+F10 key.
- p. To externally refresh the file you are translating, press CTRL+SHIFT+R; for example, if it is word document, it opens in Microsoft word app.
- q. To view source, press CTRL+SHIFT+Y. For example, if the source file is word document, it opens in Microsoft word app. In addition, to view target, press CTRL+SHIFT+P. For instance, if it is word document, it opens in Microsoft word app.
- r. If you want to quickly go to a specific segment, you can simply open “Go to” dialog box by pressing CTRL+G and follow the steps below:
 - I. There is an edit box where you can type the number of the segment you need to go to. After specifying segment number, you can press the ENTER key, or you can press the TAB key until you reach the “Go to” button. Its access key is ALT+T.
 - II. In case you are focusing on the edit box where you can determine the segment number, you can press the TAB key once; you will encounter a list box where you can determine the method you need to use to go to a particular segment within the file. It contains four choices. It is set by default to “Numbers”.
 - III. Press the DOWN ARROW key to select a different choice. The second choice you will find in this list is “Category” in case you need to go to a specific segment based on its category, such as whether this segment is untranslated, fuzzy match, 100 percent match, context match, perfect match, translated, or automated translation.
 - IV. Use the TAB key to be able to select the appropriate category/s you want to go to the segment based on. They are ordered within a set of checkboxes. Go to your required checkbox and choose it by pressing the SPACEBAR to check it.
 - V. You will notice that there are two buttons appear; the first one is the “Next” button, and its access key is ALT+N. You can use in case you want to go to the next segment according to your selected category/s. Furthermore, the second one is the “Previous” button,

and its access key is ALT+P. You can use in case you need to go to the previous segment according to your selected category/s.

- VI. The third item you will find within the list box is “Status”; you can use this in case you need to go to a specific segment based on its status, whether this segment is draft, translated, not translated, translation rejected, translation approved, sign-off rejected or signed off.
 - VII. You are able to determine which status you want to go to a specific segment based on by selecting your required checkbox/es. Press the TAB key to reach these checkboxes and select any of them by pressing the SPACEBAR to check it. You can also use the “Next” and “Previous” buttons mentioned above to reach your selected segment.
 - VIII. The fourth choice you will find within the list box is “Comment”. You can use the “Next” and “Previous” buttons to move between segments containing comments, but there is another easier way to move between comments within segments that is tackled in ([Section I](#)) hereinafter.
 - IX. To close “Go to” dialog box, press the TAB key until you reach the “Close” button, and its access key is ALT+C.
 - X. In order to repeat the same “Go to” process without opening the “Go to” dialog box again, you can press CTRL+J to repeat your last “Go to” process. It moves you again to the last segment you have specified before within the “Go to” dialog box.
- s. If you translate a Trados package containing locked segments, and you want to hide such locked segments; go to the “Display Filter” section to do so. This option is very useful in case you are navigating through large projects, reviewing specific segments, or performing QA tasks. To apply filters, follow the steps below:
- I. To go to “Display Filter”, press the ALT key to open ribbons. Press the RIGHT ARROW key to reach the “View” ribbon. Activate the ribbon. Navigate through its groups using CTRL+LEFT or RIGHT ARROW keys until you reach the “Advanced display filter 2.0” button and select it by pressing the SPACEBAR or the ENTER key. You can also switch to it in the

same way outlined above by using CTRL+TAB key and then, the ARROW keys (see [Section A](#)).

- II. A dialog box will open. The first field you will encounter labeled “Filters Applied”. Press the TAB key once. Note that this dialog consists of several pages; you can use CTRL+PAGE UP or PAGE DOWN to navigate between them.
- III. The first page in this dialog named “Content Page” in case you need to perform contextual filter on segments. The first field you will find in this page is an edit box related to source where you can type the source word, term, or phrase that you want to filter your segments according to. This is in case you need to display your segments depending on whether such segments contain that source typed word, term, or phrase or not.
- IV. Press the TAB key to move to the second field. The second field is another edit box related to target, and it is dedicated to typing the target-text word, term, or phrase you need to filter your segments according to, depending on whether your target segments contain such typed word, term, or phrase or not. After you finish typing, press the ENTER key to apply. Your segments will be filtered according to what is typed.
- V. If you press CTRL+PAGE DOWN to move to the second page, you will find that this page is named “Filter Attributes”. Press the TAB key once. You will encounter a big list contains every category/status you can filter your segments according to. Use the UP or DOWN ARROW keys to move through this list.
- VI. After selecting your required option, press the TAB key until you reach to the Greater “>” button. With this button, you can transfer your selected option to a smaller list positioned after the main list. Go to this second list by pressing the TAB key or SHIFT+TAB; once you reach this list, you will find that your chosen option is preceded by the word “Not selected”. Press the SPACEBAR to make sure that your filter option is selected.
- VII. If you use the TAB key to navigate through this list, you will find a combo box labeled "Relationship operator". It contains only two items “And”, “Or”. Choose any of them if you need. You can move between them using the UP or DOWN ARROW keys.

- VIII. If you need to remove a specific filter option from the second small list, press the TAB key until you reach the Less “<” button and select it by pressing the SPACEBAR. After selecting your needed filter, go to the “Apply Filter” button and press it.
- IX. This dialog box contains many pages such as “Segment” page where you can filter your segments according to other different criteria such as number; for example, you can use it to filter for even or odd segments.

G. How to Verify a File and Export it in Excel Format:

1. Before running QA checks, you need to adjust its settings according to your needs and the client’s instructions by following the steps below:
 - a. You need to open the “Project Settings” window to be able to reach to QA settings. You can open it from the ribbon “Home” (See section D to know how to deal with project settings in detail).
 - b. Go to the “Verification” tree view node. It is below the “Embedded Content Processors” tree view node. In case you face difficulties to reach this tree view node, you can simply type the first two or three letters of the word “Verification”, and it will take you quickly to the required tree view node. Press the RIGHT ARROW key to expand.
 - c. There are three main tree view nodes categorized under “Verification” tree view node; they are “QA checker 3.0”, “Tag Verifier”, and “Terminology Verifier”. Under each of them, you will find other smaller tree view nodes. To adjust the settings of any of them, you can navigate using the ARROW keys.
 - d. After finding yourself focusing on the required tree view node you need to adjust its settings, just press the TAB key one or two times until you reach the first checkbox. In this case, only the checkboxes need to be adjusted. Skip any combo boxes or edit boxes you find. Use the TAB key to move through the selected tree view node settings controls.
 - e. After you are done adjusting your wanted settings, use the TAB key until you reach the “Ok” button and select it by pressing the SPACEBAR to save your settings. Sometimes, your screen reader is unable to locate the “Ok” button and unable to move. When you press the TAB key to try reaching the button, you notice that the screen reader does not respond. In this case, switch to JAWS cursor mode and use the UP-ARROW key

- until you reach the tree view node and press the LEFT CLICK key to be positioned on it.
- f. Press SHIFT+TAB about four times until you manage to reach the “Ok” button. For instance, you will face this problem when you need to adjust the “Verification” settings categorized under the “Terminology Verifier” tree view node.
 - g. To adjust the verification/QA settings, follow the steps below:
 - I. Go to the “Verification” tree view node. Move through the “Verification” tree view node by pressing the DOWN ARROW key after making sure that it is expanded to go through nodes that are categorized under it.
 - II. Go to the “QA checker 3.0” tree view node. Press the RIGHT ARROW key to expand in case it is collapsed. Now, search for “Numbers” tree view node, for example, categorized under “QA checker 3.0”. It is the fifth item. Press the DOWN ARROW key to reach to it.
 - III. Press the TAB key to be able to adjust your required numbers' controls. The first checkbox you will encounter is the “Check numbers” checkbox and it is not checked by default. Press SPACEBAR to check it. If you press the TAB key, the second checkbox you will encounter is “Check dates” checkbox. It is also not checked by default. Press the SPACEBAR to check it. If you press the TAB key one more time, the next checkbox you will encounter is “Check times”; it is also not checked by default. Press the SPACEBAR to check it.
 - IV. Follow the same steps in all the items and options existing under the three main categories “QA checker 3.0”, “Tag Verifier”, and “Terminology Verifier”. You can complete adjusting QA settings process in the same way.
 - V. After you are done adjusting all your required settings, press the TAB key until you reach the “Ok” button and select it by pressing the SPACEBAR to save your adjusted settings.
2. After adjusting your required QA settings from the “Project Settings”, you can run the QA checks. Press F8 key to do so. if you want to do spelling check, press F7 key. After pressing the F8 key, your QA messages will appear on screen. Then follow the steps below:

- a. You can reach QA messages by going to the messages section within the Editor view mode. You can switch to the messages section in the same way explained above by pressing CTRL+TAB and start using the UP or DOWN ARROW keys until you reach “Messages”. Release the CONTROL key to move to it. (This way of navigation is explained in ([Section A](#)) in detail). “Messages” is found in the “View” ribbon after the “Fragment Matches” button and before the “Term Recognition” button.
- b. You will find that your QA messages are organized within table, but whenever you try to move to any of them by the arrow keys, the screen reader says nothing but “band zero row and the row number”.
- c. Accordingly, switch to JAWS cursor mode. Press CTRL+HOME key to make sure that you are at the top of the screen, and then, press the DOWN ARROW key about eight times; you will find that there is an announcement of the total numbers of errors, warnings and notes.
- d. In case you want to prevent any of such three categories from being displayed, for example, you want to prevent displaying the warnings section, you can press the ALT key to activate ribbons. Then, use the RIGHT ARROW key to move through ribbon menus; you will find three buttons: “Errors”, “Warnings”, and “Notes”. You can focus on the category you need to exclude, and then, press the ENTER key. Its related messages will be disappeared from the QA table messages.
- e. The JAWS cursor is positioned on the announcement of the total numbers of “Errors”, “Warnings”, and “Notes”. After pressing the DOWN ARROW key about three more times, you will find that all QA messages are displayed, and you will be able to read the first QA message. You will find the first QA message under the phrase: “Severity Message Origin”. For instance, if you find untranslated segment, the message looks like this: “Segment has not been translated”, and it gives you a small part of its content.
- f. If you position the JAWS cursor on a specific QA message and press the LEFT CLICK key, you will be taken to the clicked message within the table, and JAWS cursor mode will be switched automatically to the PC cursor mode.
- g. After you are positioned on a QA message within the table, you can press the APPLICATIONS key to open the context menu; in case you need to ignore the message, there is an option manages you to do this. Just press

- the DOWN ARROW key once. It is the second item within the context menu. Moreover, you have the option to ignore all QA messages by choosing the “Ignore all messages” option located below the “Ignore” menu item. It allows you to dismiss all QA messages at once.
- h. You have the ability to delete the QA message; it is the last option within the context menu. Once the context menu is opened, you can simply press the UP-ARROW key once to reach it.
 - i. The most important option within the context menu is the first option labeled “Show message details”, select it by pressing the ENTER key. There is a window opens entitled “Verification message details”. The first field in this window is a list box containing the suggested solutions to fix the QA error.
 - j. Use the TAB key; the second field you will find is a read only edit box containing the QA message text.
 - k. If you move to the next field of the window using the TAB key, you will find a second edit box containing a description for the problem. Press the TAB key one more time, you will find another read only edit box; it contains the problematic source segment content. Press ALT+F4 key to exit from this window after reviewing the QA message and go to fix the problem.
3. After finishing fixing all the appeared QA message errors, you can export the QA/verification report in an excel file format if it is part of the deliverables required by the client. Before doing this, make sure that all remaining QA messages are false positive errors only. Then, follow the steps below to export the QA report:
- a. Press the ALT key to activate ribbons, and then, go to the “Home” ribbon. Use the TAB key to navigate until you reach the “batch tasks” submenu. Press SPACEBAR to activate. Use the UP or DOWN ARROW keys to move until you reach “Verify Files” menu item. You can use the UP-ARROW key four times to quickly access this menu item. Select it by pressing the SPACEBAR.
 - b. A wizard will open. There is no need to change anything through its pages, so you can press the TAB key to navigate until you reach the “Next” button and select it by pressing the SPACEBAR. In the second page, press also the TAB key to navigate until you reach the “Finish” button and select it by pressing the SPACEBAR.

- c. A dialog box opens; use the TAB key until you reach the “Close” button and select it by pressing the SPACEBAR to finalize the process. There is a confirmation message that will appear asking you if you need to reopen the file. Use the TAB key until you reach the “Yes” button and select it by pressing the SPACEBAR.
- d. The excel sheet is listed within the reports view. Activate ribbons using the ALT key, and then, Use the RIGHT ARROW key until you reach the “View” ribbon. Activate it either by pressing the DOWN ARROW key or the TAB key. Use the TAB key to navigate through the ribbon until you reach the “Reports” view. It is the fifth item within the “View” ribbon and select it by pressing the SPACEBAR.
- e. After switching to the “Reports” view, you will find that all your reports are organized within a tree view. Use the ARROW keys to move between them. They are categorized according to language. In case you need to change its way of categorization, you can press the TAB key once, You will come across a set of two radio buttons; If you press the DOWN ARROW key once, the reports will be reorganized according to their types. At this point, the reports will now be reorganized in the tree view according to their types.
- f. The verification QA file report is named by default “Verify Files [date and time]”. After navigating through the tree view containing your reports by the ARROW keys and positioned on the required report file, you can press the APPLICATIONS key to open the context menu.
- g. Press the DOWN ARROW key to move through context menu items. There is an option manages you to delete the report if you want, and its access key is the “D” letter. Moreover, if you need to delete a specific report from the tree view, you can directly press the DELETE key to remove the report you need after making sure that you are positioned on the report you need to delete. A confirmation message will appear asking you if you are sure that you need to delete this report; you can press the "Yes" button in case you intend to delete the report. Otherwise, you can press the "No" button. In addition, in the context menu, you have the option to print the report, and its access key is the “P” letter.
- h. The most important option needed in this context menu is the “Save As” menu item, and its access key is the “E” letter. Select it by pressing the ENTER key. A “Save As” dialog box will open. The first edit combo is

- dedicated to determining your file's name, and the second combo box is dedicated to choosing your saved report's extension. It is saved by default in excel 2007 format. There is no need to change the file type, so keep as it is.
- i. Press the TAB key to reach the “Save” button. If you want to choose where to save your QA report, after opening the save as dialog box, just press SHIFT+TAB twice until you can access your device. Now, you are able to choose your preferred location.
 - j. You have the ability to access the same options that are found within the context menu from the “Home” ribbon.
4. There is another way to access your reports and to extract an excel report from the “Manager view”:
- a. Go to the ribbon “View” and activate it. Press the TAB key once until you reach the “Manager view” and activate it. After activating the “Manager” view, keep pressing the TAB key until you reach the Files section.
 - b. You will notice that the Files section is divided into two tabs. The first tab is about your projects' files, and the second one is about your added reports. Ensure that you are positioned on the “Files” tab and press CTRL+END key to move to the “Reports” tab, and in case you need to return back to the “Files” tab, press CTRL+HOME key. After switching to the “Reports” tab, press the TAB key once; you will encounter a combo box labeled “Language” where you are going to choose your reports' language.
 - c. Press ALT+DOWN ARROW keys to open the combo box. Use the UP or DOWN ARROW keys to navigate within this combo box to choose your reports language. Press the ENTER key to confirm your choice, and then, press the TAB key once; you will encounter a second combo box labeled “Report Type”. In this combo box, you will find all your extracted reports either the Analysis reports, Verification reports, etc. Open it by pressing ALT+DOWN ARROW keys and navigate using the UP or DOWN ARROW keys to choose the required report for Excel export.
 - d. If you press the TAB key twice, you will encounter a set of buttons enabling you to print, save, or delete the selected report. To move

- between them, use the TAB key. Pressing the “Save” button will bring the same “Save as” dialog box that is tackled above.
- e. Similarly, pressing the “Delete” button will bring the same confirmation message prompting you to confirm the deletion of the report as mentioned above.
 - f. After the “Delete” button, if you press the TAB key once, you will find yourself showing the content of the report. You can navigate through this report the same way as browsing web pages. For instance, you can move between headings using the “H” letter or SHIFT+H. In addition, you can move between the tables found within the file using the “T” letter or SHIFT+T etc. To read the table's content, use the ALT+CTRL+ARROW keys to move between its cells.

H. How to Analyze File and Export it in Excel Format:

1. There is no difference between file analysis and the verification process that is covered in ([Section F](#)) regarding exporting an excel file format. However, there are very slight changes while applying the same steps as follows:
 - a. In batch tasks submenu, instead of choosing “Verify Files” menu item, you have to choose “Analyze Files” menu item, and it is the second item in this menu. Continue following the same steps explained above in the wizard that will appear (see [Section G](#), no. 3).
 - b. In “Reports” view mode, you will find that the analysis report is named “Analyze Files [date and time]”. You can access the file and save it as an excel sheet following the same steps explained above in the “Verification” process, (see [Section G](#), no. 3&4).

I. How to Create a Term Base and Use it:

1. Trados TB is that file with the extension .sdltb. In order to create a new TB for your project, you have to open “Project Settings” from the "Home" ribbon and follow the steps below (you can also reach the “Project Settings” dialogue box from the “Manager” view as explained in [Section A](#)):
 - a. Use the DOWN ARROW key to Navigate through the Project Settings tree view nodes until you reach the “Termbases” tree view node, and it is opened by default. You can find it directly below “Language Resources” tree view node.

- b. After reaching the Termbases tree view node, press the TAB key twice until you reach its main controls. Like translation memory main controls, they are organized horizontally, so you can navigate through them using the LEFT or RIGHT ARROW keys. The first control you will find is the "Create" button; it is for creating a new TB to use within your project. Select it by SPACEBAR.
- c. A dropdown menu will appear and has only one menu item labeled "File-based Termbase". Sometimes, like translation memory menu item, whenever you try to click on this menu item, it refuses to respond. As explained above (see [Section D](#)), you need to switch to jaws touch cursor mode in order to be able to click on it.
- d. After clicking on "File-based Termbase" menu item, a "Save as" dialog box opens. The first field is an edit box where you can define your TB name; it is named by default "New Termbase.sdltb". Press the TAB key to move through Save as dialog box controls. The second field is a combo box where you can choose the file type. It is known that the extension of Trados TB is ".sdltb", so you do not need to do anything with this combo box.
- e. Once this dialog box is opened, you can press the TAB key twice to be able to browse your device to choose where you want to save your TB. Then, use The TAB key until you reach the "Save" button and select it by pressing the SPACEBAR, and its access key is ALT+S.
- f. A wizard will be launched. It consists of five steps. Use the TAB key until you reach the "Next" button. You will proceed to the Termbase wizard second page. Use the TAB key until you encounter a set of radio buttons. Use the DOWN ARROW key to navigate. The first radio button you will find is labeled "Create a new termbase definition from scratch". This radio button is for creating a new TB. Make sure that you are positioned on this radio button; then, use the TAB key until you reach the "Next" button.
- g. In case you need to load an existing TB to your project, navigate through those radio buttons until you reach the "Load an existing termbase definition file" radio button. After you make sure that you are positioned on this radio button, use the TAB key to navigate and you will find the "Browse" button that enables you to browse your device to choose the existed file you need to add that should be in .xtd format. For creating a

- new TB, select “Create a new termbase definition from scratch” radio button.
- h. After focusing on the first radio button, use the TAB key until you reach the “Next” button”. You will proceed to the next page. The first control on this page is an edit box where you can assign a specific name to your TB, but it is set to the same name you have typed earlier in the “Save as” dialog box that has appeared at the beginning before opening this wizard. You can define another new name for your TB from here.
 - i. When you press the TAB key once, you will encounter a second edit box where you can provide a description for your TB; it is optional. Press the TAB key twice, you will find the “Add more” button in case you need to add more details to your TB. Press the TAB key twice again until you reach “Next” button and select it by pressing the SPACEBAR to proceed to the wizard next page where you can choose your TB languages.
 - j. The first control you will encounter in this page is a combo box where you can set your TB first language. Its access key is ALT+L. Unlike the TM, the order in choosing your TB languages is not necessary. You can use the UP or DOWN ARROW keys to navigate within languages' combo box, or you can type the first letters of your required language for faster language selection; for instance, in case you need to choose the Arabic language, you can quickly select Arabic by typing its first letters on keyboard.
 - k. Press the TAB key once; you will encounter a checkbox labeled “Show sublanguages” and select it by pressing the SPACEBAR. Its access key is ALT+S. Once you check this checkbox, the sublanguages of your selected language will appear in the languages' combo box; for instance, if your chosen language is Arabic, when you check this checkbox, you will find that Arabic related sublanguages will appear within the languages' combo box such as Arabic Egypt, Arabic Iraq, Arabic Jordan, Arabic Lebanon, etc.
 - l. Once you select your required language from languages' combo box, press the TAB key twice until you reach the “Add” button, and its access key is ALT+A. Once you click this button, your selected language will be added to a list box after the “Add” button, its access key is ALT+U. In addition, a “Remove” button will appear; its access key is ALT+R. It enables you to remove your selected language from your added

- languages list. You can reach the “Remove” button by pressing the TAB key twice in case you are positioned on the “Add” button.
- **Note:** The benefit of the access key is to help you to reach your required control wherever you are on the active window with no need to navigate to reach directly to your required control.
- m. Repeat the same process in case you need to add other languages to your TB. After selecting your required TB languages, use the TAB key until you reach the “Next” button and select it by pressing the SPACEBAR to proceed to the next wizard page. Its access key is always ALT+N. Use the TAB key to reach the “Next” button again and select it by pressing the SPACEBAR to proceed.
 - n. The next page appears is for creating an entry structure for your TB entries. It is set by default to term level. You will notice that all available entry structures are organized in a tree view mode, and the term level entry structure is organized under language level tree view node. Moreover, the language level is organized under entry level tree view node; it is the main tree view node. You can continue utilizing the TAB key until you reach the “Next” button and select it by pressing the SPACEBAR to proceed.
 - o. You will reach the final step in creating your TB. In this page, you will find the “Finish” button. Use the TAB key to access it and press the SPACEBAR. Its access key is always ALT+F.
 - p. Once you finalize the process of creating a new TB, you will notice that your new TB will be added to the list of project's TBs. If you are positioned on the TB control buttons, you can press the TAB key once; you will find the list of your added TBs to your project. They are organized within table, and you can navigate between your added TBs using the ARROW keys. You will notice that the screen reader provides you with the name of the TB you are focusing on with no problem.
 - q. The next step is to make sure that your required TB is enabled and is the default project TB in order to be active and to be able to manage its entries with no problem. In order to do this, you need to be positioned on the TB control buttons; press the LEFT ARROW key, and you will find the “Set Default” button. Its access key is ALT+D.
 - r. In case you need to remove a specific TB from your project TB list, after selecting the required TB, make sure that you are positioned on the TB

- control buttons. Navigate using the LEFT ARROW key twice, and you will find the “Remove” button. Its access key is ALT+R.
2. To add a new term entry to your TB, go to the “Editor” pane and follow the steps below:
 - a. Select the term you want to add to your TB from the source section by pressing CTRL+SHIFT+LEFT or RIGHT ARROW keys. Switch to the target section and select its equivalent term in the same way you did within source section. Press CTRL+F2 to add your new term entry to your TB.
 - b. Your added terms will be listed within the “Termbase Viewer” section. The “Termbase Viewer” section is responsible for managing your terms, adjusting their properties, and ensuring that your TB is up to date. To reach this section, use the CTRL+TAB navigation method that is covered previously to switch between different view mode sections (see [Section A](#)). In addition, you can switch to the “Termbase Viewer” section from the “View” ribbon. It is after "TQE" option and before "Translation Results" option.
 - c. You can move through your added entries within the Termbase Viewer section using the ARROW keys. In “Termbase Viewer”, you can edit any of your term properties. Just be positioned on the required term. Navigate using The TAB key thrice until you reach the “Enhanced Editing” button. At this point, navigation on this page follows the same pattern as navigating through website pages. Press the “B” letter to move to the next button, and to move back to the previous button, press SHIFT+B. You can navigate to the next heading using the “H” letter, and to go back to the previous one, use SHIFT+H.
 - d. The main title is set to be heading level two; if your source term is in English and its equivalent term within Arabic, you will find the first heading level two is “English” where you can find all English related term properties organized under it in heading level three, and the second heading level two is “Arabic” where you can find all Arabic related term properties organized under it in heading level three. This means that you will find all term related properties under heading level three.
 - e. Under each term property, you will find two buttons; the first button “Edit” is dedicated for editing the term property, and the second one “Add” is dedicated for adding another term property under the same

- language. You can move between these buttons using the “B” letter or SHIFT+B. For further illustration, you might need to edit a specific English term property; navigate using the “H” letter or SHIFT+H in order to listen to the required English term property classified under heading level three.
- f. You can navigate between buttons because under each term property, you can find “Edit” and “Add” buttons. In case you need to edit the current term property, press the “Edit” button. It opens within forms mode. You can replace the current term property with another new one. Just delete the old term property and start typing the new one. Press the ENTER key to save your new term property.
 - g. If you need to add another new term property to the same term entry, you can press on “Add” button. It will open in forms mode, allowing you to enter a new term property to add to your term entry in the same language. Press the ENTER key to save your newly added term property.
3. Once you start translating, you will notice that Trados starts detecting and suggesting terms from your TB in a popup window. Whenever you are focusing on a segment containing terms found in your TB. This popup window that is shown causes a problem with the screen reader, and the screen reader announces only the current segment related first TB term found within the TB, which means in case your TB contains more than one term found in the current segment, there is no announcement tells you of all current segment remaining terms.
 4. The second problem of this popup window is that it hinders you from typing your translation in the target segment. The solution for this problem is to toggle to the source section using the F6 key, and then, press the F6 key again to go back to the target segment. At this moment, you can type your translation in the target segment with no problem. The problem is repeated all over segments that contain terms from the TB.
 5. In order to show a list of all translated terms, you can press CTRL+SHIFT+L; the window that will appear is not accessible with the screen reader, so you cannot navigate through this popup window to select the translation you need to insert into the segment. In order to solve this issue, follow the following steps:
 - a. You have to resort to the “Term Recognition” section. When you start translating, Trados starts highlighting terms that match entries in your

- TB. The highlighted terms are shown in the “Term Recognition” section. To access the “Term Recognition” section, you can reach this section by using CTRL+TAB method of navigation explained above (see [Section A](#)), or you can access it through the “View” ribbon. “Term Recognition” option is after “Messages” option and before the “Termbase Search” option.
- b. The terms within the “Term Recognition” section are organized within a tree view mode. The original term found within your current segment is within the main tree view node. Under it, you start finding its equivalent translations. You must consult the “Term Recognition” section to identify all your current segment related terms and their equivalent translations in each segment contains terms from your TB.
 6. You can search within your TB using the “Termbase Search” option found in the “View” ribbon. It helps you to quickly find a specific term while working on a project. It is after the “Term Recognition” option and before the “TQAs” option.

J. How to Deal with Comments in Segments:

1. In order to add a new comment to a specific segment, go to the segment you want to add your comment to, and then, press CTRL+SHIFT+N; a dialog box opens. The first field you encounter in this dialog is an edit box labeled “Comment information” where you can type your comment. After finishing typing your comment, you can simply press the ENTER key. In addition, you can press The TAB key once until you reach the “Ok” button and press the SPACEBAR to add your comment.
 - **Note:** Another way to add a new comment to your current segment is to go to the segment you need to add your comment to, and then, press the APPLICATIONS key to open the context menu. Press the UP ARROW key once until you find “Add comment” menu item. Its access key is the “D” letter. It is the last menu item within the context menu. Select it by pressing the ENTER key. The same dialog box opens.
2. When you are focusing on the “Comment information” edit box within the “Add comment” dialog box, you can press The TAB key about four times. You will find a combo box to choose your comment's scope, whether you need your comment to be on the current segment only, current selection, or current file. Press the ARROW keys to choose between these options.

3. Press the TAB key once; you will find a second combo box related to severity level, whether your comment is just for your information only, it is a warning, or it is an error. Choose any of them using the ARROW keys, and then, press “Ok” button to add your comment. When you are navigating through your file's segments, the screen reader does not inform you that this segment contains a comment. In order to solve this issue, follow the following steps:
 - a. Press the APPLICATIONS key; if you find “Edit Comment” menu item within the context menu, this means that this segment contains a comment.
 - b. If you are displaying your segments according to certain filter criteria, you can add a comment to all your filtered segments. Just press the APPLICATIONS key, and you will find a menu item labeled “Add comment to all filtered segments”. Press the SPACEBAR or the ENTER key, the “Add comment” dialog box opens where you can type your comment. However, in case you navigate using The TAB key, you will not find the scope combo box.
 - c. To move to the next comment, press CTRL+M, and in case you need to go to the previous one, press CTRL+SHIFT+M. It takes you to the place of your comment, but you cannot read it. In order to be able to read your comments, you have to go to the “Comments” section by pressing CTRL+TAB. Keep holding on the CTRL key and navigate using the UP or DOWN ARROW keys until you reach the “Comments” section. At this point, you can release the CTRL key to access the “Comments” window. This way of navigation is explained above (see [Section A](#)).
 - d. You can also reach the “Comments” section from the “View” ribbon. You will find the “Comments” button after “Concordance search” menu item and before “Confirmation statistics” menu item. After switching to the “Comments” window, you will find that all your current file comments are organized within table. When you start navigating using the ARROW keys, the screen reader says nothing but “Comment Row” and the “Row Number”.
 - e. In order to be able to read your comment content, you need to switch to JAWS cursor mode. After switching to JAWS cursor mode, press CTRL+HOME key to ensure that you are at the top of the screen. Press the DOWN ARROW key about nine times until you listen to the screen

- reader says: “Severity s/t”. Below this line, you will find the screen reader tells you the content of your first comment. Choose your needed comment, and then, press the LEFT CLICK key to select.
2. Press the RIGHT CLICK key or the APPLICATIONS key to open the context menu. You can use the UP or DOWN ARROW keys to navigate. From the context menu, you have the ability to delete the selected comment, and you also have the option to delete all target comments in the active document.
 3. There is a third option manages you to edit the comment. Its access key is the “I” letter and press the ENTER key to activate and follow the following steps:
 - a. A second dialog box opens. It is entitled “Edit Target Comments”. Use the TAB key to navigate. The first button you will find is the “Add” button, and its access key is ALT+A. It allows you to add another version to your comment side by side with your current comment. Press the SPACEBAR to activate. It opens another dialog box; the first field you will encounter is an edit box where you can type your new version you need to add to your comment. Press The TAB key until you reach the “Ok” button, select it by pressing the SPACEBAR to add your new comment version.
 - b. The second button you will find within the “Edit Target Comments” dialog box is the “Edit” button; its access key is ALT+E. It allows you to edit your comment current version. Press the SPACEBAR to activate. There is another dialog box opens. The first field is an edit box contains your current comment text. You can edit your current comment text from here. After finishing editing your comment, use The TAB key until you reach the “Ok” button and select it by pressing the SPACEBAR to save your changes.
 - c. Navigate using The TAB key within the “Edit Target Comments” dialog box; you will find the “Delete” button, and its access key is ALT+D. It allows you to delete your comment current version. Press the SPACEBAR to activate.
 - d. If you keep pressing The TAB key, you will find the scope combo box; however, it has only one option. This option is “Range”, so it adds nothing to your comment editing process. Therefore, skip it. After finishing editing your comment, press the TAB key to navigate through

the “Edit Target Comments” dialog box until you reach the “Ok” button, select it by pressing the SPACEBAR to save your edited comment.

K. How to Activate the Machine Translation:

1. In order to benefit from the machine translation services, you need to be subscribed in any of them such as Language Weaver. Then, you need to add your machine translation engine you use. To add your machine translation to Trados, you need to go to the “Add-Ins” ribbon. After activating the ribbon, go to “RWS AppStore” button, and start searching for your machine translation engine to download it. For setting up the machine translation engine, follow the following steps:
 - a. Go to your “Project Settings”, you will find that you are positioned on “Translation Memory and Automated Translation” tree view node. Press The TAB key twice until you reach TM main control buttons.
 - b. Press the RIGHT ARROW key once until you reach the “Use” button and select it by pressing the SPACEBAR. You can add your machine translation engine from here, but make sure that you have your machine translation engine API key.
2. In order to pre-translate your current file using machine translation suggestions side by side with your TM matches, follow the following steps:
 - a. Go to the “Home” ribbon then “Batch Tasks” submenu. Use the UP or DOWN ARROW keys to navigate.
 - b. Choose “Pre-Translate Files” menu item and press the ENTER key.
 - c. A wizard opens; it is the same as “Verify Files” and “Analyze Files” wizard as mentioned before (see [Section G](#)). Follow the same steps to finalize this wizard and to pre-translate your file using your machine translation matches.
3. In case you need to stop automatically inserting your machine translation matches, follow the steps below:
 - a. Go to the “File” button menu, and then, use the UP or DOWN ARROW keys until you find the “Options” button" and select it by pressing the SPACEBAR or the ENTER key.
 - b. After opening your program settings window, press the HOME key to be at the top of the settings window. You will notice that the first main node in the tree view is labeled “Editor”.

- c. Use the DOWN ARROW key until you reach “Automation” tree view node organized under the “Editor” main tree view node.
- d. Use The TAB key until you reach the “Apply automated translation when no TM match is found” checkbox. It is checked by default. Press the SPACEBAR to uncheck. Continue using The TAB key until you reach the “Ok” button and select it by pressing the SPACEBAR to save your adjusted settings.

L. How to Set the Auto Save/Auto Text Options:

1. Autosave is a feature that protects your work progress from being lost. It is active by default, but it is configured by default to save your work progress automatically every ten minutes. If you want to shorten this time, you can modify this default setting to five minutes, for example, instead of Ten minutes, by following the steps below:
 - a. Open “File” button menu.
 - b. Press the UP or DOWN ARROW keys until you find the “Options” button and select it by pressing the SPACEBAR or the ENTER key.
 - c. Press the HOME key to be at the top of the window. You will find yourself focusing on the “Editor” main tree view node.
 - d. Start using the TAB key until you reach the “Enable Autosave” checkbox; it is checked by default. In case you need to disable this feature, press the SPACEBAR to toggle.
 - e. To automatically save your work progress in Trados within five minutes, press the TAB key once. You will find an edit box labeled “Autosave every edit”. Its default value is set to “10”. Now, it is the time to change it to “5”.
 - f. After editing this edit box default value, press the TAB key until you reach the “Ok” button and select it by pressing the SPACEBAR to save your changes.
2. AutoText is one of auto-suggestion features supported within Trados. The main difference between auto-suggestion and AutoText is that auto-suggestion provides suggestions according to the different available sources such as TM, TB, and machine translation, whereas AutoText offers suggestions according to your previously added entries. Both of them contribute to making you accomplish your repetitive tasks faster. In order to activate this feature, follow the steps below:

- a. Access the AutoText settings by opening the “File” button menu.
- b. Press the ARROW keys until you reach the “Options” button and select it by pressing the SPACEBAR or the ENTER key.
- c. Keep typing the initial letters of the word “Auto” until you find the “AutoText” tree view node; it is under the “AutoSuggest” tree view node.
- d. Press the TAB key to move through its controls.
- e. The first control you will find is a combo box where you can select your required AutoText language. Press the UP or DOWN ARROW keys to choose your required language.
- f. After selecting your AutoText language, press the TAB key once. You will find an edit box where you can type your AutoText entry.
- g. After finishing typing your needed AutoText entry, the “Add” button will appear; its access key is ALT+A. Press the TAB key once to reach to it.
- h. Once you press the TAB key one more time, you will find a list box; all your added AutoText entries are listed here. Select any of them by pressing the UP or DOWN ARROW keys.
- i. If you press SHIFT+TAB, the “Delete” button will appear. Its access key is ALT+D. It removes your selected AutoText entry from the list.
- j. After defining all your AutoText entries following this way, while translating, Trados will automatically suggest relevant entries when you start typing their initial letters.
- k. When you press the TAB key, you will find the “Import” button; its access key is ALT+I. If you already have an AutoText file and need to bring its entries into Trados, this button allows you to do so. Press the SPACEBAR to activate.
- l. The “Open” dialog box will open. The first field you will encounter in this dialog is an edit combo where you can type your AutoText file name. Press SHIFT+TAB twice to access your device to choose your AutoText file from your device.
- m. If you are positioned on file name edit combo, you can press the TAB key once, you will find a list box labeled “File Type” where you can choose your AutoText file type. The extension of the AutoText files is “.autotxt”. After selecting your needed file to import, press the TAB key once until you reach the “Open” button. It opens, and all its AutoText entries will be imported to your list.

- n. In case you need to share your AutoText entries with other people, you have the option to export them.
- o. Go to the “Export” button following the “Import” button. Its access key is ALT+E. Press the SPACEBAR to activate.
- p. The “Save As” dialog box will open. It enables you to save your AutoText file anywhere on your device for easy sharing. The first field in this dialog box is an edit box where you can define your AutoText file name. In case you press SHIFT+TAB twice, you will be able to browse your device to choose where you need to save your AutoText file.
- q. After opening this “Save As” dialog box, if you press the TAB key once, you will encounter a list box labeled “Save As Type” to choose your file extension. It is recommended to avoid making any changes to this field. Press the TAB key twice until you reach the “Save” button and select it by pressing the SPACEBAR to save your exported AutoText file.

End of Document