
Ampersand B, refined, at true size


Pillar Red on paper



Charcoal, one color



Pillar Red on a Newsprint field





70 mm tall: the drawing at large size, for the curves

The wordmark at both widths

OATH&ACTION

Today's width, 1.20 in wide, capitals 3.1 mm

OATH&ACTION

Condensed, same capitals (3.1 mm), 0.94 in wide

OATH&ACTION

Today's width, 1.50 in wide, capitals 3.9 mm

OATH&ACTION

Condensed, same capitals (3.9 mm), 1.18 in wide

OATH&ACTION

Today's width, 2.00 in wide, capitals 5.2 mm

OATH&ACTION

Condensed, same capitals (5.2 mm), 1.57 in wide

OATH&ACTION

Today's width, 3.00 in wide, capitals 7.8 mm

OATH&ACTION

Condensed, same capitals (7.8 mm), 2.36 in wide

OATH&ACTION

Today's width, 5.00 in wide, capitals 13.0 mm

OATH&ACTION

Condensed, same capitals (13.0 mm), 3.94 in wide

OATH&ACTION

On a Newsprint field, 3 in wide

OATH&ACTION

One color, Charcoal, 3 in wide

Main lockups at both widths

Main lockups at their print minimums and at twice that

OATH ACTION&

L2 stacked, 0.80 in

OATH ACTION&

L2 stacked, 1.60 in

OATH ACTION&

L2 stacked, condensed, 0.65 in

OATH ACTION&

condensed, 1.30 in

OATH&ACTION

L3 horizontal, 1.55 in

OATH&ACTION

L3 horizontal, 3.10 in

OATH&ACTION

L3 horizontal, condensed, 1.30 in

OATH&ACTION

condensed, 2.60 in

O&A

L8 monogram, 0.50 in

O&A

L8 monogram, 1.00 in

O&A

L8 monogram, condensed, 0.50 in

O&A

condensed, 1.00 in

The badge, the lockmark and the hinge diagram

Hinge-circle badge and lockmark



Badge, 0.25 in



Badge, 0.50 in



Badge, 1.00 in




Badge, 2.00 in



Lockmark, 0.25 in




Lockmark, 0.50 in




Lockmark, 1.00 in

Hinge diagram V2, display master



4 in wide, its print minimum (labels at 7 pt)



6.5 in wide

Before and after, and a calibration item

V5, the Phase 1 drawing and the refined B, each 12 mm and 40 mm tall



V5, Lora Bold, 12 mm



B, Phase 1, 12 mm



B, refined, 12 mm



V5, 40 mm



B, Phase 1, 40 mm



B, refined, 40 mm

V5 wordmark and the Phase 2 display master, 2 in wide

OATH&ACTION

V5

OATH&ACTION

Phase 2, ampersand B

Calibration



The ampersand at left is 50 mm tall, ink top to ink bottom. The bar is 100 mm long. Measure both on paper to check that the printer held 100 percent scale.