



Windows Update for Business reports Connector — Credential Provisioning Guide

Version 0.1.0, 2026-07-16

Table of Contents

Overview.....	1
What kind of account to create.....	1
Permissions to grant	2
Generating the credential.....	2
Mapping values into Crogl.....	3
Verifying the setup.....	3

Overview

The Crogl Windows Update for Business (WUfB) reports connector runs KQL queries ([POST .../query](#)) against a customer's Azure Monitor Log Analytics workspace, reading the device-compliance and update-status data WUfB reports collects there. It authenticates as an application, not as a signed-in user, using the OAuth2 client-credentials grant — so there is no interactive login step and no per-analyst account. Everything in this guide happens once, in the customer's own Microsoft Entra ID tenant and Azure subscription, before the connector is configured in Crogl.

IMPORTANT

This connector's permission model is **not** the Microsoft Graph API-permission-plus-admin-consent pattern used by Crogl's Intune or Defender connectors. Access here is gated purely by an **Azure RBAC role assignment on the Log Analytics workspace resource itself**. There is no API permission to add and no admin consent to grant — see [Permissions to grant](#).

NOTE

This is a Windows Update for Business reports tenant prerequisite, not a Crogl requirement: the tenant must already be **enrolled into WUfB reports** and pointed at a specific Log Analytics workspace before any of this will return data. That enrollment step is Azure-portal-only — Microsoft does not support doing it via API or CLI — and is separate from everything in this guide. If it hasn't happened yet, no credential fix here will produce data; see [Verifying the setup](#) for how to tell the difference.

These steps require **Application Administrator** or **Global Administrator** access in the customer's Entra tenant to create the app registration, plus **Owner** or **User Access Administrator** on the Log Analytics workspace (or an equivalent custom role that can manage IAM) to grant the RBAC role. If you're an FDE walking a customer through this live, expect their tenant/Azure admin to drive the Entra and Azure portals while you confirm each value.

What kind of account to create

Create an **app registration** (a service principal), not a user account.

1. Sign in to the [Microsoft Entra admin center](#) as a Global Administrator or Application Administrator.
2. Go to **Identity > Applications > App registrations > New registration**.
3. Name it something identifiable, e.g. [Crogl WUfB Reports Connector](#).
4. Supported account type: **Single tenant** (accounts in this organizational directory only).
5. Leave **Redirect URI** blank — the client-credentials grant is unattended and never redirects a browser.
6. Select **Register**.

After registration, the app's **Overview** page shows two of the four values this guide ends with: the **Application (client) ID** and the **Directory (tenant) ID**.

Permissions to grant

WARNING

Do **not** go looking for a Log Analytics API permission in this app registration's **API permissions** blade — there isn't one to add, and no admin consent step exists for this connector. This is the opposite failure mode from Defender/Intune (where the mistake is looking in the wrong API list); here the mistake is spending time in **API permissions** at all when the actual gate lives somewhere else entirely: Azure RBAC on the workspace resource.

1. In the [Azure portal](#), find the specific **Log Analytics workspace** that this tenant's WUfB reports data is routed to (confirm with whoever set up WUfB reports enrollment if you're not sure which one it is — there may be several workspaces in the subscription).
2. Open that workspace, then go to **Access control (IAM) > Add > Add role assignment**.
3. Search for and select the **Log Analytics Reader** role.

Role	Why
Log Analytics Reader	Read access to query data in the workspace — the least-privileged role, and all this connector needs since it never writes.
Log Analytics Contributor	Only needed if something must create or edit the workspace itself or its saved queries. This connector never does either — don't grant it.

4. On the **Members** tab, select **Select members**, then search by the app registration's name. App registrations are service principals, not users — if the search doesn't find it under a default "Users" filter, confirm the picker is searching service principals/apps, not just user accounts.
5. Select the app, then **Review + assign**.

Unlike Graph admin consent, this takes effect as an ordinary Azure RBAC assignment — there is no separate "grant consent" click, and no tenant-wide propagation delay beyond Azure's usual (typically a few minutes) RBAC propagation window.

While in the workspace, also copy its **Workspace ID** from the **Overview** page — a GUID, distinct from the Azure subscription ID and from the workspace's ARM resource ID. This is the fourth credential value below.

Generating the credential

1. In the app registration, go to **Certificates & secrets > Client secrets > New client secret**.
2. Add a description (e.g. **crogl-connector**) and an expiry consistent with the customer's credential-rotation policy.
3. Select **Add**.
4. **Copy the secret's Value immediately** — Entra shows it once, at creation time, and never again. If it's missed, delete the secret and generate a new one; there is no way to retrieve a lost value.

Mapping values into Crogl

Four values map directly to the `credential_schema.fields` in `community/windows-update-reports/connector.json` when creating the connector instance in Crogl:

Crogl field	Where it came from	Notes
<code>tenant_id</code>	App registration Overview > Directory (tenant) ID	Identifies the customer's Entra tenant.
<code>client_id</code>	App registration Overview > Application (client) ID	Identifies this specific app registration.
<code>client_secret</code>	Certificates & secrets > the secret Value copied at creation	Treat as a password. Never paste it into chat, a ticket, or this document.
<code>workspace_id</code>	Log Analytics workspace Overview > Workspace ID	Identifies which workspace to query. Not the subscription ID or the ARM resource ID — those look similar (all GUIDs) but are different values found on different pages.

Crogl exchanges the first three values server-side for a bearer token via `https://login.microsoftonline.com/<tenant_id>/oauth2/v2.0/token` (client-credentials grant, `https://api.loganalytics.io/.default` scope) and attaches it automatically on every call to `https://api.loganalytics.azure.com/v1/workspaces/<workspace_id>/query` — no further action needed once all four values are entered.

Verifying the setup

Before handing credentials to Crogl, or right after creating the connector instance, confirm the setup is correct:

- **In Azure:** the workspace's **Access control (IAM)** > **Role assignments** (or **View access**) shows the app registration's service principal with the **Log Analytics Reader** role on this specific workspace.
- **In Crogl:** run a query against the connector (e.g. `windows_update_reports.py query --query "UCClient | take 1" --limit 1`) and confirm an **HTTP 200** response.
- **If you get 401:** the client ID, tenant ID, or secret value is wrong, or the secret has expired — re-check each value against the app registration.
- **If you get 403:** this almost always means the RBAC role assignment is missing, was assigned on the wrong workspace, or `workspace_id` in Crogl points at a different workspace than the one the role was granted on — re-check [Permissions to grant](#). It is very unlikely to mean a bad credential value if 401 isn't also occurring.
- **If you get 200 with zero rows:** this can be a real, valid empty result — but it can also mean WUfB reports isn't enrolled onto this workspace at all yet, or enrollment just happened and is still within its propagation window (Microsoft documents 24-48 hours before any data appears, and up to 14 days for all devices in the tenant to show up). Run `UCClient | summarize count() by`

`TimeGenerated` as a health check: if that's also empty, the gap is upstream of this connector's credentials entirely (WUfB reports enrollment/propagation), not something to keep troubleshooting here.