



Voice Accounting AI

df8bvE bV/bv1b' 'dF-c6'b†'b¢ 'dFEbvDd!) bvDc Cd

b!Hb¶Jd" 4bvEdB DdFEc&'d!' d†Hbv,dv'b¢ (c Eb/Æ) bvDb!7b†Jd&'b¢ „ ' ,

30+

API Endpoint

4

dVFcV)

13

c-EdF)

AI

dV/c-HdP

b!c Jbâ 'dF%df4bv!: 24 /6 /2026

d Gc 3 bvDdV-b!Hd!'b

1	df8c) c-'dV) c-Dd' 'dF*cv(d!B	cVAbÖ) 3
2	bvDdV2bvJbr 'dF1bfJc6Jb•	cVAbÖ) 3
3	bV/bv1b' 'dFEc-'dVDbv* bvDdV'dFJb•	cVAbÖ) 4
4	bV/bv1b' 'dF2b†'bfF d†'dF1bÖDbv*	cVAbÖ) 4
5	bV/bv1b' 'dF'c6*böJd†Gbv* d†'dFEcV'c Jd	cVAbÖ) 5
6	bvDc Cbv! bvDbv5cvFbv9d¢ HbvDdV-bv3b†) bvDcVHb!Jb•	cVAbÖ) 5
7	bvDdf3bâ 'dF'bÖ*d!'cvJ d†'dF'c6*c-'bö)	cVAbÖ) 6
8	bV9bö'bö'b¢ 3c-1 bvDcV1d	cVAbÖ) 6
9	bvDdV2bvEdf) c-(c 'dF#b/EGc&)	cVAbÖ) 7
10	bvDb!Hb!Jd" 'dFCbvEdB Dd •	cVAbÖ) 7
11	b†Fd!) bvDdV4c Hc' 'dF*d&Fd!)	cVAbÖ) 11

Voice Accounting AI dvH df8bvE dV*d6'dVD dF%bö'c) bvDbÖ3bv(bv* bvDdV'dFJb' Jbö9dR *c-/bò 'dF9dVDbv* d†Jc-Ed

Ø<ßbvDdVHd&9 bvDbVDD6*c HdfJ

React + Vite + shadcn/ui

&i bæ'böE API

Express.js + TypeScript

Ø=Ûñb†Jd" 'dFEd†(bvJd@

Expo React Native (iOS & Android)

Ø=ÝÄp/b' 'dF(d!'df'b

PostgreSQL + Drizzle ORM

bö9dR 2 9dVDb•

bV/bv1b' 'dFEc-'dVDbv* b†@ AED, USD, SYP, EUR, GBP, SAR, TRY, LBP, JOD, IQD, EGP, KWD, QAR dV9 b!-d†JdB *dFBbv&d

dV5bv/d&) b&Edf)

b!3b/ÆJdB 'dF/bæHdB 9b†1 Google OAuth b†Fct'dR 6ÆW k Auth dV9 bÖEbvJb' CbvEdF) dFCdB (d!'df'b¢ 'dFEc6*bæ/dP

df3bâ 'bÖ*d!'cvJ b!Dd&'bfJ

df3bâ 'bÖ*d!'cvJ d6D 24 c6'c-) b†5d!;.b' W†6VÂ Ec' %dVCbvFd!) bvDbv3b!9bv/b' 'dFCbvEdF)

d†6c' Dd!Dd¢öFdv'c J

bö9dR CbvEdB DdFHcf9 bvDbö'd6F d†'dFAbv*bÖ Ad¢ 'dFEd†Bc' HbvDdVHb†'d!D

dV-bv3b†) cVHb!Jb' •

b!3b/ÆJdB 'dFEc-'dVDbv* b†'dF5d†* b†'dFDc!) bvDc-1b†Jb' HbvDbVFb/EDd!2

dV2bvEdf) bvDbv9bö'bö'b

dV2bvEdf) d Hc Jb' DdF%c-/bv/bv* b†Jdb 'dFEd†Bc' HbvDdVHb†'d!D c-(c Bbv

dFHbÖ) b!-d6E dV'dFJb•

dVDbæ5 dV'dFJ cF'dVD dV9 b&.c 'dFEc-'dVDbv* d†%b/ÆEbvDd¢ 'dF#c (bv- d

bö9dR 9c (d¢ö%df,dFJc&J

d†'b/ÆGb' CbvEdF) b†'dF9c (d!) dV9 bö9dR TL d†%dVCbvFd!) bvDb!(böJdB D

'	bV6bvAb' Ec-'dVDbv* bö.dB #d, EcV1d†A b†#d¢ 9dVDb' Ebö9d†Eb•
'	c (cr 'dFEc-'dVDb' (c&(d†F b6H c -dF) b6H bv3b‡/d‡H
'	b‡-d†JdB *dFBbv&d¢ DdFBd‡E b†Jdb 'dF9dVDbv* b†3c-1 bvDcV1d 'dF-bvDd
'	d†5d Ed 5e D d†*bv1d‡. dFCdB Ec-'dVDb•
'	b‡9böJdB HbÖ0d 'dFEc-'dVDbv* dV9 bvDbÖAbv8 c-Dd' 'dF3bÆD
'	c-1cb 'dFEc-'dVDbv* dVAdF*c) bÖ3b, 'dF2b†Hdbö'dF1bÖDb'ö'dF'c6*böJd€
'	b‡5böJc ,dVJc' 'dFEc-'dVDbv* cfEdb EdFA bvDdf3bæ) bvDbv-b‡Jbv7d‡)

bvDc&(bv&db „6Æ-VçG2•	
	bvDc -dF'b¢ ...@rips)
• bv3dR 'dF2b†Hdb Hc BdR 'dFGbv*d HbvDdVDbv-c†'b	• bv3dR 'dF1bÖDb' HbvDd†,dv) d†'dF*d†'c Jbà
• d64d -c6'b, Ed 5e D dFCdB 2b†Hd`	• b‡Bc Jc 'dF1b†- d†'dF.c6'c) (P&L) dFCdB 1bÖDb•
• c (cr 'dFEc-'dVDbv* b†'dF2b†Hdb *dFBbv&d‡'d°	• c (cr 'dFEc-'dVDbv* b†'dF1bÖDb•
• b†-b² Hb‡5d Jb' 3c Jc-)	• dV*bv(c-) bvDbVJc 'bö'b¢ HbvDdV5bv1d‡A
• bÖ0d Ec' 'dF*bÖBd" Edb 'dF5dF'bÖJb•	• b‡5böJc (d‡'df'b¢ 'dF1bÖDbv* d J bvDdf3bæ) bvDbv-b‡Jbv7d‡)

bVFcR 'dF6bJdE, Hb|Abv5d|Ddp

dV5b6d|A' bVb3b|d|H 1d|A d6D bv3b|d|H b†4d6D dVFd 5d@

df3b|, dFFcVc Jd (b' 'dFEbfHd|) dFCdB EcV1d†A

c-(c' 'dFec-1bVDbv DdV9bvEdF'b¢ (bvDbv3b|/d|H bvDdVFbv3b¢

b3b|, bVb6D|bVb' bÖ'b¢ Ec' EcV'c Jd 'dF'c6*bÖJd€

dV/c-HdR (d vöövÆR vVÖ-æ' •

d|3b|.böE bvDdf8bvE dfEd†0bÂ vVÖ-æ' Db|, dFJdB 'dF5d†* d†'c6*bæ1bv, b†JbvFbv* bvDdV9bvEdF) bvDdV'dFJb' *dFBbv&d|'d°

1

bvDb|3bÆJdB 'dF5d†*d

d|3bÆQdB 'dFEc6*bæ/dR Ec-'dVDb|G b†'dF5d†* (dV+bvD: 'bv3b|DdV* b6Dd /d†Dbv1 dVF b6-dV/ c 3d†E c -dF) bÖ(d¢r•

2

c Ac' 'dFEEdFA bvDcVHb|J

d|Oc 3dB EdFA bvDcVHb¢ Dd ö5B ö 'ö '÷G anscribe-voice dF*bÖHd|Ddr Ddf5

3

b|, dFJdB 'dFFcR (d •

d|Oc 3dB 'dFFcR Dd ö5B ö 'ö '÷ '6R×`oice dFJc6\*bæ1bÃ bvDdfHc- bvDdV(dF: `Â 'dF9dVDb- bvDc&(d†F`Â 'dF1bÖDb- bvDbv3b|/d|H`Â

4

bvDb|, d&B dVF bvDb†JbvFbv*

d|*bÖBd" 'dF3d|1d 1 dVF d†, d†/ bvDc&(d†F/bvDc -dF)/bvDbv3b|/d|H d J d&'c-/b' 'dF(d|'df'b¢ Hd|9d|/ bvDd "G2 'dF5bÖJbÖ)

5

dV1bv, c-) d†*b6Cd|/

d|9c 6 bvDb|7b†Jd" 'dFEc-'dVDb' 'dFEc6*bæ1bÆ) dFDdV3b|.böE dFJc 'b/Æ9dv' d&(dB 'dF-d 8

bvDdf3bâ 'dF*dFBbv&d¢ CdB #B 3bv9b•

c–Fbò *d 9d!D bvDbæJbv1 d J bvDbV9bö'bö'b! d! *bÖBd" 'dF*cv(d!B c–Fbò CdB Ab!- bv0br Ecfl 24 c6'c–) d†JbÖEe D dVDd

bvDdf3bâ 'dFJböHd

c&1 d J cVAbö) bvDbV9bö'bö'b¢ Db!-dVJdB EdFA Excel d Hc J d!4dVD d6D bvDb†JbvFbv*

dV-b!Hd' EdFA bvDbv-b!Jbv7d

5 b6Hc 'd# bvDdV9bvEdF'b! bvDc&(bv&df bvDc -dF'b! bvDbv3b!/d!Hdv'b! dV5bv1d!A bvDbv3b!/d!Hdv'b¢ r Ec' #c BbvE dV1

bvDbv3b!9bv/b' Edb EdFA

c Ac' EdFA Excel c6'b†B dF%cf'd) bvDb†JbvFbv* dFDbÖ3bv(bvDbÖ'dFJ dV9 bvDbÖAbv8 c–Dd' ,dVJc' 'dF1d†b†7 b†Jdb 'd

f,à bv9bñö'bö'c–f bvDcv1d
Exchange Rates

bvDd†6c' 'dF*dFBbv&d¢, into)

bvDd†6c' 'dFJböHd(Ö3aun) E bV/bæ'dB #c69bv1 dV.cv5b' Dd6D c–EdF)

bvDb†JbJb' 'dF*dFBbv&d¢9d!bvDb(böbda d! b!Odf3bâ "bæ1 bvDb63c–'c 'dF*dFBbv&d!) b!Dd&'bfJbvK d6#c69bv1 d!/d†Jb' 'd *

c–EdFb¢6c,000)ba3EV) 100,000), IQD (÷ 1,000) — b!9bvEdB Ec' 'dF#cVAbv1 b!Dd&'bfJbvK

AED d6dVdVDe, JcJb b!Öö.c&Qdb (bvDbö1dvE bvDbVEbv1bv*d¢ „ TB' Ad¢ Bbv9bö) bvDb†JbvFbv* d†*dö-d†Ne D c–Fbò 'dF9c 6

1. c–Fbò *c6,d!D bvDbö.d†D: d!ObÆDb, 'dF%c–/bv/bv* bvDdV-d Hc†) dVF bvDc6Jc Ac Hd!7b†Qd&Gbr Ad†1bvK
2. c–Fbò *c!Jd!1 b6J bv9bö'bó d!Oc 3dB 'dF*c!Jd!1 d Hc 'd² Dd UB ö '÷6WGF–æw2 Hd!ObÖAc, Ad¢ Bbv9bö) bvDb†JbvFbv*
3. bvDdVHd&9 d!3b!,böE localStorage d6@ cache c61d!9 + dV2bvEdf) dV9 API
4. bvDdVHb†d!D d!3b!,böE AsyncStorage d6@ cache c61d!9 + dV2bvEdf) dV9 API c–(c 6ÆW k JWT token
5. bvDbV9bö'bö'b¢ 'dFEbÖAd†8b“ bvDdF:b– bvDc–EdF'b! c69c 'dF5c A`Â 'dF#d&3bvE bvDdVOd 9dæQdF)`Â 'dF+d!E`Â 'dFFc6. bvDb!Dd

Health & Exchange Rates

GET /healthz **Public**
d -cR -bvDb' 'dF.bv/dP

GET /exchange-rates **Public**
b/EDb, #c69bv1 bvDcV1d 'dF-d!) dVBbv(dB T@

Settings

GET /api/settings
b/EDb, %c- /bv/bv* bvDdV3b!,.böE bvDbÖ'dFJ

PUT /api/settings
bOAc, %c- /bv/bv* bvDdV3b!,.böE
PARAMS:
body [JSON] d6'bFf bvDbV9bö'bö'b¢ 'dFCbvEdB 6WGF-æw0

Clients

GET /api/clients
d&'bfEb' CdB 2b†'bfF bvDdV3b!,.böE

POST /api/clients
bVFcF'b 2b†Hdb ,böJbö
PARAMS:
name [string (required)] bv3dR 'dF2b†Hd`
phone [string] c BdR 'dFGbv*d
notes[string] dVDbv-c†'b

GET

/api/clients/:id

b!Abv5d!D c&(d†F dV-bö/

PARAMS:

id[number (path)] dV9c Qd 'dF2b†Hd`

PATCH

/api/clients/:id

b!9böJdB (d!df'b¢ 2b†Hd`

PARAMS:

id[number (path)] dV9c Qd 'dF2b†Hd`

name/phone/notes[string] bvDbÖBd†D bvDdV1bv/ b!9böJdFGbp

DELETE

/api/clients/:id

bO0d` 2b†Hd`

PARAMS:

id[number (path)] dV9c Qd 'dF2b†Hd`

GET

/api/clients/:id/statement

d64d` -c6'b, 'dF2b†Hdb Ec' CdB Ec-'dVDbv*dp

PARAMS:

id[number (path)] dV9c Qd 'dF2b†Hd`

TripsbvDc -dF'b

GET

/api/trips

d&'b†Eb' CdB 1bÖDbv* bvDdV3b!..böE

POST

/api/trips

bVFcF'b 1bÖDb' ,böJbö)

PARAMS:

name [string (required)] bv3dR 'dF1bÖDb•

destination[string] bvDd†,dv)

startDate/endDate[date] b!Hbv1d!.. bvDc -dF)

GET

/api/trips/:id

b!Abv5d!D c -dF) dV-bö/b•

PARAMS:

id[number (path)] dV9c Qd 'dF1bÖDb•

PATCH

/api/trips/:id

b!9böJdB (d!df'b¢ 1bÖDb•

PARAMS:

id[number (path)] dV9c Qd 'dF1bÖDb•

DELETE

/api/trips/:id

bO0d 1bODb•

GET

/api/trips/:id/pnl

b!Bc Jc 'dF1b†- d†'dF.c6'c) dFDc -dF)

Studios

GET /api/studios

d&'bfEb' CdB 'c6*böJd†Gbv* bvDdV3b|.böE

POST /api/studios

bVFcF'b 'c6*böJd, ,böJbö

PARAMS:

name [string (required)] bv3dR 'dF'c6*böJd€

notes[string] dVDbv-c†'b

GET /api/studios/:id

b|Abv5d|D bv3b|/d|H dV-bö/

PATCH /api/studios/:id

b|9böJdB (d|'d'f'b€ 'c6*böJd€

DELETE /api/studios/:id

bO0d 'c6*böJd€

GET /api/studios/:id/expenses

d&'bfEb' EcV'c Jd 'c6*böJd, EbÖ/bö

POST /api/studios/:id/expenses

bV6bvAb' EcV1d†A dFDbv3b|/d|H

PARAMS:

description [string (required)] d†5d 'dFEcV1d†A

amountAed [number (required)] bvDdV(dF: b†'dF/c GdP

percentage[number] df3bt) dV&d†Jb' f Ó •

DELETE**/api/studios/expenses/:expenseId**

bO0d EcV1d†A dV-bö/

Transactions

dV9bvEdF'b¢ 'dFEbvDd!)

GET**/api/transactions**

d&'bfEb' CdB 'dFEc-'dVDbv* dV9 bö9dR 'dFAdF*c) d†'dF5d -bv*

PARAMS:

clientId / tripId [number (query)] d Db!1b' -c6(bvDc&(d†F b6H bvDc -dF) b6H bvDbv3b!/d!H**limit / offset** [number (query)] b!Bc6JdR 'dF5d -bv* (pagination)**POST****/api/transactions**

bVFcF'b Ec-'dVDb' EbvDd!) b/Æ/d!/b•

PARAMS:

type ["income"|"expense" (required)] dfHc' 'dFEc-'dVDb•**amountAed** [number (required)] bvDdV(dF: b†'dF/c GdR 'dF%dV'c 'b!J**currency** [string (required)] bvDc-EdF) bvDb65dFJb•**description** [string] d†5d 'dFEc-'dVDb•**clientId / tripId** [number (query)] (c&(d†F b6H c -dF) b6H bv3b!/d!H**GET****/api/transactions/:id**

b!Abv5d!D dV9bvEdF) dV-bö/b•

PATCH**/api/transactions/:id**

b!9böJdB Ec-'dVDb•

DELETE**/api/transactions/:id**

bO0d Ec-'dVDb•

Dashboard

GET /api/dashboard/summary

dVDbæ5 dV'dFJ cF'dVD: bV,dV'dFJ bVDbVJc 'bö'b¢ HbvDdV5bv1d!A d†'dF1b†-

GET /api/dashboard/recent-transactions

b&.c 'dFEc-'dVDbv* dFDc-1cb Ad¢ 'dF5d -b' 'dF1bfJc6Jb•

AI Services

POST /api/ai/transcribe-voice

b!-d†JdB EdFA cVHb!J bVDd' FcR ...7 VV6,×FöÖ@ext) c-(c vVÖ-æ' •

PARAMS:

audio (form-data) [string (required)] dVDd 5d†*d¢ (cVJc!) wav/mp3/ogg/webm/m4a

POST /api/ai/parse-voice

b!-dFJdB FcR HcVA bVDdV9bvEdF) d†'c6*bæ1bv, bVDb†JbvFbv* bVDdVFc†Eb' 9b†1 Gemini AI

PARAMS:

text [string (required)] bVDdf5 bVDdV1bv/ b!-dFJdFG

clients/trips/studies [array] d&Hbv&dR 'dF3b/EDbv* dFDdV7bv(d&)

POST /api/ai/query

bv3b!Ac6'c 9bvE b†'dF0d6'b 'dF'cV7df'c-J c-F bVDb†JbvFbv* bVDdV'dFJb•

PARAMS:

question [string (required)] bVDc6\$bVD b†'dF9c (d!) b6H bVDbVFb/EDd!2d!)

Backup & Restore

GET /api/backup

3bâ 'dF'bÖ*d|'cvJ dt'dF'c6*c--'bö)
b|-dVJdB Fc6.b' 'bÖ*d|'cvJb' CbvEdF) b†5d|:b' W†6VÂ ,ç†Ç7,' r R #d†1bvB

POST /api/restore

bv3b|9bv/b' 'dF(d|'df'bç Edb EdFA Excel c6'b†B — d|6d|A bvDc6,dF'bç DdF-c6'b, 'dF-bvDd

PARAMS:

file (form-data) (required)) dVDd ç†Ç7, 5bv/c Edb tUB ö 'ö& Okup

bvDd†'bÆGb' 'dF#dV'dVJb' ...peb)

%_, React 18 + TypeScript

%_, Vite 7 (Build Tool)

%_, shadcn/ui + Tailwind CSS

%_, TanStack Query (Data Fetching)

%_, Clerk React (Auth)

%_, xlsx (Excel Export)

b!7b†Jd" 'dFEd†(bvJd@

%_, Expo SDK 54 (React Native)

%_, Expo Router (Navigation)

%_, Clerk Expo (Auth)

%_, AsyncStorage (Cache)

%_, React Native Gesture Handler

%_, expo-av (Audio Recording)

bvDbæ'böE (API Server)

%_, Express.js + TypeScript

%_, Clerk SDK (Auth Middleware)

%_, Drizzle ORM (Database)

%_, multer (File Uploads)

%_, xlsx (Excel Processing)

%_, pino (Logging)

bvDb†Fd!) bvDb!-b!Jb•

%_, PostgreSQL (Database)

%_, Google Gemini AI (AI Model)

%_, Clerk (Authentication)

%_, pnpm Workspaces (Monorepo)

%_, esbuild (Server Build)

%_, Replit (Hosting)

clients
id, user_id, name, phone, notes, created_at, updated_at
trips
id, user_id, name, destination, start_date, end_date, notes, created_at, updated_at
studios
id, user_id, name, notes, created_at, updated_at
studio_expenses
id, studio_id, user_id, description, amount_aed, percentage, created_at
transactions
id, user_id, type, amount_aed, currency, description, client_id, trip_id, studio_id, date, created_at, updated_at
user_settings
user_id (PK), settings (JSONB), updated_at

