EX.NO: 02	CONVERTER APPLICATION
DATE:12/07/19	

AIM:

To develope a java console application to convert currency with DOLLAR TO INR,INR TO DOLLAR,INR TO EURO,EURO TO INR,YEN TO INR,INR TO YEN display the result.

REQUIREMENT:

Create a class currency converter with the following:
Data member:dollar to inr,inr to dollar,inr to euro,euro to inr,inr to yen,yen to inr.
Member function:Read the value,compute the value,print the value.

ALGORITHM:

STEP 1:Declare a package converter library,converter library.

STEP 2:Declare a class name currency converter,distance converter,time converter.

STEP 3:Declare a constructor with initial attribute.

STEP 4:Declare get data member.

FLOW CHART:

PROGRAM:

```java
package converterapp;

import java.util.Scanner;

import converterlibrary.*;

public class calculation1 {
    public static void main (String [] args) {
    double value1,value2;
    int option;
    Scanner sc=new Scanner(System.in);
    while (true)
    {
        System.out.println("1.dollar to INR conversion");
        System.out.println("2.INR to dollar conversion");
        System.out.println("3.EURO to INR conversion");
        System.out.println("4.INR to EURO conversion");
        System.out.println("5.YEN to INR conversion");
        System.out.println("6.INR to YEN conversion");
        System.out.println("7.meter to KM conversion");
        System.out.println("8.KM to meter conversion");
        System.out.println("9.miles to KM conversion");
        System.out.println("10.KM to miles conversion");
        System.out.println("11.hours to minuites conversion");
        System.out.println("12.minuites to hours conversion");
        System.out.println("13.hours to Seconds conversion");
        System.out.println("14.Seconds to hours conversion");
        System.out.println("15.Exit");
        System.out.println("Enter your choice");
        option=sc.nextInt();
        switch (option)
        {
        case 1:
            System.out.print("Enter currency in dollar");
            value1=sc.nextDouble();
            value2=CurrencyConverter.dollartoINR(value1);
            System.out.printf("%.2f dollar is equal to %.2f INR ./n",value1,value2);
            break;
        case 2:
            System.out.print("Enter currency in INR");
            value1=sc.nextDouble();
            value2=CurrencyConverter.INRtodollar(value1);
            System.out.printf("%.2f INR is equal to %.2f dollar ./n",value1,value2);
            break;
        case 3:
            System.out.print("Enter currency in EURO");
            value1=sc.nextDouble();
            value2=CurrencyConverter.EUROtoINR(value1);
            System.out.printf("%.2f EURO is equal to %.2f INR ./n",value1,value2);
            break;
```

```java
case 4:
        System.out.print("Enter currency in INR");
        value1=sc.nextDouble();
        value2=CurrencyConverter.INRtoEURO(value1);
        System.out.printf("%.2f INR is equal to %.2f EURO ./n",value1,value2);
        break;
case 5:
        System.out.print("Enter currency in YEN");
        value1=sc.nextDouble();
        value2=CurrencyConverter.yentoINR(value1);
        System.out.printf("%.2f yen is equal to %.2f INR ./n",value1,value2);
        break;
case 6:
        System.out.print("Enter currency in INR");
        value1=sc.nextDouble();
        value2=CurrencyConverter.INRtoyen(value1);
        System.out.printf("%.2f INR is equal to %.2f YEN ./n",value1,value2);
        break;
case 7:
        System.out.print("Enter distance in meter");
        value1=sc.nextDouble();
        value2=DistanceConverter.metertoKM(value1);
        System.out.printf("%.2f meter is equal to %.2f KM ./n",value1,value2);
        break;
case 8:
        System.out.print("Enter distance in KM");
        value1=sc.nextDouble();
        value2=DistanceConverter.KMtometer(value1);
        System.out.printf("%.2f KM is equal to %.2f meter ./n",value1,value2);
        break;
case 9:
        System.out.print("Enter distance in miles");
        value1=sc.nextDouble();
        value2=DistanceConverter.milestoKM(value1);
        System.out.printf("%.2f miles is equal to %.2f KM ./n",value1,value2);
        break;
case 10:
        System.out.print("Enter distance in KM");
        value1=sc.nextDouble();
        value2=DistanceConverter.KMtomiles(value1);
        System.out.printf("%.2f KM is equal to %.2f miles ./n",value1,value2);
        break;
case 11:
        System.out.print("Enter time in hours");
        value1=sc.nextDouble();
        value2=TimeConverter.hourstominuites(value1);
        System.out.printf("%.2f hours is equal to %.2f minuites ./n",value1,value2);
        break;
case 12:
        System.out.print("Enter time in minuites");
        value1=sc.nextDouble();
        value2=TimeConverter.minuitestohours(value1);
```

```java
                    System.out.printf("%.2f minuites is equal to %.2f hours ./n",value1,value2);
                    break;
            case 13:
                    System.out.print("Enter time in hours");
                    value1=sc.nextDouble();
                    value2=TimeConverter.hourstoSeconds(value1);
                    System.out.printf("%.2f hours is equal to %.2f Seconds ./n",value1,value2);
                    break;
            case 14:
                    System.out.print("Enter time in Seconds");
                    value1=sc.nextDouble();
                    value2=TimeConverter.Secondstohours(value1);
                    System.out.printf("%.2f Seconds is equal to %.2f hours ./n",value1,value2);
                    break;
            case 15:
                    System.out.print("Thankyou for using converter application!!");
                    break;
            default:
                    System.out.print("Please enter a valid number !!!");
            }
            if(option==15)
            {
                    break;
            }

        }
        }

}

package converterlibrary;

public class CurrencyConverter {
        public static double dollartoINR(double dollar)
        {
                double INR;
                        INR=dollar*68.56;
                return INR;

        }
        public static double INRtodollar(double INR)
        {
                double dollar;
                        dollar=INR/68.56;
        return dollar;
        }
        public static double EUROtoINR(double EURO)
        {
                double INR;
                        INR=EURO*77.39;
                return INR;
```

```java
        }
        public static double INRtoEURO(double INR)
        {
                double EURO;
                        EURO=INR/77.39;
                return EURO;

        }
        public static double YENtoINR(double YEN)
        {
                double INR;
                        INR=YEN*0.62;
                return INR;

        }
        public static double INRtoYEN(double INR)
        {
                double YEN;
                        YEN=INR/0.62;
                return YEN;

        }



}

package converterlibrary;

public class DistanceConverter {
        public static double metertoKM(double meter)
        {
                double KM;
                        KM=meter/1000.0;
                return KM;
        }
        public static double KMtometer (double KM)
        {
                double meter;
                        meter=KM*1000.0;
                return meter;
        }
        public static double milestoKM(double miles)
        {
                double KM;
                        KM=miles*1.609;
                return KM;
        }
        public static double KMtomiles(double KM)
        {
                double miles;
```

```
                    miles=KM/1.609;
            return miles;

        }

}

package converterlibrary;

public class TimeConverter {
        public static double hourstominuites(double hours)
        {
                double minuites;
                        minuites=hours*60.0;
                return minuites;
        }
        public static double minuitestohours(double minuites)
        {
                double hours;
                        hours=minuites/60.0;
                return hours;
        }
        public static double hourstoSeconds(double hours)
        {
                double Seconds;
                        Seconds=hours*3600.0;
                return Seconds;
        }
        public static double Secondstohours(double Seconds)
        {
                double hours;
                        hours=Seconds/3600.0;
                return hours;
        }

}
```

OUTPUT:

1. DOLLAR to INR conversion
2. INR to DOLLAR conversion
3. EURO to INR conversion
4. INR to EURO conversion
5. YEN to INR conversion
6. INR to YEN conversion
7. meter to km conversion
8. km to meter conversion
9. miles to km conversion
10. km to miles conversion
11. hours to mins conversion
12. mins to hours conversion
13. hours to sec conversion

14. sec to hours conversion
15. Exit
Enter your choice:2
Enter currency in INR:2
2.00 INR is equal to 0.03 DOLLAR.

RESULT:

Thus the java converter application is runned successfully.