TRAXNYC box · exterior

170 x 70 x 60 mm closed. drawing at 1:2

top · gold foil



tooling, every face
debossed line 7 in from the edge
corner cap R22 from the corner
each run stops 20.9 from the corner,
where the cap crosses it -- the two
marks meet and neither runs over
stud ø3.5, 9 in from both edges

gold foil, top only
medallion 26 x 26
wordmark 52 x 8
4 between, block centred

front · the flap drops forward from the band line



end · band line returns



TRAXNYC box · how it opens

section on the length. drawing at 1:2. exterior only



overall	170 x 70 x 60 mm closed
split	20 mm band at the bottom, 40 mm shell above it
opening	the shell lifts and its front drops forward as a flap
band line	across the front and returning along both ends; none on the back, which is the hinge
closure	magnetic catch, 40 mm long, centred on the front
carcass	2 mm greyboard
wrap	0.8 mm black leatherette, tooled flat, then wrapped
tooling	cap R22, line 7 in stopping 20.9 from each corner, stud ø3.5
foil	gold, hot stamped on the top only

nothing here covers the inside: no lining, no compartments, no fittings.

TRAXNYC box · corner detail

at 2:1. every dimension is taken from the corner of the face



the line stops at the cap. it does not curve round it and the cap does not cross it:
an arc of R22 from the corner meets a line 7 in from the edge at sqrt(22² - 7²) = 20.9 along that edge.

blind deboss: no ink, no foil, a tooled groove in the leatherette,
about 0.35 deep and 0.8 wide, radiused, not a sharp vee.
the cap is a quarter round of R22 struck from the corner, left slightly proud of the face.
the stud is a dome ø3.5, about 0.8 proud, on the 45° bisector 12.7 from the corner.
the same tooling runs on all six faces.