TRAXNYC box · general arrangement

170 x 70 x 60 mm closed. drawing at 1:2

lid, from above



tooling, every face
debossed line 7 in from the edge
corner cap R22, line turns on R17
stud ø3.5, 9 in from both edges
line meets the cap 15.5 along the edge

gold foil, lid only
medallion 26 x 26
wordmark 52 x 8
4 between them, block centred

long side · the lid opens here



end



TRAXNYC box · construction

section on the length. drawing at 1:2

section on the length



carcass	2 mm greyboard, mitred and taped
wrap	0.8 mm black leatherette, tooled flat then wrapped
lining	black velvet over 1 mm card, floor and lid inner
lid	20 mm deep, hinged on the back long edge
hinge	two 25 mm brass butt hinges, 40 mm in from each end
closure	magnetic catch at the centre of the front edge
inside	164.4 x 64.4 x 54.4 mm clear before lining
foil	gold, hot stamped on the lid top only
deboss	blind, all six faces, before assembly

TRAXNYC box · corner detail

at 2:1. every dimension is taken from the corner of the face



blind deboss: no ink, no foil, a tooled groove in the leatherette.
groove about 0.35 deep and 0.8 wide, radiused, not a sharp vee.
the cap is a quarter round of R22 struck from the corner, left slightly proud of the face.
the line turns on R17 about the same centre, so the two stay 5 apart the whole way round the corner.
the stud is a dome ø3.5, about 0.8 proud, sitting on the 45° bisector 12.7 from the corner.
the same tooling runs on all six faces, and the lid opening cuts across it.
the straight runs here carry on to the next corner; they are cut short for the detail only.