

# Administration / Realms / Keycloak

## General Properties

### Name

keycloak

### Title

Keycloak

### Description

Local Kc

### Status

Active

Status describing whether or not this realm can be used for authentication.

### Type

Open ID Connect Realm

Signup Realm

Realm can be used for user signup.

### Groups

mica-user ×

Groups that will be automatically assigned to users signing up with this realm.

### Public URL

### Domain

## User Information Mapping

Map each Agate user profile field with that of the realm's.

### User Name

preferred\_username

**Email**

email

**First Name**

given\_name

**Last Name**

family\_name

**user-info.nonDisclosure**

## Realm Properties

**Client ID**

obiba-agate

**Client Secret**

glwQrWSBjvHq7CJ7GyoJR9NX6VVeZwbJ

**Discovery URI**

http://localhost:8999/realms/obiba/.well-known/openid-configuration

**Account Login**

http://localhost:8999/realms/obiba/account

**Scope**

openid

**Groups by Claim****Groups by JS**

Use Nonce

Nonce ([https://openid.net/specs/openid-connect-core-1\\_0.html#IDToken](https://openid.net/specs/openid-connect-core-1_0.html#IDToken)) is a string value used to validate ID Token.

**Connect Timeout**

0

**Read Timeout**

0

Cancel

Save

