

ONELAW HTML TEMPLATE DOCUEMNTATION

Version 1.0

Table of Contents

Welcome to ONELAW	3
3 Simple Steps to Build Your Website with the ONELAW Template	3
Populating the ONELAW Template	4
Logo, Phone and Navigation Header	5
To edit the phone number	5
To input your practice's logo	5
To edit the navigation menu	6
Slider (index.html)	6
Banner (index_2.html)	7
Award Bar	7
Welcome Area	8
Testimonials	8
Areas of Practice	9
Attorneys	10
Case Results	11
FAQS	12
Office Address and Office Hours	13
Footer	14
Footer Logo	15
Board Certification Disclaimer	15
Site-wide disclaimer	15
Copyright Notice	15
Setting your map address	15
Working with the contact form	16
Hiding/Showing messages in the notification bar	17
Changing Color and Layout Options	18
Slider Revolution Documentation	19
Slider Revolution Markup (documentation from the developer)	20
Layout	21

Welcome to ONELAW

ONELAW is a one-page HTML5/CSS3 Website Template with professional design and layout, and is built specifically to meet the needs of small law firms and solo practice attorneys. Everything a small firm law firm or solo practice attorney needs to build a sharp and professional website is included in the ONELAW template.

The ONELAW template is built on the Twitter Bootstrap framework and is fully responsive so that it looks great all devices. The Bootstrap Framework also offers quite a bit of flexibility an extensibility to web developers. Details and documentation about the Twitter Bootstrap Framework can be obtained here: <http://getbootstrap.com/2.3.2/>.

The ONELAW attorney website template contains the following eight (8) compartmentalized website content areas:

- **Slider** – graphical presentation of you practice team members, legal services, accomplishments or anything you want to convey to website visitors in a slide.
- **Award Display Bar** – used to display awards, accolades, and/or associations and affiliation icons or logos.
- **Welcome Text** – Quick welcome and introduction to your firm.
- **Testimonials** – attorney know their best source of business comes from client and colleague referrals. ONELAW client testimonials are professionally displayed, with optional client/colleague portrait.
- **Areas of Practice** – content area to showcase your firm primary and secondary areas of practice.
- **Attorney Profiles** – comprehensive bio profile and professional showcase for each attorney. Let's face it, your clients are buying you, and ONELAW gives you a highly effective means to convey talents, experience and professional recognition.
- **Case Results** – an area to showcase or highlight results you've achieved.
- **FAQS** – general legal question and answers.

Areas of the website that you don't need, want or simply don't have to time to prepare can be easily removed; or temporarily hidden from view until you are ready to populate the area with appropriate content.

3 Simple Steps to Build Your Website with the ONELAW Template

ONELAW is designed to be a plug and play website template. Thus, anyone with basic HTML and CSS skills should be able build a professional looking law practice website quickly and easily assuming you have content (text, images, office contact details, etc.) ready to drop into the template. With that in mind, there are three (3) simple steps to preparing your website using the ONELAW template:

1. First, **determine your site's design style** and the **content areas** you will use for your website.

ONELAW includes two different home page options to choose from. Option #1 includes an advanced layer slider (**index.html**). Option #2 is a static home page that includes a banner image with text in place of the slider (**index_2.html**). In many cases a slider doesn't make sense for law practice website, and that's why we've included both of these options.

ONELAW also lets you choose your own unique design style elements, which include base color, layout (widescreen or boxed) and background (if boxed mode is chosen). Further, content areas that you don't wish to use can either be deleted or hidden from view. This is an important first step so you can determine which menu links you'll include in your website navigation header.

2. Second, **gather content** for the areas you will use, and delete/or hide content areas don't wish to use. Apart from content you'll use to populate the primarily content areas you'll also need the following:
 - a. **Firm Logo** – Standard Logo on white background or transparent (for the header); and your logo in white on a transparent background (for the footer).
 - b. **Office Phone Number**
 - c. **Email Address You'd like Contact Form Details to Sent**
 - d. **Office Address and General Office Hours**
 - e. **General and/or Bar Required Disclaimers**

3. Third, and finally, **populate the template with your content** and publish your site.

Following the three (3) steps above will enable you create a professional looking website with the ONELAW attorney website template in quickest and easiest manner possible.

Populating the ONELAW Template

Each section or area of the ONELAW Template is compartmentalized into sections that can be easily edited, hidden or removed. Each section is commented at the beginning with `<!-- begin {section name} -->` and at its end with `<!-- /end {section name} -->` so that you may find and edit each section quickly and easily with your own content.

TIP: To hide section of the website:

`<!-- Hide the code block`


{html markup here...}

-->

Logo, Phone and Navigation Header

The ONELAW header section contains three elements:

1. Office Phone Number
2. Logo
3. Navigation Menu Links



To edit the phone number

To input your office phone number simply locate the comment (roughly around line number 41) `<!-- edit phone number here -->` and replace the sample digits with your office's phone number.

```
41 <!-- edit phone number here -->
42 <div class="phone styler_color">CALL US TOLL FREE <span>888-555-1LAW</span></div>
```

To input your practice's logo

To input your practice's logo simply locate the comment (roughly around line 53) `<!-- insert header logo here -->` and replace the image **logo.png** with your practice's logo.

For best result we recommend logo size of 200x50.

```
53 <!-- insert header logo here -->
54 <a href="#" id="logo"></a>
```

To edit the navigation menu

To edit the navigation menus simply locate the comment (roughly around line 53) `<!-- edit navigation menu -->` and modify the menus as you wish.

```
68                                     <!-- edit navigation menu -->
69                                     <li class="styler_parent_active"><a href="#home_anchor" class="styler_hover_bg_color
70                                     <li class="styler_parent_active"><a href="#practice_anchor" class=
71                                     "styler_hover_bg_color styler_active_bg_color">PRACTICE AREAS</a></li>
                                     <li class="styler_parent_active"><a href="#attorneys_anchor" class=
```

Slider (index.html)

The slider used by ONELAW is the popular premium slider component, **Slider Revolution**. We've made it easy to edit/modify the slides and captions used in our sample content by commenting each section of each slide. The slide section comments are as follows:



- **Slide** `<!-- slide 1 image -->`
- Slide Caption Parameters `<!-- slide 1 caption 1 parameters -->`
- Slide Captions `<!-- caption 1 -->` and `<!-- caption 2 -->`

Also, you can quickly locate where the slider markup starts and where it ends simply by locating the beginning and ending slider comments as shown below:

Begins here...

```
91                                     <!-- begin slider -->
92                                     <div class="fullwidthbanner-container" id="main_slider">
93                                     <div class="fullwidthbanner">
94                                     <ul>
95                                     <li class="slidel" data-transition="slotzoom-horizontal" data-slotamount="5" data-masterspeed="300">
96                                     
97                                     <div class="caption sft" data-x="10" data-y="50" data-speed="2500" data-start="1000" data-easing="easeInBack">
98                                     <p class="cap-1">There are more than 1 million lawyers in the United States, so why choose ONELAW?</p>
```

Ends here...

```

118         <div class="caption sfl" data-x="35" data-y="190" data-speed="1500" data-start="1500" data-easing="easeInBack">
119             <p class="cap-2">JUSTICE MAY BE BLIND, BUT YOUR CLIENTS AND COLLEAGUES AREN'T.</p>
120         </div>
121     </li>
122 </ul>
123 </div>
124 </div>
125 <!-- /end slider -->

```

Finally, we've included Slider Revolution's documentation at the end of this document should you wish to further customize slider.

Banner (index_2.html)

The banner section is included in the static homepage option (**index_2.html**).

Also, you can quickly locate where the banner markup starts and where it ends simply by locating the beginning and ending banner comments as shown below:


```

90 <!-- begin static home page banner -->
91 <div id="main_advert">
92     <div class="slide slide1">
93         
94         <div class="container">
95             <p class="cap-1">There are more than 1 million lawyers in the United States, so why choose ONELAW?</p>
96             <p class="cap-2">BECAUSE WE TREAT YOUR BUSINESS AS IF IT WERE OUR OWN</p>
97         </div>
98     </div>
99 </div>
100 <!-- /end static home page banner -->

```

Award Bar

The award bar is designed to display the logos of awards and accolades you or your practice have been awarded; and/or logos of professional associations for which you have membership or involvement.



To insert award logos simply locate the comments in the template's markup <!-- begin award bar --> as shown below, and replace **logo1.png** through **logo6.png** with you own logos.

```

129 <!-- begin award bar -->
130 <div class="honors">
131     <ul class="clearfix">
132         <li><a href="#"></a></li>
133         <li><a href="#"></a></li>
134         <li><a href="#"></a></li>
135         <li><a href="#"></a></li>
136         <li><a href="#"></a></li>
137         <li><a href="#"></a></li>
138     </ul>
139 </div>
140 <!-- /end award bar -->

```

Welcome Area

The Welcome area is where you introduce and welcome your site visitors.

WELCOME TO ONELAW

A Better Law Firm for Business,Family and Criminal Matters

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Maecenas vel est vitae enim varius ornare ut vel nisl. Cras sagittis augue at diam viverra porttitor. Fusce aliquet lacinia lorem, sit amet semper sapien egestas eget. Cras non dolor neque. Donec at mollis augue. Integer imperdiet orci nibh, ac ornare tortor porta ac.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Curabitur augue justo, consequat sed euismod id, mattis eu mauris. Sed et vehicula dolor. Sed vestibulum nibh nec erat consectetur bibendum. Fusce aliquet lacinia lorem, sit amet semper sapien egestas eget. Cras non dolor neque. Donec at mollis augue. Integer imperdiet orci nibh, ac ornare tortor porta ac.



To input your practice's welcome message simply locate the comments `<!-- begin welcome -->` as shown below, and modify the heading, sub-heading, and welcome text as you wish.

```
147 <!-- begin welcome -->
148 <div class="about">
149   <h1 class="styler_color">WELCOME TO ONELAW</h1>
150   <h2>A Better Law Firm for Business,Family and Criminal Matters</h2>
151   <p>First paragraph of text here.</p>
152   <p>Second paragraph of text here.</p>
153   <p></p>
154 </div>
155 <!-- /end welcome -->
```

Testimonials

The biggest source of new business for attorneys will typically come from client and/or colleague referrals. The ONELAW template lets you put those clients and colleague's to work for you with nicely styled testimonials.



To input your own client and/or colleague testimonials simply locate the comments <!-- begin testimonials --> as shown below, and modify the images and text as you desire.


```

178 <!-- begin testimonials -->
179 <div class="reviews">
180 <ul>
181 <li>
182 <div class="header_item">CLIENT TESTIMONIAL</div>
183 <div class="img"></div>
184 <div class="name">Thomas White</div>
185 <div class="state_styler_color">VP Operations - White & Co.</div>
186 <div class="clear"></div>
187 <div class="text_styler_color">Enter testimonial text here.</div>
188 </li>
189 </ul>

```

Areas of Practice

The Areas of Practice section is a showcase of the areas upon which law practice focuses.



To input Area of Practice details simply locate the <!-- begin practice areas --> as shown below, and modify the template's sample text with your own Areas of Practice information.

Begins here...

```

187 <!-- begin practice areas -->
188 <div id="practice_marker"></div>
189 <div class="practice">
190   <div class="row">
191     <div class="span12">
192       <div class="caption">AREAS OF PRACTICE</div>
193     </div>
194   </div>

```

Enter practice area details here...

```

199 <!-- practice area 1 -->
200 <div class="name">FAMILY LAW</div>
201 <div class="text">
202   <p>Text about your practice area here.</p>
203   <!-- sub-practice areas -->
204   <ul>
205     <li>Sub-Practice Area A</li>
206     <li>Sub-Practice Area B</li>
207     <li>Sub-Practice Area C</li>
208   </ul>
209 </div>
210 </li>
211 </li>

```

Attorneys

The Attorney section can accommodate highly detailed bio information for one more attorneys.

ONELAW ATTORNEYS



JOHNATHAN ONELAW

Managing Partner

vCard
 PDF Bio
 LinkedIn

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Curabitur augue justo, consequat sed euismod id, mattis eu mauris. Sed et vehicula dolor. Sed vestibulum nibh nec erat consectetur bibendum. Nullam accumsan neque ac ligula convallis eleifend. Pellentesque justo lacus, sagittis ut velit non, mollis porttitor lorem. Contrary to popular belief, Lorem Ipsum is not simply random text. It has roots in a piece of classical Latin literature from 45 BC, making it over 2000 years old. Richard McClintock, a Latin professor at Hampden-Sydney College in Virginia, looked up one of the more obscure Latin words, consectetur, from a Lorem Ipsum passage.

- GENERAL BACKGROUND
- REPRESENTATIVE CASES
- REPRESENTATIVE CLIENTS
- AWARDS, ACCOLADES AND RECOGNITION

To input Attorney details simply locate the `<!-- begin attorneys -->` comment as shown below, and modify the template's sample text and images with your own attorney information (including, but not limited to attorney portraits, links to vCard files, PDF Bios and LinkedIn profiles).

```
243 <!-- begin attorneys -->
244 <div id="attorneys_marker"></div>
245 <div class="attorneys">
246   <div class="caption styler_color">ONELAW ATTORNEYS</div>
247   <!-- attorney 1 -->
248   <div class="person">
249     <div class="img"></div>
250     <div class="text">
251       <div class="name">JOHNATHAN ONELAW</div>
252       <div class="state">Managing Partner</div>
253       <ul class="info clearfix">
254         <li><a href="#" class="vcard">vCard</a></li>
255         <li><a href="#" class="pdf">PDF Bio</a></li>
256         <li><a href="#" class="linkedin">LinkedIn</a></li>
257       </ul>
258       <div class="desc">Attorney summary goes here.</div>
259     </div>
260     <div class="clear"></div>
261     <ul class="info_slides styler_border_color">
262       <!-- attorney general background -->
263       <li class="styler_active itself border_color styler_active next border_color styl
```

Case Results

This section displays case summaries and results in a carousel.

CASE RESULTS



Excelsior Tower vs. Kemp Construction, Co. DISMISSED

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Curabitur augue justo, consequat sed euismod id, mattis eu mauris. Sed et vehicula dolor Sed vestibulum nibh nec erat consectetur bibendum. Sed vestibulum nibh nec erat consectetur bibendum. Nullam accumsan neque ac ligula convallis eleifend. Pellentesque justo lacus, sagittis ut velit non, mollis porttitor lorem.

To input case result details simply locate the `<!-- begin results -->` comment as shown below, and modify the template's sample text with your own case result information that you wish to showcase on your website.

```

511 <!-- begin results -->
512 <div id="results_marker"></div>
513 <div class="results">
514 <div class="row">
515 <div class="span12">
516 <div class="caption styler_color">CASE RESULTS</div>
517 </div>
518 </div>
519 <div class="row">
520 <div class="span12">
521 <div class="carousel results_carousel">
522 <ul>
523 <!-- case result 1 -->
524 <li>
525 <div class="span12">
526 <div class="review">
527 <!-- case name here -->
528 <div class="name">Excelsior Tower vs. Kemp Construction, Co.</div>
529 <!-- result here -->
530 <div class="status styler_bg_color"><i class="styler_border_color"></i>DISMISSED</div>
531 <div class="clear"></div>
532 <!-- result summary here -->
533 <div class="text"><strong class="styler_color">Lorem ipsum dolor sit amet</strong>, consectetur.</div>
534 </div>
535 </li>

```

FAQS

The FAQS section allows you display specific Question and Answer details by category or group.

FAQS

FAMILY LAW FAQ

➤ MY HUSBAND/WIFE IS NOT ALLOWING ME TO SEE MY CHILDREN, WHAT CAN I DO TO SEE THEM?

➤ WHAT PAPERWORK DO I NEED TO COMPLETE TO FILE FOR DIVORCE?

➤ MY EX SON-IN-LAW HAS CUSTODY OF MY GRANDCHILDREN AND WILL NOT ALLOW ME TO SEE THEM WHAT CAN I DO?

➤ HOW DO I CHANGE MY CUSTODY/VISITATION AND SUPPORT ORDERS?

To input your own FAQs simply locate the <!-- begin faqs --> comment as shown below, and modify the template's sample text with your own FAQs categories/groups; and question and answer information that you wish to showcase on your website.

```

575 <!-- begin faqs -->
576 <div id="faq_marker"></div>
577 <div class="faq">
578 <div class="caption styler_color">FAQs</div>
579 <div class="categories">
580 <!-- faqs category 1 -->
581 <div class="category">
582 <div class="header">Family Law FAQ</div>
583 <ul class="info_slides">
584 <li>
585 <!-- faq question -->
586 <a href="#"><i class="arr"></i>My husband/wife is not allowing me to see my children, what can I do to see them? </a>
587 <div class="text">
588 <!-- faq answer -->
589 <p>FAQ answer paragraph one.</p>
590 <p>FAQ answer paragraph two.</p>
591 </div>
592 </li>
593 </ul>

```

Office Address and Office Hours

ONELAW allows you to display your Office location and notify site visitor of your office hours.

	ADDRESS, PHONE & EMAIL
	ONELAW
	7800 East Mockingbird Lane
	Suite 800
	Dallas, TX 75235
	USA
	p. 214.985.9000
	f. 214.985.9003
	Email: hello@onelaw.com
	OFFICE HOURS
	Monday: 8am to 6pm
	Tuesday: 8am to 6pm
	Wednesday: 8am to 6pm
	Thursday: 8am to 6pm
	Friday: 8am to 6pm
	Saturday: Closed
	Sunday: Closed
Client	

To input address and office hour details simply locate the <!-- begin address, phone & email --> comment as shown below, and modify the template's sample text with your own address and office hour information that you wish to display on your website.


```

712 <div class="span4">
713 <!-- begin address, phone & email -->
714 <div class="info">
715 <div class="header">ADDRESS, PHONE & EMAIL</div>
716 <div class="text">
717 <!-- edit address, phone & email here -->
718 <p>ONELAW</p>
719 <p>7800 East Mockingbird Lane</p>
720 <p>Suite 800</p>
721 <p>Dallas, TX 75235</p>
722 <p>USA</p>
723 <p>p. 214.985.9000</p>
724 <p>f. 214.985.9003</p>
725 <p>Email: hello@onelaw.com</p>
726 </div>
727 </div>
728 <!-- /end address, phone & email -->
729
730 <!-- begin office hours -->
731 <div class="info">
732 <div class="header">OFFICE HOURS</div>
733 <div class="text">
734 <!-- edit office hours here -->
735 <p>Monday: 8am to 6pm </p>
736 <p>Tuesday: 8am to 6pm </p>
737 <p>Wednesday: 8am to 6pm </p>
738 <p>Thursday: 8am to 6pm </p>
739 <p>Friday: 8am to 6pm </p>
740 <p>Saturday: Closed </p>
741 <p>Sunday: Closed </p>
742 </div>
743 </div>
744 <!-- /end office hours -->

```

Footer

The ONELAW template footer contains a logo, board certification disclaimer (if required by your state's bar), a site-wide disclaimer, and newsletter signup text and field.



Footer Logo

To swap out the footer logo simply locate the `<!-- edit footer logo here -->` comment as shown below, and replace the image **logo_white.png** with your own.

```
767 <!-- edit footer logo here -->
768 <a href="#" class="logo"></a>
```

Board Certification Disclaimer

To edit the board certification disclaimer locate the `<!-- edit board certification disclaimer here -->` comment as shown below, and replace the text with your own.

```
770 <!-- edit board certification disclaimer here -->
771 <p>Unless identified as such, attorneys listed in this website are not certified by the [State] Board of Legal Specialization.</p>
```

Site-wide disclaimer

To edit the site-wide disclaimer locate the `<!-- edit site-wide disclaimer here -->` comment as shown below, and replace the text with your own.

```
775 <!-- begin site-wide disclaimer -->
776 <div class="text">
777   <div class="header">DISCLAIMER</div>
778   <p>All materials contained on this website are made available by [FirmName] for informational purposes only and
```

Copyright Notice


To edit the copyright notice locate the `<!-- edit copyright notice here -->` comment as shown below, and replace the text with your own.

ONELAW One Page Website Template for Lawyers by ThemeLeaf. Copyright 2013.

```
820 <!-- edit copyright notice here -->
821 <div class="copyrights">ONELAW One Page Website Template for Lawyers by <a href="http://www.themeleaf.com">ThemeLeaf</a>. Copyright 2013.</div>
```

Setting your map address

The ONELAW website displays your law practice address with a Google map embedded in your website.



To input your address details open the file **function.js** located in the **js** folder. Locate the map section (shown in the illustration below) within the file (roughly at line 201); and modify the following items:

- **Latitude and Longitude Coordinates of Map's Center Point** - change out the location of the map's center point.
- **Latitude and Longitude Coordinates of Map's Marker Image** - change out the location of the map's marker image.
- **Title for Map's Marker Image**
- **Map's Marker Image**

```

201 map();
202 function map(){
203     google.load('maps', '3', {
204         other_params: 'sensor=false'
205     });
206     google.setOnLoadCallback(map_initialize);
207 }
208
209 function map_initialize() {
210     var myLatLngCenter = new google.maps.LatLng(32.83823,-96.775347);
211     var myMarker = new google.maps.LatLng(32.83823,-96.775347);
212
213
214     var mapEl = document.getElementById('map');
215     if(mapEl) {
216         map = new google.maps.Map( mapEl, {
217             zoom: 14,
218             scrollwheel: false,
219             center: myLatLngCenter,
220             disableDefaultUI: true,
221             mapTypeId: google.maps.MapTypeId.ROADMAP
222         });
223         var marker1 = new google.maps.Marker({
224             position: myMarker,
225             map: map,
226             title:"5321 E Mockingbird Ln, Dallas, TX 75206",
227             icon: 'img/map marker.png'
228         });
229         google.maps.event.addDomListener(window, 'resize', function() {
230             map.setCenter(myLatLngCenter);
231         });
232     }
233

```

— Latitude and longitude coordinates for map center

— Latitude and longitude coordinates for map marker


— Title for map marker

— Map marker image

Working with the contact form

ONELAW includes a working contact form with built-in CAPTCHA. Also, included within the contact

form area is a much needed contact form disclaimer (the checkbox requires acceptance before contact information can be sent).



Name

Email Address

Subject

Message

DISCLAIMER: The use of the Internet for communications with the firm will not establish an attorney-client relationship and messages containing confidential or time-sensitive information should not be sent.

☐ I have read the disclaimer.

itself may

Type the text

reCAPTCHA™
stop spam.
read books.

[Privacy & Terms](#)


SUBMIT

The only setting you need to change is the email address to which the posted information from the form is sent to; and this setting is stored in the **cofing php** file. Thus, open the file, enter the email address (as shown in the illustration below, save your changes, and you're done.

```
1 <?php
2 //Contact form config
3 $email_to = "hello@practiceurl.com";
4 $email_subject = "Feedback form submitted";
5
6 //recaptcha config
7 $use_recaptcha = true;
8 $publickey = "6LeMXt4SAAAAABbnTq7FvelG2GANlmp1_sWvWP0b";
9 $privatekey = "6LeMXt4SAAAAAFZ7CGFwmpPH5bD2W1gA1Nvpflvs";
10 ?>
11
```

Hiding/Showing messages in the notification bar

The ONELAW template includes a notification bar which allows you to alert site visitors with a special message at the top of your website. This bar is optional, and can be shown when wanted, and not shown when it's not wanted.



If you don't wish to show the notification message bar simply comment out or delete the notification section as shown below.

If you wish to show a notification message simply change the sample text with your notification message text.


```

24      <!-- begin notification bar -->
25      <div class="notify-bar">
26          <div class="container">
27              <div class="row">
28                  <div class="span11">
29                      <!-- edit notification here -->
30                      <p>Enter your notification here.</p>
31                  </div>
32                  <div class="span1"><a href="#" class="notify-close"><i class="icon-remove-sign"></i></a></div>
33              </div>
34          </div>
35      </div>
36      <!-- end notification bar -->

```

Changing Color and Layout Options

The ONELAW template allows you to quickly and easily change the base theme color to suit your practice's brand preferences. Included within the default theme view is a Style Switcher panel that allows you to see what your site will look like when the base color and layout style options are changed.



To adjust templates settings simply edit `/js/style-switcher/style-switcher.js` - at the beginning of the file you will see all the config settings, which should be self-explanatory. The Style Switcher Panel can be turned off there as well using the following switches:

- **Style Switcher enabled:** `enable_style_switcher = true;`
- **Style Switcher disabled:** `enable_style_switcher = false;`

Slider Revolution Documentation

Turn simple HTML markup into a responsive (mobile friendly) or full width slider with must-see-effects and meanwhile keep or build your SEO optimization (all content always readable for search engines). See the heaps of custom transitions/animations for each object on the page! Customize this slider with just a little HTML and CSS to your very needs.

This plugin features tons of unique transition effects, an image preloader, video embedding, autoplay that stops on user interaction and lots of easy to set options to create your own effects. All customization can be handled via jQuery Options, HTML 5 data-attributes and CSS !

The developer site for Slider Revolution can be found here:

http://codecanyon.net/item/slider-revolution-responsive-jquery-plugin/2580848?sso?WT.ac=search_item&WT.seg_1=search_item&WT.z_author=themepunch

Also, you can find other slide examples/variations using Slider Revolution here:

<http://www.youtube.com/watch?v=J9FroPmOLT0>

Slider Revolution Markup (documentation from the developer)

The items markup uses javascript/jQuery to transform a block of HTML markup into the slider, all customization is done through the use of HTML5 data attributes and CSS. The markup is valid for HTML5 rules and the content will be fully indexed by search engines. The general structure of markup follows this schema:

Two surrounding DIVs are the basic holder for your Slider:

```
<div id="banner_container">
  <div id="banner" >...</div>
</div>
```

An unordered list inside holds the different slides as list elements

```
<ul>
```

```
<!-- THE BOXSLIDE EFFECT EXAMPLES WITH LINK ON THE MAIN SLIDE EXAMPLE -->
```

```
<li data-transition="boxslide" data-slotamount="7" data-link="http://www.google.de">
  
  <div class="caption sft big_white" data-x="400" data-y="100" data-speed="700" data-start="1700"
data-easing="easeOutBack">KICKSTART YOUR WEBSITE</div>
  <div class="caption sfb big_orange" data-x="400" data-y="142" data-speed="500" data-
start="1900" data-easing="easeOutBack">WITH SLIDER REVOLUTION!</div>
  <div class="caption lfr medium_grey" data-x="510" data-y="210" data-speed="300" data-
start="2000">UNLIMITED TRANSITIONS</div>
</li>
...
</ul>
```

Next, we describe the inner of this list elements.

The more advanced users will have no problems in customizing the slider up to every detail and create their own sliders using the CSS files.

The CSS file responsible for the layout of your slider is the settings.css. Find All Responsive Settings and Docu later in "Responsive Captions".

Layout

The Default parameters of the Plugin

- **delay** The time one slide stays on the screen in Milliseconds (Default: 9000)
- **startheight** Basic Height of the Slider in the desktop resolution in pixel, other screen sizes will be calculated from this (Default: 490) It should be similar to the settings of the style sheet. If you use a full width banner, it will define the max. Height of the banner by resizing of the browser. The banner won't be higher than this value.
- **startwidth** Basic Width of the Slider in the desktop resolution in pixel, other screen sizes will be calculated from this (Default: 890) It should be similar to the settings of the style sheet. If you use a full width banner, it will define the max. Width of the banner by resizing of the browser.
- **hideThumbs** Time after that the Thumbs will be hidden(Default: 200),
- **navigationType** Display type of the navigation bar (Default:"none")
Options:
bullet
thumb ** In full width version thumbs won't be displayed if navigation offset set to show thumbs outside of the container ! Thumbs must be shown in the container!
none
both
- **navigationArrows** Display position of the Navigation Arrows (Default: "nexttbullets")
Options:
nexttbullets
verticalcentered ** By navigation Type Thumb arrows always centered or none visible
none
- **navigationStyle** Look of the navigation bullets (Default: "round")
Options:
round
square
navbar ** If you choose navbar, we recommend to choose Navigation Arrows to nexttbullets
- **touchenabled** Enable Swipe Function on touch devices (Default: "on")
Options:
on
off

- **navOffsetHorizontal** The Bar is centered but could be moved this pixel count left(e.g. -10) or right (Default: 0) ** By resizing the banner, it will be always centered !!
- **navOffsetVertical** The Bar is bound to the bottom but could be moved this pixel count up (e.g. -20) or down (Default: 20)
- **shadow** The Shadow display underneath the banner
Options:
0 No Shadow
1
2
3
- **onHoverStop** Stop the Timer when hovering the slider
Options:
on
off
- **thumbWidth** the basic Width of one Thumbnail (only if thumb is selected. Default:100)
- **thumbHeight** the basic Height of one Thumbnail (only if thumb is selected Default 50)
- **thumbAmount** the amount of the Thumbs visible same time (only if thumb is selected)
** All Thumbs will be hidden in smallest Responsive Level, and in smaller level default size is reseted to 60x30px. Can be modiflicated in the settings.css file)
- **fullWidth** on/off It turns on the Horizontal Centering of Images in FullWidth version. In Case the Image is bigger then the container width, it fits the image with its height in the container and centers horizontally.
- **stopAtSlide** -1 or 1 to 999. Stop at selected Slide Number. If set to -1 it will loop without stopping. Only available if stopAfterLoops is not equal -1 !
- **stopAfterLoops** -1 or 0 to 999. Stop at selected Slide Number (stopAtSlide) after slide looped "x" time, where x this Number. If set to -1 it will loop without stopping. Only available if stopAtSlide not equal -1 !

02 Slider items

**** - Every list item represents a new banner/slider item.
Transition effects and a possible slide link are defined here:

- **data-transition** The appearance transition of this slide
Options:
boxslide
boxfade

slotzoom-horizontal
slotslide-horizontal
slotfade-horizontal
slotzoom-vertical
slotslide-vertical
slotfade-vertical
curtain-1
curtain-2
curtain-3
slideleft
slideright
slideup
slidedown
fade
random
slidehorizontal
slidevertical

- **data-masterspeed** Set the Speed of the Slide Transition. Default 300, min:100 max:2000.
- **data-slotamount** The number of slots or boxes the slide is divided into. If you use boxfade, over 7 slots can be juggy.
- **data-link** A link on the whole slide pic
- **data-delay** A new Delay value for the Slide. If no delay defined per slide, the delay defined via Options will be used
- **data-thumb** An Alternative Source for thumbs. If not defined a copy of the background image will be used in resized form

Each List item must include:

- an image as Background Image / Main Image with Data of the thumb
OR
- a colored background image AND a coloredbg caption which is full width/height defined !!
-
- <div class="caption coloredbg fade" data-x="0" data-y="0" data-speed="10" data-start="0" style="background-color:#ff9118; width:100%;height:100%"></div>

Each List item can include:

- some <div>s containing captions (class="caption"), this could contain embedded video iframes also

```
<li data-transition="boxslide" data-slotamount="7" data-link="http://www.google.de">
  
  <div class="caption sft big_white" data-x="400" data-y="100" data-speed="700" data-start="1700"
data-easing="easeOutBack">KICKSTART YOUR WEBSITE</div>
  <div class="caption sfb big_orange" data-x="400" data-y="142" data-speed="500" data-
start="1900" data-easing="easeOutBack">WITH SLIDER REVOLUTION!</div>
  <div class="caption lfr medium_grey" data-x="510" data-y="210" data-speed="300" data-
start="2000">UNLIMITED TRANSITIONS</div>
</li>
```

Captions

Captions are Containers which can be customized via CSS, classes for the start animation and some data options.

The CSS for the caption added in the settings.css file because it depends strongly on the responsive Sizing.

There are 4 Steps of Responsive Contents which are written later below under the Responsive Dependencies Caption.

You find an example in the settings.css of our item download.

The options are in detail:

- color **class** example big_white, big_orange, medium_grey (check the style.css of the example for details)
- animation **class**
Options:
sft - Short from Top
sfb - Short from Bottom
sfr - Short from Right
sfl - Short from Left
lft - Long from Top
lfb - Long from Bottom
lfr - Long from Right
lfl - Long from Left
fade - fading

- **data-x** The horizontal position in the standard (via startwidth option defined) screen size (other screen sizes will be calculated)
- **data-y** vertical position in the standard (via startheight option defined) screen size (other screen sizes will be calculated)
- **data-speed** duration of the animation in milliseconds
- **data-start after** how many milliseconds should this caption start to show
- **data-easing** special easing effect of the animation

Options:

easeOutBack

easeInQuad

easeOutQuad

easeInOutQuad

easeInCubic

easeOutCubic

easeInOutCubic

easeInQuart

easeOutQuart

easeInOutQuart

easeInQuint

easeOutQuint

easeInOutQuint

easeInSine

easeOutSine

easeInOutSine

easeInExpo

easeOutExpo

easeInOutExpo

easeInCirc

easeOutCirc

easeInOutCirc

easeInElastic

easeOutElastic

easeInOutElastic

easeInBack

easeOutBack

easeInOutBack

easeInBounce
easeOutBounce
easeInOutBounce



Videos

In order to embed videos in the slider you can embed videos via iframe of your favorite video site that allows this kind of embedding. An example with Vimeo:

```
<li data-transition="slideup" data-slotamount="20">

    <div class="caption lfb boxshadow" data-x="70" data-y="120" data-speed="900"
data-start="500" data-easing="easeOutBack"><iframe
src="http://player.vimeo.com/video/29298709?title=0&byline=0&portrait=0" width="460"
height="259"></iframe></div>

    <div class="caption lfb medium_grey" data-x="550" data-y="258" data-
speed="300" data-start="1600" data-easing="easeOutExpo">to your Slides</div>

</li>
```

Banner Timer

In order to use a banner timer, you will need to add the markup within the banner or fullwidthbanner divs.

The markup should look like :

```
<div class="tp-bannertimer"></div>
```

To remove this timer just simple remove the markup from the container, and that is it.