

---

```

% Exercise 1 - Joshua Obljubek-Thomas - 400506256 - obljubej
clear all; close all %#ok<CLALL> reset everything

% phase velocity
c = 299792458;          % speed of light
eps_r = 2.0;            % relative permittivity
vp = c / sqrt(eps_r); % phase velocity

% Gaussian pulse parameters
alpha = 2.0*10^8; A = 5;

% spatial and temporal axes
dz = (3 * vp) / sqrt(2 * alpha); z = linspace(-dz, +dz, 1001);
dt = 6 / sqrt(2 * alpha); t = linspace(-dt, +dt, 2001);

% function for a Gaussian pulse centered at the origin
gauss = @(tau) A * exp(-alpha * tau.^2);
% function for the corresponding wave over all points z at single time ti
wave = @(z, ti) gauss(ti - z / vp);

% plot specification
subplot(3, 1, 1) % 3x1 grid, 1st plot
line1 = animatedline('Color', 'red'); % line in the plot
title("Gaussian pulse traveling in +z direction") % title
xlabel("z [m]"); ylabel("amplitude") % axis labels
xlim(z([1 end])); ylim([0 A]) % axis limits


subplot(3, 1, 2) % 3x1 grid, 2nd plot
line2 = animatedline('Color', 'blue'); % line in the plot
title("Gaussian pulse traveling in -z direction") % title
xlabel("z [m]"); ylabel("amplitude") % axis labels
xlim(z([1 end])); ylim([0 A]) % axis limits

subplot(3, 1, 3) % 3x1 grid, 3rd plot
line3 = animatedline('Color', 'magenta'); % line in the plot
title("Superposition of the preceding two waves") % title
xlabel("z [m]"); ylabel("amplitude") % axis labels
xlim(z([1 end])); ylim([0 2*A]) % axis limits

% animation instructions
for ti = t
    clearpoints(line1)
    clearpoints(line2)
    clearpoints(line3)
    addpoints(line1, z, wave(+z, ti))
    addpoints(line2, z, wave(-z, ti))
    addpoints(line3, z, wave(+z, ti) + wave(-z, ti))
    drawnow limitrate
end

```

---



*Published with MATLAB® R2023a*