LOADING SCREEN





LOGIN SCREEN









SIGN UP SCREEN

PROFILE SCREEN







UNIVERSITY SCREEN

INFO SCREEN


<
Title
Description
ADD YOUR ADVICE


initialize app variable fullListAdvices to empty list
initialize app variable itemRow to create object
initialize app variable listOfItems to empty list
when UniversityInfos Starts
do refreshDataView
when UniversityInfos Opens
do set Label_tag 's Text to app variable fullLabelName
set uni_name1 's Text to app variable uni_name
when add_button Click
do addAdvice
wait 5 seconds
refreshDataView
when back1 Click
do navigate to University
to refreshDataView
set add_button 's Disabled to true
set Data_Viewer_List6 's Visible to false
set Loading_Icon2 's Visible to true
refreshDataList
set Loading_Icon2 's Visible to false
set Data_Viewer_List6 's Visible to true
set add_button 's Disabled to false
when Data_Viewer_List6 Item Click
row id
do set app variable itemRow to row id
navigate to UniversityAdvice
to addAdvice
set error_input 's Visible to false
if desc_input 's Text is empty or title_input 's Text is empty
do set error_input 's Visible to true
else addToFullListAdvices
set cloud variable join "/universitiesData/" app variable uni_index "/advices/" app variable labelName to app variable fullListAdvices
set desc_input 's Text to ""
set title_input 's Text to ""





ADVICE SCREEN

HOME SCREEN


Search for university
Search
Updates
Events
News
Explore Universities
All
Food
Student Life
Housing
University of Rhode Island
Boston College
Johnson & Wales University
Bryant University
Brown University
Home
Browse
Chats
Profile


initialize app variable templist to empty list
initialize stored variable university
initialize app variable count to 0
initialize app variable uni_index to 0
initialize app variable searchstring to
initialize app variable uni_name to
when Home Opens
set all_universities_list 's text items to app variable universitiesList
set uni list food 's text items to app variable foodUnilist
set uni list student life 's text items to app variable studentlifeUnilist
set uni housing list 's text items to app variable housingUnilist
when search_input Unfocus
if search_input 's Text is empty
set Data_Viewer_Grid1 's Visible to true
set searchList 's Visible to false
set Data_Viewer_Grid1 's Visible to false
set searchList 's Visible to true
when search_input Click
set Data_Viewer_Grid1 's Visible to false
set searchList 's Visible to true
when search_button Click
filter search output
when search_input Submit
filter search output
to filter search output
set app variable searchstring to search_input 's Text
set app variable templist to empty list
set app variable count to 0
repeat until cloud variable join universitiesData/ app variable count /name = null
if does to UPPER CASE cloud variable join universitiesData/ app variable count /name contain to UPPER CASE app variable searchstring
in list app variable templist insert at last as cloud variable join universitiesData/ app variable count /name
set searchList 's text items to app variable templist
change app variable count by 1
when food btn Click
set all_universities_list 's Visible to false
set uni housing list 's Visible to false
set uni list student life 's Visible to false
set uni list food 's Visible to true
when Any Simple List Item Click
component
item
index
set app variable uni_index to in list app variable universitiesList find first occurrence of item item - 1
set app variable uni_name to item
navigate to University
when all universities btn Click
set uni list student life 's Visible to false
set uni list food 's Visible to false
set uni housing list 's Visible to false
set all_universities_list 's Visible to true
when student life btn Click
set all_universities_list 's Visible to false
set uni housing list 's Visible to false
set uni list food 's Visible to false
set uni list student life 's Visible to true
when housing btn Click
set all_universities_list 's Visible to false
set uni list student life 's Visible to false
set uni list food 's Visible to false
set uni housing list 's Visible to true