

USER GUIDE

BETA 0.1.40 April 2014

Copyright (C) 2014 Stephan Bouchard - All Rights Reserved





User Guide / Table of Contents

Getting Started	
Overview	4
Installation	
Quick Start	
Support & API documentation	
TextMeshPro Component	
Text Input Box	5
Font Settings	
Material Editor & Shaders Overview Shader Overview	7
Material Editor UI Panels & Features	
Font Asset Creator	
General Overview	10
Font Asset	
General Font Information & Sub-Assets	13
Font Settings	
Character Set Info	
Kerning Table	1.4



User Guide / Getting Started

Overview

This User Guide was designed to provide TextMesh Pro users with a basic overview of the features and functionality of the tool.


Installation

Once you have downloaded TextMesh Pro from Unity's Asset Store, go to: "Assets->Import Package->Custom Package...". In the Import Asset window, find and select the TextMeshPro. unitypackage file. After the "Importing package" window appears in Unity, verify that all items to import are selected and then click the Import button in the bottom right of the window.

Quick Start

To add a new TextMesh Pro text object, simply go to: "GameObject->Create Other-

>TextMeshPro Text".



You may also wish to watch this Quick Start Video.

Support & API Documentation


Should you require assistance, please visit the TextMesh Pro <u>forum</u> located at <u>forum</u>. <u>DigitalNativeStudios.com</u> where you will find additional information and tutorials.

The documentation for the Scripting API is available online at docs. Digital Native Studios.com.

User Guide / Component Overview

Component Overview

The TextMesh Pro component is divided into two sections: The Text Input and the Font Settings.



Text Input Box

This area is where you will type the text to be rendered. Multiple lines of text can be entered by pressing <Enter> on your keyboard or by typing the special character \n.

Tabulation can be achieved by using \t. These are tab stops with a spacing interval equal to roughly 25% of the point size. For an alternative to tabs, see the <pos> tab below.


The Text Input area also supports Rich Text tags. Tags are defined by enclosing the tag between "<" and ">" characters. Below is a list of the supported tags.

- Bold
- <i>ltalics</i>
- <u>Underline</u>
- ^{Superscript}
- _{Subscript}
- <size=48>Point size 48</size>
- <size=+18>Point size increased by 18</size>
- <size=-18>Point size decreased by 18</size>
- <pos=5.5>Characters positioned about 5.5 characters from left side.
- <color=yellow>Yellow text</color>
- <#00ff00>Green text</color>

TEXTMESH PRO!

User Guide / Component Overview

Font Settings



Font Asset This is the TextMeshPro Font Asset that will be used to render the text.

Face Color Color that will be assigned as a vertex color for each character unless a color tag has been

specified.

Override Color Tags Enables overriding color tags. This results in all characters using the Face Color instead of the

color tag.

Font Size The point size of the characters.

Character Spacing Controls the spacing between individual characters.

Line Spacing Controls the spacing between lines of text. This increases or reduces the default line spacing

specified in the Font Asset.

Line Length When Word Wrap is enabled, this determines where the word wrapping will occur. Line Length

can be changed via this property or by using the yellow handle in the scene view.

Line Justification Controls the justification of text. Options are Left, Center, Right and Justified. When Justified is

selected, the ratio controls how additional spacing is added.

Anchor Position Controls the Anchor position of the text object.

UV Mapping Options Controls how the texture (face & border) are mapping on the text object.

Enable Word Wrap Enables or disables Word Wrapping. This works in conjunction with Line Length.

Enable Kerning This enables or disables Kerning if any kerning pairs are defined in the kerning table of the Font

Asset

Extra Padding Extra padding may be required for very small fonts. This extra padding prevents the characters

from being clipped.



User Guide / Material Editor & Shader Overview

Material Editor & Shaders

TextMeshPro includes several custom shaders along with a custom material editor which was designed to keep things simple by only exposing those properties which are expected to be modified.

There are two groups of shaders which include a Bitmap shader & four Signed Distance Field shaders. TextMesh Pro's shaders can be found in "TMPro/..." section of the shader list in the material component. Below is a list and brief description of the SDF shaders:

Distance Field Mobile

This lightweight shader contains just the bare essential features and offers the best overall performance.

Distance Field

This more advanced shader includes a large selection of features. It is the shader that is assigned by default to all Signed Distance Field font assets. It still offers excellent performance.

Distance Field Surface

This shader includes essentially the same features as the Distance Field shader. However, instead of using simulated lighting, it uses the scene lights. These text objects can also cast shadows. This shader uses per pixel lighting.

Distance Field Surface Mobile

This is a lightweight version of the Surface shader with limited features. It uses per vertex lighting and does not use directional information from lights. However it does factor in light distance.


Material Editor Feature Panels

In this section, you will find an overview of each of the feature panels used by the custom material editor. Clicking on these panels will hide or reveal their features. Some of these panels need to be enabled to turn on their functionality. Different panels will be available on the various shaders.

Face Panel

Color - Select the color and transparency for the face of the characters. This color will be combined with the vertex color.

Texture - Select a texture to be applied to the face of the characters. The Color will affect the color of the texture. How the texture is applied to the characters / text object is controlled by the mapping options in the Editor Panel. The texture option is not available on all shaders.



Softness - Controls the softness of the face of the characters. Please not the face softness begins at the edge which may be underneath the Outline.

Dilate - Increases or decreases the size of the characters.

Gloss - Controls how shiny the surface of the characters appears when using the Surface shaders.

TEXTMESH PRO!

User Guide / Material Editor & Shader Overview

Outline Panel

Color - Controls the color and transparency for the Outline of the characters.

Texture - Select a texture to be applied to the face of the characters. The Color will affect the color of the texture. How the texture is applied to the characters / text object is controlled by the mapping options in the Editor Panel. The texture option is not available on all shaders.

Thickness - Controls the thickness of the Outline. The Outline is applied on the edge of the face and expands inwards and outwards.

Gloss - Controls how shiny the surface of the characters appears when using the Surface shaders.

Color Texture Thickness Gloss Outline - Settings Color Texture O O O

Underlay Panel

Underlay can be used to add a shadow or border to the text object. This is a very efficient way to add contrast to small text.

Color - Controls the color and transparency for the Underlay.

Offset (X, Y) - Controls the position of the Underlay. Please not Underlay has a limited range.

Dilate - Increases or decreases the size of the underlay. This can be used to make the shadow appear bigger or with an Offset of (0, 0) create a nice border around the text.

Softness - Controls the softness of the underlay.

Bevel Panel

Bevel simulates the visual appearance of a 3D bevel on a 2D object.

Type - Two types are available; Outer and Inner bevel.


Amount - Controls the amount of bevel being applied.

Offset - Controls the position of the bevel relative to the edge of the face of the character.

Width - Controls the width of the bevel effect.

Roundness - Determines if the bevel ridges will appear sharp or rounded.

Clamp - Limits the height of the bevel. This visually looks like the edges have been flattened.



TEXTALESH PRO!

User Guide / Material Editor & Shader Overview

Lighting Panel

The lighting settings controls the appearance of the bevel, bump and environmental mapping.

Light Angle - Controls the angle of the light.

Specular Color - Determines the color of the specular highlights.

Specular Power - Controls the strength of the specular highlights.

Reflectivity Power - Controls the amount of light being reflected.

Diffuse Shadow - Increase or decrease the amount of light received by the object.

Ambient Shadow - Controls how pronounced the light and bevel edges appear.


Lighting - Settings Light Angle Specular Color Specular Power Reflectivity Power Diffuse Shadow Ambient Shadow Enable -> 3.142 2 10 0.5 0.5

BumpMap Panel

Texture - The normal map to be applied to the text object.

Face - Controls the amount of bump mapping to be applied to the face of the characters.

Outline - The amount of bump mapping applied to the Outline of the characters.



EnvMap Panel

Color - The color will brighten, darken or tint the environmental map. Default color is black which leaves the text object unaffected.

Texture - The Cube map to be applied to the text object.

EnvMap - Settings - Enable -> Color Texture

Glow Panel

Color - The color and transparency of the Glow.

Offset - Controls the position of the glow. A value of 0.0 is on the edge of the face of the character.

Inner - Controls how far the Glow effect extends towards the inside of the face.

Outer - Controls how far the Glow effect extends towards the outside of the face.


Power - Controls the amount of Glow.



User Guide / Font Asset Creator

Font Asset Creator Overview

To access TextMesh Pro's Font Asset Creator go to: "Window->TextMeshPro Font Asset Creator".



Font Settings


The Font Settings panel is where the font for which a font asset is to be created is selected along with various settings.

Font Source is where the font for which an asset is to be created is selected.

Point Size determines at what point size the font will be created. You can either manually select the size of the font or use the Auto Sizing mode which will find the largest possible font size to fit in the given Atlas Resolution. It is recommended to use Auto Sizing.

Font Padding determines how much space in pixel units between each character. Font Padding also determines the spread used in the Signed Distance Field Font Render Mode. For an Atlas Resolution of 512 X 512, a value of 5 for padding is generally adequate.

Atlas Resolution determines the size of the Font Atlas. For most fonts which include the full ASCII character set, a size of 512 X 512 works usually well for Signed Distance Field Render Mode.



LEXTIMESH PROS

User Guide / Font Asset Creator


Character Set determines what characters will be included in the font atlas

Custom Range allows you to define a range that represents which characters to be included. To define a range the includes the ASCII set + Latin supplemental characters, a user would enter 32-126, 161-255 in the Custom Range window.

Custom Characters allows the user to specify characters to include by typing them Custom Character window.

Characters from File enables a user to supply a plain text file that contains all the characters to be included in the atlas.

Font Style allows the user to select if the characters will be created as bold, italics or as an outline as well as defining the thickness of the outline or boldness. Keep in mind that this is mostly useful for normal bitmap fonts. Since Signed Distance Field font rendering enables the creation of bold or an outline dynamically these style options are fun to experiment with but not essential.



Signed Distance Field 16

Hinted Smooth Smooth

Raster Hinted

Raster

÷ |

Font Render Mode:

Get Kerning Pairs?

Prev

Font Render Mode determines how the characters will be rendered.

Hinted Smooth is anti-aliased rendering with hinting.

Smooth is the same without hinting.

Raster Hinted renders the characters without anti-aliasing with hinting.

Atlas. The font will be up sampled 16X to produce a more accurate Signed Distance Field Atlas.

Signed Distance Field 16 Font: Arial Pt. Size Characters packed: Signed Distance Field 32 **Raster** is no anti-aliasing or hinting. Signed Distance Field 64 Save TextMeshPro Font Asset Signed Distance Field 16 is the standard mode for creating a SDF

Signed Distance Field 32 is the same as above but with 32X up sampling. Using this mode will result in a more accurate SDF Atlas which although more accurate may deliver only subtle visual improvements. This options should mostly be used when trying to fit a full ASCII set into a small 256 X 256 atlas or when dealing with a complex shaped font with high frequency curve changes. Note: This processing mode will be significantly slower than the 16X mode.

Note: Padding represents the spread that will be used in the creation of the SDF Atlas. The larger the spread the longer it will take to process the atlas. Higher spread provides for better control over outline thickness, bevel and glow "tweak-ability" but will result in the characters being smaller in the atlas. Smaller point size means potentially less sampling points and perhaps not as good contour accuracy. It is a trade off or balance between those two. Typically a Spread or padding of 5 is good for normal text and Spread of 7 for things like titles which typically have larger outline, bevel and glow options.

Get Kerning Pairs determines if the kerning pairs that may exist in the font file will be added to the font asset. In the event no kerning pairs are found in the font file, new kerning pairs can always be added in the TextMeshPro Font Asset Editor Panel.

Preview Font Atlas will get the font engine to render the select font / characters.

Save TextMeshPro Font Asset will bring up a file requester allowing you to choose a file location and a name for the newly created asset. By default the font name will be that of the font name. When using Signed Distance Field Render Mode, this name will be Font Name with SDF added. We recommend you save your font assets in the "Assets/Resources/Fonts/..." or create such folder structure if one does not exists. As text objects are frequently created via scripts which results in font assets not being referenced by any scene objects, this guarantees your fonts assets will be include in the build and available.

User Guide / Font Asset

Font Asset

TextMesh Pro uses a custom font asset which contains information necessary to display the font. The font asset is divided into five sections which are as follows:

Face Info contains information specific to the font that was rendered using the Font Asset Creator. This includes the follow information:

Font Source - The name of the font.

Font Size - The point size at which the font was renderer in the font atlas.

Line Height - This is the spacing between each lines of text.

Baseline - The position where the characters "sit" on the line.

Ascender - The highest point of any characters in the font.

Descender - The lowest point of any characters in the font.

Underline - The position of the underline.

Width & Height - The width and height of the font atlas.

Font Sub-Assets displays the sub assets that are part of the custom font.


Font Atlas - Texture which contains all the characters of the font. This texture is specific to such font.

Font Material - Default material for this font which holds a reference to the Font Atlas texture.

Face Style contains style properties for the font.

Normal & Bold weight - This defines the normal & bold weight of the font.

Italic Style - Defines the slant of italic.



TEXTIMESH PRO!

User Guide / Font Asset


Glyph Info contains specific information about each character in the font.

ASC II & Char - The ASC II code and Character.

X & Y - The X and Y position of the character in the font atlas.

W & H - The Width and Height of the character in the font atlas.

Offsets - The X Offset is where the character is drawn relative to (0, 0). The Y offset represents where the top of the character is located relative to the baseline or (0, 0). The Advance is how far to advance after this character.



Kerning Table Info contains the kerning information for the font. Kerning data can either import at font creation time or added manually using this panel.

Left Char - The left character part of the pair.

Right Char - The right character part of the pair.

Offset - The offset between the left and right character.

