




127.0.0.1:5500/public/
Student List
nodejs - Google Search
Ask Gemini
google.com/search?q=nodejs&sca_esv=9c6e8c09599e8c8d&sxsrf=APpeQnutj7o4ILp5W_CGFzoUNVoITReTCw%3A1791694580563&source=hp&e...
Finish update
Google
nodejs
AI Mode
All
Images
Videos
News
Shopping
Forums
More
Node.js
https://nodejs.org › ...
Node.js
Node.js® is a free, open-source, cross-platform JavaScript runtime environment that lets developers create servers, web apps, command line tools and scripts.
Download
Download Node.js® · # Download and install nvm: · curl · # in lieu ...
Download Node
Node.js® is a free, open-source, cross-platform JavaScript ...
About
As an asynchronous event-driven JavaScript runtime, Node.js is ...
Releases
Starting with Node.js 27, the release cycle will be annual and ...
Activate Windows
Go to Settings to activate Windows.
Type here to search
10:27 AM
10/11/2026



127.0.0.1:5500/public/
Student List
Node.js — Download Node.js®
Ask Gemini
nodejs.org/en/download
Finish update
Learn
About
Download
Blog
Docs
Beta Docs
Contribute
Start typing...
⌘ K
Click Here
Download Node.js®
Get Node.js®
v24.21.0
LTS
for
Windows
using
Docker
with
npm
Info Want new features sooner? Get the latest Node.js version instead and try the latest improvements!
Docker has specific installation instructions for each operating system.
Please refer to the official documentation at https://docker.com/get-started/
Pull the Node.js Docker image:
docker pull node:24-slim
Create a Node.js container and start a Shell session:
docker run -it --rm --entrypoint sh node:24-slim
Verify the Node.js version:
node -v # Should print "v24.21.0".
Verify npm version:
npm -v # Should print "11.19.0".
Activate Windows
Go to Settings to activate Windows.
https://nodejs.org/en/download ell
Copy to clipboard
Type here to search
10:33 AM
10/11/2026


127.0.0.1:5500/public/
Student List
Node.js — Download Node.js®
Ask Gemini
nodejs.org/en/download
Finish update
Docker has specific installation instructions for each operating system.
Please refer to the official documentation at https://docker.com/get-started/
Pull the Node.js Docker image:
docker pull node:24-slim
Create a Node.js container and start a Shell session:
docker run -it --rm --entrypoint sh node:24-slim
Verify the Node.js version:
node -v # Should print "v24.21.0".
Verify npm version:
npm -v # Should print "11.19.0".
PowerShell
Copy to clipboard
Click Download
Docker is a containerization platform. If you encounter any issues please visit Docker's website
Or get a prebuilt Node.js® for Windows running a x64 architecture.
Windows Installer (.msi)
Standalone Binary (.zip)
Read the changelog or blog post for this version.
Learn more about Node.js releases, including the release schedule and LTS status.
Activate Windows
Go to Settings to activate Windows.
https://nodejs.org/dist/v24.21.0/node-v24.21.0-x64.msi
Type here to search
10:34 AM
10/11/2026


127.0.0.1:5500/public/
Student List
Node.js — Download Node.js®
Ask Gemini
nodejs.org/en/download
Finish update
Recent download history
Close
node-v24.21.0-x64 (1).msi
↓ 2.7/31.7 MB • 2 minutes left
Full download history
Docker has specific installation instructions for each operating system.
Please refer to the official documentation at https://docker.com/get-started/
Pull the Node.js Docker image:
docker pull node:24-slim
Create a Node.js container and start a Shell session:
docker run -it --rm --entrypoint sh node:24-slim
Verify the Node.js version:
node -v # Should print "v24.21.0".
Verify npm version:
npm -v # Should print "11.19.0".
PowerShell
Copy to clipboard
Docker is a containerization platform. If you encounter any issues please visit Docker's website
Or get a prebuilt Node.js® for Windows running a x64 architecture.
Windows Installer (.msi)
Standalone Binary (.zip)
Read the changelog or blog post for this version.
Learn more about Node.js releases, including the release schedule and LTS status.
Activate Windows
Go to Settings to activate Windows.
Type here to search
10:35 AM
10/11/2026





Activate Windows
Go to Settings to activate Windows.





Activate Windows
Go to Settings to activate Windows.



Node.js Setup
Welcome to the Node.js Setup Wizard
The Setup Wizard will install Node.js on your computer.
Click Next Button
Back
Next
Cancel
Node.js Setup
End-User License Agreement
Please read the following license agreement carefully
Node.js is licensed for use as follows:
Copyright Node.js contributors. All rights reserved.
Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so,
I accept the terms in the License Agreement
Next
Print
Back
Next
Cancel
Activate Windows
Go to Settings to activate Windows.
Type here to search
10:48 AM
10/11/2026
10:50 AM
10/11/2026



Recycle Bin
temp
3D Vision Photo Viewer
01
Adobe Reader 9
images
Google Chrome
IPMSG for Win
JetBrains PyChar...
Microsoft Edge
JetBrains PyCharm Pr...
Visual Studio Code
Node.js Setup
Destination Folder
Choose a custom location or click Next to install.
Install Node.js to:
C:\Program Files\nodejs\
Change...
Back
Next
Cancel
Activate Windows
Go to Settings to activate Windows.
Type here to search
10:50 AM
10/11/2026



Recycle Bin
temp
3D Vision Photo Viewer
01
Adobe Reader 9
images
Google Chrome
IPMSG for Win
JetBrains PyChar...
Microsoft Edge
JetBrains PyCharm Pr...
Visual Studio Code
Node.js Setup
Custom Setup
Select the way you want features to be installed.
Click the icons in the tree below to change the way features will be installed.
Node.js runtime
corepack manager
npm package manager
Online documentation shortcuts
Add to PATH
Install the core Node.js runtime (node.exe).
This feature requires 89MB on your hard drive.
Browse...
Reset
Disk Usage
Back
Next
Cancel
Activate Windows
Go to Settings to activate Windows.
Type here to search
10:51 AM
10/11/2026



Recycle Bin
temp
3D Vision Photo Viewer
01
Adobe Reader 9
images
Google Chrome
IPMSG for Win
JetBrains PyChar...
Microsoft Edge
JetBrains PyCharm Pr...
Visual Studio Code
Node.js Setup
Tools for Native Modules
Optionally install the tools necessary to compile native modules.
Some npm modules need to be compiled from C/C++ when installing. If you want to be able to install such modules, some tools (Python and Visual Studio Build Tools) need to be installed.
Automatically install the necessary tools. Note that this will also install Chocolatey. The script will pop-up in a new window after the installation completes.
Alternatively, follow the instructions at https://github.com/nodejs/node-gyp#on-windows to install the dependencies yourself.
Back
Next
Cancel
Activate Windows
Go to Settings to activate Windows.
Type here to search
10:51 AM
10/11/2026



Recycle Bin
temp
3D Vision Photo Viewer
01
Adobe Reader 9
images
Google Chrome
IPMSG for Win
JetBrains PyChar...
Microsoft Edge
JetBrains PyCharm Pr...
Visual Studio Code
Node.js Setup
Ready to install Node.js
Click Install to begin the installation. Click Back to review or change any of your installation settings. Click Cancel to exit the wizard.
Back
Install
Cancel
Activate Windows
Go to Settings to activate Windows.
Type here to search
10:52 AM
10/11/2026



Node.js Setup
Installing Node.js
Please wait while the Setup Wizard installs Node.js.
Status: Updating component registration
Back
Next
Cancel
Activate Windows
Go to Settings to activate Windows.
Type here to search
10:52 AM
10/11/2026



Node.js Setup
Completed the Node.js Setup Wizard
Click the Finish button to exit the Setup Wizard.
Node.js has been successfully installed.
Click Finish
Back
Finish
Cancel
Activate Windows
Go to Settings to activate Windows.
Type here to search
10:53 AM
10/11/2026



Win + R --- its Open Run
After type cmd
Run
Type the name of a program, folder, document, or Internet resource, and Windows will open it for you.
Open: cmd
OK
Cancel
Browse...
Activate Windows
Go to Settings to activate Windows.
Type here to search
10:54 AM
10/11/2026



Check node and npm
if get version numbers
then its sucessfully
installed our System
C:\WINDOWS\system32\cmd.exe
Microsoft Windows [Version 10.0.18362.356]
(c) 2019 Microsoft Corporation. All rights reserved.
C:\Users\giri>npm --version
11.19.0
C:\Users\giri>node --version
v24.21.0
C:\Users\giri>
Activate Windows
Go to Settings to activate Windows.
Type here to search
10:57 AM
10/11/2026



UI
File
Home
Share
View
This PC > New Volume (E:) > UI
Search UI
Quick access
Desktop
Downloads
Documents
Pictures
IARE
PPT
UI
unit 5
OneDrive
This PC
3D Objects
Desktop
Documents
Downloads
Music
Pictures
Videos
Local Disk (C:)
Local Disk (D:)
New Volume (E:)
Network
Name
Date modified
Type
Size
day01 9/24/2026 11:33 AM File folder
day02 10/4/2026 10:14 AM File folder
day03 10/4/2026 10:28 PM File folder
day04 10/5/2026 6:24 PM File folder
day05 10/11/2026 10:15 AM File folder
day06 10/11/2026 10:17 AM File folder
Create New Folder
Activate Windows
Go to Settings to activate Windows.
6 items
1 item selected
Type here to search
10:18 AM
10/11/2026



day06
File
Home
Share
View
This PC > New Volume (E:) > UI > day06
Search day06
Quick access
Desktop
Downloads
Documents
Pictures
IARE
PPT
UI
unit 5
OneDrive
This PC
3D Objects
Desktop
Documents
Downloads
Music
Pictures
Videos
Local Disk (C:)
Local Disk (D:)
New Volume (E:)
Network
Name
Date modified
Type
Size
This folder is empty.
Go to That Folder
Activate Windows
Go to Settings to activate Windows.
0 items
Type here to search
10:20 AM
10/11/2026



day06
File
Home
Share
View
E:\UI\day06
Search day06
Name
Date modified
Type
Size
Click Top and Change that name to cmd
This folder is empty.
Quick access
Desktop
Downloads
Documents
Pictures
IARE
PPT
UI
unit 5
OneDrive
This PC
3D Objects
Desktop
Documents
Downloads
Music
Pictures
Videos
Local Disk (C:)
Local Disk (D:)
New Volume (E:)
Network
0 items
Activate Windows
Go to Settings to activate Windows.
Type here to search
10:22 AM
10/11/2026



day06
File
Home
Share
View
cmd
Search day06
Name
Date modified
Type
Size
Type cmd
This folder is empty.
Quick access
Desktop
Downloads
Documents
Pictures
IARE
PPT
reactjs
UI
OneDrive
This PC
3D Objects
Desktop
Documents
Downloads
Music
Pictures
Videos
Local Disk (C:)
Local Disk (D:)
New Volume (E:)
Network
0 items
Activate Windows
Go to Settings to activate Windows.
Type here to search
10:25 AM
10/11/2026


day06
File
Home
Share
View
This PC > New Volume (E:) > UI > day06
Search day06
Name
Date modified
Type
Size
Quick access
Desktop
Downloads
Documents
Pictures
IARE
PPT
reactjs
UI
OneDrive
This PC
3D Objects
Desktop
Documents
Downloads
Music
Pictures
Videos
Local Disk (C:)
Local Disk (D:)
New Volume (E:)
Network
0 items
npm install create-react-app
Microsoft Windows [Version 10.0.18362.356]
(c) 2019 Microsoft Corporation. All rights reserved.
E:\UI\day06>npm install create-react-app
^CTerminate batch job (Y/N)?
^C
E:\UI\day06>npm install create-react-app
E:\UI\day06>npm install -g create-react-app
To install Create React App globally
Activate Windows
Go to Settings to activate Windows.
Type here to search
11:06 AM
10/11/2026



day06
File
Home
Share
View
This PC > New Volume (E:) > UI > day06
Search day06
Name
Date modified
Type
Size
Quick access
Desktop
Downloads
Documents
Pictures
IARE
PPT
reactjs
UI
OneDrive
This PC
3D Objects
Desktop
Documents
Downloads
Music
Pictures
Videos
Local Disk (C:)
Local Disk (D:)
New Volume (E:)
Network
0 items
C:\Windows\System32\cmd.exe
Microsoft Windows [Version 10.0.18362.356]
(c) 2019 Microsoft Corporation. All rights reserved.
E:\UI\day06>npm install create-react-app
^CTerminate batch job (Y/N)?
^C
E:\UI\day06>npm install create-react-app
E:\UI\day06>npm install -g create-react-app
npm warn deprecated inflight@1.0.6: This module is not supported, and leaks memory. Do not use it. Check out lru-cache if you want a good and tested way to coalesce async requests by a key value, which is much more comprehensive and powerful.
npm warn deprecated fstream-ignore@1.0.5: This package is no longer supported.
npm warn deprecated uid-number@0.0.6: This package is no longer supported.
npm warn deprecated rimraf@2.7.1: Rimraf versions prior to v4 are no longer supported
npm warn deprecated glob@7.2.3: Old versions of glob are not supported, and contain widely publicized security vulnerabilities, which have been fixed in the current version. Please update. Support for old versions may be purchased (at exorbitant rates) by contacting i@izs.me
npm warn deprecated fstream@1.0.12: This package is no longer supported.
npm warn deprecated tar@2.2.2: Old versions of tar are not supported, and contain widely publicized security vulnerabilities, which have been fixed in the current version. Please update. Support for old versions may be purchased (at exorbitant rates) by contacting i@izs.me
added 64 packages in 20s
4 packages are looking for funding
run `npm fund` for details
E:\UI\day06>
Activate Windows
Go to Settings to activate Windows.
Type here to search
11:09 AM
10/11/2026



day06
File Home Share View
This PC > New Volume (E:) > UI > day06
Search day06
Quick access
Desktop
Downloads
Documents
Pictures
IARE
PPT
reactjs
UI
OneDrive
This PC
3D Objects
Desktop
Documents
Downloads
Music
Pictures
Videos
Local Disk (C:)
Local Disk (D:)
New Volume (E:)
Network
Name
Date modified
Type
Size
C:\WINDOWS\system32\cmd.exe
E:\UI\day06>create-react-app spa06
cmd for create react app and spa06 is single page application project name
Activate Windows
Go to Settings to activate Windows.
0 items
Type here to search
11:11 AM
10/11/2026



day06
File Home Share View
This PC > New Volume (E:) > UI > day06
Search day06
Quick access
Desktop
Downloads
Documents
Pictures
IARE
PPT
reactjs
UI
OneDrive
This PC
3D Objects
Desktop
Documents
Downloads
Music
Pictures
Videos
Local Disk (C:)
Local Disk (D:)
New Volume (E:)
Network
Name
Date modified
Type
Size
spa06
C:\WINDOWS\system32\cmd.exe
npm warn install-scripts core-js-pure@3.50.0 (postinstall: node -e "try{require('./postinstall')}catch(e){}")
npm warn install-scripts
npm warn install-scripts Run `npm install-scripts ls` to review, or `npm install-scripts approve <pkg>` to allow.
Success! Created spa06 at E:\UI\day06\spa06
Inside that directory, you can run several commands:
npm start
Starts the development server.
npm run build
Bundles the app into static files for production.
npm test
Starts the test runner.
npm run eject
Removes this tool and copies build dependencies, configuration files
and scripts into the app directory. If you do this, you can't go back!
We suggest that you begin by typing:
cd spa06
npm start
Happy hacking!
E:\UI\day06>
E:\UI\day06>
E:\UI\day06>
Activate Windows
Go to Settings to activate Windows.
1 item
Type here to search
11:19 AM
10/11/2026



File Edit Selection View Go Run
spa06
Update
New Text File Ctrl+N
New File... Ctrl+Alt+Windows+N
New Window Ctrl+Shift+N
New Window with Profile
Open File... Ctrl+O
Open Folder... Ctrl+K Ctrl+O
Open Workspace from File...
Open Recent
Add Folder to Workspace...
Save Workspace As...
Duplicate Workspace
Save Ctrl+S
Save As... Ctrl+Shift+S
Save All Ctrl+K S
Share
Auto Save
Preferences
Revert File
Close Editor Ctrl+F4
Close Folder Ctrl+K F
Close Window Alt+F4
Exit
this folder to enable all features. Manage Learn More
Welcome
Start
New File...
Open File...
Open Folder...
Connect to...
Generate New Workspace...
Recent
day02 E:\UI
src E:\UI\day01
day04 E:\UI
public E:\UI\day02
myapp E:\UI\day04
More...
Walkthroughs
Get started with VS Code
Customize your editor, learn the basics, and start coding
Learn the Fundamentals
Show welcome page on startup
Chat
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
Describe what to build
Agent Models
Local Default permissions
Activate Windows
Go to Settings to activate Windows.
Restricted Mode
Type here to search
11:21 AM
10/11/2026


Open Folder
UI › day06
Search day06
Organize
New folder
This PC
3D Objects
Desktop
Documents
Downloads
Music
Pictures
Videos
Local Disk (C:)
Local Disk (D:)
New Volume (E:)
Network
Name
Date modified
Type
spa06
10/11/2026 11:17 AM
File fold
Folder: spa06
Select folder
Cancel
Update
Chat
Walkthroughs
Get started with VS Code
Customize your editor, learn the basics, and start coding
Learn the Fundamentals
public E:\UI\day02
myapp E:\UI\day04
More...
Outline
Timeline
Show welcome page on startup
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
Describe what to build
Agent Models
Local Default permissions
Activate Windows
Go to Settings to activate Windows.
Restricted Mode
Type here to search
11:22 AM
10/11/2026



File Edit Selection View Go Run
Terminal
Help
New Terminal Ctrl+Shift+`
Split Terminal Ctrl+Shift+5
New Terminal Window Ctrl+Shift+Alt+`
Run Task...
Run Build Task... Ctrl+Shift+B
Run Active File
Run Selected Text
Show Running Tasks...
Restart Running Task...
Terminate Task...
Configure Tasks...
Configure Default Build Task...
Explorer
spa06
node_modules
public
src
.gitignore
package-lock.json
package.json
README.md
Start
Recent
day02 E:\UI
src E:\UI\day01
day04 E:\UI
public E:\UI\day02
myapp E:\UI\day04
More...
Show welcome page on startup
Chat
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
Describe what to build
Agent Models
Local Default permissions
Outline
Timeline
Restricted Mode
Type here to search
11:22 AM
10/11/2026



File Edit Selection View Go Run
Welcome
Release Notes: 1.141.0
Visual Studio Code 1.141
Show release notes after an update
Follow us on LinkedIn, X, Bluesky, Instagram | View online
We required cmd
Release date: October 7, 2026
Release highlights
This release makes it easier to manage agent sessions, protect agent workflows
and work across GitHub Enterprise instances.
New Terminal Ctrl+Shift+`
New Terminal Window Ctrl+Shift+Alt+`
Split Terminal Ctrl+Shift+5
PowerShell
Command Prompt
JavaScript Debug Terminal
Agent Host (Local)
Split Terminal with Profile
Configure Terminal Settings
Select Default Profile
Run Task...
Configure Tasks...
Problems Output Terminal
powershell
PS E:\UI\day06\spa06>
Chat
Describe what to build
Agent Models
Local Default permissions
Activate Windows
Type here to search
11:24 AM
10/11/2026



File Edit Selection View Go Run
spa06
Sign In
Explorer
spa06
node_modules
public
favicon.ico
index.html
logo192.png
logo512.png
manifest.json
robots.txt
src
App.css
App.js
App.test.js
index.css
index.js
logo.svg
reportWebVitals.js
setupTests.js
.gitignore
package-lock.json
package.json
README.md
Outline
Timeline
Welcome
Start
New File...
Open File...
Open Folder...
Connect to...
Generate New Workspace...
Walkthroughs
Get started with VS Code
Customize your editor, learn the basics, and start coding
Learn the Fundamentals
Recent
day02 E:\UI
src E:\UI\day01
day04 E:\UI
public E:\UI\day02
myapp E:\UI\day04
Chat
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
Describe what to build
Agent
Models
Local
Default permissions
Problems
Output
Debug Console
Terminal
Ports
E:\UI\day06\spa06>npm run start
powershell
cmd
Enter
its up and runing
only for devlopement
production its different way
Activate Windows
Go to Settings to activate Windows.
Go Live
Type here to search
11:26 AM
10/11/2026
Ask Gemini
localhost:3000
Install
Finish update
Local: http://localhost
On Your Network: http://10.47.225
Note that the development build is n
To create a production build, use np
webpack compiled successfully
node
React working fine
next Integrate http api calls & ws and wss calls
Props and Context api
redux
Edit src/App.js and save to reload.
Learn React
11:30 AM
10/11/2026



File Edit Selection View Go Run
spa06
Sign In
Explorer
spa06
node_modules
react-error-overlay
react-is
react-refresh
react-router
react-router-dom
react-scripts
read-cache
readable-stream
readdirp
recursive-readdir
redent
reflect.getprototyp...
regenerate
regenerate-unicod...
regenerator-runtime
regex-parser
regexp.prototype.fl...
regexpu-core
regjsgen
regjsparser
relateurl
Outline
Timeline
Welcome
Start
New File...
Open File...
Open Folder...
Connect to...
Generate New Workspace...
Walkthroughs
Get started with VS Code
Customize your editor, learn the basics, and start coding
Learn the Fundamentals
Problems Output Debug Console Terminal Ports
Install router package for url routing write that command and enter
E:\UI\day06\spa06>npm install react-router-dom
up to date, audited 1311 packages in 9s
273 packages are looking for funding
run `npm fund` for details
99 vulnerabilities (3 low, 33 moderate, 63 high)
To address issues that do not require attention, run:
npm audit fix
To address all issues (including breaking changes), run:
npm audit fix --force
Run `npm audit` for details.
npm warn install-scripts 2 packages have install scripts not yet covered by allowScripts:
powershell
cmd
powershell
Activate Windows
Go to Settings to activate Windows.
Go Live
Prettier
Type here to search
11:38 AM
10/11/2026


File Edit Selection View Go Run
Search
Sign In
Extensions
Search Extensions in Marketplace
Installed
ES7+ React/Redux/Reac... 763ms
Extensions for React, React-Native ...
dsznajder
Live Server 26ms
Launch a development local Server ...
Ritwick Dey
Prettier - Code formatter 144ms
Code formatter using prettier
Prettier
Recommended
MCP Servers
MCP Servers
Extension: Prettier - Code formatter
Prettier - Code formatter
Prettier Extension name 72,200,144 (492) Sponsor
Code formatter using prettier
Disable Uninstall Auto Update
DETAILS FEATURES CHANGELOG
Prettier Formatter for Visual Studio Code
Prettier is an opinionated code formatter. It enforces a consistent style by parsing your code and re-printing it with its own rules that take the maximum line length into account, wrapping code when necessary.
JavaScript · TypeScript · Flow · JSX · JSON
CSS · SCSS · Less
HTML · Vue · Angular HANDLEBARS · Ember · Glimmer
GraphQL · Markdown · YAML
Your favorite language?
Main no status visual-studio-marketplace retired badge visual-studio-marketplace retired badge
code style prettier @PrettierCode
Installation
Installation
Identifier esbenp.prettier-vscode
Version 12.4.0
Last Updated 4 days ago
Size 14.01MB
Marketplace
Published 10 years ago
Last Released 7 months ago
Categories
Formatters
Activate Windows
Go to Settings to activate Windows.
Go Live
Type here to search
11:58 AM
10/11/2026



File Edit Selection View Go Run
Search
Sign In
Extensions
Search Extensions in Marketplace
Installed 3
ES7+ React/Redux/Reac... 763ms
Extensions for React, React-Native ...
dsznajder
Live Server 26ms
Launch a development local Server ...
Ritwick Dey
Prettier - Code formatter 144ms
Code formatter using prettier
Prettier
Recommended 8
Container Tools 18.6M 4
Makes it easy to create, manage, a...
Microsoft
Install
npm Intellisense 12.3M 4.5
Visual Studio Code plugin that auto...
MCP Servers
MCP Servers
Extension: ES7+ React/Redux/React-Native snippets
ES7+ React/Redux/React-Native snippets
dsznajder 17,793,448 (85)
Extensions for React, React-Native and Redux in JS/TS with ES7+ syntax. Customizable. Built-in integration with prettier.
Disable Uninstall Auto Update
DETAILS FEATURES CHANGELOG
VS Code ES7+ React/Redux/React-Native/JS snippets
JavaScript and React/Redux snippets in ES7+ with Babel plugin features for VS Code
Installation
Visual Studio Marketplace
Launch Quick Open:
Linux: Ctrl+P
macOS: ⌘P
Windows: Ctrl+P
Installation
Identifier dsznajder.es7-react-js-snippets
Version 4.4.3
Last Updated 6 days ago
Size 20.31MB
Marketplace
Published 9 years ago
Last Released 5 years ago
Categories
Snippets
Activate Windows
Go to Settings to activate Windows.
Go Live
Type here to search
11:59 AM
10/11/2026



File Edit Selection View Go Run
Search
Sign In
Extensions
Search Extensions in Marketplace
Installed 3
ES7+ React/Redux/Reac... 763ms
Extensions for React, React-Native ...
dsznajder
Live Server 26ms
Launch a development local Server ...
Ritwick Dey
Prettier - Code formatter 144ms
Code formatter using prettier
Prettier
Recommended 8
Container Tools 18.6M 4
Makes it easy to create, manage, a...
Microsoft
Install
npm Intellisense 12.3M 4.5
Visual Studio Code plugin that auto...
MCP Servers
MCP Servers
Extension: Live Server
Live Server
Ritwick Dey 83,337,534 (519)
Launch a development local Server with live reload feature for static & dynamic pages
Disable Uninstall Auto Update
DETAILS FEATURES CHANGELOG
[Wanna try LIVE SERVER++ (BETA) ? It'll enable live changes without saving file.
https://github.com/ritwickdey/vscode-live-server-plus-plus]
Live Server
Live Server loves your multi-root workspace
Live Server for server side pages like PHP. Check Here
[For 'command not found error' #78]
vscode marketplace retired badge visual-studio-marketplace retired badge
visual-studio-marketplace retired badge
404 badge not found appveyor branch passing license MIT
Launch a local development server with live reload feature for static & dynamic pages.
Installation
Identifier ritwickdey.liveserver
Version 5.7.10
Last Updated 2 weeks ago
Size 15.09MB
Marketplace
Published 9 years ago
Last Released 8 months ago
Categories
Other
Resources
Activate Windows
Go to Settings to activate Windows.
Go Live
Type here to search
12:00 PM
10/11/2026



File Edit Selection View Go Run
spa06
Sign In
Explorer
spa06
node_modules
public
favicon.ico
index.html
logo192.png
logo512.png
manifest.json
robots.txt
src
App.css
App.js
App.test.js
index.css
index.js
logo.svg
reportWebVitals.js
setupTests.js
.gitignore
package-lock.json
package.json
README.md
Outline
Timeline
package.json
package.json > { } dependencies
{
"name": "spa06",
"version": "0.1.0",
"private": true,
"dependencies": {
"@testing-library/dom": "^10.4.2",
"@testing-library/jest-dom": "^6.9.1",
"@testing-library/react": "^16.3.3",
"@testing-library/user-event": "^13.5.0",
"react": "^19.3.0",
"react-dom": "^19.3.0",
"react-router-dom": "^7.18.4",
"react-scripts": "5.0.1",
"web-vitals": "^2.1.4"
},
Debug
"scripts": {
"start": "react-scripts start",
"build": "react-scripts build",
"test": "react-scripts test",
Problems Output Debug Console Terminal Ports
powershell
cmd
powershell
To address all issues (including breaking changes), run:
npm audit fix --force
Run `npm audit` for details.
npm warn install-scripts 2 packages have install scripts not yet covered by allowScripts:
Activate Windows
Go to Settings to activate Windows.
Ln 13, Col 30 (116 selected) Spaces: 2 UTF-8 LF JSON Go Live Prettier
Type here to search
12:02 PM
10/11/2026


File Edit Selection View Go Run
spa06
Sign In
Explorer
spa06
node_modules
public
favicon.ico
index.html
logo192.png
E:\UI\day06\spa06\public\index.html
logo512.png
manifest.json
robots.txt
src
App.css
App.js
App.test.js
index.css
index.js
logo.svg
reportWebVitals.js
setupTests.js
.gitignore
package-lock.json
package.json
README.md
Outline
Timeline
package.json
index.html
index.js
public > index.html > html > body > div#root
Text Editor
path
<html lang="en">
<head>
Notice the use of %PUBLIC_URL% in the tags above.
It will be replaced with the URL of the `public` folder during the build.
Only files inside the `public` folder can be referenced from the HTML.
Unlike "/favicon.ico" or "favicon.ico", "%PUBLIC_URL%/favicon.ico" will
work correctly both with client-side routing and a non-root public URL.
Learn how to configure a non-root public URL by running `npm run build`.
-->
<title>React App</title>
DOM object
</head>
<body>
<noscript>You need to enable JavaScript to run this app.</noscript>

<!--
This HTML file is a template.
If you open it directly in the browser, you will see an empty page.
You can add webfonts, meta tags, or analytics to this file.
Problems Output Debug Console Terminal Ports
powershell
cmd
powershell
To address all issues (including breaking changes), run:
npm audit fix --force
Run `npm audit` for details.
npm warn install-scripts 2 packages have install scripts not yet covered by allowScripts:
Activate Windows
Go to Settings to activate Windows.
Ln 31, Col 25 Spaces: 2 UTF-8 LF HTML Go Live Prettier
Type here to search
12:03 PM
10/11/2026


both connect via id ref
dom object
path
src/index.js
1 import React from 'react';
2 import ReactDOM from 'react-dom/client';
3 import './index.css';
4 import App from './App';
5 import reportWebVitals from './reportWebVitals';
7 const root = ReactDOM.createRoot(document.getElementById('root'));
8 root.render(
9 <React.StrictMode>
10 <App />
11 </React.StrictMode>
12);
14 // If you want to start measuring performance in your app, pass a function
15 // to log results (for example: reportWebVitals(console.log))
16 // or send to an analytics endpoint. Learn more: https://bit.ly/CRA-vitals
17 reportWebVitals();
To address all issues (including breaking changes), run:
npm audit fix --force
Run `npm audit` for details.
npm warn install-scripts 2 packages have install scripts not yet covered by allowScripts:
Activate Windows
Go to Settings to activate Windows.
Type here to search
12:04 PM
10/11/2026


path
Create componet add
between of React
src/index.js
1 import React from 'react';
2 import ReactDOM from 'react-dom/client';
3 import './index.css';
4 import App from './App';
5 import reportWebVitals from './reportWebVitals';
7 const root = ReactDOM.createRoot(document.getElementById('root'));
8 root.render(
9 <React.StrictMode>
10 <App />
11 </React.StrictMode>
12);
14 // If you want to start measuring performance in your app, pass a function
15 // to log results (for example: reportWebVitals(console.log))
16 // or send to an analytics endpoint. Learn more: https://bit.ly/CRA-vitals
17 reportWebVitals();
To address all issues (including breaking changes), run:
npm audit fix --force
Run `npm audit` for details.
npm warn install-scripts 2 packages have install scripts not yet covered by allowScripts:
Activate Windows
Go to Settings to activate Windows.
Type here to search
12:08 PM
10/11/2026



File Edit Selection View Go Run
spa06
Sign In
Explorer
package.json
index.html
App.js
src > App.js > App
import logo from './logo.svg';
import './App.css';
function App() {
return (

<header className="App-header">

Edit <code>src/App.js</code> and save to reload.

<a
className="App-link"
href="https://reactjs.org"
target="_blank"
rel="noopener noreferrer"
>
Learn React

</header>
Two ways Create a Componets 1 is Class based , 2.function based
bellow html code defoult its created when create react project
remove all code
we are add our logics here
Problems Output Debug Console Terminal Ports
To address all issues (including breaking changes), run:
npm audit fix --force
Run `npm audit` for details.
npm warn install-scripts 2 packages have install scripts not yet covered by allowScripts:
powershell
cmd
powershell
Activate Windows
Go to Settings to activate Windows.
Ln 12, Col 11 Spaces: 2 UTF-8 LF JavaScript Go Live Prettier
Type here to search
12:14 PM
10/11/2026
Ask Gemini
localhost:3000
Finish update
html code result is on web page
Edit src/App.js and save to reload.
Learn React
Activate Windows
Go to Settings to activate Windows.
Ln 15, Col 26 Spaces: 2 UTF-8 LF JavaScript Go Live Prettier
12:18 PM
10/11/2026


spa06
Sign In
Extensions
Search Exte...
Installed
ES7+ Reac... 810ms
Extensions for React, ...
dsznajder
Live Server 532ms
Launch a developmen...
Ritwick Dey
Prettier - C... 66ms
Code formatter using...
Prettier
Recommended
MCP Servers
MCP Servers
Browse and install Model Context Protocol (MCP) servers directly from VS Code to extend agent
package.json
index.html
App.js
src > App.js > App
1 import logo from './logo.svg';
2 import './App.css';
3
4 function App() {
5 return (
6 <>
7 <h1>Welcome to IARE</h1>
8 <h2>Welcome to CSE Dev-1</h2>
9
10 </>
11);
12 }
13
14 export default App;
15
Problems
Output
Terminal
powershell
node
powershell
src\App.js
Line 1:8: 'logo' is defined but never used no-unused-vars
webpack compiled with 1 warning
Ln 8, Col 29
Spaces: 2
UTF-8
LF
JavaScript
Go Live
Prettier
Ask Gemini
localhost:3000
Finish update
Welcome to IARE
Welcome to CSE Dev-1
Activate Windows
Go to Settings to activate Windows.
Type here to search
12:24 PM
10/11/2026