

CO1 - Assessment Tool - 1 - MCQ
[← Back](#)
QUESTIONS
Q1 
 Operators and Expressions
 1 mark

Q2 
 Operators and Expressions
 1 mark

Q3 
 Operators and Expressions
 1 mark

Q4 
 Operators and Expressions
 1 mark

Q5 
 Operators and Expressions
 1 mark

Q6 
 Operators and Expressions
 1 mark

Q7 
Q1 Operators and Expressions

1 mark

A programmer wants to display the octal equivalent of a decimal number stored as 25 using printf. Which output will the program produce?

☒ A. 31

☐ B. 25

☐ C. 32

☐ D. Error

CO1 - Assessment Tool-2 - Experiments

← Back

QUESTIONS

Q1

Decision Making
10 marks



Q2

Decision Making
10 marks



Q3

Looping
10 marks



Q4

Looping
10 marks



Q5

Looping
10 marks



5/5 answered

Q1 Decision Making

10 marks

Write a program to find the Maximum among three numbers

Your Code

```
1 #include <stdio.h>
2 int main() {
3     int a, b, c;
4     scanf("%d %d %d", &a, &b, &c);
5     int max = a;
6     if (b > max) max = b;
7     if (c > max) max = c;
8     printf("%d", max);
9     return 0;
10 }
```

Input

stdin input

Output

539301640

Visible Test Cases

Test Case 1



CO1 - Assessment Tool -3 Pseudo code writing[← Back](#)**QUESTIONS****Q1**

Pseudo Code writing, input, output and description for the following problems required
100 marks

1/1 answered

Q1 Pseudo Code writing, input, output and description for the following problems required

100 marks

Q1. Given pseudocode:

#define DEBUG 0

IF DEBUG

PRINT intermediate_value

END IF

- Identify error in directive usage
- Correct the logic

Q2. #define PI _____

DECLARE radius AS float

DECLARE area AS float

INPUT radius

area = _____

PRINT area

Fill:

- Constant
- Formula