The standard of the standard

Data description:

events_train.csv - data on actions performed by students with steps

- step_id step id
- user id anonymized user id
- timestamp time of occurrence of the event in unix date format
- action event, possible values:
 - discovered the user switched to step
 - viewed view step,
 - started_attempt the beginning of an attempt to solve a step
 - passed a good solution to a practical step

submissions_train.csv - data on the time and status of submissions for practical tasks

- step id step ID
- timestamp time of sending the solution in unix date format
- submission_status decision status
- user_id anonymized user id

Import Libraries and Datasets

```
In [5]:
```

```
import pandas as pd
import numpy as np
import seaborn as sns
import matplotlib.pyplot as plt
```

In [6]:

```
events_df = pd.read_csv('/kaggle/input/predict-students-drop-out-of-the-course/even
t_data_train.csv')

subs_df = pd.read_csv('/kaggle/input/predict-students-drop-out-of-the-course/submis
sions_data_train.csv')
```

Data Pre-Processing

· Handling NULL Values in the Datasets :

```
In [7]:
events_df.isna().sum()
Out[7]:
step_id
             0
timestamp
             0
action
user_id
dtype: int64
In [8]:
subs_df.isna().sum()
Out[8]:
step_id
                      0
timestamp
                      0
submission_status
                      0
                      0
user_id
```

• Handling Duplicates in the Datasets :

In [17]:

dtype: int64

```
# Checking size of the dataset
print(events_df.shape)

print(events_df.duplicated().sum())

# Drop the Duplicates
events_df = events_df.drop_duplicates()

print(events_df.shape)

(3480703, 4)
2333
(3478370, 4)
```

In [18]:

```
# Checking size of the dataset
print(subs_df.shape)

print(subs_df.duplicated().sum())

# Drop the Duplicates
subs_df = subs_df.drop_duplicates()

print(subs_df.shape)

(509104, 4)
107
(508997, 4)
```

· Get overall information of the Datasets:

In [19]:

```
events df.info()
<class 'pandas.core.frame.DataFrame'>
Index: 3478370 entries, 0 to 3480702
Data columns (total 4 columns):
#
    Column
                Dtype
                _ _ _ _ _
   step id
                int64
a
1
   timestamp
                int64
 2
    action
                object
 3
    user id
                int64
dtypes: int64(3), object(1)
memory usage: 132.7+ MB
In [20]:
subs_df.info()
<class 'pandas.core.frame.DataFrame'>
Index: 508997 entries, 0 to 509103
Data columns (total 4 columns):
#
    Column
                        Non-Null Count
                                         Dtype
--- -----
                        _____
   step id
                        508997 non-null int64
0
1
                        508997 non-null
                                         int64
    timestamp
    submission_status 508997 non-null object
```

Convert timestamp column to Date :

```
In [31]:
```

user_id

dtypes: int64(3), object(1)

memory usage: 19.4+ MB

```
subs_df['column_name'] = pd.to_datetime(subs_df['timestamp'], unit='s')
```

508997 non-null int64

In [37]:

subs_df

Out[37]:

	step_id	timestamp	submission_status	user_id
0	31971	2015-06-15 06:21:15	correct	15853
1	31972	2015-06-15 06:05:00	correct	15853
2	31972	2016-11-11 08:15:49	wrong	15853
3	31972	2016-11-11 08:16:04	correct	15853
4	31976	2015-06-15 06:02:03	wrong	15853
509099	120745	2017-08-05 15:29:19	wrong	2615
509100	120745	2017-08-18 12:38:47	correct	13177
509101	120745	2017-09-25 14:02:33	wrong	15253
509102	120745	2018-04-06 17:21:56	wrong	1424
509103	120745	2018-04-10 17:53:45	wrong	9422

508997 rows × 4 columns

In [33]:

events_df['timestamp'] = pd.to_datetime(events_df['timestamp'], unit='s')

In [38]:

```
events_df
```

Out[38]:

	step_id	timestamp	action	user_id
0	32815	2015-06-15 04:00:48	viewed	17632
1	32815	2015-06-15 04:00:48	passed	17632
2	32815	2015-06-15 04:00:48	discovered	17632
3	32811	2015-06-15 04:01:35	discovered	17632
4	32811	2015-06-15 04:01:35	viewed	17632
3480698	33375	2018-05-19 23:31:25	viewed	11677
3480699	32815	2018-05-19 23:32:30	viewed	5198
3480700	32815	2018-05-19 23:32:30	discovered	5198
3480701	32815	2018-05-19 23:32:30	passed	5198
3480702	33892	2018-05-19 23:33:31	viewed	18526

3478370 rows × 4 columns

• Handling Categorical Data:

In [43]:

```
print(len(subs_df['step_id'].unique()))
print(len(subs_df['user_id'].unique()))
```

76 9940

In [44]:

```
print(len(events_df['step_id'].unique()))
print(len(events_df['user_id'].unique()))
```

198 19234

In [50]:

```
# Find number of unique use_id from both the datasets
print(len(set(events_df['user_id'].unique()) | set(subs_df['user_id'].unique())))
```

19234

In [45]:

```
subs_df['submission_status'].unique()
```

Out[45]:


array(['correct', 'wrong'], dtype=object)

In [52]:

```
sns.countplot(x=subs_df['submission_status'])
```

Out[52]:

<Axes: xlabel='submission_status', ylabel='count'>



In [54]:

```
# Encode Categorical Data
from sklearn.preprocessing import LabelEncoder

# Initialize the LabelEncoder
encoder = LabelEncoder()

# Fit and transform the data
subs_df['submission_status'] = encoder.fit_transform(subs_df['submission_status'])
subs_df['submission_status'].unique()
Out[54]:
```

array([0, 1])

In [46]:

```
events_df['action'].unique()
```

Out[46]:


array(['viewed', 'passed', 'discovered', 'started_attempt'], dtype=obj
ect)

In [55]:

```
sns.countplot(x=events_df['action'])
```

Out[55]:

<Axes: xlabel='action', ylabel='count'>



In [56]:

```
# Fit and transform the data
events_df['action'] = encoder.fit_transform(events_df['action'])
events_df['action'].unique()
```

Out[56]:

array([3, 1, 0, 2])

In [59]:

events_df

Out[59]:

	step_id	timestamp	action	user_id
0	32815	2015-06-15 04:00:48	3	17632
1	32815	2015-06-15 04:00:48	1	17632
2	32815	2015-06-15 04:00:48	0	17632
3	32811	2015-06-15 04:01:35	0	17632
4	32811	2015-06-15 04:01:35	3	17632
3480698	33375	2018-05-19 23:31:25	3	11677
3480699	32815	2018-05-19 23:32:30	3	5198
3480700	32815	2018-05-19 23:32:30	0	5198
3480701	32815	2018-05-19 23:32:30	1	5198
3480702	33892	2018-05-19 23:33:31	3	18526

3478370 rows × 4 columns

In [60]:

subs_df

Out[60]:

step_id	timestamp	submission_status	user_id
31971	2015-06-15 06:21:15	0	15853
31972	2015-06-15 06:05:00	0	15853
31972	2016-11-11 08:15:49	1	15853
31972	2016-11-11 08:16:04	0	15853
31976	2015-06-15 06:02:03	1	15853
120745	2017-08-05 15:29:19	1	2615
120745	2017-08-18 12:38:47	0	13177
120745	2017-09-25 14:02:33	1	15253
120745	2018-04-06 17:21:56	1	1424
120745	2018-04-10 17:53:45	1	9422
	31971 31972 31972 31972 31976 120745 120745 120745	31971 2015-06-15 06:21:15 31972 2015-06-15 06:05:00 31972 2016-11-11 08:15:49 31972 2016-11-11 08:16:04 31976 2015-06-15 06:02:03 120745 2017-08-05 15:29:19 120745 2017-08-18 12:38:47 120745 2017-09-25 14:02:33 120745 2018-04-06 17:21:56	31971 2015-06-15 06:21:15 0 31972 2015-06-15 06:05:00 0 31972 2016-11-11 08:15:49 1 31972 2016-11-11 08:16:04 0 31976 2015-06-15 06:02:03 1 120745 2017-08-05 15:29:19 1 120745 2017-08-18 12:38:47 0 120745 2017-09-25 14:02:33 1 120745 2018-04-06 17:21:56 1

508997 rows × 4 columns

In []:			