

PETGEM CI Summary Report

Docker Build Log

Starting Docker build for PETGEM CI image

#0 building with "builder-d255400d-887a-4d2e-99ba-c9a4aaeda764" instance using docker-container driver

#1 [internal] load build definition from dockerfile #1 transferring dockerfile: 7.56kB done #1 WARN: NoEmptyContinuation: Empty continuation line (line 68) #1 DONE 0.0s

#2 [internal] load metadata for docker.io/library/ubuntu:22.04 #2 ...

#3 [auth] library/ubuntu:pull token for registry-1.docker.io #3 DONE 0.0s

#2 [internal] load metadata for docker.io/library/ubuntu:22.04 #2 DONE 1.0s

#4 [internal] load .dockerignore #4 transferring context: 2B done #4 DONE 0.0s

#5 [1/48] FROM
docker.io/library/ubuntu:22.04@sha256:4e0171b9275e12d375863f2b3ae9ce00a4c53ddda176bd55868df97ac6f21a6e #5 resolve
docker.io/library/ubuntu:22.04@sha256:4e0171b9275e12d375863f2b3ae9ce00a4c53ddda176bd55868df97ac6f21a6e done #5
sha256:60d98d907669dc22e547405da3e409eb14496606f4ac90692c5f2ef5081c4b1e 5.24MB / 29.54MB 0.2s #5
sha256:60d98d907669dc22e547405da3e409eb14496606f4ac90692c5f2ef5081c4b1e 24.12MB / 29.54MB 0.3s #5
sha256:60d98d907669dc22e547405da3e409eb14496606f4ac90692c5f2ef5081c4b1e 29.54MB / 29.54MB 0.4s done #5 extracting
sha256:60d98d907669dc22e547405da3e409eb14496606f4ac90692c5f2ef5081c4b1e #5 extracting
sha256:60d98d907669dc22e547405da3e409eb14496606f4ac90692c5f2ef5081c4b1e 0.7s done #5 DONE 1.0s

#6 [2/48] WORKDIR /workspace #6 DONE 0.1s

#7 [3/48] RUN apt-get update && apt-get install -y -no-install-recommends gcc gfortran g++ make cmake vim flex bison libtool git wget autoconf automake autopoint pkg-config gettext libtool-bin python3 python3-pip python3-distutils libglu1 tzdata texinfo doxygen latexmk texlive-latex-base texlive-latex-extra texlive-fonts-recommended python3-breathe python3-meshio python3-h5py python3-numpy python3-matplotlib python3-sphinx python3-sphinx-rtd-theme && pip3 install -no-cache-dir cython && apt-get clean && rm -rf /var/lib/apt/lists/* /tmp/* /var/tmp/* #7 0.229 Get:1 http://archive.ubuntu.com/ubuntu jammy InRelease [270 kB] #7 0.355 Get:2 http://security.ubuntu.com/ubuntu jammy-security InRelease [129 kB] #7 0.678 Get:3 http://archive.ubuntu.com/ubuntu jammy-updates InRelease [128 kB] #7 0.782 Get:4 http://archive.ubuntu.com/ubuntu jammy-backports InRelease [127

kB] #7 0.897 Get:5 <http://archive.ubuntu.com/ubuntu>
jammy/multiverse amd64 Packages [266 kB] #7 0.962 Get:6
<http://archive.ubuntu.com/ubuntu> jammy/universe amd64 Packages
[17.5 MB] #7 1.089 Get:7 <http://security.ubuntu.com/ubuntu> jammy-
security/restricted amd64 Packages [5374 kB] #7 1.517 Get:8
<http://archive.ubuntu.com/ubuntu> jammy/restricted amd64 Packages
[164 kB] #7 1.518 Get:9 <http://archive.ubuntu.com/ubuntu>
jammy/main amd64 Packages [1792 kB] #7 1.543 Get:10
<http://archive.ubuntu.com/ubuntu> jammy-updates/main amd64
Packages [3623 kB] #7 1.618 Get:11
<http://archive.ubuntu.com/ubuntu> jammy-updates/universe amd64
Packages [1581 kB] #7 1.650 Get:12
<http://archive.ubuntu.com/ubuntu> jammy-updates/multiverse amd64
Packages [88.8 kB] #7 1.651 Get:13 <http://archive.ubuntu.com/ubuntu>
jammy-updates/restricted amd64 Packages [5627 kB] #7 1.764 Get:14
<http://archive.ubuntu.com/ubuntu> jammy-backports/main amd64
Packages [83.2 kB] #7 1.765 Get:15 <http://archive.ubuntu.com/ubuntu>
jammy-backports/universe amd64 Packages [35.2 kB] #7 2.055 Get:16
<http://security.ubuntu.com/ubuntu> jammy-security/main amd64
Packages [3310 kB] #7 2.116 Get:17
<http://security.ubuntu.com/ubuntu> jammy-security/universe amd64
Packages [1274 kB] #7 2.207 Get:18
<http://security.ubuntu.com/ubuntu> jammy-security/multiverse amd64
Packages [48.5 kB] #7 2.872 Fetched 41.4 MB in 3s (14.8 MB/s) #7
2.872 Reading package lists... #7 3.756 Reading package lists... #7
4.603 Building dependency tree... #7 4.785 Reading state
information... #7 4.941 The following additional packages will be
installed: #7 4.941 autotools-dev binutils binutils-common binutils-
x86-64-linux-gnu blt #7 4.941 ca-certificates cmake-data cpp cpp-11
dh-elpa-helper docutils-common #7 4.941 emacs-no-common file
fontconfig fontconfig-config fonts-dejavu-core #7 4.941 fonts-font-
awesome fonts-lato fonts-lmodern fonts-lyx g++-11 gcc-11 #7 4.941
gcc-11-base gettext-base gfortran-11 git-man graphviz libaec0 libann0
#7 4.941 libapache-pom-java libarchive13 libasan6 libatomic1
libbinutils libblas3 #7 4.941 libboost-dev libboost1.74-dev libbrotli1
libbsd0 libc-bin libc6-dev #7 4.941 libcairo2 libcc1-0 libcdt5
libcgraph6 libclang-cpp14 libclang1-14 #7 4.941 libcommons-logging-
java libcommons-parent-java libcrypt-dev libctf-nobfd0 #7 4.941
libctf0 libcurl3-gnutls libcurl4 libdatatr1 libdeflate0 libdpkg-perl #7
4.941 libedit2 liberror-perl libexpat1 libexpat1-dev libfontbox-java #7
4.941 libfontconfig1 libfreetype6 libfribidi0 libgcc-11-dev libgd3
libgdbm-compat4 #7 4.941 libgdbm6 libgfortran-11-dev libgfortran5
libglib2.0-0 libglvnd0 libgomp1 #7 4.941 libgpm2 libgraphite2-3
libgts-0.7-5 libgvc6 libgvpr2 libharfbuzz0b #7 4.941 libhdf5-103-1
libhdf5-hl-100 libice6 libicu70 libimagequant0 libisl23 #7 4.941
libitm1 libjbig0 libjpeg-turbo8 libjpeg8 libjs-jquery libjs-jquery-ui #7
4.941 libjs-sphinxdoc libjs-underscore libjsoncpp25 libkpathsea6
liblab-gamut1 #7 4.942 liblapack3 liblbfgsb0 liblcms2-2 libldap-2.5-0
libllvm14 liblsan0 libltdl7 #7 4.942 liblz4 libmagic-mgc libmagic1
libmd0 libmpc3 libmpdec3 libmpfr6 #7 4.942 libnghttp2-14 libnsl-dev
libopenblas-dev libopenblas-pthread-dev #7 4.942 libopenblas0
libopenblas0-pthread libopengl0 libopenjp2-7 libpango-1.0-0 #7 4.942
libpangocairo-1.0-0 libpangoft2-1.0-0 libpaper-utils libpaper1
libpathplan4 #7 4.942 libpdfbox-java libperl5.34 libpixmap-1-0
libpng16-16 libpsl5 libptexenc1 #7 4.942 libpython3-dev libpython3-
stdlib libpython3.10 libpython3.10-dev #7 4.942 libpython3.10-
minimal libpython3.10-stdlib libqhull-r8.0 libquadmath0 #7 4.942
libraqm0 libreadline8 librtmp1 librsas2-2 librsas2-modules-
db #7 4.942 libsigsegv2 libsm6 libsodium23 libsqlite3-0 libssh-4
libstdc++-11-dev #7 4.942 libsynctex2 libsz2 libtcl8.6 libteckit0

libtexlua53 libtexluajit2 #7 4.942 libtext-unidecode-perl libthai-data
libthai0 libtiff5 libtirpc-dev libtk8.6 #7 4.942 libtsan0 libubsan1 libuv1
libwebp7 libwebpdemux2 libwebpmux3 libx11-6 #7 4.942 libx11-data
libxapian30 libxau6 libxaw7 libxcb-render0 libxcb-shm0 libxcb1 #7
4.942 libxdmcp6 libxext6 libxft2 libxi6 libxml-libxml-perl #7 4.942
libxml-namespacesupport-perl libxml-sax-base-perl libxml-sax-perl
libxml2 #7 4.942 libxmu6 libxpm4 libxrender1 libxsimd-dev libxslt1.1
libxss1 libxt6 #7 4.942 libzzip-0-13 linux-libc-dev m4 media-types
openssl perl perl-modules-5.34 #7 4.942 preview-latex-style python-
babel-localedata python-matplotlib-data #7 4.942 python3-alabaster
python3-appdirs python3-attr python3-babel python3-beniget #7
4.942 python3-brotli python3-certifi python3-chardet python3-
colorama #7 4.942 python3-commonmark python3-cycler python3-
dateutil python3-decorator #7 4.942 python3-dev python3-docutils
python3-fonttools python3-fs python3-gast #7 4.942 python3-h5py-
serial python3-idna python3-imagesize python3-jinja2 #7 4.942
python3-kiwisolver python3-lib2to3 python3-lxml python3-lz4 #7
4.942 python3-markupsafe python3-minimal python3-mpmath
python3-packaging #7 4.942 python3-pil python3-pil.imagetk
python3-pkg-resources python3-ply #7 4.942 python3-pygments
python3-pyparsing python3-pythran python3-requests #7 4.942
python3-rich python3-roman python3-scipy python3-setuptools
python3-six #7 4.942 python3-snowballstemmer python3-sympy
python3-tk python3-tz python3-ufolib2 #7 4.942 python3-
unicodedata2 python3-urllib3 python3-wheel python3.10
dev #7 4.942 python3.10-minimal readline-common rpcsvc-proto
sgml-base sphinx-common #7 4.942 sphinx-rtd-theme-common t1utils
tex-common texlive-base texlive-binaries #7 4.942 texlive-latex-
recommended texlive-pictures tk8.6-blt2.5 ucf unicode-data #7 4.942
vim-common vim-runtime x11-common xdg-utils xml-core xxd xz-utils
zlib1g-dev #7 4.944 Suggested packages: #7 4.944 autoconf-archive
gnu-standards autoconf-doc binutils-doc bison-doc blt-demo #7 4.944
cmake-doc ninja-build cmake-format cpp-doc gcc-11-locales doxygen-
latex #7 4.944 doxygen-doc doxygen-gui build-essential flex-doc g++-
multilib #7 4.944 g++-11-multilib gcc-11-doc gcc-multilib manpages-
dev gdb gcc-doc #7 4.944 gcc-11-multilib gettext-doc libasprintf-dev
libgettextpo-dev #7 4.944 gfortran-multilib gfortran-doc gfortran-11-
multilib gfortran-11-doc #7 4.944 libcoarrays-dev git-daemon-run |
git-daemon-sysvinit git-doc git-email #7 4.944 git-gui gitk gitweb git-
cvs git-mediawiki git-svn gsfonts graphviz-doc #7 4.944 ghostscript
lrzip libboost-doc libboost1.74-doc libboost-atomic1.74-dev #7 4.944
libboost-chrono1.74-dev libboost-container1.74-dev libboost-
context1.74-dev #7 4.944 libboost-contract1.74-dev libboost-
coroutine1.74-dev #7 4.944 libboost-date-time1.74-dev libboost-
exception1.74-dev libboost-fiber1.74-dev #7 4.944 libboost-
filesystem1.74-dev libboost-graph1.74-dev #7 4.944 libboost-graph-
parallel1.74-dev libboost-iostreams1.74-dev #7 4.944 libboost-
locale1.74-dev libboost-log1.74-dev libboost-math1.74-dev #7 4.944
libboost-mpi1.74-dev libboost-mpi-python1.74-dev libboost-
numpy1.74-dev #7 4.944 libboost-program-options1.74-dev libboost-
python1.74-dev #7 4.944 libboost-random1.74-dev libboost-regex1.74-
dev #7 4.944 libboost-serialization1.74-dev libboost-stacktrace1.74-
dev #7 4.944 libboost-system1.74-dev libboost-test1.74-dev libboost-
thread1.74-dev #7 4.944 libboost-timer1.74-dev libboost-type-
erasure1.74-dev libboost-wave1.74-dev #7 4.944 libboost1.74-tools-
dev libmpfr++-dev libntl-dev libboost-nowide1.74-dev #7 4.944
glibc-doc libavalon-framework-java libcommons-logging-java-doc #7
4.944 libexcalibur-logkit-java liblog4j1.2-java debian-keyring gnupg
patch bzip2 #7 4.944 libgd-tools gdbm-l10n gpm libjs-jquery-ui-docs
liblcms2-utils #7 4.944 libstdc++-11-doc tcl8.6 tk8.6 libtool-doc gcj-

jdbk xapian-tools libxsimd-doc #7 4.944 m4-doc make-doc perl-doc
libterm-readline-gnu-perl #7 4.944 | libterm-readline-perl-perl libtap-
harness-archive-perl dpkg-dev #7 4.944 python3-doc python3-venv
python-attr-doc breathe-doc python-cycler-doc #7 4.944 docutils-doc
fonts-linuxlibertine | ttf-linux-libertine texlive-lang-french #7 4.944
python-h5py-doc python-jinja2-doc python-lxml-doc dvipng ffmpeg #7
4.944 fonts-staypuft gir1.2-gtk-3.0 inkscape ipython3 librsvg2-
common #7 4.944 python-matplotlib-doc python3-cairocffi python3-gi
python3-gi-cairo #7 4.944 python3-gobject python3-pyqt5 python3-sip
python3-tornado #7 4.944 texlive-extra-utils python-mpmath-doc
python3-gmpy2 python-numpy-doc #7 4.944 python3-pytest python-
pil-doc python-ply-doc python-pygments-doc #7 4.944 ttf-bitstream-
vera python-pyparsing-doc python3-cryptography python3-openssl #7
4.944 python3-socks python-requests-doc python-scipy-doc python-
setuptools-doc #7 4.944 python3-stemmer fonts-freefont-otf
imagemagick-6.q16 libjs-mathjax #7 4.944 sphinx-doc tex-gyre texlive-
plain-generic texlive-fonts-extra #7 4.944 python-sympy-doc tix
python3-tk-dbg python3.10-venv python3.10-doc #7 4.944 binfmt-
support readline-doc sgml-base-doc debhelper gv | postscript-viewer
#7 4.944 perl-tk xpdf | pdf-viewer xzdec texlive-fonts-recommended-
doc #7 4.944 texlive-latex-base-doc icc-profiles libfile-which-perl #7
4.944 libspreadsheet-parseexcel-perl texlive-latex-extra-doc #7 4.944
texlive-latex-recommended-doc texlive-luatex texlive-pstricks dot2tex
prerex #7 4.944 texlive-pictures-doc vprerex ctags vim-doc vim-
scripts #7 4.944 Recommended packages: #7 4.944 libfl-dev patch
less ssh-client fonts-liberation xpdf | pdf-viewer gv #7 4.944 |
postscript-viewer manpages manpages-dev libc-devtools #7 4.944
libfile-fcntllock-perl liblocale-gettext-perl bzip2 libglib2.0-data #7
4.944 shared-mime-info xdg-user-dirs libgts-bin javascript-common
libldap-common #7 4.944 publicsuffix libsasl2-modules libltdl-dev
libwww-perl libxml-sax-expat-perl #7 4.944 netbase python3-bs4
python3-html5lib meshio-tools python3-netcdf4 #7 4.944 python3-
olefile build-essential lmodern dvisvgm tex-gyre tipa #7 4.944 texlive-
plain-generic ruby tk libfile-mimeinfo-perl libnet-dbus-perl #7 4.944
libx11-protocol-perl x11-utils x11-xserver-utils #7 5.588 The following
NEW packages will be installed: #7 5.588 autoconf automake
autopoint autotools-dev binutils binutils-common #7 5.588 binutils-
x86-64-linux-gnu bison blt ca-certificates cmake cmake-data cpp #7
5.588 cpp-11 dh-elpa-helper docutils-common doxygen emacsen-
common file flex #7 5.588 fontconfig fontconfig-config fonts-dejavu-
core fonts-font-awesome fonts-lato #7 5.588 fonts-lmodern fonts-lyx
g++ g++-11 gcc gcc-11 gcc-11-base gettext #7 5.589 gettext-base
gfortran gfortran-11 git git-man graphviz latexmk libaoc0 #7 5.589
libann0 libapache-pom-java libarchive13 libasan6 libatomic1
libbinutils #7 5.589 libblas3 libboost-dev libboost1.74-dev libbrotli1
libbsd0 libc-dev-bin #7 5.589 libc6-dev libcairo2 libcc1-0 libcdt5
libcgraph6 libclang-cpp14 libclang1-14 #7 5.589 libcommons-logging-
java libcommons-parent-java libcrypt-dev libctf-nobfd0 #7 5.589
libctf0 libcurl3-gnutls libcurl4 libdatrie1 libdeflate0 libdpkg-perl #7
5.589 libedit2 liberror-perl libexpat1 libexpat1-dev libfontbox-java #7
5.589 libfontconfig1 libfreetype6 libfribidi0 libgcc-11-dev libgd3
libgdbm-compat4 #7 5.589 libgdbm6 libgfortran-11-dev libgfortran5
libglib2.0-0 libglu1-mesa libglvnd0 #7 5.589 libgomp1 libgpm2
libgraphite2-3 libgts-0.7-5 libgvc6 libgvpr2 libharfbuzz0b #7 5.589
libhdf5-103-1 libhdf5-hl-100 libice6 libicu70 libimagequant0 libisl23
#7 5.589 libitm1 libjbig0 libjpeg-turbo8 libjpeg8 libjs-jquery libjs-
jquery-ui #7 5.589 libjs-sphinxdoc libjs-underscore libjsoncpp25
libkpathsea6 liblab-gamut1 #7 5.589 liblapack3 liblbfgsb0 liblcms2-2
libldap-2.5-0 libllvm14 liblsan0 libltdl7 #7 5.589 liblzfl1 libmagic-mgc
libmagic1 libmd0 libmpc3 libmpdec3 libmpfr6 #7 5.589 libnghttp2-14

libnsl-dev libopenblas-dev libopenblas-pthread-dev #7 5.589
libopenblas0 libopenblas0-pthread libopenpengl0 libopenjp2-7 libpango-
1.0-0 #7 5.589 libpangocairo-1.0-0 libpangoft2-1.0-0 libpaper-utils
libpaper1 libpathplan4 #7 5.589 libpdfbox-java libperl5.34 libpixman-
1-0 libpng16-16 libpsl5 libptexenc1 #7 5.589 libpython3-dev
libpython3-stdlib libpython3.10 libpython3.10-dev #7 5.589
libpython3.10-minimal libpython3.10-stdlib libqhull-r8.0 libquadmath0
#7 5.589 libraqm0 libreadline8 librhsh0 librtmp1 librsasl2-2 librsasl2-
modules-db #7 5.589 libsigsegv2 libsm6 libsodium23 libsqlite3-0
libssh-4 libstdc++-11-dev #7 5.589 libsynctex2 libsz2 libtcl8.6
libteckit0 libtexlua53 libtexluajit2 #7 5.589 libtext-unidecode-perl
libthai-data libthai0 libtiff5 libtirpc-dev libtk8.6 #7 5.590 libtool
libtool-bin libubsan1 libuv1 libwebp7 libwebpdemux2 #7
5.590 libwebpmux3 libx11-6 libx11-data libxapian30 libxau6 libxaw7
libxcb-render0 #7 5.590 libxcb-shm0 libxcb1 libxdmcp6 libxext6
libxft2 libxi6 libxml-libxml-perl #7 5.590 libxml-namespacesupport-
perl libxml-sax-base-perl libxml-sax-perl libxml2 #7 5.590 libxmu6
libxpm4 libxrender1 libxsimd-dev libxslt1.1 libxss1 libxt6 #7 5.590
libzip-0-13 linux-libc-dev m4 make media-types openssl perl #7 5.590
perl-modules-5.34 pkg-config preview-latex-style python-babel-
localedata #7 5.590 python-matplotlib-data python3 python3-
alabaster python3-appdirs #7 5.590 python3-attr python3-babel
python3-beniget python3-breathe python3-brotli #7 5.590 python3-
certifi python3-chardet python3-colorama python3-commonmark #7
5.590 python3-cycler python3-dateutil python3-decorator python3-dev
#7 5.590 python3-distutils python3-docutils python3-fonttools
python3-fs python3-gast #7 5.590 python3-h5py python3-h5py-serial
python3-idna python3-imagesize #7 5.590 python3-jinja2 python3-
kiwisolver python3-lib2to3 python3-lxml python3-lz4 #7 5.590
python3-markupsafe python3-matplotlib python3-meshio python3-
minimal #7 5.590 python3-mpmath python3-numpy python3-
packaging python3-pil #7 5.590 python3-pil.imagetk python3-pip
python3-pkg-resources python3-ply #7 5.590 python3-pygments
python3-pyparsing python3-pythran python3-requests #7 5.590
python3-rich python3-roman python3-scipy python3-setuptools
python3-six #7 5.590 python3-snowballstemmer python3-sphinx
python3-sphinx-rtd-theme #7 5.590 python3-sympy python3-tk
python3-tz python3-ufolib2 python3-unicodedata2 #7 5.590 python3-
urllib3 python3-wheel python3.10 python3.10-dev python3.10-minimal
#7 5.591 readline-common rpcsvc-proto sgml-base sphinx-common
sphinx-rtd-theme-common #7 5.591 t1utils tex-common texinfo
texlive-base texlive-binaries #7 5.591 texlive-fonts-recommended
texlive-latex-base texlive-latex-extra #7 5.591 texlive-latex-
recommended texlive-pictures tk8.6-bl2.5 tzdata ucf #7 5.591
unicode-data vim vim-common vim-runtime wget x11-common xdg-
utils xml-core #7 5.591 xxd xz-utils zlib1g-dev #7 5.858 0 upgraded,
314 newly installed, 0 to remove and 0 not upgraded. #7 5.858 Need
to get 375 MB of archives. #7 5.858 After this operation, 1632 MB of
additional disk space will be used. #7 5.858 Get:1
http://archive.ubuntu.com/ubuntu jammy-updates/main amd64
libpython3.10-minimal amd64 3.10.12-1~22.04.11 [815 kB] #7 6.438
Get:2 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64
libexpat1 amd64 2.4.7-1ubuntu0.6 [92.1 kB] #7 6.444 Get:3
http://archive.ubuntu.com/ubuntu jammy-updates/main amd64
python3.10-minimal amd64 3.10.12-1~22.04.11 [2264 kB] #7 6.608
Get:4 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64
python3-minimal amd64 3.10.6-1~22.04.1 [24.3 kB] #7 6.609 Get:5
http://archive.ubuntu.com/ubuntu jammy/main amd64 media-types all
7.0.0 [25.5 kB] #7 6.610 Get:6 http://archive.ubuntu.com/ubuntu
jammy/main amd64 libmpdec3 amd64 2.5.1-2build2 [86.8 kB] #7

6.613 Get:7 [#7 6.615](http://archive.ubuntu.com/ubuntu jammy/main amd64 readline-common all 8.1.2-1 [53.5 kB]) Get:8 [#7 6.620](http://archive.ubuntu.com/ubuntu jammy/main amd64 libreadline8 amd64 8.1.2-1 [153 kB]) Get:9 [#7 6.641](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libsqlite3-0 amd64 3.37.2-2ubuntu0.5 [643 kB]) Get:10 [#7 6.694](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libpython3.10-stdlib amd64 3.10.12-1~22.04.11 [1850 kB]) Get:11 [#7 6.703](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 python3.10 amd64 3.10.12-1~22.04.11 [508 kB]) Get:12 [#7 6.703](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libpython3-stdlib amd64 3.10.6-1~22.04.1 [6812 B]) Get:13 [#7 6.770](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 python3 amd64 3.10.6-1~22.04.1 [22.8 kB]) Get:14 [#7 6.770](http://archive.ubuntu.com/ubuntu jammy/main amd64 libsigsegv2 amd64 2.13-1ubuntu3 [14.6 kB]) Get:15 [#7 6.774](http://archive.ubuntu.com/ubuntu jammy/main amd64 m4 amd64 1.4.18-5ubuntu2 [199 kB]) Get:16 [#7 6.776](http://archive.ubuntu.com/ubuntu jammy/main amd64 flex amd64 2.6.4-8build2 [307 kB]) Get:17 [#7 6.802](http://archive.ubuntu.com/ubuntu jammy/main amd64 fonts-lato all 2.0-2.1 [2696 kB]) Get:18 [#7 6.870](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 perl-modules-5.34 all 5.34.0-3ubuntu1.5 [2977 kB]) Get:19 [#7 6.870](http://archive.ubuntu.com/ubuntu jammy/main amd64 libgdbm6 amd64 1.23-1 [33.9 kB]) Get:20 [#7 6.870](http://archive.ubuntu.com/ubuntu jammy/main amd64 libgdbm-compat4 amd64 1.23-1 [6606 B]) Get:21 [#7 6.966](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libperl5.34 amd64 5.34.0-3ubuntu1.5 [4797 kB]) Get:22 [#7 6.967](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 perl amd64 5.34.0-3ubuntu1.5 [232 kB]) Get:23 [#7 6.968](http://archive.ubuntu.com/ubuntu jammy/main amd64 sgml-base all 1.30 [12.5 kB]) Get:24 [#7 6.968](http://archive.ubuntu.com/ubuntu jammy/main amd64 ucf all 3.0043 [56.1 kB]) Get:25 [#7 6.969](http://archive.ubuntu.com/ubuntu jammy/universe amd64 tex-common all 6.17 [33.7 kB]) Get:26 [#7 6.976](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 openssl amd64 3.0.2-0ubuntu1.19 [1186 kB]) Get:27 [#7 7.009](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 ca-certificates all 20240203~22.04.1 [162 kB]) Get:28 [#7 7.009](http://archive.ubuntu.com/ubuntu jammy/main amd64 libmd0 amd64 1.0.4-1build1 [23.0 kB]) Get:29 [#7 7.010](http://archive.ubuntu.com/ubuntu jammy/main amd64 libbsd0 amd64 0.11.5-1 [44.8 kB]) Get:30 [#7 7.089](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libfribidi0 amd64 1.0.8-2ubuntu3.1 [26.1 kB]) Get:31 [#7 7.098](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libglib2.0-0 amd64 2.72.4-0ubuntu2.6 [1467 kB]) Get:32 [#7 7.276](http://archive.ubuntu.com/ubuntu jammy/main amd64 libicu70 amd64 70.1-2 [10.6 MB]) Get:33 [#7 7.281](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libxml2 amd64 2.9.13+dfsg-1ubuntu0.9 [764 kB]) Get:34 [#7 7.282](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 python3-pkg-resources all 59.6.0-1.2ubuntu0.22.04.3 [133 kB]) Get:35 [#7 7.334](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 tzdata all 2025b-0ubuntu0.22.04.1 [347 kB]) Get:36 [#7 7.335](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 xxd amd64 2:8.2.3995-1ubuntu2.24 [51.4 kB]) Get:37 [#7 7.336](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 vim-common all 2:8.2.3995-1ubuntu2.24 [81.5 kB]) Get:38 [#7 7.337](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libmagic-mgc amd64 1:5.41-3ubuntu0.1 [257 kB]) Get:39

[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libmagic1 amd64 1:5.41-3ubuntu0.1 \[87.2 kB\] #7 7.338 Get:40](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libmagic1 amd64 1:5.41-3ubuntu0.1 [87.2 kB] #7 7.338 Get:40)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 file amd64 1:5.41-3ubuntu0.1 \[21.5 kB\] #7 7.339 Get:41](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 file amd64 1:5.41-3ubuntu0.1 [21.5 kB] #7 7.339 Get:41)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 gettext-base amd64 0.21-4ubuntu4 \[37.8 kB\] #7 7.357 Get:42](http://archive.ubuntu.com/ubuntu jammy/main amd64 gettext-base amd64 0.21-4ubuntu4 [37.8 kB] #7 7.357 Get:42)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 libedit2 amd64 3.1-20210910-1build1 \[96.8 kB\] #7 7.437 Get:43](http://archive.ubuntu.com/ubuntu jammy/main amd64 libedit2 amd64 3.1-20210910-1build1 [96.8 kB] #7 7.437 Get:43)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libnghttp2-14 amd64 1.43.0-1ubuntu0.2 \[76.9 kB\] #7 7.438 Get:44](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libnghttp2-14 amd64 1.43.0-1ubuntu0.2 [76.9 kB] #7 7.438 Get:44)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 libpng16-16 amd64 1.6.37-3build5 \[191 kB\] #7 7.441 Get:45](http://archive.ubuntu.com/ubuntu jammy/main amd64 libpng16-16 amd64 1.6.37-3build5 [191 kB] #7 7.441 Get:45)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 libpsl5 amd64 0.21.0-1.2build2 \[58.4 kB\] #7 7.441 Get:46](http://archive.ubuntu.com/ubuntu jammy/main amd64 libpsl5 amd64 0.21.0-1.2build2 [58.4 kB] #7 7.441 Get:46)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libuv1 amd64 1.43.0-1ubuntu0.1 \[92.7 kB\] #7 7.443 Get:47](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libuv1 amd64 1.43.0-1ubuntu0.1 [92.7 kB] #7 7.443 Get:47)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 libxau6 amd64 1:1.0.9-1build5 \[7634 B\] #7 7.443 Get:48](http://archive.ubuntu.com/ubuntu jammy/main amd64 libxau6 amd64 1:1.0.9-1build5 [7634 B] #7 7.443 Get:48)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 libxdmcp6 amd64 1:1.1.3-0ubuntu5 \[10.9 kB\] #7 7.443 Get:49](http://archive.ubuntu.com/ubuntu jammy/main amd64 libxdmcp6 amd64 1:1.1.3-0ubuntu5 [10.9 kB] #7 7.443 Get:49)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 libxcb1 amd64 1.14-3ubuntu3 \[49.0 kB\] #7 7.444 Get:50](http://archive.ubuntu.com/ubuntu jammy/main amd64 libxcb1 amd64 1.14-3ubuntu3 [49.0 kB] #7 7.444 Get:50)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libx11-data all 2:1.7.5-1ubuntu0.3 \[120 kB\] #7 7.446 Get:51](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libx11-data all 2:1.7.5-1ubuntu0.3 [120 kB] #7 7.446 Get:51)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libx11-6 amd64 2:1.7.5-1ubuntu0.3 \[667 kB\] #7 7.517 Get:52](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libx11-6 amd64 2:1.7.5-1ubuntu0.3 [667 kB] #7 7.517 Get:52)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 libxext6 amd64 2:1.3.4-1build1 \[31.8 kB\] #7 7.597 Get:53](http://archive.ubuntu.com/ubuntu jammy/main amd64 libxext6 amd64 2:1.3.4-1build1 [31.8 kB] #7 7.597 Get:53)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 wget amd64 1.21.2-2ubuntu1.1 \[339 kB\] #7 7.602 Get:54](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 wget amd64 1.21.2-2ubuntu1.1 [339 kB] #7 7.602 Get:54)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 xz-utils amd64 5.2.5-2ubuntu1 \[84.8 kB\] #7 7.604 Get:55](http://archive.ubuntu.com/ubuntu jammy/main amd64 xz-utils amd64 5.2.5-2ubuntu1 [84.8 kB] #7 7.604 Get:55)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 autoconf all 2.71-2 \[338 kB\] #7 7.610 Get:56](http://archive.ubuntu.com/ubuntu jammy/main amd64 autoconf all 2.71-2 [338 kB] #7 7.610 Get:56)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 autotools-dev all 20220109.1 \[44.9 kB\] #7 7.611 Get:57](http://archive.ubuntu.com/ubuntu jammy/main amd64 autotools-dev all 20220109.1 [44.9 kB] #7 7.611 Get:57)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 automake all 1:1.16.5-1.3 \[558 kB\] #7 7.621 Get:58](http://archive.ubuntu.com/ubuntu jammy/main amd64 automake all 1:1.16.5-1.3 [558 kB] #7 7.621 Get:58)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 autopoint all 0.21-4ubuntu4 \[422 kB\] #7 7.629 Get:59](http://archive.ubuntu.com/ubuntu jammy/main amd64 autopoint all 0.21-4ubuntu4 [422 kB] #7 7.629 Get:59)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 binutils-common amd64 2.38-4ubuntu2.8 \[223 kB\] #7 7.633 Get:60](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 binutils-common amd64 2.38-4ubuntu2.8 [223 kB] #7 7.633 Get:60)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libbinutils amd64 2.38-4ubuntu2.8 \[661 kB\] #7 7.645 Get:61](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libbinutils amd64 2.38-4ubuntu2.8 [661 kB] #7 7.645 Get:61)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libc6-nobfd amd64 2.38-4ubuntu2.8 \[108 kB\] #7 7.677 Get:62](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libc6-nobfd amd64 2.38-4ubuntu2.8 [108 kB] #7 7.677 Get:62)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libc6 amd64 2.38-4ubuntu2.8 \[103 kB\] #7 7.756 Get:63](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libc6 amd64 2.38-4ubuntu2.8 [103 kB] #7 7.756 Get:63)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 binutils-x86-64-linux-gnu amd64 2.38-4ubuntu2.8 \[2324 kB\] #7 7.790 Get:64](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 binutils-x86-64-linux-gnu amd64 2.38-4ubuntu2.8 [2324 kB] #7 7.790 Get:64)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 binutils amd64 2.38-4ubuntu2.8 \[3196 B\] #7 7.790 Get:65](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 binutils amd64 2.38-4ubuntu2.8 [3196 B] #7 7.790 Get:65)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 bison amd64 2:3.8.2+dfsg-1build1 \[748 kB\] #7 7.801 Get:66](http://archive.ubuntu.com/ubuntu jammy/main amd64 bison amd64 2:3.8.2+dfsg-1build1 [748 kB] #7 7.801 Get:66)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 libtcl8.6 amd64 8.6.12+dfsg-1build1 \[990 kB\] #7 7.815 Get:67](http://archive.ubuntu.com/ubuntu jammy/main amd64 libtcl8.6 amd64 8.6.12+dfsg-1build1 [990 kB] #7 7.815 Get:67)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 libbrotli1 amd64 1.0.9-2build6 \[315 kB\] #7 7.836 Get:68](http://archive.ubuntu.com/ubuntu jammy/main amd64 libbrotli1 amd64 1.0.9-2build6 [315 kB] #7 7.836 Get:68)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libfreetype6 amd64 2.11.1+dfsg-1ubuntu0.3 \[388 kB\] #7 7.842 Get:69](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libfreetype6 amd64 2.11.1+dfsg-1ubuntu0.3 [388 kB] #7 7.842 Get:69)
<http://archive.ubuntu.com/ubuntu jammy/main amd64 fonts-dejavu->

core all 2.37-2build1 [1041 kB] #7 7.859 Get:70
[http://archive.ubuntu.com/ubuntu jammy/main amd64 fontconfig-config all 2.13.1-4.2ubuntu5 \[29.1 kB\] #7 7.859 Get:71](http://archive.ubuntu.com/ubuntu jammy/main amd64 fontconfig-config all 2.13.1-4.2ubuntu5 [29.1 kB] #7 7.859 Get:71)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 libfontconfig1 amd64 2.13.1-4.2ubuntu5 \[131 kB\] #7 7.860 Get:72](http://archive.ubuntu.com/ubuntu jammy/main amd64 libfontconfig1 amd64 2.13.1-4.2ubuntu5 [131 kB] #7 7.860 Get:72)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 libxrender1 amd64 1:0.9.10-1build4 \[19.7 kB\] #7 7.915 Get:73](http://archive.ubuntu.com/ubuntu jammy/main amd64 libxrender1 amd64 1:0.9.10-1build4 [19.7 kB] #7 7.915 Get:73)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 libxft2 amd64 2.3.4-1 \[41.8 kB\] #7 7.916 Get:74](http://archive.ubuntu.com/ubuntu jammy/main amd64 libxft2 amd64 2.3.4-1 [41.8 kB] #7 7.916 Get:74) [http://archive.ubuntu.com/ubuntu jammy/main amd64 x11-common all 1:7.7+23ubuntu2 \[23.4 kB\] #7 7.917 Get:75](http://archive.ubuntu.com/ubuntu jammy/main amd64 x11-common all 1:7.7+23ubuntu2 [23.4 kB] #7 7.917 Get:75) [http://archive.ubuntu.com/ubuntu jammy/main amd64 libxss1 amd64 1:1.2.3-1build2 \[8476 B\] #7 7.917 Get:76](http://archive.ubuntu.com/ubuntu jammy/main amd64 libxss1 amd64 1:1.2.3-1build2 [8476 B] #7 7.917 Get:76)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 libtk8.6 amd64 8.6.12-1build1 \[784 kB\] #7 7.995 Get:77](http://archive.ubuntu.com/ubuntu jammy/main amd64 libtk8.6 amd64 8.6.12-1build1 [784 kB] #7 7.995 Get:77)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 tk8.6-blt2.5 amd64 2.5.3+dfsg-4.1build2 \[643 kB\] #7 8.004 Get:78](http://archive.ubuntu.com/ubuntu jammy/main amd64 tk8.6-blt2.5 amd64 2.5.3+dfsg-4.1build2 [643 kB] #7 8.004 Get:78)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 blt amd64 2.5.3+dfsg-4.1build2 \[4838 B\] #7 8.004 Get:79](http://archive.ubuntu.com/ubuntu jammy/main amd64 blt amd64 2.5.3+dfsg-4.1build2 [4838 B] #7 8.004 Get:79)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libarchive13 amd64 3.6.0-1ubuntu1.5 \[368 kB\] #7 8.009 Get:80](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libarchive13 amd64 3.6.0-1ubuntu1.5 [368 kB] #7 8.009 Get:80)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libsasl2-modules-db amd64 2.1.27+dfsg2-3ubuntu1.2 \[20.5 kB\] #7 8.010 Get:81](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libsasl2-modules-db amd64 2.1.27+dfsg2-3ubuntu1.2 [20.5 kB] #7 8.010 Get:81) [http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libsasl2-2 amd64 2.1.27+dfsg2-3ubuntu1.2 \[53.8 kB\] #7 8.011 Get:82](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libsasl2-2 amd64 2.1.27+dfsg2-3ubuntu1.2 [53.8 kB] #7 8.011 Get:82) [http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libldap-2.5-0 amd64 2.5.19+dfsg-0ubuntu0.22.04.1 \[184 kB\] #7 8.075 Get:83](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libldap-2.5-0 amd64 2.5.19+dfsg-0ubuntu0.22.04.1 [184 kB] #7 8.075 Get:83) [http://archive.ubuntu.com/ubuntu jammy/main amd64 librtmp1 amd64 2.4+20151223.gitfa8646d.1-2build4 \[58.2 kB\] #7 8.076 Get:84](http://archive.ubuntu.com/ubuntu jammy/main amd64 librtmp1 amd64 2.4+20151223.gitfa8646d.1-2build4 [58.2 kB] #7 8.076 Get:84)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libssh-4 amd64 0.9.6-2ubuntu0.22.04.4 \[187 kB\] #7 8.078 Get:85](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libssh-4 amd64 0.9.6-2ubuntu0.22.04.4 [187 kB] #7 8.078 Get:85)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libcurl4 amd64 7.81.0-1ubuntu1.20 \[289 kB\] #7 8.082 Get:86](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libcurl4 amd64 7.81.0-1ubuntu1.20 [289 kB] #7 8.082 Get:86)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 libjsoncpp25 amd64 1.9.5-3 \[80.0 kB\] #7 8.155 Get:87](http://archive.ubuntu.com/ubuntu jammy/main amd64 libjsoncpp25 amd64 1.9.5-3 [80.0 kB] #7 8.155 Get:87)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 librhash0 amd64 1.4.2-1ubuntu1 \[125 kB\] #7 8.156 Get:88](http://archive.ubuntu.com/ubuntu jammy/main amd64 librhash0 amd64 1.4.2-1ubuntu1 [125 kB] #7 8.156 Get:88)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 dh-elpa-helper all 2.0.9ubuntu1 \[7610 B\] #7 8.157 Get:89](http://archive.ubuntu.com/ubuntu jammy/main amd64 dh-elpa-helper all 2.0.9ubuntu1 [7610 B] #7 8.157 Get:89)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 emacs-common all 3.0.4 \[14.9 kB\] #7 8.157 Get:90](http://archive.ubuntu.com/ubuntu jammy/main amd64 emacs-common all 3.0.4 [14.9 kB] #7 8.157 Get:90)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 cmake-data all 3.22.1-1ubuntu1.22.04.2 \[1913 kB\] #7 8.185 Get:91](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 cmake-data all 3.22.1-1ubuntu1.22.04.2 [1913 kB] #7 8.185 Get:91)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 cmake amd64 3.22.1-1ubuntu1.22.04.2 \[5010 kB\] #7 8.275 Get:92](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 cmake amd64 3.22.1-1ubuntu1.22.04.2 [5010 kB] #7 8.275 Get:92)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 gcc-11-base amd64 11.4.0-1ubuntu1~22.04.2 \[20.8 kB\] #7 8.276 Get:93](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 gcc-11-base amd64 11.4.0-1ubuntu1~22.04.2 [20.8 kB] #7 8.276 Get:93)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 libisl23 amd64 0.24-2build1 \[727 kB\] #7 8.285 Get:94](http://archive.ubuntu.com/ubuntu jammy/main amd64 libisl23 amd64 0.24-2build1 [727 kB] #7 8.285 Get:94)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 libmpfr6 amd64 4.1.0-3build3 \[1425 kB\] #7 8.322 Get:95](http://archive.ubuntu.com/ubuntu jammy/main amd64 libmpfr6 amd64 4.1.0-3build3 [1425 kB] #7 8.322 Get:95)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 libmpc3 amd64 1.2.1-2build1 \[46.9 kB\] #7 8.323 Get:96](http://archive.ubuntu.com/ubuntu jammy/main amd64 libmpc3 amd64 1.2.1-2build1 [46.9 kB] #7 8.323 Get:96)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 cpp-11 amd64 11.4.0-1ubuntu1~22.04.2 \[10.0 MB\] #7 8.505 Get:97](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 cpp-11 amd64 11.4.0-1ubuntu1~22.04.2 [10.0 MB] #7 8.505 Get:97)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 cpp amd64 4:11.2.0-1ubuntu1 \[27.7 kB\] #7 8.506 Get:98](http://archive.ubuntu.com/ubuntu jammy/main amd64 cpp amd64 4:11.2.0-1ubuntu1 [27.7 kB] #7 8.506 Get:98)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 xml-core all 0.18+nmu1 \[21.6 kB\] #7 8.507 Get:99](http://archive.ubuntu.com/ubuntu jammy/main amd64 xml-core all 0.18+nmu1 [21.6 kB] #7 8.507 Get:99)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 docutils-common all 0.17.1+dfsg-2 \[117 kB\] #7 8.508 Get:100](http://archive.ubuntu.com/ubuntu jammy/main amd64 docutils-common all 0.17.1+dfsg-2 [117 kB] #7 8.508 Get:100)

[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libllvm14 amd64 1:14.0.0-1ubuntu1.1 \[24.0 MB\] #7 8.957](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libllvm14 amd64 1:14.0.0-1ubuntu1.1 [24.0 MB] #7 8.957) Get:101
[http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 libclang-cpp14 amd64 1:14.0.0-1ubuntu1.1 \[12.1 MB\] #7 9.478](http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 libclang-cpp14 amd64 1:14.0.0-1ubuntu1.1 [12.1 MB] #7 9.478) Get:102
[http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 libclang1-14 amd64 1:14.0.0-1ubuntu1.1 \[6792 kB\] #7 10.95](http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 libclang1-14 amd64 1:14.0.0-1ubuntu1.1 [6792 kB] #7 10.95) Get:103
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 libxapian30 amd64 1.4.18-4 \[701 kB\] #7 10.96](http://archive.ubuntu.com/ubuntu jammy/universe amd64 libxapian30 amd64 1.4.18-4 [701 kB] #7 10.96) Get:104
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 doxygen amd64 1.9.1-2ubuntu2 \[4620 kB\] #7 11.11](http://archive.ubuntu.com/ubuntu jammy/universe amd64 doxygen amd64 1.9.1-2ubuntu2 [4620 kB] #7 11.11) Get:105
[http://archive.ubuntu.com/ubuntu jammy/main amd64 fontconfig amd64 2.13.1-4.2ubuntu5 \[177 kB\] #7 11.11](http://archive.ubuntu.com/ubuntu jammy/main amd64 fontconfig amd64 2.13.1-4.2ubuntu5 [177 kB] #7 11.11) Get:106
[http://archive.ubuntu.com/ubuntu jammy/main amd64 fonts-font-awesome all 5.0.10+really4.7.0~dfsg-4.1 \[516 kB\] #7 11.11](http://archive.ubuntu.com/ubuntu jammy/main amd64 fonts-font-awesome all 5.0.10+really4.7.0~dfsg-4.1 [516 kB] #7 11.11) Get:107
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 fonts-lmodern all 2.004.5-6.1 \[4532 kB\] #7 11.26](http://archive.ubuntu.com/ubuntu jammy/universe amd64 fonts-lmodern all 2.004.5-6.1 [4532 kB] #7 11.26) Get:108
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 fonts-lyx all 2.3.6-1 \[159 kB\] #7 11.26](http://archive.ubuntu.com/ubuntu jammy/universe amd64 fonts-lyx all 2.3.6-1 [159 kB] #7 11.26) Get:109
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libcc1-0 amd64 12.3.0-1ubuntu1~22.04.2 \[48.3 kB\] #7 11.26](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libcc1-0 amd64 12.3.0-1ubuntu1~22.04.2 [48.3 kB] #7 11.26) Get:110
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libgomp1 amd64 12.3.0-1ubuntu1~22.04.2 \[127 kB\] #7 11.27](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libgomp1 amd64 12.3.0-1ubuntu1~22.04.2 [127 kB] #7 11.27) Get:111
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libitm1 amd64 12.3.0-1ubuntu1~22.04.2 \[30.2 kB\] #7 11.27](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libitm1 amd64 12.3.0-1ubuntu1~22.04.2 [30.2 kB] #7 11.27) Get:112
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libatomic1 amd64 12.3.0-1ubuntu1~22.04.2 \[10.4 kB\] #7 11.27](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libatomic1 amd64 12.3.0-1ubuntu1~22.04.2 [10.4 kB] #7 11.27) Get:113
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libasan6 amd64 11.4.0-1ubuntu1~22.04.2 \[2283 kB\] #7 11.38](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libasan6 amd64 11.4.0-1ubuntu1~22.04.2 [2283 kB] #7 11.38) Get:114
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 liblsan0 amd64 12.3.0-1ubuntu1~22.04.2 \[1069 kB\] #7 11.39](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 liblsan0 amd64 12.3.0-1ubuntu1~22.04.2 [1069 kB] #7 11.39) Get:115
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libtsan0 amd64 11.4.0-1ubuntu1~22.04.2 \[2262 kB\] #7 11.43](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libtsan0 amd64 11.4.0-1ubuntu1~22.04.2 [2262 kB] #7 11.43) Get:116
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libubsan1 amd64 12.3.0-1ubuntu1~22.04.2 \[976 kB\] #7 11.52](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libubsan1 amd64 12.3.0-1ubuntu1~22.04.2 [976 kB] #7 11.52) Get:117
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libquadmath0 amd64 12.3.0-1ubuntu1~22.04.2 \[154 kB\] #7 11.52](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libquadmath0 amd64 12.3.0-1ubuntu1~22.04.2 [154 kB] #7 11.52) Get:118
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libgcc-11-dev amd64 11.4.0-1ubuntu1~22.04.2 \[2517 kB\] #7 11.56](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libgcc-11-dev amd64 11.4.0-1ubuntu1~22.04.2 [2517 kB] #7 11.56) Get:119
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 gcc-11 amd64 11.4.0-1ubuntu1~22.04.2 \[20.1 MB\] #7 12.27](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 gcc-11 amd64 11.4.0-1ubuntu1~22.04.2 [20.1 MB] #7 12.27) Get:120
[http://archive.ubuntu.com/ubuntu jammy/main amd64 gcc amd64 4:11.2.0-1ubuntu1 \[5112 B\] #7 12.27](http://archive.ubuntu.com/ubuntu jammy/main amd64 gcc amd64 4:11.2.0-1ubuntu1 [5112 B] #7 12.27) Get:121
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libc-dev-bin amd64 2.35-0ubuntu3.10 \[20.3 kB\] #7 12.27](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libc-dev-bin amd64 2.35-0ubuntu3.10 [20.3 kB] #7 12.27) Get:122
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 linux-libc-dev amd64 5.15.0-153.163 \[1324 kB\] #7 12.31](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 linux-libc-dev amd64 5.15.0-153.163 [1324 kB] #7 12.31) Get:123
[http://archive.ubuntu.com/ubuntu jammy/main amd64 libcrypt-dev amd64 1:4.4.27-1 \[112 kB\] #7 12.31](http://archive.ubuntu.com/ubuntu jammy/main amd64 libcrypt-dev amd64 1:4.4.27-1 [112 kB] #7 12.31) Get:124
[http://archive.ubuntu.com/ubuntu jammy/main amd64 rpcsvc-proto amd64 1.4.2-0ubuntu6 \[68.5 kB\] #7 12.32](http://archive.ubuntu.com/ubuntu jammy/main amd64 rpcsvc-proto amd64 1.4.2-0ubuntu6 [68.5 kB] #7 12.32) Get:125
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libtirpc-dev amd64 1.3.2-2ubuntu0.1 \[192 kB\] #7 12.32](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libtirpc-dev amd64 1.3.2-2ubuntu0.1 [192 kB] #7 12.32) Get:126
[http://archive.ubuntu.com/ubuntu jammy/main amd64 libnsl-dev amd64 1.3.0-2build2 \[71.3 kB\] #7 12.33](http://archive.ubuntu.com/ubuntu jammy/main amd64 libnsl-dev amd64 1.3.0-2build2 [71.3 kB] #7 12.33) Get:127
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libc6-dev amd64 2.35-0ubuntu3.10 \[2100 kB\] #7 12.39](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libc6-dev amd64 2.35-0ubuntu3.10 [2100 kB] #7 12.39) Get:128
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libstdc++-11-dev amd64 11.4.0-1ubuntu1~22.04.2 \[2101 kB\] #7 12.46](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libstdc++-11-dev amd64 11.4.0-1ubuntu1~22.04.2 [2101 kB] #7 12.46) Get:129
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 g++-11 amd64 11.4.0-1ubuntu1~22.04.2 \[11.4 MB\] #7 12.84](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 g++-11 amd64 11.4.0-1ubuntu1~22.04.2 [11.4 MB] #7 12.84) Get:130
<http://archive.ubuntu.com/ubuntu jammy/main amd64 g++>

amd64 4:11.2.0-1ubuntu1 [1412 B] #7 12.84 Get:131
http://archive.ubuntu.com/ubuntu jammy/main amd64 gettext amd64
0.21-4ubuntu4 [868 kB] #7 12.86 Get:132
http://archive.ubuntu.com/ubuntu jammy-updates/main amd64
libgfortran5 amd64 12.3.0-1ubuntu1~22.04.2 [879 kB] #7 12.89
Get:133 http://archive.ubuntu.com/ubuntu jammy-updates/main
amd64 libgfortran-11-dev amd64 11.4.0-1ubuntu1~22.04.2 [842 kB]
#7 12.92 Get:134 http://archive.ubuntu.com/ubuntu jammy-
updates/main amd64 gfortran-11 amd64 11.4.0-1ubuntu1~22.04.2
[11.2 MB] #7 13.29 Get:135 http://archive.ubuntu.com/ubuntu
jammy/main amd64 gfortran amd64 4:11.2.0-1ubuntu1 [1182 B] #7
13.29 Get:136 http://archive.ubuntu.com/ubuntu jammy-updates/main
amd64 libcurl3-gnutls amd64 7.81.0-1ubuntu1.20 [284 kB] #7 13.30
Get:137 http://archive.ubuntu.com/ubuntu jammy/main amd64
liberror-perl all 0.17029-1 [26.5 kB] #7 13.30 Get:138
http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 git-
man all 1:2.34.1-1ubuntu1.15 [955 kB] #7 13.33 Get:139
http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 git
amd64 1:2.34.1-1ubuntu1.15 [3166 kB] #7 13.43 Get:140
http://archive.ubuntu.com/ubuntu jammy/universe amd64 libann0
amd64 1.1.2+doc-7build1 [26.0 kB] #7 13.43 Get:141
http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64
libcddt5 amd64 2.42.2-6ubuntu0.1 [21.1 kB] #7 13.43 Get:142
http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64
libcgraph6 amd64 2.42.2-6ubuntu0.1 [45.4 kB] #7 13.44 Get:143
http://archive.ubuntu.com/ubuntu jammy/main amd64 libjpeg-turbo8
amd64 2.1.2-0ubuntu1 [134 kB] #7 13.44 Get:144
http://archive.ubuntu.com/ubuntu jammy/main amd64 libjpeg8 amd64
8c-2ubuntu10 [2264 B] #7 13.44 Get:145
http://archive.ubuntu.com/ubuntu jammy/main amd64 libdeflate0
amd64 1.10-2 [70.9 kB] #7 13.58 Get:146
http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libjbig0
amd64 2.1-3.1ubuntu0.22.04.1 [29.2 kB] #7 13.58 Get:147
http://archive.ubuntu.com/ubuntu jammy-updates/main amd64
libwebp7 amd64 1.2.2-2ubuntu0.22.04.2 [206 kB] #7 13.58 Get:148
http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libtiff5
amd64 4.3.0-6ubuntu0.11 [185 kB] #7 13.72 Get:149
http://archive.ubuntu.com/ubuntu jammy-updates/main amd64
libxpm4 amd64 1:3.5.12-1ubuntu0.22.04.2 [36.7 kB] #7 13.72 Get:150
http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libgd3
amd64 2.3.0-2ubuntu2.3 [129 kB] #7 13.73 Get:151
http://archive.ubuntu.com/ubuntu jammy/universe amd64 libgts-0.7-5
amd64 0.7.6+darcs121130-5 [164 kB] #7 13.73 Get:152
http://archive.ubuntu.com/ubuntu jammy-updates/main amd64
libpixmap-1-0 amd64 0.40.0-1ubuntu0.22.04.1 [264 kB] #7 13.73
Get:153 http://archive.ubuntu.com/ubuntu jammy/main amd64 libxcb-
render0 amd64 1.14-3ubuntu3 [16.4 kB] #7 13.73 Get:154
http://archive.ubuntu.com/ubuntu jammy/main amd64 libxcb-shm0
amd64 1.14-3ubuntu3 [5780 B] #7 13.73 Get:155
http://archive.ubuntu.com/ubuntu jammy/main amd64 libcairo2
amd64 1.16.0-5ubuntu2 [628 kB] #7 13.86 Get:156
http://archive.ubuntu.com/ubuntu jammy/main amd64 libltdl7 amd64
2.4.6-15build2 [39.6 kB] #7 13.86 Get:157
http://archive.ubuntu.com/ubuntu jammy/main amd64 libgraphite2-3
amd64 1.3.14-1build2 [71.3 kB] #7 13.86 Get:158
http://archive.ubuntu.com/ubuntu jammy-updates/main amd64
libharfbuzz0b amd64 2.7.4-1ubuntu3.2 [353 kB] #7 14.00 Get:159
http://archive.ubuntu.com/ubuntu jammy/main amd64 libthai-data all
0.1.29-1build1 [162 kB] #7 14.01 Get:160
http://archive.ubuntu.com/ubuntu jammy/main amd64 libdatrie1

amd64 0.2.13-2 [19.9 kB] #7 14.01 Get:161
[http://archive.ubuntu.com/ubuntu jammy/main amd64 libthai0 amd64 0.1.29-1build1 \[19.2 kB\] #7 14.01 Get:162](http://archive.ubuntu.com/ubuntu jammy/main amd64 libthai0 amd64 0.1.29-1build1 [19.2 kB] #7 14.01 Get:162)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libpango-1.0-0 amd64 1.50.6+ds-2ubuntu1 \[230 kB\] #7 14.01 Get:163](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libpango-1.0-0 amd64 1.50.6+ds-2ubuntu1 [230 kB] #7 14.01 Get:163)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libpangoft2-1.0-0 amd64 1.50.6+ds-2ubuntu1 \[54.0 kB\] #7 14.01 Get:164](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libpangoft2-1.0-0 amd64 1.50.6+ds-2ubuntu1 [54.0 kB] #7 14.01 Get:164)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libpangocairo-1.0-0 amd64 1.50.6+ds-2ubuntu1 \[39.8 kB\] #7 14.02 Get:165](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libpangocairo-1.0-0 amd64 1.50.6+ds-2ubuntu1 [39.8 kB] #7 14.02 Get:165)
[http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 libpathplan4 amd64 2.42.2-6ubuntu0.1 \[23.4 kB\] #7 14.14 Get:166](http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 libpathplan4 amd64 2.42.2-6ubuntu0.1 [23.4 kB] #7 14.14 Get:166)
[http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 libgvc6 amd64 2.42.2-6ubuntu0.1 \[724 kB\] #7 14.16 Get:167](http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 libgvc6 amd64 2.42.2-6ubuntu0.1 [724 kB] #7 14.16 Get:167)
[http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 libgvpr2 amd64 2.42.2-6ubuntu0.1 \[192 kB\] #7 14.17 Get:168](http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 libgvpr2 amd64 2.42.2-6ubuntu0.1 [192 kB] #7 14.17 Get:168)
[http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 liblab-gamut1 amd64 2.42.2-6ubuntu0.1 \[1965 kB\] #7 14.29 Get:169](http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 liblab-gamut1 amd64 2.42.2-6ubuntu0.1 [1965 kB] #7 14.29 Get:169)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 libice6 amd64 2:1.0.10-1build2 \[42.6 kB\] #7 14.29 Get:170](http://archive.ubuntu.com/ubuntu jammy/main amd64 libice6 amd64 2:1.0.10-1build2 [42.6 kB] #7 14.29 Get:170)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 libsm6 amd64 2:1.2.3-1build2 \[16.7 kB\] #7 14.29 Get:171](http://archive.ubuntu.com/ubuntu jammy/main amd64 libsm6 amd64 2:1.2.3-1build2 [16.7 kB] #7 14.29 Get:171)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 libxt6 amd64 1:1.2.1-1 \[177 kB\] #7 14.29 Get:172](http://archive.ubuntu.com/ubuntu jammy/main amd64 libxt6 amd64 1:1.2.1-1 [177 kB] #7 14.29 Get:172)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 libxmu6 amd64 2:1.1.3-3 \[49.6 kB\] #7 14.29 Get:173](http://archive.ubuntu.com/ubuntu jammy/main amd64 libxmu6 amd64 2:1.1.3-3 [49.6 kB] #7 14.29 Get:173)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 libxaw7 amd64 2:1.0.14-1 \[191 kB\] #7 14.30 Get:174](http://archive.ubuntu.com/ubuntu jammy/main amd64 libxaw7 amd64 2:1.0.14-1 [191 kB] #7 14.30 Get:174)
[http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 graphviz amd64 2.42.2-6ubuntu0.1 \[653 kB\] #7 14.32 Get:175](http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 graphviz amd64 2.42.2-6ubuntu0.1 [653 kB] #7 14.32 Get:175)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 libpaper1 amd64 1.1.28build2 \[13.8 kB\] #7 14.43 Get:176](http://archive.ubuntu.com/ubuntu jammy/main amd64 libpaper1 amd64 1.1.28build2 [13.8 kB] #7 14.43 Get:176)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 libpaper-utils amd64 1.1.28build2 \[8674 B\] #7 14.43 Get:177](http://archive.ubuntu.com/ubuntu jammy/main amd64 libpaper-utils amd64 1.1.28build2 [8674 B] #7 14.43 Get:177)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libkpathsea6 amd64 2021.20210626.59705-1ubuntu0.2 \[60.4 kB\] #7 14.43 Get:178](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libkpathsea6 amd64 2021.20210626.59705-1ubuntu0.2 [60.4 kB] #7 14.43 Get:178)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libptexenc1 amd64 2021.20210626.59705-1ubuntu0.2 \[39.1 kB\] #7 14.57 Get:179](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libptexenc1 amd64 2021.20210626.59705-1ubuntu0.2 [39.1 kB] #7 14.57 Get:179)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libsynctex2 amd64 2021.20210626.59705-1ubuntu0.2 \[55.6 kB\] #7 14.57 Get:180](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libsynctex2 amd64 2021.20210626.59705-1ubuntu0.2 [55.6 kB] #7 14.57 Get:180)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libtexlua53 amd64 2021.20210626.59705-1ubuntu0.2 \[120 kB\] #7 14.57 Get:181](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libtexlua53 amd64 2021.20210626.59705-1ubuntu0.2 [120 kB] #7 14.57 Get:181)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libtexluajit2 amd64 2021.20210626.59705-1ubuntu0.2 \[267 kB\] #7 14.58 Get:182](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libtexluajit2 amd64 2021.20210626.59705-1ubuntu0.2 [267 kB] #7 14.58 Get:182)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 t1utils amd64 1.41-4build2 \[61.3 kB\] #7 14.58 Get:183](http://archive.ubuntu.com/ubuntu jammy/main amd64 t1utils amd64 1.41-4build2 [61.3 kB] #7 14.58 Get:183)
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 libteckit0 amd64 2.5.11+ds1-1 \[421 kB\] #7 14.59 Get:184](http://archive.ubuntu.com/ubuntu jammy/universe amd64 libteckit0 amd64 2.5.11+ds1-1 [421 kB] #7 14.59 Get:184)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 libxi6 amd64 2:1.8-1build1 \[32.6 kB\] #7 14.60 Get:185](http://archive.ubuntu.com/ubuntu jammy/main amd64 libxi6 amd64 2:1.8-1build1 [32.6 kB] #7 14.60 Get:185)
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 libzip-0-13 amd64 0.13.72+dfsg.1-1.1 \[27.0 kB\] #7 14.71 Get:186](http://archive.ubuntu.com/ubuntu jammy/universe amd64 libzip-0-13 amd64 0.13.72+dfsg.1-1.1 [27.0 kB] #7 14.71 Get:186)
[http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 texlive-binaries amd64 2021.20210626.59705-1ubuntu0.2 \[9860 kB\] #7 15.03 Get:187](http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 texlive-binaries amd64 2021.20210626.59705-1ubuntu0.2 [9860 kB] #7 15.03 Get:187)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 xdg-utils all 1.1.3-4.1ubuntu3~22.04.1 \[61.9 kB\] #7 15.03 Get:188](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 xdg-utils all 1.1.3-4.1ubuntu3~22.04.1 [61.9 kB] #7 15.03 Get:188)
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 texlive-base all 2021.20220204-1 \[21.0 MB\] #7 15.72 Get:189](http://archive.ubuntu.com/ubuntu jammy/universe amd64 texlive-base all 2021.20220204-1 [21.0 MB] #7 15.72 Get:189)
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 texlive-latex-base all 2021.20220204-1 \[1128 kB\] #7 15.75 Get:190](http://archive.ubuntu.com/ubuntu jammy/universe amd64 texlive-latex-base all 2021.20220204-1 [1128 kB] #7 15.75 Get:190)
<http://archive.ubuntu.com/ubuntu jammy/universe amd64 latexmk all>

1:4.76-1 [171 kB] #7 15.76 Get:191 <http://archive.ubuntu.com/ubuntu> jammy/universe amd64 libaec0 amd64 1.0.6-1 [20.1 kB] #7 15.76 Get:192 <http://archive.ubuntu.com/ubuntu> jammy/universe amd64 libapache-pom-java all 18-1 [4720 B] #7 15.76 Get:193 <http://archive.ubuntu.com/ubuntu> jammy/main amd64 libblas3 amd64 3.10.0-2ubuntu1 [228 kB] #7 15.76 Get:194 <http://archive.ubuntu.com/ubuntu> jammy/main amd64 libboost1.74-dev amd64 1.74.0-14ubuntu3 [9609 kB] #7 16.08 Get:195 <http://archive.ubuntu.com/ubuntu> jammy/main amd64 libboost-dev amd64 1.74.0.3ubuntu7 [3490 B] #7 16.08 Get:196 <http://archive.ubuntu.com/ubuntu> jammy/universe amd64 libcommons-parent-java all 43-1 [10.8 kB] #7 16.09 Get:197 <http://archive.ubuntu.com/ubuntu> jammy/universe amd64 libcommons-logging-java all 1.2-2 [60.3 kB] #7 16.09 Get:198 <http://archive.ubuntu.com/ubuntu> jammy-updates/main amd64 libdpkg-perl all 1.21.1ubuntu2.3 [237 kB] #7 16.09 Get:199 <http://archive.ubuntu.com/ubuntu> jammy-updates/main amd64 libexpat1-dev amd64 2.4.7-1ubuntu0.6 [148 kB] #7 16.09 Get:200 <http://archive.ubuntu.com/ubuntu> jammy/main amd64 libgpm2 amd64 1.20.7-10build1 [15.3 kB] #7 16.09 Get:201 <http://archive.ubuntu.com/ubuntu> jammy/universe amd64 libsz2 amd64 1.0.6-1 [5354 B] #7 16.10 Get:202 <http://archive.ubuntu.com/ubuntu> jammy/universe amd64 libhdf5-103-1 amd64 1.10.7+repack-4ubuntu2 [1295 kB] #7 16.56 Get:203 <http://archive.ubuntu.com/ubuntu> jammy/universe amd64 libhdf5-hl-100 amd64 1.10.7+repack-4ubuntu2 [59.1 kB] #7 17.01 Get:204 <http://archive.ubuntu.com/ubuntu> jammy/main amd64 libimagequant0 amd64 2.17.0-1 [34.6 kB] #7 17.06 Get:205 <http://archive.ubuntu.com/ubuntu> jammy/main amd64 libjs-jquery all 3.6.0+dfsg+~3.5.13-1 [321 kB] #7 17.40 Get:206 <http://archive.ubuntu.com/ubuntu> jammy/universe amd64 libjs-jquery-ui all 1.13.1+dfsg-1 [253 kB] #7 17.51 Get:207 <http://archive.ubuntu.com/ubuntu> jammy/main amd64 libjs-underscore all 1.13.2~dfsg-2 [118 kB] #7 17.54 Get:208 <http://archive.ubuntu.com/ubuntu> jammy/main amd64 libjs-sphinxdoc all 4.3.2-1 [139 kB] #7 17.57 Get:209 <http://archive.ubuntu.com/ubuntu> jammy/universe amd64 libopenblas0-pthread amd64 0.3.20+ds-1 [6803 kB] #7 18.00 Get:210 <http://archive.ubuntu.com/ubuntu> jammy/main amd64 liblapack3 amd64 3.10.0-2ubuntu1 [2504 kB] #7 18.08 Get:211 <http://archive.ubuntu.com/ubuntu> jammy/universe amd64 liblbfgsb0 amd64 3.0+dfsg.3-10 [29.9 kB] #7 18.08 Get:212 <http://archive.ubuntu.com/ubuntu> jammy/main amd64 liblcms2-2 amd64 2.12~rc1-2build2 [159 kB] #7 18.09 Get:213 <http://archive.ubuntu.com/ubuntu> jammy/universe amd64 liblzfl amd64 3.6-3 [7444 B] #7 18.50 Get:214 <http://archive.ubuntu.com/ubuntu> jammy/universe amd64 libopenblas0 amd64 0.3.20+ds-1 [6098 B] #7 18.64 Get:215 <http://archive.ubuntu.com/ubuntu> jammy/universe amd64 libopenblas-pthread-dev amd64 0.3.20+ds-1 [4634 kB] #7 19.76 Get:216 <http://archive.ubuntu.com/ubuntu> jammy/universe amd64 libopenblas-dev amd64 0.3.20+ds-1 [18.6 kB] #7 19.76 Get:217 <http://archive.ubuntu.com/ubuntu> jammy-updates/main amd64 libpython3.10 amd64 3.10.12-1~22.04.11 [1949 kB] #7 19.83 Get:218 <http://archive.ubuntu.com/ubuntu> jammy-updates/main amd64 zlib1g-dev amd64 1:1.2.11.dfsg-2ubuntu9.2 [164 kB] #7 19.83 Get:219 <http://archive.ubuntu.com/ubuntu> jammy-updates/main amd64 libpython3.10-dev amd64 3.10.12-1~22.04.11 [4764 kB] #7 19.98 Get:220 <http://archive.ubuntu.com/ubuntu> jammy-updates/main amd64 libpython3-dev amd64 3.10.6-1~22.04.1 [7064 B] #7 19.98

Get:221 [http://archive.ubuntu.com/ubuntu jammy/universe amd64 libqhull-r8.0 amd64 2020.2-4 \[196 kB\] #7 19.99](http://archive.ubuntu.com/ubuntu jammy/universe amd64 libqhull-r8.0 amd64 2020.2-4 [196 kB] #7 19.99) Get:222 [http://archive.ubuntu.com/ubuntu jammy/main amd64 libraqm0 amd64 0.7.0-4ubuntu1 \[11.7 kB\] #7 19.99](http://archive.ubuntu.com/ubuntu jammy/main amd64 libraqm0 amd64 0.7.0-4ubuntu1 [11.7 kB] #7 19.99) Get:223 [http://archive.ubuntu.com/ubuntu jammy/main amd64 libsodium23 amd64 1.0.18-1build2 \[164 kB\] #7 19.99](http://archive.ubuntu.com/ubuntu jammy/main amd64 libsodium23 amd64 1.0.18-1build2 [164 kB] #7 19.99) Get:224 [http://archive.ubuntu.com/ubuntu jammy/universe amd64 libtext-unidecode-perl all 1.30-1 \[99.0 kB\] #7 20.28](http://archive.ubuntu.com/ubuntu jammy/universe amd64 libtext-unidecode-perl all 1.30-1 [99.0 kB] #7 20.28) Get:225 [http://archive.ubuntu.com/ubuntu jammy/main amd64 libtool all 2.4.6-15build2 \[164 kB\] #7 20.98](http://archive.ubuntu.com/ubuntu jammy/main amd64 libtool all 2.4.6-15build2 [164 kB] #7 20.98) Get:226 [http://archive.ubuntu.com/ubuntu jammy/main amd64 libtool-bin amd64 2.4.6-15build2 \[81.5 kB\] #7 21.03](http://archive.ubuntu.com/ubuntu jammy/main amd64 libtool-bin amd64 2.4.6-15build2 [81.5 kB] #7 21.03) Get:227 [http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libwebpdemux2 amd64 1.2.2-2ubuntu0.22.04.2 \[9964 B\] #7 21.04](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libwebpdemux2 amd64 1.2.2-2ubuntu0.22.04.2 [9964 B] #7 21.04) Get:228 [http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libwebpdecoder amd64 1.2.2-2ubuntu0.22.04.2 \[20.5 kB\] #7 21.05](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libwebpdecoder amd64 1.2.2-2ubuntu0.22.04.2 [20.5 kB] #7 21.05) Get:229 [http://archive.ubuntu.com/ubuntu jammy/main amd64 libxml-namespacesupport-perl all 1.12-1.1 \[13.2 kB\] #7 21.06](http://archive.ubuntu.com/ubuntu jammy/main amd64 libxml-namespacesupport-perl all 1.12-1.1 [13.2 kB] #7 21.06) Get:230 [http://archive.ubuntu.com/ubuntu jammy/main amd64 libxml-sax-base-perl all 1.09-1.1 \[19.0 kB\] #7 21.07](http://archive.ubuntu.com/ubuntu jammy/main amd64 libxml-sax-base-perl all 1.09-1.1 [19.0 kB] #7 21.07) Get:231 [http://archive.ubuntu.com/ubuntu jammy/main amd64 libxml-sax-perl all 1.02+dfsg-3 \[57.0 kB\] #7 21.13](http://archive.ubuntu.com/ubuntu jammy/main amd64 libxml-sax-perl all 1.02+dfsg-3 [57.0 kB] #7 21.13) Get:232 [http://archive.ubuntu.com/ubuntu jammy/main amd64 libxml-libxml-perl amd64 2.0207+dfsg+really+2.0134-1 \[325 kB\] #7 21.29](http://archive.ubuntu.com/ubuntu jammy/main amd64 libxml-libxml-perl amd64 2.0207+dfsg+really+2.0134-1 [325 kB] #7 21.29) Get:233 [http://archive.ubuntu.com/ubuntu jammy/universe amd64 libxsimd-dev amd64 7.6.0-2 \[108 kB\] #7 21.32](http://archive.ubuntu.com/ubuntu jammy/universe amd64 libxsimd-dev amd64 7.6.0-2 [108 kB] #7 21.32) Get:234 [http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libxslt1.1 amd64 1.1.34-4ubuntu0.22.04.4 \[165 kB\] #7 21.37](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libxslt1.1 amd64 1.1.34-4ubuntu0.22.04.4 [165 kB] #7 21.37) Get:235 [http://archive.ubuntu.com/ubuntu jammy/main amd64 make amd64 4.3-4.1build1 \[180 kB\] #7 21.41](http://archive.ubuntu.com/ubuntu jammy/main amd64 make amd64 4.3-4.1build1 [180 kB] #7 21.41) Get:236 [http://archive.ubuntu.com/ubuntu jammy/main amd64 pkg-config amd64 0.29.2-1ubuntu3 \[48.2 kB\] #7 21.42](http://archive.ubuntu.com/ubuntu jammy/main amd64 pkg-config amd64 0.29.2-1ubuntu3 [48.2 kB] #7 21.42) Get:237 [http://archive.ubuntu.com/ubuntu jammy/universe amd64 preview-latex-style all 12.2-1ubuntu1 \[185 kB\] #7 21.45](http://archive.ubuntu.com/ubuntu jammy/universe amd64 preview-latex-style all 12.2-1ubuntu1 [185 kB] #7 21.45) Get:238 [http://archive.ubuntu.com/ubuntu jammy/main amd64 python-babel-localedata all 2.8.0+dfsg.1-7 \[4982 kB\] #7 21.78](http://archive.ubuntu.com/ubuntu jammy/main amd64 python-babel-localedata all 2.8.0+dfsg.1-7 [4982 kB] #7 21.78) Get:239 [http://archive.ubuntu.com/ubuntu jammy/universe amd64 python-matplotlib-data all 3.5.1-2build1 \[2942 kB\] #7 21.87](http://archive.ubuntu.com/ubuntu jammy/universe amd64 python-matplotlib-data all 3.5.1-2build1 [2942 kB] #7 21.87) Get:240 [http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-appdirs all 1.4.4-2 \[11.4 kB\] #7 21.87](http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-appdirs all 1.4.4-2 [11.4 kB] #7 21.87) Get:241 [http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-attr all 21.2.0-1 \[44.0 kB\] #7 21.87](http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-attr all 21.2.0-1 [44.0 kB] #7 21.87) Get:242 [http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 python3-tz all 2022.1-1ubuntu0.22.04.1 \[30.7 kB\] #7 21.87](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 python3-tz all 2022.1-1ubuntu0.22.04.1 [30.7 kB] #7 21.87) Get:243 [http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-babel all 2.8.0+dfsg.1-7 \[85.1 kB\] #7 21.87](http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-babel all 2.8.0+dfsg.1-7 [85.1 kB] #7 21.87) Get:244 [http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-gast all 0.5.2-2 \[9394 B\] #7 21.87](http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-gast all 0.5.2-2 [9394 B] #7 21.87) Get:245 [http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-beniget all 0.4.1-2 \[9904 B\] #7 21.87](http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-beniget all 0.4.1-2 [9904 B] #7 21.87) Get:246 [http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-roman all 3.3-1 \[10.6 kB\] #7 21.87](http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-roman all 3.3-1 [10.6 kB] #7 21.87) Get:247 [http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-docutils all 0.17.1+dfsg-2 \[387 kB\] #7 21.92](http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-docutils all 0.17.1+dfsg-2 [387 kB] #7 21.92) Get:248 [http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 python3-lib2to3 all 3.10.8-1~22.04 \[77.6 kB\] #7 22.07](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 python3-lib2to3 all 3.10.8-1~22.04 [77.6 kB] #7 22.07) Get:249 [http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 python3-distutils all 3.10.8-1~22.04 \[139 kB\] #7 22.07](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 python3-distutils all 3.10.8-1~22.04 [139 kB] #7 22.07) Get:250 [http://archive.ubuntu.com/ubuntu jammy/main amd64 sphinx-common all 4.3.2-1 \[680 kB\] #7 22.08](http://archive.ubuntu.com/ubuntu jammy/main amd64 sphinx-common all 4.3.2-1 [680 kB] #7 22.08) Get:251 [http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-alabaster all 0.7.12-1 \[17.8 kB\] #7 22.08](http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-alabaster all 0.7.12-1 [17.8 kB] #7 22.08) Get:252 <http://archive.ubuntu.com/ubuntu jammy/main amd64 python3->

imagesize all 1.3.0-1 [6458 B] #7 22.08 Get:253
[http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-markupsafe amd64 2.0.1-2build1 \[12.7 kB\] #7 22.08 Get:254](http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-markupsafe amd64 2.0.1-2build1 [12.7 kB] #7 22.08 Get:254)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 python3-jinja2 all 3.0.3-1ubuntu0.4 \[108 kB\] #7 22.08 Get:255](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 python3-jinja2 all 3.0.3-1ubuntu0.4 [108 kB] #7 22.08 Get:255)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-pyparsing all 2.4.7-1 \[61.4 kB\] #7 22.08 Get:256](http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-pyparsing all 2.4.7-1 [61.4 kB] #7 22.08 Get:256)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-packaging all 21.3-1 \[30.7 kB\] #7 22.08 Get:257](http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-packaging all 21.3-1 [30.7 kB] #7 22.08 Get:257)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 python3-pygments all 2.11.2+dfsg-2ubuntu0.1 \[750 kB\] #7 22.21 Get:258](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 python3-pygments all 2.11.2+dfsg-2ubuntu0.1 [750 kB] #7 22.21 Get:258)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-certifi all 2020.6.20-1 \[150 kB\] #7 22.35 Get:259](http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-certifi all 2020.6.20-1 [150 kB] #7 22.35 Get:259)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-chardet all 4.0.0-1 \[98.0 kB\] #7 22.36 Get:260](http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-chardet all 4.0.0-1 [98.0 kB] #7 22.36 Get:260)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 python3-idna all 3.3-1ubuntu0.1 \[52.1 kB\] #7 22.36 Get:261](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 python3-idna all 3.3-1ubuntu0.1 [52.1 kB] #7 22.36 Get:261)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-six all 1.16.0-3ubuntu1 \[12.6 kB\] #7 22.36 Get:262](http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-six all 1.16.0-3ubuntu1 [12.6 kB] #7 22.36 Get:262)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 python3-urllib3 all 1.26.5-1~exp1ubuntu0.3 \[98.6 kB\] #7 22.36 Get:263](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 python3-urllib3 all 1.26.5-1~exp1ubuntu0.3 [98.6 kB] #7 22.36 Get:263)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 python3-requests all 2.25.1+dfsg-2ubuntu0.3 \[48.8 kB\] #7 22.36 Get:264](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 python3-requests all 2.25.1+dfsg-2ubuntu0.3 [48.8 kB] #7 22.36 Get:264)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-snowballstemmer all 2.2.0-1build1 \[60.2 kB\] #7 22.36 Get:265](http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-snowballstemmer all 2.2.0-1build1 [60.2 kB] #7 22.36 Get:265)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-sphinx all 4.3.2-1 \[541 kB\] #7 22.36 Get:266](http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-sphinx all 4.3.2-1 [541 kB] #7 22.36 Get:266)
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-breathe all 4.33.1-3 \[69.6 kB\] #7 22.37 Get:267](http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-breathe all 4.33.1-3 [69.6 kB] #7 22.37 Get:267)
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-brotli amd64 1.0.9-2build6 \[319 kB\] #7 22.50 Get:268](http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-brotli amd64 1.0.9-2build6 [319 kB] #7 22.50 Get:268)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-colorama all 0.4.4-1 \[24.5 kB\] #7 22.64 Get:269](http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-colorama all 0.4.4-1 [24.5 kB] #7 22.64 Get:269)
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-commonmark all 0.9.1-3 \[43.7 kB\] #7 22.64 Get:270](http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-commonmark all 0.9.1-3 [43.7 kB] #7 22.64 Get:270)
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-cycler all 0.11.0-1 \[8156 B\] #7 22.64 Get:271](http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-cycler all 0.11.0-1 [8156 B] #7 22.64 Get:271)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-dateutil all 2.8.1-6 \[78.4 kB\] #7 22.64 Get:272](http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-dateutil all 2.8.1-6 [78.4 kB] #7 22.64 Get:272)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-decorator all 4.4.2-0ubuntu1 \[10.3 kB\] #7 22.64 Get:273](http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-decorator all 4.4.2-0ubuntu1 [10.3 kB] #7 22.64 Get:273)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 python3.10-dev amd64 3.10.12-1~22.04.11 \[508 kB\] #7 22.65 Get:274](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 python3.10-dev amd64 3.10.12-1~22.04.11 [508 kB] #7 22.65 Get:274)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 python3-dev amd64 3.10.6-1~22.04.1 \[26.0 kB\] #7 22.65 Get:275](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 python3-dev amd64 3.10.6-1~22.04.1 [26.0 kB] #7 22.65 Get:275)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 python3-numpy amd64 1:1.21.5-1ubuntu22.04.1 \[3467 kB\] #7 22.69 Get:276](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 python3-numpy amd64 1:1.21.5-1ubuntu22.04.1 [3467 kB] #7 22.69 Get:276)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-ply all 3.11-5 \[47.5 kB\] #7 22.69 Get:277](http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-ply all 3.11-5 [47.5 kB] #7 22.69 Get:277)
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-pythran amd64 0.10.0+ds2-1 \[423 kB\] #7 22.79 Get:278](http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-pythran amd64 0.10.0+ds2-1 [423 kB] #7 22.79 Get:278)
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-scipy amd64 1.8.0-1exp2ubuntu1 \[14.7 MB\] #7 23.28 Get:279](http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-scipy amd64 1.8.0-1exp2ubuntu1 [14.7 MB] #7 23.28 Get:279)
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-ufolib2 all 0.13.1+dfsg1-1 \[32.2 kB\] #7 23.28 Get:280](http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-ufolib2 all 0.13.1+dfsg1-1 [32.2 kB] #7 23.28 Get:280)
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-mpmath all 1.2.1-2 \[419 kB\] #7 23.29 Get:281](http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-mpmath all 1.2.1-2 [419 kB] #7 23.29 Get:281)
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-sympy all 1.9-1 \[4312 kB\] #7 23.43 Get:282](http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-sympy all 1.9-1 [4312 kB] #7 23.43 Get:282)
<http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-fs>

all 2.4.12-1 [84.9 kB] #7 23.43 Get:283
[http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-lxml amd64 4.8.0-1build1 \[1150 kB\] #7 23.47 Get:284](http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-lxml amd64 4.8.0-1build1 [1150 kB] #7 23.47 Get:284)
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-lz4 amd64 3.1.3+dfsg-1build3 \[33.3 kB\] #7 23.47 Get:285](http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-lz4 amd64 3.1.3+dfsg-1build3 [33.3 kB] #7 23.47 Get:285)
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-unicodedata2 amd64 14.0.0+ds-8 \[376 kB\] #7 23.48 Get:286](http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-unicodedata2 amd64 14.0.0+ds-8 [376 kB] #7 23.48 Get:286)
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 unicode-data all 14.0.0-1.1 \[8206 kB\] #7 23.76 Get:287](http://archive.ubuntu.com/ubuntu jammy/universe amd64 unicode-data all 14.0.0-1.1 [8206 kB] #7 23.76 Get:287)
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-fonttools amd64 4.29.1-2build1 \[810 kB\] #7 23.78 Get:288](http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-fonttools amd64 4.29.1-2build1 [810 kB] #7 23.78 Get:288)
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-h5py-serial amd64 3.6.0-2build1 \[872 kB\] #7 23.81 Get:289](http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-h5py-serial amd64 3.6.0-2build1 [872 kB] #7 23.81 Get:289)
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-h5py all 3.6.0-2build1 \[4740 B\] #7 23.81 Get:290](http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-h5py all 3.6.0-2build1 [4740 B] #7 23.81 Get:290)
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-kiwisolver amd64 1.3.2-1build1 \[48.0 kB\] #7 23.81 Get:291](http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-kiwisolver amd64 1.3.2-1build1 [48.0 kB] #7 23.81 Get:291)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libopenjp2-7 amd64 2.4.0-6ubuntu0.3 \[158 kB\] #7 23.82 Get:292](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libopenjp2-7 amd64 2.4.0-6ubuntu0.3 [158 kB] #7 23.82 Get:292)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 python3-pil amd64 9.0.1-1ubuntu0.3 \[419 kB\] #7 23.83 Get:293](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 python3-pil amd64 9.0.1-1ubuntu0.3 [419 kB] #7 23.83 Get:293)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 python3-tk amd64 3.10.8-1~22.04 \[110 kB\] #7 23.83 Get:294](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 python3-tk amd64 3.10.8-1~22.04 [110 kB] #7 23.83 Get:294)
[http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 python3-pil.imagetk amd64 9.0.1-1ubuntu0.3 \[9616 B\] #7 23.84 Get:295](http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 python3-pil.imagetk amd64 9.0.1-1ubuntu0.3 [9616 B] #7 23.84 Get:295)
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-matplotlib amd64 3.5.1-2build1 \[5937 kB\] #7 24.04 Get:296](http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-matplotlib amd64 3.5.1-2build1 [5937 kB] #7 24.04 Get:296)
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-rich all 11.2.0-1 \[177 kB\] #7 24.04 Get:297](http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-rich all 11.2.0-1 [177 kB] #7 24.04 Get:297)
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-meshio all 5.3.0-1 \[110 kB\] #7 24.05 Get:298](http://archive.ubuntu.com/ubuntu jammy/universe amd64 python3-meshio all 5.3.0-1 [110 kB] #7 24.05 Get:298)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 python3-setuptools all 59.6.0-1.2ubuntu0.22.04.3 \[340 kB\] #7 24.06 Get:299](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 python3-setuptools all 59.6.0-1.2ubuntu0.22.04.3 [340 kB] #7 24.06 Get:299)
[http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 python3-wheel all 0.37.1-2ubuntu0.22.04.1 \[32.0 kB\] #7 24.06 Get:300](http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 python3-wheel all 0.37.1-2ubuntu0.22.04.1 [32.0 kB] #7 24.06 Get:300)
[http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 python3-pip all 22.0.2+dfsg-1ubuntu0.6 \[1306 kB\] #7 24.10 Get:301](http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 python3-pip all 22.0.2+dfsg-1ubuntu0.6 [1306 kB] #7 24.10 Get:301)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 sphinx-rtd-theme-common all 1.0.0+dfsg-1 \[991 kB\] #7 24.13 Get:302](http://archive.ubuntu.com/ubuntu jammy/main amd64 sphinx-rtd-theme-common all 1.0.0+dfsg-1 [991 kB] #7 24.13 Get:302)
[http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-sphinx-rtd-theme all 1.0.0+dfsg-1 \[21.3 kB\] #7 24.13 Get:303](http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-sphinx-rtd-theme all 1.0.0+dfsg-1 [21.3 kB] #7 24.13 Get:303)
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 texinfo amd64 6.8-4build1 \[1423 kB\] #7 24.18 Get:304](http://archive.ubuntu.com/ubuntu jammy/universe amd64 texinfo amd64 6.8-4build1 [1423 kB] #7 24.18 Get:304)
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 texlive-fonts-recommended all 2021.20220204-1 \[4972 kB\] #7 24.34 Get:305](http://archive.ubuntu.com/ubuntu jammy/universe amd64 texlive-fonts-recommended all 2021.20220204-1 [4972 kB] #7 24.34 Get:305)
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 libfontbox-java all 1:1.8.16-2 \[207 kB\] #7 24.35 Get:306](http://archive.ubuntu.com/ubuntu jammy/universe amd64 libfontbox-java all 1:1.8.16-2 [207 kB] #7 24.35 Get:306)
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 libpdfbox-java all 1:1.8.16-2 \[5199 kB\] #7 24.52 Get:307](http://archive.ubuntu.com/ubuntu jammy/universe amd64 libpdfbox-java all 1:1.8.16-2 [5199 kB] #7 24.52 Get:307)
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 texlive-latex-recommended all 2021.20220204-1 \[14.4 MB\] #7 25.00 Get:308](http://archive.ubuntu.com/ubuntu jammy/universe amd64 texlive-latex-recommended all 2021.20220204-1 [14.4 MB] #7 25.00 Get:308)
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 texlive-pictures all 2021.20220204-1 \[8720 kB\] #7 25.28 Get:309](http://archive.ubuntu.com/ubuntu jammy/universe amd64 texlive-pictures all 2021.20220204-1 [8720 kB] #7 25.28 Get:309)
[http://archive.ubuntu.com/ubuntu jammy/universe amd64 texlive-latex-extra all 2021.20220204-1 \[13.9 MB\] #7 25.74 Get:310](http://archive.ubuntu.com/ubuntu jammy/universe amd64 texlive-latex-extra all 2021.20220204-1 [13.9 MB] #7 25.74 Get:310)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 vim-runtime all 2:8.2.3995-1ubuntu2.24 \[6833 kB\] #7 25.96 Get:311](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 vim-runtime all 2:8.2.3995-1ubuntu2.24 [6833 kB] #7 25.96 Get:311)
[http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 vim amd64 2:8.2.3995-1ubuntu2.24 \[1728 kB\] #7 26.02 Get:312](http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 vim amd64 2:8.2.3995-1ubuntu2.24 [1728 kB] #7 26.02 Get:312)
<http://archive.ubuntu.com/ubuntu jammy/main amd64 libglvnd0>

amd64 1.4.0-1 [73.6 kB] #7 26.03 Get:313
http://archive.ubuntu.com/ubuntu jammy/main amd64 libopengl0
amd64 1.4.0-1 [36.5 kB] #7 26.03 Get:314
http://archive.ubuntu.com/ubuntu jammy/main amd64 libglu1-mesa
amd64 9.0.2-1 [145 kB] #7 26.15 debconf: delaying package
configuration, since apt-utils is not installed #7 26.17 Fetched 375 MB
in 20s (18.4 MB/s) #7 26.19 Selecting previously unselected package
libpython3.10-minimal:amd64. #7 26.19 (Reading database ...
(Reading database ... 5%(Reading database ... 10%(Reading database
... 15%(Reading database ... 20%(Reading database ... 25%(Reading
database ... 30%(Reading database ... 35%(Reading database ... 40%
(Reading database ... 45%(Reading database ... 50%(Reading
database ... 55%(Reading database ... 60%(Reading database ... 65%
(Reading database ... 70%(Reading database ... 75%(Reading
database ... 80%(Reading database ... 85%(Reading database ... 90%
(Reading database ... 95%(Reading database ... 100%(Reading
database ... 4393 files and directories currently installed.) #7 26.19
Preparing to unpack .../libpython3.10-minimal_3.10.12-
1~22.04.11_amd64.deb ... #7 26.19 Unpacking libpython3.10-
minimal:amd64 (3.10.12-1~22.04.11) ... #7 26.27 Selecting previously
unselected package libexpat1:amd64. #7 26.27 Preparing to unpack
.../libexpat1_2.4.7-1ubuntu0.6_amd64.deb ... #7 26.27 Unpacking
libexpat1:amd64 (2.4.7-1ubuntu0.6) ... #7 26.29 Selecting previously
unselected package python3.10-minimal. #7 26.29 Preparing to
unpack .../python3.10-minimal_3.10.12-1~22.04.11_amd64.deb ... #7
26.29 Unpacking python3.10-minimal (3.10.12-1~22.04.11) ... #7
26.33 Setting up libpython3.10-minimal:amd64 (3.10.12-1~22.04.11)
... #7 26.33 Setting up libexpat1:amd64 (2.4.7-1ubuntu0.6) ... #7
26.34 Setting up python3.10-minimal (3.10.12-1~22.04.11) ... #7
26.84 Selecting previously unselected package python3-minimal. #7
26.84 (Reading database ... (Reading database ... 5%(Reading
database ... 10%(Reading database ... 15%(Reading database ... 20%
(Reading database ... 25%(Reading database ... 30%(Reading
database ... 35%(Reading database ... 40%(Reading database ... 45%
(Reading database ... 50%(Reading database ... 55%(Reading
database ... 60%(Reading database ... 65%(Reading database ... 70%
(Reading database ... 75%(Reading database ... 80%(Reading
database ... 85%(Reading database ... 90%(Reading database ... 95%
(Reading database ... 100%(Reading database ... 4697 files and
directories currently installed.) #7 26.84 Preparing to unpack .../0-
python3-minimal_3.10.6-1~22.04.1_amd64.deb ... #7 26.85
Unpacking python3-minimal (3.10.6-1~22.04.1) ... #7 26.86 Selecting
previously unselected package media-types. #7 26.86 Preparing to
unpack .../1-media-types_7.0.0_all.deb ... #7 26.86 Unpacking media-
types (7.0.0) ... #7 26.88 Selecting previously unselected package
libmpdec3:amd64. #7 26.88 Preparing to unpack .../2-
libmpdec3_2.5.1-2build2_amd64.deb ... #7 26.88 Unpacking
libmpdec3:amd64 (2.5.1-2build2) ... #7 26.90 Selecting previously
unselected package readline-common. #7 26.90 Preparing to unpack
.../3-readline-common_8.1.2-1_all.deb ... #7 26.90 Unpacking readline-
common (8.1.2-1) ... #7 26.91 Selecting previously unselected
package libreadline8:amd64. #7 26.91 Preparing to unpack .../4-
libreadline8_8.1.2-1_amd64.deb ... #7 26.91 Unpacking
libreadline8:amd64 (8.1.2-1) ... #7 26.93 Selecting previously
unselected package libsqlite3-0:amd64. #7 26.93 Preparing to unpack
.../5-libsqlite3-0_3.37.2-2ubuntu0.5_amd64.deb ... #7 26.93
Unpacking libsqlite3-0:amd64 (3.37.2-2ubuntu0.5) ... #7 26.95
Selecting previously unselected package libpython3.10-stdlib:amd64.
#7 26.95 Preparing to unpack .../6-libpython3.10-stdlib_3.10.12-
1~22.04.11_amd64.deb ... #7 26.95 Unpacking libpython3.10-

stdlib:amd64 (3.10.12-1~22.04.11) ... #7 27.03 Selecting previously
unselected package python3.10. #7 27.04 Preparing to unpack .../7-
python3.10_3.10.12-1~22.04.11_amd64.deb ... #7 27.04 Unpacking
python3.10 (3.10.12-1~22.04.11) ... #7 27.05 Selecting previously
unselected package libpython3-stdlib:amd64. #7 27.05 Preparing to
unpack .../8-libpython3-stdlib_3.10.6-1~22.04.1_amd64.deb ... #7
27.05 Unpacking libpython3-stdlib:amd64 (3.10.6-1~22.04.1) ... #7
27.07 Setting up python3-minimal (3.10.6-1~22.04.1) ... #7 27.20
Selecting previously unselected package python3. #7 27.20 (Reading
database ... (Reading database ... 5%(Reading database ... 10%
(Reading database ... 15%(Reading database ... 20%(Reading
database ... 25%(Reading database ... 30%(Reading database ... 35%
(Reading database ... 40%(Reading database ... 45%(Reading
database ... 50%(Reading database ... 55%(Reading database ... 60%
(Reading database ... 65%(Reading database ... 70%(Reading
database ... 75%(Reading database ... 80%(Reading database ... 85%
(Reading database ... 90%(Reading database ... 95%(Reading
database ... 100%(Reading database ... 5127 files and directories
currently installed.) #7 27.21 Preparing to unpack .../000-
python3_3.10.6-1~22.04.1_amd64.deb ... #7 27.21 Unpacking
python3 (3.10.6-1~22.04.1) ... #7 27.22 Selecting previously
unselected package libsigsegv2:amd64. #7 27.23 Preparing to unpack
.../001-libsigsegv2_2.13-1ubuntu3_amd64.deb ... #7 27.23 Unpacking
libsigsegv2:amd64 (2.13-1ubuntu3) ... #7 27.24 Selecting previously
unselected package m4. #7 27.24 Preparing to unpack .../002-
m4_1.4.18-5ubuntu2_amd64.deb ... #7 27.24 Unpacking m4 (1.4.18-
5ubuntu2) ... #7 27.26 Selecting previously unselected package flex.
#7 27.26 Preparing to unpack .../003-flex_2.6.4-8build2_amd64.deb ...
#7 27.26 Unpacking flex (2.6.4-8build2) ... #7 27.28 Selecting
previously unselected package fonts-lato. #7 27.28 Preparing to
unpack .../004-fonts-lato_2.0-2.1_all.deb ... #7 27.28 Unpacking fonts-
lato (2.0-2.1) ... #7 27.49 Selecting previously unselected package
perl-modules-5.34. #7 27.49 Preparing to unpack .../005-perl-
modules-5.34_5.34.0-3ubuntu1.5_all.deb ... #7 27.49 Unpacking perl-
modules-5.34 (5.34.0-3ubuntu1.5) ... #7 27.76 Selecting previously
unselected package libgdbm6:amd64. #7 27.76 Preparing to unpack
.../006-libgdbm6_1.23-1_amd64.deb ... #7 27.77 Unpacking
libgdbm6:amd64 (1.23-1) ... #7 27.78 Selecting previously unselected
package libgdbm-compat4:amd64. #7 27.78 Preparing to unpack
.../007-libgdbm-compat4_1.23-1_amd64.deb ... #7 27.78 Unpacking
libgdbm-compat4:amd64 (1.23-1) ... #7 27.80 Selecting previously
unselected package libperl5.34:amd64. #7 27.80 Preparing to unpack
.../008-libperl5.34_5.34.0-3ubuntu1.5_amd64.deb ... #7 27.80
Unpacking libperl5.34:amd64 (5.34.0-3ubuntu1.5) ... #7 27.96
Selecting previously unselected package perl. #7 27.96 Preparing to
unpack .../009-perl_5.34.0-3ubuntu1.5_amd64.deb ... #7 27.97
Unpacking perl (5.34.0-3ubuntu1.5) ... #7 28.00 Selecting previously
unselected package sgml-base. #7 28.00 Preparing to unpack .../010-
sgml-base_1.30_all.deb ... #7 28.00 Unpacking sgml-base (1.30) ... #7
28.02 Selecting previously unselected package ucf. #7 28.02
Preparing to unpack .../011-ucf_3.0043_all.deb ... #7 28.03 Moving
old data out of the way #7 28.03 Unpacking ucf (3.0043) ... #7 28.04
Selecting previously unselected package tex-common. #7 28.05
Preparing to unpack .../012-tex-common_6.17_all.deb ... #7 28.05
Unpacking tex-common (6.17) ... #7 28.07 Selecting previously
unselected package openssl. #7 28.07 Preparing to unpack .../013-
openssl_3.0.2-0ubuntu1.19_amd64.deb ... #7 28.07 Unpacking
openssl (3.0.2-0ubuntu1.19) ... #7 28.11 Selecting previously
unselected package ca-certificates. #7 28.11 Preparing to unpack
.../014-ca-certificates_20240203~22.04.1_all.deb ... #7 28.11

Unpacking ca-certificates (20240203~22.04.1) ... #7 28.15 Selecting previously unselected package libmd0:amd64. #7 28.15 Preparing to unpack .../015-libmd0_1.0.4-1build1_amd64.deb ... #7 28.15
Unpacking libmd0:amd64 (1.0.4-1build1) ... #7 28.17 Selecting previously unselected package libbsd0:amd64. #7 28.17 Preparing to unpack .../016-libbsd0_0.11.5-1_amd64.deb ... #7 28.17 Unpacking libbsd0:amd64 (0.11.5-1) ... #7 28.18 Selecting previously unselected package libfribidi0:amd64. #7 28.18 Preparing to unpack .../017-libfribidi0_1.0.8-2ubuntu3.1_amd64.deb ... #7 28.19 Unpacking libfribidi0:amd64 (1.0.8-2ubuntu3.1) ... #7 28.20 Selecting previously unselected package libglib2.0-0:amd64. #7 28.20 Preparing to unpack .../018-libglib2.0-0_2.72.4-0ubuntu2.6_amd64.deb ... #7 28.20
Unpacking libglib2.0-0:amd64 (2.72.4-0ubuntu2.6) ... #7 28.23
Selecting previously unselected package libicu70:amd64. #7 28.23
Preparing to unpack .../019-libicu70_70.1-2_amd64.deb ... #7 28.23
Unpacking libicu70:amd64 (70.1-2) ... #7 28.36 Selecting previously unselected package libxml2:amd64. #7 28.36 Preparing to unpack .../020-libxml2_2.9.13+dfsg-1ubuntu0.9_amd64.deb ... #7 28.36
Unpacking libxml2:amd64 (2.9.13+dfsg-1ubuntu0.9) ... #7 28.38
Selecting previously unselected package python3-pkg-resources. #7 28.39 Preparing to unpack .../021-python3-pkg-resources_59.6.0-1.2ubuntu0.22.04.3_all.deb ... #7 28.39 Unpacking python3-pkg-resources (59.6.0-1.2ubuntu0.22.04.3) ... #7 28.41 Selecting previously unselected package tzdata. #7 28.41 Preparing to unpack .../022-tzdata_2025b-0ubuntu0.22.04.1_all.deb ... #7 28.41 Unpacking tzdata (2025b-0ubuntu0.22.04.1) ... #7 28.69 Selecting previously unselected package xxd. #7 28.69 Preparing to unpack .../023-xxd_2%3a8.2.3995-1ubuntu2.24_amd64.deb ... #7 28.69 Unpacking xxd (2:8.2.3995-1ubuntu2.24) ... #7 28.71 Selecting previously unselected package vim-common. #7 28.71 Preparing to unpack .../024-vim-common_2%3a8.2.3995-1ubuntu2.24_all.deb ... #7 28.71
Unpacking vim-common (2:8.2.3995-1ubuntu2.24) ... #7 28.73
Selecting previously unselected package libmagic-mgc. #7 28.73
Preparing to unpack .../025-libmagic-mgc_1%3a5.41-3ubuntu0.1_amd64.deb ... #7 28.73 Unpacking libmagic-mgc (1:5.41-3ubuntu0.1) ... #7 28.76 Selecting previously unselected package libmagic1:amd64. #7 28.77 Preparing to unpack .../026-libmagic1_1%3a5.41-3ubuntu0.1_amd64.deb ... #7 28.77 Unpacking libmagic1:amd64 (1:5.41-3ubuntu0.1) ... #7 28.78 Selecting previously unselected package file. #7 28.78 Preparing to unpack .../027-file_1%3a5.41-3ubuntu0.1_amd64.deb ... #7 28.78 Unpacking file (1:5.41-3ubuntu0.1) ... #7 28.79 Selecting previously unselected package gettext-base. #7 28.80 Preparing to unpack .../028-gettext-base_0.21-4ubuntu4_amd64.deb ... #7 28.80 Unpacking gettext-base (0.21-4ubuntu4) ... #7 28.81 Selecting previously unselected package libedit2:amd64. #7 28.81 Preparing to unpack .../029-libedit2_3.1-20210910-1build1_amd64.deb ... #7 28.81 Unpacking libedit2:amd64 (3.1-20210910-1build1) ... #7 28.83 Selecting previously unselected package libnghttp2-14:amd64. #7 28.83 Preparing to unpack .../030-libnghttp2-14_1.43.0-1ubuntu0.2_amd64.deb ... #7 28.83 Unpacking libnghttp2-14:amd64 (1.43.0-1ubuntu0.2) ... #7 28.85 Selecting previously unselected package libpng16-16:amd64. #7 28.85
Preparing to unpack .../031-libpng16-16_1.6.37-3build5_amd64.deb ... #7 28.85 Unpacking libpng16-16:amd64 (1.6.37-3build5) ... #7 28.86
Selecting previously unselected package libpsl5:amd64. #7 28.86
Preparing to unpack .../032-libpsl5_0.21.0-1.2build2_amd64.deb ... #7 28.86 Unpacking libpsl5:amd64 (0.21.0-1.2build2) ... #7 28.88
Selecting previously unselected package libuv1:amd64. #7 28.88
Preparing to unpack .../033-libuv1_1.43.0-1ubuntu0.1_amd64.deb ... #7 28.88 Unpacking libuv1:amd64 (1.43.0-1ubuntu0.1) ... #7 28.90

Selecting previously unselected package libxau6:amd64. #7 28.90
Preparing to unpack .../034-libxau6_1%3a1.0.9-1build5_amd64.deb ...
#7 28.90 Unpacking libxau6:amd64 (1:1.0.9-1build5) ... #7 28.91
Selecting previously unselected package libxdmcp6:amd64. #7 28.91
Preparing to unpack .../035-libxdmcp6_1%3a1.1.3-
0ubuntu5_amd64.deb ... #7 28.91 Unpacking libxdmcp6:amd64
(1:1.1.3-0ubuntu5) ... #7 28.93 Selecting previously unselected
package libxcb1:amd64. #7 28.93 Preparing to unpack .../036-
libxcb1_1.14-3ubuntu3_amd64.deb ... #7 28.93 Unpacking
libxcb1:amd64 (1.14-3ubuntu3) ... #7 28.94 Selecting previously
unselected package libx11-data. #7 28.94 Preparing to unpack .../037-
libx11-data_2%3a1.7.5-1ubuntu0.3_all.deb ... #7 28.94 Unpacking
libx11-data (2:1.7.5-1ubuntu0.3) ... #7 28.99 Selecting previously
unselected package libx11-6:amd64. #7 29.00 Preparing to unpack
.../038-libx11-6_2%3a1.7.5-1ubuntu0.3_amd64.deb ... #7 29.00
Unpacking libx11-6:amd64 (2:1.7.5-1ubuntu0.3) ... #7 29.01 Selecting
previously unselected package libxext6:amd64. #7 29.01 Preparing to
unpack .../039-libxext6_2%3a1.3.4-1build1_amd64.deb ... #7 29.02
Unpacking libxext6:amd64 (2:1.3.4-1build1) ... #7 29.03 Selecting
previously unselected package wget. #7 29.03 Preparing to unpack
.../040-wget_1.21.2-2ubuntu1.1_amd64.deb ... #7 29.03 Unpacking
wget (1.21.2-2ubuntu1.1) ... #7 29.05 Selecting previously unselected
package xz-utils. #7 29.05 Preparing to unpack .../041-xz-utils_5.2.5-
2ubuntu1_amd64.deb ... #7 29.05 Unpacking xz-utils (5.2.5-2ubuntu1)
... #7 29.06 Selecting previously unselected package autoconf. #7
29.06 Preparing to unpack .../042-autoconf_2.71-2_all.deb ... #7 29.07
Unpacking autoconf (2.71-2) ... #7 29.09 Selecting previously
unselected package autotools-dev. #7 29.09 Preparing to unpack
.../043-autotools-dev_20220109.1_all.deb ... #7 29.10 Unpacking
autotools-dev (20220109.1) ... #7 29.12 Selecting previously
unselected package automake. #7 29.12 Preparing to unpack .../044-
automake_1%3a1.16.5-1.3_all.deb ... #7 29.12 Unpacking automake
(1:1.16.5-1.3) ... #7 29.15 Selecting previously unselected package
autopoint. #7 29.15 Preparing to unpack .../045-autopoint_0.21-
4ubuntu4_all.deb ... #7 29.15 Unpacking autopoint (0.21-4ubuntu4) ...
#7 29.17 Selecting previously unselected package binutils-
common:amd64. #7 29.17 Preparing to unpack .../046-binutils-
common_2.38-4ubuntu2.8_amd64.deb ... #7 29.17 Unpacking binutils-
common:amd64 (2.38-4ubuntu2.8) ... #7 29.18 Selecting previously
unselected package libbinutils:amd64. #7 29.18 Preparing to unpack
.../047-libbinutils_2.38-4ubuntu2.8_amd64.deb ... #7 29.19 Unpacking
libbinutils:amd64 (2.38-4ubuntu2.8) ... #7 29.21 Selecting previously
unselected package libctf-nobfd0:amd64. #7 29.21 Preparing to
unpack .../048-libctf-nobfd0_2.38-4ubuntu2.8_amd64.deb ... #7 29.21
Unpacking libctf-nobfd0:amd64 (2.38-4ubuntu2.8) ... #7 29.23
Selecting previously unselected package libctf0:amd64. #7 29.23
Preparing to unpack .../049-libctf0_2.38-4ubuntu2.8_amd64.deb ... #7
29.23 Unpacking libctf0:amd64 (2.38-4ubuntu2.8) ... #7 29.24
Selecting previously unselected package binutils-x86-64-linux-gnu. #7
29.24 Preparing to unpack .../050-binutils-x86-64-linux-gnu_2.38-
4ubuntu2.8_amd64.deb ... #7 29.24 Unpacking binutils-x86-64-linux-
gnu (2.38-4ubuntu2.8) ... #7 29.32 Selecting previously unselected
package binutils. #7 29.32 Preparing to unpack .../051-binutils_2.38-
4ubuntu2.8_amd64.deb ... #7 29.32 Unpacking binutils (2.38-
4ubuntu2.8) ... #7 29.34 Selecting previously unselected package
bison. #7 29.34 Preparing to unpack .../052-bison_2%3a3.8.2+dfsg-
1build1_amd64.deb ... #7 29.34 Unpacking bison (2:3.8.2+dfsg-
1build1) ... #7 29.37 Selecting previously unselected package
libtcl8.6:amd64. #7 29.37 Preparing to unpack .../053-
libtcl8.6_8.6.12+dfsg-1build1_amd64.deb ... #7 29.37 Unpacking

libtcl8.6:amd64 (8.6.12+dfsg-1build1) ... #7 29.43 Selecting previously unselected package libbrotli1:amd64. #7 29.43 Preparing to unpack .../054-libbrotli1_1.0.9-2build6_amd64.deb ... #7 29.43 Unpacking libbrotli1:amd64 (1.0.9-2build6) ... #7 29.45 Selecting previously unselected package libfreetype6:amd64. #7 29.45 Preparing to unpack .../055-libfreetype6_2.11.1+dfsg-1ubuntu0.3_amd64.deb ... #7 29.45 Unpacking libfreetype6:amd64 (2.11.1+dfsg-1ubuntu0.3) ... #7 29.47 Selecting previously unselected package fonts-dejavu-core. #7 29.47 Preparing to unpack .../056-fonts-dejavu-core_2.37-2build1_all.deb ... #7 29.47 Unpacking fonts-dejavu-core (2.37-2build1) ... #7 29.55 Selecting previously unselected package fontconfig-config. #7 29.56 Preparing to unpack .../057-fontconfig-config_2.13.1-4.2ubuntu5_all.deb ... #7 29.56 Unpacking fontconfig-config (2.13.1-4.2ubuntu5) ... #7 29.58 Selecting previously unselected package libfontconfig1:amd64. #7 29.58 Preparing to unpack .../058-libfontconfig1_2.13.1-4.2ubuntu5_amd64.deb ... #7 29.58 Unpacking libfontconfig1:amd64 (2.13.1-4.2ubuntu5) ... #7 29.60 Selecting previously unselected package libxrender1:amd64. #7 29.60 Preparing to unpack .../059-libxrender1_1%3a0.9.10-1build4_amd64.deb ... #7 29.60 Unpacking libxrender1:amd64 (1:0.9.10-1build4) ... #7 29.61 Selecting previously unselected package libxft2:amd64. #7 29.61 Preparing to unpack .../060-libxft2_2.3.4-1_amd64.deb ... #7 29.61 Unpacking libxft2:amd64 (2.3.4-1) ... #7 29.63 Selecting previously unselected package x11-common. #7 29.63 Preparing to unpack .../061-x11-common_1%3a7.7+23ubuntu2_all.deb ... #7 29.63 Unpacking x11-common (1:7.7+23ubuntu2) ... #7 29.65 Selecting previously unselected package libxss1:amd64. #7 29.65 Preparing to unpack .../062-libxss1_1%3a1.2.3-1build2_amd64.deb ... #7 29.65 Unpacking libxss1:amd64 (1:1.2.3-1build2) ... #7 29.66 Selecting previously unselected package libtk8.6:amd64. #7 29.67 Preparing to unpack .../063-libtk8.6_8.6.12-1build1_amd64.deb ... #7 29.67 Unpacking libtk8.6:amd64 (8.6.12-1build1) ... #7 29.70 Selecting previously unselected package tk8.6-blt2.5. #7 29.70 Preparing to unpack .../064-tk8.6-blt2.5_2.5.3+dfsg-4.1build2_amd64.deb ... #7 29.71 Unpacking tk8.6-blt2.5 (2.5.3+dfsg-4.1build2) ... #7 29.73 Selecting previously unselected package blt. #7 29.73 Preparing to unpack .../065-blt_2.5.3+dfsg-4.1build2_amd64.deb ... #7 29.73 Unpacking blt (2.5.3+dfsg-4.1build2) ... #7 29.74 Selecting previously unselected package libarchive13:amd64. #7 29.74 Preparing to unpack .../066-libarchive13_3.6.0-1ubuntu1.5_amd64.deb ... #7 29.75 Unpacking libarchive13:amd64 (3.6.0-1ubuntu1.5) ... #7 29.76 Selecting previously unselected package libsasl2-modules-db:amd64. #7 29.76 Preparing to unpack .../067-libsasl2-modules-db_2.1.27+dfsg2-3ubuntu1.2_amd64.deb ... #7 29.76 Unpacking libsasl2-modules-db:amd64 (2.1.27+dfsg2-3ubuntu1.2) ... #7 29.78 Selecting previously unselected package libsasl2-2:amd64. #7 29.78 Preparing to unpack .../068-libsasl2-2_2.1.27+dfsg2-3ubuntu1.2_amd64.deb ... #7 29.78 Unpacking libsasl2-2:amd64 (2.1.27+dfsg2-3ubuntu1.2) ... #7 29.80 Selecting previously unselected package libldap-2.5-0:amd64. #7 29.80 Preparing to unpack .../069-libldap-2.5-0_2.5.19+dfsg-0ubuntu0.22.04.1_amd64.deb ... #7 29.80 Unpacking libldap-2.5-0:amd64 (2.5.19+dfsg-0ubuntu0.22.04.1) ... #7 29.82 Selecting previously unselected package librtmp1:amd64. #7 29.82 Preparing to unpack .../070-librtmp1_2.4+20151223.gitfa8646d.1-2build4_amd64.deb ... #7 29.82 Unpacking librtmp1:amd64 (2.4+20151223.gitfa8646d.1-2build4) ... #7 29.83 Selecting previously unselected package libssh-4:amd64. #7 29.84 Preparing to unpack .../071-libssh-4_0.9.6-2ubuntu0.22.04.4_amd64.deb ... #7 29.84 Unpacking libssh-4:amd64 (0.9.6-2ubuntu0.22.04.4) ... #7 29.85

Selecting previously unselected package libcurl4:amd64. #7 29.85
 Preparing to unpack .../072-libcurl4_7.81.0-1ubuntu1.20_amd64.deb
 ... #7 29.85 Unpacking libcurl4:amd64 (7.81.0-1ubuntu1.20) ... #7
 29.87 Selecting previously unselected package libjsoncpp25:amd64.
 #7 29.87 Preparing to unpack .../073-libjsoncpp25_1.9.5-3_amd64.deb
 ... #7 29.87 Unpacking libjsoncpp25:amd64 (1.9.5-3) ... #7 29.89
 Selecting previously unselected package librhash0:amd64. #7 29.89
 Preparing to unpack .../074-librhash0_1.4.2-1ubuntu1_amd64.deb ...
 #7 29.89 Unpacking librhash0:amd64 (1.4.2-1ubuntu1) ... #7 29.91
 Selecting previously unselected package dh-elpa-helper. #7 29.91
 Preparing to unpack .../075-dh-elpa-helper_2.0.9ubuntu1_all.deb ... #7
 29.91 Unpacking dh-elpa-helper (2.0.9ubuntu1) ... #7 29.92 Selecting
 previously unselected package emacs-common. #7 29.92 Preparing
 to unpack .../076-emacs-common_3.0.4_all.deb ... #7 29.93
 Unpacking emacs-common (3.0.4) ... #7 29.95 Selecting previously
 unselected package cmake-data. #7 29.95 Preparing to unpack
 .../077-cmake-data_3.22.1-1ubuntu1.22.04.2_all.deb ... #7 29.95
 Unpacking cmake-data (3.22.1-1ubuntu1.22.04.2) ... #7 30.43
 Selecting previously unselected package cmake. #7 30.43 Preparing
 to unpack .../078-cmake_3.22.1-1ubuntu1.22.04.2_amd64.deb ... #7
 30.44 Unpacking cmake (3.22.1-1ubuntu1.22.04.2) ... #7 30.51
 Selecting previously unselected package gcc-11-base:amd64. #7
 30.51 Preparing to unpack .../079-gcc-11-base_11.4.0-
 1ubuntu1~22.04.2_amd64.deb ... #7 30.51 Unpacking gcc-11-
 base:amd64 (11.4.0-1ubuntu1~22.04.2) ... #7 30.53 Selecting
 previously unselected package libisl23:amd64. #7 30.53 Preparing to
 unpack .../080-libisl23_0.24-2build1_amd64.deb ... #7 30.53
 Unpacking libisl23:amd64 (0.24-2build1) ... #7 30.55 Selecting
 previously unselected package libmpfr6:amd64. #7 30.56 Preparing
 to unpack .../081-libmpfr6_4.1.0-3build3_amd64.deb ... #7 30.56
 Unpacking libmpfr6:amd64 (4.1.0-3build3) ... #7 30.58 Selecting
 previously unselected package libmpc3:amd64. #7 30.58 Preparing to
 unpack .../082-libmpc3_1.2.1-2build1_amd64.deb ... #7 30.58
 Unpacking libmpc3:amd64 (1.2.1-2build1) ... #7 30.60 Selecting
 previously unselected package cpp-11. #7 30.60 Preparing to unpack
 .../083-cpp-11_11.4.0-1ubuntu1~22.04.2_amd64.deb ... #7 30.60
 Unpacking cpp-11 (11.4.0-1ubuntu1~22.04.2) ... #7 30.72 Selecting
 previously unselected package cpp. #7 30.72 Preparing to unpack
 .../084-cpp_4%3a11.2.0-1ubuntu1_amd64.deb ... #7 30.72 Unpacking
 cpp (4:11.2.0-1ubuntu1) ... #7 30.74 Selecting previously unselected
 package xml-core. #7 30.74 Preparing to unpack .../085-xml-
 core_0.18+nmu1_all.deb ... #7 30.74 Unpacking xml-core
 (0.18+nmu1) ... #7 30.76 Selecting previously unselected package
 docutils-common. #7 30.76 Preparing to unpack .../086-docutils-
 common_0.17.1+dfsg-2_all.deb ... #7 30.77 Unpacking docutils-
 common (0.17.1+dfsg-2) ... #7 30.80 Selecting previously unselected
 package libllvm14:amd64. #7 30.80 Preparing to unpack .../087-
 libllvm14_1%3a14.0.0-1ubuntu1.1_amd64.deb ... #7 30.80 Unpacking
 libllvm14:amd64 (1:14.0.0-1ubuntu1.1) ... #7 31.14 Selecting
 previously unselected package libclang-cpp14. #7 31.14 Preparing to
 unpack .../088-libclang-cpp14_1%3a14.0.0-1ubuntu1.1_amd64.deb ...
 #7 31.14 Unpacking libclang-cpp14 (1:14.0.0-1ubuntu1.1) ... #7 31.32
 Selecting previously unselected package libclang1-14. #7 31.32
 Preparing to unpack .../089-libclang1-14_1%3a14.0.0-
 1ubuntu1.1_amd64.deb ... #7 31.32 Unpacking libclang1-14 (1:14.0.0-
 1ubuntu1.1) ... #7 31.42 Selecting previously unselected package
 libxapian30:amd64. #7 31.42 Preparing to unpack .../090-
 libxapian30_1.4.18-4_amd64.deb ... #7 31.42 Unpacking
 libxapian30:amd64 (1.4.18-4) ... #7 31.44 Selecting previously
 unselected package doxygen. #7 31.44 Preparing to unpack .../091-

doxygen_1.9.1-2ubuntu2_amd64.deb ... #7 31.44 Unpacking doxygen (1.9.1-2ubuntu2) ... #7 31.51 Selecting previously unselected package fontconfig. #7 31.51 Preparing to unpack .../092-fontconfig_2.13.1-4.2ubuntu5_amd64.deb ... #7 31.51 Unpacking fontconfig (2.13.1-4.2ubuntu5) ... #7 31.53 Selecting previously unselected package fonts-font-awesome. #7 31.53 Preparing to unpack .../093-fonts-font-awesome_5.0.10+really4.7.0~dfsg-4.1_all.deb ... #7 31.54 Unpacking fonts-font-awesome (5.0.10+really4.7.0~dfsg-4.1) ... #7 31.58 Selecting previously unselected package fonts-lmodern. #7 31.59 Preparing to unpack .../094-fonts-lmodern_2.004.5-6.1_all.deb ... #7 31.59 Unpacking fonts-lmodern (2.004.5-6.1) ... #7 31.89 Selecting previously unselected package fonts-lyx. #7 31.89 Preparing to unpack .../095-fonts-lyx_2.3.6-1_all.deb ... #7 31.89 Unpacking fonts-lyx (2.3.6-1) ... #7 31.93 Selecting previously unselected package libcc1-0:amd64. #7 31.93 Preparing to unpack .../096-libcc1-0_12.3.0-1ubuntu1~22.04.2_amd64.deb ... #7 31.93 Unpacking libcc1-0:amd64 (12.3.0-1ubuntu1~22.04.2) ... #7 31.94 Selecting previously unselected package libgomp1:amd64. #7 31.94 Preparing to unpack .../097-libgomp1_12.3.0-1ubuntu1~22.04.2_amd64.deb ... #7 31.94 Unpacking libgomp1:amd64 (12.3.0-1ubuntu1~22.04.2) ... #7 31.96 Selecting previously unselected package libitm1:amd64. #7 31.96 Preparing to unpack .../098-libitm1_12.3.0-1ubuntu1~22.04.2_amd64.deb ... #7 31.96 Unpacking libitm1:amd64 (12.3.0-1ubuntu1~22.04.2) ... #7 31.97 Selecting previously unselected package libatomic1:amd64. #7 31.98 Preparing to unpack .../099-libatomic1_12.3.0-1ubuntu1~22.04.2_amd64.deb ... #7 31.98 Unpacking libatomic1:amd64 (12.3.0-1ubuntu1~22.04.2) ... #7 31.99 Selecting previously unselected package libasan6:amd64. #7 31.99 Preparing to unpack .../100-libasan6_11.4.0-1ubuntu1~22.04.2_amd64.deb ... #7 31.99 Unpacking libasan6:amd64 (11.4.0-1ubuntu1~22.04.2) ... #7 32.03 Selecting previously unselected package liblsan0:amd64. #7 32.03 Preparing to unpack .../101-liblsan0_12.3.0-1ubuntu1~22.04.2_amd64.deb ... #7 32.04 Unpacking liblsan0:amd64 (12.3.0-1ubuntu1~22.04.2) ... #7 32.06 Selecting previously unselected package libtsan0:amd64. #7 32.06 Preparing to unpack .../102-libtsan0_11.4.0-1ubuntu1~22.04.2_amd64.deb ... #7 32.06 Unpacking libtsan0:amd64 (11.4.0-1ubuntu1~22.04.2) ... #7 32.10 Selecting previously unselected package libubsan1:amd64. #7 32.10 Preparing to unpack .../103-libubsan1_12.3.0-1ubuntu1~22.04.2_amd64.deb ... #7 32.10 Unpacking libubsan1:amd64 (12.3.0-1ubuntu1~22.04.2) ... #7 32.13 Selecting previously unselected package libquadmath0:amd64. #7 32.13 Preparing to unpack .../104-libquadmath0_12.3.0-1ubuntu1~22.04.2_amd64.deb ... #7 32.13 Unpacking libquadmath0:amd64 (12.3.0-1ubuntu1~22.04.2) ... #7 32.14 Selecting previously unselected package libgcc-11-dev:amd64. #7 32.15 Preparing to unpack .../105-libgcc-11-dev_11.4.0-1ubuntu1~22.04.2_amd64.deb ... #7 32.15 Unpacking libgcc-11-dev:amd64 (11.4.0-1ubuntu1~22.04.2) ... #7 32.22 Selecting previously unselected package gcc-11. #7 32.22 Preparing to unpack .../106-gcc-11_11.4.0-1ubuntu1~22.04.2_amd64.deb ... #7 32.22 Unpacking gcc-11 (11.4.0-1ubuntu1~22.04.2) ... #7 32.42 Selecting previously unselected package gcc. #7 32.42 Preparing to unpack .../107-gcc_4%3a11.2.0-1ubuntu1_amd64.deb ... #7 32.43 Unpacking gcc (4:11.2.0-1ubuntu1) ... #7 32.44 Selecting previously unselected package libc-dev-bin. #7 32.44 Preparing to unpack .../108-libc-dev-bin_2.35-0ubuntu3.10_amd64.deb ... #7 32.44 Unpacking libc-dev-bin (2.35-0ubuntu3.10) ... #7 32.46 Selecting previously unselected package linux-libc-dev:amd64. #7 32.46 Preparing to unpack .../109-linux-libc-dev_5.15.0-153.163_amd64.deb ... #7 32.46 Unpacking

```

linux-libc-dev:amd64 (5.15.0-153.163) ... #7 32.64 Selecting
previously unselected package libcrypt-dev:amd64. #7 32.64
Preparing to unpack .../110-libcrypt-dev_1%3a4.4.27-1_amd64.deb ...
#7 32.64 Unpacking libcrypt-dev:amd64 (1:4.4.27-1) ... #7 32.66
Selecting previously unselected package rpcsvc-proto. #7 32.66
Preparing to unpack .../111-rpcsvc-proto_1.4.2-0ubuntu6_amd64.deb
... #7 32.66 Unpacking rpcsvc-proto (1.4.2-0ubuntu6) ... #7 32.68
Selecting previously unselected package libtirpc-dev:amd64. #7 32.68
Preparing to unpack .../112-libtirpc-dev_1.3.2-2ubuntu0.1_amd64.deb
... #7 32.68 Unpacking libtirpc-dev:amd64 (1.3.2-2ubuntu0.1) ... #7
32.70 Selecting previously unselected package libnsl-dev:amd64. #7
32.70 Preparing to unpack .../113-libnsl-dev_1.3.0-2build2_amd64.deb
... #7 32.70 Unpacking libnsl-dev:amd64 (1.3.0-2build2) ... #7 32.72
Selecting previously unselected package libc6-dev:amd64. #7 32.72
Preparing to unpack .../114-libc6-dev_2.35-0ubuntu3.10_amd64.deb ...
#7 32.72 Unpacking libc6-dev:amd64 (2.35-0ubuntu3.10) ... #7 32.84
Selecting previously unselected package libstdc++-11-dev:amd64. #7
32.84 Preparing to unpack .../115-libstdc++-11-dev_11.4.0-
1ubuntu1~22.04.2_amd64.deb ... #7 32.85 Unpacking libstdc++-11-
dev:amd64 (11.4.0-1ubuntu1~22.04.2) ... #7 33.03 Selecting
previously unselected package g++-11. #7 33.03 Preparing to unpack
.../116-g++-11_11.4.0-1ubuntu1~22.04.2_amd64.deb ... #7 33.03
Unpacking g++-11 (11.4.0-1ubuntu1~22.04.2) ... #7 33.14 Selecting
previously unselected package g++. #7 33.15 Preparing to unpack
.../117-g++_4%3a11.2.0-1ubuntu1_amd64.deb ... #7 33.15 Unpacking
g++ (4:11.2.0-1ubuntu1) ... #7 33.16 Selecting previously unselected
package gettext. #7 33.16 Preparing to unpack .../118-gettext_0.21-
4ubuntu4_amd64.deb ... #7 33.16 Unpacking gettext (0.21-4ubuntu4)
... #7 33.20 Selecting previously unselected package
libgfortran5:amd64. #7 33.20 Preparing to unpack .../119-
libgfortran5_12.3.0-1ubuntu1~22.04.2_amd64.deb ... #7 33.20
Unpacking libgfortran5:amd64 (12.3.0-1ubuntu1~22.04.2) ... #7
33.22 Selecting previously unselected package libgfortran-11-
dev:amd64. #7 33.23 Preparing to unpack .../120-libgfortran-11-
dev_11.4.0-1ubuntu1~22.04.2_amd64.deb ... #7 33.23 Unpacking
libgfortran-11-dev:amd64 (11.4.0-1ubuntu1~22.04.2) ... #7 33.25
Selecting previously unselected package gfortran-11. #7 33.26
Preparing to unpack .../121-gfortran-11_11.4.0-
1ubuntu1~22.04.2_amd64.deb ... #7 33.26 Unpacking gfortran-11
(11.4.0-1ubuntu1~22.04.2) ... #7 33.37 Selecting previously
unselected package gfortran. #7 33.38 Preparing to unpack .../122-
gfortran_4%3a11.2.0-1ubuntu1_amd64.deb ... #7 33.38 Unpacking
gfortran (4:11.2.0-1ubuntu1) ... #7 33.39 Selecting previously
unselected package libcurl3-gnutls:amd64. #7 33.39 Preparing to
unpack .../123-libcurl3-gnutls_7.81.0-1ubuntu1.20_amd64.deb ... #7
33.39 Unpacking libcurl3-gnutls:amd64 (7.81.0-1ubuntu1.20) ... #7
33.41 Selecting previously unselected package liberror-perl. #7 33.41
Preparing to unpack .../124-liberror-perl_0.17029-1_all.deb ... #7
33.41 Unpacking liberror-perl (0.17029-1) ... #7 33.43 Selecting
previously unselected package git-man. #7 33.43 Preparing to unpack
.../125-git-man_1%3a2.34.1-1ubuntu1.15_all.deb ... #7 33.43
Unpacking git-man (1:2.34.1-1ubuntu1.15) ... #7 33.45 Selecting
previously unselected package git. #7 33.45 Preparing to unpack
.../126-git_1%3a2.34.1-1ubuntu1.15_amd64.deb ... #7 33.46
Unpacking git (1:2.34.1-1ubuntu1.15) ... #7 33.57 Selecting
previously unselected package libann0. #7 33.57 Preparing to unpack
.../127-libann0_1.1.2+doc-7build1_amd64.deb ... #7 33.57 Unpacking
libann0 (1.1.2+doc-7build1) ... #7 33.59 Selecting previously
unselected package libcdt5:amd64. #7 33.59 Preparing to unpack
.../128-libcdt5_2.42.2-6ubuntu0.1_amd64.deb ... #7 33.59 Unpacking

```

libcdt5:amd64 (2.42.2-6ubuntu0.1) ... #7 33.60 Selecting previously
unselected package libcgraph6:amd64. #7 33.60 Preparing to unpack
.../129-libcgraph6_2.42.2-6ubuntu0.1_amd64.deb ... #7 33.60
Unpacking libcgraph6:amd64 (2.42.2-6ubuntu0.1) ... #7 33.62
Selecting previously unselected package libjpeg-turbo8:amd64. #7
33.62 Preparing to unpack .../130-libjpeg-turbo8_2.1.2-
0ubuntu1_amd64.deb ... #7 33.62 Unpacking libjpeg-turbo8:amd64
(2.1.2-0ubuntu1) ... #7 33.64 Selecting previously unselected package
libjpeg8:amd64. #7 33.64 Preparing to unpack .../131-libjpeg8_8c-
2ubuntu10_amd64.deb ... #7 33.64 Unpacking libjpeg8:amd64 (8c-
2ubuntu10) ... #7 33.65 Selecting previously unselected package
libdeflate0:amd64. #7 33.65 Preparing to unpack .../132-
libdeflate0_1.10-2_amd64.deb ... #7 33.65 Unpacking
libdeflate0:amd64 (1.10-2) ... #7 33.67 Selecting previously
unselected package libjbig0:amd64. #7 33.67 Preparing to unpack
.../133-libjbig0_2.1-3.1ubuntu0.22.04.1_amd64.deb ... #7 33.67
Unpacking libjbig0:amd64 (2.1-3.1ubuntu0.22.04.1) ... #7 33.68
Selecting previously unselected package libwebp7:amd64. #7 33.69
Preparing to unpack .../134-libwebp7_1.2.2-
2ubuntu0.22.04.2_amd64.deb ... #7 33.69 Unpacking
libwebp7:amd64 (1.2.2-2ubuntu0.22.04.2) ... #7 33.70 Selecting
previously unselected package libtiff5:amd64. #7 33.70 Preparing to
unpack .../135-libtiff5_4.3.0-6ubuntu0.11_amd64.deb ... #7 33.71
Unpacking libtiff5:amd64 (4.3.0-6ubuntu0.11) ... #7 33.72 Selecting
previously unselected package libxpm4:amd64. #7 33.72 Preparing to
unpack .../136-libxpm4_1%3a3.5.12-1ubuntu0.22.04.2_amd64.deb ...
#7 33.72 Unpacking libxpm4:amd64 (1:3.5.12-1ubuntu0.22.04.2) ...
#7 33.74 Selecting previously unselected package libgd3:amd64. #7
33.74 Preparing to unpack .../137-libgd3_2.3.0-
2ubuntu2.3_amd64.deb ... #7 33.74 Unpacking libgd3:amd64 (2.3.0-
2ubuntu2.3) ... #7 33.76 Selecting previously unselected package
libgts-0.7-5:amd64. #7 33.76 Preparing to unpack .../138-libgts-0.7-
5_0.7.6+darcs121130-5_amd64.deb ... #7 33.76 Unpacking libgts-0.7-
5:amd64 (0.7.6+darcs121130-5) ... #7 33.77 Selecting previously
unselected package libpixmap-1-0:amd64. #7 33.78 Preparing to
unpack .../139-libpixmap-1-0_0.40.0-1ubuntu0.22.04.1_amd64.deb ...
#7 33.78 Unpacking libpixmap-1-0:amd64 (0.40.0-1ubuntu0.22.04.1)
... #7 33.79 Selecting previously unselected package libxcb-
render0:amd64. #7 33.80 Preparing to unpack .../140-libxcb-
render0_1.14-3ubuntu3_amd64.deb ... #7 33.80 Unpacking libxcb-
render0:amd64 (1.14-3ubuntu3) ... #7 33.81 Selecting previously
unselected package libxcb-shm0:amd64. #7 33.81 Preparing to
unpack .../141-libxcb-shm0_1.14-3ubuntu3_amd64.deb ... #7 33.82
Unpacking libxcb-shm0:amd64 (1.14-3ubuntu3) ... #7 33.83 Selecting
previously unselected package libcairo2:amd64. #7 33.83 Preparing
to unpack .../142-libcairo2_1.16.0-5ubuntu2_amd64.deb ... #7 33.83
Unpacking libcairo2:amd64 (1.16.0-5ubuntu2) ... #7 33.85 Selecting
previously unselected package libltdl7:amd64. #7 33.85 Preparing
to unpack .../143-libltdl7_2.4.6-15build2_amd64.deb ... #7 33.85
Unpacking libltdl7:amd64 (2.4.6-15build2) ... #7 33.87 Selecting
previously unselected package libgraphite2-3:amd64. #7 33.87
Preparing to unpack .../144-libgraphite2-3_1.3.14-1build2_amd64.deb
... #7 33.87 Unpacking libgraphite2-3:amd64 (1.3.14-1build2) ... #7
33.89 Selecting previously unselected package libharfbuzz0b:amd64.
#7 33.89 Preparing to unpack .../145-libharfbuzz0b_2.7.4-
1ubuntu3.2_amd64.deb ... #7 33.89 Unpacking libharfbuzz0b:amd64
(2.7.4-1ubuntu3.2) ... #7 33.91 Selecting previously unselected
package libthai-data. #7 33.91 Preparing to unpack .../146-libthai-
data_0.1.29-1build1_all.deb ... #7 33.91 Unpacking libthai-data
(0.1.29-1build1) ... #7 33.93 Selecting previously unselected package

libdatrie1:amd64. #7 33.93 Preparing to unpack .../147-libdatrie1_0.2.13-2_amd64.deb ... #7 33.93 Unpacking libdatrie1:amd64 (0.2.13-2) ... #7 33.94 Selecting previously unselected package libthai0:amd64. #7 33.95 Preparing to unpack .../148-libthai0_0.1.29-1build1_amd64.deb ... #7 33.95 Unpacking libthai0:amd64 (0.1.29-1build1) ... #7 33.96 Selecting previously unselected package libpango-1.0-0:amd64. #7 33.96 Preparing to unpack .../149-libpango-1.0-0_1.50.6+ds-2ubuntu1_amd64.deb ... #7 33.96 Unpacking libpango-1.0-0:amd64 (1.50.6+ds-2ubuntu1) ... #7 33.98 Selecting previously unselected package libpangoft2-1.0-0:amd64. #7 33.98 Preparing to unpack .../150-libpangoft2-1.0-0_1.50.6+ds-2ubuntu1_amd64.deb ... #7 33.98 Unpacking libpangoft2-1.0-0:amd64 (1.50.6+ds-2ubuntu1) ... #7 34.00 Selecting previously unselected package libpangocairo-1.0-0:amd64. #7 34.00 Preparing to unpack .../151-libpangocairo-1.0-0_1.50.6+ds-2ubuntu1_amd64.deb ... #7 34.00 Unpacking libpangocairo-1.0-0:amd64 (1.50.6+ds-2ubuntu1) ... #7 34.01 Selecting previously unselected package libpathplan4:amd64. #7 34.02 Preparing to unpack .../152-libpathplan4_2.42.2-6ubuntu0.1_amd64.deb ... #7 34.02 Unpacking libpathplan4:amd64 (2.42.2-6ubuntu0.1) ... #7 34.03 Selecting previously unselected package libgvc6. #7 34.03 Preparing to unpack .../153-libgvc6_2.42.2-6ubuntu0.1_amd64.deb ... #7 34.04 Unpacking libgvc6 (2.42.2-6ubuntu0.1) ... #7 34.06 Selecting previously unselected package libgvpr2:amd64. #7 34.06 Preparing to unpack .../154-libgvpr2_2.42.2-6ubuntu0.1_amd64.deb ... #7 34.06 Unpacking libgvpr2:amd64 (2.42.2-6ubuntu0.1) ... #7 34.08 Selecting previously unselected package liblab-gamut1:amd64. #7 34.08 Preparing to unpack .../155-liblab-gamut1_2.42.2-6ubuntu0.1_amd64.deb ... #7 34.08 Unpacking liblab-gamut1:amd64 (2.42.2-6ubuntu0.1) ... #7 34.10 Selecting previously unselected package libice6:amd64. #7 34.10 Preparing to unpack .../156-libice6_2%3a1.0.10-1build2_amd64.deb ... #7 34.10 Unpacking libice6:amd64 (2:1.0.10-1build2) ... #7 34.12 Selecting previously unselected package libsm6:amd64. #7 34.12 Preparing to unpack .../157-libsm6_2%3a1.2.3-1build2_amd64.deb ... #7 34.12 Unpacking libsm6:amd64 (2:1.2.3-1build2) ... #7 34.13 Selecting previously unselected package libxt6:amd64. #7 34.14 Preparing to unpack .../158-libxt6_1%3a1.2.1-1_amd64.deb ... #7 34.14 Unpacking libxt6:amd64 (1:1.2.1-1) ... #7 34.15 Selecting previously unselected package libxmu6:amd64. #7 34.15 Preparing to unpack .../159-libxmu6_2%3a1.1.3-3_amd64.deb ... #7 34.15 Unpacking libxmu6:amd64 (2:1.1.3-3) ... #7 34.17 Selecting previously unselected package libxaw7:amd64. #7 34.17 Preparing to unpack .../160-libxaw7_2%3a1.0.14-1_amd64.deb ... #7 34.17 Unpacking libxaw7:amd64 (2:1.0.14-1) ... #7 34.19 Selecting previously unselected package graphviz. #7 34.19 Preparing to unpack .../161-graphviz_2.42.2-6ubuntu0.1_amd64.deb ... #7 34.19 Unpacking graphviz (2.42.2-6ubuntu0.1) ... #7 34.22 Selecting previously unselected package libpaper1:amd64. #7 34.23 Preparing to unpack .../162-libpaper1_1.1.28build2_amd64.deb ... #7 34.23 Unpacking libpaper1:amd64 (1.1.28build2) ... #7 34.24 Selecting previously unselected package libpaper-utils. #7 34.24 Preparing to unpack .../163-libpaper-utils_1.1.28build2_amd64.deb ... #7 34.24 Unpacking libpaper-utils (1.1.28build2) ... #7 34.26 Selecting previously unselected package libkpathsea6:amd64. #7 34.26 Preparing to unpack .../164-libkpathsea6_2021.20210626.59705-1ubuntu0.2_amd64.deb ... #7 34.26 Unpacking libkpathsea6:amd64 (2021.20210626.59705-1ubuntu0.2) ... #7 34.28 Selecting previously unselected package libptexenc1:amd64. #7 34.28 Preparing to unpack .../165-libptexenc1_2021.20210626.59705-

1ubuntu0.2_amd64.deb ... #7 34.28 Unpacking libptexenc1:amd64
(2021.20210626.59705-1ubuntu0.2) ... #7 34.29 Selecting previously
unselected package libsyntax2:amd64. #7 34.30 Preparing to unpack
.../166-libsyntax2_2021.20210626.59705-1ubuntu0.2_amd64.deb ...
#7 34.30 Unpacking libsyntax2:amd64 (2021.20210626.59705-
1ubuntu0.2) ... #7 34.31 Selecting previously unselected package
libtexlua53:amd64. #7 34.31 Preparing to unpack .../167-
libtexlua53_2021.20210626.59705-1ubuntu0.2_amd64.deb ... #7
34.32 Unpacking libtexlua53:amd64 (2021.20210626.59705-
1ubuntu0.2) ... #7 34.34 Selecting previously unselected package
libtexlua53:amd64. #7 34.34 Preparing to unpack .../168-
libtexlua53_2021.20210626.59705-1ubuntu0.2_amd64.deb ... #7
34.34 Unpacking libtexlua53:amd64 (2021.20210626.59705-
1ubuntu0.2) ... #7 34.36 Selecting previously unselected package
t1utils. #7 34.36 Preparing to unpack .../169-t1utils_1.41-
4build2_amd64.deb ... #7 34.36 Unpacking t1utils (1.41-4build2) ...
#7 34.38 Selecting previously unselected package libteckit0:amd64.
#7 34.38 Preparing to unpack .../170-libteckit0_2.5.11+ds1-
1_amd64.deb ... #7 34.38 Unpacking libteckit0:amd64 (2.5.11+ds1-1)
... #7 34.40 Selecting previously unselected package libxi6:amd64. #7
34.40 Preparing to unpack .../171-libxi6_2%3a1.8-1build1_amd64.deb
... #7 34.40 Unpacking libxi6:amd64 (2:1.8-1build1) ... #7 34.42
Selecting previously unselected package libzzip-0-13:amd64. #7 34.42
Preparing to unpack .../172-libzzip-0-13_0.13.72+dfsg.1-
1.1_amd64.deb ... #7 34.42 Unpacking libzzip-0-13:amd64
(0.13.72+dfsg.1-1.1) ... #7 34.44 Selecting previously unselected
package texlive-binaries. #7 34.44 Preparing to unpack .../173-texlive-
binaries_2021.20210626.59705-1ubuntu0.2_amd64.deb ... #7 34.44
Unpacking texlive-binaries (2021.20210626.59705-1ubuntu0.2) ... #7
34.63 Selecting previously unselected package xdg-utils. #7 34.63
Preparing to unpack .../174-xdg-utils_1.1.3-
4.1ubuntu3~22.04.1_all.deb ... #7 34.63 Unpacking xdg-utils (1.1.3-
4.1ubuntu3~22.04.1) ... #7 34.66 Selecting previously unselected
package texlive-base. #7 34.66 Preparing to unpack .../175-texlive-
base_2021.20220204-1_all.deb ... #7 34.68 Unpacking texlive-base
(2021.20220204-1) ... #7 36.07 Selecting previously unselected
package texlive-latex-base. #7 36.07 Preparing to unpack .../176-
texlive-latex-base_2021.20220204-1_all.deb ... #7 36.08 Unpacking
texlive-latex-base (2021.20220204-1) ... #7 36.42 Selecting previously
unselected package latexmk. #7 36.43 Preparing to unpack .../177-
latexmk_1%3a4.76-1_all.deb ... #7 36.43 Unpacking latexmk (1:4.76-
1) ... #7 36.45 Selecting previously unselected package
libaoc0:amd64. #7 36.45 Preparing to unpack .../178-libaoc0_1.0.6-
1_amd64.deb ... #7 36.45 Unpacking libaoc0:amd64 (1.0.6-1) ... #7
36.46 Selecting previously unselected package libapache-pom-java.
#7 36.47 Preparing to unpack .../179-libapache-pom-java_18-1_all.deb
... #7 36.47 Unpacking libapache-pom-java (18-1) ... #7 36.48
Selecting previously unselected package libblas3:amd64. #7 36.49
Preparing to unpack .../180-libblas3_3.10.0-2ubuntu1_amd64.deb ...
#7 36.49 Unpacking libblas3:amd64 (3.10.0-2ubuntu1) ... #7 36.51
Selecting previously unselected package libboost1.74-dev:amd64. #7
36.51 Preparing to unpack .../181-libboost1.74-dev_1.74.0-
14ubuntu3_amd64.deb ... #7 36.51 Unpacking libboost1.74-
dev:amd64 (1.74.0-14ubuntu3) ... #7 38.97 Selecting previously
unselected package libboost-dev:amd64. #7 38.98 Preparing to
unpack .../182-libboost-dev_1.74.0.3ubuntu7_amd64.deb ... #7 38.98
Unpacking libboost-dev:amd64 (1.74.0.3ubuntu7) ... #7 38.99
Selecting previously unselected package libcommons-parent-java. #7
39.00 Preparing to unpack .../183-libcommons-parent-java_43-
1_all.deb ... #7 39.00 Unpacking libcommons-parent-java (43-1) ... #7

39.01 Selecting previously unselected package libcommons-logging-java. #7 39.01 Preparing to unpack .../184-libcommons-logging-java_1.2-2_all.deb ... #7 39.01 Unpacking libcommons-logging-java (1.2-2) ... #7 39.03 Selecting previously unselected package libdpkg-perl. #7 39.04 Preparing to unpack .../185-libdpkg-perl_1.21.1ubuntu2.3_all.deb ... #7 39.04 Unpacking libdpkg-perl (1.21.1ubuntu2.3) ... #7 39.07 Selecting previously unselected package libexpat1-dev:amd64. #7 39.07 Preparing to unpack .../186-libexpat1-dev_2.4.7-1ubuntu0.6_amd64.deb ... #7 39.07 Unpacking libexpat1-dev:amd64 (2.4.7-1ubuntu0.6) ... #7 39.09 Selecting previously unselected package libgpm2:amd64. #7 39.10 Preparing to unpack .../187-libgpm2_1.20.7-10build1_amd64.deb ... #7 39.10 Unpacking libgpm2:amd64 (1.20.7-10build1) ... #7 39.11 Selecting previously unselected package libsz2:amd64. #7 39.12 Preparing to unpack .../188-libsz2_1.0.6-1_amd64.deb ... #7 39.12 Unpacking libsz2:amd64 (1.0.6-1) ... #7 39.13 Selecting previously unselected package libhdf5-103-1:amd64. #7 39.13 Preparing to unpack .../189-libhdf5-103-1_1.10.7+repack-4ubuntu2_amd64.deb ... #7 39.14 Unpacking libhdf5-103-1:amd64 (1.10.7+repack-4ubuntu2) ... #7 39.16 Selecting previously unselected package libhdf5-hl-100:amd64. #7 39.17 Preparing to unpack .../190-libhdf5-hl-100_1.10.7+repack-4ubuntu2_amd64.deb ... #7 39.17 Unpacking libhdf5-hl-100:amd64 (1.10.7+repack-4ubuntu2) ... #7 39.19 Selecting previously unselected package libimagequant0:amd64. #7 39.19 Preparing to unpack .../191-libimagequant0_2.17.0-1_amd64.deb ... #7 39.19 Unpacking libimagequant0:amd64 (2.17.0-1) ... #7 39.21 Selecting previously unselected package libjs-jquery. #7 39.21 Preparing to unpack .../192-libjs-jquery_3.6.0+dfsg+~3.5.13-1_all.deb ... #7 39.21 Unpacking libjs-jquery (3.6.0+dfsg+~3.5.13-1) ... #7 39.23 Selecting previously unselected package libjs-jquery-ui. #7 39.24 Preparing to unpack .../193-libjs-jquery-ui_1.13.1+dfsg-1_all.deb ... #7 39.24 Unpacking libjs-jquery-ui (1.13.1+dfsg-1) ... #7 39.31 Selecting previously unselected package libjs-underscore. #7 39.31 Preparing to unpack .../194-libjs-underscore_1.13.2~dfsg-2_all.deb ... #7 39.31 Unpacking libjs-underscore (1.13.2~dfsg-2) ... #7 39.33 Selecting previously unselected package libjs-sphinxdoc. #7 39.33 Preparing to unpack .../195-libjs-sphinxdoc_4.3.2-1_all.deb ... #7 39.33 Unpacking libjs-sphinxdoc (4.3.2-1) ... #7 39.35 Selecting previously unselected package libopenblas0-pthread:amd64. #7 39.35 Preparing to unpack .../196-libopenblas0-pthread_0.3.20+ds-1_amd64.deb ... #7 39.36 Unpacking libopenblas0-pthread:amd64 (0.3.20+ds-1) ... #7 39.50 Selecting previously unselected package liblapack3:amd64. #7 39.51 Preparing to unpack .../197-liblapack3_3.10.0-2ubuntu1_amd64.deb ... #7 39.51 Unpacking liblapack3:amd64 (3.10.0-2ubuntu1) ... #7 39.55 Selecting previously unselected package liblbfgsb0:amd64. #7 39.55 Preparing to unpack .../198-liblbfgsb0_3.0+dfsg.3-10_amd64.deb ... #7 39.55 Unpacking liblbfgsb0:amd64 (3.0+dfsg.3-10) ... #7 39.57 Selecting previously unselected package liblcms2-2:amd64. #7 39.57 Preparing to unpack .../199-liblcms2-2_2.12~rc1-2build2_amd64.deb ... #7 39.57 Unpacking liblcms2-2:amd64 (2.12~rc1-2build2) ... #7 39.59 Selecting previously unselected package liblzfl:amd64. #7 39.59 Preparing to unpack .../200-liblzfl_3.6-3_amd64.deb ... #7 39.59 Unpacking liblzfl:amd64 (3.6-3) ... #7 39.61 Selecting previously unselected package libopenblas0:amd64. #7 39.61 Preparing to unpack .../201-libopenblas0_0.3.20+ds-1_amd64.deb ... #7 39.61 Unpacking libopenblas0:amd64 (0.3.20+ds-1) ... #7 39.63 Selecting previously unselected package libopenblas-pthread-dev:amd64. #7 39.63 Preparing to unpack .../202-libopenblas-pthread-dev_0.3.20+ds-1_amd64.deb ... #7 39.63 Unpacking libopenblas-pthread-dev:amd64 (0.3.20+ds-1) ... #7 39.80 Selecting previously

unselected package libopenblas-dev:amd64. #7 39.81 Preparing to
unpack .../203-libopenblas-dev_0.3.20+ds-1_amd64.deb ... #7 39.81
Unpacking libopenblas-dev:amd64 (0.3.20+ds-1) ... #7 39.82
Selecting previously unselected package libpython3.10:amd64. #7
39.83 Preparing to unpack .../204-libpython3.10_3.10.12-
1~22.04.11_amd64.deb ... #7 39.83 Unpacking libpython3.10:amd64
(3.10.12-1~22.04.11) ... #7 39.86 Selecting previously unselected
package zlib1g-dev:amd64. #7 39.86 Preparing to unpack .../205-
zlib1g-dev_1%3a1.2.11.dfsg-2ubuntu9.2_amd64.deb ... #7 39.86
Unpacking zlib1g-dev:amd64 (1:1.2.11.dfsg-2ubuntu9.2) ... #7 39.88
Selecting previously unselected package libpython3.10-dev:amd64.
#7 39.88 Preparing to unpack .../206-libpython3.10-dev_3.10.12-
1~22.04.11_amd64.deb ... #7 39.89 Unpacking libpython3.10-
dev:amd64 (3.10.12-1~22.04.11) ... #7 40.00 Selecting previously
unselected package libpython3-dev:amd64. #7 40.00 Preparing to
unpack .../207-libpython3-dev_3.10.6-1~22.04.1_amd64.deb ... #7
40.00 Unpacking libpython3-dev:amd64 (3.10.6-1~22.04.1) ... #7
40.02 Selecting previously unselected package libqhull-r8.0:amd64.
#7 40.02 Preparing to unpack .../208-libqhull-r8.0_2020.2-
4_amd64.deb ... #7 40.02 Unpacking libqhull-r8.0:amd64 (2020.2-4)
... #7 40.04 Selecting previously unselected package libraqm0:amd64.
#7 40.04 Preparing to unpack .../209-libraqm0_0.7.0-
4ubuntu1_amd64.deb ... #7 40.04 Unpacking libraqm0:amd64 (0.7.0-
4ubuntu1) ... #7 40.06 Selecting previously unselected package
libsodium23:amd64. #7 40.06 Preparing to unpack .../210-
libsodium23_1.0.18-1build2_amd64.deb ... #7 40.06 Unpacking
libsodium23:amd64 (1.0.18-1build2) ... #7 40.08 Selecting previously
unselected package libtext-unidecode-perl. #7 40.08 Preparing to
unpack .../211-libtext-unidecode-perl_1.30-1_all.deb ... #7 40.08
Unpacking libtext-unidecode-perl (1.30-1) ... #7 40.14 Selecting
previously unselected package libtool. #7 40.14 Preparing to unpack
.../212-libtool_2.4.6-15build2_all.deb ... #7 40.14 Unpacking libtool
(2.4.6-15build2) ... #7 40.16 Selecting previously unselected package
libtool-bin. #7 40.16 Preparing to unpack .../213-libtool-bin_2.4.6-
15build2_amd64.deb ... #7 40.16 Unpacking libtool-bin (2.4.6-
15build2) ... #7 40.18 Selecting previously unselected package
libwebpdemux2:amd64. #7 40.18 Preparing to unpack .../214-
libwebpdemux2_1.2.2-2ubuntu0.22.04.2_amd64.deb ... #7 40.18
Unpacking libwebpdemux2:amd64 (1.2.2-2ubuntu0.22.04.2) ... #7
40.20 Selecting previously unselected package libwebpmux3:amd64.
#7 40.20 Preparing to unpack .../215-libwebpmux3_1.2.2-
2ubuntu0.22.04.2_amd64.deb ... #7 40.20 Unpacking
libwebpmux3:amd64 (1.2.2-2ubuntu0.22.04.2) ... #7 40.22 Selecting
previously unselected package libxml-namespacesupport-perl. #7
40.22 Preparing to unpack .../216-libxml-namespacesupport-perl_1.12-
1.1_all.deb ... #7 40.22 Unpacking libxml-namespacesupport-perl
(1.12-1.1) ... #7 40.23 Selecting previously unselected package libxml-
sax-base-perl. #7 40.24 Preparing to unpack .../217-libxml-sax-base-
perl_1.09-1.1_all.deb ... #7 40.24 Unpacking libxml-sax-base-perl
(1.09-1.1) ... #7 40.25 Selecting previously unselected package libxml-
sax-perl. #7 40.26 Preparing to unpack .../218-libxml-sax-
perl_1.02+dfsg-3_all.deb ... #7 40.26 Unpacking libxml-sax-perl
(1.02+dfsg-3) ... #7 40.28 Selecting previously unselected package
libxml-libxml-perl. #7 40.28 Preparing to unpack .../219-libxml-libxml-
perl_2.0207+dfsg+really+2.0134-1_amd64.deb ... #7 40.28
Unpacking libxml-libxml-perl (2.0207+dfsg+really+2.0134-1) ... #7
40.31 Selecting previously unselected package libxsimd-dev:amd64.
#7 40.31 Preparing to unpack .../220-libxsimd-dev_7.6.0-2_amd64.deb
... #7 40.32 Unpacking libxsimd-dev:amd64 (7.6.0-2) ... #7 40.35
Selecting previously unselected package libxslt1.1:amd64. #7 40.35

Preparing to unpack .../221-libxslt1.1_1.1.34-4ubuntu0.22.04.4_amd64.deb ... #7 40.35 Unpacking libxslt1.1:amd64 (1.1.34-4ubuntu0.22.04.4) ... #7 40.37 Selecting previously unselected package make. #7 40.37 Preparing to unpack .../222-make_4.3-4.1build1_amd64.deb ... #7 40.37 Unpacking make (4.3-4.1build1) ... #7 40.39 Selecting previously unselected package pkg-config. #7 40.39 Preparing to unpack .../223-pkg-config_0.29.2-1ubuntu3_amd64.deb ... #7 40.39 Unpacking pkg-config (0.29.2-1ubuntu3) ... #7 40.41 Selecting previously unselected package preview-latex-style. #7 40.41 Preparing to unpack .../224-preview-latex-style_12.2-1ubuntu1_all.deb ... #7 40.42 Unpacking preview-latex-style (12.2-1ubuntu1) ... #7 40.44 Selecting previously unselected package python-babel-localedata. #7 40.44 Preparing to unpack .../225-python-babel-localedata_2.8.0+dfsg.1-7_all.deb ... #7 40.44 Unpacking python-babel-localedata (2.8.0+dfsg.1-7) ... #7 40.85 Selecting previously unselected package python-matplotlib-data. #7 40.86 Preparing to unpack .../226-python-matplotlib-data_3.5.1-2build1_all.deb ... #7 40.86 Unpacking python-matplotlib-data (3.5.1-2build1) ... #7 40.93 Selecting previously unselected package python3-appdirs. #7 40.94 Preparing to unpack .../227-python3-appdirs_1.4.4-2_all.deb ... #7 40.94 Unpacking python3-appdirs (1.4.4-2) ... #7 40.96 Selecting previously unselected package python3-attr. #7 40.96 Preparing to unpack .../228-python3-attr_21.2.0-1_all.deb ... #7 40.96 Unpacking python3-attr (21.2.0-1) ... #7 40.98 Selecting previously unselected package python3-tz. #7 40.98 Preparing to unpack .../229-python3-tz_2022.1-1ubuntu0.22.04.1_all.deb ... #7 40.98 Unpacking python3-tz (2022.1-1ubuntu0.22.04.1) ... #7 41.00 Selecting previously unselected package python3-babel. #7 41.00 Preparing to unpack .../230-python3-babel_2.8.0+dfsg.1-7_all.deb ... #7 41.00 Unpacking python3-babel (2.8.0+dfsg.1-7) ... #7 41.02 Selecting previously unselected package python3-gast. #7 41.03 Preparing to unpack .../231-python3-gast_0.5.2-2_all.deb ... #7 41.03 Unpacking python3-gast (0.5.2-2) ... #7 41.05 Selecting previously unselected package python3-beniget. #7 41.05 Preparing to unpack .../232-python3-beniget_0.4.1-2_all.deb ... #7 41.05 Unpacking python3-beniget (0.4.1-2) ... #7 41.07 Selecting previously unselected package python3-roman. #7 41.07 Preparing to unpack .../233-python3-roman_3.3-1_all.deb ... #7 41.07 Unpacking python3-roman (3.3-1) ... #7 41.09 Selecting previously unselected package python3-docutils. #7 41.09 Preparing to unpack .../234-python3-docutils_0.17.1+dfsg-2_all.deb ... #7 41.09 Unpacking python3-docutils (0.17.1+dfsg-2) ... #7 41.13 Selecting previously unselected package python3-lib2to3. #7 41.14 Preparing to unpack .../235-python3-lib2to3_3.10.8-1~22.04_all.deb ... #7 41.14 Unpacking python3-lib2to3 (3.10.8-1~22.04) ... #7 41.17 Selecting previously unselected package python3-distutils. #7 41.18 Preparing to unpack .../236-python3-distutils_3.10.8-1~22.04_all.deb ... #7 41.18 Unpacking python3-distutils (3.10.8-1~22.04) ... #7 41.21 Selecting previously unselected package sphinx-common. #7 41.21 Preparing to unpack .../237-sphinx-common_4.3.2-1_all.deb ... #7 41.21 Unpacking sphinx-common (4.3.2-1) ... #7 41.30 Selecting previously unselected package python3-alabaster. #7 41.30 Preparing to unpack .../238-python3-alabaster_0.7.12-1_all.deb ... #7 41.30 Unpacking python3-alabaster (0.7.12-1) ... #7 41.32 Selecting previously unselected package python3-imagesize. #7 41.32 Preparing to unpack .../239-python3-imagesize_1.3.0-1_all.deb ... #7 41.33 Unpacking python3-imagesize (1.3.0-1) ... #7 41.34 Selecting previously unselected package python3-markupsafe. #7 41.34 Preparing to unpack .../240-python3-markupsafe_2.0.1-2build1_amd64.deb ... #7 41.34 Unpacking

python3-markupsafe (2.0.1-2build1) ... #7 41.36 Selecting previously
unselected package python3-jinja2. #7 41.36 Preparing to unpack
.../241-python3-jinja2_3.0.3-1ubuntu0.4_all.deb ... #7 41.36
Unpacking python3-jinja2 (3.0.3-1ubuntu0.4) ... #7 41.39 Selecting
previously unselected package python3-pyparsing. #7 41.39
Preparing to unpack .../242-python3-pyparsing_2.4.7-1_all.deb ... #7
41.39 Unpacking python3-pyparsing (2.4.7-1) ... #7 41.41 Selecting
previously unselected package python3-packaging. #7 41.41
Preparing to unpack .../243-python3-packaging_21.3-1_all.deb ... #7
41.42 Unpacking python3-packaging (21.3-1) ... #7 41.43 Selecting
previously unselected package python3-pygments. #7 41.44 Preparing
to unpack .../244-python3-pygments_2.11.2+dfsg-2ubuntu0.1_all.deb
... #7 41.44 Unpacking python3-pygments (2.11.2+dfsg-2ubuntu0.1)
... #7 41.50 Selecting previously unselected package python3-certifi.
#7 41.51 Preparing to unpack .../245-python3-certifi_2020.6.20-
1_all.deb ... #7 41.51 Unpacking python3-certifi (2020.6.20-1) ... #7
41.53 Selecting previously unselected package python3-chardet. #7
41.54 Preparing to unpack .../246-python3-chardet_4.0.0-1_all.deb ...
#7 41.54 Unpacking python3-chardet (4.0.0-1) ... #7 41.56 Selecting
previously unselected package python3-idna. #7 41.57 Preparing to
unpack .../247-python3-idna_3.3-1ubuntu0.1_all.deb ... #7 41.57
Unpacking python3-idna (3.3-1ubuntu0.1) ... #7 41.59 Selecting
previously unselected package python3-six. #7 41.59 Preparing to
unpack .../248-python3-six_1.16.0-3ubuntu1_all.deb ... #7 41.59
Unpacking python3-six (1.16.0-3ubuntu1) ... #7 41.61 Selecting
previously unselected package python3-urllib3. #7 41.61 Preparing to
unpack .../249-python3-urllib3_1.26.5-1~exp1ubuntu0.3_all.deb ... #7
41.61 Unpacking python3-urllib3 (1.26.5-1~exp1ubuntu0.3) ... #7
41.63 Selecting previously unselected package python3-requests. #7
41.64 Preparing to unpack .../250-python3-requests_2.25.1+dfsg-
2ubuntu0.3_all.deb ... #7 41.64 Unpacking python3-requests
(2.25.1+dfsg-2ubuntu0.3) ... #7 41.67 Selecting previously unselected
package python3-snowballstemmer. #7 41.67 Preparing to unpack
.../251-python3-snowballstemmer_2.2.0-1build1_all.deb ... #7 41.67
Unpacking python3-snowballstemmer (2.2.0-1build1) ... #7 41.70
Selecting previously unselected package python3-sphinx. #7 41.70
Preparing to unpack .../252-python3-sphinx_4.3.2-1_all.deb ... #7
41.70 Unpacking python3-sphinx (4.3.2-1) ... #7 41.77 Selecting
previously unselected package python3-breathe. #7 41.77 Preparing
to unpack .../253-python3-breathe_4.33.1-3_all.deb ... #7 41.77
Unpacking python3-breathe (4.33.1-3) ... #7 41.79 Selecting
previously unselected package python3-brotli. #7 41.80 Preparing to
unpack .../254-python3-brotli_1.0.9-2build6_amd64.deb ... #7 41.80
Unpacking python3-brotli (1.0.9-2build6) ... #7 41.82 Selecting
previously unselected package python3-colorama. #7 41.82 Preparing
to unpack .../255-python3-colorama_0.4.4-1_all.deb ... #7 41.82
Unpacking python3-colorama (0.4.4-1) ... #7 41.84 Selecting
previously unselected package python3-commonmark. #7 41.84
Preparing to unpack .../256-python3-commonmark_0.9.1-3_all.deb ...
#7 41.84 Unpacking python3-commonmark (0.9.1-3) ... #7 41.86
Selecting previously unselected package python3-cycler. #7 41.87
Preparing to unpack .../257-python3-cycler_0.11.0-1_all.deb ... #7
41.87 Unpacking python3-cycler (0.11.0-1) ... #7 41.88 Selecting
previously unselected package python3-dateutil. #7 41.89 Preparing
to unpack .../258-python3-dateutil_2.8.1-6_all.deb ... #7 41.89
Unpacking python3-dateutil (2.8.1-6) ... #7 41.91 Selecting previously
unselected package python3-decorator. #7 41.91 Preparing to unpack
.../259-python3-decorator_4.4.2-0ubuntu1_all.deb ... #7 41.91
Unpacking python3-decorator (4.4.2-0ubuntu1) ... #7 41.92 Selecting
previously unselected package python3.10-dev. #7 41.93 Preparing to

unpack .../260-python3.10-dev_3.10.12-1~22.04.11_amd64.deb ... #7
41.93 Unpacking python3.10-dev (3.10.12-1~22.04.11) ... #7 41.94
Selecting previously unselected package python3-dev. #7 41.95
Preparing to unpack .../261-python3-dev_3.10.6-1~22.04.1_amd64.deb
... #7 41.95 Unpacking python3-dev (3.10.6-1~22.04.1) ... #7 41.96
Selecting previously unselected package python3-numpy. #7 41.97
Preparing to unpack .../262-python3-numpy_1%3a1.21.5-
1ubuntu22.04.1_amd64.deb ... #7 41.97 Unpacking python3-numpy
(1:1.21.5-1ubuntu22.04.1) ... #7 42.13 Selecting previously
unselected package python3-ply. #7 42.14 Preparing to unpack
.../263-python3-ply_3.11-5_all.deb ... #7 42.14 Unpacking python3-ply
(3.11-5) ... #7 42.16 Selecting previously unselected package
python3-pythran. #7 42.16 Preparing to unpack .../264-python3-
pythran_0.10.0+ds2-1_amd64.deb ... #7 42.16 Unpacking python3-
pythran (0.10.0+ds2-1) ... #7 42.48 Selecting previously unselected
package python3-scipy. #7 42.48 Preparing to unpack .../265-python3-
scipy_1.8.0-1exp2ubuntu1_amd64.deb ... #7 42.48 Unpacking
python3-scipy (1.8.0-1exp2ubuntu1) ... #7 42.83 Selecting previously
unselected package python3-ufolib2. #7 42.84 Preparing to unpack
.../266-python3-ufolib2_0.13.1+dfsg1-1_all.deb ... #7 42.84 Unpacking
python3-ufolib2 (0.13.1+dfsg1-1) ... #7 42.86 Selecting previously
unselected package python3-mpmath. #7 42.86 Preparing to unpack
.../267-python3-mpmath_1.2.1-2_all.deb ... #7 42.86 Unpacking
python3-mpmath (1.2.1-2) ... #7 42.90 Selecting previously unselected
package python3-sympy. #7 42.90 Preparing to unpack .../268-
python3-sympy_1.9-1_all.deb ... #7 42.91 Unpacking python3-sympy
(1.9-1) ... #7 43.23 Selecting previously unselected package python3-
fs. #7 43.23 Preparing to unpack .../269-python3-fs_2.4.12-1_all.deb
... #7 43.23 Unpacking python3-fs (2.4.12-1) ... #7 43.26 Selecting
previously unselected package python3-lxml:amd64. #7 43.26
Preparing to unpack .../270-python3-lxml_4.8.0-1build1_amd64.deb ...
#7 43.26 Unpacking python3-lxml:amd64 (4.8.0-1build1) ... #7 43.30
Selecting previously unselected package python3-lz4. #7 43.31
Preparing to unpack .../271-python3-lz4_3.1.3+dfsg-
1build3_amd64.deb ... #7 43.31 Unpacking python3-lz4 (3.1.3+dfsg-
1build3) ... #7 43.33 Selecting previously unselected package
python3-unicodedata2. #7 43.33 Preparing to unpack .../272-python3-
unicodedata2_14.0.0+ds-8_amd64.deb ... #7 43.33 Unpacking
python3-unicodedata2 (14.0.0+ds-8) ... #7 43.35 Selecting previously
unselected package unicode-data. #7 43.36 Preparing to unpack
.../273-unicode-data_14.0.0-1.1_all.deb ... #7 43.36 Unpacking
unicode-data (14.0.0-1.1) ... #7 43.48 Selecting previously unselected
package python3-fonttools. #7 43.49 Preparing to unpack .../274-
python3-fonttools_4.29.1-2build1_amd64.deb ... #7 43.49 Unpacking
python3-fonttools (4.29.1-2build1) ... #7 43.56 Selecting previously
unselected package python3-h5py-serial. #7 43.56 Preparing to
unpack .../275-python3-h5py-serial_3.6.0-2build1_amd64.deb ... #7
43.56 Unpacking python3-h5py-serial (3.6.0-2build1) ... #7 43.60
Selecting previously unselected package python3-h5py. #7 43.61
Preparing to unpack .../276-python3-h5py_3.6.0-2build1_all.deb ... #7
43.61 Unpacking python3-h5py (3.6.0-2build1) ... #7 43.62 Selecting
previously unselected package python3-kiwisolver. #7 43.63
Preparing to unpack .../277-python3-kiwisolver_1.3.2-
1build1_amd64.deb ... #7 43.63 Unpacking python3-kiwisolver (1.3.2-
1build1) ... #7 43.64 Selecting previously unselected package
libopenjp2-7:amd64. #7 43.65 Preparing to unpack .../278-libopenjp2-
7_2.4.0-6ubuntu0.3_amd64.deb ... #7 43.65 Unpacking libopenjp2-
7:amd64 (2.4.0-6ubuntu0.3) ... #7 43.67 Selecting previously
unselected package python3-pil:amd64. #7 43.67 Preparing to unpack
.../279-python3-pil_9.0.1-1ubuntu0.3_amd64.deb ... #7 43.67

Unpacking python3-pil:amd64 (9.0.1-1ubuntu0.3) ... #7 43.71
 Selecting previously unselected package python3-tk:amd64. #7 43.71
 Preparing to unpack .../280-python3-tk_3.10.8-1~22.04_amd64.deb ...
 #7 43.71 Unpacking python3-tk:amd64 (3.10.8-1~22.04) ... #7 43.73
 Selecting previously unselected package python3-pil.imagetk:amd64.
 #7 43.74 Preparing to unpack .../281-python3-pil.imagetk_9.0.1-
 1ubuntu0.3_amd64.deb ... #7 43.74 Unpacking python3-
 pil.imagetk:amd64 (9.0.1-1ubuntu0.3) ... #7 43.76 Selecting
 previously unselected package python3-matplotlib. #7 43.76
 Preparing to unpack .../282-python3-matplotlib_3.5.1-
 2build1_amd64.deb ... #7 43.77 Unpacking python3-matplotlib (3.5.1-
 2build1) ... #7 43.89 Selecting previously unselected package
 python3-rich. #7 43.90 Preparing to unpack .../283-python3-
 rich_11.2.0-1_all.deb ... #7 43.90 Unpacking python3-rich (11.2.0-1)
 ... #7 43.93 Selecting previously unselected package python3-meshio.
 #7 43.93 Preparing to unpack .../284-python3-meshio_5.3.0-1_all.deb
 ... #7 43.94 Unpacking python3-meshio (5.3.0-1) ... #7 43.97
 Selecting previously unselected package python3-setuptools. #7 43.97
 Preparing to unpack .../285-python3-setuptools_59.6.0-
 1.2ubuntu0.22.04.3_all.deb ... #7 43.97 Unpacking python3-setuptools
 (59.6.0-1.2ubuntu0.22.04.3) ... #7 44.01 Selecting previously
 unselected package python3-wheel. #7 44.02 Preparing to unpack
 .../286-python3-wheel_0.37.1-2ubuntu0.22.04.1_all.deb ... #7 44.02
 Unpacking python3-wheel (0.37.1-2ubuntu0.22.04.1) ... #7 44.04
 Selecting previously unselected package python3-pip. #7 44.04
 Preparing to unpack .../287-python3-pip_22.0.2+dfsg-
 1ubuntu0.6_all.deb ... #7 44.04 Unpacking python3-pip (22.0.2+dfsg-
 1ubuntu0.6) ... #7 44.17 Selecting previously unselected package
 sphinx-rtd-theme-common. #7 44.18 Preparing to unpack .../288-
 sphinx-rtd-theme-common_1.0.0+dfsg-1_all.deb ... #7 44.18
 Unpacking sphinx-rtd-theme-common (1.0.0+dfsg-1) ... #7 44.20
 Selecting previously unselected package python3-sphinx-rtd-theme.
 #7 44.20 Preparing to unpack .../289-python3-sphinx-rtd-
 theme_1.0.0+dfsg-1_all.deb ... #7 44.20 Unpacking python3-sphinx-
 rtd-theme (1.0.0+dfsg-1) ... #7 44.24 Selecting previously unselected
 package texinfo. #7 44.24 Preparing to unpack .../290-texinfo_6.8-
 4build1_amd64.deb ... #7 44.24 Unpacking texinfo (6.8-4build1) ... #7
 44.34 Selecting previously unselected package texlive-fonts-
 recommended. #7 44.35 Preparing to unpack .../291-texlive-fonts-
 recommended_2021.20220204-1_all.deb ... #7 44.35 Unpacking
 texlive-fonts-recommended (2021.20220204-1) ... #7 44.91 Selecting
 previously unselected package libfontbox-java. #7 44.92 Preparing to
 unpack .../292-libfontbox-java_1%3a1.8.16-2_all.deb ... #7 44.92
 Unpacking libfontbox-java (1:1.8.16-2) ... #7 44.95 Selecting
 previously unselected package libpdfbox-java. #7 44.95 Preparing to
 unpack .../293-libpdfbox-java_1%3a1.8.16-2_all.deb ... #7 44.95
 Unpacking libpdfbox-java (1:1.8.16-2) ... #7 45.22 Selecting
 previously unselected package texlive-latex-recommended. #7 45.23
 Preparing to unpack .../294-texlive-latex-
 recommended_2021.20220204-1_all.deb ... #7 45.23 Unpacking
 texlive-latex-recommended (2021.20220204-1) ... #7 46.26 Selecting
 previously unselected package texlive-pictures. #7 46.27 Preparing to
 unpack .../295-texlive-pictures_2021.20220204-1_all.deb ... #7 46.27
 Unpacking texlive-pictures (2021.20220204-1) ... #7 47.31 Selecting
 previously unselected package texlive-latex-extra. #7 47.32 Preparing
 to unpack .../296-texlive-latex-extra_2021.20220204-1_all.deb ... #7
 47.32 Unpacking texlive-latex-extra (2021.20220204-1) ... #7 48.71
 Selecting previously unselected package vim-runtime. #7 48.72
 Preparing to unpack .../297-vim-runtime_2%3a8.2.3995-
 1ubuntu2.24_all.deb ... #7 48.72 Adding 'diversion of

/usr/share/vim/vim82/doc/help.txt to
/usr/share/vim/vim82/doc/help.txt.vim-tiny by vim-runtime' #7 48.73
Adding 'diversion of /usr/share/vim/vim82/doc/tags to
/usr/share/vim/vim82/doc/tags.vim-tiny by vim-runtime' #7 48.73
Unpacking vim-runtime (2:8.2.3995-1ubuntu2.24) ... #7 49.15
Selecting previously unselected package vim. #7 49.15 Preparing to
unpack .../298-vim_2%3a8.2.3995-1ubuntu2.24_amd64.deb ... #7
49.16 Unpacking vim (2:8.2.3995-1ubuntu2.24) ... #7 49.19 Selecting
previously unselected package libglvnd0:amd64. #7 49.20 Preparing
to unpack .../299-libglvnd0_1.4.0-1_amd64.deb ... #7 49.20 Unpacking
libglvnd0:amd64 (1.4.0-1) ... #7 49.22 Selecting previously unselected
package libopengl0:amd64. #7 49.22 Preparing to unpack .../300-
libopengl0_1.4.0-1_amd64.deb ... #7 49.22 Unpacking
libopengl0:amd64 (1.4.0-1) ... #7 49.24 Selecting previously
unselected package libglu1-mesa:amd64. #7 49.25 Preparing to
unpack .../301-libglu1-mesa_9.0.2-1_amd64.deb ... #7 49.25
Unpacking libglu1-mesa:amd64 (9.0.2-1) ... #7 49.28 Setting up
media-types (7.0.0) ... #7 49.29 Setting up libgraphite2-3:amd64
(1.3.14-1build2) ... #7 49.29 Setting up liblcms2-2:amd64 (2.12~rc1-
2build2) ... #7 49.29 Setting up libpixmap-1-0:amd64 (0.40.0-
1ubuntu0.22.04.1) ... #7 49.29 Setting up libxapian30:amd64 (1.4.18-
4) ... #7 49.30 Setting up gcc-11-base:amd64 (11.4.0-
1ubuntu1~22.04.2) ... #7 49.30 Setting up libxau6:amd64 (1:1.0.9-
1build5) ... #7 49.30 Setting up libpsl5:amd64 (0.21.0-1.2build2) ...
#7 49.30 Setting up fonts-lato (2.0-2.1) ... #7 49.31 Setting up
libsodium23:amd64 (1.0.18-1build2) ... #7 49.31 Setting up
libgpm2:amd64 (1.20.7-10build1) ... #7 49.31 Setting up wget (1.21.2-
2ubuntu1.1) ... #7 49.31 Setting up libdatrie1:amd64 (0.2.13-2) ... #7
49.32 Setting up libmagic-mgc (1:5.41-3ubuntu0.1) ... #7 49.32
Setting up libtexlua53:amd64 (2021.20210626.59705-1ubuntu0.2) ...
#7 49.32 Setting up libglib2.0-0:amd64 (2.72.4-0ubuntu2.6) ... #7
49.33 No schema files found: doing nothing. #7 49.33 Setting up
libglvnd0:amd64 (1.4.0-1) ... #7 49.33 Setting up fonts-lyx (2.3.6-1) ...
#7 49.34 Setting up libtexluaajit2:amd64 (2021.20210626.59705-
1ubuntu0.2) ... #7 49.34 Setting up libbrotli1:amd64 (1.0.9-2build6)
... #7 49.34 Setting up libfontbox-java (1:1.8.16-2) ... #7 49.34 Setting
up libsqlite3-0:amd64 (3.37.2-2ubuntu0.5) ... #7 49.35 Setting up
liblab-gamut1:amd64 (2.42.2-6ubuntu0.1) ... #7 49.35 Setting up
binutils-common:amd64 (2.38-4ubuntu2.8) ... #7 49.35 Setting up
x11-common (1:7.7+23ubuntu2) ... #7 49.42 invoke-rc.d: could not
determine current runlevel #7 49.43 invoke-rc.d: policy-rc.d denied
execution of start. #7 49.43 Setting up libnghttp2-14:amd64 (1.43.0-
1ubuntu0.2) ... #7 49.43 Setting up libmagic1:amd64 (1:5.41-
3ubuntu0.1) ... #7 49.44 Setting up libdeflate0:amd64 (1.10-2) ... #7
49.44 Setting up linux-libc-dev:amd64 (5.15.0-153.163) ... #7 49.44
Setting up libctf-nobfd0:amd64 (2.38-4ubuntu2.8) ... #7 49.44 Setting
up gettext-base (0.21-4ubuntu4) ... #7 49.45 Setting up libqhull-
r8.0:amd64 (2020.2-4) ... #7 49.45 Setting up libzip-0-13:amd64
(0.13.72+dfsg.1-1.1) ... #7 49.45 Setting up file (1:5.41-3ubuntu0.1)
... #7 49.45 Setting up libgomp1:amd64 (12.3.0-1ubuntu1~22.04.2) ...
#7 49.46 Setting up perl-modules-5.34 (5.34.0-3ubuntu1.5) ... #7
49.46 Setting up libjbig0:amd64 (2.1-3.1ubuntu0.22.04.1) ... #7 49.46
Setting up libaec0:amd64 (1.0.6-1) ... #7 49.46 Setting up xxd
(2:8.2.3995-1ubuntu2.24) ... #7 49.47 Setting up libopengl0:amd64
(1.4.0-1) ... #7 49.47 Setting up python-babel-localedata
(2.8.0+dfsg.1-7) ... #7 49.47 Setting up libasan6:amd64 (11.4.0-
1ubuntu1~22.04.2) ... #7 49.48 Setting up libsasl2-modules-db:amd64
(2.1.27+dfsg2-3ubuntu1.2) ... #7 49.48 Setting up tzdata (2025b-
0ubuntu0.22.04.1) ... #7 49.55 #7 49.55 Current default time zone:
'Etc/UTC' #7 49.55 Local time is now: Fri Sep 12 14:09:20 UTC 2025.

#7 49.55 Universal Time is now: Fri Sep 12 14:09:20 UTC 2025. #7
49.55 Run 'dpkg-reconfigure tzdata' if you wish to change it. #7 49.55
#7 49.56 Setting up unicode-data (14.0.0-1.1) ... #7 49.56 Setting up
libgts-0.7-5:amd64 (0.7.6+darcs121130-5) ... #7 49.57 Setting up
libxsimd-dev:amd64 (7.6.0-2) ... #7 49.57 Setting up autotools-dev
(20220109.1) ... #7 49.57 Setting up libblas3:amd64 (3.10.0-
2ubuntu1) ... #7 49.57 update-alternatives: using /usr/lib/x86_64-
linux-gnu/blas/libblas.so.3 to provide /usr/lib/x86_64-linux-
gnu/libblas.so.3 (libblas.so.3-x86_64-linux-gnu) in auto mode #7 49.58
Setting up libtirpc-dev:amd64 (1.3.2-2ubuntu0.1) ... #7 49.58 Setting
up libuv1:amd64 (1.43.0-1ubuntu0.1) ... #7 49.58 Setting up rpcsvc-
proto (1.4.2-0ubuntu6) ... #7 49.58 Setting up vim-common
(2:8.2.3995-1ubuntu2.24) ... #7 49.59 Setting up emacsen-common
(3.0.4) ... #7 49.62 Setting up libx11-data (2:1.7.5-1ubuntu0.3) ... #7
49.62 Setting up make (4.3-4.1build1) ... #7 49.63 Setting up
libmpfr6:amd64 (4.1.0-3build3) ... #7 49.63 Setting up
librtmp1:amd64 (2.4+20151223.gitfa8646d.1-2build4) ... #7 49.63
Setting up dh-elpa-helper (2.0.9ubuntu1) ... #7 49.64 Setting up
libteckit0:amd64 (2.5.11+ds1-1) ... #7 49.64 Setting up
libpathplan4:amd64 (2.42.2-6ubuntu0.1) ... #7 49.64 Setting up
libapache-pom-java (18-1) ... #7 49.64 Setting up libann0 (1.1.2+doc-
7build1) ... #7 49.65 Setting up liblzfl:amd64 (3.6-3) ... #7 49.65
Setting up libsigsegv2:amd64 (2.13-1ubuntu3) ... #7 49.65 Setting up
xz-utils (5.2.5-2ubuntu1) ... #7 49.65 update-alternatives: using
/usr/bin/xz to provide /usr/bin/lzma (lzma) in auto mode #7 49.65
update-alternatives: warning: skip creation of
/usr/share/man/man1/lzma.1.gz because associated file
/usr/share/man/man1/xz.1.gz (of link group lzma) doesn't exist #7
49.65 update-alternatives: warning: skip creation of
/usr/share/man/man1/unlzma.1.gz because associated file
/usr/share/man/man1/unxz.1.gz (of link group lzma) doesn't exist #7
49.65 update-alternatives: warning: skip creation of
/usr/share/man/man1/lzcat.1.gz because associated file
/usr/share/man/man1/xzcat.1.gz (of link group lzma) doesn't exist #7
49.66 update-alternatives: warning: skip creation of
/usr/share/man/man1/lzmore.1.gz because associated file
/usr/share/man/man1/xzmore.1.gz (of link group lzma) doesn't exist
#7 49.66 update-alternatives: warning: skip creation of
/usr/share/man/man1/lzless.1.gz because associated file
/usr/share/man/man1/xzless.1.gz (of link group lzma) doesn't exist #7
49.66 update-alternatives: warning: skip creation of
/usr/share/man/man1/lzdiff.1.gz because associated file
/usr/share/man/man1/xzdiff.1.gz (of link group lzma) doesn't exist #7
49.66 update-alternatives: warning: skip creation of
/usr/share/man/man1/lzcmp.1.gz because associated file
/usr/share/man/man1/xzcmp.1.gz (of link group lzma) doesn't exist #7
49.66 update-alternatives: warning: skip creation of
/usr/share/man/man1/lzgrep.1.gz because associated file
/usr/share/man/man1/xzgrep.1.gz (of link group lzma) doesn't exist #7
49.66 update-alternatives: warning: skip creation of
/usr/share/man/man1/lzegrep.1.gz because associated file
/usr/share/man/man1/xzegrep.1.gz (of link group lzma) doesn't exist
#7 49.66 update-alternatives: warning: skip creation of
/usr/share/man/man1/lzfgrep.1.gz because associated file
/usr/share/man/man1/xzfgrep.1.gz (of link group lzma) doesn't exist
#7 49.66 Setting up libfribidi0:amd64 (1.0.8-2ubuntu3.1) ... #7 49.66
Setting up t1utils (1.41-4build2) ... #7 49.66 Setting up
libquadmath0:amd64 (12.3.0-1ubuntu1~22.04.2) ... #7 49.67 Setting
up libimagequant0:amd64 (2.17.0-1) ... #7 49.67 Setting up libpng16-
16:amd64 (1.6.37-3build5) ... #7 49.67 Setting up libmpc3:amd64

(1.2.1-2build1) ... #7 49.67 Setting up libatomic1:amd64 (12.3.0-1ubuntu1~22.04.2) ... #7 49.68 Setting up libtcl8.6:amd64 (8.6.12+dfsg-1build1) ... #7 49.68 Setting up autopoint (0.21-4ubuntu4) ... #7 49.68 Setting up libjsoncpp25:amd64 (1.9.5-3) ... #7 49.68 Setting up fonts-dejavu-core (2.37-2build1) ... #7 49.71 Setting up ucf (3.0043) ... #7 49.77 Setting up libjpeg-turbo8:amd64 (2.1.2-0ubuntu1) ... #7 49.77 Setting up libltdl7:amd64 (2.4.6-15build2) ... #7 49.77 Setting up libkpathsea6:amd64 (2021.20210626.59705-1ubuntu0.2) ... #7 49.78 Setting up libsasl2-2:amd64 (2.1.27+dfsg2-3ubuntu1.2) ... #7 49.78 Setting up libssh-4:amd64 (0.9.6-2ubuntu0.22.04.4) ... #7 49.78 Setting up libgfortran5:amd64 (12.3.0-1ubuntu1~22.04.2) ... #7 49.78 Setting up libwebp7:amd64 (1.2.2-2ubuntu0.22.04.2) ... #7 49.79 Setting up libubsan1:amd64 (12.3.0-1ubuntu1~22.04.2) ... #7 49.79 Setting up libmd0:amd64 (1.0.4-1build1) ... #7 49.79 Setting up libnsl-dev:amd64 (1.3.0-2build2) ... #7 49.79 Setting up librhash0:amd64 (1.4.2-1ubuntu1) ... #7 49.79 Setting up libcrypt-dev:amd64 (1:4.4.27-1) ... #7 49.80 Setting up libmpdec3:amd64 (2.5.1-2build2) ... #7 49.80 Setting up fonts-lmodern (2.004.5-6.1) ... #7 49.80 Setting up libopenjp2-7:amd64 (2.4.0-6ubuntu0.3) ... #7 49.81 Setting up git-man (1:2.34.1-1ubuntu1.15) ... #7 49.81 Setting up libthai-data (0.1.29-1build1) ... #7 49.81 Setting up sgml-base (1.30) ... #7 49.83 Setting up cmake-data (3.22.1-1ubuntu1.22.04.2) ... #7 49.86 Setting up libcdt5:amd64 (2.42.2-6ubuntu0.1) ... #7 49.87 Setting up libcgraph6:amd64 (2.42.2-6ubuntu0.1) ... #7 49.87 Setting up libglu1-mesa:amd64 (9.0.2-1) ... #7 49.87 Setting up libjs-jquery (3.6.0+dfsg+~3.5.13-1) ... #7 49.88 Setting up libbinutils:amd64 (2.38-4ubuntu2.8) ... #7 49.88 Setting up vim-runtime (2:8.2.3995-1ubuntu2.24) ... #7 49.96 Setting up libisl23:amd64 (0.24-2build1) ... #7 49.96 Setting up libc-dev-bin (2.35-0ubuntu3.10) ... #7 49.96 Setting up python-matplotlib-data (3.5.1-2build1) ... #7 49.97 Setting up openssl (3.0.2-0ubuntu1.19) ... #7 49.97 Setting up libwebpmux3:amd64 (1.2.2-2ubuntu0.22.04.2) ... #7 49.98 Setting up libbsd0:amd64 (0.11.5-1) ... #7 49.98 Setting up readline-common (8.1.2-1) ... #7 49.98 Setting up fonts-font-awesome (5.0.10+really4.7.0+dfsg-4.1) ... #7 49.99 Setting up sphinx-rtd-theme-common (1.0.0+dfsg-1) ... #7 49.99 Setting up xdg-utils (1.1.3-4.1ubuntu3~22.04.1) ... #7 50.00 update-alternatives: using /usr/bin/xdg-open to provide /usr/bin/open (open) in auto mode #7 50.00 update-alternatives: warning: skip creation of /usr/share/man/man1/open.1.gz because associated file /usr/share/man/man1/xdg-open.1.gz (of link group open) doesn't exist #7 50.00 Setting up libcc1-0:amd64 (12.3.0-1ubuntu1~22.04.2) ... #7 50.00 Setting up liblsan0:amd64 (12.3.0-1ubuntu1~22.04.2) ... #7 50.00 Setting up libsz2:amd64 (1.0.6-1) ... #7 50.02 Setting up libitm1:amd64 (12.3.0-1ubuntu1~22.04.2) ... #7 50.02 Setting up libsynctex2:amd64 (2021.20210626.59705-1ubuntu0.2) ... #7 50.02 Setting up libgdbm6:amd64 (1.23-1) ... #7 50.02 Setting up libjs-underscore (1.13.2~dfsg-2) ... #7 50.03 Setting up libicu70:amd64 (70.1-2) ... #7 50.03 Setting up libtsan0:amd64 (11.4.0-1ubuntu1~22.04.2) ... #7 50.03 Setting up libctf0:amd64 (2.38-4ubuntu2.8) ... #7 50.04 Setting up libjpeg8:amd64 (8c-2ubuntu10) ... #7 50.04 Setting up cpp-11 (11.4.0-1ubuntu1~22.04.2) ... #7 50.04 Setting up libpaper1:amd64 (1.1.28build2) ... #7 50.14 #7 50.14 Creating config file /etc/papersize with new version #7 50.16 Setting up libice6:amd64 (2:1.0.10-1build2) ... #7 50.16 Setting up libxdmcp6:amd64 (1:1.1.3-0ubuntu5) ... #7 50.16 Setting up liblapack3:amd64 (3.10.0-2ubuntu1) ... #7 50.17 update-alternatives: using /usr/lib/x86_64-linux-gnu/lapack/liblapack.so.3 to provide /usr/lib/x86_64-linux-gnu/liblapack.so.3 (liblapack.so.3-x86_64-linux-gnu) in auto mode #7 50.17 Setting up libxcb1:amd64 (1.14-

3ubuntu3) ... #7 50.17 Setting up libopenblas0-pthread:amd64 (0.3.20+ds-1) ... #7 50.17 update-alternatives: using /usr/lib/x86_64-linux-gnu/openblas-pthread/libblas.so.3 to provide /usr/lib/x86_64-linux-gnu/libblas.so.3 (libblas.so.3-x86_64-linux-gnu) in auto mode #7 50.18 update-alternatives: using /usr/lib/x86_64-linux-gnu/openblas-pthread/liblapack.so.3 to provide /usr/lib/x86_64-linux-gnu/liblapack.so.3 (liblapack.so.3-x86_64-linux-gnu) in auto mode #7 50.18 update-alternatives: using /usr/lib/x86_64-linux-gnu/openblas-pthread/libopenblas.so.0 to provide /usr/lib/x86_64-linux-gnu/libopenblas.so.0 (libopenblas.so.0-x86_64-linux-gnu) in auto mode #7 50.18 Setting up libpdfbox-java (1:1.8.16-2) ... #7 50.18 Setting up libxcb-render0:amd64 (1.14-3ubuntu3) ... #7 50.18 Setting up fontconfig-config (2.13.1-4.2ubuntu5) ... #7 50.24 Setting up libwebpdemux2:amd64 (1.2.2-2ubuntu0.22.04.2) ... #7 50.24 Setting up libedit2:amd64 (3.1-20210910-1build1) ... #7 50.25 Setting up libreadline8:amd64 (8.1.2-1) ... #7 50.25 Setting up libcommons-parent-java (43-1) ... #7 50.25 Setting up libcommons-logging-java (1.2-2) ... #7 50.26 Setting up m4 (1.4.18-5ubuntu2) ... #7 50.26 Setting up libxcb-shm0:amd64 (1.14-3ubuntu3) ... #7 50.26 Setting up libpaper-utils (1.1.28build2) ... #7 50.27 Setting up libldap-2.5-0:amd64 (2.5.19+dfsg-0ubuntu0.22.04.1) ... #7 50.28 Setting up libpython3.10-stdlib:amd64 (3.10.12-1~22.04.11) ... #7 50.28 Setting up tex-common (6.17) ... #7 50.39 update-language: texlive-base not installed and configured, doing nothing! #7 50.41 Setting up libthai0:amd64 (0.1.29-1build1) ... #7 50.41 Setting up ca-certificates (20240203~22.04.1) ... #7 50.84 Updating certificates in /etc/ssl/certs... #7 51.38 146 added, 0 removed; done. #7 51.40 Setting up libjs-jquery-ui (1.13.1+dfsg-1) ... #7 51.40 Setting up libptexenc1:amd64 (2021.20210626.59705-1ubuntu0.2) ... #7 51.40 Setting up libfreetype6:amd64 (2.11.1+dfsg-1ubuntu0.3) ... #7 51.40 Setting up libgdbm-compat4:amd64 (1.23-1) ... #7 51.41 Setting up libjs-sphinxdoc (4.3.2-1) ... #7 51.41 Setting up libgvpr2:amd64 (2.42.2-6ubuntu0.1) ... #7 51.41 Setting up libgcc-11-dev:amd64 (11.4.0-1ubuntu1~22.04.2) ... #7 51.41 Setting up libopenblas0:amd64 (0.3.20+ds-1) ... #7 51.42 Setting up cpp (4:11.2.0-1ubuntu1) ... #7 51.42 Setting up xml-core (0.18+nmul) ... #7 51.57 Setting up bison (2:3.8.2+dfsg-1build1) ... #7 51.57 update-alternatives: using /usr/bin/bison.yacc to provide /usr/bin/yacc (yacc) in auto mode #7 51.57 update-alternatives: warning: skip creation of /usr/share/man/man1/yacc.1.gz because associated file /usr/share/man/man1/bison.yacc.1.gz (of link group yacc) doesn't exist #7 51.57 Setting up libcurl4:amd64 (7.81.0-1ubuntu1.20) ... #7 51.58 Setting up libc6-dev:amd64 (2.35-0ubuntu3.10) ... #7 51.58 Setting up libx11-6:amd64 (2:1.7.5-1ubuntu0.3) ... #7 51.58 Setting up libharfbuzz0b:amd64 (2.7.4-1ubuntu3.2) ... #7 51.58 Setting up libtiff5:amd64 (4.3.0-6ubuntu0.11) ... #7 51.59 Setting up libfontconfig1:amd64 (2.13.1-4.2ubuntu5) ... #7 51.59 Setting up libsm6:amd64 (2:1.2.3-1build2) ... #7 51.59 Setting up libxml2:amd64 (2.9.13+dfsg-1ubuntu0.9) ... #7 51.59 Setting up libpython3-stdlib:amd64 (3.10.6-1~22.04.1) ... #7 51.60 Setting up liblbfgsb0:amd64 (3.0+dfsg.3-10) ... #7 51.60 Setting up binutils-x86-64-linux-gnu (2.38-4ubuntu2.8) ... #7 51.60 Setting up libopenblas-pthread-dev:amd64 (0.3.20+ds-1) ... #7 51.61 update-alternatives: using /usr/lib/x86_64-linux-gnu/openblas-pthread/libblas.so to provide /usr/lib/x86_64-linux-gnu/libblas.so (libblas.so-x86_64-linux-gnu) in auto mode #7 51.61 update-alternatives: using /usr/lib/x86_64-linux-gnu/openblas-pthread/liblapack.so to provide /usr/lib/x86_64-linux-gnu/liblapack.so (liblapack.so-x86_64-linux-gnu) in auto mode #7 51.61 update-alternatives: using /usr/lib/x86_64-linux-gnu/openblas-pthread/libopenblas.so to provide /usr/lib/x86_64-linux-

gnu/libopenblas.so (libopenblas.so-x86_64-linux-gnu) in auto mode #7
51.61 Setting up libpython3.10:amd64 (3.10.12-1~22.04.11) ... #7
51.62 Setting up fontconfig (2.13.1-4.2ubuntu5) ... #7 51.62
Regenerating fonts cache... done. #7 53.75 Setting up
libperl5.34:amd64 (5.34.0-3ubuntu1.5) ... #7 53.75 Setting up flex
(2.6.4-8build2) ... #7 53.78 Setting up gettext (0.21-4ubuntu4) ... #7
53.79 Setting up vim (2:8.2.3995-1ubuntu2.24) ... #7 53.79 update-
alternatives: using /usr/bin/vim.basic to provide /usr/bin/vim (vim) in
auto mode #7 53.83 update-alternatives: using /usr/bin/vim.basic to
provide /usr/bin/vimdiff (vimdiff) in auto mode #7 53.87 update-
alternatives: using /usr/bin/vim.basic to provide /usr/bin/rvim (rvim) in
auto mode #7 53.88 update-alternatives: using /usr/bin/vim.basic to
provide /usr/bin/rview (rview) in auto mode #7 53.93 update-
alternatives: using /usr/bin/vim.basic to provide /usr/bin/vi (vi) in auto
mode #7 53.93 update-alternatives: warning: skip creation of
/usr/share/man/da/man1/vi.1.gz because associated file
/usr/share/man/da/man1/vim.1.gz (of link group vi) doesn't exist #7
53.93 update-alternatives: warning: skip creation of
/usr/share/man/de/man1/vi.1.gz because associated file
/usr/share/man/de/man1/vim.1.gz (of link group vi) doesn't exist #7
53.93 update-alternatives: warning: skip creation of
/usr/share/man/fr/man1/vi.1.gz because associated file
/usr/share/man/fr/man1/vim.1.gz (of link group vi) doesn't exist #7
53.93 update-alternatives: warning: skip creation of
/usr/share/man/it/man1/vi.1.gz because associated file
/usr/share/man/it/man1/vim.1.gz (of link group vi) doesn't exist #7
53.93 update-alternatives: warning: skip creation of
/usr/share/man/ja/man1/vi.1.gz because associated file
/usr/share/man/ja/man1/vim.1.gz (of link group vi) doesn't exist #7
53.93 update-alternatives: warning: skip creation of
/usr/share/man/pl/man1/vi.1.gz because associated file
/usr/share/man/pl/man1/vim.1.gz (of link group vi) doesn't exist #7
53.93 update-alternatives: warning: skip creation of
/usr/share/man/ru/man1/vi.1.gz because associated file
/usr/share/man/ru/man1/vim.1.gz (of link group vi) doesn't exist #7
53.93 update-alternatives: warning: skip creation of
/usr/share/man/man1/vi.1.gz because associated file
/usr/share/man/man1/vim.1.gz (of link group vi) doesn't exist #7 53.99
update-alternatives: using /usr/bin/vim.basic to provide /usr/bin/view
(view) in auto mode #7 53.99 update-alternatives: warning: skip
creation of /usr/share/man/da/man1/view.1.gz because associated file
/usr/share/man/da/man1/vim.1.gz (of link group view) doesn't exist #7
53.99 update-alternatives: warning: skip creation of
/usr/share/man/de/man1/view.1.gz because associated file
/usr/share/man/de/man1/vim.1.gz (of link group view) doesn't exist #7
53.99 update-alternatives: warning: skip creation of
/usr/share/man/fr/man1/view.1.gz because associated file
/usr/share/man/fr/man1/vim.1.gz (of link group view) doesn't exist #7
53.99 update-alternatives: warning: skip creation of
/usr/share/man/it/man1/view.1.gz because associated file
/usr/share/man/it/man1/vim.1.gz (of link group view) doesn't exist #7
53.99 update-alternatives: warning: skip creation of
/usr/share/man/ja/man1/view.1.gz because associated file
/usr/share/man/ja/man1/vim.1.gz (of link group view) doesn't exist #7
53.99 update-alternatives: warning: skip creation of
/usr/share/man/pl/man1/view.1.gz because associated file
/usr/share/man/pl/man1/vim.1.gz (of link group view) doesn't exist #7
53.99 update-alternatives: warning: skip creation of
/usr/share/man/ru/man1/view.1.gz because associated file
/usr/share/man/ru/man1/vim.1.gz (of link group view) doesn't exist #7

53.99 update-alternatives: warning: skip creation of
/usr/share/man/man1/view.1.gz because associated file
/usr/share/man/man1/vim.1.gz (of link group view) doesn't exist #7
53.99 update-alternatives: using /usr/bin/vim.basic to provide
/usr/bin/ex (ex) in auto mode #7 53.99 update-alternatives: warning:
skip creation of /usr/share/man/da/man1/ex.1.gz because associated
file /usr/share/man/da/man1/vim.1.gz (of link group ex) doesn't exist
#7 53.99 update-alternatives: warning: skip creation of
/usr/share/man/de/man1/ex.1.gz because associated file
/usr/share/man/de/man1/vim.1.gz (of link group ex) doesn't exist #7
53.99 update-alternatives: warning: skip creation of
/usr/share/man/fr/man1/ex.1.gz because associated file
/usr/share/man/fr/man1/vim.1.gz (of link group ex) doesn't exist #7
53.99 update-alternatives: warning: skip creation of
/usr/share/man/it/man1/ex.1.gz because associated file
/usr/share/man/it/man1/vim.1.gz (of link group ex) doesn't exist #7
53.99 update-alternatives: warning: skip creation of
/usr/share/man/ja/man1/ex.1.gz because associated file
/usr/share/man/ja/man1/vim.1.gz (of link group ex) doesn't exist #7
53.99 update-alternatives: warning: skip creation of
/usr/share/man/pl/man1/ex.1.gz because associated file
/usr/share/man/pl/man1/vim.1.gz (of link group ex) doesn't exist #7
53.99 update-alternatives: warning: skip creation of
/usr/share/man/ru/man1/ex.1.gz because associated file
/usr/share/man/ru/man1/vim.1.gz (of link group ex) doesn't exist #7
53.99 update-alternatives: warning: skip creation of
/usr/share/man/man1/ex.1.gz because associated file
/usr/share/man/man1/vim.1.gz (of link group ex) doesn't exist #7
54.00 update-alternatives: using /usr/bin/vim.basic to provide
/usr/bin/editor (editor) in auto mode #7 54.00 update-alternatives:
warning: skip creation of /usr/share/man/da/man1/editor.1.gz because
associated file /usr/share/man/da/man1/vim.1.gz (of link group editor)
doesn't exist #7 54.00 update-alternatives: warning: skip creation of
/usr/share/man/de/man1/editor.1.gz because associated file
/usr/share/man/de/man1/vim.1.gz (of link group editor) doesn't exist
#7 54.00 update-alternatives: warning: skip creation of
/usr/share/man/fr/man1/editor.1.gz because associated file
/usr/share/man/fr/man1/vim.1.gz (of link group editor) doesn't exist
#7 54.00 update-alternatives: warning: skip creation of
/usr/share/man/it/man1/editor.1.gz because associated file
/usr/share/man/it/man1/vim.1.gz (of link group editor) doesn't exist #7
54.00 update-alternatives: warning: skip creation of
/usr/share/man/ja/man1/editor.1.gz because associated file
/usr/share/man/ja/man1/vim.1.gz (of link group editor) doesn't exist
#7 54.00 update-alternatives: warning: skip creation of
/usr/share/man/pl/man1/editor.1.gz because associated file
/usr/share/man/pl/man1/vim.1.gz (of link group editor) doesn't exist
#7 54.00 update-alternatives: warning: skip creation of
/usr/share/man/ru/man1/editor.1.gz because associated file
/usr/share/man/ru/man1/vim.1.gz (of link group editor) doesn't exist
#7 54.00 update-alternatives: warning: skip creation of
/usr/share/man/man1/editor.1.gz because associated file
/usr/share/man/man1/vim.1.gz (of link group editor) doesn't exist #7
54.03 Setting up python3.10 (3.10.12-1~22.04.1) ... #7 54.58 Setting
up libxpm4:amd64 (1:3.5.12-1ubuntu0.22.04.2) ... #7 54.58 Setting up
libxrender1:amd64 (1:0.9.10-1build4) ... #7 54.59 Setting up
libarchive13:amd64 (3.6.0-1ubuntu1.5) ... #7 54.59 Setting up
libgfortran-11-dev:amd64 (11.4.0-1ubuntu1~22.04.2) ... #7 54.59
Setting up preview-latex-style (12.2-1ubuntu1) ... #7 54.59 Setting up
libpango-1.0-0:amd64 (1.50.6+ds-2ubuntu1) ... #7 54.60 Setting up

libxext6:amd64 (2:1.3.4-1build1) ... #7 54.60 Setting up libcurl3-gnutls:amd64 (7.81.0-1ubuntu1.20) ... #7 54.60 Setting up python3 (3.10.6-1~22.04.1) ... #7 54.68 Setting up binutils (2.38-4ubuntu2.8) ... #7 54.68 Setting up python3-markupsafe (2.0.1-2build1) ... #7 54.78 Setting up libcairo2:amd64 (1.16.0-5ubuntu2) ... #7 54.79 Setting up python3-tz (2022.1-1ubuntu0.22.04.1) ... #7 54.89 Setting up python3-six (1.16.0-3ubuntu1) ... #7 54.99 Setting up python3-roman (3.3-1) ... #7 55.09 Setting up libopenblas-dev:amd64 (0.3.20+ds-1) ... #7 55.09 Setting up python3-decorator (4.4.2-0ubuntu1) ... #7 55.19 Setting up perl (5.34.0-3ubuntu1.5) ... #7 55.20 Setting up libexpat1-dev:amd64 (2.4.7-1ubuntu0.6) ... #7 55.20 Setting up python3-pyparsing (2.4.7-1) ... #7 55.34 Setting up python3-certifi (2020.6.20-1) ... #7 55.43 Setting up python3-snowballstemmer (2.2.0-1build1) ... #7 55.63 Setting up python3-brotli (1.0.9-2build6) ... #7 55.74 Setting up libraqm0:amd64 (0.7.0-4ubuntu1) ... #7 55.74 Setting up sphinx-common (4.3.2-1) ... #7 55.74 Setting up python3-cycler (0.11.0-1) ... #7 55.84 Setting up libgd3:amd64 (2.3.0-2ubuntu2.3) ... #7 55.84 Setting up python3-kiwisolver (1.3.2-1build1) ... #7 55.85 Setting up python3-idna (3.3-1ubuntu0.1) ... #7 56.01 Setting up libxft2:amd64 (1:1.2.1-1) ... #7 56.01 Setting up libdtk-perl (1.21.1ubuntu2.3) ... #7 56.01 Setting up autoconf (2.71-2) ... #7 56.02 Setting up python3-urllib3 (1.26.5-1~exp1ubuntu0.3) ... #7 56.15 Setting up libstdc++-11-dev:amd64 (11.4.0-1ubuntu1~22.04.2) ... #7 56.16 Setting up zlib1g-dev:amd64 (1:1.2.11.dfsg-2ubuntu9.2) ... #7 56.16 Setting up libllvm14:amd64 (1:14.0.0-1ubuntu1.1) ... #7 56.16 Setting up libhdf5-103-1:amd64 (1.10.7+repack-4ubuntu2) ... #7 56.16 Setting up gcc-11 (11.4.0-1ubuntu1~22.04.2) ... #7 56.17 Setting up libxslt1.1:amd64 (1.1.34-4ubuntu0.22.04.4) ... #7 56.17 Setting up cmake (3.22.1-1ubuntu1.22.04.2) ... #7 56.17 Setting up python3-dateutil (2.8.1-6) ... #7 56.30 Setting up libxss1:amd64 (1:1.2.3-1build2) ... #7 56.31 Setting up libpangocairo2-1.0-0:amd64 (1.50.6+ds-2ubuntu1) ... #7 56.31 Setting up python3-mpmath (1.2.1-2) ... #7 56.64 Setting up libtext-unidecode-perl (1.30-1) ... #7 56.64 Setting up python3-lib2to3 (3.10.8-1~22.04) ... #7 56.74 Setting up python3-appdirs (1.4.4-2) ... #7 56.83 Setting up libpangocairo-1.0-0:amd64 (1.50.6+ds-2ubuntu1) ... #7 56.84 Setting up python3-imagesize (1.3.0-1) ... #7 56.94 Setting up libhdf5-hl-100:amd64 (1.10.7+repack-4ubuntu2) ... #7 56.94 Setting up python3-commonmark (0.9.1-3) ... #7 57.06 Setting up python3-pkg-resources (59.6.0-1.2ubuntu0.22.04.3) ... #7 57.21 Setting up automake (1:1.16.5-1.3) ... #7 57.21 update-alternatives: using /usr/bin/automake-1.16 to provide /usr/bin/automake (automake) in auto mode #7 57.21 update-alternatives: warning: skip creation of /usr/share/man/man1/automake.1.gz because associated file /usr/share/man/man1/automake-1.16.1.gz (of link group automake) doesn't exist #7 57.21 update-alternatives: warning: skip creation of /usr/share/man/man1/aclocal.1.gz because associated file /usr/share/man/man1/aclocal-1.16.1.gz (of link group automake) doesn't exist #7 57.21 Setting up python3-distutils (3.10.8-1~22.04) ... #7 57.31 Setting up python3-sympy (1.9-1) ... #7 62.83 Setting up python3-attr (21.2.0-1) ... #7 62.95 Setting up libxft2:amd64 (2.3.4-1) ... #7 62.95 Setting up libxmu6:amd64 (2:1.1.3-3) ... #7 62.95 Setting up libboost1.74-dev:amd64 (1.74.0-14ubuntu3) ... #7 62.95 Setting up python3-setuptools (59.6.0-1.2ubuntu0.22.04.3) ... #7 63.23 Setting up libxi6:amd64 (2:1.8-1build1) ... #7 63.23 Setting up libtool (2.4.6-15build2) ... #7 63.23 Setting up g++-11 (11.4.0-1ubuntu1~22.04.2) ... #7 63.23 Setting up python3-babel (2.8.0+dfsg.1-7) ... #7 63.24 update-alternatives: using /usr/bin/pybabel-python3 to provide /usr/bin/pybabel (pybabel) in auto mode #7 63.37 Setting up python3-colorama (0.4.4-1) ... #7 63.47 Setting up python3-lz4 (3.1.3+dfsg-

1build3) ... #7 63.57 Setting up python3-alabaster (0.7.12-1) ... #7
63.66 Setting up python3-unicodedata2 (14.0.0+ds-8) ... #7 63.67
Setting up libtk8.6:amd64 (8.6.12-1build1) ... #7 63.67 Setting up
python3-ply (3.11-5) ... #7 63.78 Setting up python3-gast (0.5.2-2) ...
#7 63.89 Setting up libxml-namespacesupport-perl (1.12-1.1) ... #7
63.89 Setting up libclang1-14 (1:14.0.0-1ubuntu1.1) ... #7 63.89
Setting up libxaw7:amd64 (2:1.0.14-1) ... #7 63.89 Setting up
python3-wheel (0.37.1-2ubuntu0.22.04.1) ... #7 64.00 Setting up gcc
(4:11.2.0-1ubuntu1) ... #7 64.01 Setting up python3-fs (2.4.12-1) ...
#7 64.17 Setting up liberror-perl (0.17029-1) ... #7 64.17 Setting up
python3-beniget (0.4.1-2) ... #7 64.27 Setting up libxml-sax-base-perl
(1.09-1.1) ... #7 64.27 Setting up python3-jinja2 (3.0.3-1ubuntu0.4) ...
#7 64.42 Setting up python3-pygments (2.11.2+dfsg-2ubuntu0.1) ...
#7 64.90 Setting up python3-packaging (21.3-1) ... #7 65.01 Setting
up python3-chardet (4.0.0-1) ... #7 65.23 Setting up python3-requests
(2.25.1+dfsg-2ubuntu0.3) ... #7 65.34 Setting up libgvc6 (2.42.2-
6ubuntu0.1) ... #7 65.35 Setting up pkg-config (0.29.2-1ubuntu3) ...
#7 65.37 Setting up libpython3.10-dev:amd64 (3.10.12-1~22.04.11) ...
#7 65.37 Setting up libclang-cpp14 (1:14.0.0-1ubuntu1.1) ... #7 65.38
Setting up git (1:2.34.1-1ubuntu1.15) ... #7 65.38 Setting up python3-
pip (22.0.2+dfsg-1ubuntu0.6) ... #7 66.25 Setting up python3-numpy
(1:1.21.5-1ubuntu22.04.1) ... #7 67.36 Setting up gfortran-11 (11.4.0-
1ubuntu1~22.04.2) ... #7 67.37 Setting up python3.10-dev (3.10.12-
1~22.04.11) ... #7 67.37 Setting up g++ (4:11.2.0-1ubuntu1) ... #7
67.39 update-alternatives: using /usr/bin/g++ to provide /usr/bin/c++
(c++) in auto mode #7 67.39 update-alternatives: warning: skip
creation of /usr/share/man/man1/c++.1.gz because associated file
/usr/share/man/man1/g++.1.gz (of link group c++) doesn't exist #7
67.39 Setting up texlive-binaries (2021.20210626.59705-1ubuntu0.2)
... #7 67.39 update-alternatives: using /usr/bin/xdvi-xaw to provide
/usr/bin/xdvi.bin (xdvi.bin) in auto mode #7 67.40 update-alternatives:
using /usr/bin/bibtex.original to provide /usr/bin/bibtex (bibtex) in auto
mode #7 67.40 update-alternatives: warning: skip creation of
/usr/share/man/man1/bibtex.1.gz because associated file
/usr/share/man/man1/bibtex.original.1.gz (of link group bibtex)
doesn't exist #7 67.40 Setting up python3-lxml:amd64 (4.8.0-1build1)
... #7 67.53 Setting up libboost-dev:amd64 (1.74.0.3ubuntu7) ... #7
67.53 Setting up texlive-base (2021.20220204-1) ... #7 67.56
/usr/bin/ucfr #7 67.60 /usr/bin/ucfr #7 67.63 /usr/bin/ucfr #7 67.67
/usr/bin/ucfr #7 67.96 tl-paper: setting paper size for dvips to a4:
/var/lib/texmf/dvips/config/config-paper.ps #7 68.13 tl-paper: setting
paper size for dvipdfmx to a4: /var/lib/texmf/dvipdfmx/dvipdfmx-
paper.cfg #7 68.31 tl-paper: setting paper size for xdvi to a4:
/var/lib/texmf/xdvi/XDvi-paper #7 68.49 tl-paper: setting paper size for
pdftex to a4: /var/lib/texmf/tex/generic/tex-ini-files/pdftexconfig.tex #7
68.92 Setting up graphviz (2.42.2-6ubuntu0.1) ... #7 68.92 Setting up
libtool-bin (2.4.6-15build2) ... #7 68.92 Setting up tk8.6-blt2.5
(2.5.3+dfsg-4.1build2) ... #7 68.92 Setting up libpython3-dev:amd64
(3.10.6-1~22.04.1) ... #7 68.93 Setting up python3-rich (11.2.0-1) ...
#7 69.13 Setting up blt (2.5.3+dfsg-4.1build2) ... #7 69.14 Setting up
python3-h5py-serial (3.6.0-2build1) ... #7 69.31 Setting up python3-
tk:amd64 (3.10.8-1~22.04) ... #7 69.39 Setting up python3-meshio
(5.3.0-1) ... #7 69.58 Setting up libxml-sax-perl (1.02+dfsg-3) ... #7
69.63 update-perl-sax-parsers: Registering Perl SAX parser
XML::SAX::PurePerl with priority 10... #7 69.68 update-perl-sax-
parsers: Updating overall Perl SAX parser modules info file... #7
69.79 #7 69.79 Creating config file
/etc/perl/XML/SAX/ParserDetails.ini with new version #7 69.82
Setting up gfortran (4:11.2.0-1ubuntu1) ... #7 69.82 update-
alternatives: using /usr/bin/gfortran to provide /usr/bin/f95 (f95) in

auto mode #7 69.82 update-alternatives: warning: skip creation of
 /usr/share/man/man1/f95.1.gz because associated file
 /usr/share/man/man1/gfortran.1.gz (of link group f95) doesn't exist #7
 69.82 update-alternatives: using /usr/bin/gfortran to provide
 /usr/bin/f77 (f77) in auto mode #7 69.82 update-alternatives: warning:
 skip creation of /usr/share/man/man1/f77.1.gz because associated file
 /usr/share/man/man1/gfortran.1.gz (of link group f77) doesn't exist #7
 69.83 Setting up doxygen (1.9.1-2ubuntu2) ... #7 69.83 Setting up
 texlive-latex-base (2021.20220204-1) ... #7 69.84 Setting up python3-
 dev (3.10.6-1~22.04.1) ... #7 69.84 Setting up texlive-latex-
 recommended (2021.20220204-1) ... #7 69.84 Setting up python3-
 h5py (3.6.0-2build1) ... #7 69.85 Setting up texlive-pictures
 (2021.20220204-1) ... #7 69.85 Setting up libxml-libxml-perl
 (2.0207+dfsg+really+2.0134-1) ... #7 69.88 update-perl-sax-parsers:
 Registering Perl SAX parser XML::LibXML::SAX::Parser with priority
 50... #7 69.95 update-perl-sax-parsers: Registering Perl SAX parser
 XML::LibXML::SAX with priority 50... #7 70.01 update-perl-sax-
 parsers: Updating overall Perl SAX parser modules info file... #7
 70.12 Replacing config file /etc/perl/XML/SAX/ParserDetails.ini with
 new version #7 70.15 Setting up python3-pythran (0.10.0+ds2-1) ...
 #7 70.40 Setting up texlive-fonts-recommended (2021.20220204-1) ...
 #7 70.40 Setting up python3-scipy (1.8.0-1exp2ubuntu1) ... #7 72.07
 Setting up latexmk (1:4.76-1) ... #7 72.07 Setting up texlive-latex-
 extra (2021.20220204-1) ... #7 72.08 Setting up texinfo (6.8-4build1)
 ... #7 72.10 Running mktexlsr. This may take some time. ... done. #7
 72.17 Setting up python3-fonttools (4.29.1-2build1) ... #7 72.68
 Setting up python3-pil.imagetk:amd64 (9.0.1-1ubuntu0.3) ... #7 72.77
 Setting up python3-ufolib2 (0.13.1+dfsg1-1) ... #7 72.90 Setting up
 python3-pil:amd64 (9.0.1-1ubuntu0.3) ... #7 73.13 Setting up
 python3-matplotlib (3.5.1-2build1) ... #7 73.94 Processing triggers for
 libc-bin (2.35-0ubuntu3.10) ... #7 73.96 Processing triggers for sgml-
 base (1.30) ... #7 73.97 Setting up docutils-common (0.17.1+dfsg-2)
 ... #7 74.04 Processing triggers for sgml-base (1.30) ... #7 74.05
 Setting up python3-docutils (0.17.1+dfsg-2) ... #7 74.34 Setting up
 python3-sphinx (4.3.2-1) ... #7 74.76 Setting up python3-sphinx-rtd-
 theme (1.0.0+dfsg-1) ... #7 74.86 Setting up python3-breathe (4.33.1-
 3) ... #7 75.03 Processing triggers for ca-certificates
 (20240203~22.04.1) ... #7 75.04 Updating certificates in
 /etc/ssl/certs... #7 75.46 0 added, 0 removed; done. #7 75.46 Running
 hooks in /etc/ca-certificates/update.d... #7 75.46 done. #7 75.46
 Processing triggers for tex-common (6.17) ... #7 75.53 Running
 updmap-sys. This may take some time... done. #7 75.80 Running
 mktexlsr /var/lib/texmf ... done. #7 75.87 Building format(s) -all. #7
 75.87 This may take some time... done. #7 83.65 Collecting cython #7
 83.69 Downloading cython-3.1.3-cp310-cp310-
 manylinux2014_x86_64.manylinux_2_17_x86_64.manylinux_2_28_x86_64.whl (3.4 MB) #7 83.77

3.4/3.4 MB 48.2 MB/s
 eta 0:00:00 #7 83.83 Installing collected packages: cython #7 84.38
 Successfully installed cython-3.1.3 #7 84.38 WARNING: Running pip
 as the 'root' user can result in broken permissions and conflicting
 behaviour with the system package manager. It is recommended to
 use a virtual environment instead: <https://pip.pypa.io/warnings/venv>
 #7 DONE 85.5s

#8 [4/48] RUN mkdir /usr/local/petsc #8 DONE 0.5s

#9 [5/48] WORKDIR /usr/local/petsc #9 DONE 0.0s

```
#10 [ 6/48] RUN git clone -b release https://gitlab.com/petsc/petsc.git
. #10 0.045 Cloning into '.'... #10 31.81 Updating files: 99%
(11367/11400)Updating files: 100% (11400/11400)Updating files:
100% (11400/11400), done. #10 DONE 32.5s
```

```
#11 [ 7/48] RUN git pull #11 0.677 Already up to date. #11 DONE
0.7s
```

```
#12 [ 8/48] RUN ./configure -with-cc=gcc -with-cxx=g++ -with-
fc=gfortran -download-mpich -download-fblaslapack -with-scalar-
type=complex -download-mumps -download-scalapack -download-
ptscotch -download-cmake -with-debugging=1 -download-hdf5 -
download-triangle #12 0.562
```

```
=====
=====
===== #12 0.562 Configuring PETSc to compile on your
system #12 0.562
```

```
=====
=====
===== #12 13.63
```

```
=====
=====
===== #12 13.63 Trying to download #12 13.63
https://github.com/pmodels/mpich/releases/download/v4.3.0/mpich-
4.3.0.tar.gz for MPICH #12 13.63
```

```
=====
=====
===== #12 20.09
```

```
=====
=====
===== #12 20.09 Running configure on MPICH; this may take
several minutes #12 20.09
```

```
=====
=====
===== #12 75.52
```

```
=====
=====
===== #12 75.52 Running make on MPICH; this may take
several minutes #12 75.52
```

```
=====
=====
===== #12 252.4
```

```
=====
=====
===== #12 252.4 Running make install on MPICH; this may
take several minutes #12 252.4
```

```
=====
=====
===== #12 269.2
```

```
=====
=====
===== #12 269.2 Trying to download
https://bitbucket.org/petsc/pkg-triangle for TRIANGLE #12 269.2
```

```
=====
=====
===== #12 270.3
```

```
=====
=====
===== #12 270.3 Compiling Triangle; this may take several
minutes #12 270.3
```

```
=====
```

```
=====
===== #12 270.7
=====
===== #12 270.7 Installing Triangle; this may take several
minutes #12 270.7
=====
===== #12 271.0
=====
===== #12 271.0 Trying to download #12 271.0
https://web.cels.anl.gov/projects/petsc/download/externalpackages/hdf
5-1.14.3-p1.tar.bz2 #12 271.0 for HDF5 #12 271.0
=====
===== #12 277.1
=====
===== #12 277.1 Running configure on HDF5; this may take
several minutes #12 277.1
=====
===== #12 295.6
=====
===== #12 295.6 Running make on HDF5; this may take
several minutes #12 295.6
=====
===== #12 447.8
=====
===== #12 447.8 Running make install on HDF5; this may
take several minutes #12 447.8
=====
===== #12 450.6
=====
===== #12 450.6 Trying to download
https://bitbucket.org/petsc/pkg-fblaslapack for FBLASLAPACK #12
450.6
=====
===== #12 453.2
=====
===== #12 453.2 Compiling FBLASLAPACK; this may take
several minutes #12 453.2
=====
===== #12 481.5
=====
===== #12 481.5 Trying to download #12 481.5
https://github.com/Kitware/CMake/releases/download/v3.31.6/cmake-
3.31.6.tar.gz for CMAKE #12 481.5
=====
=====
```

```
===== #12 489.3
=====
=====
===== #12 489.3 Running configure on CMAKE; this may
take several minutes #12 489.3
=====
=====
===== #12 631.3
=====
=====
===== #12 631.3 Running make on CMAKE; this may take
several minutes #12 631.3
=====
=====
===== #12 996.4
=====
=====
===== #12 996.4 Running make install on CMAKE; this may
take several minutes #12 996.4
=====
=====
===== #12 1000.6
=====
=====
===== #12 1000.6 Trying to download
https://gitlab.inria.fr/scotch/scotch.git for PTSCOTCH #12 1000.6
=====
=====
===== #12 1008.9
=====
=====
===== #12 1008.9 Configuring PTSCOTCH with CMake; this
may take several minutes #12 1008.9
=====
=====
===== #12 1009.7
=====
=====
===== #12 1009.7 Compiling and installing PTSCOTCH; this
may take several minutes #12 1009.7
=====
=====
===== #12 1055.7
=====
=====
===== #12 1055.7 Trying to download
https://github.com/Reference-ScaLAPACK/scalapack for SCALAPACK
#12 1055.7
=====
=====
===== #12 1057.5
=====
=====
===== #12 1057.5 Configuring SCALAPACK with CMake; this
may take several minutes #12 1057.5
=====
=====
===== #12 1059.1
=====
=====
```

```

===== #12 1059.1 Compiling and installing SCALAPACK; this
may take several minutes #12 1059.1
=====
=====
===== #12 1093.5
*****
***** Please register to use MUMPS at
https://mumps-solver.org/index.php?page=dwnld#form
*****
***** #12 1093.5
=====
=====
===== #12 1093.5 Trying to download https://mumps-
solver.org/MUMPS_5.7.3.tar.gz for MUMPS #12 1093.5
=====
=====
===== #12 1095.9
=====
=====
===== #12 1095.9 Compiling MUMPS; this may take several
minutes #12 1095.9
=====
=====
===== #12 1122.3
=====
=====
===== #12 1122.3 Installing MUMPS; this may take several
minutes #12 1122.3
=====
=====
===== #12 1124.7
=====
=====
===== #12 1124.7 Generating Fortran binding #12 1124.7
=====
=====
===== #12 1126.9 Compilers: #12 1126.9 C Compiler:
/usr/local/petsc/arch-linux-c-opt/bin/mpicc -Wall -Wwrite-strings -Wno-
unknown-pragmas -Wno-lto-type-mismatch -Wno-stringop-overflow -
fstack-protector -fvisibility=hidden -g3 -O0 #12 1126.9 Version: gcc
(Ubuntu 11.4.0-1ubuntu1~22.04.2) 11.4.0 #12 1126.9 C++ Compiler:
/usr/local/petsc/arch-linux-c-opt/bin/mpicxx -Wall -Wwrite-strings -
Wno-strict-aliasing -Wno-unknown-pragmas -Wno-lto-type-mismatch -
Wno-psabi -fstack-protector -fvisibility=hidden -g -O0 -std=gnu++20
#12 1126.9 Version: g++ (Ubuntu 11.4.0-1ubuntu1~22.04.2) 11.4.0
#12 1126.9 Fortran Compiler: /usr/local/petsc/arch-linux-c-
opt/bin/mpif90 -Wall -ffree-line-length-none -ffree-line-length-0 -Wno-
lto-type-mismatch -Wno-unused-dummy-argument -g -O0 #12 1126.9
Version: GNU Fortran (Ubuntu 11.4.0-1ubuntu1~22.04.2) 11.4.0 #12
1126.9 Linkers: #12 1126.9 Shared linker: /usr/local/petsc/arch-linux-
c-opt/bin/mpicc -shared -Wall -Wwrite-strings -Wno-unknown-pragmas
-Wno-lto-type-mismatch -Wno-stringop-overflow -fstack-protector -
fvisibility=hidden -g3 -O0 #12 1126.9 Dynamic linker:
/usr/local/petsc/arch-linux-c-opt/bin/mpicc -shared -Wall -Wwrite-
strings -Wno-unknown-pragmas -Wno-lto-type-mismatch -Wno-
stringop-overflow -fstack-protector -fvisibility=hidden -g3 -O0 #12
1126.9 Libraries linked against:
#12 1126.9 Intel instruction sets found on CPU: #12 1126.9 AVX2
#12 1126.9 Intel instruction sets found on CPU: #12 1126.9 AVX2
#12 1126.9 BlasLapack: #12 1126.9 Libraries: -Wl,-

```

```

rpath,/usr/local/petsc/arch-linux-c-opt/lib -L/usr/local/petsc/arch-linux-
c-opt/lib -lflapack -lflblas #12 1126.9 uses 4 byte integers #12 1126.9
MPI: #12 1126.9 Version: 4 #12 1126.9 Includes: -
I/usr/local/petsc/arch-linux-c-opt/include #12 1126.9 mpiexec:
/usr/local/petsc/arch-linux-c-opt/bin/mpiexec #12 1126.9
Implementation: mpich4 #12 1126.9 MPICH_NUMVERSION:
40300300 #12 1126.9 MPICH: #12 1126.9 Version: 4.3.0 #12 1126.9
Includes: -I/usr/local/petsc/arch-linux-c-opt/include #12 1126.9
python: #12 1126.9 Executable: /usr/bin/python3 #12 1126.9 pthread:
#12 1126.9 cmake: #12 1126.9 Version: 3.31.6 #12 1126.9
Executable: /usr/local/petsc/arch-linux-c-opt/bin/cmake #12 1126.9
fblaslapack: #12 1126.9 hdf5: #12 1126.9 Version: 1.14.3 #12 1126.9
Includes: -I/usr/local/petsc/arch-linux-c-opt/include #12 1126.9
Libraries: -Wl,-rpath,/usr/local/petsc/arch-linux-c-opt/lib -
L/usr/local/petsc/arch-linux-c-opt/lib -lhdf5 hl -lhdf5 #12 1126.9
PTScotch: #12 1126.9 Version: 7.0.6 #12 1126.9 Includes: -
I/usr/local/petsc/arch-linux-c-opt/include #12 1126.9 Libraries: -Wl,-
rpath,/usr/local/petsc/arch-linux-c-opt/lib -L/usr/local/petsc/arch-linux-
c-opt/lib -lptesmumps -lptscotchparmetisv3 -lptscotch -lptscotcherr -
lesmumps -lscotch -lscotcherr #12 1126.9 bison: #12 1126.9 Version:
3.8 #12 1126.9 Executable: /usr/bin/bison #12 1126.9 MUMPS: #12
1126.9 Version: 5.7.3 #12 1126.9 Includes: -I/usr/local/petsc/arch-
linux-c-opt/include #12 1126.9 Libraries: -Wl,-
rpath,/usr/local/petsc/arch-linux-c-opt/lib -L/usr/local/petsc/arch-linux-
c-opt/lib -lmumps -lmumps_common -lpord -lpthread #12 1126.9
scalapack: #12 1126.9 Libraries: -Wl,-rpath,/usr/local/petsc/arch-
linux-c-opt/lib -L/usr/local/petsc/arch-linux-c-opt/lib -lscalapack #12
1126.9 Triangle: #12 1126.9 Includes: -I/usr/local/petsc/arch-linux-c-
opt/include #12 1126.9 Libraries: -Wl,-rpath,/usr/local/petsc/arch-
linux-c-opt/lib -L/usr/local/petsc/arch-linux-c-opt/lib -ltriangle #12
1126.9 regex: #12 1126.9 PETSc: #12 1126.9 Language used to
compile PETSc: C #12 1126.9 PETSC_ARCH: arch-linux-c-opt #12
1126.9 PETSC_DIR: /usr/local/petsc #12 1126.9 Prefix: #12 1126.9
Scalar type: complex #12 1126.9 Precision: double #12 1126.9
Support for __float128 #12 1126.9 Integer size: 4 bytes #12 1126.9
Single library: yes #12 1126.9 Shared libraries: yes #12 1126.9
Memory alignment from malloc(): 16 bytes #12 1126.9 Using GNU
make: /usr/bin/make #12 1126.9
xxx=====
=====
====xxx #12 1126.9 Configure stage complete. Now build PETSc
libraries with: #12 1126.9 make PETSC_DIR=/usr/local/petsc
PETSC_ARCH=arch-linux-c-opt all #12 1126.9
xxx=====
=====
====xxx #12 DONE 1127.2s

#13 [ 9/48] RUN make /usr/local/petsc arch-linux-c-opt all #13 0.543
/usr/bin/python3 ./config/gmakegen.py -petsc-arch=arch-linux-c-opt
#13 0.719 /usr/bin/python3 /usr/local/petsc/config/gmakegentest.py -
petsc-dir=/usr/local/petsc -petsc-arch=arch-linux-c-opt -
testdir=./arch-linux-c-opt/tests -srcdir /usr/local/petsc/src -pkg-pkgs
"sys vec mat dm ksp snes ts tao" #13 3.860 make: '/usr/local/petsc' is
up to date. #13 3.860 make: 'arch-linux-c-opt' is up to date. #13 3.907
=====
#13 3.909
#13 3.910 See documentation/faq.html and
documentation/bugreporting.html #13 3.911 for help with installation
problems. Please send EVERYTHING #13 3.912 printed out below
when reporting problems. Please check the #13 3.913 mailing list
archives and consider subscribing. #13 3.914

```

```

#13 3.916 https://petsc.org/release/community/mailing/ #13 3.917
#13 3.918
=====
#13 3.921 Starting make run on buildkitsandbox at Fri, 12 Sep 2025
14:29:21 +0000 #13 3.922 Machine characteristics: Linux
buildkitsandbox 6.11.0-1018-azure #18~24.04.1-Ubuntu SMP Sat Jun
28 04:46:03 UTC 2025 x86_64 x86_64 x86_64 GNU/Linux #13 3.924
----- #13 3.925 Using PETSc directory:
/usr/local/petsc #13 3.926 Using PETSc arch: arch-linux-c-opt #13
3.927 ----- #13 3.929
PETSC_VERSION_RELEASE 1 #13 3.929 PETSC_VERSION_MAJOR 3
#13 3.929 PETSC_VERSION_MINOR 23 #13 3.929
PETSC_VERSION_SUBMINOR 6 #13 3.929 PETSC_VERSION_DATE
"unknown" #13 3.929 PETSC_VERSION_GIT "unknown" #13 3.929
PETSC_VERSION_DATE_GIT "unknown" #13 3.931
----- #13 3.932 Using configure Options: -with-
cc=gcc -with-cxx=g++ -with-fc=gfortran -download-mpich -
download-fblaslapack -with-scalar-type=complex -download-mumps -
download-scalapack -download-ptscotch -download-cmake -with-
debugging=1 -download-hdf5 -download-triangle #13 3.933 Using
configuration flags: #13 3.935 #define PETSC_ARCH "arch-linux-c-
opt" #13 3.935 #define PETSC_ATTRIBUTEALIGNED(size)
_attribute((aligned(size))) #13 3.935 #define
PETSC_BLASLAPACK_UNDERSCORE 1 #13 3.935 #define
PETSC_CLANGUAGE_C 1 #13 3.935 #define PETSC_CXX_RESTRICT
_restrict #13 3.935 #define
PETSC_DEPRECATED_ENUM_BASE(string_literal why)
attribute((deprecated(string_literal why))) #13 3.935 #define
PETSC_DEPRECATED_FUNCTION_BASE(string_literal why)
attribute((deprecated(string_literal why))) #13 3.935 #define
PETSC_DEPRECATED_MACRO_BASE(string_literal why)
PETSC_DEPRECATED_MACRO_BASE_(GCC warning
string_literal why) #13 3.935 #define
PETSC_DEPRECATED_MACRO_BASE_(why) _Pragma(#why) #13
3.935 #define
PETSC_DEPRECATED_OBJECT_BASE(string_literal why)
attribute((deprecated(string_literal why))) #13 3.935 #define
PETSC_DEPRECATED_TYPEDEF_BASE(string_literal why)
attribute((deprecated(string_literal why))) #13 3.935 #define
PETSC_DIR "/usr/local/petsc" #13 3.935 #define
PETSC_DIR_SEPARATOR '/' #13 3.935 #define
PETSC_FORTRAN_CHARLEN_T size_t #13 3.935 #define
PETSC_FORTRAN_TYPE_INITIALIZE = -2 #13 3.935 #define
PETSC_FUNCTION_NAME_C func #13 3.935 #define
PETSC_FUNCTION_NAME_CXX func #13 3.935 #define
PETSC_HAVE_ACCESS 1 #13 3.935 #define PETSC_HAVE_ATOLL 1
#13 3.935 #define PETSC_HAVE_ATTRIBUTEALIGNED 1 #13 3.935
#define PETSC_HAVE_BUILTIN_EXPECT 1 #13 3.935 #define
PETSC_HAVE_BZERO 1 #13 3.935 #define
PETSC_HAVE_C99_COMPLEX 1 #13 3.935 #define
PETSC_HAVE_CLOCK 1 #13 3.935 #define PETSC_HAVE_CMAKE 1
#13 3.935 #define PETSC_HAVE_CXX 1 #13 3.935 #define
PETSC_HAVE_CXX_ATOMIC 1 #13 3.935 #define
PETSC_HAVE_CXX_COMPLEX 1 #13 3.935 #define
PETSC_HAVE_CXX_COMPLEX_FIX 1 #13 3.935 #define
PETSC_HAVE_CXX_DIALECT_CXX11 1 #13 3.935 #define
PETSC_HAVE_CXX_DIALECT_CXX14 1 #13 3.935 #define
PETSC_HAVE_CXX_DIALECT_CXX17 1 #13 3.935 #define
PETSC_HAVE_CXX_DIALECT_CXX20 1 #13 3.935 #define
PETSC_HAVE_DLADDR 1 #13 3.935 #define PETSC_HAVE_DLCLOSE

```

```
1 #13 3.935 #define PETSC_HAVE_DLERROR 1 #13 3.935 #define
PETSC_HAVE_DLFCN_H 1 #13 3.935 #define PETSC_HAVE_DLOPEN
1 #13 3.935 #define PETSC_HAVE_DLSYM 1 #13 3.935 #define
PETSC_HAVE_DOUBLE_ALIGN_MALLOC 1 #13 3.935 #define
PETSC_HAVE_DRAND48 1 #13 3.935 #define
PETSC_HAVE_DYNAMIC_LIBRARIES 1 #13 3.935 #define
PETSC_HAVE_ERF 1 #13 3.935 #define
PETSC_HAVE_EXECUTABLE_EXPORT 1 #13 3.935 #define
PETSC_HAVE_FBLASLAPACK 1 #13 3.935 #define
PETSC_HAVE_FCNTL_H 1 #13 3.935 #define PETSC_HAVE_FENV_H
1 #13 3.935 #define PETSC_HAVE_FE_VALUES 1 #13 3.935 #define
PETSC_HAVE_FLOAT_H 1 #13 3.935 #define PETSC_HAVE_FORK 1
#13 3.935 #define PETSC_HAVE_FORTRAN_FLUSH 1 #13 3.935
#define PETSC_HAVE_FORTRAN_FREE_LINE_LENGTH NONE 1 #13
3.935 #define PETSC_HAVE_FORTRAN_TYPE_STAR 1 #13 3.935
#define PETSC_HAVE_FORTRAN_UNDERSCORE 1 #13 3.935
#define PETSC_HAVE_GETCWD 1 #13 3.935 #define
PETSC_HAVE_GETDOMAINNAME 1 #13 3.935 #define
PETSC_HAVE_GETHOSTBYNAME 1 #13 3.935 #define
PETSC_HAVE_GETHOSTNAME 1 #13 3.935 #define
PETSC_HAVE_GETPAGESIZE 1 #13 3.935 #define
PETSC_HAVE_GETRUSAGE 1 #13 3.935 #define PETSC_HAVE_HDF5
1 #13 3.935 #define PETSC_HAVE_IMMINTRIN_H 1 #13 3.935
#define PETSC_HAVE_INTTYPES_H 1 #13 3.935 #define
PETSC_HAVE_ISINF 1 #13 3.935 #define PETSC_HAVE_ISNAN 1
#13 3.935 #define PETSC_HAVE_ISNORMAL 1 #13 3.935 #define
PETSC_HAVE_LGAMMA 1 #13 3.935 #define PETSC_HAVE_LINUX 1
#13 3.935 #define PETSC_HAVE_LOG2 1 #13 3.935 #define
PETSC_HAVE_LSEEK 1 #13 3.935 #define PETSC_HAVE_MALLOC_H
1 #13 3.935 #define PETSC_HAVE_MEMMOVE 1 #13 3.935 #define
PETSC_HAVE_MKSTEMP 1 #13 3.935 #define PETSC_HAVE_MPICH
1 #13 3.935 #define PETSC_HAVE_MPIO 1 #13 3.935 #define
PETSC_HAVE_MPIX_STREAM 1 #13 3.935 #define
PETSC_HAVE_MPIX_THREADCOMM 1 #13 3.935 #define
PETSC_HAVE_MPI_COMBINER_CONTIGUOUS 1 #13 3.935 #define
PETSC_HAVE_MPI_COMBINER_DUP 1 #13 3.935 #define
PETSC_HAVE_MPI_COMBINER_NAMED 1 #13 3.935 #define
PETSC_HAVE_MPI_COUNT 1 #13 3.935 #define
PETSC_HAVE_MPI_F90MODULE 1 #13 3.935 #define
PETSC_HAVE_MPI_F90MODULE_VISIBILITY 1 #13 3.935 #define
PETSC_HAVE_MPI_FEATURE_DYNAMIC_WINDOW 1 #13 3.935
#define PETSC_HAVE_MPI_GET_ACCUMULATE 1 #13 3.935 #define
PETSC_HAVE_MPI_GET_LIBRARY_VERSION 1 #13 3.935 #define
PETSC_HAVE_MPI_INIT_THREAD 1 #13 3.935 #define
PETSC_HAVE_MPI_INT64_T 1 #13 3.935 #define
PETSC_HAVE_MPI_LARGE_COUNT 1 #13 3.935 #define
PETSC_HAVE_MPI_LONG_DOUBLE 1 #13 3.935 #define
PETSC_HAVE_MPI_NEIGHBORHOOD_COLLECTIVES 1 #13 3.935
#define PETSC_HAVE_MPI_NONBLOCKING_COLLECTIVES 1 #13
3.935 #define PETSC_HAVE_MPI_ONE_SIDED 1 #13 3.935 #define
PETSC_HAVE_MPI_PERSISTENT_NEIGHBORHOOD_COLLECTIVES 1
#13 3.935 #define PETSC_HAVE_MPI_PROCESS_SHARED_MEMORY
1 #13 3.935 #define PETSC_HAVE_MPI_REDUCE_LOCAL 1 #13
3.935 #define PETSC_HAVE_MPI_REDUCE_SCATTER_BLOCK 1 #13
3.935 #define PETSC_HAVE_MPI_RGET 1 #13 3.935 #define
PETSC_HAVE_MPI_WIN_CREATE 1 #13 3.935 #define
PETSC_HAVE_MUMPS 1 #13 3.935 #define
PETSC_HAVE_NANOSLEEP 1 #13 3.935 #define
PETSC_HAVE_NETDB_H 1 #13 3.935 #define
PETSC_HAVE_NETINET_IN_H 1 #13 3.935 #define
```



```

PETSC_HAVE_NO_FINITE_MATH_ONLY 1 #13 3.935 #define
PETSC_HAVE_PACKAGES
":blaslapack:cmake:fblaslapack:hdf5:mathlib:mpi:mpich:mumps:pthreads:ptscotch:regex:scalapack:triangle:" #13 3.935 #define
PETSC_HAVE_POPEN 1 #13 3.935 #define
PETSC_HAVE_POSIX_MEMALIGN 1 #13 3.935 #define
PETSC_HAVE_PTHREAD 1 #13 3.935 #define
PETSC_HAVE_PTHREAD_MUTEX 1 #13 3.935 #define
PETSC_HAVE_PTSCOTCH 1 #13 3.935 #define PETSC_HAVE_PWD_H
1 #13 3.935 #define PETSC_HAVE_RAND 1 #13 3.935 #define
PETSC_HAVE_READLINK 1 #13 3.935 #define
PETSC_HAVE_REALPATH 1 #13 3.935 #define
PETSC_HAVE_REAL_FLOAT128 1 #13 3.935 #define
PETSC_HAVE_REGEX 1 #13 3.935 #define
PETSC_HAVE_RTLD_GLOBAL 1 #13 3.935 #define
PETSC_HAVE_RTLD_LAZY 1 #13 3.935 #define
PETSC_HAVE_RTLD_LOCAL 1 #13 3.935 #define
PETSC_HAVE_RTLD_NOW 1 #13 3.935 #define
PETSC_HAVE_SCALAPACK 1 #13 3.935 #define
PETSC_HAVE_SETJMP_H 1 #13 3.935 #define
PETSC_HAVE_SHMGET 1 #13 3.935 #define PETSC_HAVE_SLEEP 1
#13 3.935 #define PETSC_HAVE_SNPRINTF 1 #13 3.935 #define
PETSC_HAVE_SOCKET 1 #13 3.935 #define
PETSC_HAVE_SO_REUSEADDR 1 #13 3.935 #define
PETSC_HAVE_STDATOMIC_H 1 #13 3.935 #define
PETSC_HAVE_STDINT_H 1 #13 3.935 #define
PETSC_HAVE_STRCASECMP 1 #13 3.935 #define
PETSC_HAVE_STRINGS_H 1 #13 3.935 #define
PETSC_HAVE_STRUCT_SIGACTION 1 #13 3.935 #define
PETSC_HAVE_SYS_PARAM_H 1 #13 3.935 #define
PETSC_HAVE_SYS_PROCFS_H 1 #13 3.935 #define
PETSC_HAVE_SYS_RESOURCE_H 1 #13 3.935 #define
PETSC_HAVE_SYS_SOCKET_H 1 #13 3.935 #define
PETSC_HAVE_SYS_TIMES_H 1 #13 3.935 #define
PETSC_HAVE_SYS_TIME_H 1 #13 3.935 #define
PETSC_HAVE_SYS_TYPES_H 1 #13 3.935 #define
PETSC_HAVE_SYS_UTSNAME_H 1 #13 3.935 #define
PETSC_HAVE_SYS_WAIT_H 1 #13 3.935 #define
PETSC_HAVE_TAU_PERFSTUBS 1 #13 3.935 #define
PETSC_HAVE_TGAMMA 1 #13 3.935 #define PETSC_HAVE_TIME 1
#13 3.935 #define PETSC_HAVE_TIME_H 1 #13 3.935 #define
PETSC_HAVE_TRIANGLE 1 #13 3.935 #define PETSC_HAVE_UNAME
1 #13 3.935 #define PETSC_HAVE_UNISTD_H 1 #13 3.935 #define
PETSC_HAVE_USLEEP 1 #13 3.935 #define PETSC_HAVE_VA_COPY
1 #13 3.935 #define PETSC_HAVE_VSNPRINTF 1 #13 3.935 #define
PETSC_HAVE_XMMINTRIN_H 1 #13 3.935 #define
PETSC_HDF5_HAVE_PARALLEL 1 #13 3.935 #define
PETSC_INTPTR_T intptr_t #13 3.935 #define PETSC_INTPTR_T_FMT
"%" PRIxPTR #13 3.935 #define PETSC_IS_COLORING_MAX
USHRT_MAX #13 3.935 #define PETSC_IS_COLORING_VALUE_TYPE
short #13 3.935 #define PETSC_IS_COLORING_VALUE_TYPE_F
integer2 #13 3.935 #define PETSC_LEVEL1_DCACHE_LINESIZE 64
#13 3.935 #define PETSC_LIB_DIR "/usr/local/petsc/arch-linux-c-
opt/lib" #13 3.935 #define PETSC_LIB_NAME_SUFFIX "" #13 3.935
#define PETSC_MAX_PATH_LEN 4096 #13 3.935 #define
PETSC_MEMALIGN 16 #13 3.935 #define PETSC_MPICC_SHOW
"gcc -fPIC -Wno-lto-type-mismatch -Wno-stringop-overflow -g -O0 -
I/usr/local/petsc/arch-linux-c-opt/include -L/usr/local/petsc/arch-linux-
c-opt/lib -Wl,-rpath -Wl,/usr/local/petsc/arch-linux-c-opt/lib -Wl,-
enable-new-dtags -lmpi" #13 3.935 #define

```

```

PETSC_MPIU_IS_COLORING_VALUE_TYPE MPI_UNSIGNED_SHORT
#13 3.935 #define PETSC_OMAKE "/usr/bin/make -no-print-
directory" #13 3.935 #define PETSC_PKG_MPICH_NUMVERSION
40300300 #13 3.935 #define PETSC_PREFETCH_HINT_NTA
_MM_HINT_NTA #13 3.935 #define PETSC_PREFETCH_HINT_T0
_MM_HINT_T0 #13 3.935 #define PETSC_PREFETCH_HINT_T1
_MM_HINT_T1 #13 3.935 #define PETSC_PREFETCH_HINT_T2
_MM_HINT_T2 #13 3.935 #define PETSC_PYTHON_EXE
"/usr/bin/python3" #13 3.935 #define PETSC_Prefetch(a,b,c)
mm_prefetch((const char*)(a),(c)) #13 3.935 #define
PETSC_REPLACE_DIR_SEPARATOR '\\' #13 3.935 #define
PETSC_SIGNAL_CAST
#13 3.935 #define PETSC_SIZEOF_INT 4 #13 3.935 #define
PETSC_SIZEOF_LONG 8 #13 3.935 #define
PETSC_SIZEOF_LONG_LONG 8 #13 3.935 #define
PETSC_SIZEOF_SIZE_T 8 #13 3.935 #define PETSC_SIZEOF_VOID_P
8 #13 3.935 #define PETSC_SLSUFFIX "so" #13 3.935 #define
PETSC_UINTPTR_T uintptr_t #13 3.935 #define
PETSC_UINTPTR_T_FMT "% PRIxPTR" #13 3.935 #define
PETSC_UNUSED __attribute__((unused)) #13 3.935 #define
PETSC_USE_AVX512_KERNELS 1 #13 3.935 #define
PETSC_USE_BACKWARD_LOOP 1 #13 3.935 #define
PETSC_USE_COMPLEX 1 #13 3.935 #define PETSC_USE_CTABLE 1
#13 3.935 #define PETSC_USE_DEBUG 1 #13 3.935 #define
PETSC_USE_DMLANDAU_2D 1 #13 3.935 #define
PETSC_USE_FORTRAN_BINDINGS 1 #13 3.935 #define
PETSC_USE_INFO 1 #13 3.935 #define PETSC_USE_ISATTY 1 #13
3.935 #define PETSC_USE_LOG 1 #13 3.935 #define
PETSC_USE_PROC_FOR_SIZE 1 #13 3.935 #define
PETSC_USE_REAL_DOUBLE 1 #13 3.935 #define
PETSC_USE_SHARED_LIBRARIES 1 #13 3.935 #define
PETSC_USE_SINGLE_LIBRARY 1 #13 3.935 #define
PETSC_USE_SOCKET_VIEWER 1 #13 3.935 #define
PETSC_USE_VISIBILITY_C 1 #13 3.935 #define
PETSC_USE_VISIBILITY_CXX 1 #13 3.935 #define
PETSC_USING_64BIT_PTR 1 #13 3.935 #define
PETSC_USING_F2003 1 #13 3.935 #define
PETSC_USING_F90FREEFORM 1 #13 3.935 #define
PETSC_VERSION_BRANCH_GIT "release" #13 3.935 #define
PETSC_VERSION_DATE_GIT "2025-09-09 19:59:29 +0000" #13 3.935
#define PETSC_VERSION_GIT "v3.23.6-38-g9372c96dc28" #13 3.935
#define PETSC_BSD_SOURCE 1 #13 3.935 #define
PETSC_DEFAULT_SOURCE 1 #13 3.935 #define
PETSC_GNU_SOURCE 1 #13 3.936 ----- #13
3.937 Using C compile: /usr/local/petsc/arch-linux-c-opt/bin/mpicc -o
.o -c -Wall -Wwrite-strings -Wno-unknown-pragmas -Wno-lto-type-
mismatch -Wno-stringop-overflow -fstack-protector -fvisibility=hidden
-g3 -O0
#13 3.939 mpicc -show: gcc -fPIC -Wno-lto-type-mismatch -Wno-
stringop-overflow -g -O0 -I/usr/local/petsc/arch-linux-c-opt/include -
L/usr/local/petsc/arch-linux-c-opt/lib -Wl,-rpath -
Wl,/usr/local/petsc/arch-linux-c-opt/lib -Wl,-enable-new-dtags -lmpi
#13 3.939 C compiler version: gcc (Ubuntu 11.4.0-1ubuntu1~22.04.2)
11.4.0 #13 3.939 Using C++ compile: /usr/local/petsc/arch-linux-c-
opt/bin/mpicxx -o .o -c -Wall -Wwrite-strings -Wno-strict-aliasing -Wno-
unknown-pragmas -Wno-lto-type-mismatch -Wno-psabi -fstack-
protector -fvisibility=hidden -g -O0 -std=gnu++20 -
I/usr/local/petsc/include -I/usr/local/petsc/arch-linux-c-opt/include
#13 3.939 mpicxx -show: g++ -Wno-lto-type-mismatch -Wno-psabi -g -
O0 -std=gnu++20 -fPIC -I/usr/local/petsc/arch-linux-c-opt/include -

```

```

L/usr/local/petsc/arch-linux-c-opt/lib -lmpicxx -Wl,-rpath -
Wl,/usr/local/petsc/arch-linux-c-opt/lib -Wl,-enable-new-dtags -lmpi
#13 3.939 C++ compiler version: g++ (Ubuntu 11.4.0-
1ubuntu1~22.04.2) 11.4.0 #13 3.940 Using Fortran compile:
/usr/local/petsc/arch-linux-c-opt/bin/mpif90 -o .o -c -Wall -ffree-line-
length-none -ffree-line-length-0 -Wno-lto-type-mismatch -Wno-unused-
dummy-argument -g -O0 -I/usr/local/petsc/include -
I/usr/local/petsc/arch-linux-c-opt/include
#13 3.940 mpif90 -show: gfortran -fPIC -ffree-line-length-none -ffree-
line-length-0 -Wno-lto-type-mismatch -g -O0 -fallow-argument-
mismatch -I/usr/local/petsc/arch-linux-c-opt/include -
I/usr/local/petsc/arch-linux-c-opt/include -L/usr/local/petsc/arch-linux-
c-opt/lib -lmpifort -Wl,-rpath -Wl,/usr/local/petsc/arch-linux-c-opt/lib -
Wl,-enable-new-dtags -lmpi #13 3.940 Fortran compiler version: GNU
Fortran (Ubuntu 11.4.0-1ubuntu1~22.04.2) 11.4.0 #13 3.943
----- #13 3.944 Using C/C++ linker:
/usr/local/petsc/arch-linux-c-opt/bin/mpicc #13 3.945 Using C/C++
flags: -Wall -Wwrite-strings -Wno-unknown-pragmas -Wno-lto-type-
mismatch -Wno-stringop-overflow -fstack-protector -fvisibility=hidden
-g3 -O0 #13 3.946 Using Fortran linker: /usr/local/petsc/arch-linux-c-
opt/bin/mpif90 #13 3.946 Using Fortran flags: -Wall -ffree-line-length-
none -ffree-line-length-0 -Wno-lto-type-mismatch -Wno-unused-
dummy-argument -g -O0 #13 3.948 ----- #13
3.949 Using system modules: #13 3.975 Using mpi.h: # 1
"/usr/local/petsc/arch-linux-c-opt/include/mpi.h" 1 #13 3.977
----- #13 3.979 Using libraries: -Wl,-
rpath,/usr/local/petsc/arch-linux-c-opt/lib -L/usr/local/petsc/arch-linux-
c-opt/lib -Wl,-rpath,/usr/lib/gcc/x86_64-linux-gnu/11 -
L/usr/lib/gcc/x86_64-linux-gnu/11 -lpetsc -lzmumps -lmumps_common -
lpord -lpthread -lscalapack -lflapack -lfbblas -lptesmumps -
lptscotchparmetisv3 -lptscotch -lptscotcherr -lesmumps -lscotch -
lscotcherr -lhdf5_hl -lhdf5 -ltriangle -lm -lmpifort -lmpi -lgfortran -lm -
lgfortran -lm -lgcc_s -lquadmath -lstl -lstdc++ #13 3.980
----- #13 3.981 Using mpiexec:
/usr/local/petsc/arch-linux-c-opt/bin/mpiexec #13 3.982
----- #13 3.983 Using MAKE: /usr/bin/make
#13 3.985 Default MAKEFLAGS: MAKE NP:4 MAKE_LOAD:4.0
MAKEFLAGS: -no-print-directory - PETSC_ARCH=arch-linux-c-opt
PETSC_DIR=/usr/local/petsc #13 3.986
=====
#13 3.990 /usr/bin/make -print-directory -f gmakefile -j4 -l4.0 -output-
sync=recurse V= libs #13 4.476 CC arch-linux-c-
opt/obj/src/vec/vec/utils/vecs.o #13 4.514 CC arch-linux-c-
opt/obj/src/vec/vec/utils/vecglvis.o #13 4.582 CC arch-linux-c-
opt/obj/src/vec/vec/utils/vecio.o #13 4.633 CC arch-linux-c-
opt/obj/src/vec/vec/utils/vecstash.o #13 4.923 CC arch-linux-c-
opt/obj/ftn/mat/impls/aij/seq/inodef.o #13 4.925 CC arch-linux-c-
opt/obj/src/vec/vec/utils/vsection.o #13 5.192 CC arch-linux-c-
opt/obj/src/vec/vec/utils/vscat.o #13 5.395 CC arch-linux-c-
opt/obj/src/mat/impls/aij/seq/ij.o #13 5.569 CC arch-linux-c-
opt/obj/src/mat/impls/aij/seq/fdaij.o #13 5.745 CC arch-linux-c-
opt/obj/src/mat/impls/aij/seq/inode2.o #13 5.801 CC arch-linux-c-
opt/obj/src/vec/vec/utils/vinv.o #13 5.916 CC arch-linux-c-
opt/obj/src/mat/impls/aij/seq/matmatmatmult.o #13 6.218 CC arch-
linux-c-opt/obj/src/mat/impls/aij/seq/matptap.o #13 6.404 CC arch-
linux-c-opt/obj/src/mat/impls/aij/seq/matrart.o #13 6.570 CC arch-
linux-c-opt/obj/src/mat/impls/aij/seq/mattransposematmult.o #13
6.789 CC arch-linux-c-opt/obj/src/mat/impls/aij/seq/inode.o #13 6.794
CC arch-linux-c-opt/obj/src/mat/impls/aij/seq/symtranspose.o #13
6.813 CC arch-linux-c-opt/obj/src/mat/impls/aij/seq/matmatmult.o #13

```

7.163 CC arch-linux-c-opt/obj/src/mat/impls/baij/mpi/mmbaij.o #13
7.240 CC arch-linux-c-opt/obj/src/mat/impls/baij/mpi/mpiaijbaij.o #13
7.273 CC arch-linux-c-opt/obj/src/mat/impls/baij/mpi/mpb_baij.o #13
7.878 CC arch-linux-c-opt/obj/src/ksp/ksp/impls/gmres/gmpre.o #13
7.968 CC arch-linux-c-opt/obj/src/ksp/ksp/impls/gmres/gmreig.o #13
8.141 CC arch-linux-c-opt/obj/src/ksp/ksp/impls/gmres/gmres2.o #13
8.271 CC arch-linux-c-opt/obj/src/ksp/ksp/impls/gmres/gmres.o #13
8.425 CC arch-linux-c-opt/obj/src/ksp/ksp/interface/iguess.o #13 8.693
CC arch-linux-c-opt/obj/src/ksp/ksp/interface/itcl.o #13 8.858 CC arch-
linux-c-opt/obj/src/ksp/ksp/interface/itcreate.o #13 8.929 CC arch-
linux-c-opt/obj/src/mat/impls/baij/mpi/mpibaij.o #13 9.165 CC arch-
linux-c-opt/obj/src/ksp/ksp/interface/itregis.o #13 9.236 CC arch-linux-
c-opt/obj/src/ksp/ksp/interface/itres.o #13 9.431 CC arch-linux-c-
opt/obj/src/ksp/ksp/interface/xmon.o #13 9.615 CC arch-linux-c-
opt/obj/src/ksp/ksp/interface/iterativ.o #13 9.812 FC arch-linux-c-
opt/obj/src/sys/ftn-src/somefort.o #13 9.892 FC arch-linux-c-
opt/obj/src/sys/ftn-src/f90_fwrap.o #13 10.17 CC arch-linux-c-
opt/obj/src/ksp/ksp/interface/itfunc.o #13 10.58 CXX arch-linux-c-
opt/obj/ftn/sys/objects/device/interface/dcontextf.o #13 10.69 CXX
arch-linux-c-opt/obj/ftn/sys/objects/device/interface/devicef.o #13
10.96 CXX arch-linux-c-
opt/obj/ftn/sys/objects/device/interface/global_dcontextf.o #13 10.97
CXX arch-linux-c-opt/obj/src/sys/dll/cxx/demangle.o #13 11.78 CXX
arch-linux-c-opt/obj/src/sys/objects/device/impls/host/hostdevice.o #13
11.84 CXX arch-linux-c-
opt/obj/src/sys/objects/device/impls/host/hostcontext.o #13 12.86 CXX
arch-linux-c-opt/obj/src/sys/objects/cxx/object_pool.o #13 13.32 FC
arch-linux-c-opt/obj/src/sys/ftn-mod/petscsysmod.o #13 13.47 CXX
arch-linux-c-opt/obj/src/sys/objects/device/interface/device.o #13
14.20 CXX arch-linux-c-
opt/obj/src/sys/objects/device/interface/global_dcontext.o #13 14.27
CXX arch-linux-c-opt/obj/src/sys/objects/device/interface/dcontext.o
#13 14.45 CC arch-linux-c-opt/obj/ftn/sys/classes/bag/bagf.o #13
14.48 CC arch-linux-c-opt/obj/ftn/sys/classes/bm/interfaces/bmf.o #13
14.65 CC arch-linux-c-
opt/obj/ftn/sys/classes/draw/impls/image/drawimagef.o #13 14.67 CC
arch-linux-c-opt/obj/ftn/sys/classes/draw/impls/null/drawnulff.o #13
14.85 CC arch-linux-c-opt/obj/ftn/sys/classes/draw/interface/dclearf.o
#13 14.86 CC arch-linux-c-
opt/obj/ftn/sys/classes/draw/interface/dcoorf.o #13 15.03 CC arch-
linux-c-opt/obj/ftn/sys/classes/draw/interface/dellipsef.o #13 15.04 CC
arch-linux-c-opt/obj/ftn/sys/classes/draw/interface/dflushf.o #13 15.21
CC arch-linux-c-opt/obj/ftn/sys/classes/draw/interface/dmarkerf.o #13
15.22 CC arch-linux-c-opt/obj/ftn/sys/classes/draw/interface/dlinef.o
#13 15.40 CC arch-linux-c-
opt/obj/ftn/sys/classes/draw/interface/dpausef.o #13 15.40 CC arch-
linux-c-opt/obj/ftn/sys/classes/draw/interface/dmousef.o #13 15.53
CXX arch-linux-c-opt/obj/src/sys/objects/device/interface/memory.o
#13 15.58 CC arch-linux-c-
opt/obj/ftn/sys/classes/draw/interface/dpointf.o #13 15.61 CC arch-
linux-c-opt/obj/ftn/sys/classes/draw/interface/drawf.o #13 15.74 CC
arch-linux-c-opt/obj/ftn/sys/classes/draw/interface/drawregf.o #13
15.76 CC arch-linux-c-opt/obj/ftn/sys/classes/draw/interface/drectf.o
#13 15.80 CC arch-linux-c-
opt/obj/ftn/sys/classes/draw/interface/dsavef.o #13 15.94 CC arch-
linux-c-opt/obj/ftn/sys/classes/draw/interface/dtrif.o #13 15.95 CC
arch-linux-c-opt/obj/ftn/sys/classes/draw/interface/dtextf.o #13 15.98
CC arch-linux-c-opt/obj/ftn/sys/classes/draw/interface/dviewpf.o #13
16.14 CC arch-linux-c-opt/obj/ftn/sys/classes/draw/utils/barsf.o #13
16.14 CC arch-linux-c-opt/obj/ftn/sys/classes/draw/utils/axiscf.o #13

16.16 CC arch-linux-c-opt/obj/ftn/sys/classes/draw/utils/cmapf.o #13
 16.18 CXX arch-linux-c-
 opt/obj/src/sys/objects/device/interface/mark_dcontext.o #13 16.33
 CC arch-linux-c-opt/obj/ftn/sys/classes/draw/utils/histsf.o #13 16.33
 CC arch-linux-c-opt/obj/ftn/sys/classes/draw/utils/dscatterf.o #13
 16.36 CC arch-linux-c-opt/obj/ftn/sys/classes/draw/utils/lgcf.o #13
 16.36 CC arch-linux-c-opt/obj/ftn/sys/classes/draw/utils/lgf.o #13
 16.50 CC arch-linux-c-
 opt/obj/ftn/sys/classes/random/interface/dlregisrandf.o #13 16.53 CC
 arch-linux-c-opt/obj/ftn/sys/classes/random/interface/randomcf.o #13
 16.54 CC arch-linux-c-
 opt/obj/ftn/sys/classes/random/interface/randregf.o #13 16.55 CC
 arch-linux-c-opt/obj/ftn/sys/classes/random/interface/randomf.o #13
 16.70 CC arch-linux-c-opt/obj/ftn/sys/classes/viewer/impls/ascii/filevf.o
 #13 16.71 CC arch-linux-c-
 opt/obj/ftn/sys/classes/viewer/impls/ascii/vcreateaf.o #13 16.74 CC
 arch-linux-c-opt/obj/ftn/sys/classes/viewer/impls/draw/draw/fdrawvf.o
 #13 16.75 CC arch-linux-c-
 opt/obj/ftn/sys/classes/viewer/impls/binary/binvf.o #13 16.89 CC arch-
 linux-c-opt/obj/ftn/sys/classes/viewer/impls/glvis/glvisf.o #13 16.92 CC
 arch-linux-c-opt/obj/ftn/sys/classes/viewer/impls/draw/drawvf.o #13
 16.94 CC arch-linux-c-
 opt/obj/ftn/sys/classes/viewer/impls/python/pythonviewerf.o #13 17.02
 CC arch-linux-c-opt/obj/ftn/sys/classes/viewer/impls/hdf5/hdf5vf.o #13
 17.08 CC arch-linux-c-
 opt/obj/ftn/sys/classes/viewer/impls/socket/sendf.o #13 17.09 CC arch-
 linux-c-opt/obj/ftn/sys/classes/viewer/impls/string/stringvf.o #13 17.12
 CC arch-linux-c-opt/obj/ftn/sys/classes/viewer/impls/vtk/vtkvf.o #13
 17.20 CC arch-linux-c-
 opt/obj/ftn/sys/classes/viewer/impls/vu/petscvuf.o #13 17.25 CC arch-
 linux-c-opt/obj/ftn/sys/classes/viewer/interface/dlregispetscf.o #13
 17.27 CC arch-linux-c-opt/obj/ftn/sys/classes/viewer/interface/duplf.o
 #13 17.30 CC arch-linux-c-
 opt/obj/ftn/sys/classes/viewer/interface/flushf.o #13 17.38 CC arch-
 linux-c-opt/obj/ftn/sys/classes/viewer/interface/viewaf.o #13 17.44 CC
 arch-linux-c-opt/obj/ftn/sys/classes/viewer/interface/viewersf.o #13
 17.48 CC arch-linux-c-opt/obj/ftn/sys/classes/viewer/interface/viewf.o
 #13 17.52 CC arch-linux-c-
 opt/obj/ftn/sys/classes/viewer/interface/viewregf.o #13 17.58 CC arch-
 linux-c-opt/obj/ftn/sys/dll/dlf.o #13 17.62 CC arch-linux-c-
 opt/obj/ftn/sys/dll/regf.o #13 17.67 CC arch-linux-c-
 opt/obj/ftn/sys/error/adebugf.o #13 17.70 CC arch-linux-c-
 opt/obj/ftn/sys/error/checkptrf.o #13 17.76 CC arch-linux-c-
 opt/obj/ftn/sys/error/errf.o #13 17.79 CC arch-linux-c-
 opt/obj/ftn/sys/error/errtracef.o #13 17.84 CC arch-linux-c-
 opt/obj/ftn/sys/error/fpf.o #13 17.88 CC arch-linux-c-
 opt/obj/ftn/sys/error/signalf.o #13 17.95 CC arch-linux-c-
 opt/obj/ftn/sys/fileio/fdirf.o #13 17.97 CC arch-linux-c-
 opt/obj/ftn/sys/fileio/fpathf.o #13 18.03 CC arch-linux-c-
 opt/obj/ftn/sys/fileio/fretrievf.o #13 18.07 CC arch-linux-c-
 opt/obj/ftn/sys/fileio/ftestf.o #13 18.12 CC arch-linux-c-
 opt/obj/ftn/sys/fileio/fwdf.o #13 18.15 CC arch-linux-c-
 opt/obj/ftn/sys/fileio/ghomef.o #13 18.21 CC arch-linux-c-
 opt/obj/ftn/sys/fileio/grpathf.o #13 18.26 CC arch-linux-c-
 opt/obj/ftn/sys/fileio/mpiuopenf.o #13 18.31 CC arch-linux-c-
 opt/obj/ftn/sys/fileio/mprintf.o #13 18.33 CC arch-linux-c-
 opt/obj/ftn/sys/fileio/rpathf.o #13 18.40 CC arch-linux-c-
 opt/obj/ftn/sys/fileio/sysiof.o #13 18.47 CC arch-linux-c-
 opt/obj/ftn/sys/info/verboseinfof.o #13 18.49 CC arch-linux-c-
 opt/obj/ftn/sys/logging/handler/interface/lhregf.o #13 18.54 CC arch-

linux-c-opt/obj/ftn/sys/logging/handler/interface/loghandlerf.o #13
18.64 CC arch-linux-c-opt/obj/ftn/sys/logging/plogf.o #13 18.67 CC
arch-linux-c-opt/obj/ftn/sys/memory/malf.o #13 18.69 CC arch-linux-c-
opt/obj/ftn/sys/logging/state/logstatef.o #13 18.71 CC arch-linux-c-
opt/obj/ftn/sys/memory/memf.o #13 18.85 CC arch-linux-c-
opt/obj/ftn/sys/memory/mtrf.o #13 18.87 CC arch-linux-c-
opt/obj/ftn/sys/objects/destroyf.o #13 18.87 CC arch-linux-c-
opt/obj/ftn/sys/objects/device/util/deviceregf.o #13 18.88 CC arch-
linux-c-opt/obj/ftn/sys/objects/device/util/memoryf.o #13 19.02 CC
arch-linux-c-opt/obj/ftn/sys/objects/finitf.o #13 19.04 CC arch-linux-c-
opt/obj/ftn/sys/objects/gcommf.o #13 19.04 CC arch-linux-c-
opt/obj/ftn/sys/objects/gcookief.o #13 19.06 CC arch-linux-c-
opt/obj/ftn/sys/objects/gtypef.o #13 19.20 CC arch-linux-c-
opt/obj/ftn/sys/objects/initf.o #13 19.23 CC arch-linux-c-
opt/obj/ftn/sys/objects/olistf.o #13 19.24 CC arch-linux-c-
opt/obj/ftn/sys/objects/inheritf.o #13 19.38 CC arch-linux-c-
opt/obj/ftn/sys/objects/optionsf.o #13 19.38 CC arch-linux-c-
opt/obj/ftn/sys/objects/optionsymlf.o #13 19.42 CC arch-linux-c-
opt/obj/ftn/sys/objects/pgnamef.o #13 19.42 CC arch-linux-c-
opt/obj/ftn/sys/objects/packagef.o #13 19.57 CC arch-linux-c-
opt/obj/ftn/sys/objects/pinitf.o #13 19.57 CC arch-linux-c-
opt/obj/ftn/sys/objects/pnamef.o #13 19.60 CC arch-linux-c-
opt/obj/ftn/sys/objects/ptypef.o #13 19.61 CC arch-linux-c-
opt/obj/ftn/sys/objects/prefixf.o #13 19.74 CC arch-linux-c-
opt/obj/ftn/sys/objects/statef.o #13 19.76 CC arch-linux-c-
opt/obj/ftn/sys/objects/subcommf.o #13 19.78 CC arch-linux-c-
opt/obj/ftn/sys/objects/tagmf.o #13 19.79 CC arch-linux-c-
opt/obj/ftn/sys/objects/versionf.o #13 19.92 CC arch-linux-c-
opt/obj/ftn/sys/python/pythonsysf.o #13 19.92 CC arch-linux-c-
opt/obj/ftn/sys/time/cputimef.o #13 19.96 CC arch-linux-c-
opt/obj/ftn/sys/time/fdatef.o #13 19.97 CC arch-linux-c-
opt/obj/ftn/sys/utls/archf.o #13 20.09 CC arch-linux-c-
opt/obj/ftn/sys/utls/fhostf.o #13 20.09 CC arch-linux-c-
opt/obj/ftn/sys/utls/fuserf.o #13 20.14 CC arch-linux-c-
opt/obj/ftn/sys/utls/mathfitf.o #13 20.14 CC arch-linux-c-
opt/obj/ftn/sys/utls/memcf.o #13 20.26 CC arch-linux-c-
opt/obj/ftn/sys/utls/mpimesgf.o #13 20.26 CC arch-linux-c-
opt/obj/ftn/sys/utls/mpishmf.o #13 20.31 CC arch-linux-c-
opt/obj/ftn/sys/utls/mpitsf.o #13 20.33 CC arch-linux-c-
opt/obj/ftn/sys/utls/mpiuf.o #13 20.43 CC arch-linux-c-
opt/obj/ftn/sys/utls/pbarrierf.o #13 20.45 CC arch-linux-c-
opt/obj/ftn/sys/utls/pdisplayf.o #13 20.49 CC arch-linux-c-
opt/obj/ftn/sys/utls/psleepf.o #13 20.51 CC arch-linux-c-
opt/obj/ftn/sys/utls/psplitf.o #13 20.61 CC arch-linux-c-
opt/obj/ftn/sys/utls/segbufferf.o #13 20.62 CC arch-linux-c-
opt/obj/ftn/sys/utls/serverf.o #13 20.68 CC arch-linux-c-
opt/obj/ftn/sys/utls/sortdf.o #13 20.75 CC arch-linux-c-
opt/obj/ftn/sys/utls/sortif.o #13 20.79 CC arch-linux-c-
opt/obj/ftn/sys/utls/sortipf.o #13 20.80 CC arch-linux-c-
opt/obj/ftn/sys/utls/sortsof.o #13 20.86 CC arch-linux-c-
opt/obj/ftn/sys/utls/sseenabledf.o #13 20.96 CC arch-linux-c-
opt/obj/ftn/sys/utls/strf.o #13 20.98 CC arch-linux-c-
opt/obj/src/sys/classes/bag/ftn-custom/zbagf.o #13 21.05 CC arch-
linux-c-opt/obj/src/sys/classes/bag/ftn-custom/zbagf90.o #13 21.28 CC
arch-linux-c-opt/obj/src/sys/classes/bm/interfaces/bm.o #13 21.30 CC
arch-linux-c-opt/obj/src/sys/classes/draw/impls/null/drawnnull.o #13
21.34 CC arch-linux-c-opt/obj/src/sys/classes/bag/bag.o #13 21.37 CC
arch-linux-c-opt/obj/src/sys/classes/draw/impls/image/drawimage.o
#13 21.49 CC arch-linux-c-
opt/obj/src/sys/classes/draw/interface/dclear.o #13 21.54 CC arch-

linux-c-opt/obj/src/sys/classes/draw/interface/dcoor.o #13 21.54 CC
 arch-linux-c-opt/obj/src/sys/classes/draw/interface/dellipse.o #13
 21.55 CC arch-linux-c-opt/obj/src/sys/classes/draw/impls/tikz/tikz.o
 #13 21.67 CC arch-linux-c-
 opt/obj/src/sys/classes/draw/interface/dflush.o #13 21.75 CC arch-
 linux-c-opt/obj/src/sys/classes/draw/interface/dmarker.o #13 21.75 CC
 arch-linux-c-opt/obj/src/sys/classes/draw/interface/dmouse.o #13
 21.78 CC arch-linux-c-opt/obj/src/sys/classes/draw/interface/dline.o
 #13 21.89 CC arch-linux-c-
 opt/obj/src/sys/classes/draw/interface/dpause.o #13 21.94 CC arch-
 linux-c-opt/obj/src/sys/classes/draw/interface/dpoint.o #13 22.07 CC
 arch-linux-c-opt/obj/src/sys/classes/draw/interface/drawregall.o #13
 22.11 CC arch-linux-c-opt/obj/src/sys/classes/draw/interface/drawreg.o
 #13 22.15 CC arch-linux-c-
 opt/obj/src/sys/classes/draw/interface/direct.o #13 22.15 CC arch-
 linux-c-opt/obj/src/sys/classes/draw/interface/draw.o #13 22.35 CC
 arch-linux-c-opt/obj/src/sys/classes/draw/interface/dtext.o #13 22.36
 CC arch-linux-c-opt/obj/src/sys/classes/draw/interface/dsave.o #13
 22.40 CC arch-linux-c-opt/obj/src/sys/classes/draw/interface/dtri.o #13
 22.45 CC arch-linux-c-opt/obj/src/sys/classes/draw/interface/dviewp.o
 #13 22.57 CC arch-linux-c-opt/obj/src/sys/classes/draw/utils/axis.o
 #13 22.68 CC arch-linux-c-opt/obj/src/sys/classes/draw/utils/cmap.o
 #13 22.70 CC arch-linux-c-opt/obj/src/sys/classes/draw/utils/bars.o
 #13 22.82 CC arch-linux-c-opt/obj/src/sys/classes/draw/utils/axisc.o
 #13 22.86 CC arch-linux-c-opt/obj/src/sys/classes/draw/utils/ftn-
 custom/zzoomf.o #13 22.94 CC arch-linux-c-
 opt/obj/src/sys/classes/draw/utils/dscatter.o #13 23.07 CC arch-linux-
 c-opt/obj/src/sys/classes/draw/utils/image.o #13 23.08 CC arch-linux-
 c-opt/obj/src/sys/classes/draw/utils/lq.o #13 23.11 CC arch-linux-c-
 opt/obj/src/sys/classes/draw/utils/hists.o #13 23.26 CC arch-linux-c-
 opt/obj/src/sys/classes/draw/utils/zoom.o #13 23.27 CC arch-linux-c-
 opt/obj/src/sys/classes/random/impls/rand/rand.o #13 23.32 CC arch-
 linux-c-opt/obj/src/sys/classes/random/impls/rand48/rand48.o #13
 23.41 CC arch-linux-c-opt/obj/src/sys/classes/draw/utils/lqc.o #13
 23.45 CC arch-linux-c-
 opt/obj/src/sys/classes/random/interface/dlregisrand.o #13 23.46 CC
 arch-linux-c-opt/obj/src/sys/classes/random/impls/rander48/rander48.o
 #13 23.55 CC arch-linux-c-
 opt/obj/src/sys/classes/random/interface/random.o #13 23.66 CC arch-
 linux-c-opt/obj/src/sys/classes/random/interface/randreg.o #13 23.69
 CC arch-linux-c-opt/obj/src/sys/classes/random/interface/randomc.o
 #13 23.75 CC arch-linux-c-
 opt/obj/src/sys/classes/viewer/impls/ascii/ftn-custom/zfilevf.o #13
 23.83 CC arch-linux-c-opt/obj/src/sys/classes/viewer/impls/ascii/ftn-
 custom/zvcreatef.o #13 23.98 CC arch-linux-c-
 opt/obj/src/sys/classes/viewer/impls/ascii/vcreatea.o #13 24.02 CC
 arch-linux-c-opt/obj/src/sys/classes/viewer/impls/binary/ftn-
 custom/zbinvf90.o #13 24.11 CC arch-linux-c-
 opt/obj/src/sys/classes/viewer/impls/ascii/filev.o #13 24.29 CC arch-
 linux-c-opt/obj/src/sys/classes/viewer/impls/draw/draw/fdrawv.o #13
 24.29 CC arch-linux-c-opt/obj/src/sys/classes/viewer/impls/draw/ftn-
 custom/zdrawvf.o #13 24.50 CC arch-linux-c-
 opt/obj/src/sys/classes/viewer/impls/hdf5/ftn-custom/zhdf5f.o #13
 24.52 CC arch-linux-c-
 opt/obj/src/sys/classes/viewer/impls/draw/drawv.o #13 24.74 CC arch-
 linux-c-opt/obj/src/sys/classes/viewer/impls/python/pythonviewer.o
 #13 24.87 CC arch-linux-c-
 opt/obj/src/sys/classes/viewer/impls/binary/binv.o #13 24.94 CC arch-
 linux-c-opt/obj/src/sys/classes/viewer/impls/pyvista/pyvistaviewer.o
 #13 24.96 CC arch-linux-c-

opt/obj/src/sys/classes/viewer/impls/glvis/glvis.o #13 25.12 CC arch-
linux-c-opt/obj/src/sys/classes/viewer/impls/string/ftn-
custom/zstringvf.o #13 25.22 CC arch-linux-c-
opt/obj/src/sys/classes/viewer/impls/socket/send.o #13 25.22 CC arch-
linux-c-opt/obj/src/sys/classes/viewer/impls/string/stringv.o #13 25.40
CC arch-linux-c-opt/obj/src/sys/classes/viewer/impls/vtk/vtkv.o #13
25.42 CC arch-linux-c-
opt/obj/src/sys/classes/viewer/interface/dlregispetsc.o #13 25.47 CC
arch-linux-c-opt/obj/src/sys/classes/viewer/impls/hdf5/hdf5v.o #13
25.49 CC arch-linux-c-
opt/obj/src/sys/classes/viewer/impls/vu/petscvu.o #13 25.59 CC arch-
linux-c-opt/obj/src/sys/classes/viewer/interface/dupl.o #13 25.59 CC
arch-linux-c-opt/obj/src/sys/classes/viewer/interface/flush.o #13 25.64
CC arch-linux-c-opt/obj/src/sys/classes/viewer/interface/ftn-
custom/zviewaf.o #13 25.81 CC arch-linux-c-
opt/obj/src/sys/classes/viewer/interface/viewers.o #13 25.82 CC arch-
linux-c-opt/obj/src/sys/classes/viewer/interface/viewa.o #13 25.86 CC
arch-linux-c-opt/obj/src/sys/classes/viewer/interface/view.o #13 26.00
CC arch-linux-c-opt/obj/src/sys/classes/viewer/utils/btview.o #13 26.00
CC arch-linux-c-opt/obj/src/sys/classes/viewer/interface/viewregall.o
#13 26.09 CC arch-linux-c-
opt/obj/src/sys/classes/viewer/interface/viewreg.o #13 26.22 CC arch-
linux-c-opt/obj/src/sys/dll/dl.o #13 26.22 CC arch-linux-c-
opt/obj/src/sys/dll/dlimpl.o #13 26.39 CC arch-linux-c-
opt/obj/src/sys/error/checkptr.o #13 26.42 CC arch-linux-c-
opt/obj/src/sys/error/adebug.o #13 26.48 CC arch-linux-c-
opt/obj/src/sys/dll/reg.o #13 26.56 CC arch-linux-c-
opt/obj/src/sys/error/errabort.o #13 26.59 CC arch-linux-c-
opt/obj/src/sys/error/errstop.o #13 26.65 CC arch-linux-c-
opt/obj/src/sys/error/err.o #13 26.72 CC arch-linux-c-
opt/obj/src/sys/error/errtrace.o #13 26.79 CC arch-linux-c-
opt/obj/src/sys/error/ftn-custom/zerrf.o #13 26.81 CC arch-linux-c-
opt/obj/src/sys/error/fp.o #13 26.84 CC arch-linux-c-
opt/obj/src/sys/error/pstack.o #13 26.92 CC arch-linux-c-
opt/obj/src/sys/error/signal.o #13 27.03 CC arch-linux-c-
opt/obj/src/sys/fileio/fpath.o #13 27.05 CC arch-linux-c-
opt/obj/src/sys/fileio/fdir.o #13 27.17 CC arch-linux-c-
opt/obj/src/sys/fileio/ftest.o #13 27.21 CC arch-linux-c-
opt/obj/src/sys/fileio/ftn-custom/zmpiuopenf.o #13 27.26 CC arch-
linux-c-opt/obj/src/sys/fileio/ftn-custom/zmprintf.o #13 27.27 CC arch-
linux-c-opt/obj/src/sys/fileio/fretrieve.o #13 27.37 CC arch-linux-c-
opt/obj/src/sys/fileio/ftn-custom/zsysiof.o #13 27.38 CC arch-linux-c-
opt/obj/src/sys/fileio/fwd.o #13 27.44 CC arch-linux-c-
opt/obj/src/sys/fileio/ghome.o #13 27.50 CC arch-linux-c-
opt/obj/src/sys/fileio/grpath.o #13 27.63 CC arch-linux-c-
opt/obj/src/sys/fileio/rpath.o #13 27.65 CC arch-linux-c-
opt/obj/src/sys/fileio/mpiuopen.o #13 27.68 CC arch-linux-c-
opt/obj/src/sys/fileio/smatlab.o #13 27.78 CC arch-linux-c-
opt/obj/src/sys/fileio/mprint.o #13 27.87 CC arch-linux-c-
opt/obj/src/sys/ftn-custom/zsys.o #13 27.88 CC arch-linux-c-
opt/obj/src/sys/ftn-custom/f90_cwrap.o #13 27.95 CC arch-linux-c-
opt/obj/src/sys/ftn-custom/zsysf90.o #13 28.03 CC arch-linux-c-
opt/obj/src/sys/fileio/sysio.o #13 28.08 CC arch-linux-c-
opt/obj/src/sys/info/ftn-custom/zverboseinfo.o #13 28.09 CC arch-
linux-c-opt/obj/src/sys/ftn-custom/zutils.o #13 28.21 CC arch-linux-c-
opt/obj/src/sys/logging/ftn-custom/zplogf.o #13 28.27 CC arch-linux-c-
opt/obj/src/sys/logging/handler/impls/legacy/loglegacy.o #13 28.32 CC
arch-linux-c-opt/obj/src/sys/info/verboseinfo.o #13 28.65 CC arch-
linux-c-opt/obj/src/sys/logging/handler/impls/perfstubs/logperfstubs.o
#13 28.70 CC arch-linux-c-

opt/obj/src/sys/logging/handler/impls/nested/lognested.o #13 28.87
CC arch-linux-c-opt/obj/src/sys/logging/handler/impls/trace/logtrace.o
#13 28.90 CC arch-linux-c-
opt/obj/src/sys/logging/handler/impls/nested/xmlviewer.o #13 28.92
CC arch-linux-c-opt/obj/src/sys/logging/handler/interface/lhreg.o #13
29.25 CC arch-linux-c-
opt/obj/src/sys/logging/handler/interface/loghandler.o #13 29.52 CC
arch-linux-c-opt/obj/src/sys/logging/plog.o #13 29.53 CC arch-linux-c-
opt/obj/src/sys/logging/state/logregistry.o #13 29.61 CC arch-linux-c-
opt/obj/src/sys/logging/state/logstate.o #13 29.69 CC arch-linux-c-
opt/obj/src/sys/memory/ftn-custom/zmtrf.o #13 29.74 CC arch-linux-c-
opt/obj/src/sys/logging/utils/stack.o #13 29.87 CC arch-linux-c-
opt/obj/src/sys/memory/mal.o #13 29.90 CC arch-linux-c-
opt/obj/src/sys/memory/mem.o #13 29.91 CC arch-linux-c-
opt/obj/src/sys/memory/mhbw.o #13 30.23 CC arch-linux-c-
opt/obj/src/sys/objects/destroy.o #13 30.38 CC arch-linux-c-
opt/obj/src/sys/memory/mtr.o #13 30.45 CC arch-linux-c-
opt/obj/src/sys/objects/device/util/devicereg.o #13 30.53 CC arch-
linux-c-opt/obj/src/sys/objects/aoptions.o #13 30.57 CC arch-linux-c-
opt/obj/src/sys/objects/device/util/memory.o #13 30.62 CC arch-linux-
c-opt/obj/src/sys/logging/handler/impls/default/logdefault.o #13 30.67
CC arch-linux-c-opt/obj/src/sys/objects/fcallback.o #13 30.70 CC arch-
linux-c-opt/obj/src/sys/objects/finit.o #13 30.74 CC arch-linux-c-
opt/obj/src/sys/objects/ftn-custom/zgcommf.o #13 30.88 CC arch-
linux-c-opt/obj/src/sys/objects/ftn-custom/zoptionsf.o #13 30.88 CC
arch-linux-c-opt/obj/src/sys/objects/ftn-custom/zstartf.o #13 30.90 CC
arch-linux-c-opt/obj/src/sys/objects/ftn-custom/zstart.o #13 31.05 CC
arch-linux-c-opt/obj/src/sys/objects/gcookie.o #13 31.06 CC arch-linux-
c-opt/obj/src/sys/objects/gcomm.o #13 31.07 CC arch-linux-c-
opt/obj/src/sys/objects/gtype.o #13 31.17 CC arch-linux-c-
opt/obj/src/sys/objects/garbage.o #13 31.31 CC arch-linux-c-
opt/obj/src/sys/objects/olist.o #13 31.51 CC arch-linux-c-
opt/obj/src/sys/objects/init.o #13 31.56 CC arch-linux-c-
opt/obj/src/sys/objects/inherit.o #13 31.69 CC arch-linux-c-
opt/obj/src/sys/objects/package.o #13 31.74 CC arch-linux-c-
opt/obj/src/sys/objects/pgname.o #13 31.99 CC arch-linux-c-
opt/obj/src/sys/objects/pname.o #13 32.09 CC arch-linux-c-
opt/obj/src/sys/objects/optionsyaml.o #13 32.23 CC arch-linux-c-
opt/obj/src/sys/objects/prefix.o #13 32.29 CC arch-linux-c-
opt/obj/src/sys/objects/ptype.o #13 32.32 CC arch-linux-c-
opt/obj/src/sys/objects/options.o #13 32.49 CC arch-linux-c-
opt/obj/src/sys/objects/state.o #13 32.65 CC arch-linux-c-
opt/obj/src/sys/objects/pinit.o #13 32.67 CC arch-linux-c-
opt/obj/src/sys/objects/version.o #13 32.70 CC arch-linux-c-
opt/obj/src/sys/objects/subcomm.o #13 32.77 CC arch-linux-c-
opt/obj/src/sys/perfstubs/pstimer.o #13 32.78 CC arch-linux-c-
opt/obj/src/sys/objects/tagm.o #13 32.88 CC arch-linux-c-
opt/obj/src/sys/time/cputime.o #13 32.94 CC arch-linux-c-
opt/obj/src/sys/time/fdate.o #13 32.94 CC arch-linux-c-
opt/obj/src/sys/totalview/tv_data_display.o #13 32.95 CC arch-linux-c-
opt/obj/src/sys/python/pythonsys.o #13 33.06 CC arch-linux-c-
opt/obj/src/sys/utils/arch.o #13 33.11 CC arch-linux-c-
opt/obj/src/sys/utils/ftn-custom/zsortsof.o #13 33.13 CC arch-linux-c-
opt/obj/src/sys/utils/ftn-custom/zstrf.o #13 33.17 CC arch-linux-c-
opt/obj/src/sys/utils/fhost.o #13 33.23 CC arch-linux-c-
opt/obj/src/sys/utils/fuser.o #13 33.28 CC arch-linux-c-
opt/obj/src/sys/utils/mathclose.o #13 33.29 CC arch-linux-c-
opt/obj/src/sys/utils/matheq.o #13 33.37 CC arch-linux-c-
opt/obj/src/sys/utils/mathfit.o #13 33.40 CC arch-linux-c-
opt/obj/src/sys/utils/mathinf.o #13 33.46 CC arch-linux-c-

opt/obj/src/sys/utils/memc.o #13 33.49 CC arch-linux-c-
 opt/obj/src/sys/utils/mpilong.o #13 33.67 CC arch-linux-c-
 opt/obj/src/sys/utils/mpitr.o #13 33.69 CC arch-linux-c-
 opt/obj/src/sys/utils/mpishm.o #13 33.75 CC arch-linux-c-
 opt/obj/src/sys/utils/mpimesg.o #13 33.88 CC arch-linux-c-
 opt/obj/src/sys/utils/pbarrier.o #13 34.00 CC arch-linux-c-
 opt/obj/src/sys/utils/mpiu.o #13 34.02 CC arch-linux-c-
 opt/obj/src/sys/utils/mpits.o #13 34.05 CC arch-linux-c-
 opt/obj/src/sys/utils/pdisplay.o #13 34.08 CC arch-linux-c-
 opt/obj/src/sys/utils/psleep.o #13 34.24 CC arch-linux-c-
 opt/obj/src/sys/utils/segbuffer.o #13 34.29 CC arch-linux-c-
 opt/obj/src/sys/utils/server.o #13 34.33 CC arch-linux-c-
 opt/obj/src/sys/utils/sortd.o #13 34.35 CC arch-linux-c-
 opt/obj/src/sys/utils/psplit.o #13 34.52 CC arch-linux-c-
 opt/obj/src/sys/utils/sortip.o #13 34.55 CC arch-linux-c-
 opt/obj/src/sys/utils/sseenabled.o #13 34.81 CC arch-linux-c-
 opt/obj/src/sys/utils/sorti.o #13 34.84 CC arch-linux-c-
 opt/obj/src/sys/utils/sortso.o #13 34.91 CC arch-linux-c-
 opt/obj/src/sys/utils/str.o #13 34.98 CC arch-linux-c-
 opt/obj/ftn/vec/is/ao/impls/basic/aobasicf.o #13 35.04 CC arch-linux-c-
 opt/obj/ftn/vec/is/ao/impls/mapping/aomappingf.o #13 35.10 CC arch-
 linux-c-opt/obj/ftn/vec/is/ao/impls/memscalable/aomemscalablef.o #13
 35.18 CC arch-linux-c-opt/obj/ftn/vec/is/ao/interface/aof.o #13 35.24
 CC arch-linux-c-opt/obj/ftn/vec/is/ao/interface/aoregf.o #13 35.29 CC
 arch-linux-c-opt/obj/ftn/vec/is/is/impls/block/blockf.o #13 35.36 CC
 arch-linux-c-opt/obj/ftn/vec/is/is/impls/general/generalf.o #13 35.42
 CC arch-linux-c-opt/obj/ftn/vec/is/is/impls/stride/stridef.o #13 35.53
 CC arch-linux-c-opt/obj/ftn/vec/is/is/interface/isregallf.o #13 35.54 CC
 arch-linux-c-opt/obj/ftn/vec/is/is/interface/indexf.o #13 35.62 CC arch-
 linux-c-opt/obj/ftn/vec/is/is/interface/isregf.o #13 35.70 CC arch-linux-
 c-opt/obj/ftn/vec/is/is/utils/isblockf.o #13 35.76 CC arch-linux-c-
 opt/obj/ftn/vec/is/is/utils/iscoloringf.o #13 35.81 CC arch-linux-c-
 opt/obj/ftn/vec/is/is/utils/iscompf.o #13 35.90 CC arch-linux-c-
 opt/obj/ftn/vec/is/is/utils/isdiff.o #13 36.00 CC arch-linux-c-
 opt/obj/ftn/vec/is/sf/impls/window/sfwindowf.o #13 36.07 CC arch-
 linux-c-opt/obj/ftn/vec/is/sf/interface/dlregissff.o #13 36.09 CC arch-
 linux-c-opt/obj/ftn/vec/is/section/interface/sectionf.o #13 36.24 CC
 arch-linux-c-opt/obj/ftn/vec/is/sf/interface/sff.o #13 36.25 CC arch-
 linux-c-opt/obj/ftn/vec/is/sf/utils/sfcoordf.o #13 36.30 CC arch-linux-c-
 opt/obj/ftn/vec/is/sf/utils/sfutilsf.o #13 36.45 CC arch-linux-c-
 opt/obj/ftn/vec/is/utils/hdf5/hdf5iof.o #13 36.49 CC arch-linux-c-
 opt/obj/ftn/vec/is/utils/kdtreef.o #13 36.50 CC arch-linux-c-
 opt/obj/ftn/vec/is/utils/isltogf.o #13 36.67 CC arch-linux-c-
 opt/obj/ftn/vec/is/utils/pmapf.o #13 36.69 CC arch-linux-c-
 opt/obj/ftn/vec/pf/impls/string/cstringf.o #13 36.70 CC arch-linux-c-
 opt/obj/ftn/vec/is/utils/psortf.o #13 36.87 CC arch-linux-c-
 opt/obj/ftn/vec/vec/impls/mpi/commonmpvecf.o #13 36.88 CC arch-
 linux-c-opt/obj/ftn/vec/pf/interface/pff.o #13 36.91 CC arch-linux-c-
 opt/obj/ftn/vec/vec/impls/mpi/pbvecf.o #13 37.05 CC arch-linux-c-
 opt/obj/ftn/vec/vec/impls/mpi/vmpicrf.o #13 37.06 CC arch-linux-c-
 opt/obj/ftn/vec/vec/impls/nest/vecnestf.o #13 37.07 CC arch-linux-c-
 opt/obj/ftn/vec/vec/impls/seq/bvec2f.o #13 37.23 CC arch-linux-c-
 opt/obj/ftn/vec/vec/impls/seq/vseqcrf.o #13 37.24 CC arch-linux-c-
 opt/obj/ftn/vec/vec/interface/dlregisvecf.o #13 37.24 CC arch-linux-c-
 opt/obj/ftn/vec/vec/impls/shared/shvecf.o #13 37.42 CC arch-linux-c-
 opt/obj/ftn/vec/vec/interface/vecregallf.o #13 37.43 CC arch-linux-c-
 opt/obj/ftn/vec/vec/interface/veccreatef.o #13 37.46 CC arch-linux-c-
 opt/obj/ftn/vec/vec/interface/rvectorf.o #13 37.61 CC arch-linux-c-
 opt/obj/ftn/vec/vec/interface/vecregf.o #13 37.64 CC arch-linux-c-
 opt/obj/ftn/vec/vec/utils/combfb.o #13 37.70 CC arch-linux-c-

opt/obj/ftn/vec/vec/interface/vectorf.o #13 37.81 CC arch-linux-c-
 opt/obj/ftn/vec/vec/vec/impls/absolute.o #13 37.82 CC arch-
 linux-c-opt/obj/ftn/vec/vec/vec/impls/projectionf.o #13 37.88 CC arch-linux-
 c-opt/obj/ftn/vec/vec/vec/impls/andf.o #13 37.98 CC arch-
 linux-c-opt/obj/ftn/vec/vec/vec/impls/cdff.o #13 38.00 CC arch-
 linux-c-opt/obj/ftn/vec/vec/vec/impls/orf.o #13 38.06 CC arch-
 linux-c-opt/obj/ftn/vec/vec/vec/impls/relativef.o #13 38.16 CC arch-
 linux-c-opt/obj/ftn/vec/vec/vec/impls/tagger/interface/dlregistaggerf.o
 #13 38.22 CC arch-linux-c-
 opt/obj/ftn/vec/vec/vec/impls/tagger/interface/taggerf.o #13 38.23 CC arch-
 linux-c-opt/obj/ftn/vec/vec/vec/impls/tagger/interface/taggerregif.o #13
 38.35 CC arch-linux-c-opt/obj/ftn/vec/vec/vec/impls/veciof.o #13 38.41 CC
 arch-linux-c-opt/obj/ftn/vec/vec/vec/impls/vecs.o #13 38.45 CC arch-linux-
 c-opt/obj/ftn/vec/vec/vec/impls/vinvf.o #13 38.56 CC arch-linux-c-
 opt/obj/ftn/vec/vec/vec/impls/vscatf.o #13 38.60 CC arch-linux-c-
 opt/obj/ftn/vec/vec/vec/impls/vsectionf.o #13 38.75 CC arch-linux-c-
 opt/obj/src/vec/is/ao/impls/basic/aobasic.o #13 38.85 CC arch-linux-c-
 opt/obj/src/vec/is/ao/impls/mapping/aomapping.o #13 39.03 CC arch-
 linux-c-opt/obj/src/vec/is/ao/impls/interface/ao.o #13 39.07 CC arch-linux-c-
 opt/obj/src/vec/is/ao/impls/interface/aoreg.o #13 39.07 CC arch-linux-c-
 opt/obj/src/vec/is/ao/impls/memscalable/aomemscalable.o #13 39.24
 CC arch-linux-c-opt/obj/src/vec/is/is/impls/ftn-custom/zblockf90.o #13
 39.43 CC arch-linux-c-opt/obj/src/vec/is/is/impls/block/block.o #13
 39.59 CC arch-linux-c-opt/obj/src/vec/is/is/impls/interface/ftn-
 custom/zindexf90.o #13 39.60 CC arch-linux-c-
 opt/obj/src/vec/is/is/impls/stride/stride.o #13 39.66 CC arch-linux-c-
 opt/obj/src/vec/is/is/impls/general/general.o #13 39.80 CC arch-linux-
 c-opt/obj/src/vec/is/is/impls/interface/isreg.o #13 39.84 CC arch-linux-c-
 opt/obj/src/vec/is/is/impls/interface/isregall.o #13 40.00 CC arch-linux-c-
 opt/obj/src/vec/is/is/impls/ftn-custom/ziscoloringf90.o #13 40.15 CC
 arch-linux-c-opt/obj/src/vec/is/is/impls/isblock.o #13 40.34 FC arch-
 linux-c-opt/obj/src/vec/ftn-mod/petscvecmod.o #13 40.43 CC arch-
 linux-c-opt/obj/src/vec/is/is/impls/iscomp.o #13 40.60 CC arch-linux-c-
 opt/obj/src/vec/is/is/impls/iscoloring.o #13 40.61 CC arch-linux-c-
 opt/obj/src/vec/is/section/interface/ftn-custom/zvsectionisf90.o #13
 40.81 CC arch-linux-c-opt/obj/src/vec/is/is/impls/interface/index.o #13 40.93
 CC arch-linux-c-opt/obj/src/vec/is/is/impls/isdiff.o #13 41.08 CC arch-
 linux-c-opt/obj/src/vec/is/section/interface/hdf5/sectionhdf5.o #13
 41.14 CC arch-linux-c-
 opt/obj/src/vec/is/sf/impls/basic/allgather/sfallgather.o #13 41.39 CC
 arch-linux-c-opt/obj/src/vec/is/sf/impls/basic/gather/sfgather.o #13
 41.40 CC arch-linux-c-
 opt/obj/src/vec/is/sf/impls/basic/alltoall/sfalltoall.o #13 41.43 CC arch-
 linux-c-opt/obj/src/vec/is/sf/impls/basic/allgather/sfgather.o #13
 41.66 CC arch-linux-c-
 opt/obj/src/vec/is/sf/impls/basic/gather/sfgather.o #13 41.77 CC
 arch-linux-c-opt/obj/src/vec/is/sf/impls/basic/neighbor/sfneighbor.o
 #13 41.94 CC arch-linux-c-opt/obj/src/vec/is/sf/impls/basic/sfmpi.o
 #13 41.99 CC arch-linux-c-opt/obj/src/vec/is/sf/impls/basic/sfbasic.o
 #13 42.20 CC arch-linux-c-
 opt/obj/src/vec/is/section/interface/section.o #13 42.22 CC arch-linux-
 c-opt/obj/src/vec/is/sf/impls/interface/dlregissf.o #13 42.43 CC arch-linux-c-
 opt/obj/src/vec/is/sf/impls/interface/ftn-custom/zsf.o #13 42.65 CC arch-
 linux-c-opt/obj/src/vec/is/sf/impls/interface/sfregi.o #13 42.83 CC arch-linux-
 c-opt/obj/src/vec/is/sf/impls/window/sfwindow.o #13 42.96 CC arch-
 linux-c-opt/obj/src/vec/is/sf/impls/interface/sftype.o #13 43.02 CC arch-linux-
 c-opt/obj/src/vec/is/sf/impls/ftn-custom/zsfutisf90.o #13 43.25 CC arch-
 linux-c-opt/obj/src/vec/is/sf/impls/sfcoord.o #13 43.43 CC arch-linux-c-
 opt/obj/src/vec/is/sf/impls/ftn-custom/zisltogf.o #13 43.58 CC arch-linux-c-
 opt/obj/src/vec/is/sf/impls/interface/sf.o #13 43.61 CC arch-linux-c-

opt/obj/src/vec/is/utils/ftn-custom/zisltogf90.o #13 43.72 CC arch-linux-c-opt/obj/src/vec/is/sf/utils/sfutils.o #13 43.75 CC arch-linux-c-opt/obj/src/vec/is/utils/ftn-custom/zvsectionisf.o #13 43.98 CC arch-linux-c-opt/obj/src/vec/is/utils/isio.o #13 44.01 CC arch-linux-c-opt/obj/src/vec/is/utils/hdf5/hdf5io.o #13 44.35 CC arch-linux-c-opt/obj/src/vec/is/utils/pmap.o #13 44.36 CC arch-linux-c-opt/obj/src/vec/is/utils/kdtree.o #13 44.60 CC arch-linux-c-opt/obj/src/vec/pf/impls/constant/const.o #13 44.69 CC arch-linux-c-opt/obj/src/vec/is/utils/isltog.o #13 44.79 CC arch-linux-c-opt/obj/src/vec/is/utils/psort.o #13 44.85 CC arch-linux-c-opt/obj/src/vec/pf/impls/string/cstring.o #13 44.99 CC arch-linux-c-opt/obj/src/vec/pf/interface/pfall.o #13 45.04 CC arch-linux-c-opt/obj/src/vec/pf/interface/pf.o #13 45.12 CC arch-linux-c-opt/obj/src/vec/vec/impls/mpi/commonmpvec.o #13 45.50 CC arch-linux-c-opt/obj/src/vec/vec/impls/mpi/pvec2.o #13 45.56 CC arch-linux-c-opt/obj/src/vec/vec/impls/mpi/pbvec.o #13 45.69 CC arch-linux-c-opt/obj/src/vec/vec/impls/mpi/vmpicr.o #13 45.85 CC arch-linux-c-opt/obj/src/vec/vec/impls/mpi/pdvec.o #13 45.98 CC arch-linux-c-opt/obj/src/vec/vec/impls/seq/bvec1.o #13 46.19 CC arch-linux-c-opt/obj/src/vec/vec/impls/seq/bvec3.o #13 46.39 CC arch-linux-c-opt/obj/src/vec/vec/impls/seq/bvec2.o #13 46.45 CC arch-linux-c-opt/obj/src/vec/vec/impls/nest/vecnest.o #13 46.59 CC arch-linux-c-opt/obj/src/vec/vec/impls/seq/vseqcr.o #13 46.67 CC arch-linux-c-opt/obj/src/vec/vec/impls/shared/shvec.o #13 46.70 CC arch-linux-c-opt/obj/src/vec/vec/impls/seq/dvec2.o #13 46.86 CC arch-linux-c-opt/obj/src/vec/vec/interface/ftn-custom/zvectorf.o #13 46.90 CC arch-linux-c-opt/obj/src/vec/vec/interface/ftn-custom/zvectorf90.o #13 46.92 CC arch-linux-c-opt/obj/src/vec/vec/interface/dlregisvec.o #13 47.15 CC arch-linux-c-opt/obj/src/vec/vec/interface/veccreate.o #13 47.22 CC arch-linux-c-opt/obj/src/vec/vec/interface/vecreg.o #13 47.35 CC arch-linux-c-opt/obj/src/vec/vec/interface/vecregall.o #13 47.85 CC arch-linux-c-opt/obj/src/vec/vec/utils/comb.o #13 48.04 CC arch-linux-c-opt/obj/src/vec/vec/utils/ftn-custom/zvsectionf90.o #13 48.39 CC arch-linux-c-opt/obj/src/vec/vec/interface/vector.o #13 48.60 CC arch-linux-c-opt/obj/src/vec/vec/utils/tagger/impls/absolute.o #13 48.72 CC arch-linux-c-opt/obj/src/vec/vec/interface/rvector.o #13 48.83 CC arch-linux-c-opt/obj/src/vec/vec/utils/projection.o #13 48.84 CC arch-linux-c-opt/obj/src/vec/vec/utils/tagger/impls/and.o #13 49.01 CC arch-linux-c-opt/obj/src/vec/vec/utils/tagger/impls/andor.o #13 49.07 CC arch-linux-c-opt/obj/src/vec/vec/utils/tagger/impls/or.o #13 49.24 CC arch-linux-c-opt/obj/src/vec/vec/utils/tagger/impls/relative.o #13 49.32 CC arch-linux-c-opt/obj/src/vec/vec/utils/tagger/impls/simple.o #13 49.34 CC arch-linux-c-opt/obj/src/vec/is/sf/impls/basic/sfpack.o #13 49.36 CC arch-linux-c-opt/obj/src/vec/vec/utils/tagger/impls/cdf.o #13 49.43 CC arch-linux-c-opt/obj/src/vec/vec/utils/tagger/interface/dlregistagger.o #13 49.55 CC arch-linux-c-opt/obj/src/vec/vec/utils/tagger/interface/taggerregi.o #13 49.63 CC arch-linux-c-opt/obj/ftn/mat/graphops/coarsen/impls/misk/miskf.o #13 49.68 CC arch-linux-c-opt/obj/src/vec/vec/utils/tagger/interface/tagger.o #13 49.79 CC arch-linux-c-opt/obj/ftn/mat/graphops/coarsen/interface/coarsenf.o #13 49.85 CC arch-linux-c-opt/obj/ftn/mat/graphops/color/interface/matcoloringf.o #13 49.89 CC arch-linux-c-opt/obj/ftn/mat/graphops/color/utils/weightsf.o #13 49.98 CC arch-linux-c-opt/obj/ftn/mat/graphops/order/sorderf.o #13 50.05 CC arch-linux-c-opt/obj/ftn/mat/graphops/order/spectralf.o #13 50.08 CC arch-linux-c-opt/obj/ftn/mat/graphops/partition/impls/hierarchical/hierarchicalf.o #13 50.16 CC arch-linux-c-

opt/obj/ftn/mat/graphops/partition/impls/scotch/scotchf.o #13 50.28
 CC arch-linux-c-opt/obj/ftn/mat/graphops/partition/partitionf.o #13
 50.29 CC arch-linux-c-opt/obj/ftn/mat/impls/adj/mpi/mpiadjf.o #13
 50.34 CC arch-linux-c-
 opt/obj/ftn/mat/impls/aij/mpi/aijperm/mpiijpermf.o #13 50.47 CC
 arch-linux-c-opt/obj/ftn/mat/impls/aij/mpi/aijsell/mpiijself.o #13
 50.48 CC arch-linux-c-opt/obj/ftn/mat/impls/aij/mpi/crl/mcrlf.o #13
 50.52 CC arch-linux-c-opt/obj/ftn/mat/impls/aij/mpi/fdmpiijf.o #13
 50.68 CC arch-linux-c-opt/obj/ftn/mat/impls/aij/mpi/mumps/mumpsf.o
 #13 50.71 CC arch-linux-c-opt/obj/ftn/mat/impls/aij/mpi/mpiijf.o #13
 50.77 CC arch-linux-c-opt/obj/ftn/mat/impls/aij/seq/aijf.o #13 50.88 CC
 arch-linux-c-opt/obj/ftn/mat/impls/aij/seq/aijperm/aijpermf.o #13 50.91
 CC arch-linux-c-opt/obj/ftn/mat/impls/aij/seq/aijsell/aijsellf.o #13 50.96
 CC arch-linux-c-opt/obj/ftn/mat/impls/aij/seq/crl/crlf.o #13 51.08 CC
 arch-linux-c-opt/obj/ftn/mat/impls/baij/mpi/mpibaijf.o #13 51.12 CC
 arch-linux-c-opt/obj/ftn/mat/impls/baij/seq/baijf.o #13 51.14 CC arch-
 linux-c-opt/obj/ftn/mat/impls/blockmat/seq/blockmatf.o #13 51.28 CC
 arch-linux-c-opt/obj/ftn/mat/impls/cdiagonal/cdiagonalf.o #13 51.31
 CC arch-linux-c-opt/obj/ftn/mat/impls/centering/centeringf.o #13
 51.36 CC arch-linux-c-opt/obj/ftn/mat/impls/composite/mcompositf.o
 #13 51.43 FC arch-linux-c-opt/obj/src/mat/ftn-mod/petscmatmod.o
 #13 51.48 CC arch-linux-c-
 opt/obj/ftn/mat/impls/dense/mpi/mpidensef.o #13 51.53 CC arch-linux-
 c-opt/obj/ftn/mat/impls/dense/seq/densef.o #13 51.57 CC arch-linux-c-
 opt/obj/ftn/mat/impls/diagonal/diagonalf.o #13 51.65 CC arch-linux-c-
 opt/obj/ftn/mat/impls/fft/fft.o #13 51.70 CC arch-linux-c-
 opt/obj/ftn/mat/impls/is/matisf.o #13 51.74 CC arch-linux-c-
 opt/obj/ftn/mat/impls/kaij/kaijf.o #13 51.76 CC arch-linux-c-
 opt/obj/ftn/mat/impls/localref/mlocalreff.o #13 51.86 CC arch-linux-c-
 opt/obj/ftn/mat/impls/lrc/lrcf.o #13 51.93 CC arch-linux-c-
 opt/obj/ftn/mat/impls/maij/maijf.o #13 51.93 CC arch-linux-c-
 opt/obj/ftn/mat/impls/mffd/mffddef.o #13 51.98 CC arch-linux-c-
 opt/obj/ftn/mat/impls/mffd/mffd.o #13 52.06 CC arch-linux-c-
 opt/obj/ftn/mat/impls/mffd/wpf.o #13 52.13 CC arch-linux-c-
 opt/obj/ftn/mat/impls/normal/normmf.o #13 52.13 CC arch-linux-c-
 opt/obj/ftn/mat/impls/nest/matnestf.o #13 52.18 CC arch-linux-c-
 opt/obj/ftn/mat/impls/normal/normmh.o #13 52.25 CC arch-linux-c-
 opt/obj/ftn/mat/impls/preallocator/matpreallocatorf.o #13 52.34 CC
 arch-linux-c-opt/obj/ftn/mat/impls/sbaij/mpi/mpisbaijf.o #13 52.35 CC
 arch-linux-c-opt/obj/ftn/mat/impls/python/pythonmatf.o #13 52.39 CC
 arch-linux-c-opt/obj/ftn/mat/impls/sbaij/seq/sbaijf.o #13 52.45 CC
 arch-linux-c-opt/obj/ftn/mat/impls/sbaij/seq/srof.o #13 52.54 CC arch-
 linux-c-opt/obj/ftn/mat/impls/scalapack/matscalapackf.o #13 52.55 CC
 arch-linux-c-opt/obj/ftn/mat/impls/scatter/mscatterf.o #13 52.60 CC
 arch-linux-c-opt/obj/ftn/mat/impls/sell/mpi/mpisellf.o #13 52.65 CC
 arch-linux-c-opt/obj/ftn/mat/impls/sell/seq/sellf.o #13 52.75 CC arch-
 linux-c-opt/obj/ftn/mat/impls/submat/submatf.o #13 52.75 CC arch-
 linux-c-opt/obj/ftn/mat/impls/shell/shellf.o #13 52.80 CC arch-linux-c-
 opt/obj/ftn/mat/impls/transpose/htransmf.o #13 52.85 CC arch-linux-c-
 opt/obj/ftn/mat/impls/transpose/transmf.o #13 52.94 CC arch-linux-c-
 opt/obj/ftn/mat/interface/dlregismatf.o #13 52.96 CC arch-linux-c-
 opt/obj/ftn/mat/interface/matnullf.o #13 53.03 CC arch-linux-c-
 opt/obj/ftn/mat/interface/matproductf.o #13 53.07 CC arch-linux-c-
 opt/obj/ftn/mat/interface/matregf.o #13 53.17 CC arch-linux-c-
 opt/obj/ftn/mat/matfd/fdmatrixf.o #13 53.24 CC arch-linux-c-
 opt/obj/ftn/mat/utis/axpyf.o #13 53.27 CC arch-linux-c-
 opt/obj/ftn/mat/utis/bandwidthf.o #13 53.41 CC arch-linux-c-
 opt/obj/ftn/mat/utis/gcreatef.o #13 53.45 CC arch-linux-c-
 opt/obj/ftn/mat/utis/getcolvf.o #13 53.48 CC arch-linux-c-
 opt/obj/ftn/mat/interface/matrixf.o #13 53.48 CC arch-linux-c-

opt/obj/ftn/mat/utils/multequalf.o #13 53.61 CC arch-linux-c-
opt/obj/ftn/mat/utils/pheapf.o #13 53.66 CC arch-linux-c-
opt/obj/ftn/mat/utils/veccreatematdensef.o #13 53.67 CC arch-linux-c-
opt/obj/ftn/mat/utils/zerodiagf.o #13 53.67 CC arch-linux-c-
opt/obj/src/mat/ftn-custom/zmat.o #13 54.09 CC arch-linux-c-
opt/obj/src/mat/graphops/coarsen/impls/mis/mis.o #13 54.11 CC arch-
linux-c-opt/obj/src/mat/graphops/coarsen/interface/coarsen.o #13
54.14 CC arch-linux-c-
opt/obj/src/mat/graphops/coarsen/impls/misk/misk.o #13 54.32 CC
arch-linux-c-opt/obj/src/mat/graphops/coarsen/interface/scoarsen.o
#13 54.47 CC arch-linux-c-
opt/obj/src/mat/graphops/coarsen/impls/hem/hem.o #13 54.65 CC
arch-linux-c-opt/obj/src/mat/graphops/color/impls/greedy/greedy.o #13
54.65 CC arch-linux-c-
opt/obj/src/mat/graphops/color/impls/minpack/color.o #13 54.66 CC
arch-linux-c-opt/obj/src/mat/graphops/color/impls/jp/jp.o #13 54.67
CC arch-linux-c-opt/obj/src/mat/graphops/color/impls/minpack/degr.o
#13 54.84 CC arch-linux-c-
opt/obj/src/mat/graphops/color/impls/minpack/numsrt.o #13 54.85 CC
arch-linux-c-opt/obj/src/mat/graphops/color/impls/minpack/ido.o #13
54.86 CC arch-linux-c-
opt/obj/src/mat/graphops/color/impls/minpack/dsm.o #13 54.86 CC
arch-linux-c-opt/obj/src/mat/graphops/color/impls/minpack/seq.o #13
55.04 CC arch-linux-c-
opt/obj/src/mat/graphops/color/impls/minpack/setr.o #13 55.04 CC
arch-linux-c-opt/obj/src/mat/graphops/color/impls/minpack/slo.o #13
55.10 CC arch-linux-c-
opt/obj/src/mat/graphops/color/impls/power/power.o #13 55.10 CC
arch-linux-c-opt/obj/src/mat/graphops/color/impls/natural/natural.o
#13 55.27 CC arch-linux-c-
opt/obj/src/mat/graphops/color/interface/matcoloringregi.o #13 55.35
CC arch-linux-c-opt/obj/src/mat/graphops/color/impls/bipartite.o #13
55.39 CC arch-linux-c-
opt/obj/src/mat/graphops/color/interface/matcoloring.o #13 55.40 CC
arch-linux-c-opt/obj/src/mat/graphops/color/impls/valid.o #13 55.55 CC
arch-linux-c-opt/obj/src/mat/graphops/order/degree.o #13 55.60 CC
arch-linux-c-opt/obj/src/mat/graphops/order/fn1wd.o #13 55.61 CC
arch-linux-c-opt/obj/src/mat/graphops/order/fndsep.o #13 55.69 CC
arch-linux-c-opt/obj/src/mat/graphops/color/impls/weights.o #13 55.75
CC arch-linux-c-opt/obj/src/mat/graphops/order/fnroot.o #13 55.80 CC
arch-linux-c-opt/obj/src/mat/graphops/order/gen1wd.o #13 55.81 CC
arch-linux-c-opt/obj/src/mat/graphops/order/gennd.o #13 55.90 CC
arch-linux-c-opt/obj/src/mat/graphops/order/genqmd.o #13 55.96 CC
arch-linux-c-opt/obj/src/mat/graphops/order/genrcm.o #13 56.01 CC
arch-linux-c-opt/obj/src/mat/graphops/order/qmdmrg.o #13 56.01 CC
arch-linux-c-opt/obj/src/mat/graphops/order/qmdqt.o #13 56.11 CC
arch-linux-c-opt/obj/src/mat/graphops/order/qmdrch.o #13 56.17 CC
arch-linux-c-opt/obj/src/mat/graphops/order/qmdupd.o #13 56.22 CC
arch-linux-c-opt/obj/src/mat/graphops/order/rootls.o #13 56.22 CC
arch-linux-c-opt/obj/src/mat/graphops/order/rcm.o #13 56.37 CC arch-
linux-c-opt/obj/src/mat/graphops/order/sp1wd.o #13 56.43 CC arch-
linux-c-opt/obj/src/mat/graphops/order/spnd.o #13 56.45 CC arch-
linux-c-opt/obj/src/mat/graphops/order/spectral.o #13 56.51 CC arch-
linux-c-opt/obj/src/mat/graphops/order/sorder.o #13 56.58 CC arch-
linux-c-opt/obj/src/mat/graphops/order/spqmd.o #13 56.63 CC arch-
linux-c-opt/obj/src/mat/graphops/order/sprcm.o #13 56.69 CC arch-
linux-c-opt/obj/src/mat/graphops/order/sregis.o #13 56.71 CC arch-
linux-c-opt/obj/src/mat/graphops/order/wbm.o #13 56.84 CC arch-
linux-c-opt/obj/src/mat/graphops/partition/ftn-custom/zpartitionf.o #13
57.09 CC arch-linux-c-opt/obj/src/mat/graphops/partition/spartition.o

#13 57.13 CC arch-linux-c-opt/obj/src/mat/graphops/partition/impls/hierarchical/hierarchical.o
#13 57.20 CC arch-linux-c-opt/obj/src/mat/graphops/partition/impls/scotch/scotch.o #13 57.24
CC arch-linux-c-opt/obj/src/mat/graphops/partition/partition.o #13
57.33 CC arch-linux-c-opt/obj/src/mat/impls/adj/mpi/ftn-custom/zmpiadjf.o #13 57.55 CC arch-linux-c-opt/obj/src/mat/impls/aij/mpi/aijperm/mpiaijperm.o #13 57.58 CC
arch-linux-c-opt/obj/src/mat/impls/aij/mpi/aijsell/mpiaijsell.o #13 57.70
CC arch-linux-c-opt/obj/src/mat/impls/aij/mpi/crl/mcrl.o #13 58.00 CC
arch-linux-c-opt/obj/src/mat/impls/adj/mpi/mpiadj.o #13 58.02 CC
arch-linux-c-opt/obj/src/mat/impls/aij/mpi/mmaj.o #13 58.06 CC arch-
linux-c-opt/obj/src/mat/impls/aij/mpi/mpb_aij.o #13 58.23 CC arch-
linux-c-opt/obj/src/mat/impls/aij/mpi/fdmpiaij.o #13 58.33 CC arch-
linux-c-opt/obj/src/mat/impls/aij/mpi/mpiaijpc.o #13 58.41 CC arch-
linux-c-opt/obj/src/mat/impls/aij/mpi/mpimatmatmatmult.o #13 58.68
CC arch-linux-c-opt/obj/src/mat/impls/aij/mpi/mpimattransposematmult.o #13 59.71
CC arch-linux-c-opt/obj/src/mat/impls/aij/mpi/mpimatmatmult.o #13
59.98 CC arch-linux-c-opt/obj/src/mat/impls/aij/mpi/mpio.o #13 60.04
CC arch-linux-c-opt/obj/src/mat/impls/aij/mpi/mpiptap.o #13 61.25 CC
arch-linux-c-opt/obj/src/mat/impls/aij/seq/aijfact.o #13 61.59 CC arch-
linux-c-opt/obj/src/mat/impls/aij/mpi/mumps/mumps.o #13 61.71 CC
arch-linux-c-opt/obj/src/mat/impls/aij/seq/aijperm/aijperm.o #13 61.79
CC arch-linux-c-opt/obj/src/mat/impls/aij/mpi/mpiaij.o #13 62.01 CC
arch-linux-c-opt/obj/src/mat/impls/aij/seq/aijsell/aijsell.o #13 62.21 CC
arch-linux-c-opt/obj/src/mat/impls/aij/seq/bas/basfactor.o #13 62.30
CC arch-linux-c-opt/obj/src/mat/impls/aij/seq/aij.o #13 62.35 CC arch-
linux-c-opt/obj/src/mat/impls/aij/seq/bas/spbas.o #13 62.38 CC arch-
linux-c-opt/obj/src/mat/impls/aij/seq/crl/crl.o #13 62.54 CC arch-linux-
c-opt/obj/src/mat/impls/baij/mpi/ftn-custom/zmpibaijf.o #13 62.67 CC
arch-linux-c-opt/obj/src/mat/impls/aij/seq/hdf5/aijhdf5.o #13 62.89 CC
arch-linux-c-opt/obj/src/mat/impls/baij/seq/aijbaij.o #13 63.27 CC
arch-linux-c-opt/obj/src/mat/impls/baij/mpi/baijov.o #13 63.99 CC
arch-linux-c-opt/obj/src/mat/impls/baij/seq/baijfact.o #13 64.09 CC
arch-linux-c-opt/obj/src/mat/impls/baij/seq/baijfact11.o #13 64.43 CC
arch-linux-c-opt/obj/src/mat/impls/baij/seq/baij2.o #13 64.62 CC arch-
linux-c-opt/obj/src/mat/impls/baij/seq/baijfact13.o #13 64.77 CC arch-
linux-c-opt/obj/src/mat/impls/baij/seq/baijfact2.o #13 64.95 CC arch-
linux-c-opt/obj/src/mat/impls/baij/seq/baijfact3.o #13 65.13 CC arch-
linux-c-opt/obj/src/mat/impls/baij/seq/baijfact4.o #13 65.20 CC arch-
linux-c-opt/obj/src/mat/impls/baij/seq/baij.o #13 66.00 CC arch-linux-c-
opt/obj/src/mat/impls/baij/seq/baijfact9.o #13 66.10 CC arch-linux-c-
opt/obj/src/mat/impls/baij/seq/baijfact7.o #13 66.27 CC arch-linux-c-
opt/obj/src/mat/impls/baij/seq/baijfact5.o #13 66.34 CC arch-linux-c-
opt/obj/src/mat/impls/baij/seq/baijsolv.o #13 66.49 CC arch-linux-c-
opt/obj/src/mat/impls/baij/seq/baijsolvnat1.o #13 66.59 CC arch-linux-
c-opt/obj/src/mat/impls/baij/seq/baijsolvnat11.o #13 66.85 CC arch-
linux-c-opt/obj/src/mat/impls/baij/seq/baijsolvnat14.o #13 66.99 CC
arch-linux-c-opt/obj/src/mat/impls/baij/seq/baijsolvnat2.o #13 67.12
CC arch-linux-c-opt/obj/src/mat/impls/baij/seq/baijsolvnat3.o #13
67.17 CC arch-linux-c-opt/obj/src/mat/impls/baij/seq/baijsolvnat15.o
#13 67.38 CC arch-linux-c-opt/obj/src/mat/impls/baij/seq/baijsolvnat4.o #13 67.53 CC arch-linux-
c-opt/obj/src/mat/impls/baij/seq/baijsolvnat5.o #13 67.69 CC arch-
linux-c-opt/obj/src/mat/impls/baij/seq/baijsolvnat6.o #13 67.77 CC
arch-linux-c-opt/obj/src/mat/impls/baij/seq/baijsolvnat7.o #13 67.84
CC arch-linux-c-opt/obj/src/mat/impls/baij/seq/baijsolvtran1.o #13
68.02 CC arch-linux-c-opt/obj/src/mat/impls/baij/seq/baijsolvtran2.o
#13 68.20 CC arch-linux-c-

opt/obj/src/mat/impls/baij/seq/baijsolvtran3.o #13 68.30 CC arch-
 linux-c-opt/obj/src/mat/impls/baij/seq/baijsolvtran4.o #13 68.40 CC
 arch-linux-c-opt/obj/src/mat/impls/baij/seq/baijsolvtran5.o #13 68.60
 CC arch-linux-c-opt/obj/src/mat/impls/baij/seq/baijsolvtran6.o #13
 68.81 CC arch-linux-c-opt/obj/src/mat/impls/baij/seq/baijsolvtran7.o
 #13 68.84 CC arch-linux-c-
 opt/obj/src/mat/impls/baij/seq/baijsolvtrannat1.o #13 68.85 CC arch-
 linux-c-opt/obj/src/mat/impls/baij/seq/baijsolvtrann.o #13 69.06 CC
 arch-linux-c-opt/obj/src/mat/impls/baij/seq/baijsolvtrannat2.o #13
 69.34 CC arch-linux-c-opt/obj/src/mat/impls/baij/seq/baijsolvtrannat3.o
 #13 69.38 CC arch-linux-c-
 opt/obj/src/mat/impls/baij/seq/baijsolvtrannat5.o #13 69.40 CC arch-
 linux-c-opt/obj/src/mat/impls/baij/seq/baijsolvtrannat4.o #13 69.56 CC
 arch-linux-c-opt/obj/src/mat/impls/baij/seq/dgedi.o #13 69.58 CC arch-
 linux-c-opt/obj/src/mat/impls/baij/seq/dgefa.o #13 69.62 CC arch-
 linux-c-opt/obj/src/mat/impls/baij/seq/baijsolvtrannat6.o #13 69.77 CC
 arch-linux-c-opt/obj/src/mat/impls/baij/seq/dgefa3.o #13 69.81 CC
 arch-linux-c-opt/obj/src/mat/impls/baij/seq/dgefa4.o #13 69.81 CC
 arch-linux-c-opt/obj/src/mat/impls/baij/seq/dgefa2.o #13 69.93 CC
 arch-linux-c-opt/obj/src/mat/impls/baij/seq/baijsolvtrannat7.o #13
 69.96 CC arch-linux-c-opt/obj/src/mat/impls/baij/seq/dgefa5.o #13
 70.00 CC arch-linux-c-opt/obj/src/mat/impls/baij/seq/dgefa6.o #13
 70.01 CC arch-linux-c-opt/obj/src/mat/impls/baij/seq/dgefa7.o #13
 70.24 CC arch-linux-c-opt/obj/src/mat/impls/centering/centering.o #13
 70.33 CC arch-linux-c-opt/obj/src/mat/impls/cdiagonal/cdiagonal.o #13
 70.65 CC arch-linux-c-opt/obj/src/mat/impls/blockmat/seq/blockmat.o
 #13 70.67 CC arch-linux-c-
 opt/obj/src/mat/impls/composite/mcomposite.o #13 70.76 CC arch-
 linux-c-opt/obj/src/mat/impls/dense/mpi/mmdense.o #13 71.05 CC
 arch-linux-c-opt/obj/src/mat/impls/dense/seq/hdf5/densehdf5.o #13
 71.27 CC arch-linux-c-opt/obj/src/mat/impls/diagonal/diagonal.o #13
 71.39 CC arch-linux-c-opt/obj/src/mat/impls/dummy/matdummy.o #13
 71.52 CC arch-linux-c-opt/obj/src/mat/impls/fft/fft.o #13 71.87 CC
 arch-linux-c-opt/obj/src/mat/impls/dense/mpi/mpidense.o #13 72.21
 CC arch-linux-c-opt/obj/src/mat/impls/localref/mlocalref.o #13 72.47
 CC arch-linux-c-opt/obj/src/mat/impls/kaij/kaij.o #13 72.61 CC arch-
 linux-c-opt/obj/src/mat/impls/lrc/lrc.o #13 72.81 CC arch-linux-c-
 opt/obj/src/mat/impls/mffd/ftn-custom/zmffdf.o #13 72.92 CC arch-
 linux-c-opt/obj/src/mat/impls/dense/seq/dense.o #13 73.18 CC arch-
 linux-c-opt/obj/src/mat/impls/mffd/mffdddef.o #13 73.38 CC arch-linux-
 c-opt/obj/src/mat/impls/mffd/mfregis.o #13 73.46 CC arch-linux-c-
 opt/obj/src/mat/impls/mffd/mffd.o #13 73.64 CC arch-linux-c-
 opt/obj/src/mat/impls/mffd/wp.o #13 73.66 CC arch-linux-c-
 opt/obj/src/mat/impls/nest/ftn-custom/zmatnestf.o #13 73.85 CC arch-
 linux-c-opt/obj/src/mat/impls/is/matis.o #13 73.99 CC arch-linux-c-
 opt/obj/src/mat/impls/maij/maij.o #13 74.13 CC arch-linux-c-
 opt/obj/src/mat/impls/normal/normm.o #13 74.25 CC arch-linux-c-
 opt/obj/src/mat/impls/normal/normmh.o #13 74.38 CC arch-linux-c-
 opt/obj/src/mat/impls/python/pythonmat.o #13 74.40 CC arch-linux-c-
 opt/obj/src/mat/impls/preallocator/matpreallocator.o #13 74.83 CC
 arch-linux-c-opt/obj/src/mat/impls/sbaij/mpi/mmsbaij.o #13 74.85 CC
 arch-linux-c-opt/obj/src/mat/impls/sbaij/mpi/mpiaijsbaij.o #13 74.99
 CC arch-linux-c-opt/obj/src/mat/impls/nest/matnest.o #13 75.40 CC
 arch-linux-c-opt/obj/src/mat/impls/sbaij/seq/aijsbaij.o #13 75.56 CC
 arch-linux-c-opt/obj/src/mat/impls/sbaij/mpi/sbaijov.o #13 76.14 CC
 arch-linux-c-opt/obj/src/mat/impls/sbaij/mpi/mpisbaij.o #13 76.42 CC
 arch-linux-c-opt/obj/src/mat/impls/sbaij/seq/sbaij.o #13 76.47 CC arch-
 linux-c-opt/obj/src/mat/impls/sbaij/seq/sbaijfact.o #13 76.87 CC arch-
 linux-c-opt/obj/src/mat/impls/sbaij/seq/sbaij2.o #13 76.89 CC arch-
 linux-c-opt/obj/src/mat/impls/sbaij/seq/sbaijfact10.o #13 77.41 CC

arch-linux-c-opt/obj/src/mat/impls/sbaij/seq/sbaijfact3.o #13 77.41 CC
arch-linux-c-opt/obj/src/mat/impls/sbaij/seq/sbaijfact11.o #13 77.45
CC arch-linux-c-opt/obj/src/mat/impls/sbaij/seq/sbaijfact12.o #13
77.91 CC arch-linux-c-opt/obj/src/mat/impls/sbaij/seq/sbaijfact4.o #13
78.01 CC arch-linux-c-opt/obj/src/mat/impls/sbaij/seq/sbaijfact5.o #13
78.05 CC arch-linux-c-opt/obj/src/mat/impls/sbaij/seq/sbaijfact6.o #13
78.58 CC arch-linux-c-opt/obj/src/mat/impls/sbaij/seq/sbaijfact7.o #13
78.58 CC arch-linux-c-opt/obj/src/mat/impls/sbaij/seq/sbaijfact2.o #13
78.66 CC arch-linux-c-opt/obj/src/mat/impls/sbaij/seq/sbaijfact8.o #13
78.86 CC arch-linux-c-opt/obj/src/mat/impls/sbaij/seq/sbaijfact9.o #13
78.98 CC arch-linux-c-opt/obj/src/mat/impls/scatter/mscatter.o #13
79.01 CC arch-linux-c-opt/obj/src/mat/impls/sbaij/seq/sro.o #13 79.27
CC arch-linux-c-opt/obj/src/mat/impls/sell/mpi/mmsell.o #13 79.36 CC
arch-linux-c-opt/obj/src/mat/impls/sell/seq/fdsell.o #13 79.60 CC arch-
linux-c-opt/obj/src/mat/impls/shell/ftn-custom/zshellf.o #13 79.90 CC
arch-linux-c-opt/obj/src/mat/impls/scalapack/matscalapack.o #13
80.03 CC arch-linux-c-opt/obj/src/mat/impls/sell/mpi/mpisell.o #13
80.25 CC arch-linux-c-opt/obj/src/mat/impls/shell/shellcnv.o #13 80.25
CC arch-linux-c-opt/obj/src/mat/impls/sell/seq/sell.o #13 80.39 CC
arch-linux-c-opt/obj/src/mat/impls/submat/submat.o #13 80.63 CC
arch-linux-c-opt/obj/src/mat/impls/shell/shell.o #13 80.71 CC arch-
linux-c-opt/obj/src/mat/impls/transpose/transm.o #13 80.72 CC arch-
linux-c-opt/obj/src/mat/impls/transpose/htransm.o #13 80.78 CC arch-
linux-c-opt/obj/src/mat/interface/dlregismat.o #13 80.83 CC arch-
linux-c-opt/obj/src/mat/interface/ftn-custom/zmatnullf.o #13 80.90 CC
arch-linux-c-opt/obj/src/mat/interface/ftn-custom/zmatrixf.o #13 80.95
CC arch-linux-c-opt/obj/src/mat/interface/ftn-custom/zmatrixf90.o #13
81.14 CC arch-linux-c-opt/obj/src/mat/interface/matnull.o #13 81.21
CC arch-linux-c-opt/obj/src/mat/interface/matregis.o #13 81.24 CC
arch-linux-c-opt/obj/src/mat/interface/matreg.o #13 81.45 CC arch-
linux-c-opt/obj/src/mat/matfd/ftn-custom/zfdmatrixf.o #13 81.52 CC
arch-linux-c-opt/obj/src/mat/interface/matproduct.o #13 81.69 CC
arch-linux-c-opt/obj/src/mat/matfd/fdmatrix.o #13 81.79 CC arch-
linux-c-opt/obj/src/mat/utls/bandwidth.o #13 81.91 CC arch-linux-c-
opt/obj/src/mat/utls/compressedrow.o #13 81.94 CC arch-linux-c-
opt/obj/src/mat/utls/axpy.o #13 82.04 CC arch-linux-c-
opt/obj/src/mat/utls/convert.o #13 82.12 CC arch-linux-c-
opt/obj/src/mat/utls/freespace.o #13 82.36 CC arch-linux-c-
opt/obj/src/mat/utls/getcolv.o #13 82.43 CC arch-linux-c-
opt/obj/src/mat/utls/isltog.o #13 82.62 CC arch-linux-c-
opt/obj/src/mat/utls/matio.o #13 82.65 CC arch-linux-c-
opt/obj/src/mat/utls/gcreate.o #13 82.87 CC arch-linux-c-
opt/obj/src/mat/utls/matstashspace.o #13 83.03 CC arch-linux-c-
opt/obj/src/mat/utls/matstash.o #13 83.20 CC arch-linux-c-
opt/obj/src/mat/utls/overlapsplit.o #13 83.20 CC arch-linux-c-
opt/obj/src/mat/utls/multequal.o #13 83.25 CC arch-linux-c-
opt/obj/src/mat/utls/pheap.o #13 83.40 CC arch-linux-c-
opt/obj/src/mat/utls/veccreatematdense.o #13 83.44 CC arch-linux-c-
opt/obj/src/mat/utls/zerodiag.o #13 83.49 CC arch-linux-c-
opt/obj/src/mat/utls/zerorows.o #13 83.67 CC arch-linux-c-
opt/obj/ftn/dm/dt/dualspace/impls/lagrange/dspacelagrangef.o #13
83.70 CC arch-linux-c-
opt/obj/ftn/dm/dt/dualspace/impls/refined/dualspacerefinedf.o #13
83.89 CC arch-linux-c-
opt/obj/ftn/dm/dt/dualspace/impls/simple/dspacesimplef.o #13 83.94
CC arch-linux-c-
opt/obj/ftn/dm/dt/dualspace/impls/sum/dualspacesumf.o #13 84.16 CC
arch-linux-c-opt/obj/ftn/dm/dt/fe/impls/vector/fevectorf.o #13 84.20
CC arch-linux-c-opt/obj/ftn/dm/dt/dualspace/interface/dualspacef.o
#13 84.42 CC arch-linux-c-opt/obj/ftn/dm/dt/fe/interface/fegeomf.o

#13 84.49 CC arch-linux-c-opt/obj/ftn/dm/dt/fe/interface/fef.o #13
84.72 CC arch-linux-c-opt/obj/ftn/dm/dt/fv/interface/fvf.o #13 84.73
CC arch-linux-c-opt/obj/ftn/dm/dt/interface/dtaltvf.o #13 85.03 CC
arch-linux-c-opt/obj/ftn/dm/dt/interface/dtdsf.o #13 85.03 CC arch-
linux-c-opt/obj/ftn/dm/dt/interface/dtf.o #13 85.14 CC arch-linux-c-
opt/obj/src/mat/interface/matrix.o #13 85.27 CC arch-linux-c-
opt/obj/ftn/dm/dt/interface/dtweakformf.o #13 85.31 CC arch-linux-c-
opt/obj/ftn/dm/dt/interface/dtprobfo.o #13 85.34 CC arch-linux-c-
opt/obj/ftn/dm/dt/space/impls/point/spacepointf.o #13 85.49 CC arch-
linux-c-opt/obj/ftn/dm/dt/space/impls/poly/spacepolyf.o #13 85.52 CC
arch-linux-c-opt/obj/ftn/dm/dt/space/impls/ptrimmed/spacepttrimmedf.o
#13 85.56 CC arch-linux-c-
opt/obj/ftn/dm/dt/space/impls/subspace/spacesubspacef.o #13 85.71
CC arch-linux-c-opt/obj/ftn/dm/dt/space/impls/sum/spacesumf.o #13
85.74 CC arch-linux-c-
opt/obj/ftn/dm/dt/space/impls/tensor/spacetensorf.o #13 85.81 CC
arch-linux-c-opt/obj/ftn/dm/dt/space/interface/spacef.o #13 85.94 CC
arch-linux-c-opt/obj/ftn/dm/field/impls/da/dmfielddaf.o #13 85.95 CC
arch-linux-c-opt/obj/ftn/dm/field/impls/ds/dmfielddsf.o #13 86.01 CC
arch-linux-c-opt/obj/ftn/dm/field/impls/shell/dmfieldshellf.o #13 86.15
CC arch-linux-c-opt/obj/ftn/dm/field/interface/dlregisdmfieldf.o #13
86.19 CC arch-linux-c-opt/obj/ftn/dm/field/interface/dmfieldf.o #13
86.22 CC arch-linux-c-opt/obj/ftn/dm/impls/composite/packf.o #13
86.37 CC arch-linux-c-opt/obj/ftn/dm/impls/da/daf.o #13 86.41 CC
arch-linux-c-opt/obj/ftn/dm/impls/da/da2f.o #13 86.42 CC arch-linux-c-
opt/obj/ftn/dm/impls/da/da3f.o #13 86.62 CC arch-linux-c-
opt/obj/ftn/dm/impls/da/daddf.o #13 86.62 CC arch-linux-c-
opt/obj/ftn/dm/impls/da/dacornf.o #13 86.63 CC arch-linux-c-
opt/obj/ftn/dm/impls/da/dacreatef.o #13 86.82 CC arch-linux-c-
opt/obj/ftn/dm/impls/da/dadistf.o #13 86.83 CC arch-linux-c-
opt/obj/ftn/dm/impls/da/dageometryf.o #13 86.88 CC arch-linux-c-
opt/obj/ftn/dm/impls/da/daf.o #13 87.03 CC arch-linux-c-
opt/obj/ftn/dm/impls/da/dagetarrayf.o #13 87.05 CC arch-linux-c-
opt/obj/ftn/dm/impls/da/dagetelemf.o #13 87.11 CC arch-linux-c-
opt/obj/ftn/dm/impls/da/daghostf.o #13 87.23 CC arch-linux-c-
opt/obj/ftn/dm/impls/da/dagtolf.o #13 87.27 CC arch-linux-c-
opt/obj/ftn/dm/impls/da/dagtonaf.o #13 87.34 CC arch-linux-c-
opt/obj/ftn/dm/impls/da/daindexf.o #13 87.44 CC arch-linux-c-
opt/obj/ftn/dm/impls/da/dainterp.o #13 87.52 CC arch-linux-c-
opt/obj/ftn/dm/impls/da/dalocalf.o #13 87.55 CC arch-linux-c-
opt/obj/ftn/dm/impls/da/dapff.o #13 87.64 CC arch-linux-c-
opt/obj/ftn/dm/impls/da/dapreallocatf.o #13 87.74 CC arch-linux-c-
opt/obj/ftn/dm/impls/da/dascatterf.o #13 87.78 CC arch-linux-c-
opt/obj/ftn/dm/impls/da/dasubf.o #13 87.84 CC arch-linux-c-
opt/obj/ftn/dm/impls/da/daviewf.o #13 87.97 CC arch-linux-c-
opt/obj/ftn/dm/impls/da/fddaf.o #13 88.00 CC arch-linux-c-
opt/obj/ftn/dm/impls/da/gr1f.o #13 88.04 CC arch-linux-c-
opt/obj/ftn/dm/impls/da/grvtf.o #13 88.25 CC arch-linux-c-
opt/obj/ftn/dm/impls/forest/forestf.o #13 88.26 CC arch-linux-c-
opt/obj/ftn/dm/impls/network/networkcreatef.o #13 88.34 CC arch-
linux-c-opt/obj/ftn/dm/impls/network/networkf.o #13 88.53 CC arch-
linux-c-opt/obj/ftn/dm/impls/network/networkviewf.o #13 88.53 CC
arch-linux-c-opt/obj/ftn/dm/impls/patch/patchcreatef.o #13 88.53 CC
arch-linux-c-opt/obj/ftn/dm/impls/network/networkmonitorf.o #13
88.75 CC arch-linux-c-opt/obj/ftn/dm/impls/patch/patchf.o #13 88.78
CC arch-linux-c-opt/obj/ftn/dm/impls/plex/hdf5/plexhdf5f.o #13 88.80
CC arch-linux-c-opt/obj/ftn/dm/impls/plex/plexcgnsf.o #13 89.02 CC
arch-linux-c-opt/obj/ftn/dm/impls/plex/plexcheckinterfacef.o #13 89.10
CC arch-linux-c-opt/obj/ftn/dm/impls/plex/plexdistributef.o #13 89.12
CC arch-linux-c-opt/obj/ftn/dm/impls/plex/plexcreatef.o #13 89.31 CC

arch-linux-c-opt/obj/ftn/dm/impls/plex/plexexodusiif.o #13 89.36 CC
arch-linux-c-opt/obj/ftn/dm/impls/plex/plexextrudef.o #13 89.48 CC
arch-linux-c-opt/obj/ftn/dm/impls/plex/plexf.o #13 89.61 CC arch-linux-
c-opt/obj/ftn/dm/impls/plex/plexfemf.o #13 89.63 CC arch-linux-c-
opt/obj/ftn/dm/impls/plex/plexfluentf.o #13 89.73 CC arch-linux-c-
opt/obj/ftn/dm/impls/plex/plexfvmf.o #13 89.90 CC arch-linux-c-
opt/obj/ftn/dm/impls/plex/plexgeneratef.o #13 89.95 CC arch-linux-c-
opt/obj/ftn/dm/impls/plex/plexgeometryf.o #13 89.99 CC arch-linux-c-
opt/obj/ftn/dm/impls/plex/plexgmshf.o #13 90.16 CC arch-linux-c-
opt/obj/ftn/dm/impls/plex/plexindicesf.o #13 90.23 CC arch-linux-c-
opt/obj/ftn/dm/impls/plex/plexinterpolatef.o #13 90.29 CC arch-linux-
c-opt/obj/ftn/dm/impls/plex/plexmetricf.o #13 90.43 CC arch-linux-c-
opt/obj/ftn/dm/impls/plex/plexnaturalf.o #13 90.49 CC arch-linux-c-
opt/obj/ftn/dm/impls/plex/plexorientf.o #13 90.54 CC arch-linux-c-
opt/obj/ftn/dm/impls/plex/plexpartitionf.o #13 90.72 CC arch-linux-c-
opt/obj/ftn/dm/impls/plex/plexplyf.o #13 90.79 CC arch-linux-c-
opt/obj/ftn/dm/impls/plex/plexpointf.o #13 90.79 CC arch-linux-c-
opt/obj/ftn/dm/impls/plex/plexpreallocatef.o #13 90.99 CC arch-linux-
c-opt/obj/ftn/dm/impls/plex/plexprojectf.o #13 91.05 CC arch-linux-c-
opt/obj/ftn/dm/impls/plex/plexreorderf.o #13 91.08 CC arch-linux-c-
opt/obj/ftn/dm/impls/plex/plexrefinef.o #13 91.26 CC arch-linux-c-
opt/obj/ftn/dm/impls/plex/plexsectionf.o #13 91.30 CC arch-linux-c-
opt/obj/ftn/dm/impls/plex/plexsfcf.o #13 91.40 CC arch-linux-c-
opt/obj/ftn/dm/impls/plex/plexsubmeshf.o #13 91.55 CC arch-linux-c-
opt/obj/ftn/dm/impls/plex/plexvtkf.o #13 91.56 CC arch-linux-c-
opt/obj/ftn/dm/impls/plex/plextreef.o #13 91.68 CC arch-linux-c-
opt/obj/ftn/dm/impls/plex/pointqueuef.o #13 91.80 CC arch-linux-c-
opt/obj/ftn/dm/impls/plex/transform/impls/extrude/plextrcohesivef.o
#13 91.84 CC arch-linux-c-
opt/obj/ftn/dm/impls/plex/transform/impls/extrude/plextrextrudef.o
#13 92.00 CC arch-linux-c-
opt/obj/ftn/dm/impls/product/productutilsf.o #13 92.02 CC arch-linux-
c-opt/obj/ftn/dm/impls/plex/transform/interface/plextransformf.o #13
92.06 CC arch-linux-c-opt/obj/ftn/dm/impls/redundant/dmredundantf.o
#13 92.22 CC arch-linux-c-opt/obj/ftn/dm/impls/shell/dmshellf.o #13
92.24 CC arch-linux-c-opt/obj/ftn/dm/impls/sliced/slicedf.o #13 92.27
CC arch-linux-c-opt/obj/ftn/dm/impls/stag/stag1df.o #13 92.43 CC
arch-linux-c-opt/obj/ftn/dm/impls/stag/stag2df.o #13 92.46 CC arch-
linux-c-opt/obj/ftn/dm/impls/stag/stag3df.o #13 92.49 CC arch-linux-c-
opt/obj/ftn/dm/impls/stag/stagdaf.o #13 92.63 CC arch-linux-c-
opt/obj/ftn/dm/impls/stag/stagmultif.o #13 92.68 CC arch-linux-c-
opt/obj/ftn/dm/impls/stag/stagstencilf.o #13 92.80 CC arch-linux-c-
opt/obj/ftn/dm/impls/stag/stagutilsf.o #13 92.84 CC arch-linux-c-
opt/obj/ftn/dm/impls/swarm/data_bucketf.o #13 92.89 CC arch-linux-c-
opt/obj/ftn/dm/impls/swarm/swarm_migratef.o #13 93.05 CC arch-
linux-c-opt/obj/ftn/dm/impls/swarm/swarmpic_sortf.o #13 93.10 CC
arch-linux-c-opt/obj/ftn/dm/impls/swarm/swarmf.o #13 93.13 CC arch-
linux-c-opt/obj/ftn/dm/impls/swarm/swarmpic_viewf.o #13 93.27 CC
arch-linux-c-opt/obj/ftn/dm/impls/swarm/swarmpicf.o #13 93.32 CC
arch-linux-c-opt/obj/ftn/dm/interface/dlregisdmdmf.o #13 93.39 CC
arch-linux-c-opt/obj/ftn/dm/interface/dmcoordinatesf.o #13 93.54 CC
arch-linux-c-opt/obj/ftn/dm/interface/dmgeneratef.o #13 93.61 CC
arch-linux-c-opt/obj/ftn/dm/interface/dmgeommodelf.o #13 93.77 CC
arch-linux-c-opt/obj/ftn/dm/interface/dmf.o #13 93.79 CC arch-linux-c-
opt/obj/ftn/dm/interface/dmgetf.o #13 93.84 CC arch-linux-c-
opt/obj/ftn/dm/interface/dmif.o #13 93.98 CC arch-linux-c-
opt/obj/ftn/dm/interface/dmperiodicityf.o #13 94.09 CC arch-linux-c-
opt/obj/ftn/dm/label/dmlabelf.o #13 94.12 CC arch-linux-c-
opt/obj/ftn/dm/label/impls/ephemeral/dmlabelephf.o #13 94.22 CC
arch-linux-c-

opt/obj/ftn/dm/label/impls/ephemeral/plex/dmlabelephplexf.o #13
 94.29 CC arch-linux-c-
 opt/obj/ftn/dm/partitioner/impls/matpart/partmatpartf.o #13 94.33 CC
 arch-linux-c-opt/obj/ftn/dm/partitioner/impls/shell/partshellf.o #13
 94.43 CC arch-linux-c-
 opt/obj/ftn/dm/partitioner/interface/partitionerf.o #13 94.48 CC arch-
 linux-c-opt/obj/ftn/dm/partitioner/interface/partitionerregf.o #13 94.89
 CC arch-linux-c-
 opt/obj/src/dm/dt/dualspace/impls/refined/dualspacerefined.o #13
 94.99 CC arch-linux-c-
 opt/obj/src/dm/dt/dualspace/impls/simple/dspacesimple.o #13 95.76
 CC arch-linux-c-
 opt/obj/src/dm/dt/dualspace/impls/sum/dualspacesum.o #13 95.89 CC
 arch-linux-c-
 opt/obj/src/dm/dt/dualspace/impls/lagrange/dspacelagrange.o #13
 96.14 CC arch-linux-c-
 opt/obj/src/dm/dt/dualspace/interface/dualspace.o #13 96.43 CC arch-
 linux-c-opt/obj/src/dm/dt/fe/impls/composite/fecomposite.o #13 96.65
 CC arch-linux-c-opt/obj/src/dm/dt/fe/impls/basic/febasic.o #13 96.70
 CC arch-linux-c-opt/obj/src/dm/dt/fe/impls/vector/fevector.o #13 97.09
 CC arch-linux-c-opt/obj/src/dm/dt/fe/interface/fegeom.o #13 97.68 CC
 arch-linux-c-opt/obj/src/dm/dt/fe/interface/fe.o #13 97.97 CC arch-
 linux-c-opt/obj/src/dm/dt/fv/interface/fv.o #13 98.06 CC arch-linux-c-
 opt/obj/src/dm/dt/interface/dtaltv.o #13 98.28 CC arch-linux-c-
 opt/obj/src/dm/dt/interface/dt.o #13 98.35 CC arch-linux-c-
 opt/obj/src/dm/dt/interface/dtprob.o #13 98.58 CC arch-linux-c-
 opt/obj/src/dm/dt/interface/ftn-custom/zdsf.o #13 98.81 CC arch-linux-
 c-opt/obj/src/dm/dt/interface/ftn-custom/zdtdsf90.o #13 99.01 CC
 arch-linux-c-opt/obj/src/dm/dt/interface/ftn-custom/zdtf90.o #13 99.10
 CC arch-linux-c-opt/obj/src/dm/dt/interface/dtweakform.o #13 99.50
 CC arch-linux-c-opt/obj/src/dm/dt/space/impls/point/spacepoint.o #13
 99.64 CC arch-linux-c-opt/obj/src/dm/dt/space/impls/poly/spacepoly.o
 #13 99.65 CC arch-linux-c-opt/obj/src/dm/dt/interface/dtds.o #13
 100.1 CC arch-linux-c-
 opt/obj/src/dm/dt/space/impls/ptrimmed/spaceptrimmed.o #13 100.2
 CC arch-linux-c-
 opt/obj/src/dm/dt/space/impls/subspace/spacesubspace.o #13 100.3
 CC arch-linux-c-opt/obj/src/dm/dt/space/impls/sum/spacesum.o #13
 100.7 CC arch-linux-c-opt/obj/src/dm/dt/space/impls/wxy/spacewxy.o
 #13 100.8 CC arch-linux-c-
 opt/obj/src/dm/dt/space/impls/tensor/spacetensor.o #13 100.9 CC
 arch-linux-c-opt/obj/src/dm/dt/space/interface/space.o #13 101.1 CC
 arch-linux-c-opt/obj/src/dm/field/impls/da/dmfieldda.o #13 101.3 CC
 arch-linux-c-opt/obj/src/dm/field/impls/shell/dmfieldshell.o #13 101.3
 CC arch-linux-c-opt/obj/src/dm/field/interface/dlregisdmfield.o #13
 101.5 CC arch-linux-c-opt/obj/src/dm/field/interface/dmfieldregi.o #13
 101.7 CC arch-linux-c-opt/obj/src/dm/field/impls/ds/dmfieldds.o #13
 101.7 CC arch-linux-c-opt/obj/src/dm/impls/composite/ftn-
 custom/zfddaf.o #13 101.9 CC arch-linux-c-
 opt/obj/src/dm/field/interface/dmfield.o #13 102.2 CC arch-linux-c-
 opt/obj/src/dm/impls/composite/packm.o #13 102.6 CC arch-linux-c-
 opt/obj/src/dm/impls/da/da1.o #13 102.7 CC arch-linux-c-
 opt/obj/src/dm/impls/composite/pack.o #13 103.1 CC arch-linux-c-
 opt/obj/src/dm/impls/da/da2.o #13 103.3 CC arch-linux-c-
 opt/obj/src/dm/impls/da/da.o #13 103.3 CC arch-linux-c-
 opt/obj/src/dm/impls/da/da3.o #13 103.6 CC arch-linux-c-
 opt/obj/src/dm/impls/da/dacorn.o #13 103.6 FC arch-linux-c-
 opt/obj/src/dm/ftn-mod/petscdmmod.o #13 103.8 CC arch-linux-c-
 opt/obj/src/dm/impls/da/dadd.o #13 103.8 CC arch-linux-c-
 opt/obj/src/dm/impls/da/dacreate.o #13 104.0 CC arch-linux-c-

opt/obj/src/dm/impls/da/dadestroy.o #13 104.0 CC arch-linux-c-
 opt/obj/src/dm/impls/da/dadist.o #13 104.2 CC arch-linux-c-
 opt/obj/src/dm/impls/da/dageometry.o #13 104.3 CC arch-linux-c-
 opt/obj/src/dm/impls/da/daghost.o #13 104.4 CC arch-linux-c-
 opt/obj/src/dm/impls/da/dagetarray.o #13 104.5 CC arch-linux-c-
 opt/obj/src/dm/impls/da/dagetelem.o #13 104.7 CC arch-linux-c-
 opt/obj/src/dm/impls/da/dagtol.o #13 104.8 CC arch-linux-c-
 opt/obj/src/dm/impls/da/dagtona.o #13 104.8 CC arch-linux-c-
 opt/obj/src/dm/impls/da/daindex.o #13 105.1 CC arch-linux-c-
 opt/obj/src/dm/impls/da/dapf.o #13 105.1 CC arch-linux-c-
 opt/obj/src/dm/impls/da/daltol.o #13 105.2 CC arch-linux-c-
 opt/obj/src/dm/impls/da/dalocal.o #13 105.4 CC arch-linux-c-
 opt/obj/src/dm/impls/da/dainterp.o #13 105.5 CC arch-linux-c-
 opt/obj/src/dm/impls/da/dapreallocate.o #13 105.5 CC arch-linux-c-
 opt/obj/src/dm/impls/da/dareg.o #13 105.5 CC arch-linux-c-
 opt/obj/src/dm/impls/da/dascatter.o #13 105.8 CC arch-linux-c-
 opt/obj/src/dm/impls/da/ftn-custom/zda1f90.o #13 105.9 CC arch-
 linux-c-opt/obj/src/dm/impls/da/daview.o #13 105.9 CC arch-linux-c-
 opt/obj/src/dm/impls/da/dasub.o #13 106.1 CC arch-linux-c-
 opt/obj/src/dm/impls/da/ftn-custom/zdasubf.o #13 106.2 CC arch-
 linux-c-opt/obj/src/dm/impls/da/ftn-custom/zdaf.o #13 106.4 CC arch-
 linux-c-opt/obj/src/dm/impls/da/gr1.o #13 106.7 CC arch-linux-c-
 opt/obj/src/dm/impls/da/grglvis.o #13 106.8 CC arch-linux-c-
 opt/obj/src/dm/impls/da/fdda.o #13 106.9 CC arch-linux-c-
 opt/obj/src/dm/impls/da/grvtk.o #13 107.0 CC arch-linux-c-
 opt/obj/src/dm/impls/da/gr2.o #13 107.3 CC arch-linux-c-
 opt/obj/src/dm/impls/network/networkmonitor.o #13 107.5 CC arch-
 linux-c-opt/obj/src/dm/impls/network/networkcreate.o #13 107.7 CC
 arch-linux-c-opt/obj/src/dm/impls/forest/forest.o #13 107.9 CC arch-
 linux-c-opt/obj/src/dm/impls/network/networkview.o #13 108.0 CC
 arch-linux-c-opt/obj/src/dm/impls/patch/patch.o #13 108.1 CC arch-
 linux-c-opt/obj/src/dm/impls/patch/patchcreate.o #13 108.2 CC arch-
 linux-c-opt/obj/src/dm/impls/plex/ftn-custom/zplexf90.o #13 108.3 CC
 arch-linux-c-opt/obj/src/dm/impls/plex/ftn-custom/zplexfemf90.o #13
 108.3 CC arch-linux-c-opt/obj/src/dm/impls/network/network.o #13
 108.7 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/generators/triangle/trigenerate.o #13 108.8
 CC arch-linux-c-opt/obj/src/dm/impls/plex/hdf5/plexhdf5xdmf.o #13
 109.2 CC arch-linux-c-opt/obj/src/dm/impls/plex/plexadapt.o #13
 109.3 CC arch-linux-c-opt/obj/src/dm/impls/plex/plexceed.o #13 109.7
 CC arch-linux-c-opt/obj/src/dm/impls/plex/plexcgns.o #13 109.9 CC
 arch-linux-c-opt/obj/src/dm/impls/plex/plexcheckinterface.o #13 110.1
 CC arch-linux-c-opt/obj/src/dm/impls/plex/plexcoarsen.o #13 110.3 CC
 arch-linux-c-opt/obj/src/dm/impls/plex/hdf5/plexhdf5.o #13 110.7 CC
 arch-linux-c-opt/obj/src/dm/impls/plex/plexdd.o #13 111.2 CC arch-
 linux-c-opt/obj/src/dm/impls/plex/plexegads.o #13 111.6 CC arch-
 linux-c-opt/obj/src/dm/impls/plex/plexexodusii.o #13 112.0 CC arch-
 linux-c-opt/obj/src/dm/impls/plex/plexdistribute.o #13 112.1 CC arch-
 linux-c-opt/obj/src/dm/impls/plex/plexextrude.o #13 112.8 CC arch-
 linux-c-opt/obj/src/dm/impls/plex/plex.o #13 112.8 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/plexfluent.o #13 113.0 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/plexcreate.o #13 113.3 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/plexfvm.o #13 113.3 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/plexgenerate.o #13 114.2 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/plexglvis.o #13 114.5 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/plexgeometry.o #13 114.6 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/plexgmsh.o #13 114.6 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/plexindices.o #13 115.3 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/plexnatural.o #13 115.3 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/plexfem.o #13 115.5 CC arch-linux-c-

opt/obj/src/dm/impls/plex/plexmetric.o #13 116.0 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/plexinterpolate.o #13 116.0 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/plexply.o #13 116.2 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/plexorient.o #13 116.4 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/plexpartition.o #13 116.5 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/plexpoint.o #13 116.8 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/plexpreallocate.o #13 117.0 CC arch-linux-
 c-opt/obj/src/dm/impls/plex/plexrefine.o #13 117.0 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/plexproject.o #13 117.2 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/plexreorder.o #13 117.4 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/plexsection.o #13 117.8 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/plexvtk.o #13 118.0 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/plexsfc.o #13 118.5 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/pointqueue.o #13 118.5 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/plexvtu.o #13 119.0 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/plexsubmesh.o #13 119.1 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/plextree.o #13 119.2 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/transform/impls/extrude/plextrcohesive.o
 #13 119.3 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/transform/impls/extrude/plextrextrude.o
 #13 119.5 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/transform/impls/filter/plextrfilter.o #13
 119.6 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/transform/impls/refine/1d/plexref1d.o #13
 119.7 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/transform/impls/refine/alfeld/plexrefalfeld.o
 #13 119.9 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/transform/impls/refine/bl/plexrefbl.o #13
 120.0 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/transform/impls/refine/regular/plexrefregula
 r.o #13 120.1 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/transform/impls/refine/tobox/plexreftobox.o
 #13 120.2 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/transform/impls/refine/sbr/plexrefsbr.o #13
 120.4 CC arch-linux-c-opt/obj/src/dm/impls/product/product.o #13
 120.5 CC arch-linux-c-opt/obj/src/dm/impls/product/productutils.o #13
 120.8 CC arch-linux-c-opt/obj/src/dm/impls/redundant/dmredundant.o
 #13 120.8 CC arch-linux-c-opt/obj/src/dm/impls/shell/ftn-
 custom/zdmshellf.o #13 121.1 CC arch-linux-c-
 opt/obj/src/dm/impls/shell/dmshell.o #13 121.2 CC arch-linux-c-
 opt/obj/src/dm/impls/plex/transform/interface/plextransform.o #13
 121.2 CC arch-linux-c-opt/obj/src/dm/impls/sliced/sliced.o #13 121.6
 CC arch-linux-c-opt/obj/src/dm/impls/stag/stag.o #13 121.6 CC arch-
 linux-c-opt/obj/src/dm/impls/stag/stag1d.o #13 121.9 CC arch-linux-c-
 opt/obj/src/dm/impls/stag/stag2d.o #13 122.0 CC arch-linux-c-
 opt/obj/src/dm/impls/stag/stagintern.o #13 122.1 CC arch-linux-c-
 opt/obj/src/dm/impls/stag/stagda.o #13 122.3 CC arch-linux-c-
 opt/obj/src/dm/impls/stag/stag3d.o #13 122.5 CC arch-linux-c-
 opt/obj/src/dm/impls/stag/stagstencil.o #13 122.7 CC arch-linux-c-
 opt/obj/src/dm/impls/stag/stagmulti.o #13 123.0 CC arch-linux-c-
 opt/obj/src/dm/impls/swarm/ftn-custom/zswarmf90.o #13 123.0 CC
 arch-linux-c-opt/obj/src/dm/impls/swarm/data_ex.o #13 123.0 CC arch-
 linux-c-opt/obj/src/dm/impls/swarm/data_bucket.o #13 123.2 CC arch-
 linux-c-opt/obj/src/dm/impls/stag/stagutils.o #13 123.6 CC arch-linux-
 c-opt/obj/src/dm/impls/swarm/swarmpic_da.o #13 123.7 CC arch-
 linux-c-opt/obj/src/dm/impls/swarm/swarm_migrate.o #13 123.9 CC
 arch-linux-c-opt/obj/src/dm/impls/swarm/swarmpic.o #13 124.2 CC
 arch-linux-c-opt/obj/src/dm/impls/swarm/swarmpic_plex.o #13 124.2
 CC arch-linux-c-opt/obj/src/dm/impls/swarm/swarmpic_sort.o #13
 124.4 CC arch-linux-c-opt/obj/src/dm/impls/swarm/swarmpic_view.o

#13 124.5 CC arch-linux-c-opt/obj/src/dm/impls/swarm/swarm.o #13
 124.8 CC arch-linux-c-opt/obj/src/dm/interface/dlregisdmdm.o #13
 124.8 CC arch-linux-c-opt/obj/src/dm/interface/dmceed.o #13 125.2
 CC arch-linux-c-opt/obj/src/dm/interface/dmgeommodel.o #13 125.2
 CC arch-linux-c-opt/obj/src/dm/interface/dmgenerate.o #13 125.4 CC
 arch-linux-c-opt/obj/src/dm/interface/dmcoordinates.o #13 125.6 CC
 arch-linux-c-opt/obj/src/dm/interface/dmgldvis.o #13 125.7 CC arch-
 linux-c-opt/obj/src/dm/interface/dmget.o #13 126.0 CC arch-linux-c-
 opt/obj/src/dm/interface/dmi.o #13 126.2 CC arch-linux-c-
 opt/obj/src/dm/interface/ftn-custom/zdmf.o #13 126.2 CC arch-linux-c-
 opt/obj/src/dm/interface/dmregall.o #13 126.2 CC arch-linux-c-
 opt/obj/src/dm/interface/dmperiodicity.o #13 126.4 CC arch-linux-c-
 opt/obj/src/dm/label/ftn-custom/zdmlabel.o #13 126.6 CC arch-linux-c-
 opt/obj/src/dm/label/impls/ephemeral/dmlabeleph.o #13 126.7 CC
 arch-linux-c-
 opt/obj/src/dm/label/impls/ephemeral/plex/dmlabelephplex.o #13
 126.8 CC arch-linux-c-
 opt/obj/src/dm/partitioner/impls/chaco/partchaco.o #13 126.9 CC
 arch-linux-c-opt/obj/src/dm/partitioner/impls/gather/partgather.o #13
 127.1 CC arch-linux-c-
 opt/obj/src/dm/partitioner/impls/matpart/partmatpart.o #13 127.2 CC
 arch-linux-c-opt/obj/src/dm/partitioner/impls/parmetis/partparmetis.o
 #13 127.5 CC arch-linux-c-
 opt/obj/src/dm/partitioner/impls/shell/partshell.o #13 127.5 CC arch-
 linux-c-opt/obj/src/dm/partitioner/impls/ptscotch/partptscotch.o #13
 127.8 CC arch-linux-c-opt/obj/src/dm/label/dmlabel.o #13 127.8 CC
 arch-linux-c-opt/obj/src/dm/partitioner/impls/simple/partsimple.o #13
 127.9 CC arch-linux-c-opt/obj/src/dm/partitioner/interface/partitioner.o
 #13 128.0 CC arch-linux-c-
 opt/obj/src/dm/partitioner/interface/partitionerreg.o #13 128.0 CC
 arch-linux-c-opt/obj/src/dm/interface/dm.o #13 128.1 CC arch-linux-c-
 opt/obj/ftn/ksp/ksp/guess/impls/fischer/fischerf.o #13 128.2 CC arch-
 linux-c-opt/obj/ftn/ksp/ksp/impls/bcgsl/bcgslf.o #13 128.2 CC arch-
 linux-c-opt/obj/ftn/ksp/ksp/impls/cg/cgtypef.o #13 128.3 CC arch-linux-
 c-opt/obj/ftn/ksp/ksp/impls/cg/gltr/gltrf.o #13 128.4 CC arch-linux-c-
 opt/obj/ftn/ksp/ksp/impls/cheby/chebyf.o #13 128.5 CC arch-linux-c-
 opt/obj/ftn/ksp/ksp/impls/fcg/fcgf.o #13 128.5 CC arch-linux-c-
 opt/obj/ftn/ksp/ksp/impls/fcg/pipefcg/pipefcgf.o #13 128.6 CC arch-
 linux-c-opt/obj/ftn/ksp/ksp/impls/fetidp/fetidpf.o #13 128.7 CC arch-
 linux-c-opt/obj/ftn/ksp/ksp/impls/gcr/gcrf.o #13 128.7 CC arch-linux-c-
 opt/obj/ftn/ksp/ksp/impls/gcr/pipegcr/pipegcrf.o #13 128.7 CC arch-
 linux-c-opt/obj/ftn/ksp/ksp/impls/gmres/borthog2f.o #13 128.9 CC
 arch-linux-c-opt/obj/ftn/ksp/ksp/impls/gmres/borthogf.o #13 128.9 CC
 arch-linux-c-opt/obj/ftn/ksp/ksp/impls/gmres/fgmres/modpcff.o #13
 128.9 CC arch-linux-c-opt/obj/ftn/ksp/ksp/impls/gmres/gmpref.o #13
 129.1 CC arch-linux-c-opt/obj/ftn/ksp/ksp/impls/gmres/gmresf.o #13
 129.1 CC arch-linux-c-
 opt/obj/ftn/ksp/ksp/impls/gmres/pipefgmres/pipefgmresf.o #13 129.1
 CC arch-linux-c-opt/obj/ftn/ksp/ksp/impls/gmres/lgmres/lgmresf.o #13
 129.3 CC arch-linux-c-opt/obj/ftn/ksp/ksp/impls/lsqr/lsqrf.o #13 129.3
 CC arch-linux-c-opt/obj/ftn/ksp/ksp/impls/python/pythonksp.o #13
 129.3 CC arch-linux-c-opt/obj/ftn/ksp/ksp/impls/minres/minresf.o #13
 129.5 CC arch-linux-c-opt/obj/ftn/ksp/ksp/impls/qcg/qcgf.o #13 129.5
 CC arch-linux-c-opt/obj/ftn/ksp/ksp/impls/rich/richscalef.o #13 129.5
 CC arch-linux-c-opt/obj/ftn/ksp/ksp/interface/dlregisksp.o #13 129.7
 CC arch-linux-c-opt/obj/ftn/ksp/ksp/interface/eigef.o #13 129.7 CC
 arch-linux-c-opt/obj/ftn/ksp/ksp/interface/dmksp.o #13 129.8 CC arch-
 linux-c-opt/obj/ftn/ksp/ksp/interface/iguessf.o #13 129.9 CC arch-
 linux-c-opt/obj/ftn/ksp/ksp/interface/itclf.o #13 130.0 CC arch-linux-c-
 opt/obj/ftn/ksp/ksp/interface/itcreatef.o #13 130.1 CC arch-linux-c-

opt/obj/ftn/ksp/ksp/interface/iterativf.o #13 130.2 CC arch-linux-c-
 opt/obj/ftn/ksp/ksp/interface/itfuncf.o #13 130.3 CC arch-linux-c-
 opt/obj/ftn/ksp/ksp/interface/itresf.o #13 130.4 CC arch-linux-c-
 opt/obj/ftn/ksp/ksp/interface/xmonf.o #13 130.5 CC arch-linux-c-
 opt/obj/ftn/ksp/ksp/utils/dm/dmprojectf.o #13 130.6 CC arch-linux-c-
 opt/obj/ftn/ksp/ksp/utils/lmvm/bfgs/bfgsf.o #13 130.7 CC arch-linux-c-
 opt/obj/ftn/ksp/ksp/utils/lmvm/brdn/badbrdnf.o #13 130.7 CC arch-
 linux-c-opt/obj/ftn/ksp/ksp/utils/lmvm/brdn/brdnf.o #13 130.8 FC arch-
 linux-c-opt/obj/src/ksp/ftn-mod/petsckspmod.o #13 130.9 CC arch-
 linux-c-opt/obj/ftn/ksp/ksp/utils/lmvm/dense/denseqnf.o #13 130.9 CC
 arch-linux-c-opt/obj/ftn/ksp/ksp/utils/lmvm/dfp/dfpf.o #13 131.0 CC
 arch-linux-c-opt/obj/ftn/ksp/ksp/utils/lmvm/sr1/sr1f.o #13 131.2 CC
 arch-linux-c-opt/obj/ftn/ksp/ksp/utils/lmvm/symbbrdn/symbadbrdnf.o
 #13 131.3 CC arch-linux-c-
 opt/obj/ftn/ksp/ksp/utils/lmvm/symbbrdn/symbbrdnf.o #13 131.4 CC
 arch-linux-c-opt/obj/ftn/ksp/ksp/utils/schurm/schurmf.o #13 131.6 CC
 arch-linux-c-opt/obj/ftn/ksp/pc/impls/asm/asmf.o #13 131.7 CC arch-
 linux-c-opt/obj/ftn/ksp/pc/impls/bddc/bddcf.o #13 131.8 CC arch-linux-
 c-opt/obj/ftn/ksp/pc/impls/bjacobi/bjacobif.o #13 132.0 CC arch-linux-
 c-opt/obj/ftn/ksp/pc/impls/composite/compositf.o #13 132.1 CC arch-
 linux-c-opt/obj/ftn/ksp/pc/impls/deflation/deflationf.o #13 132.2 CC
 arch-linux-c-opt/obj/ftn/ksp/pc/impls/eisens/eisenf.o #13 132.3 CC
 arch-linux-c-opt/obj/ftn/ksp/pc/impls/factor/cholesky/choleskyf.o #13
 132.5 CC arch-linux-c-opt/obj/ftn/ksp/pc/impls/factor/factorf.o #13
 132.6 CC arch-linux-c-opt/obj/ftn/ksp/pc/impls/fieldsplit/fieldsplitf.o
 #13 132.8 CC arch-linux-c-
 opt/obj/ftn/ksp/pc/impls/galerkin/galerkinf.o #13 132.9 CC arch-linux-
 c-opt/obj/ftn/ksp/pc/impls/gamg/aggf.o #13 133.0 CC arch-linux-c-
 opt/obj/ftn/ksp/pc/impls/gamg/classicalf.o #13 133.2 CC arch-linux-c-
 opt/obj/ftn/ksp/pc/impls/gamg/gamgf.o #13 133.3 CC arch-linux-c-
 opt/obj/ftn/ksp/pc/impls/gasm/gasmf.o #13 133.4 CC arch-linux-c-
 opt/obj/ftn/ksp/pc/impls/hmg/hmgf.o #13 133.5 CC arch-linux-c-
 opt/obj/ftn/ksp/pc/impls/is/pcisf.o #13 133.7 CC arch-linux-c-
 opt/obj/ftn/ksp/pc/impls/jacobi/jacobif.o #13 133.8 CC arch-linux-c-
 opt/obj/ftn/ksp/pc/impls/ksp/pckspf.o #13 133.9 CC arch-linux-c-
 opt/obj/ftn/ksp/pc/impls/lmvm/lmvmpcf.o #13 133.9 CC arch-linux-c-
 opt/obj/ftn/ksp/ksp/utils/lmvm/lmvmutilsf.o #13 134.0 CC arch-linux-c-
 opt/obj/ftn/ksp/pc/impls/mat/pcmatf.o #13 134.1 CC arch-linux-c-
 opt/obj/ftn/ksp/pc/impls/mg/mgf.o #13 134.2 CC arch-linux-c-
 opt/obj/ftn/ksp/pc/impls/mg/mgfuncf.o #13 134.2 CC arch-linux-c-
 opt/obj/ftn/ksp/pc/impls/mpi/pcmpif.o #13 134.3 CC arch-linux-c-
 opt/obj/ftn/ksp/pc/impls/patch/pcpatchf.o #13 134.3 CC arch-linux-c-
 opt/obj/ftn/ksp/pc/impls/python/pythonpcf.o #13 134.5 CC arch-linux-
 c-opt/obj/ftn/ksp/pc/impls/redistribute/redistributef.o #13 134.5 CC
 arch-linux-c-opt/obj/ftn/ksp/pc/impls/redundant/redundantf.o #13
 134.6 CC arch-linux-c-opt/obj/ftn/ksp/pc/impls/sor/sorf.o #13 134.6 CC
 arch-linux-c-opt/obj/ftn/ksp/pc/impls/shell/shellpcf.o #13 134.7 CC
 arch-linux-c-opt/obj/ftn/ksp/pc/impls/wb/wbf.o #13 134.7 CC arch-
 linux-c-opt/obj/ftn/ksp/pc/impls/telescope/telescopef.o #13 134.9 CC
 arch-linux-c-opt/obj/ftn/ksp/pc/interface/pcsetf.o #13 134.9 CC arch-
 linux-c-opt/obj/ftn/ksp/pc/interface/preconf.o #13 135.1 CC arch-linux-
 c-opt/obj/src/ksp/ksp/guess/impls/fischer/fischer.o #13 135.2 CC arch-
 linux-c-opt/obj/src/ksp/ksp/guess/impls/pod/pod.o #13 135.4 CC arch-
 linux-c-opt/obj/src/ksp/ksp/impls/bcgs/bcgs.o #13 135.5 CC arch-linux-
 c-opt/obj/src/ksp/ksp/impls/bcgs/fbcgs/fbcgs.o #13 135.6 CC arch-
 linux-c-opt/obj/src/ksp/ksp/impls/bcgs/fbcgsr/fbcgsr.o #13 135.7 CC
 arch-linux-c-opt/obj/src/ksp/ksp/impls/bcgs/pipebcgs/pipebcgs.o #13
 135.9 CC arch-linux-c-opt/obj/src/ksp/ksp/impls/bcgs/qmrcgs/qmrcgs.o
 #13 136.0 CC arch-linux-c-opt/obj/src/ksp/ksp/impls/bcgs/bcgsf.o #13
 136.1 CC arch-linux-c-opt/obj/src/ksp/ksp/impls/bicg/bicg.o #13 136.3

CC arch-linux-c-opt/obj/src/ksp/ksp/impls/cg/cgeig.o #13 136.4 CC
 arch-linux-c-opt/obj/src/ksp/ksp/impls/cg/cg.o #13 136.5 CC arch-
 linux-c-opt/obj/src/ksp/ksp/impls/cg/cgls.o #13 136.6 CC arch-linux-c-
 opt/obj/src/ksp/ksp/impls/cg/cgnc/cgnc.o #13 136.7 CC arch-linux-c-
 opt/obj/src/ksp/ksp/impls/cg/cgtype.o #13 136.8 CC arch-linux-c-
 opt/obj/src/ksp/ksp/impls/cg/gltr/gltr.o #13 136.9 CC arch-linux-c-
 opt/obj/src/ksp/ksp/impls/cg/groppcg/groppcg.o #13 137.0 CC arch-
 linux-c-opt/obj/src/ksp/ksp/impls/cg/nash/nash.o #13 137.1 CC arch-
 linux-c-opt/obj/src/ksp/ksp/impls/cg/pipecg/pipecg.o #13 137.3 CC
 arch-linux-c-opt/obj/src/ksp/ksp/impls/cg/pipecgrr/pipecgrr.o #13
 137.4 CC arch-linux-c-opt/obj/src/ksp/ksp/impls/cg/pipecg2/pipecg2.o
 #13 137.6 CC arch-linux-c-
 opt/obj/src/ksp/ksp/impls/cg/pipeprcg/pipeprcg.o #13 137.6 CC arch-
 linux-c-opt/obj/src/ksp/ksp/impls/cg/pipelcg/pipelcg.o #13 137.8 CC
 arch-linux-c-opt/obj/src/ksp/ksp/impls/cg/stcg/stcg.o #13 137.9 CC
 arch-linux-c-opt/obj/src/ksp/ksp/impls/cgs/cgs.o #13 138.0 CC arch-
 linux-c-opt/obj/src/ksp/ksp/impls/cheby/betas.o #13 138.2 CC arch-
 linux-c-opt/obj/src/ksp/ksp/impls/cr/cr.o #13 138.3 CC arch-linux-c-
 opt/obj/src/ksp/ksp/impls/cheby/cheby.o #13 138.4 CC arch-linux-c-
 opt/obj/src/ksp/ksp/impls/cr/pipecr/pipecr.o #13 138.6 CC arch-linux-
 c-opt/obj/src/ksp/ksp/impls/fcg/fcg.o #13 138.7 CC arch-linux-c-
 opt/obj/src/ksp/ksp/impls/fcg/pipefcg/pipefcg.o #13 138.9 CC arch-
 linux-c-opt/obj/src/ksp/ksp/impls/gcr/gcr.o #13 139.1 CC arch-linux-c-
 opt/obj/ftn/ksp/ksp/impls/lmvm/diagbrdn/diagbrdnf.o #13 139.3 CC
 arch-linux-c-opt/obj/src/ksp/ksp/impls/fetidp/fetidp.o #13 139.4 CC
 arch-linux-c-opt/obj/src/ksp/ksp/impls/gcr/pipegcr/pipegcr.o #13 139.4
 CC arch-linux-c-opt/obj/src/ksp/ksp/impls/gmres/borthog.o #13 139.5
 CC arch-linux-c-opt/obj/src/ksp/ksp/impls/gmres/borthog2.o #13 139.5
 CC arch-linux-c-opt/obj/src/ksp/ksp/impls/gmres/fgmres/ftn-
 custom/zmodpcf.o #13 139.7 CC arch-linux-c-
 opt/obj/src/ksp/ksp/impls/gmres/ftn-custom/zgmres2f.o #13 139.7 CC
 arch-linux-c-opt/obj/src/ksp/ksp/impls/gmres/fgmres/modpcf.o #13
 139.8 CC arch-linux-c-
 opt/obj/src/ksp/ksp/impls/gmres/fgmres/fgmres.o #13 140.1 CC arch-
 linux-c-opt/obj/src/ksp/ksp/impls/gmres/lgmres/lgmres.o #13 140.1 CC
 arch-linux-c-opt/obj/src/ksp/ksp/impls/gmres/pgmres/pgmres.o #13
 140.2 CC arch-linux-c-opt/obj/src/ksp/ksp/impls/ibcgs/ibcgs.o #13
 140.3 CC arch-linux-c-
 opt/obj/src/ksp/ksp/impls/gmres/pipefgmres/pipefgmres.o #13 140.5
 CC arch-linux-c-opt/obj/src/ksp/ksp/impls/lcd/lcd.o #13 140.6 CC arch-
 linux-c-opt/obj/src/ksp/ksp/impls/preonly/preonly.o #13 140.6 CC arch-
 linux-c-opt/obj/src/ksp/ksp/impls/lsqr/lsqr.o #13 140.7 CC arch-linux-c-
 opt/obj/src/ksp/ksp/impls/python/pythonksp.o #13 140.9 CC arch-
 linux-c-opt/obj/src/ksp/ksp/impls/minres/minres.o #13 141.0 CC arch-
 linux-c-opt/obj/src/ksp/ksp/impls/qcg/qcg.o #13 141.0 CC arch-linux-c-
 opt/obj/src/ksp/ksp/impls/rich/rich.o #13 141.1 CC arch-linux-c-
 opt/obj/src/ksp/ksp/impls/rich/richscale.o #13 141.3 CC arch-linux-c-
 opt/obj/src/ksp/ksp/impls/symmlq/symmlq.o #13 141.3 CC arch-linux-
 c-opt/obj/src/ksp/ksp/impls/tcqm/tcqm.o #13 141.4 CC arch-linux-c-
 opt/obj/src/ksp/ksp/impls/tfqmr/tfqmr.o #13 141.4 CC arch-linux-c-
 opt/obj/src/ksp/ksp/impls/tsirm/tsirm.o #13 141.6 CC arch-linux-c-
 opt/obj/src/ksp/ksp/interface/ftn-custom/zdmkspf.o #13 141.7 CC
 arch-linux-c-opt/obj/src/ksp/ksp/interface/dlregisksp.o #13 141.8 CC
 arch-linux-c-opt/obj/src/ksp/ksp/interface/eige.o #13 141.8 CC arch-
 linux-c-opt/obj/src/ksp/ksp/interface/dmksp.o #13 141.9 CC arch-linux-
 c-opt/obj/src/ksp/ksp/interface/ftn-custom/zitfuncf.o #13 141.9 CC
 arch-linux-c-opt/obj/src/ksp/ksp/interface/ftn-custom/zitfuncf90.o #13
 142.1 CC arch-linux-c-opt/obj/src/ksp/ksp/impls/kspmatregi.o #13
 142.2 CC arch-linux-c-opt/obj/src/ksp/ksp/impls/lmvm/brdn/badbrdn.o
 #13 142.3 CC arch-linux-c-opt/obj/src/ksp/ksp/impls/lmvm/bfgs/bfgs.o

#13 142.5 CC arch-linux-c-opt/obj/src/ksp/ksp/utils/lmvm/brdn/brdn.o
 #13 142.6 CC arch-linux-c-opt/obj/src/ksp/ksp/utils/lmvm/dense/cd_utils.o #13 142.7 CC arch-linux-c-opt/obj/src/ksp/ksp/utils/dm/dmproject.o #13 142.8 CC arch-linux-c-opt/obj/src/ksp/ksp/utils/lmvm/dfp/dfp.o #13 143.0 CC arch-linux-c-opt/obj/src/ksp/ksp/utils/lmvm/diagbrdn/diagbrdn.o #13 143.1 CC arch-linux-c-opt/obj/src/ksp/ksp/utils/lmvm/lmvmimpl.o #13 143.2 CC arch-linux-c-opt/obj/src/ksp/ksp/utils/lmvm/dense/denseqn.o #13 143.3 CC arch-linux-c-opt/obj/src/ksp/ksp/utils/lmvm/lmvmutils.o #13 143.4 CC arch-linux-c-opt/obj/src/ksp/ksp/utils/lmvm/sr1/sr1.o #13 143.4 CC arch-linux-c-opt/obj/src/ksp/ksp/utils/lmvm/symbrdn/symbadbrdn.o #13 143.7 CC arch-linux-c-opt/obj/src/ksp/pc/impls/asm/ftn-custom/zasmf.o #13 143.7 CC arch-linux-c-opt/obj/src/ksp/ksp/utils/lmvm/symbrdn/symbrdn.o #13 144.3 CC arch-linux-c-opt/obj/src/ksp/ksp/utils/schurm/schurm.o #13 144.4 CC arch-linux-c-opt/obj/src/ksp/pc/impls/asm/asm.o #13 144.5 CC arch-linux-c-opt/obj/src/ksp/pc/impls/bddc/bddcfetidp.o #13 144.9 CC arch-linux-c-opt/obj/src/ksp/pc/impls/bddc/bddcnulspace.o #13 145.2 CC arch-linux-c-opt/obj/src/ksp/pc/impls/bddc/bddcgraph.o #13 145.4 CC arch-linux-c-opt/obj/src/ksp/pc/impls/bddc/bddc.o #13 145.5 CC arch-linux-c-opt/obj/src/ksp/pc/impls/bddc/bddcscalingbasic.o #13 145.7 CC arch-linux-c-opt/obj/src/ksp/pc/impls/bjacobiftn-custom/zbjacobif.o #13 146.2 CC arch-linux-c-opt/obj/src/ksp/pc/impls/composite/composite.o #13 146.2 CC arch-linux-c-opt/obj/src/ksp/pc/impls/bjacobiftn-custom/zbjacobif.o #13 146.6 CC arch-linux-c-opt/obj/src/ksp/pc/impls/cp/cp.o #13 146.6 CC arch-linux-c-opt/obj/src/ksp/pc/impls/bddc/bddcschurs.o #13 146.8 CC arch-linux-c-opt/obj/src/ksp/pc/impls/deflation/deflation.o #13 146.9 CC arch-linux-c-opt/obj/src/ksp/pc/impls/deflation/deflationspace.o #13 147.0 CC arch-linux-c-opt/obj/src/ksp/pc/impls/eisens/eisen.o #13 147.2 CC arch-linux-c-opt/obj/src/ksp/pc/impls/factor/cholesky/cholesky.o #13 147.2 CC arch-linux-c-opt/obj/src/ksp/pc/impls/factor/factimpl.o #13 147.4 CC arch-linux-c-opt/obj/src/ksp/pc/impls/factor/icc/icc.o #13 147.6 CC arch-linux-c-opt/obj/src/ksp/pc/impls/factor/ilu/ilu.o #13 147.6 CC arch-linux-c-opt/obj/src/ksp/pc/impls/factor/factor.o #13 147.8 CC arch-linux-c-opt/obj/src/ksp/pc/impls/factor/lu/lu.o #13 147.8 CC arch-linux-c-opt/obj/src/ksp/pc/impls/factor/qr/qr.o #13 148.5 CC arch-linux-c-opt/obj/src/ksp/pc/impls/fieldsplit/ftn-custom/zfieldsplitf.o #13 148.5 CC arch-linux-c-opt/obj/src/ksp/pc/impls/galerkin/galerkin.o #13 149.1 CC arch-linux-c-opt/obj/src/ksp/pc/impls/fieldsplit/fieldsplit.o #13 149.1 CC arch-linux-c-opt/obj/src/ksp/pc/impls/gamg/classical.o #13 149.5 CC arch-linux-c-opt/obj/src/ksp/pc/impls/bddc/bddcprivate.o #13 149.5 CC arch-linux-c-opt/obj/src/ksp/pc/impls/gamg/agg.o #13 149.7 CC arch-linux-c-opt/obj/src/ksp/pc/impls/gamg/geo.o #13 149.7 CC arch-linux-c-opt/obj/src/ksp/pc/impls/gasm/ftn-custom/zgasmf.o #13 149.9 CC arch-linux-c-opt/obj/src/ksp/pc/impls/gamg/util.o #13 150.2 CC arch-linux-c-opt/obj/src/ksp/pc/impls/gamg/gamg.o #13 150.2 CC arch-linux-c-opt/obj/src/ksp/pc/impls/hmg/hmg.o #13 150.4 CC arch-linux-c-opt/obj/src/ksp/pc/impls/is/nn/nn.o #13 150.6 CC arch-linux-c-opt/obj/src/ksp/pc/impls/kaczmarz/kaczmarz.o #13 150.7 CC arch-linux-c-opt/obj/src/ksp/pc/impls/jacobi/jacobi.o #13 150.7 CC arch-linux-c-opt/obj/src/ksp/pc/impls/gasm/gasm.o #13 150.7 CC arch-linux-c-opt/obj/src/ksp/pc/impls/is/pcis.o #13 151.0 CC arch-linux-c-opt/obj/src/ksp/pc/impls/mat/pcmat.o #13 151.0 CC arch-linux-c-opt/obj/src/ksp/pc/impls/lsc/lsc.o #13 151.0 CC arch-linux-c-opt/obj/src/ksp/pc/impls/ksp/pcksp.o #13 151.0 CC arch-linux-c-opt/obj/src/ksp/pc/impls/lmvm/lmvmmpc.o #13 151.2 CC arch-linux-c-opt/obj/src/ksp/pc/impls/mg/ftn-custom/zmgf.o #13 151.2 CC arch-

linux-c-opt/obj/src/ksp/pc/impls/mg/ftn-custom/zmgfuncf.o #13 151.3
CC arch-linux-c-opt/obj/src/ksp/pc/impls/mg/fmg.o #13 151.5 CC arch-
linux-c-opt/obj/src/ksp/pc/impls/mg/gdsw.o #13 151.5 CC arch-linux-c-
opt/obj/src/ksp/pc/impls/mg/mgadapt.o #13 151.7 CC arch-linux-c-
opt/obj/src/ksp/pc/impls/mg/msg.o #13 151.7 CC arch-linux-c-
opt/obj/src/ksp/pc/impls/mg/mgfunc.o #13 151.9 CC arch-linux-c-
opt/obj/src/ksp/pc/impls/none/none.o #13 152.3 CC arch-linux-c-
opt/obj/src/ksp/pc/impls/mg/mg.o #13 152.3 CC arch-linux-c-
opt/obj/src/ksp/pc/impls/pbjacobi/pbjacobi.o #13 152.4 CC arch-linux-
c-opt/obj/src/ksp/pc/impls/mpi/pcmpi.o #13 152.5 CC arch-linux-c-
opt/obj/src/ksp/pc/impls/python/pythonpc.o #13 152.8 CC arch-linux-c-
opt/obj/src/ksp/pc/impls/shell/ftn-custom/zshellpcf.o #13 152.8 CC
arch-linux-c-opt/obj/src/ksp/pc/impls/redisistribute/redisistribute.o #13
152.9 CC arch-linux-c-opt/obj/src/ksp/pc/impls/redundant/redundant.o
#13 153.2 CC arch-linux-c-opt/obj/src/ksp/pc/impls/sor/sor.o #13
153.3 CC arch-linux-c-opt/obj/src/ksp/pc/impls/shell/shellpc.o #13
153.3 CC arch-linux-c-opt/obj/src/ksp/pc/impls/svd/svd.o #13 153.7 CC
arch-linux-c-opt/obj/src/ksp/pc/impls/patch/pcpatch.o #13 153.8 CC
arch-linux-c-opt/obj/src/ksp/pc/impls/telescope/telescope_coarsedm.o
#13 154.0 CC arch-linux-c-
opt/obj/src/ksp/pc/impls/telescope/telescope.o #13 154.1 CC arch-
linux-c-opt/obj/src/ksp/pc/impls/vpbjacobi/vpbjacobi.o #13 154.1 CC
arch-linux-c-opt/obj/src/ksp/pc/impls/telescope/telescope_dmda.o #13
154.3 CC arch-linux-c-opt/obj/src/ksp/pc/interface/pcregis.o #13 154.4
CC arch-linux-c-opt/obj/src/ksp/pc/interface/pcset.o #13 154.5 CC
arch-linux-c-opt/obj/src/ksp/pc/impls/wb/wb.o #13 154.6 CC arch-
linux-c-opt/obj/ftn/snes/impls/al/alf.o #13 154.7 CC arch-linux-c-
opt/obj/ftn/snes/impls/composite/snescompositf.o #13 154.8 CC arch-
linux-c-opt/obj/ftn/snes/impls/fas/fasf.o #13 154.9 CC arch-linux-c-
opt/obj/ftn/snes/impls/fas/fasfuncf.o #13 155.0 CC arch-linux-c-
opt/obj/ftn/snes/impls/fas/fasgalerkinf.o #13 155.1 CC arch-linux-c-
opt/obj/src/ksp/pc/interface/precon.o #13 155.1 CC arch-linux-c-
opt/obj/ftn/snes/impls/gs/snesgsf.o #13 155.2 CC arch-linux-c-
opt/obj/ftn/snes/impls/ms/msf.o #13 155.3 CC arch-linux-c-
opt/obj/ftn/snes/impls/multiblock/multiblockf.o #13 155.4 CC arch-
linux-c-opt/obj/ftn/snes/impls/nasm/nasmf.o #13 155.5 CC arch-linux-
c-opt/obj/ftn/snes/impls/ngmres/snesngmresf.o #13 155.5 CC arch-
linux-c-opt/obj/ftn/snes/impls/ncg/snesncgf.o #13 155.6 CC arch-linux-
c-opt/obj/ftn/snes/impls/ntrdc/ntrdcf.o #13 155.7 CC arch-linux-c-
opt/obj/ftn/snes/impls/python/pythonsnesf.o #13 155.7 CC arch-linux-
c-opt/obj/ftn/snes/impls/patch/snespatchf.o #13 155.8 CC arch-linux-c-
opt/obj/ftn/snes/impls/qn/qnf.o #13 155.8 CC arch-linux-c-
opt/obj/ftn/snes/impls/shell/snesshellf.o #13 155.9 CC arch-linux-c-
opt/obj/ftn/snes/impls/tr/trf.o #13 156.0 CC arch-linux-c-
opt/obj/ftn/snes/impls/vi/rs/virsf.o #13 156.0 CC arch-linux-c-
opt/obj/ftn/snes/impls/vi/ss/vissf.o #13 156.1 CC arch-linux-c-
opt/obj/ftn/snes/impls/vi/vif.o #13 156.2 CC arch-linux-c-
opt/obj/ftn/snes/interface/dlregissnesf.o #13 156.3 CC arch-linux-c-
opt/obj/ftn/snes/interface/snesj2f.o #13 156.4 CC arch-linux-c-
opt/obj/ftn/snes/interface/snesf.o #13 156.4 CC arch-linux-c-
opt/obj/ftn/snes/interface/snesobf.o #13 156.5 CC arch-linux-c-
opt/obj/ftn/snes/interface/snespcf.o #13 156.6 CC arch-linux-c-
opt/obj/ftn/snes/interface/snesutf.o #13 156.6 CC arch-linux-c-
opt/obj/ftn/snes/linesearch/impls/bt/linesearchbtf.o #13 156.7 CC
arch-linux-c-opt/obj/ftn/snes/mf/snesmfjf.o #13 156.8 CC arch-linux-c-
opt/obj/ftn/snes/linesearch/interface/linesearchf.o #13 156.8 CC arch-
linux-c-opt/obj/ftn/snes/utis/convestf.o #13 157.0 CC arch-linux-c-
opt/obj/ftn/snes/utis/dm/dmadaptf.o #13 157.0 CC arch-linux-c-
opt/obj/ftn/snes/utis/dm/dminterpolatesnesf.o #13 157.1 CC arch-
linux-c-opt/obj/ftn/snes/utis/dmplexsnesf.o #13 157.2 CC arch-linux-c-

opt/obj/ftn/snes/utils/dmsnesf.o #13 157.6 CC arch-linux-c-
 opt/obj/src/snes/impls/al/al.o #13 157.8 CC arch-linux-c-
 opt/obj/src/snes/impls/composite/snescomposite.o #13 157.8 CC arch-
 linux-c-opt/obj/src/snes/impls/fas/fas.o #13 158.0 CC arch-linux-c-
 opt/obj/src/snes/impls/fas/fasgalerkin.o #13 158.1 CC arch-linux-c-
 opt/obj/src/snes/impls/gs/gssecant.o #13 158.2 FC arch-linux-c-
 opt/obj/src/snes/ftn-mod/petscsnesmod.o #13 158.3 CC arch-linux-c-
 opt/obj/src/snes/impls/fas/fasfunc.o #13 158.4 CC arch-linux-c-
 opt/obj/src/snes/impls/ksponly/ksponly.o #13 158.4 CC arch-linux-c-
 opt/obj/src/snes/impls/gs/snesgs.o #13 158.6 CC arch-linux-c-
 opt/obj/src/snes/impls/lsls.o #13 158.7 CC arch-linux-c-
 opt/obj/src/snes/impls/nasm/aspin.o #13 158.8 CC arch-linux-c-
 opt/obj/src/snes/impls/ms/ms.o #13 159.0 CC arch-linux-c-
 opt/obj/src/snes/impls/multiblock/multiblock.o #13 159.1 CC arch-
 linux-c-opt/obj/src/snes/impls/ngc/snesngc.o #13 159.1 CC arch-linux-
 c-opt/obj/src/snes/impls/ngmres/anderson.o #13 159.3 CC arch-linux-
 c-opt/obj/src/snes/impls/nasm/nasm.o #13 159.3 CC arch-linux-c-
 opt/obj/src/snes/impls/ngmres/ngmresfunc.o #13 159.6 CC arch-linux-
 c-opt/obj/src/snes/impls/python/pythonsnes.o #13 159.6 CC arch-
 linux-c-opt/obj/src/snes/impls/ngmres/snesngmres.o #13 159.7 CC
 arch-linux-c-opt/obj/src/snes/impls/ntrdc/ntrdc.o #13 159.8 CC arch-
 linux-c-opt/obj/src/snes/impls/patch/snespatch.o #13 159.9 CC arch-
 linux-c-opt/obj/src/snes/impls/shell/ftn-custom/zsnesshellf.o #13 159.9
 CC arch-linux-c-opt/obj/src/snes/impls/richardson/snesrichardson.o
 #13 160.0 CC arch-linux-c-opt/obj/src/snes/impls/shell/snesshellf.o #13
 160.1 CC arch-linux-c-opt/obj/src/snes/impls/qn/qn.o #13 160.5 CC
 arch-linux-c-opt/obj/src/snes/impls/vi/ss/viss.o #13 160.6 CC arch-
 linux-c-opt/obj/src/snes/impls/vi/rs/virs.o #13 160.6 CC arch-linux-c-
 opt/obj/src/snes/impls/vi/vi.o #13 160.7 CC arch-linux-c-
 opt/obj/src/snes/interface/dlregissnes.o #13 160.8 CC arch-linux-c-
 opt/obj/src/snes/interface/ftn-custom/zsnesf90.o #13 160.9 CC arch-
 linux-c-opt/obj/src/snes/impls/tr/tr.o #13 160.9 CC arch-linux-c-
 opt/obj/src/snes/interface/ftn-custom/zsnesf.o #13 161.1 CC arch-
 linux-c-opt/obj/src/snes/interface/snesj.o #13 161.1 CC arch-linux-c-
 opt/obj/src/snes/interface/snesj2.o #13 161.2 CC arch-linux-c-
 opt/obj/src/snes/interface/snesob.o #13 161.4 CC arch-linux-c-
 opt/obj/src/snes/interface/snesregi.o #13 161.4 CC arch-linux-c-
 opt/obj/src/snes/interface/snespc.o #13 161.6 CC arch-linux-c-
 opt/obj/src/snes/lineasearch/impls/basic/lineasearchbasic.o #13 161.7
 CC arch-linux-c-opt/obj/src/snes/interface/snesut.o #13 161.7 CC
 arch-linux-c-
 opt/obj/src/snes/lineasearch/impls/bisection/lineasearchbisection.o #13
 162.0 CC arch-linux-c-
 opt/obj/src/snes/lineasearch/impls/cp/lineasearchcp.o #13 162.0 CC
 arch-linux-c-opt/obj/src/snes/lineasearch/impls/l2/lineasearchl2.o #13
 162.0 CC arch-linux-c-
 opt/obj/src/snes/lineasearch/impls/bt/lineasearchbt.o #13 162.2 CC arch-
 linux-c-opt/obj/src/snes/lineasearch/impls/shell/ftn-
 custom/zlineasearchshellf.o #13 162.3 CC arch-linux-c-
 opt/obj/src/snes/lineasearch/impls/nleqerr/lineasearchnleqerr.o #13
 162.3 CC arch-linux-c-
 opt/obj/src/snes/lineasearch/impls/shell/lineasearchshell.o #13 162.4 CC
 arch-linux-c-opt/obj/src/snes/lineasearch/interface/ftn-
 custom/zlineasearchf.o #13 162.5 CC arch-linux-c-
 opt/obj/src/snes/lineasearch/interface/lineasearchregi.o #13 162.7 CC
 arch-linux-c-opt/obj/src/snes/mf/snesmfj.o #13 163.1 CC arch-linux-c-
 opt/obj/src/snes/lineasearch/impls/convest.o #13 163.1 CC arch-linux-c-
 opt/obj/src/snes/lineasearch/interface/lineasearch.o #13 163.5 CC arch-
 linux-c-opt/obj/src/snes/interface/snes.o #13 163.7 CC arch-linux-c-
 opt/obj/src/snes/lineasearch/impls/dmdasnes.o #13 163.8 CC arch-linux-c-

opt/obj/src/snes/utils/dm/dmadapt.o #13 163.9 CC arch-linux-c-
 opt/obj/src/snes/utils/dm/dminterpolatesnes.o #13 164.1 CC arch-
 linux-c-opt/obj/src/snes/utils/dm/localsnes.o #13 164.3 CC arch-linux-c-
 opt/obj/src/snes/utils/ftn-custom/zdmllocalsnesf.o #13 164.3 CC arch-
 linux-c-opt/obj/src/snes/utils/ftn-custom/zdmdasnesf.o #13 164.4 CC
 arch-linux-c-opt/obj/src/snes/utils/dmsnes.o #13 164.5 CC arch-linux-
 c-opt/obj/src/snes/utils/ftn-custom/zdmsnesf.o #13 164.6 CC arch-
 linux-c-opt/obj/src/snes/utils/dmplexsnes.o #13 164.6 CC arch-linux-c-
 opt/obj/ftn/ts/adapt/impls/dsp/adaptdspf.o #13 164.7 CC arch-linux-c-
 opt/obj/ftn/ts/adapt/impls/history/adapthistf.o #13 164.8 CC arch-
 linux-c-opt/obj/ftn/ts/event/tseventf.o #13 164.9 CC arch-linux-c-
 opt/obj/ftn/ts/adapt/interface/tsadaptf.o #13 165.0 CC arch-linux-c-
 opt/obj/ftn/ts/impls/arkimex/arkimexf.o #13 165.1 CC arch-linux-c-
 opt/obj/ftn/ts/impls/bdf/bdff.o #13 165.1 CC arch-linux-c-
 opt/obj/ftn/ts/impls/eimex/eimexf.o #13 165.2 CC arch-linux-c-
 opt/obj/ftn/ts/impls/explicit/rk/rkf.o #13 165.3 CC arch-linux-c-
 opt/obj/ftn/ts/impls/explicit/ssp/sspf.o #13 165.3 CC arch-linux-c-
 opt/obj/ftn/ts/impls/glee/gleef.o #13 165.4 CC arch-linux-c-
 opt/obj/ftn/ts/impls/implicit/alpha/alpha1f.o #13 165.5 CC arch-linux-
 c-opt/obj/ftn/ts/impls/implicit/alpha/alpha2f.o #13 165.5 CC arch-
 linux-c-opt/obj/ftn/ts/impls/implicit/discgrad/tsdiscgradf.o #13 165.6
 CC arch-linux-c-opt/obj/ftn/ts/impls/implicit/glle/glleadaptf.o #13
 165.7 CC arch-linux-c-opt/obj/ftn/ts/impls/implicit/glle/gllef.o #13
 165.8 CC arch-linux-c-opt/obj/ftn/ts/impls/implicit/irk/irkf.o #13 165.8
 CC arch-linux-c-opt/obj/ftn/ts/impls/implicit/theta/thetaf.o #13 166.0
 CC arch-linux-c-opt/obj/ftn/ts/impls/multirate/mprkf.o #13 166.0 CC
 arch-linux-c-opt/obj/ftn/ts/impls/pseudo/posindepf.o #13 166.0 CC
 arch-linux-c-opt/obj/ftn/ts/impls/python/pythontsf.o #13 166.2 CC
 arch-linux-c-opt/obj/ftn/ts/impls/rosw/roswf.o #13 166.2 CC arch-linux-
 c-opt/obj/ftn/ts/interface/dlregistsf.o #13 166.3 CC arch-linux-c-
 opt/obj/ftn/ts/impls/symplectic/basicssymplectic/basicssymplecticf.o #13
 166.4 CC arch-linux-c-opt/obj/ftn/ts/interface/tscreef.o #13 166.5 CC
 arch-linux-c-opt/obj/ftn/ts/interface/sensitivity/tssenf.o #13 166.5 CC
 arch-linux-c-opt/obj/ftn/ts/interface/tseigf.o #13 166.7 CC arch-linux-c-
 opt/obj/ftn/ts/interface/tsmonf.o #13 166.7 CC arch-linux-c-
 opt/obj/ftn/ts/interface/tsregf.o #13 166.8 CC arch-linux-c-
 opt/obj/ftn/ts/interface/tsf.o #13 166.9 CC arch-linux-c-
 opt/obj/ftn/ts/trajectory/impls/memory/trajmemoryf.o #13 167.0 CC
 arch-linux-c-opt/obj/ftn/ts/interface/tsrhssplitf.o #13 167.1 CC arch-
 linux-c-opt/obj/ftn/ts/trajectory/interface/trajf.o #13 167.1 CC arch-
 linux-c-opt/obj/ftn/ts/utils/dmdatsf.o #13 167.2 CC arch-linux-c-
 opt/obj/ftn/ts/utils/dmlocaltsf.o #13 167.3 CC arch-linux-c-
 opt/obj/ftn/ts/utils/dmnetworktsf.o #13 167.4 CC arch-linux-c-
 opt/obj/ftn/ts/utils/dmplexlandau/plexlandf.o #13 167.5 CC arch-linux-
 c-opt/obj/ftn/ts/utils/dmplextsf.o #13 167.5 CC arch-linux-c-
 opt/obj/ftn/ts/impls/tsconvestf.o #13 167.7 CC arch-linux-c-
 opt/obj/src/ts/adapt/impls/basic/adaptbasic.o #13 167.7 CC arch-linux-
 c-opt/obj/src/ts/adapt/impls/cfl/adaptcfl.o #13 167.9 CC arch-linux-c-
 opt/obj/src/ts/adapt/impls/glee/adaptglee.o #13 167.9 CC arch-linux-c-
 opt/obj/src/ts/adapt/impls/dsp/adaptdsp.o #13 168.1 CC arch-linux-c-
 opt/obj/src/ts/adapt/impls/history/adapthist.o #13 168.1 CC arch-
 linux-c-opt/obj/src/ts/adapt/impls/none/adaptnone.o #13 168.6 CC
 arch-linux-c-opt/obj/src/ts/event/tsevent.o #13 168.7 CC arch-linux-c-
 opt/obj/src/ts/adapt/interface/tsadapt.o #13 169.0 CC arch-linux-c-
 opt/obj/src/ts/impls/arkimex/arkimex.o #13 169.1 CC arch-linux-c-
 opt/obj/src/ts/impls/arkimex/fsarkimex.o #13 169.2 CC arch-linux-c-
 opt/obj/src/ts/impls/bdf/bdf.o #13 169.4 CC arch-linux-c-
 opt/obj/src/ts/impls/euler/euler.o #13 169.4 CC arch-linux-c-
 opt/obj/src/ts/impls/eimex/eimex.o #13 169.5 FC arch-linux-c-
 opt/obj/src/ts/ftn-mod/petsctsmmod.o #13 169.6 CC arch-linux-c-

opt/obj/src/ts/impls/explicit/rk/mrk.o #13 169.9 CC arch-linux-c-
opt/obj/src/ts/impls/explicit/ssp/ssp.o #13 170.1 CC arch-linux-c-
opt/obj/src/ts/impls/glee/glee.o #13 170.1 CC arch-linux-c-
opt/obj/src/ts/impls/explicit/rk/rk.o #13 170.2 CC arch-linux-c-
opt/obj/src/ts/impls/implicit/alpha/alpha1.o #13 170.5 CC arch-linux-c-
opt/obj/src/ts/impls/implicit/alpha/alpha2.o #13 170.5 CC arch-linux-c-
opt/obj/src/ts/impls/implicit/glle/glleadapt.o #13 170.6 CC arch-linux-
c-opt/obj/src/ts/impls/implicit/discgrad/tsdiscgrad.o #13 170.9 CC
arch-linux-c-opt/obj/src/ts/impls/implicit/glle/glle.o #13 171.0 CC arch-
linux-c-opt/obj/src/ts/impls/mimex/mimex.o #13 171.1 CC arch-linux-c-
opt/obj/src/ts/impls/implicit/irk/irk.o #13 171.3 CC arch-linux-c-
opt/obj/src/ts/impls/python/pythonts.o #13 171.3 CC arch-linux-c-
opt/obj/src/ts/impls/implicit/theta/theta.o #13 171.5 CC arch-linux-c-
opt/obj/src/ts/impls/pseudo/posindep.o #13 171.6 CC arch-linux-c-
opt/obj/src/ts/impls/multirate/mprk.o #13 171.8 CC arch-linux-c-
opt/obj/src/ts/impls/symplectic/basicssymplectic/basicssymplectic.o #13
171.8 CC arch-linux-c-opt/obj/src/ts/interface/dlregis.o #13 171.9
CC arch-linux-c-opt/obj/src/ts/interface/ftn-custom/ztsf.o #13 172.0 CC
arch-linux-c-opt/obj/src/ts/impls/ros/ros.o #13 172.2 CC arch-linux-
c-opt/obj/src/ts/interface/tscreate.o #13 172.3 CC arch-linux-c-
opt/obj/src/ts/interface/tseig.o #13 172.5 CC arch-linux-c-
opt/obj/src/ts/interface/tshistory.o #13 172.7 CC arch-linux-c-
opt/obj/src/ts/interface/sensitivity/tssen.o #13 172.8 CC arch-linux-c-
opt/obj/src/ts/interface/tsreg.o #13 172.9 CC arch-linux-c-
opt/obj/src/ts/interface/tsregall.o #13 173.1 CC arch-linux-c-
opt/obj/src/ts/interface/tsmon.o #13 173.2 CC arch-linux-c-
opt/obj/src/ts/interface/tsrhssplit.o #13 173.2 CC arch-linux-c-
opt/obj/src/ts/trajectory/impls/basic/trajbasic.o #13 173.4 CC arch-
linux-c-opt/obj/src/ts/trajectory/impls/singlefile/singlefile.o #13 173.5
CC arch-linux-c-
opt/obj/src/ts/trajectory/impls/visualization/trajvisualization.o #13
173.7 CC arch-linux-c-
opt/obj/src/ts/trajectory/impls/memory/trajmemory.o #13 173.8 CC
arch-linux-c-opt/obj/src/ts/trajectory/impls/reconstruct.o #13 174.2 CC
arch-linux-c-opt/obj/src/ts/trajectory/interface/traj.o #13 174.3 CC
arch-linux-c-opt/obj/src/ts/interface/ts.o #13 174.3 CC arch-linux-c-
opt/obj/src/ts/impls/dmdats.o #13 174.3 CC arch-linux-c-
opt/obj/src/ts/impls/dmlocalts.o #13 174.7 CC arch-linux-c-
opt/obj/src/ts/impls/dmnetworkts.o #13 174.9 CC arch-linux-c-
opt/obj/src/ts/impls/dmplexts.o #13 175.1 CC arch-linux-c-
opt/obj/src/ts/impls/dmts.o #13 175.2 CC arch-linux-c-
opt/obj/src/ts/impls/tsconvst.o #13 175.3 CC arch-linux-c-
opt/obj/ftn/tao/interface/dlregistao.o #13 175.4 CC arch-linux-c-
opt/obj/ftn/tao/interface/fdiff.o #13 175.5 CC arch-linux-c-
opt/obj/ftn/tao/interface/taosolver_bounds.o #13 175.6 CC arch-linux-
c-opt/obj/ftn/tao/interface/taosolver_fg.o #13 175.7 CC arch-linux-c-
opt/obj/src/ts/impls/dmplexlandau/plexland.o #13 175.8 CC arch-linux-
c-opt/obj/ftn/tao/interface/taosolver_hj.o #13 175.9 CC arch-linux-c-
opt/obj/ftn/tao/linesearch/interface/dlregis_tao_linesearch.o #13 175.9
CC arch-linux-c-opt/obj/ftn/tao/interface/taosolver.o #13 176.0 CC
arch-linux-c-opt/obj/ftn/tao/linesearch/interface/tao_linesearch.o #13
176.1 CC arch-linux-c-opt/obj/ftn/tao/matrix/submatfree.o #13 176.1
CC arch-linux-c-opt/obj/ftn/tao/python/pythontao.o #13 176.2 CC
arch-linux-c-opt/obj/ftn/tao/shell/taoshell.o #13 176.3 CC arch-linux-c-
opt/obj/ftn/tao/impl/tao_util.o #13 176.4 CC arch-linux-c-
opt/obj/src/tao/interface/dlregistao.o #13 176.6 CC arch-linux-c-
opt/obj/src/tao/interface/fdiff.o #13 176.8 CC arch-linux-c-
opt/obj/src/tao/interface/taosolver_bounds.o #13 177.1 CC arch-linux-
c-opt/obj/src/tao/interface/taosolver_fg.o #13 177.3 CC arch-linux-c-
opt/obj/src/tao/interface/taosolverregi.o #13 177.4 CC arch-linux-c-

```

opt/obj/src/tao/interface/taosolver_hj.o #13 177.5 CC arch-linux-c-
opt/obj/src/tao/interface/taosolver.o #13 177.5 CC arch-linux-c-
opt/obj/src/tao/linesearch/interface/dlregis_talinesearch.o #13 177.9
CC arch-linux-c-opt/obj/src/tao/matrix/submatfree.o #13 177.9 CC
arch-linux-c-opt/obj/src/tao/matrix/adamat.o #13 178.1 CC arch-linux-
c-opt/obj/src/tao/python/pythontao.o #13 178.1 CC arch-linux-c-
opt/obj/src/tao/linesearch/interface/taolinesearch.o #13 178.1 CC
arch-linux-c-opt/obj/src/tao/shell/taoshell.o #13 178.4 CC arch-linux-c-
opt/obj/src/tao/snes/taosnes.o #13 178.4 CC arch-linux-c-
opt/obj/src/tao/util/tao_util.o #13 178.5 FC arch-linux-c-
opt/obj/src/sys/classes/bag/ftn-src/bagenum.o #13 178.6 FC arch-
linux-c-opt/obj/src/sys/objects/ftn-src/optionenum.o #13 239.3 FC
arch-linux-c-opt/obj/src/tao/ftn-mod/petsctaomod.o #13 244.2
CLINKER arch-linux-c-opt/lib/libpetsc.so.3.23.6 #13 244.2
=====
#13 244.2 Now to check if the libraries are working do: #13 244.2
make PETSC_DIR=/usr/local/petsc PETSC_ARCH=arch-linux-c-opt
check #13 244.2
=====
#13 DONE 244.6s

```

```

#14 [10/48] RUN make check #14 0.151 Running PETSc check
examples to verify correct installation #14 0.152 Using
PETSC_DIR=/usr/local/petsc and PETSC_ARCH=arch-linux-c-opt #14
0.722 C/C++ example src/snes/tutorials/ex19 run successfully with 1
MPI process #14 1.168 C/C++ example src/snes/tutorials/ex19 run
successfully with 2 MPI processes #14 1.432 C/C++ example
src/snes/tutorials/ex19 run successfully with MUMPS #14 1.830
C/C++ example src/vec/vec/tests/ex47 run successfully with HDF5
#14 13.28 Fortran example src/snes/tutorials/ex5f run successfully
with 1 MPI process #14 13.30 Completed PETSc check examples #14
DONE 13.3s

```

```

#15 [11/48] RUN pip3 install src/binding/petsc4py #15 0.388
Processing ./src/binding/petsc4py #15 0.523 Installing build
dependencies: started #15 6.045 Installing build dependencies:
finished with status 'done' #15 6.049 Getting requirements to build
wheel: started #15 6.341 Getting requirements to build wheel:
finished with status 'done' #15 6.470 Installing backend
dependencies: started #15 7.904 Installing backend dependencies:
finished with status 'done' #15 7.908 Preparing metadata
(pyproject.toml): started #15 8.243 Preparing metadata
(pyproject.toml): finished with status 'done' #15 8.247 Requirement
already satisfied: numpy<2 in /usr/lib/python3/dist-packages (from
petsc4py==3.23.6) (1.21.5) #15 8.247 Building wheels for collected
packages: petsc4py #15 8.248 Building wheel for petsc4py
(pyproject.toml): started #15 182.5 Building wheel for petsc4py
(pyproject.toml): still running... #15 205.0 Building wheel for
petsc4py (pyproject.toml): finished with status 'done' #15 205.0
Created wheel for petsc4py: filename=petsc4py-3.23.6-cp310-cp310-
linux_x86_64.whl size=10392587
sha256=e09294ed7358ef0a3f5951d33d19084cb4b023dd1082a7a46e
9841af52ef38d0 #15 205.0 Stored in directory: /tmp/pip-ephem-
wheel-cache-
93ozast1/wheels/6c/23/1f/e33b8e274edfa6311b55e31d6ed254615c94
3b4ed70a198b0b #15 205.0 Successfully built petsc4py #15 205.1
Installing collected packages: petsc4py #15 205.2 Successfully
installed petsc4py-3.23.6 #15 205.2 WARNING: Running pip as the
'root' user can result in broken permissions and conflicting behaviour

```

with the system package manager. It is recommended to use a virtual environment instead: <https://pip.pypa.io/warnings/venv> #15 DONE 205.4s

#16 [12/48] WORKDIR /workspace #16 DONE 0.0s

#17 [13/48] RUN mkdir /usr/local/gmsh #17 DONE 0.1s

#18 [14/48] RUN wget http://gmsh.info/bin/Linux/gmsh-stable-Linux64.tgz #18 0.044 -2025-09-12 14:37:00-
http://gmsh.info/bin/Linux/gmsh-stable-Linux64.tgz #18 0.044
Resolving gmsh.info (gmsh.info)... 139.165.160.20 #18 0.305
Connecting to gmsh.info (gmsh.info)[139.165.160.20]:80... connected.
#18 0.460 HTTP request sent, awaiting response... 200 OK #18 0.619
Length: 38289969 (37M) [application/x-gzip] #18 0.620 Saving to:
'gmsh-stable-Linux64.tgz' #18 0.620 #18 0.620 0K
..... 0% 162K 3m51s #18 0.929 50K
..... 0% 326K 2m52s #18 1.083 100K
..... 0% 14.2M 1m56s #18 1.085 150K
..... 0% 13.8M 87s #18 1.089 200K
..... 0% 332K 92s #18 1.240 250K
..... 0% 16.1M 77s #18 1.242 300K
..... 0% 29.1M 66s #18 1.244 350K
..... 1% 22.2M 58s #18 1.246 400K
..... 1% 343K 63s #18 1.392 450K
..... 1% 16.2M 57s #18 1.395 500K
..... 1% 17.3M 52s #18 1.398 550K
..... 1% 22.0M 48s #18 1.400 600K
..... 1% 23.0M 44s #18 1.402 650K
..... 1% 17.0M 41s #18 1.405 700K
..... 2% 27.1M 38s #18 1.407 750K
..... 2% 24.1M 36s #18 1.409 800K
..... 2% 22.1M 34s #18 1.411 850K
..... 2% 360K 38s #18 1.550 900K
..... 2% 15.7M 36s #18 1.553 950K
..... 2% 42.5M 34s #18 1.554 1000K
..... 2% 66.2M 32s #18 1.555 1050K
..... 2% 32.6M 31s #18 1.557 1100K
..... 3% 20.4M 30s #18 1.559 1150K
..... 3% 21.8M 28s #18 1.561 1200K
..... 3% 19.4M 27s #18 1.564 1250K
..... 3% 17.3M 26s #18 1.567 1300K
..... 3% 31.8M 25s #18 1.568 1350K
..... 3% 19.9M 24s #18 1.571 1400K
..... 3% 16.9M 24s #18 1.573 1450K
..... 4% 30.1M 23s #18 1.575 1500K
..... 4% 22.2M 22s #18 1.577 1550K
..... 4% 22.8M 21s #18 1.579 1600K
..... 4% 21.0M 21s #18 1.582 1650K
..... 4% 26.1M 20s #18 1.584 1700K
..... 4% 17.5M 20s #18 1.587 1750K
..... 4% 419K 21s #18 1.706 1800K
..... 4% 21.6M 21s #18 1.708 1850K
..... 5% 18.7M 20s #18 1.711 1900K
..... 5% 21.4M 20s #18 1.713 1950K
..... 5% 22.0M 19s #18 1.715 2000K
..... 5% 26.5M 19s #18 1.717 2050K
..... 5% 6.76M 19s #18 1.724 2100K
..... 5% 104M 18s #18 1.725 2150K
..... 5% 160M 18s #18 1.725 2200K
..... 6% 81.3M 17s #18 1.726 2250K

.....	6%	21.2M	17s	#18	1.728	2300K	
.....	6%	18.5M	17s	#18	1.730	2350K	
.....	6%	18.0M	16s	#18	1.733	2400K	
.....	6%	28.3M	16s	#18	1.735	2450K	
.....	6%	23.3M	16s	#18	1.737	2500K	
.....	6%	18.4M	15s	#18	1.740	2550K	
.....	6%	11.7M	15s	#18	1.744	2600K	
.....	7%	20.2M	15s	#18	1.746	2650K	
.....	7%	69.6M	14s	#18	1.747	2700K	
.....	7%	48.2M	14s	#18	1.748	2750K	
.....	7%	18.4M	14s	#18	1.751	2800K	
.....	7%	25.1M	14s	#18	1.752	2850K	
.....	7%	17.1M	14s	#18	1.755	2900K	
.....	7%	10.8M	13s	#18	1.760	2950K	
.....	8%	136M	13s	#18	1.760	3000K	
.....	8%	45.8M	13s	#18	1.761	3050K	
.....	8%	18.5M	13s	#18	1.764	3100K	
.....	8%	24.3M	12s	#18	1.766	3150K	
.....	8%	16.3M	12s	#18	1.769	3200K	
.....	8%	12.8M	12s	#18	1.773	3250K	
.....	8%	23.6M	12s	#18	1.775	3300K	
.....	8%	71.3M	12s	#18	1.776	3350K	
.....	9%	21.6M	12s	#18	1.778	3400K	
.....	9%	21.1M	11s	#18	1.780	3450K	
.....	9%	20.6M	11s	#18	1.782	3500K	
.....	9%	23.4M	11s	#18	1.785	3550K	
.....	9%	653K	12s	#18	1.862	3600K	
.....	9%	22.0M	11s	#18	1.864	3650K	
.....	9%	19.2M	11s	#18	1.866	3700K	
.....	10%	19.9M	11s	#18	1.868	3750K	
.....	10%	17.5M	11s	#18	1.871	3800K	
.....	10%	23.2M	11s	#18	1.873	3850K	
.....	10%	20.6M	11s	#18	1.876	3900K	
.....	10%	25.7M	11s	#18	1.878	3950K	
.....	10%	21.3M	11s	#18	1.880	4000K	
.....	10%	28.6M	10s	#18	1.882	4050K	
.....	10%	30.3M	10s	#18	1.883	4100K	
.....	11%	18.1M	10s	#18	1.886	4150K	
.....	11%	21.0M	10s	#18	1.888	4200K	
.....	11%	21.6M	10s	#18	1.890	4250K	
.....	11%	22.7M	10s	#18	1.893	4300K	
.....	11%	19.3M	10s	#18	1.895	4350K	
.....	11%	30.1M	10s	#18	1.897	4400K	
.....	11%	24.6M	9s	#18	1.899	4450K	
.....	12%	22.8M	9s	#18	1.901	4500K	
.....	12%	23.7M	9s	#18	1.903	4550K	
.....	12%	18.9M	9s	#18	1.906	4600K	
.....	12%	18.7M	9s	#18	1.908	4650K	
.....	12%	18.4M	9s	#18	1.911	4700K	
.....	12%	39.1M	9s	#18	1.913	4750K	
.....	12%	18.0M	9s	#18	1.915	4800K	
.....	12%	22.5M	9s	#18	1.917	4850K	
.....	13%	25.2M	9s	#18	1.919	4900K	
.....	13%	21.3M	9s	#18	1.921	4950K	
.....	13%	17.7M	8s	#18	1.924	5000K	
.....	13%	35.2M	8s	#18	1.925	5050K	
.....	13%	24.3M	8s	#18	1.928	5100K	
.....	13%	20.7M	8s	#18	1.930	5150K	
.....	13%	25.6M	8s	#18	1.932	5200K	
.....	14%	23.3M	8s	#18	1.934	5250K	

.....	14%	19.3M	8s	#18	1.936	5300K	
.....	14%	31.7M	8s	#18	1.938	5350K	
.....	14%	20.4M	8s	#18	1.940	5400K	
.....	14%	22.5M	8s	#18	1.943	5450K	
.....	14%	12.7M	8s	#18	1.946	5500K	
.....	14%	120M	8s	#18	1.947	5550K	
.....	14%	24.6M	8s	#18	1.949	5600K	
.....	15%	19.2M	7s	#18	1.951	5650K	
.....	15%	25.4M	7s	#18	1.953	5700K	
.....	15%	19.9M	7s	#18	1.956	5750K	
.....	15%	18.1M	7s	#18	1.958	5800K	
.....	15%	17.1M	7s	#18	1.961	5850K	
.....	15%	26.1M	7s	#18	1.963	5900K	
.....	15%	26.8M	7s	#18	1.965	5950K	
.....	16%	19.9M	7s	#18	1.967	6000K	
.....	16%	26.2M	7s	#18	1.969	6050K	
.....	16%	22.7M	7s	#18	1.971	6100K	
.....	16%	19.3M	7s	#18	1.974	6150K	
.....	16%	28.2M	7s	#18	1.975	6200K	
.....	16%	17.0M	7s	#18	1.978	6250K	
.....	16%	29.5M	7s	#18	1.980	6300K	
.....	16%	26.0M	7s	#18	1.982	6350K	
.....	17%	24.8M	7s	#18	1.985	6400K	
.....	17%	19.2M	7s	#18	1.986	6450K	
.....	17%	22.0M	7s	#18	1.989	6500K	
.....	17%	20.0M	6s	#18	1.991	6550K	
.....	17%	16.0M	6s	#18	1.994	6600K	
.....	17%	33.5M	6s	#18	1.996	6650K	
.....	17%	21.1M	6s	#18	1.998	6700K	
.....	18%	32.5M	6s	#18	1.999	6750K	
.....	18%	24.7M	6s	#18	2.001	6800K	
.....	18%	1.10M	6s	#18	2.046	6850K	
.....	18%	22.8M	6s	#18	2.048	6900K	
.....	18%	24.1M	6s	#18	2.050	6950K	
.....	18%	21.4M	6s	#18	2.052	7000K	
.....	18%	18.8M	6s	#18	2.055	7050K	
.....	18%	23.9M	6s	#18	2.057	7100K	
.....	19%	29.6M	6s	#18	2.059	7150K	
.....	19%	20.7M	6s	#18	2.061	7200K	
.....	19%	22.9M	6s	#18	2.063	7250K	
.....	19%	17.2M	6s	#18	2.066	7300K	
.....	19%	23.4M	6s	#18	2.068	7350K	
.....	19%	22.4M	6s	#18	2.070	7400K	
.....	19%	23.1M	6s	#18	2.073	7450K	
.....	20%	19.2M	6s	#18	2.075	7500K	
.....	20%	23.7M	6s	#18	2.077	7550K	
.....	20%	21.5M	6s	#18	2.079	7600K	
.....	20%	24.4M	6s	#18	2.081	7650K	
.....	20%	25.4M	6s	#18	2.084	7700K	
.....	20%	16.4M	6s	#18	2.086	7750K	
.....	20%	28.9M	6s	#18	2.088	7800K	
.....	20%	22.0M	6s	#18	2.090	7850K	
.....	21%	22.4M	5s	#18	2.092	7900K	
.....	21%	20.2M	5s	#18	2.095	7950K	
.....	21%	22.4M	5s	#18	2.097	8000K	
.....	21%	17.1M	5s	#18	2.100	8050K	
.....	21%	26.1M	5s	#18	2.101	8100K	
.....	21%	22.4M	5s	#18	2.104	8150K	
.....	21%	21.8M	5s	#18	2.106	8200K	
.....	22%	13.2M	5s	#18	2.110	8250K	

.....	22%	21.4M	5s	#18	2.112	8300K	
.....	22%	17.4M	5s	#18	2.115	8350K	
.....	22%	22.5M	5s	#18	2.117	8400K	
.....	22%	22.9M	5s	#18	2.119	8450K	
.....	22%	17.5M	5s	#18	2.122	8500K	
.....	22%	9.63M	5s	#18	2.127	8550K	
.....	22%	74.1M	5s	#18	2.128	8600K	
.....	23%	31.3M	5s	#18	2.129	8650K	
.....	23%	14.9M	5s	#18	2.132	8700K	
.....	23%	15.8M	5s	#18	2.135	8750K	
.....	23%	46.0M	5s	#18	2.137	8800K	
.....	23%	17.5M	5s	#18	2.139	8850K	
.....	23%	18.4M	5s	#18	2.142	8900K	
.....	23%	12.4M	5s	#18	2.146	8950K	
.....	24%	24.8M	5s	#18	2.148	9000K	
.....	24%	17.1M	5s	#18	2.151	9050K	
.....	24%	18.5M	5s	#18	2.153	9100K	
.....	24%	17.2M	5s	#18	2.156	9150K	
.....	24%	14.9M	5s	#18	2.159	9200K	
.....	24%	16.7M	5s	#18	2.162	9250K	
.....	24%	22.6M	5s	#18	2.164	9300K	
.....	25%	20.5M	5s	#18	2.167	9350K	
.....	25%	17.4M	5s	#18	2.170	9400K	
.....	25%	18.0M	5s	#18	2.172	9450K	
.....	25%	15.7M	5s	#18	2.176	9500K	
.....	25%	16.1M	5s	#18	2.179	9550K	
.....	25%	21.1M	5s	#18	2.181	9600K	
.....	25%	22.5M	4s	#18	2.183	9650K	
.....	25%	19.7M	4s	#18	2.186	9700K	
.....	26%	17.5M	4s	#18	2.188	9750K	
.....	26%	1.88M	4s	#18	2.214	9800K	
.....	26%	22.5M	4s	#18	2.217	9850K	
.....	26%	20.3M	4s	#18	2.219	9900K	
.....	26%	19.7M	4s	#18	2.221	9950K	
.....	26%	22.5M	4s	#18	2.224	10000K	
.....	26%	21.4M	4s	#18	2.226	10050K	
.....	27%	20.5M	4s	#18	2.228	10100K	
.....	27%	30.0M	4s	#18	2.230	10150K	
.....	27%	18.3M	4s	#18	2.233	10200K	
.....	27%	27.0M	4s	#18	2.234	10250K	
.....	27%	22.0M	4s	#18	2.237	10300K	
.....	27%	26.8M	4s	#18	2.238	10350K	
.....	27%	22.9M	4s	#18	2.241	10400K	
.....	27%	21.9M	4s	#18	2.243	10450K	
.....	28%	28.3M	4s	#18	2.244	10500K	
.....	28%	21.6M	4s	#18	2.247	10550K	
.....	28%	21.1M	4s	#18	2.249	10600K	
.....	28%	27.9M	4s	#18	2.251	10650K	
.....	28%	18.3M	4s	#18	2.253	10700K	
.....	28%	28.5M	4s	#18	2.255	10750K	
.....	28%	21.7M	4s	#18	2.257	10800K	
.....	29%	22.7M	4s	#18	2.260	10850K	
.....	29%	26.9M	4s	#18	2.262	10900K	
.....	29%	23.8M	4s	#18	2.263	10950K	
.....	29%	21.5M	4s	#18	2.266	11000K	
.....	29%	24.0M	4s	#18	2.268	11050K	
.....	29%	21.0M	4s	#18	2.270	11100K	
.....	29%	25.2M	4s	#18	2.273	11150K	
.....	29%	5.53M	4s	#18	2.281	11200K	
.....	30%	21.2M	4s	#18	2.283	11250K	

.....	30%	17.9M	4s	#18	2.286	11300K	
.....	30%	24.3M	4s	#18	2.288	11350K	
.....	30%	19.8M	4s	#18	2.290	11400K	
.....	30%	29.6M	4s	#18	2.292	11450K	
.....	30%	19.8M	4s	#18	2.295	11500K	
.....	30%	23.2M	4s	#18	2.297	11550K	
.....	31%	24.8M	4s	#18	2.299	11600K	
.....	31%	20.5M	4s	#18	2.301	11650K	
.....	31%	27.9M	4s	#18	2.303	11700K	
.....	31%	23.8M	4s	#18	2.305	11750K	
.....	31%	19.4M	4s	#18	2.308	11800K	
.....	31%	15.9M	4s	#18	2.311	11850K	
.....	31%	10.6M	4s	#18	2.315	11900K	
.....	31%	18.1M	4s	#18	2.318	11950K	
.....	32%	24.6M	4s	#18	2.320	12000K	
.....	32%	18.3M	4s	#18	2.322	12050K	
.....	32%	36.7M	4s	#18	2.324	12100K	
.....	32%	20.5M	4s	#18	2.326	12150K	
.....	32%	24.6M	4s	#18	2.328	12200K	
.....	32%	20.9M	4s	#18	2.330	12250K	
.....	32%	24.3M	3s	#18	2.332	12300K	
.....	33%	22.9M	3s	#18	2.334	12350K	
.....	33%	24.6M	3s	#18	2.336	12400K	
.....	33%	22.9M	3s	#18	2.339	12450K	
.....	33%	24.6M	3s	#18	2.341	12500K	
.....	33%	25.4M	3s	#18	2.342	12550K	
.....	33%	25.4M	3s	#18	2.344	12600K	
.....	33%	1.52M	3s	#18	2.377	12650K	
.....	33%	13.9M	3s	#18	2.380	12700K	
.....	34%	65.1M	3s	#18	2.381	12750K	
.....	34%	21.8M	3s	#18	2.383	12800K	
.....	34%	25.4M	3s	#18	2.385	12850K	
.....	34%	21.2M	3s	#18	2.387	12900K	
.....	34%	20.0M	3s	#18	2.390	12950K	
.....	34%	22.3M	3s	#18	2.392	13000K	
.....	34%	23.0M	3s	#18	2.394	13050K	
.....	35%	23.5M	3s	#18	2.396	13100K	
.....	35%	20.6M	3s	#18	2.399	13150K	
.....	35%	24.5M	3s	#18	2.401	13200K	
.....	35%	14.5M	3s	#18	2.404	13250K	
.....	35%	35.4M	3s	#18	2.405	13300K	
.....	35%	28.6M	3s	#18	2.407	13350K	
.....	35%	25.1M	3s	#18	2.409	13400K	
.....	35%	23.1M	3s	#18	2.411	13450K	
.....	36%	24.0M	3s	#18	2.413	13500K	
.....	36%	24.0M	3s	#18	2.415	13550K	
.....	36%	23.4M	3s	#18	2.417	13600K	
.....	36%	31.9M	3s	#18	2.419	13650K	
.....	36%	31.2M	3s	#18	2.420	13700K	
.....	36%	20.8M	3s	#18	2.423	13750K	
.....	36%	23.5M	3s	#18	2.425	13800K	
.....	37%	30.0M	3s	#18	2.426	13850K	
.....	37%	25.7M	3s	#18	2.428	13900K	
.....	37%	24.8M	3s	#18	2.431	13950K	
.....	37%	24.5M	3s	#18	2.432	14000K	
.....	37%	4.36M	3s	#18	2.443	14050K	
.....	37%	31.1M	3s	#18	2.445	14100K	
.....	37%	29.4M	3s	#18	2.447	14150K	
.....	37%	23.6M	3s	#18	2.449	14200K	
.....	38%	23.1M	3s	#18	2.451	14250K	

.....	38%	29.7M	3s	#18	2.453	14300K	
.....	38%	20.2M	3s	#18	2.455	14350K	
.....	38%	26.2M	3s	#18	2.457	14400K	
.....	38%	22.7M	3s	#18	2.459	14450K	
.....	38%	26.6M	3s	#18	2.461	14500K	
.....	38%	24.6M	3s	#18	2.463	14550K	
.....	39%	23.1M	3s	#18	2.465	14600K	
.....	39%	27.5M	3s	#18	2.467	14650K	
.....	39%	28.3M	3s	#18	2.468	14700K	
.....	39%	17.8M	3s	#18	2.471	14750K	
.....	39%	84.2M	3s	#18	2.472	14800K	
.....	39%	23.4M	3s	#18	2.474	14850K	
.....	39%	25.9M	3s	#18	2.476	14900K	
.....	39%	24.4M	3s	#18	2.478	14950K	
.....	40%	22.5M	3s	#18	2.480	15000K	
.....	40%	25.3M	3s	#18	2.482	15050K	
.....	40%	23.2M	3s	#18	2.484	15100K	
.....	40%	16.0M	3s	#18	2.487	15150K	
.....	40%	20.9M	3s	#18	2.489	15200K	
.....	40%	34.7M	3s	#18	2.491	15250K	
.....	40%	20.3M	3s	#18	2.493	15300K	
.....	41%	29.5M	3s	#18	2.495	15350K	
.....	41%	1.19M	3s	#18	2.536	15400K	
.....	41%	103M	3s	#18	2.536	15450K	
.....	41%	26.5M	3s	#18	2.538	15500K	
.....	41%	27.8M	3s	#18	2.540	15550K	
.....	41%	21.1M	3s	#18	2.542	15600K	
.....	41%	23.1M	3s	#18	2.544	15650K	
.....	41%	29.2M	3s	#18	2.546	15700K	
.....	42%	22.4M	3s	#18	2.548	15750K	
.....	42%	31.0M	3s	#18	2.550	15800K	
.....	42%	25.0M	3s	#18	2.552	15850K	
.....	42%	29.5M	3s	#18	2.553	15900K	
.....	42%	20.5M	3s	#18	2.556	15950K	
.....	42%	24.7M	3s	#18	2.558	16000K	
.....	42%	30.4M	3s	#18	2.559	16050K	
.....	43%	26.9M	3s	#18	2.561	16100K	
.....	43%	28.6M	3s	#18	2.563	16150K	
.....	43%	19.9M	3s	#18	2.565	16200K	
.....	43%	36.0M	3s	#18	2.567	16250K	
.....	43%	18.4M	3s	#18	2.569	16300K	
.....	43%	31.0M	3s	#18	2.571	16350K	
.....	43%	18.6M	3s	#18	2.573	16400K	
.....	43%	24.1M	2s	#18	2.575	16450K	
.....	44%	42.6M	2s	#18	2.577	16500K	
.....	44%	26.9M	2s	#18	2.579	16550K	
.....	44%	28.1M	2s	#18	2.580	16600K	
.....	44%	18.2M	2s	#18	2.583	16650K	
.....	44%	19.1M	2s	#18	2.585	16700K	
.....	44%	24.7M	2s	#18	2.587	16750K	
.....	44%	21.6M	2s	#18	2.590	16800K	
.....	45%	3.80M	2s	#18	2.603	16850K	
.....	45%	52.3M	2s	#18	2.603	16900K	
.....	45%	18.4M	2s	#18	2.606	16950K	
.....	45%	25.0M	2s	#18	2.608	17000K	
.....	45%	19.7M	2s	#18	2.611	17050K	
.....	45%	25.8M	2s	#18	2.612	17100K	
.....	45%	17.9M	2s	#18	2.615	17150K	
.....	45%	26.3M	2s	#18	2.617	17200K	
.....	46%	22.6M	2s	#18	2.619	17250K	

.....	46%	23.5M	2s	#18	2.621	17300K	
.....	46%	22.2M	2s	#18	2.623	17350K	
.....	46%	17.5M	2s	#18	2.626	17400K	
.....	46%	21.2M	2s	#18	2.629	17450K	
.....	46%	18.3M	2s	#18	2.631	17500K	
.....	46%	30.3M	2s	#18	2.633	17550K	
.....	47%	25.4M	2s	#18	2.635	17600K	
.....	47%	19.8M	2s	#18	2.637	17650K	
.....	47%	28.2M	2s	#18	2.639	17700K	
.....	47%	21.6M	2s	#18	2.641	17750K	
.....	47%	22.3M	2s	#18	2.643	17800K	
.....	47%	26.3M	2s	#18	2.645	17850K	
.....	47%	23.1M	2s	#18	2.647	17900K	
.....	48%	18.0M	2s	#18	2.650	17950K	
.....	48%	22.8M	2s	#18	2.652	18000K	
.....	48%	28.2M	2s	#18	2.654	18050K	
.....	48%	19.2M	2s	#18	2.656	18100K	
.....	48%	22.3M	2s	#18	2.659	18150K	
.....	48%	25.9M	2s	#18	2.660	18200K	
.....	48%	1.42M	2s	#18	2.695	18250K	
.....	48%	25.5M	2s	#18	2.697	18300K	
.....	49%	16.9M	2s	#18	2.700	18350K	
.....	49%	35.1M	2s	#18	2.701	18400K	
.....	49%	15.3M	2s	#18	2.704	18450K	
.....	49%	18.5M	2s	#18	2.707	18500K	
.....	49%	83.1M	2s	#18	2.707	18550K	
.....	49%	20.1M	2s	#18	2.710	18600K	
.....	49%	32.6M	2s	#18	2.712	18650K	
.....	50%	4.43M	2s	#18	2.722	18700K	
.....	50%	110M	2s	#18	2.723	18750K	
.....	50%	245M	2s	#18	2.723	18800K	
.....	50%	154M	2s	#18	2.723	18850K	
.....	50%	172M	2s	#18	2.724	18900K	
.....	50%	150M	2s	#18	2.724	18950K	
.....	50%	32.3M	2s	#18	2.725	19000K	
.....	50%	9.49M	2s	#18	2.731	19050K	
.....	51%	43.1M	2s	#18	2.732	19100K	
.....	51%	41.3M	2s	#18	2.733	19150K	
.....	51%	53.9M	2s	#18	2.734	19200K	
.....	51%	41.1M	2s	#18	2.735	19250K	
.....	51%	36.0M	2s	#18	2.736	19300K	
.....	51%	20.6M	2s	#18	2.739	19350K	
.....	51%	25.4M	2s	#18	2.741	19400K	
.....	52%	27.8M	2s	#18	2.742	19450K	
.....	52%	25.1M	2s	#18	2.744	19500K	
.....	52%	28.5M	2s	#18	2.746	19550K	
.....	52%	3.77M	2s	#18	2.759	19600K	
.....	52%	29.0M	2s	#18	2.761	19650K	
.....	52%	22.2M	2s	#18	2.763	19700K	
.....	52%	26.1M	2s	#18	2.765	19750K	
.....	52%	24.6M	2s	#18	2.767	19800K	
.....	53%	28.0M	2s	#18	2.769	19850K	
.....	53%	18.4M	2s	#18	2.771	19900K	
.....	53%	31.1M	2s	#18	2.773	19950K	
.....	53%	23.9M	2s	#18	2.775	20000K	
.....	53%	21.7M	2s	#18	2.777	20050K	
.....	53%	32.7M	2s	#18	2.778	20100K	
.....	53%	21.2M	2s	#18	2.781	20150K	
.....	54%	29.1M	2s	#18	2.782	20200K	
.....	54%	22.8M	2s	#18	2.785	20250K	

.....	54%	30.0M	2s	#18	2.786	20300K	
.....	54%	23.2M	2s	#18	2.788	20350K	
.....	54%	21.3M	2s	#18	2.791	20400K	
.....	54%	28.6M	2s	#18	2.792	20450K	
.....	54%	22.2M	2s	#18	2.795	20500K	
.....	54%	28.1M	2s	#18	2.796	20550K	
.....	55%	26.1M	2s	#18	2.798	20600K	
.....	55%	21.6M	2s	#18	2.800	20650K	
.....	55%	26.4M	2s	#18	2.802	20700K	
.....	55%	8.55M	2s	#18	2.808	20750K	
.....	55%	66.2M	2s	#18	2.809	20800K	
.....	55%	137M	2s	#18	2.809	20850K	
.....	55%	34.9M	2s	#18	2.810	20900K	
.....	56%	31.9M	2s	#18	2.812	20950K	
.....	56%	26.7M	2s	#18	2.814	21000K	
.....	56%	1.21M	2s	#18	2.854	21050K	
.....	56%	25.2M	2s	#18	2.856	21100K	
.....	56%	29.5M	2s	#18	2.858	21150K	
.....	56%	20.0M	2s	#18	2.860	21200K	
.....	56%	23.4M	2s	#18	2.862	21250K	
.....	56%	30.4M	2s	#18	2.864	21300K	
.....	57%	25.0M	2s	#18	2.866	21350K	
.....	57%	22.7M	2s	#18	2.868	21400K	
.....	57%	27.8M	2s	#18	2.870	21450K	
.....	57%	26.0M	2s	#18	2.872	21500K	
.....	57%	23.8M	2s	#18	2.874	21550K	
.....	57%	35.6M	2s	#18	2.875	21600K	
.....	57%	23.1M	2s	#18	2.877	21650K	
.....	58%	27.5M	2s	#18	2.879	21700K	
.....	58%	23.8M	2s	#18	2.881	21750K	
.....	58%	24.4M	2s	#18	2.883	21800K	
.....	58%	20.5M	2s	#18	2.885	21850K	
.....	58%	23.8M	2s	#18	2.887	21900K	
.....	58%	26.5M	2s	#18	2.889	21950K	
.....	58%	31.0M	2s	#18	2.891	22000K	
.....	58%	23.7M	2s	#18	2.893	22050K	
.....	59%	28.6M	2s	#18	2.895	22100K	
.....	59%	28.2M	2s	#18	2.896	22150K	
.....	59%	23.6M	2s	#18	2.899	22200K	
.....	59%	32.3M	2s	#18	2.900	22250K	
.....	59%	27.4M	2s	#18	2.902	22300K	
.....	59%	25.5M	2s	#18	2.904	22350K	
.....	59%	20.8M	2s	#18	2.906	22400K	
.....	60%	31.9M	2s	#18	2.908	22450K	
.....	60%	3.41M	2s	#18	2.922	22500K	
.....	60%	18.6M	2s	#18	2.924	22550K	
.....	60%	27.4M	2s	#18	2.926	22600K	
.....	60%	23.1M	2s	#18	2.928	22650K	
.....	60%	22.0M	1s	#18	2.931	22700K	
.....	60%	22.7M	1s	#18	2.933	22750K	
.....	60%	26.8M	1s	#18	2.935	22800K	
.....	61%	11.9M	1s	#18	2.939	22850K	
.....	61%	76.3M	1s	#18	2.939	22900K	
.....	61%	32.8M	1s	#18	2.941	22950K	
.....	61%	24.0M	1s	#18	2.943	23000K	
.....	61%	34.9M	1s	#18	2.944	23050K	
.....	61%	23.8M	1s	#18	2.946	23100K	
.....	61%	25.1M	1s	#18	2.948	23150K	
.....	62%	26.2M	1s	#18	2.951	23200K	
.....	62%	23.8M	1s	#18	2.952	23250K	

.....	62%	29.5M	1s	#18	2.954	23300K	
.....	62%	21.6M	1s	#18	2.956	23350K	
.....	62%	34.3M	1s	#18	2.957	23400K	
.....	62%	24.6M	1s	#18	2.959	23450K	
.....	62%	25.4M	1s	#18	2.961	23500K	
.....	62%	27.8M	1s	#18	2.963	23550K	
.....	63%	32.5M	1s	#18	2.965	23600K	
.....	63%	23.6M	1s	#18	2.967	23650K	
.....	63%	21.1M	1s	#18	2.969	23700K	
.....	63%	16.6M	1s	#18	2.972	23750K	
.....	63%	37.2M	1s	#18	2.974	23800K	
.....	63%	25.3M	1s	#18	3.013	23850K	
.....	63%	1.23M	1s	#18	3.015	23900K	
.....	64%	23.8M	1s	#18	3.017	23950K	
.....	64%	25.2M	1s	#18	3.019	24000K	
.....	64%	24.6M	1s	#18	3.021	24050K	
.....	64%	23.8M	1s	#18	3.023	24100K	
.....	64%	23.8M	1s	#18	3.025	24150K	
.....	64%	26.8M	1s	#18	3.027	24200K	
.....	64%	24.7M	1s	#18	3.029	24250K	
.....	64%	34.9M	1s	#18	3.031	24300K	
.....	65%	22.3M	1s	#18	3.032	24350K	
.....	65%	27.4M	1s	#18	3.034	24400K	
.....	65%	27.1M	1s	#18	3.036	24450K	
.....	65%	24.5M	1s	#18	3.038	24500K	
.....	65%	24.1M	1s	#18	3.040	24550K	
.....	65%	21.5M	1s	#18	3.042	24600K	
.....	65%	28.2M	1s	#18	3.044	24650K	
.....	66%	27.8M	1s	#18	3.046	24700K	
.....	66%	22.1M	1s	#18	3.048	24750K	
.....	66%	23.4M	1s	#18	3.050	24800K	
.....	66%	26.6M	1s	#18	3.052	24850K	
.....	66%	20.2M	1s	#18	3.054	24900K	
.....	66%	20.9M	1s	#18	3.057	24950K	
.....	66%	24.9M	1s	#18	3.059	25000K	
.....	66%	29.6M	1s	#18	3.060	25050K	
.....	67%	21.8M	1s	#18	3.062	25100K	
.....	67%	25.3M	1s	#18	3.064	25150K	
.....	67%	31.9M	1s	#18	3.066	25200K	
.....	67%	21.2M	1s	#18	3.068	25250K	
.....	67%	3.56M	1s	#18	3.082	25300K	
.....	67%	28.6M	1s	#18	3.084	25350K	
.....	67%	22.9M	1s	#18	3.086	25400K	
.....	68%	25.6M	1s	#18	3.088	25450K	
.....	68%	25.6M	1s	#18	3.090	25500K	
.....	68%	26.5M	1s	#18	3.091	25550K	
.....	68%	23.7M	1s	#18	3.094	25600K	
.....	68%	27.3M	1s	#18	3.095	25650K	
.....	68%	30.3M	1s	#18	3.097	25700K	
.....	68%	33.6M	1s	#18	3.098	25750K	
.....	68%	25.9M	1s	#18	3.100	25800K	
.....	69%	28.2M	1s	#18	3.102	25850K	
.....	69%	22.7M	1s	#18	3.104	25900K	
.....	69%	31.5M	1s	#18	3.106	25950K	
.....	69%	25.4M	1s	#18	3.108	26000K	
.....	69%	32.8M	1s	#18	3.109	26050K	
.....	69%	20.6M	1s	#18	3.112	26100K	
.....	69%	37.8M	1s	#18	3.113	26150K	
.....	70%	28.3M	1s	#18	3.114	26200K	
.....	70%	21.1M	1s	#18	3.117	26250K	

.....	70%	31.8M	1s	#18	3.118	26300K	
.....	70%	29.0M	1s	#18	3.120	26350K	
.....	70%	23.8M	1s	#18	3.122	26400K	
.....	70%	27.2M	1s	#18	3.124	26450K	
.....	70%	24.1M	1s	#18	3.126	26500K	
.....	71%	31.3M	1s	#18	3.127	26550K	
.....	71%	24.9M	1s	#18	3.129	26600K	
.....	71%	1.16M	1s	#18	3.171	26650K	
.....	71%	23.6M	1s	#18	3.173	26700K	
.....	71%	21.3M	1s	#18	3.176	26750K	
.....	71%	21.3M	1s	#18	3.178	26800K	
.....	71%	31.3M	1s	#18	3.180	26850K	
.....	71%	25.6M	1s	#18	3.181	26900K	
.....	72%	26.8M	1s	#18	3.183	26950K	
.....	72%	23.5M	1s	#18	3.185	27000K	
.....	72%	26.7M	1s	#18	3.187	27050K	
.....	72%	11.8M	1s	#18	3.191	27100K	
.....	72%	17.1M	1s	#18	3.194	27150K	
.....	72%	25.4M	1s	#18	3.196	27200K	
.....	72%	12.6M	1s	#18	3.200	27250K	
.....	73%	20.4M	1s	#18	3.202	27300K	
.....	73%	11.2M	1s	#18	3.207	27350K	
.....	73%	10.4M	1s	#18	3.213	27400K	
.....	73%	7.01M	1s	#18	3.218	27450K	
.....	73%	15.5M	1s	#18	3.222	27500K	
.....	73%	10.4M	1s	#18	3.226	27550K	
.....	73%	9.38M	1s	#18	3.231	27600K	
.....	73%	13.1M	1s	#18	3.235	27650K	
.....	74%	14.2M	1s	#18	3.240	27700K	
.....	74%	10.7M	1s	#18	3.243	27750K	
.....	74%	15.2M	1s	#18	3.246	27800K	
.....	74%	9.98M	1s	#18	3.251	27850K	
.....	74%	21.5M	1s	#18	3.254	27900K	
.....	74%	21.0M	1s	#18	3.256	27950K	
.....	74%	27.8M	1s	#18	3.258	28000K	
.....	75%	15.3M	1s	#18	3.261	28050K	
.....	75%	8.78M	1s	#18	3.266	28100K	
.....	75%	24.6M	1s	#18	3.268	28150K	
.....	75%	28.1M	1s	#18	3.270	28200K	
.....	75%	33.3M	1s	#18	3.272	28250K	
.....	75%	8.21M	1s	#18	3.278	28300K	
.....	75%	211M	1s	#18	3.278	28350K	
.....	75%	196M	1s	#18	3.278	28400K	
.....	76%	71.5M	1s	#18	3.279	28450K	
.....	76%	123M	1s	#18	3.279	28500K	
.....	76%	260M	1s	#18	3.279	28550K	
.....	76%	101M	1s	#18	3.280	28600K	
.....	76%	41.9M	1s	#18	3.281	28650K	
.....	76%	47.0M	1s	#18	3.282	28700K	
.....	76%	37.1M	1s	#18	3.283	28750K	
.....	77%	42.8M	1s	#18	3.285	28800K	
.....	77%	51.1M	1s	#18	3.285	28850K	
.....	77%	29.9M	1s	#18	3.287	28900K	
.....	77%	26.9M	1s	#18	3.289	28950K	
.....	77%	17.1M	1s	#18	3.292	29000K	
.....	77%	6.98M	1s	#18	3.299	29050K	
.....	77%	34.5M	1s	#18	3.300	29100K	
.....	77%	45.5M	1s	#18	3.301	29150K	
.....	78%	24.6M	1s	#18	3.303	29200K	
.....	78%	42.7M	1s	#18	3.304	29250K	

.....	78%	27.9M	1s	#18	3.306	29300K	
.....	78%	28.8M	1s	#18	3.308	29350K	
.....	78%	20.8M	1s	#18	3.310	29400K	
.....	78%	21.4M	1s	#18	3.312	29450K	
.....	78%	22.0M	1s	#18	3.315	29500K	
.....	79%	21.6M	1s	#18	3.317	29550K	
.....	79%	16.2M	1s	#18	3.320	29600K	
.....	79%	16.6M	1s	#18	3.323	29650K	
.....	79%	17.7M	1s	#18	3.326	29700K	
.....	79%	20.8M	1s	#18	3.328	29750K	
.....	79%	24.8M	1s	#18	3.330	29800K	
.....	79%	16.8M	1s	#18	3.333	29850K	
.....	79%	17.4M	1s	#18	3.336	29900K	
.....	80%	22.3M	1s	#18	3.338	29950K	
.....	80%	17.6M	1s	#18	3.341	30000K	
.....	80%	20.4M	1s	#18	3.343	30050K	
.....	80%	38.8M	1s	#18	3.344	30100K	
.....	80%	23.9M	1s	#18	3.346	30150K	
.....	80%	24.2M	1s	#18	3.348	30200K	
.....	80%	1.16M	1s	#18	3.390	30250K	
.....	81%	140M	1s	#18	3.391	30300K	
.....	81%	187M	1s	#18	3.391	30350K	
.....	81%	29.9M	1s	#18	3.393	30400K	
.....	81%	17.5M	1s	#18	3.395	30450K	
.....	81%	14.3M	1s	#18	3.399	30500K	
.....	81%	19.3M	1s	#18	3.401	30550K	
.....	81%	16.7M	1s	#18	3.404	30600K	
.....	81%	23.7M	1s	#18	3.406	30650K	
.....	82%	16.8M	1s	#18	3.409	30700K	
.....	82%	19.8M	1s	#18	3.412	30750K	
.....	82%	16.0M	1s	#18	3.415	30800K	
.....	82%	22.9M	1s	#18	3.419	30850K	
.....	82%	16.7M	1s	#18	3.420	30900K	
.....	82%	19.6M	1s	#18	3.422	30950K	
.....	82%	18.2M	1s	#18	3.425	31000K	
.....	83%	18.0M	1s	#18	3.428	31050K	
.....	83%	15.2M	1s	#18	3.431	31100K	
.....	83%	31.9M	1s	#18	3.433	31150K	
.....	83%	25.4M	1s	#18	3.434	31200K	
.....	83%	38.4M	1s	#18	3.435	31250K	
.....	83%	31.1M	1s	#18	3.437	31300K	
.....	83%	31.9M	1s	#18	3.439	31350K	
.....	83%	35.7M	1s	#18	3.440	31400K	
.....	84%	26.1M	1s	#18	3.442	31450K	
.....	84%	27.3M	1s	#18	3.444	31500K	
.....	84%	39.9M	1s	#18	3.445	31550K	
.....	84%	24.3M	1s	#18	3.447	31600K	
.....	84%	17.9M	1s	#18	3.450	31650K	
.....	84%	31.2M	1s	#18	3.451	31700K	
.....	84%	29.9M	1s	#18	3.453	31750K	
.....	85%	24.9M	0s	#18	3.455	31800K	
.....	85%	15.7M	0s	#18	3.458	31850K	
.....	85%	148M	0s	#18	3.458	31900K	
.....	85%	49.1M	0s	#18	3.459	31950K	
.....	85%	23.3M	0s	#18	3.461	32000K	
.....	85%	30.0M	0s	#18	3.463	32050K	
.....	85%	11.2M	0s	#18	3.467	32100K	
.....	85%	13.2M	0s	#18	3.471	32150K	
.....	86%	15.6M	0s	#18	3.474	32200K	
.....	86%	31.8M	0s	#18	3.476	32250K	

..... 86% 13.9M 0s #18 3.479 32300K
..... 86% 52.3M 0s #18 3.480 32350K
..... 86% 60.7M 0s #18 3.481 32400K
..... 86% 36.6M 0s #18 3.482 32450K
..... 86% 36.6M 0s #18 3.484 32500K
..... 87% 8.29M 0s #18 3.489 32550K
..... 87% 229M 0s #18 3.490 32600K
..... 87% 224M 0s #18 3.490 32650K
..... 87% 116M 0s #18 3.490 32700K
..... 87% 183M 0s #18 3.491 32750K
..... 87% 139M 0s #18 3.491 32800K
..... 87% 272M 0s #18 3.491 32850K
..... 87% 124M 0s #18 3.492 32900K
..... 88% 223M 0s #18 3.492 32950K
..... 88% 213M 0s #18 3.492 33000K
..... 88% 150M 0s #18 3.492 33050K
..... 88% 882K 0s #18 3.549 33100K
..... 88% 52.7M 0s #18 3.550 33150K
..... 88% 93.1M 0s #18 3.551 33200K
..... 88% 92.5M 0s #18 3.551 33250K
..... 89% 40.8M 0s #18 3.552 33300K
..... 89% 161M 0s #18 3.552 33350K
..... 89% 66.6M 0s #18 3.553 33400K
..... 89% 107M 0s #18 3.554 33450K
..... 89% 163M 0s #18 3.554 33500K
..... 89% 233M 0s #18 3.554 33550K
..... 89% 176M 0s #18 3.554 33600K
..... 89% 151M 0s #18 3.555 33650K
..... 90% 44.3M 0s #18 3.556 33700K
..... 90% 203M 0s #18 3.556 33750K
..... 90% 112M 0s #18 3.557 33800K
..... 90% 155M 0s #18 3.557 33850K
..... 90% 125M 0s #18 3.557 33900K
..... 90% 199M 0s #18 3.558 33950K
..... 90% 80.0M 0s #18 3.558 34000K
..... 91% 82.0M 0s #18 3.559 34050K
..... 91% 108M 0s #18 3.559 34100K
..... 91% 179M 0s #18 3.559 34150K
..... 91% 177M 0s #18 3.560 34200K
..... 91% 121M 0s #18 3.560 34250K
..... 91% 126M 0s #18 3.561 34300K
..... 91% 163M 0s #18 3.561 34350K
..... 91% 203M 0s #18 3.561 34400K
..... 92% 186M 0s #18 3.561 34450K
..... 92% 939K 0s #18 3.615 34500K
..... 92% 30.4M 0s #18 3.616 34550K
..... 92% 43.5M 0s #18 3.617 34600K
..... 92% 95.9M 0s #18 3.618 34650K
..... 92% 101M 0s #18 3.618 34700K
..... 92% 71.4M 0s #18 3.619 34750K
..... 93% 196M 0s #18 3.619 34800K
..... 93% 114M 0s #18 3.620 34850K
..... 93% 91.3M 0s #18 3.620 34900K
..... 93% 208M 0s #18 3.620 34950K
..... 93% 62.8M 0s #18 3.621 35000K
..... 93% 129M 0s #18 3.622 35050K
..... 93% 148M 0s #18 3.622 35100K
..... 94% 167M 0s #18 3.622 35150K
..... 94% 95.3M 0s #18 3.623 35200K
..... 94% 103M 0s #18 3.623 35250K

```
..... 94% 89.4M 0s #18 3.624 35300K .....
..... 94% 136M 0s #18 3.624 35350K .....
..... 94% 63.8M 0s #18 3.625 35400K .....
..... 94% 170M 0s #18 3.625 35450K .....
..... 94% 191M 0s #18 3.625 35500K .....
..... 95% 174M 0s #18 3.626 35550K .....
..... 95% 257M 0s #18 3.626 35600K .....
..... 95% 170M 0s #18 3.626 35650K .....
..... 95% 180M 0s #18 3.627 35700K .....
..... 95% 175M 0s #18 3.627 35750K .....
..... 95% 146M 0s #18 3.627 35800K .....
..... 95% 263M 0s #18 3.627 35850K .....
..... 96% 220M 0s #18 3.627 35900K .....
..... 96% 144M 0s #18 3.628 35950K .....
..... 96% 135M 0s #18 3.628 36000K .....
..... 96% 647K 0s #18 3.705 36050K .....
..... 96% 57.1M 0s #18 3.707 36100K .....
..... 96% 160M 0s #18 3.707 36150K .....
..... 96% 43.2M 0s #18 3.708 36200K .....
..... 96% 79.7M 0s #18 3.708 36250K .....
..... 97% 61.1M 0s #18 3.709 36300K .....
..... 97% 49.6M 0s #18 3.710 36350K .....
..... 97% 111M 0s #18 3.711 36400K .....
..... 97% 90.0M 0s #18 3.711 36450K .....
..... 97% 114M 0s #18 3.712 36500K .....
..... 97% 198M 0s #18 3.712 36550K .....
..... 97% 157M 0s #18 3.712 36600K .....
..... 98% 109M 0s #18 3.713 36650K .....
..... 98% 93.4M 0s #18 3.713 36700K .....
..... 98% 188M 0s #18 3.713 36750K .....
..... 98% 157M 0s #18 3.714 36800K .....
..... 98% 143M 0s #18 3.714 36850K .....
..... 98% 114M 0s #18 3.714 36900K .....
..... 98% 118M 0s #18 3.715 36950K .....
..... 98% 130M 0s #18 3.715 37000K .....
..... 99% 265M 0s #18 3.715 37050K .....
..... 99% 249M 0s #18 3.716 37100K .....
..... 99% 107M 0s #18 3.716 37150K .....
..... 99% 122M 0s #18 3.717 37200K .....
..... 99% 209M 0s #18 3.717 37250K .....
..... 99% 216M 0s #18 3.717 37300K .....
..... 99% 118M 0s #18 3.717 37350K .....
..... .. 100% 95.9M=3.1s #18 3.718 #18 3.718 2025-09-12
14:37:04 (11.8 MB/s) - 'gmsh-stable-Linux64.tgz' saved
[38289969/38289969] #18 3.718 #18 DONE 3.7s
```

```
#19 [15/48] RUN tar -xf gmsh-stable-Linux64.tgz -C /usr/local/gmsh -
strip-components=1 #19 DONE 0.7s
```

```
#20 [16/48] WORKDIR /workspace #20 DONE 0.0s
```

```
#21 [17/48] RUN mkdir /usr/local/extrae #21 DONE 0.0s
```

```
#22 [18/48] RUN mkdir /usr/local/extrae/libunwind #22 DONE 0.0s
```

```
#23 [19/48] RUN mkdir /usr/local/extrae/papi #23 DONE 0.0s
```

```
#24 [20/48] RUN mkdir /usr/local/extrae/libxml2 #24 DONE 0.1s
```

```
#25 [21/48] RUN mkdir /usr/local/extrae/binutils #25 DONE 0.1s
```

#26 [22/48] RUN git clone https://github.com/libunwind/libunwind.git
#26 0.043 Cloning into 'libunwind'... #26 DONE 1.0s

#27 [23/48] WORKDIR libunwind #27 DONE 0.0s

#28 [24/48] RUN autoreconf -i && ./configure -
prefix=/usr/local/extrae/libunwind && make && make install #28
1.135 aclocal: warning: couldn't open directory 'm4': No such file or
directory #28 2.287 libtoolize: putting auxiliary files in
AC_CONFIG_AUX_DIR, 'config'. #28 2.287 libtoolize: copying file
'config/ltmain.sh' #28 2.300 libtoolize: putting macros in
AC_CONFIG_MACRO_DIRS, 'm4'. #28 2.300 libtoolize: copying file
'm4/libtool.m4' #28 2.317 libtoolize: copying file 'm4/ltoptions.m4'
#28 2.336 libtoolize: copying file 'm4/letsugar.m4' #28 2.354 libtoolize:
copying file 'm4/ltversion.m4' #28 2.372 libtoolize: copying file
'm4/lt~obsolete.m4' #28 4.169 configure.ac:48: installing 'config/ar-
lib' #28 4.171 configure.ac:44: installing 'config/compile' #28 4.173
configure.ac:37: installing 'config/config.guess' #28 4.175
configure.ac:37: installing 'config/config.sub' #28 4.177
configure.ac:38: installing 'config/install-sh' #28 4.179
configure.ac:38: installing 'config/missing' #28 4.190 Makefile.am:
installing './INSTALL' #28 4.419 src/Makefile.am: installing
'config/depcomp' #28 4.559 parallel-tests: installing 'config/test-
driver' #28 4.667 checking build system type... x86_64-pc-linux-gnu
#28 4.703 checking host system type... x86_64-pc-linux-gnu #28
4.703 checking target system type... x86_64-pc-linux-gnu #28 4.704
checking for a BSD-compatible install... /usr/bin/install -c #28 4.712
checking whether build environment is sane... yes #28 4.721 checking
for a race-free mkdir -p... /usr/bin/mkdir -p #28 4.723 checking for
gawk... no #28 4.723 checking for mawk... mawk #28 4.723 checking
whether make sets \$(MAKE)... yes #28 4.733 checking whether make
supports nested variables... yes #28 4.739 checking whether make
supports nested variables... (cached) yes #28 4.740 checking whether
to enable maintainer-specific portions of Makefiles... no #28 4.740
checking for gcc... gcc #28 4.764 checking whether the C compiler
works... yes #28 4.795 checking for C compiler default output file
name... a.out #28 4.796 checking for suffix of executables... #28
4.825 checking whether we are cross compiling... no #28 4.857
checking for suffix of object files... o #28 4.873 checking whether the
compiler supports GNU C... yes #28 4.887 checking whether gcc
accepts -g... yes #28 4.901 checking for gcc option to enable C11
features... none needed #28 4.939 checking whether gcc understands
-c and -o together... yes #28 4.963 checking whether make supports
the include directive... yes (GNU style) #28 4.971 checking
dependency style of gcc... gcc3 #28 4.998 checking for g++... g++
#28 5.016 checking whether the compiler supports GNU C++... yes
#28 5.032 checking whether g++ accepts -g... yes #28 5.047
checking for g++ option to enable C++11 features... none needed
#28 5.107 checking dependency style of g++... gcc3 #28 5.137
checking whether make sets \$(MAKE)... (cached) yes #28 5.139
checking for ar... ar #28 5.140 checking the archiver (ar) interface...
ar #28 5.155 checking how to print strings... printf #28 5.157
checking for a sed that does not truncate output... /usr/bin/sed #28
5.162 checking for grep that handles long lines and -e... /usr/bin/grep
#28 5.164 checking for egrep... /usr/bin/grep -E #28 5.166 checking
for fgrep... /usr/bin/grep -F #28 5.167 checking for ld used by gcc...
/usr/bin/ld #28 5.172 checking if the linker (/usr/bin/ld) is GNU ld...
yes #28 5.174 checking for BSD- or MS-compatible name lister (nm)...
/usr/bin/nm -B #28 5.176 checking the name lister (/usr/bin/nm -B)
interface... BSD nm #28 5.192 checking whether ln -s works... yes
#28 5.193 checking the maximum length of command line

arguments... 3145728 #28 5.200 checking how to convert x86_64-pc-linux-gnu file names to x86_64-pc-linux-gnu format...
func_convert_file_noop #28 5.200 checking how to convert x86_64-pc-linux-gnu file names to toolchain format... func_convert_file_noop #28 5.200 checking for /usr/bin/ld option to reload object files... -r #28 5.200 checking for objdump... objdump #28 5.201 checking how to recognize dependent libraries... pass_all #28 5.201 checking for dlltool... no #28 5.202 checking how to associate runtime and link libraries... printf %s #28 5.202 checking for archiver @FILE support... @ #28 5.224 checking for strip... strip #28 5.224 checking for ranlib... ranlib #28 5.225 checking command to parse /usr/bin/nm -B output from gcc object... ok #28 5.281 checking for sysroot... no #28 5.281 checking for a working dd... /usr/bin/dd #28 5.285 checking how to truncate binary pipes... /usr/bin/dd bs=4096 count=1 #28 5.301 checking for mt... no #28 5.301 checking if : is a manifest tool... no #28 5.305 checking for stdio.h... yes #28 5.322 checking for stdlib.h... yes #28 5.342 checking for string.h... yes #28 5.363 checking for inttypes.h... yes #28 5.385 checking for stdint.h... yes #28 5.408 checking for strings.h... yes #28 5.430 checking for sys/stat.h... yes #28 5.452 checking for sys/types.h... yes #28 5.475 checking for unistd.h... yes #28 5.501 checking for dlfcn.h... yes #28 5.528 checking for objdir... .libs #28 5.576 checking if gcc supports -fno-rtti -fno-exceptions... no #28 5.593 checking for gcc option to produce PIC... -fPIC -DPIC #28 5.593 checking if gcc PIC flag -fPIC -DPIC works... yes #28 5.609 checking if gcc static flag -static works... yes #28 5.678 checking if gcc supports -c -o file.o... yes #28 5.701 checking if gcc supports -c -o file.o... (cached) yes #28 5.701 checking whether the gcc linker (/usr/bin/ld -m elf_x86_64) supports shared libraries... yes #28 5.710 checking whether -lc should be explicitly linked in... no #28 5.732 checking dynamic linker characteristics... GNU/Linux ld.so #28 5.777 checking how to hardcode library paths into programs... immediate #28 5.778 checking whether stripping libraries is possible... yes #28 5.780 checking if libtool supports shared libraries... yes #28 5.780 checking whether to build shared libraries... yes #28 5.780 checking whether to build static libraries... yes #28 5.784 checking how to run the C++ preprocessor... g++ -E #28 5.883 checking for ld used by g++... /usr/bin/ld -m elf_x86_64 #28 5.886 checking if the linker (/usr/bin/ld -m elf_x86_64) is GNU ld... yes #28 5.892 checking whether the g++ linker (/usr/bin/ld -m elf_x86_64) supports shared libraries... yes #28 5.955 checking for g++ option to produce PIC... -fPIC -DPIC #28 5.955 checking if g++ PIC flag -fPIC -DPIC works... yes #28 5.973 checking if g++ static flag -static works... yes #28 6.044 checking if g++ supports -c -o file.o... yes #28 6.069 checking if g++ supports -c -o file.o... (cached) yes #28 6.069 checking whether the g++ linker (/usr/bin/ld -m elf_x86_64) supports shared libraries... yes #28 6.069 checking dynamic linker characteristics... (cached) GNU/Linux ld.so #28 6.073 checking how to hardcode library paths into programs... immediate #28 6.074 checking dependency style of gcc... gcc3 #28 6.101 checking for an ANSI C-conforming const... yes #28 6.118 checking for inline... inline #28 6.130 checking for size_t... yes #28 6.187 checking size of off_t... 8 #28 6.238 configure: — Checking for header files — #28 6.238 checking for asm/ptrace_offsets.h... no #28 6.267 checking for asm/ptrace.h... yes #28 6.294 checking for asm/vsyscall.h... yes #28 6.321 checking for endian.h... yes #28 6.347 checking for sys/endian.h... no #28 6.375 checking for sys/param.h... yes #28 6.404 checking for execinfo.h... yes #28 6.431 checking for ia64intrin.h... no #28 6.459 checking for sys/uc_access.h... no #28 6.487 checking for unistd.h... (cached) yes #28 6.487 checking for signal.h... yes #28 6.516 checking for sys/types.h... (cached) yes #28

6.516 checking for sys/procfs.h... yes #28 6.544 checking for
 sys/ptrace.h... yes #28 6.570 checking for sys/syscall.h... yes #28
 6.597 checking for byteswap.h... yes #28 6.623 checking for elf.h...
 yes #28 6.651 checking for sys/elf.h... no #28 6.679 checking for
 link.h... yes #28 6.708 checking for sys/link.h... no #28 6.736
 configure: — Checking for available types — #28 6.737 checking for
 struct dl_phdr_info.dlpi_subs... no #28 6.775 checking for struct
 elf_prstatus... yes #28 6.834 checking for struct prstatus... no #28
 6.863 checking for procfs_status... no #28 6.892 checking for
 elf_fpregset_t... yes #28 6.952 configure: — Checking for libraries —
 #28 6.952 checking for library containing _uc_get_grs... no #28
 7.013 checking for library containing getcontext... none required #28
 7.046 checking for dl_iterate_phdr... yes #28 7.079 checking for
 dl_phdr_removals_counter... no #28 7.117 checking for dlmodinfo...
 no #28 7.154 checking for getunwind... no #28 7.192 checking for
 ttrace... no #28 7.230 checking for mincore... yes #28 7.263 checking
 for pipe2... yes #28 7.296 checking for sigaltstack... yes #28 7.329
 checking for execvpe... yes #28 7.362 checking if building with
 Altivec... no #28 7.389 checking if libunwind-coredump should be
 built... yes #28 7.389 checking if libunwind-ptrace should be built...
 yes #28 7.390 checking for gcc options needed to detect all
 undeclared functions... none needed #28 7.419 configure: —
 Checking for ptrace symbols — #28 7.421 checking whether
 PTRACE_POKEUSER is declared... yes #28 7.455 checking whether
 PTRACE_POKEDATA is declared... yes #28 7.489 checking whether
 PTRACE_SETREGSET is declared... yes #28 7.523 checking whether
 PTRACE_TRACEME is declared... yes #28 7.557 checking whether
 PTRACE_CONT is declared... yes #28 7.591 checking whether
 PTRACE_SINGLESTEP is declared... yes #28 7.626 checking whether
 PTRACE_SYSCALL is declared... yes #28 7.660 checking whether
 PT_IO is declared... no #28 7.693 checking whether PT_GETREGS is
 declared... yes #28 7.727 checking whether PT_GETFPREGS is
 declared... yes #28 7.761 checking whether PT_CONTINUE is
 declared... yes #28 7.795 checking whether PT_TRACE_ME is
 declared... yes #28 7.829 checking whether PT_STEP is declared...
 yes #28 7.863 checking whether PT_SYSCALL is declared... yes #28
 7.895 checking if libunwind-nto should be built... checking for
 sys/neutrino.h... no #28 7.924 no #28 7.925 checking if libunwind-
 setjmp should be built... yes #28 7.926 checking if weak-backtrace is
 enabled... yes #28 7.926 checking if unwind.h should be exported...
 yes #28 7.926 checking whether to support
 UNW_CACHE_PER_THREAD... no #28 7.927 checking if testsuite
 should be built... yes #28 7.927 configure: — Checking for extra
 libraries linked to tests — #28 7.927 checking for library containing
 dlopen... none required #28 7.960 checking for library containing
 pthread_create... none required #28 7.992 checking for library
 containing backtrace... none required #28 8.024 checking if debug
 support should be built... no #28 8.025 checking if C++ exception
 support should be built... no #28 8.025 checking if documentation
 should be built... yes #28 8.025 checking for latex2man... : #28 8.026
 configure: WARNING: latex2man not found. Can not build man pages.
 #28 8.026 checking for pdflatex... /usr/bin/pdflatex #28 8.026
 checking if we should enable unw_resume tests... yes #28 8.026
 checking for build architecture... x86_64 #28 8.027 checking for host
 architecture... x86_64 #28 8.027 checking for target architecture...
 x86_64 #28 8.027 checking for target operating system... linux-gnu
 #28 8.034 checking for ELF helper width... 64 #28 8.034 checking
 whether to include DWARF support... yes #28 8.034 checking
 whether to restrict build to remote support... no #28 8.034 checking
 whether to load .debug_frame sections... no #28 8.035 checking

whether to block signals during mutex ops... yes #28 8.035 checking
whether to validate memory addresses before use... yes #28 8.035
checking whether to enable msabi support... #28 8.035 checking
whether to support LZMA-compressed symbol tables... auto #28
8.035 checking for lzma_mf is supported in -llzma... no #28 8.061
checking whether to support ZLIB-compressed symbol tables... auto
#28 8.061 checking for uncompress in -lz... yes #28 8.094 checking if
-fcf-protection is on by default... yes #28 8.107 checking whether to
enable Intel CET support... auto #28 8.108 checking for Intel
compiler... no #28 8.121 checking for QCC compiler... no #28 8.121
checking if compiler supports -march=armv8-a+sve... no #28 8.133
checking for **builtin**_clear_cache... yes #28 8.164 checking for
_builtin_unreachable... yes #28 8.196 checking for abidw... no #28
8.220 checking that generated files are newer than configure... done
#28 8.221 configure: creating ./config.status #28 8.760 config.status:
creating tests/Makefile #28 8.775 config.status: creating tests/check-
namespace.sh #28 8.791 config.status: creating doc/Makefile #28
8.804 config.status: creating doc/common.tex #28 8.818 config.status:
creating Makefile #28 8.829 config.status: creating src/Makefile #28
8.846 config.status: creating include/libunwind-common.h #28 8.861
config.status: creating include/libunwind.h #28 8.875 config.status:
creating include/tdep/libunwind_i.h #28 8.890 config.status: creating
src/unwind/libunwind.pc #28 8.904 config.status: creating
src/coredump/libunwind-coredump.pc #28 8.918 config.status:
creating src/ptrace/libunwind-ptrace.pc #28 8.933 config.status:
creating src/setjmp/libunwind-setjmp.pc #28 8.947 config.status:
creating src/libunwind-generic.pc #28 8.961 config.status: creating
include/config.h #28 8.973 config.status: executing depfiles
commands #28 11.20 config.status: executing libtool commands #28
11.24 Making all in src #28 11.26 make[1]: Entering directory
'/workspace/libunwind/src' #28 11.26 make all-am #28 11.28
make[2]: Entering directory '/workspace/libunwind/src' #28 11.28 CC
os-linux.lo #28 11.60 CC dl-iterate-phdr.lo #28 11.65 CC mi/init.lo
#28 11.78 CC mi/flush_cache.lo #28 11.90 CC mi/mempool.lo #28
12.08 CC mi/sterror.lo #28 12.20 CC x86_64/is_fpreg.lo #28 12.32
CC x86_64/regname.lo #28 12.48 CC x86_64/Los-linux.lo #28 12.68
CC mi/backtrace.lo #28 12.83 CC mi/dyn-cancel.lo #28 12.95 CC
mi/dyn-info-list.lo #28 13.07 CC mi/dyn-register.lo #28 13.19 CC
mi/Laddress_validator.lo #28 13.35 CC mi/Ldestroy_addr_space.lo
#28 13.47 CC mi/Ldyn-extract.lo #28 13.60 CC
mi/Lfind_dynamic_proc_info.lo #28 13.72 CC mi/Lget_accessors.lo
#28 13.85 CC mi/Lget_fpreg.lo #28 13.97 CC mi/Lset_fpreg.lo #28
14.09 CC mi/Lget_proc_info_by_ip.lo #28 14.21 CC
mi/Lget_proc_name.lo #28 14.36 CC mi/Lget_reg.lo #28 14.48 CC
mi/Lis_plt_entry.lo #28 14.60 CC mi/Lput_dynamic_unwind_info.lo
#28 14.72 CC mi/Lset_cache_size.lo #28 14.85 CC
mi/Lset_caching_policy.lo #28 14.97 CC
mi/Lset_iterate_phdr_function.lo #28 15.09 CC mi/Lset_reg.lo #28
15.22 CC mi/Lget_elf_filename.lo #28 15.35 CPPAS
x86_64/getcontext.lo #28 15.39 CC x86_64/Lapply_reg_state.lo #28
15.55 CC x86_64/Lcreate_addr_space.lo #28 15.71 CC
x86_64/Lget_proc_info.lo #28 15.87 CC x86_64/Lget_save_loc.lo #28
16.04 CC x86_64/Lglobal.lo #28 16.21 CC x86_64/Linit.lo #28 16.40
CC x86_64/Linit_local.lo #28 16.61 CC x86_64/Linit_remote.lo #28
16.76 CC x86_64/Lregs.lo #28 16.96 CC x86_64/Lreg_states_iterate.lo
#28 17.11 CC x86_64/Lresume.lo #28 17.30 CC
x86_64/Lstash_frame.lo #28 17.50 CC x86_64/Lstep.lo #28 17.74 CC
x86_64/Ltrace.lo #28 18.09 CPPAS x86_64/setcontext.lo #28 18.14
CC dwarf/Lexpr.lo #28 18.51 CC dwarf/Lfde.lo #28 18.75 CC
dwarf/Lfind_proc_info-lsb.lo #28 19.00 CC

dwarf/Lfind_unwind_table.lo #28 19.17 CC
dwarf/Lget_proc_info_in_range.lo #28 19.31 CC dwarf/Lparser.lo #28
19.96 CC dwarf/Lpe.lo #28 20.12 CC dwarf/global.lo #28 20.24 CCLD
libunwind-dwarf-common.la #28 20.30 CCLD libunwind-dwarf-local.la
#28 20.38 CC elf64.lo #28 20.77 CCLD libunwind-elf64.la #28 20.83
CCLD libunwind-local.la #28 20.98 CCLD libunwind.la #28 21.14 CC
x86_64/Gos-linux.lo #28 21.34 CC mi/Gaddress_validator.lo #28 21.50
CC mi/Gdestroy_addr_space.lo #28 21.62 CC mi/Gdyn-extract.lo #28
21.74 CC mi/Gdyn-remote.lo #28 22.02 CC
mi/Gfind_dynamic_proc_info.lo #28 22.15 CC mi/Gget_accessors.lo
#28 22.27 CC mi/Gget_fpreg.lo #28 22.39 CC
mi/Gget_proc_info_by_ip.lo #28 22.51 CC mi/Gget_proc_name.lo #28
22.66 CC mi/Gget_reg.lo #28 22.79 CC mi/Gis_plt_entry.lo #28 22.90
CC mi/Gput_dynamic_unwind_info.lo #28 23.03 CC
mi/Gset_cache_size.lo #28 23.15 CC mi/Gset_caching_policy.lo #28
23.28 CC mi/Gset_fpreg.lo #28 23.40 CC
mi/Gset_iterate_phdr_function.lo #28 23.52 CC mi/Gset_reg.lo #28
23.64 CC mi/Gget_elf_filename.lo #28 23.77 CC
x86_64/Gapply_reg_state.lo #28 23.93 CC
x86_64/Gcreate_addr_space.lo #28 24.10 CC
x86_64/Gget_proc_info.lo #28 24.26 CC x86_64/Gget_save_loc.lo #28
24.43 CC x86_64/Gglobal.lo #28 24.60 CC x86_64/Ginit.lo #28 24.80
CC x86_64/Ginit_local.lo #28 24.99 CC x86_64/Ginit_remote.lo #28
25.17 CC x86_64/Gregs.lo #28 25.37 CC
x86_64/Greg_states_iterate.lo #28 25.53 CC x86_64/Gresume.lo #28
25.72 CC x86_64/Gstash_frame.lo #28 25.91 CC x86_64/Gstep.lo #28
26.17 CC x86_64/Gtrace.lo #28 26.50 CC dwarf/Gexpr.lo #28 26.93
CC dwarf/Gfde.lo #28 27.25 CC dwarf/Gfind_proc_info-lsb.lo #28
27.58 CC dwarf/Gfind_unwind_table.lo #28 27.75 CC
dwarf/Gget_proc_info_in_range.lo #28 27.89 CC dwarf/Gparser.lo #28
28.62 CC dwarf/Gpe.lo #28 28.87 CCLD libunwind-dwarf-generic.la
#28 28.95 CCLD libunwind-x86_64.la #28 29.16 CC
coredump/_UCD_access_mem.lo #28 29.30 CC
coredump/_UCD_accessors.lo #28 29.42 CC
coredump/_UCD_corefile_elf.lo #28 29.56 CC
coredump/_UCD_create.lo #28 29.73 CC coredump/_UCD_destroy.lo
#28 29.86 CC coredump/_UCD_elf_map_image.lo #28 30.01 CC
coredump/ucd_file_table.lo #28 30.19 CC
coredump/_UCD_find_proc_info.lo #28 30.34 CC
coredump/_UCD_get_proc_name.lo #28 30.49 CC
coredump/_UCD_get_elf_filename.lo #28 30.64 CC
coredump/_UPT_elf.lo #28 31.03 CC coredump/_UPT_access_fpreg.lo
#28 31.16 CC coredump/_UPT_get_dyn_info_list_addr.lo #28 31.22
coredump/_UPT_get_dyn_info_list_addr.c: In function 'get_list_addr':
#28 31.22 coredump/_UPT_get_dyn_info_list_addr.c:86:3: warning:
#warning Implement get_list_addr(), please. [-Wcpp] #28 31.22 86 | #
warning Implement get_list_addr(), please. #28 31.22 | ^~~~~~
#28 31.28 CC coredump/_UPT_put_unwind_info.lo #28 31.41 CC
coredump/_UPT_resume.lo #28 31.53 CC
coredump/_UCD_access_reg_linux.lo #28 31.66 CC
coredump/_UCD_get_threadinfo_prstatus.lo #28 31.81 CC
coredump/_UCD_get_mapinfo_linux.lo #28 31.97 CCLD libunwind-
coredump.la #28 32.09 CC ptrace/_UPT_access_fpreg.lo #28 32.23
CC ptrace/_UPT_access_mem.lo #28 32.37 CC
ptrace/_UPT_accessors.lo #28 32.48 CC ptrace/_UPT_access_reg.lo
#28 32.61 CC ptrace/_UPT_create.lo #28 32.74 CC
ptrace/_UPT_destroy.lo #28 32.87 CC ptrace/_UPT_elf.lo #28 33.26
CC ptrace/_UPT_find_proc_info.lo #28 33.41 CC
ptrace/_UPT_get_dyn_info_list_addr.lo #28 33.47
ptrace/_UPT_get_dyn_info_list_addr.c: In function 'get_list_addr': #28

```

33.47 ptrace/_UPT_get_dyn_info_list_addr.c:85:3: warning: #warning
Implement get_list_addr(), please. [-Wcpp] #28 33.47 85 | # warning
Implement get_list_addr(), please. #28 33.47 | ^~~~~~ #28 33.53
CC ptrace/_UPT_get_proc_name.lo #28 33.66 CC
ptrace/_UPT_get_elf_filename.lo #28 33.78 CC
ptrace/_UPT_put_unwind_info.lo #28 33.91 CC
ptrace/_UPT_reg_offset.lo #28 34.02 CC ptrace/_UPT_resume.lo #28
34.15 CC ptrace/_UPT_ptauth_insn_mask.lo #28 34.27 CCLD
libunwind-pttrace.la #28 34.39 CC setjmp/longjmp.lo #28 34.49 CC
setjmp/siglongjmp.lo #28 34.60 CPPAS x86_64/longjmp.lo #28 34.65
CPPAS x86_64/siglongjmp.lo #28 34.69 CCLD libunwind-setjmp.la
#28 34.79 copying selected object files to avoid basename conflicts...
#28 34.82 make[2]: Leaving directory '/workspace/libunwind/src' #28
34.82 make[1]: Leaving directory '/workspace/libunwind/src' #28
34.82 Making all in tests #28 34.83 make[1]: Entering directory
'/workspace/libunwind/tests' #28 34.83 CC forker.o #28 34.88 CCLD
forker #28 34.93 CC Gperf-simple.o #28 35.02 CCLD Gperf-simple
#28 35.10 CC Lperf-simple.o #28 35.18 CCLD Lperf-simple #28 35.25
CC Gperf-trace.o #28 35.33 CCLD Gperf-trace #28 35.41 CC Lperf-
trace.o #28 35.49 CCLD Lperf-trace #28 35.56 CC mapper.o #28
35.60 CCLD mapper #28 35.66 CC test-pttrace-misc.o #28 35.73 CC
ident.o #28 35.75 CCLD test-pttrace-misc #28 35.80 CC crasher.o #28
35.85 CCLD crasher #28 35.90 CC test-coredump-unwind.o #28
35.98 CCLD test-coredump-unwind #28 36.06 CC test-proc-info.o #28
36.11 CCLD test-proc-info #28 36.18 CC test-static-link-loc.o #28
36.21 CC test-static-link-gen.o #28 36.24 CCLD test-static-link #28
36.32 CC test-strerror.o #28 36.35 CCLD test-strerror #28 36.42 CC
Gtest-bt.o #28 36.51 CCLD Gtest-bt #28 36.59 CC Ltest-bt.o #28
36.67 CCLD Ltest-bt #28 36.74 CXX Gtest-init.o #28 36.81 CXXLD
Gtest-init #28 36.91 CXX Ltest-init.o #28 36.97 CXXLD Ltest-init #28
37.07 CC Gtest-concurrent.o #28 37.13 CCLD Gtest-concurrent #28
37.21 CC Ltest-concurrent.o #28 37.28 CCLD Ltest-concurrent #28
37.35 CC Gtest-sig-context.o #28 37.40 CCLD Gtest-sig-context #28
37.47 CC Ltest-sig-context.o #28 37.53 CCLD Ltest-sig-context #28
37.60 CC Gtest-trace.o #28 37.70 CCLD Gtest-trace #28 37.78 CC
Ltest-trace.o #28 37.88 CCLD Ltest-trace #28 37.95 CC test-async-
sig.o #28 38.02 CCLD test-async-sig #28 38.09 CC test-flush-cache.o
#28 38.33 CCLD test-flush-cache #28 38.40 CC test-init-remote.o #28
38.44 CCLD test-init-remote #28 38.52 CC test-mem.o #28 38.57
CCLD test-mem #28 38.65 CC test-reg-state.o #28 38.71 CCLD test-
reg-state #28 38.79 CC Ltest-varargs.o #28 38.83 CCLD Ltest-
varargs #28 38.90 CC Ltest-nomalloc.o #28 38.94 CCLD Ltest-
nomalloc #28 39.01 CC Ltest-nocalloc.o #28 39.07 CCLD Ltest-
nocalloc #28 39.14 CC Lrs-race.o #28 39.39 CCLD Lrs-race #28
39.46 CC Ltest-init-local-signal.o #28 39.51 CC Ltest-init-local-signal-
lib.o #28 39.53 CCLD Ltest-init-local-signal #28 39.61 CC Gtest-exc.o
#28 39.67 CCLD Gtest-exc #28 39.75 CC Ltest-exc.o #28 39.80 CCLD
Ltest-exc #28 39.87 CC Gtest-resume-sig.o #28 39.93 CCLD Gtest-
resume-sig #28 40.01 CC Ltest-resume-sig.o #28 40.07 CCLD Ltest-
resume-sig #28 40.14 CC Gtest-resume-sig-rt.o #28 40.20 CCLD
Gtest-resume-sig-rt #28 40.28 CC Ltest-resume-sig-rt.o #28 40.34
CCLD Ltest-resume-sig-rt #28 40.41 CC test-pttrace.o #28 40.51
CCLD test-pttrace #28 40.59 CC test-setjmp.o #28 40.67 CCLD test-
setjmp #28 40.76 CC Gx64_test_dwarf_expressions-Gx64-test-dwarf-
expressions.o #28 40.80 CPPAS x64-test-dwarf-expressions.o #28
40.81 CCLD Gx64-test-dwarf-expressions #28 40.89 CC
Lx64_test_dwarf_expressions-Lx64-test-dwarf-expressions.o #28 40.93
CCLD Lx64-test-dwarf-expressions #28 41.00 CC x64-unwind-badjmp-
signal-frame.o #28 41.05 CCLD x64-unwind-badjmp-signal-frame #28
41.13 GEN test-runner #28 41.14 make[1]: Leaving directory

```

```

/workspace/libunwind/tests' #28 41.14 Making all in doc #28 41.14
make[1]: Entering directory '/workspace/libunwind/doc' #28 41.14
GEN unw_get_proc_info_in_range.man #28 41.14 cp
unw_get_proc_info_in_range.man ./unw_get_proc_info_in_range.man
#28 41.14 cp: 'unw_get_proc_info_in_range.man' and
'./unw_get_proc_info_in_range.man' are the same file #28 41.14
make[1]: [Makefile:644: unw_get_proc_info_in_range.man] Error 1
(ignored) #28 41.14 GEN unw_is_signal_frame.man #28 41.14 cp
unw_is_signal_frame.man ./unw_is_signal_frame.man #28 41.15 cp:
'unw_is_signal_frame.man' and './unw_is_signal_frame.man' are the
same file #28 41.15 make[1]: [Makefile:644:
unw_is_signal_frame.man] Error 1 (ignored) #28 41.15 GEN
unw_set_reg.man #28 41.15 cp unw_set_reg.man ./unw_set_reg.man
#28 41.15 cp: 'unw_set_reg.man' and './unw_set_reg.man' are the
same file #28 41.15 make[1]: [Makefile:644: unw_set_reg.man] Error
1 (ignored) #28 41.15 GEN _U_dyn_register.man #28 41.15 cp
_U_dyn_register.man ./_U_dyn_register.man #28 41.15 cp:
'_U_dyn_register.man' and './_U_dyn_register.man' are the same file
#28 41.15 make[1]: [Makefile:644: _U_dyn_register.man] Error 1
(ignored) #28 41.15 make[1]: Leaving directory
'/workspace/libunwind/doc' #28 41.16 make[1]: Entering directory
'/workspace/libunwind' #28 41.16 make[1]: Nothing to be done for
'all-am'. #28 41.16 make[1]: Leaving directory '/workspace/libunwind'
#28 41.16 Making install in src #28 41.21 make[1]: Entering
directory '/workspace/libunwind/src' #28 41.21 make install-am #28
41.29 make[2]: Entering directory '/workspace/libunwind/src' #28
41.35 make[3]: Entering directory '/workspace/libunwind/src' #28
41.36 /usr/bin/mkdir -p '/usr/local/extrae/libunwind/lib' #28 41.36
/bin/bash ../libtool -mode=install /usr/bin/install -c libunwind.la
libunwind-x86_64.la libunwind-coredump.la libunwind-pttrace.la
libunwind-setjmp.la '/usr/local/extrae/libunwind/lib' #28 41.38 libtool:
install: /usr/bin/install -c .libs/libunwind.so.8.2.0
/usr/local/extrae/libunwind/lib/libunwind.so.8.2.0 #28 41.38 libtool:
install: (cd /usr/local/extrae/libunwind/lib && { ln -s -f
libunwind.so.8.2.0 libunwind.so.8 || { rm -f libunwind.so.8 && ln -s
libunwind.so.8.2.0 libunwind.so.8; }; }) #28 41.38 libtool: install: (cd
/usr/local/extrae/libunwind/lib && { ln -s -f libunwind.so.8.2.0
libunwind.so || { rm -f libunwind.so && ln -s libunwind.so.8.2.0
libunwind.so; }; }) #28 41.38 libtool: install: /usr/bin/install -c
.libs/libunwind.lai /usr/local/extrae/libunwind/lib/libunwind.la #28
41.39 libtool: warning: relinking 'libunwind-x86_64.la' #28 41.39
libtool: install: (cd /workspace/libunwind/src; /bin/bash
"/workspace/libunwind/libtool" -silent -tag CC -mode=relink gcc -
fexceptions -Wall -Wsign-compare -g -O2 -XCCLinker -nostartfiles -
version-info 10:0:2 -o libunwind-x86_64.la -rpath
/usr/local/extrae/libunwind/lib os-linux.lo dl-iterate-phdr.lo mi/init.lo
mi/flush_cache.lo mi/mempool.lo mi/strerror.lo x86_64/is_fpreg.lo
x86_64/regname.lo x86_64/Gos-linux.lo mi/Gaddress_validator.lo
mi/Gdestroy_addr_space.lo mi/Gdyn-extract.lo mi/Gdyn-remote.lo
mi/Gfind_dynamic_proc_info.lo mi/Gget_accessors.lo mi/Gget_fpreg.lo
mi/Gget_proc_info_by_ip.lo mi/Gget_proc_name.lo mi/Gget_reg.lo
mi/Gis_plt_entry.lo mi/Gput_dynamic_unwind_info.lo
mi/Gset_cache_size.lo mi/Gset_caching_policy.lo mi/Gset_fpreg.lo
mi/Gset_iterate_phdr_function.lo mi/Gset_reg.lo
mi/Gget_elf_filename.lo x86_64/Gapply_reg_state.lo
x86_64/Gcreate_addr_space.lo x86_64/Gget_proc_info.lo
x86_64/Gget_save_loc.lo x86_64/Gglobal.lo x86_64/Ginit.lo
x86_64/Ginit_local.lo x86_64/Ginit_remote.lo x86_64/Gregs.lo
x86_64/Greg_states_iterate.lo x86_64/Gresume.lo
x86_64/Gstash_frame.lo x86_64/Gstep.lo x86_64/Gtrace.lo libunwind-

```

```

dwarf-generic.la libunwind-elf64.la libunwind.la ) #28 41.51 libtool:
install: /usr/bin/install -c .libs/libunwind-x86_64.so.8.2.0T
/usr/local/extrae/libunwind/lib/libunwind-x86_64.so.8.2.0 #28 41.51
libtool: install: (cd /usr/local/extrae/libunwind/lib && { ln -s -f
libunwind-x86_64.so.8.2.0 libunwind-x86_64.so.8 || { rm -f libunwind-
x86_64.so.8 && ln -s libunwind-x86_64.so.8.2.0 libunwind-
x86_64.so.8; }; }) #28 41.51 libtool: install: (cd
/usr/local/extrae/libunwind/lib && { ln -s -f libunwind-x86_64.so.8.2.0
libunwind-x86_64.so || { rm -f libunwind-x86_64.so && ln -s
libunwind-x86_64.so.8.2.0 libunwind-x86_64.so; }; }) #28 41.51
libtool: install: /usr/bin/install -c .libs/libunwind-x86_64.lai
/usr/local/extrae/libunwind/lib/libunwind-x86_64.la #28 41.52 libtool:
warning: relinking 'libunwind-coredump.la' #28 41.52 libtool: install:
(cd /workspace/libunwind/src; /bin/bash
"/workspace/libunwind/libtool" -silent -tag CC -mode=relink gcc -
fexceptions -Wall -Wsign-compare -g -O2 -XCCLinker -nostartfiles -
version-info 0:0:0 -o libunwind-coredump.la -rpath
/usr/local/extrae/libunwind/lib coredump/_UCD_access_mem.lo
coredump/_UCD_accessors.lo coredump/_UCD_corefile_elf.lo
coredump/_UCD_create.lo coredump/_UCD_destroy.lo
coredump/_UCD_elf_map_image.lo coredump/_ucd_file_table.lo
coredump/_UCD_find_proc_info.lo coredump/_UCD_get_proc_name.lo
coredump/_UCD_get_elf_filename.lo mi/init.lo coredump/_UPT_elf.lo
coredump/_UPT_access_fpreg.lo
coredump/_UPT_get_dyn_info_list_addr.lo
coredump/_UPT_put_unwind_info.lo coredump/_UPT_resume.lo
coredump/_UCD_access_reg_linux.lo
coredump/_UCD_get_threadinfo_prstatus.lo
coredump/_UCD_get_mapinfo_linux.lo libunwind-x86_64.la -lz ) #28
41.60 libtool: install: /usr/bin/install -c .libs/libunwind-
coredump.so.0.0.0T /usr/local/extrae/libunwind/lib/libunwind-
coredump.so.0.0.0 #28 41.60 libtool: install: (cd
/usr/local/extrae/libunwind/lib && { ln -s -f libunwind-
coredump.so.0.0.0 libunwind-coredump.so.0 || { rm -f libunwind-
coredump.so.0 && ln -s libunwind-coredump.so.0.0.0 libunwind-
coredump.so.0; }; }) #28 41.61 libtool: install: (cd
/usr/local/extrae/libunwind/lib && { ln -s -f libunwind-
coredump.so.0.0.0 libunwind-coredump.so || { rm -f libunwind-
coredump.so && ln -s libunwind-coredump.so.0.0.0 libunwind-
coredump.so; }; }) #28 41.61 libtool: install: /usr/bin/install -c
.libs/libunwind-coredump.lai /usr/local/extrae/libunwind/lib/libunwind-
coredump.la #28 41.62 libtool: warning: relinking 'libunwind-
ptrace.la' #28 41.62 libtool: install: (cd /workspace/libunwind/src;
/bin/bash "/workspace/libunwind/libtool" -silent -tag CC -mode=relink
gcc -fexceptions -Wall -Wsign-compare -g -O2 -Wl,-z,cet-report=error -
o libunwind-ptrace.la -rpath /usr/local/extrae/libunwind/lib mi/init.lo
ptrace/_UPT_access_fpreg.lo ptrace/_UPT_access_mem.lo
ptrace/_UPT_accessors.lo ptrace/_UPT_access_reg.lo
ptrace/_UPT_create.lo ptrace/_UPT_destroy.lo ptrace/_UPT_elf.lo
ptrace/_UPT_find_proc_info.lo ptrace/_UPT_get_dyn_info_list_addr.lo
ptrace/_UPT_get_proc_name.lo ptrace/_UPT_get_elf_filename.lo
ptrace/_UPT_put_unwind_info.lo ptrace/_UPT_reg_offset.lo
ptrace/_UPT_resume.lo ptrace/_UPT_ptrauth_insn_mask.lo libunwind-
x86_64.la -lz ) #28 41.70 libtool: install: /usr/bin/install -c
.libs/libunwind-ptrace.so.0.0.0T
/usr/local/extrae/libunwind/lib/libunwind-ptrace.so.0.0.0 #28 41.70
libtool: install: (cd /usr/local/extrae/libunwind/lib && { ln -s -f
libunwind-ptrace.so.0.0.0 libunwind-ptrace.so.0 || { rm -f libunwind-
ptrace.so.0 && ln -s libunwind-ptrace.so.0.0.0 libunwind-ptrace.so.0;
}; }) #28 41.70 libtool: install: (cd /usr/local/extrae/libunwind/lib &&

```

```

{ ln -s -f libunwind-pttrace.so.0.0.0 libunwind-pttrace.so || { rm -f
libunwind-pttrace.so && ln -s libunwind-pttrace.so.0.0.0 libunwind-
pttrace.so; }; }) #28 41.70 libtool: install: /usr/bin/install -c
.libs/libunwind-pttrace.lai /usr/local/extrae/libunwind/lib/libunwind-
pttrace.la #28 41.71 libtool: warning: relinking 'libunwind-setjmp.la'
#28 41.71 libtool: install: (cd /workspace/libunwind/src; /bin/bash
"/workspace/libunwind/libtool" -silent -tag CC -mode=relink gcc -
fexceptions -Wall -Wsign-compare -g -O2 -XCCLinker -nostartfiles -
version-info 0:0:0 -o libunwind-setjmp.la -rpath
/usr/local/extrae/libunwind/lib mi/init.lo setjmp/longjmp.lo
setjmp/siglongjmp.lo x86_64/longjmp.lo x86_64/siglongjmp.lo
libunwind-elf64.la libunwind-x86_64.la libunwind.la ) #28 41.80
libtool: install: /usr/bin/install -c .libs/libunwind-setjmp.so.0.0.0T
/usr/local/extrae/libunwind/lib/libunwind-setjmp.so.0.0.0 #28 41.80
libtool: install: (cd /usr/local/extrae/libunwind/lib && { ln -s -f
libunwind-setjmp.so.0.0.0 libunwind-setjmp.so.0 || { rm -f libunwind-
setjmp.so.0 && ln -s libunwind-setjmp.so.0.0.0 libunwind-setjmp.so.0;
}; }) #28 41.80 libtool: install: (cd /usr/local/extrae/libunwind/lib &&
{ ln -s -f libunwind-setjmp.so.0.0.0 libunwind-setjmp.so || { rm -f
libunwind-setjmp.so && ln -s libunwind-setjmp.so.0.0.0 libunwind-
setjmp.so; }; }) #28 41.80 libtool: install: /usr/bin/install -c
.libs/libunwind-setjmp.lai /usr/local/extrae/libunwind/lib/libunwind-
setjmp.la #28 41.80 libtool: install: /usr/bin/install -c .libs/libunwind.a
/usr/local/extrae/libunwind/lib/libunwind.a #28 41.80 libtool: install:
chmod 644 /usr/local/extrae/libunwind/lib/libunwind.a #28 41.81
libtool: install: ranlib /usr/local/extrae/libunwind/lib/libunwind.a #28
41.82 libtool: install: /usr/bin/install -c .libs/libunwind-x86_64.a
/usr/local/extrae/libunwind/lib/libunwind-x86_64.a #28 41.82 libtool:
install: chmod 644 /usr/local/extrae/libunwind/lib/libunwind-x86_64.a
#28 41.83 libtool: install: ranlib
/usr/local/extrae/libunwind/lib/libunwind-x86_64.a #28 41.84 libtool:
install: /usr/bin/install -c .libs/libunwind-coredump.a
/usr/local/extrae/libunwind/lib/libunwind-coredump.a #28 41.84
libtool: install: chmod 644 /usr/local/extrae/libunwind/lib/libunwind-
coredump.a #28 41.84 libtool: install: ranlib
/usr/local/extrae/libunwind/lib/libunwind-coredump.a #28 41.85
libtool: install: /usr/bin/install -c .libs/libunwind-pttrace.a
/usr/local/extrae/libunwind/lib/libunwind-pttrace.a #28 41.85 libtool:
install: chmod 644 /usr/local/extrae/libunwind/lib/libunwind-pttrace.a
#28 41.85 libtool: install: ranlib
/usr/local/extrae/libunwind/lib/libunwind-pttrace.a #28 41.86 libtool:
install: /usr/bin/install -c .libs/libunwind-setjmp.a
/usr/local/extrae/libunwind/lib/libunwind-setjmp.a #28 41.86 libtool:
install: chmod 644 /usr/local/extrae/libunwind/lib/libunwind-setjmp.a
#28 41.86 libtool: install: ranlib
/usr/local/extrae/libunwind/lib/libunwind-setjmp.a #28 41.89 libtool:
finish: PATH="/usr/local/gmsh/bin:/usr/local/petsc/arch-linux-c-
opt/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin"
ldconfig -n /usr/local/extrae/libunwind/lib #28 41.89
----- #28 41.89 Libraries
have been installed in: #28 41.89 /usr/local/extrae/libunwind/lib #28
41.89 #28 41.89 If you ever happen to want to link against installed
libraries #28 41.89 in a given directory, LIBDIR, you must either use
libtool, and #28 41.89 specify the full pathname of the library, or use
the '-LLIBDIR' #28 41.89 flag during linking and do at least one of the
following: #28 41.89 - add LIBDIR to the 'LD_LIBRARY_PATH'
environment variable #28 41.89 during execution #28 41.89 - add
LIBDIR to the 'LD_RUN_PATH' environment variable #28 41.89
during linking #28 41.89 - use the '-Wl,-rpath -Wl,LIBDIR' linker flag
#28 41.89 - have your system administrator add LIBDIR to

```

```

/etc/ld.so.conf' #28 41.89 #28 41.89 See any operating system
documentation about shared libraries for #28 41.89 more
information, such as the ld(1) and ld.so(8) manual pages. #28 41.89
----- #28 41.89 make install-
exec-hook #28 41.94 make[4]: Entering directory
'/workspace/libunwind/src' #28 41.94 if test -f
/usr/local/extrae/libunwind/lib/libunwind-x86_64.a; then
#28 41.94 cd /usr/local/extrae/libunwind/lib && ln -s -f libunwind-
x86_64.a libunwind-generic.a;
#28 41.94 fi #28 41.95 if test -f
/usr/local/extrae/libunwind/lib/libunwind-x86_64.so; then
#28 41.95 cd /usr/local/extrae/libunwind/lib && ln -s -f libunwind-
x86_64.so
#28 41.95 libunwind-generic.so;
#28 41.95 fi #28 41.95 make[4]: Leaving directory
'/workspace/libunwind/src' #28 41.95 /usr/bin/mkdir -p
'/usr/local/extrae/libunwind/lib/pkgconfig' #28 41.95 /usr/bin/install -c
-m 644 libunwind-generic.pc unwind/libunwind.pc
coredump/libunwind-coredump.pc ptrace/libunwind-ptrace.pc
setjmp/libunwind-setjmp.pc '/usr/local/extrae/libunwind/lib/pkgconfig'
#28 41.95 make[3]: Leaving directory '/workspace/libunwind/src' #28
41.96 make[2]: Leaving directory '/workspace/libunwind/src' #28
41.96 make[1]: Leaving directory '/workspace/libunwind/src' #28
41.96 Making install in tests #28 41.98 make[1]: Entering directory
'/workspace/libunwind/tests' #28 41.99 make[2]: Entering directory
'/workspace/libunwind/tests' #28 41.99 make[2]: Nothing to be done
for 'install-exec-am'. #28 42.01 /usr/bin/mkdir -p
'/usr/local/extrae/libunwind/libexec/libunwind' #28 42.01 /bin/bash
../libtool -mode=install /usr/bin/install -c test-proc-info test-static-link
test-strerror Gtest-bt Ltest-bt Gtest-init Ltest-init Gtest-concurrent
Ltest-concurrent Gtest-sig-context Ltest-sig-context Gtest-trace Ltest-
trace test-async-sig test-flush-cache test-init-remote test-mem test-
reg-state Ltest-varargs Ltest-nomalloc Ltest-nocalloc Lrs-race Ltest-
init-local-signal Gtest-exc Ltest-exc Gtest-resume-sig Ltest-resume-sig
Gtest-resume-sig-rt Ltest-resume-sig-rt test-ptrace test-setjmp Gx64-
test-dwarf-expressions Lx64-test-dwarf-expressions x64-unwind-
badjump-signal-frame forker Gperf-simple Lperf-simple Gperf-trace
Lperf-trace mapper test-ptrace-misc crasher test-coredump-unwind
'/usr/local/extrae/libunwind/libexec/libunwind' #28 42.04 libtool:
install: /usr/bin/install -c .libs/test-proc-info
/usr/local/extrae/libunwind/libexec/libunwind/test-proc-info #28 42.04
libtool: install: /usr/bin/install -c test-static-link
/usr/local/extrae/libunwind/libexec/libunwind/test-static-link #28
42.05 libtool: install: /usr/bin/install -c .libs/test-strerror
/usr/local/extrae/libunwind/libexec/libunwind/test-strerror #28 42.06
libtool: install: /usr/bin/install -c .libs/Gtest-bt
/usr/local/extrae/libunwind/libexec/libunwind/Gtest-bt #28 42.07
libtool: install: /usr/bin/install -c .libs/Ltest-bt
/usr/local/extrae/libunwind/libexec/libunwind/Ltest-bt #28 42.09
libtool: install: /usr/bin/install -c .libs/Gtest-init
/usr/local/extrae/libunwind/libexec/libunwind/Gtest-init #28 42.10
libtool: install: /usr/bin/install -c .libs/Ltest-init
/usr/local/extrae/libunwind/libexec/libunwind/Ltest-init #28 42.11
libtool: install: /usr/bin/install -c .libs/Gtest-concurrent
/usr/local/extrae/libunwind/libexec/libunwind/Gtest-concurrent #28
42.12 libtool: install: /usr/bin/install -c .libs/Ltest-concurrent
/usr/local/extrae/libunwind/libexec/libunwind/Ltest-concurrent #28
42.13 libtool: install: /usr/bin/install -c .libs/Gtest-sig-context
/usr/local/extrae/libunwind/libexec/libunwind/Gtest-sig-context #28
42.14 libtool: install: /usr/bin/install -c .libs/Ltest-sig-context

```

```

/usr/local/extrae/libunwind/libexec/libunwind/Ltest-sig-context #28
42.15 libtool: install: /usr/bin/install -c .libs/Gtest-trace
/usr/local/extrae/libunwind/libexec/libunwind/Gtest-trace #28 42.16
libtool: install: /usr/bin/install -c .libs/Ltest-trace
/usr/local/extrae/libunwind/libexec/libunwind/Ltest-trace #28 42.17
libtool: install: /usr/bin/install -c .libs/test-async-sig
/usr/local/extrae/libunwind/libexec/libunwind/test-async-sig #28 42.18
libtool: install: /usr/bin/install -c .libs/test-flush-cache
/usr/local/extrae/libunwind/libexec/libunwind/test-flush-cache #28
42.19 libtool: install: /usr/bin/install -c .libs/test-init-remote
/usr/local/extrae/libunwind/libexec/libunwind/test-init-remote #28
42.21 libtool: install: /usr/bin/install -c .libs/test-mem
/usr/local/extrae/libunwind/libexec/libunwind/test-mem #28 42.22
libtool: install: /usr/bin/install -c .libs/test-reg-state
/usr/local/extrae/libunwind/libexec/libunwind/test-reg-state #28 42.23
libtool: install: /usr/bin/install -c .libs/Ltest-varargs
/usr/local/extrae/libunwind/libexec/libunwind/Ltest-varargs #28 42.24
libtool: install: /usr/bin/install -c .libs/Ltest-nomalloc
/usr/local/extrae/libunwind/libexec/libunwind/Ltest-nomalloc #28
42.25 libtool: install: /usr/bin/install -c .libs/Ltest-nocalloc
/usr/local/extrae/libunwind/libexec/libunwind/Ltest-nocalloc #28 42.26
libtool: install: /usr/bin/install -c .libs/Lrs-race
/usr/local/extrae/libunwind/libexec/libunwind/Lrs-race #28 42.27
libtool: install: /usr/bin/install -c .libs/Ltest-init-local-signal
/usr/local/extrae/libunwind/libexec/libunwind/Ltest-init-local-signal
#28 42.28 libtool: install: /usr/bin/install -c .libs/Gtest-exc
/usr/local/extrae/libunwind/libexec/libunwind/Gtest-exc #28 42.29
libtool: install: /usr/bin/install -c .libs/Ltest-exc
/usr/local/extrae/libunwind/libexec/libunwind/Ltest-exc #28 42.31
libtool: install: /usr/bin/install -c .libs/Gtest-resume-sig
/usr/local/extrae/libunwind/libexec/libunwind/Gtest-resume-sig #28
42.32 libtool: install: /usr/bin/install -c .libs/Ltest-resume-sig
/usr/local/extrae/libunwind/libexec/libunwind/Ltest-resume-sig #28
42.33 libtool: install: /usr/bin/install -c .libs/Gtest-resume-sig-rt
/usr/local/extrae/libunwind/libexec/libunwind/Gtest-resume-sig-rt #28
42.34 libtool: install: /usr/bin/install -c .libs/Ltest-resume-sig-rt
/usr/local/extrae/libunwind/libexec/libunwind/Ltest-resume-sig-rt #28
42.35 libtool: install: /usr/bin/install -c .libs/test-ptrace
/usr/local/extrae/libunwind/libexec/libunwind/test-ptrace #28 42.36
libtool: install: /usr/bin/install -c .libs/test-setjmp
/usr/local/extrae/libunwind/libexec/libunwind/test-setjmp #28 42.38
libtool: install: /usr/bin/install -c .libs/Gx64-test-dwarf-expressions
/usr/local/extrae/libunwind/libexec/libunwind/Gx64-test-dwarf-
expressions #28 42.39 libtool: install: /usr/bin/install -c .libs/Lx64-test-
dwarf-expressions /usr/local/extrae/libunwind/libexec/libunwind/Lx64-
test-dwarf-expressions #28 42.40 libtool: install: /usr/bin/install -c
.libs/x64-unwind-badjump-signal-frame
/usr/local/extrae/libunwind/libexec/libunwind/x64-unwind-badjump-
signal-frame #28 42.40 libtool: install: /usr/bin/install -c forker
/usr/local/extrae/libunwind/libexec/libunwind/forker #28 42.41 libtool:
install: /usr/bin/install -c .libs/Gperf-simple
/usr/local/extrae/libunwind/libexec/libunwind/Gperf-simple #28 42.42
libtool: install: /usr/bin/install -c .libs/Lperf-simple
/usr/local/extrae/libunwind/libexec/libunwind/Lperf-simple #28 42.44
libtool: install: /usr/bin/install -c .libs/Gperf-trace
/usr/local/extrae/libunwind/libexec/libunwind/Gperf-trace #28 42.45
libtool: install: /usr/bin/install -c .libs/Lperf-trace
/usr/local/extrae/libunwind/libexec/libunwind/Lperf-trace #28 42.45
libtool: install: /usr/bin/install -c mapper
/usr/local/extrae/libunwind/libexec/libunwind/mapper #28 42.45

```

```

libtool: install: /usr/bin/install -c test-pttrace-misc
/usr/local/extrae/libunwind/libexec/libunwind/test-pttrace-misc #28
42.46 libtool: install: /usr/bin/install -c crasher
/usr/local/extrae/libunwind/libexec/libunwind/crashers #28 42.47
libtool: install: /usr/bin/install -c .libs/test-coredump-unwind
/usr/local/extrae/libunwind/libexec/libunwind/test-coredump-unwind
#28 42.47 /usr/bin/mkdir -p
'/usr/local/extrae/libunwind/libexec/libunwind' #28 42.47
/usr/bin/install -c check-namespace.sh run-pttrace-mapper run-pttrace-
misc run-coredump-unwind test-runner
'/usr/local/extrae/libunwind/libexec/libunwind' #28 42.48 make[2]:
Leaving directory '/workspace/libunwind/tests' #28 42.48 make[1]:
Leaving directory '/workspace/libunwind/tests' #28 42.48 Making
install in doc #28 42.48 make[1]: Entering directory
'/workspace/libunwind/doc' #28 42.48 GEN
unw_get_proc_info_in_range.man #28 42.48 cp
unw_get_proc_info_in_range.man ./unw_get_proc_info_in_range.man
#28 42.48 cp: 'unw_get_proc_info_in_range.man' and
'./unw_get_proc_info_in_range.man' are the same file #28 42.48
make[1]: [Makefile:644: unw_get_proc_info_in_range.man] Error 1
(ignored) #28 42.48 GEN unw_is_signal_frame.man #28 42.48 cp
unw_is_signal_frame.man ./unw_is_signal_frame.man #28 42.49 cp:
'unw_is_signal_frame.man' and './unw_is_signal_frame.man' are the
same file #28 42.49 make[1]: [Makefile:644:
unw_is_signal_frame.man] Error 1 (ignored) #28 42.49 GEN
unw_set_reg.man #28 42.49 cp unw_set_reg.man ./unw_set_reg.man
#28 42.49 cp: 'unw_set_reg.man' and './unw_set_reg.man' are the
same file #28 42.49 make[1]: [Makefile:644: unw_set_reg.man] Error
1 (ignored) #28 42.49 GEN _U_dyn_register.man #28 42.49 cp
_U_dyn_register.man ./_U_dyn_register.man #28 42.49 cp:
'_U_dyn_register.man' and './_U_dyn_register.man' are the same file
#28 42.49 make[1]: [Makefile:644: _U_dyn_register.man] Error 1
(ignored) #28 42.50 make[2]: Entering directory
'/workspace/libunwind/doc' #28 42.50 make[2]: Nothing to be done
for 'install-exec-am'. #28 42.50 GEN unw_get_proc_info_in_range.man
#28 42.50 cp unw_get_proc_info_in_range.man
./unw_get_proc_info_in_range.man #28 42.50 cp:
'unw_get_proc_info_in_range.man' and
'./unw_get_proc_info_in_range.man' are the same file #28 42.50
make[2]: [Makefile:644: unw_get_proc_info_in_range.man] Error 1
(ignored) #28 42.50 GEN unw_is_signal_frame.man #28 42.50 cp
unw_is_signal_frame.man ./unw_is_signal_frame.man #28 42.50 cp:
'unw_is_signal_frame.man' and './unw_is_signal_frame.man' are the
same file #28 42.50 make[2]: [Makefile:644:
unw_is_signal_frame.man] Error 1 (ignored) #28 42.50 GEN
unw_set_reg.man #28 42.50 cp unw_set_reg.man ./unw_set_reg.man
#28 42.51 cp: 'unw_set_reg.man' and './unw_set_reg.man' are the
same file #28 42.51 make[2]: [Makefile:644: unw_set_reg.man] Error
1 (ignored) #28 42.51 GEN _U_dyn_register.man #28 42.51 cp
_U_dyn_register.man ./_U_dyn_register.man #28 42.51 cp:
'_U_dyn_register.man' and './_U_dyn_register.man' are the same file
#28 42.51 make[2]: [Makefile:644: _U_dyn_register.man] Error 1
(ignored) #28 42.51 /usr/bin/mkdir -p
'/usr/local/extrae/libunwind/share/man/man3' #28 42.51
/usr/bin/install -c -m 644 'libunwind.man'
'/usr/local/extrae/libunwind/share/man/man3/libunwind.3' #28 42.51
/usr/bin/install -c -m 644 'libunwind-dynamic.man'
'/usr/local/extrae/libunwind/share/man/man3/libunwind-dynamic.3'
#28 42.52 /usr/bin/install -c -m 644 'libunwind-ia64.man'
'/usr/local/extrae/libunwind/share/man/man3/libunwind-ia64.3' #28

```



```

42.52 /usr/bin/install -c -m 644 'libunwind-coredump.man'
'/usr/local/extrae/libunwind/share/man/man3/libunwind-coredump.3'
#28 42.52 /usr/bin/install -c -m 644 'libunwind-ptrace.man'
'/usr/local/extrae/libunwind/share/man/man3/libunwind-ptrace.3' #28
42.52 /usr/bin/install -c -m 644 'libunwind-setjmp.man'
'/usr/local/extrae/libunwind/share/man/man3/libunwind-setjmp.3' #28
42.52 /usr/bin/install -c -m 644 'libunwind-nto.man'
'/usr/local/extrae/libunwind/share/man/man3/libunwind-nto.3' #28
42.52 /usr/bin/install -c -m 644 'unw_apply_reg_state.man'
'/usr/local/extrae/libunwind/share/man/man3/unw_apply_reg_state.3'
#28 42.52 /usr/bin/install -c -m 644 'unw_backtrace.man'
'/usr/local/extrae/libunwind/share/man/man3/unw_backtrace.3' #28
42.53 /usr/bin/install -c -m 644 'unw_flush_cache.man'
'/usr/local/extrae/libunwind/share/man/man3/unw_flush_cache.3' #28
42.53 /usr/bin/install -c -m 644 'unw_get_accessors.man'
'/usr/local/extrae/libunwind/share/man/man3/unw_get_accessors.3'
#28 42.53 /usr/bin/install -c -m 644 'unw_get_proc_info.man'
'/usr/local/extrae/libunwind/share/man/man3/unw_get_proc_info.3'
#28 42.53 /usr/bin/install -c -m 644 'unw_get_proc_info_by_ip.man'
'/usr/local/extrae/libunwind/share/man/man3/unw_get_proc_info_by_ip
.3' #28 42.53 /usr/bin/install -c -m 644
'unw_get_proc_info_in_range.man'
'/usr/local/extrae/libunwind/share/man/man3/unw_get_proc_info_in_ra
nge.3' #28 42.53 /usr/bin/install -c -m 644 'unw_get_proc_name.man'
'/usr/local/extrae/libunwind/share/man/man3/unw_get_proc_name.3'
#28 42.53 /usr/bin/install -c -m 644 'unw_get_proc_name_by_ip.man'
'/usr/local/extrae/libunwind/share/man/man3/unw_get_proc_name_by_i
p.3' #28 42.53 /usr/bin/install -c -m 644 'unw_get_fpreg.man'
'/usr/local/extrae/libunwind/share/man/man3/unw_get_fpreg.3' #28
42.54 /usr/bin/install -c -m 644 'unw_get_reg.man'
'/usr/local/extrae/libunwind/share/man/man3/unw_get_reg.3' #28
42.54 /usr/bin/install -c -m 644 'unw_getcontext.man'
'/usr/local/extrae/libunwind/share/man/man3/unw_getcontext.3' #28
42.54 /usr/bin/install -c -m 644 'unw_init_local.man'
'/usr/local/extrae/libunwind/share/man/man3/unw_init_local.3' #28
42.54 /usr/bin/install -c -m 644 'unw_init_remote.man'
'/usr/local/extrae/libunwind/share/man/man3/unw_init_remote.3' #28
42.54 /usr/bin/install -c -m 644 'unw_init_local2.man'
'/usr/local/extrae/libunwind/share/man/man3/unw_init_local2.3' #28
42.54 /usr/bin/install -c -m 644 'unw_is_fpreg.man'
'/usr/local/extrae/libunwind/share/man/man3/unw_is_fpreg.3' #28
42.54 /usr/bin/install -c -m 644 'unw_is_signal_frame.man'
'/usr/local/extrae/libunwind/share/man/man3/unw_is_signal_frame.3'
#28 42.55 /usr/bin/install -c -m 644 'unw_create_addr_space.man'
'/usr/local/extrae/libunwind/share/man/man3/unw_create_addr_space.
3' #28 42.55 /usr/bin/install -c -m 644 'unw_destroy_addr_space.man'
'/usr/local/extrae/libunwind/share/man/man3/unw_destroy_addr_space
.3' #28 42.55 /usr/bin/install -c -m 644 'unw_regname.man'
'/usr/local/extrae/libunwind/share/man/man3/unw_regname.3' #28
42.55 /usr/bin/install -c -m 644 'unw_resume.man'
'/usr/local/extrae/libunwind/share/man/man3/unw_resume.3' #28
42.55 /usr/bin/install -c -m 644 'unw_reg_states_iterate.man'
'/usr/local/extrae/libunwind/share/man/man3/unw_reg_states_iterate.3
' #28 42.55 /usr/bin/install -c -m 644 'unw_set_caching_policy.man'
'/usr/local/extrae/libunwind/share/man/man3/unw_set_caching_policy.
3' #28 42.55 /usr/bin/install -c -m 644
'unw_set_iterate_phdr_function.man'
'/usr/local/extrae/libunwind/share/man/man3/unw_set_iterate_phdr_fu
nction.3' #28 42.56 /usr/bin/install -c -m 644
'unw_set_cache_size.man'

```

```

'/usr/local/extrae/libunwind/share/man/man3/unw_set_cache_size.3'
#28 42.56 /usr/bin/install -c -m 644 'unw_set_fpreg.man'
'/usr/local/extrae/libunwind/share/man/man3/unw_set_fpreg.3' #28
42.56 /usr/bin/install -c -m 644 'unw_set_reg.man'
'/usr/local/extrae/libunwind/share/man/man3/unw_set_reg.3' #28
42.56 /usr/bin/install -c -m 644 'unw_step.man'
'/usr/local/extrae/libunwind/share/man/man3/unw_step.3' #28 42.56
/usr/bin/install -c -m 644 'unw_strerror.man'
'/usr/local/extrae/libunwind/share/man/man3/unw_strerror.3' #28
42.56 /usr/bin/install -c -m 644 '_U_dyn_register.man'
'/usr/local/extrae/libunwind/share/man/man3/_U_dyn_register.3' #28
42.56 /usr/bin/install -c -m 644 '_U_dyn_cancel.man'
'/usr/local/extrae/libunwind/share/man/man3/_U_dyn_cancel.3' #28
42.56 /usr/bin/install -c -m 644 'unw_get_elf_filename.man'
'/usr/local/extrae/libunwind/share/man/man3/unw_get_elf_filename.3'
#28 42.57 /usr/bin/install -c -m 644 'unw_get_elf_filename_by_ip.man'
'/usr/local/extrae/libunwind/share/man/man3/unw_get_elf_filename_by
_ip.3' #28 42.57 make[2]: Leaving directory
'/workspace/libunwind/doc' #28 42.57 make[1]: Leaving directory
'/workspace/libunwind/doc' #28 42.57 make[1]: Entering directory
'/workspace/libunwind' #28 42.57 make[2]: Entering directory
'/workspace/libunwind' #28 42.57 make[2]: Nothing to be done for
'install-exec-am'. #28 42.58 /usr/bin/mkdir -p
'/usr/local/extrae/libunwind/include' #28 42.58 /usr/bin/install -c -m
644 include/libunwind-dynamic.h include/libunwind-pttrace.h
include/libunwind-coredump.h include/libunwind-x86_64.h
include/libunwind.h include/unwind.h
'/usr/local/extrae/libunwind/include' #28 42.58 /usr/bin/mkdir -p
'/usr/local/extrae/libunwind/include' #28 42.58 /usr/bin/install -c -m
644 include/libunwind-common.h '/usr/local/extrae/libunwind/include'
#28 42.59 make[2]: Leaving directory '/workspace/libunwind' #28
42.59 make[1]: Leaving directory '/workspace/libunwind' #28 DONE
42.6s

```

#29 [25/48] WORKDIR /workspace #29 DONE 0.0s

#30 [26/48] RUN git clone https://github.com/icl-utk-edu/papi #30
0.047 Cloning into 'papi'... #30 DONE 3.3s

#31 [27/48] WORKDIR papi/src #31 DONE 0.0s

```

#32 [28/48] RUN ./configure --prefix=/usr/local/extrae/papi CC=gcc
F77=gfortran && make && make install #32 0.125 checking for
architecture... x86_64 #32 0.126 checking for OS... linux #32 0.129
checking for OS version... 6.11.0-1018-azure #32 0.130 checking for
perf_event workaround level... autodetect #32 0.130 checking for if
MIC should be used... no #32 0.130 checking for if NEC should be
used... no #32 0.150 checking whether the C compiler works... yes
#32 0.180 checking for C compiler default output file name... a.out
#32 0.181 checking for suffix of executables... #32 0.211 checking
whether we are cross compiling... no #32 0.243 checking for suffix of
object files... o #32 0.257 checking whether we are using the GNU C
compiler... yes #32 0.272 checking whether gcc accepts -g... yes #32
0.286 checking for gcc option to accept ISO C89... none needed #32
0.325 checking whether we are using the GNU Fortran 77 compiler...
yes #32 0.341 checking whether gfortran accepts -g... yes #32 0.357
checking for mpicc... mpicc #32 0.368 checking for gawk... no #32
0.369 checking for mawk... mawk #32 0.369 checking how to run the
C preprocessor... gcc -E #32 0.409 checking whether ln -s works...
yes #32 0.409 checking whether make sets $(MAKE)... yes #32 0.416
checking for ranlib... ranlib #32 0.416 checking for grep that handles

```

long lines and -e... /usr/bin/grep #32 0.418 checking for egrep...
 /usr/bin/grep -E #32 0.420 checking for ANSI C header files... yes #32
 0.497 checking for sys/types.h... yes #32 0.520 checking for
 sys/stat.h... yes #32 0.542 checking for stdlib.h... yes #32 0.565
 checking for string.h... yes #32 0.589 checking for memory.h... yes
 #32 0.612 checking for strings.h... yes #32 0.636 checking for
 inttypes.h... yes #32 0.661 checking for stdint.h... yes #32 0.685
 checking for unistd.h... yes #32 0.709 checking minix/config.h
 usability... no #32 0.731 checking minix/config.h presence... no #32
 0.742 checking for minix/config.h... no #32 0.742 checking whether it
 is safe to define __EXTENSIONS__ ... yes #32 0.766 checking for ANSI
 C header files... (cached) yes #32 0.766 checking for inline... inline
 #32 0.777 checking whether time.h and sys/time.h may both be
 included... yes #32 0.797 checking sys/time.h usability... yes #32
 0.819 checking sys/time.h presence... yes #32 0.828 checking for
 sys/time.h... yes #32 0.834 checking c_asm.h usability... no #32 0.857
 checking c_asm.h presence... no #32 0.869 checking for c_asm.h... no
 #32 0.871 checking intrinsics.h usability... no #32 0.894 checking
 intrinsics.h presence... no #32 0.906 checking for intrinsics.h... no
 #32 0.908 checking mach/mach_time.h usability... no #32 0.932
 checking mach/mach_time.h presence... no #32 0.943 checking for
 mach/mach_time.h... no #32 0.946 checking sched.h usability... yes
 #32 0.968 checking sched.h presence... yes #32 0.977 checking for
 sched.h... yes #32 0.983 checking for gethrtime... no #32 1.021
 checking for read_real_time... no #32 1.058 checking for
 time_base_to_time... no #32 1.095 checking for clock_gettime... yes
 #32 1.132 checking for mach_absolute_time... no #32 1.169 checking
 for sched_getcpu... yes #32 1.204 checking for timer_create and
 timer_*etime symbols in base system... found #32 1.240 checking for
 dlopen and dlderror symbols in base system... found #32 1.272
 checking for tests... ctests ftests comp_tests mpitests #32 1.275
 checking for debug build... no #32 1.275 checking for -Wno-override-
 init... 1 #32 1.289 checking for CPU type... x86 #32 1.292 checking
 for ffsll... yes #32 1.327 checking for working gettid... yes #32 1.362
 checking for working MMTIMER... no #32 1.401 checking for working
 CLOCK_REALTIME_HR POSIX 1b timer... no #32 1.421 checking for
 working CLOCK_REALTIME POSIX 1b timer... yes #32 2.465 checking
 for which real time clock to use... clock_realtime #32 2.465 checking
 for working __thread... yes #32 3.535 checking for high performance
 thread local storage... __thread #32 3.536 checking for working
 CLOCK_THREAD_CPUTIME_ID POSIX 1b timer... yes #32 4.584
 checking for which virtual timer to use... clock_thread_cputime_id
 #32 4.584 checking for static user preset events... no #32 4.584
 checking for static PAPI preset events... yes #32 4.585 checking for
 whether to build static library... yes #32 4.585 checking for whether
 to build shared library... yes #32 4.585 checking for static compile of
 tests and utilities... no #32 4.585 checking for linking with papi
 shared library of tests and utilities... no #32 4.585 checking for
 building libsde... shared and static #32 4.586 checking for
 /sys/kernel/perfmon/version... no #32 4.586 checking for
 /proc/perfmon... no #32 4.589 checking for
 /proc/sys/kernel/perf_event_paranoid... yes #32 4.592 checking for
 libpfm4/include/perfmon/perf_event.h... yes #32 4.592 checking
 platform... linux-pe #32 4.596 checking for building sysdetect... yes
 #32 4.596 checking for components to build... perf_event
 perf_event_uncore sysdetect #32 4.618 checking for
 components/perf_event_uncore/papi_perf_event_uncore_presets.h... no
 #32 4.623 checking for
 components/sysdetect/papi_sysdetect_presets.h... no #32 4.675
 checking for PAPI event CSV filename to use... papi_events.csv #32

```

4.676 configure: Rules.pfm4_pe will be included in the generated
Makefile #32 4.689 configure: creating ./config.status #32 4.759
config.status: creating Makefile #32 4.768 config.status: creating
papi.pc #32 4.779 config.status: creating
components/Makefile_comp_tests.target #32 4.792 config.status:
creating testlib/Makefile.target #32 4.805 config.status: creating
utils/Makefile.target #32 4.818 config.status: creating
ctests/Makefile.target #32 4.831 config.status: creating
ftests/Makefile.target #32 4.844 config.status: creating
validation_tests/Makefile.target #32 4.857 config.status: creating
config.h #32 4.864 config.status: executing genpapifdef commands
#32 4.894 configure: WARNING: #32 4.894 #32 4.894
*****
*** #32 4.894 * Insufficient permissions for accessing any hardware
counters. * #32 4.894 * Your current paranoid level is 4. * #32 4.894 *
Set /proc/sys/kernel/perf_event_paranoid to 2 (or less) or run as root. *
#32 4.894 * * #32 4.894 * Example: * #32 4.894 * sudo sh -c "echo 2
> /proc/sys/kernel/perf_event_paranoid" * #32 4.894
*****
*** #32 4.894 #32 4.917 make -C libpfm4 ARCH="x86_64" CC="gcc -
Wno-override-init" lib #32 4.920 make[1]: Entering directory
'/workspace/papi/src/libpfm4' #32 4.924 make -C lib #32 4.925
make[2]: Entering directory '/workspace/papi/src/libpfm4/lib' #32
4.932 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_common.c #32 5.027
gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_perf_event_pmu.c
#32 5.093 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_perf_event.c #32
5.144 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_perf_event_raw.c #32
5.180 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_x86_perf_event.c #32 5.222 gcc -Wno-override-init -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_amd64_perf_event.c

```

```

#32 5.257 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_netburst_perf_event.c #32 5.289 gcc -Wno-override-init -
g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_snbep_unc_perf_event.c #32 5.327 gcc -Wno-override-init
-g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_amd64.c #32 5.391
gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_core.c #32
5.423 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_x86.c #32 5.508
gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_x86_arch.c #32
5.540 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_atom.c #32
5.570 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_nhm_unc.c #32
5.616 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_nhm.c #32
5.652 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -

```

```

D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_wsm.c #32
5.686 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_snb.c #32 5.722
gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_snb_unc.c #32
5.746 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_ivb.c #32 5.781
gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_ivb_unc.c #32
5.808 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_hsw.c #32 5.844
gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_bdw.c #32 5.880
gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_skl.c #32 5.919
gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_icl.c #32 5.957
gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_spr.c #32 5.993
gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -

```

```

D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_gnr.c #32 6.029
gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_rapl.c #32 6.057
gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_snbp_unc.c
#32 6.125 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_snbp_unc_cbo.c
#32 6.159 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_snbp_unc_ha.c
#32 6.190 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_snbp_unc_imc.c #32 6.216 gcc -Wno-override-init -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_snbp_unc_pcu.c #32 6.247 gcc -Wno-override-init -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_snbp_unc_qpi.c
#32 6.278 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_snbp_unc_ubo.c #32 6.303 gcc -Wno-override-init -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_snbp_unc_r2pcie.c #32 6.328 gcc -Wno-override-init -g -

```

```

Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_snbp_unc_r3qpi.c #32 6.355 gcc -Wno-override-init -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_ivbp_unc_cbo.c
#32 6.391 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_ivbp_unc_ha.c
#32 6.423 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_ivbp_unc_imc.c
#32 6.451 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_ivbp_unc_pcu.c
#32 6.482 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_ivbp_unc_qpi.c
#32 6.514 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_ivbp_unc_ubo.c
#32 6.540 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_ivbp_unc_r2pcie.c #32 6.565 gcc -Wno-override-init -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_ivbp_unc_r3qpi.c #32 6.590 gcc -Wno-override-init -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -

```



```

D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_ivbep_unc_irp.c
#32 6.621 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_hswep_unc_cbo.c #32 6.657 gcc -Wno-override-init -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_hswep_unc_ha.c
#32 6.691 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_hswep_unc_imc.c #32 6.719 gcc -Wno-override-init -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_hswep_unc_pcu.c #32 6.750 gcc -Wno-override-init -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_hswep_unc_qpi.c #32 6.781 gcc -Wno-override-init -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_hswep_unc_ubo.c #32 6.810 gcc -Wno-override-init -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_hswep_unc_r2pcie.c #32 6.840 gcc -Wno-override-init -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_hswep_unc_r3qpi.c #32 6.871 gcc -Wno-override-init -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -

```

```

D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_hswep_unc_irp.c
#32 6.901 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_hswep_unc_sbo.c #32 6.932 gcc -Wno-override-init -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_bdx_unc_cbo.c
#32 6.970 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_bdx_unc_ubo.c
#32 6.999 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_bdx_unc_sbo.c
#32 7.029 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_bdx_unc_ha.c
#32 7.063 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_bdx_unc_imc.c
#32 7.091 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_bdx_unc_irp.c
#32 7.121 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_bdx_unc_pcu.c
#32 7.151 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_bdx_unc_qpi.c
#32 7.184 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-

```

```

unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_bdx_unc_r2pcie.c #32 7.214 gcc -Wno-override-init -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_bdx_unc_r3qpi.c
#32 7.245 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_skx_unc_cha.c
#32 7.295 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_skx_unc_iiio.c
#32 7.327 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_skx_unc_imc.c
#32 7.355 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_skx_unc_irp.c
#32 7.386 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_skx_unc_m2m.c
#32 7.424 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_skx_unc_m3upi.c #32 7.465 gcc -Wno-override-init -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_skx_unc_pcu.c
#32 7.496 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86

```

```

-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_skx_unc_ubo.c
#32 7.525 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_skx_unc_upi.c
#32 7.558 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_icx_unc_cha.c
#32 7.613 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_icx_unc_imc.c
#32 7.648 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_icx_unc_m2m.c
#32 7.692 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_icx_unc_iiio.c
#32 7.729 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_icx_unc_irp.c
#32 7.760 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_icx_unc_pcu.c
#32 7.790 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_icx_unc_upi.c
#32 7.822 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_icx_unc_m3upi.c
#32 7.864 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86

```

```

-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_icx_unc_ubox.c
#32 7.893 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_icx_unc_m2pcie.c #32 7.932 gcc -Wno-override-init -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_spr_unc_imc.c
#32 7.967 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_spr_unc_upi.c
#32 7.999 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_spr_unc_cha.c
#32 8.047 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_gnr_unc_imc.c
#32 8.079 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_knc.c #32 8.103
gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_slm.c #32 8.131
gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_tmt.c #32 8.158
gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_knl.c #32 8.187
gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -

```

```

D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_adl.c #32 8.226
gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_knl_unc_imc.c
#32 8.252 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_knl_unc_edc.c
#32 8.281 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_knl_unc_cha.c
#32 8.321 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_knl_unc_m2pcie.c #32 8.352 gcc -Wno-override-init -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_glm.c #32 8.382
gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_netburst.c #32
8.428 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_amd64_k7.c #32
8.451 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_amd64_k8.c #32
8.477 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_amd64_fam10h.c #32
8.506 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -

```

```

D_CONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_amd64_fam11h.c #32
8.533 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_amd64_fam12h.c #32
8.561 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_amd64_fam14h.c #32
8.587 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_amd64_fam15h.c #32
8.617 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_amd64_fam17h.c #32
8.649 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_amd64_fam16h.c #32
8.676 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_amd64_fam19h.c #32
8.707 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_amd64_rapl.c #32
8.733 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_amd64_fam19h_l3.c
#32 8.760 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-
unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_amd64_fam1ah.c #32
8.789 gcc -Wno-override-init -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -

```

```

D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c pfmlib_amd64_fam1ah_l3.c
#32 8.816 rm -f libpfm.a #32 8.817 ar cq libpfm.a pfmlib_common.o
pfmlib_perf_event_pmu.o pfmlib_perf_event.o pfmlib_perf_event_raw.o
pfmlib_intel_x86_perf_event.o pfmlib_amd64_perf_event.o
pfmlib_intel_netburst_perf_event.o
pfmlib_intel_snbp_unc_perf_event.o pfmlib_amd64.o
pfmlib_intel_core.o pfmlib_intel_x86.o pfmlib_intel_x86_arch.o
pfmlib_intel_atom.o pfmlib_intel_nhm_unc.o pfmlib_intel_nhm.o
pfmlib_intel_wsm.o pfmlib_intel_snb.o pfmlib_intel_snb_unc.o
pfmlib_intel_ivb.o pfmlib_intel_ivb_unc.o pfmlib_intel_hsw.o
pfmlib_intel_bdw.o pfmlib_intel_skl.o pfmlib_intel_icl.o
pfmlib_intel_spr.o pfmlib_intel_gnr.o pfmlib_intel_rapl.o
pfmlib_intel_snbp_unc.o pfmlib_intel_snbp_unc_cbo.o
pfmlib_intel_snbp_unc_ha.o pfmlib_intel_snbp_unc_imc.o
pfmlib_intel_snbp_unc_pcu.o pfmlib_intel_snbp_unc_qpi.o
pfmlib_intel_snbp_unc_ubo.o pfmlib_intel_snbp_unc_r2pcie.o
pfmlib_intel_snbp_unc_r3qpi.o pfmlib_intel_ivbp_unc_cbo.o
pfmlib_intel_ivbp_unc_ha.o pfmlib_intel_ivbp_unc_imc.o
pfmlib_intel_ivbp_unc_pcu.o pfmlib_intel_ivbp_unc_qpi.o
pfmlib_intel_ivbp_unc_ubo.o pfmlib_intel_ivbp_unc_r2pcie.o
pfmlib_intel_ivbp_unc_r3qpi.o pfmlib_intel_ivbp_unc_irp.o
pfmlib_intel_hswep_unc_cbo.o pfmlib_intel_hswep_unc_ha.o
pfmlib_intel_hswep_unc_imc.o pfmlib_intel_hswep_unc_pcu.o
pfmlib_intel_hswep_unc_qpi.o pfmlib_intel_hswep_unc_ubo.o
pfmlib_intel_hswep_unc_r2pcie.o pfmlib_intel_hswep_unc_r3qpi.o
pfmlib_intel_hswep_unc_irp.o pfmlib_intel_hswep_unc_sbo.o
pfmlib_intel_bdx_unc_cbo.o pfmlib_intel_bdx_unc_ubo.o
pfmlib_intel_bdx_unc_sbo.o pfmlib_intel_bdx_unc_ha.o
pfmlib_intel_bdx_unc_imc.o pfmlib_intel_bdx_unc_irp.o
pfmlib_intel_bdx_unc_pcu.o pfmlib_intel_bdx_unc_qpi.o
pfmlib_intel_bdx_unc_r2pcie.o pfmlib_intel_bdx_unc_r3qpi.o
pfmlib_intel_skn_unc_cha.o pfmlib_intel_skn_unc_iiio.o
pfmlib_intel_skn_unc_imc.o pfmlib_intel_skn_unc_irp.o
pfmlib_intel_skn_unc_m2m.o pfmlib_intel_skn_unc_m3upi.o
pfmlib_intel_skn_unc_pcu.o pfmlib_intel_skn_unc_ubo.o
pfmlib_intel_skn_unc_upi.o pfmlib_intel_icx_unc_cha.o
pfmlib_intel_icx_unc_imc.o pfmlib_intel_icx_unc_m2m.o
pfmlib_intel_icx_unc_iiio.o pfmlib_intel_icx_unc_irp.o
pfmlib_intel_icx_unc_pcu.o pfmlib_intel_icx_unc_upi.o
pfmlib_intel_icx_unc_m3upi.o pfmlib_intel_icx_unc_ubox.o
pfmlib_intel_icx_unc_m2pcie.o pfmlib_intel_spr_unc_imc.o
pfmlib_intel_spr_unc_upi.o pfmlib_intel_spr_unc_cha.o
pfmlib_intel_gnr_unc_imc.o pfmlib_intel_knc.o pfmlib_intel_slm.o
pfmlib_intel_tmt.o pfmlib_intel_knl.o pfmlib_intel_adl.o
pfmlib_intel_knl_unc_imc.o pfmlib_intel_knl_unc_edc.o
pfmlib_intel_knl_unc_cha.o pfmlib_intel_knl_unc_m2pcie.o
pfmlib_intel_glm.o pfmlib_intel_netburst.o pfmlib_amd64_k7.o
pfmlib_amd64_k8.o pfmlib_amd64_fam10h.o pfmlib_amd64_fam11h.o
pfmlib_amd64_fam12h.o pfmlib_amd64_fam14h.o
pfmlib_amd64_fam15h.o pfmlib_amd64_fam17h.o
pfmlib_amd64_fam16h.o pfmlib_amd64_fam19h.o
pfmlib_amd64_rapl.o pfmlib_amd64_fam19h_l3.o
pfmlib_amd64_fam1ah.o pfmlib_amd64_fam1ah_l3.o #32 8.877 gcc -
Wno-override-init -fPIC -DPIC -g -Wall -Werror -Wextra -Wno-unused-
parameter -I. -I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86

```



```

-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_common.c -o
pfmlib_common.lo #32 8.971 gcc -Wno-override-init -fPIC -DPIC -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_perf_event_pmu.c -o
pfmlib_perf_event_pmu.lo #32 9.036 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_perf_event.c -o
pfmlib_perf_event.lo #32 9.087 gcc -Wno-override-init -fPIC -DPIC -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_perf_event_raw.c -o
pfmlib_perf_event_raw.lo #32 9.122 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_x86_perf_event.c -o pfmlib_intel_x86_perf_event.lo #32
9.163 gcc -Wno-override-init -fPIC -DPIC -g -Wall -Werror -Wextra -
Wno-unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include
-DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_amd64_perf_event.c -
o pfmlib_amd64_perf_event.lo #32 9.198 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_netburst_perf_event.c -o
pfmlib_intel_netburst_perf_event.lo #32 9.233 gcc -Wno-override-init -
fPIC -DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_snbep_unc_perf_event.c -o
pfmlib_intel_snbep_unc_perf_event.lo #32 9.270 gcc -Wno-override-
init -fPIC -DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_amd64.c -o
pfmlib_amd64.lo #32 9.335 gcc -Wno-override-init -fPIC -DPIC -g -Wall

```

```

-Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_core.c -o
pfmlib_intel_core.lo #32 9.367 gcc -Wno-override-init -fPIC -DPIC -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_x86.c -o
pfmlib_intel_x86.lo #32 9.451 gcc -Wno-override-init -fPIC -DPIC -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_x86_arch.c -o
pfmlib_intel_x86_arch.lo #32 9.483 gcc -Wno-override-init -fPIC -DPIC
-g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_atom.c -o
pfmlib_intel_atom.lo #32 9.513 gcc -Wno-override-init -fPIC -DPIC -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_nhm_unc.c -o
pfmlib_intel_nhm_unc.lo #32 9.559 gcc -Wno-override-init -fPIC -DPIC
-g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_nhm.c -o
pfmlib_intel_nhm.lo #32 9.594 gcc -Wno-override-init -fPIC -DPIC -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_wsm.c -o
pfmlib_intel_wsm.lo #32 9.628 gcc -Wno-override-init -fPIC -DPIC -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_snb.c -o
pfmlib_intel_snb.lo #32 9.664 gcc -Wno-override-init -fPIC -DPIC -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -

```

```

D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_snb_unc.c -o
pfmlib_intel_snb_unc.lo #32 9.687 gcc -Wno-override-init -fPIC -DPIC -g
-Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_ivb.c -o
pfmlib_intel_ivb.lo #32 9.722 gcc -Wno-override-init -fPIC -DPIC -g
-Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_ivb_unc.c -o
pfmlib_intel_ivb_unc.lo #32 9.749 gcc -Wno-override-init -fPIC -DPIC -g
-Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_hsw.c -o
pfmlib_intel_hsw.lo #32 9.785 gcc -Wno-override-init -fPIC -DPIC -g
-Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_bdw.c -o
pfmlib_intel_bdw.lo #32 9.821 gcc -Wno-override-init -fPIC -DPIC -g
-Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_skl.c -o
pfmlib_intel_skl.lo #32 9.861 gcc -Wno-override-init -fPIC -DPIC -g
-Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_icl.c -o
pfmlib_intel_icl.lo #32 9.898 gcc -Wno-override-init -fPIC -DPIC -g
-Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_spr.c -o
pfmlib_intel_spr.lo #32 9.935 gcc -Wno-override-init -fPIC -DPIC -g
-Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_gnr.c -o
pfmlib_intel_gnr.lo #32 9.971 gcc -Wno-override-init -fPIC -DPIC -g
-Wall -Werror -Wextra -Wno-unused-parameter -I. -

```

```

I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_rapl.c -o
pfmlib_intel_rapl.lo #32 9.998 gcc -Wno-override-init -fPIC -DPIC -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_snbp_unc.c -o
pfmlib_intel_snbp_unc.lo #32 10.07 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_snbp_unc_cbo.c
-o pfmlib_intel_snbp_unc_cbo.lo #32 10.10 gcc -Wno-override-init -
fPIC -DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_snbp_unc_ha.c
-o pfmlib_intel_snbp_unc_ha.lo #32 10.13 gcc -Wno-override-init -
fPIC -DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_snbp_unc_imc.c -o pfmlib_intel_snbp_unc_imc.lo #32
10.16 gcc -Wno-override-init -fPIC -DPIC -g -Wall -Werror -Wextra -
Wno-unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include
-D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_snbp_unc_pcu.c -o pfmlib_intel_snbp_unc_pcu.lo #32
10.19 gcc -Wno-override-init -fPIC -DPIC -g -Wall -Werror -Wextra -
Wno-unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include
-D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_snbp_unc_qpi.c
-o pfmlib_intel_snbp_unc_qpi.lo #32 10.22 gcc -Wno-override-init -
fPIC -DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_snbp_unc_ubo.c -o pfmlib_intel_snbp_unc_ubo.lo #32
10.24 gcc -Wno-override-init -fPIC -DPIC -g -Wall -Werror -Wextra -
Wno-unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include
-D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -D_HAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86

```

```

-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_snbeq_unc_r2pcie.c -o pfmlib_intel_snbeq_unc_r2pcie.lo
#32 10.27 gcc -Wno-override-init -fPIC -DPIC -g -Wall -Werror -Wextra
-Wno-unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include
-DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_snbeq_unc_r3qpi.c -o pfmlib_intel_snbeq_unc_r3qpi.lo
#32 10.29 gcc -Wno-override-init -fPIC -DPIC -g -Wall -Werror -Wextra
-Wno-unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include
-DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_ivbeq_unc_cbo.c
-o pfmlib_intel_ivbeq_unc_cbo.lo #32 10.33 gcc -Wno-override-init -
fPIC -DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_ivbeq_unc_ha.c
-o pfmlib_intel_ivbeq_unc_ha.lo #32 10.36 gcc -Wno-override-init -fPIC
-DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_ivbeq_unc_imc.c
-o pfmlib_intel_ivbeq_unc_imc.lo #32 10.39 gcc -Wno-override-init -
fPIC -DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_ivbeq_unc_pcu.c
-o pfmlib_intel_ivbeq_unc_pcu.lo #32 10.42 gcc -Wno-override-init -
fPIC -DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_ivbeq_unc_qpi.c
-o pfmlib_intel_ivbeq_unc_qpi.lo #32 10.45 gcc -Wno-override-init -
fPIC -DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_ivbeq_unc_ubo.c
-o pfmlib_intel_ivbeq_unc_ubo.lo #32 10.48 gcc -Wno-override-init -
fPIC -DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_ivbeq_unc_r2pcie.c -o pfmlib_intel_ivbeq_unc_r2pcie.lo
#32 10.50 gcc -Wno-override-init -fPIC -DPIC -g -Wall -Werror -Wextra
-Wno-unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include

```

```

-DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_ivbep_unc_r3qpi.c -o pfmlib_intel_ivbep_unc_r3qpi.lo #32
10.53 gcc -Wno-override-init -fPIC -DPIC -g -Wall -Werror -Wextra -
Wno-unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include
-DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_ivbep_unc_irp.c
-o pfmlib_intel_ivbep_unc_irp.lo #32 10.56 gcc -Wno-override-init -
fPIC -DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_hswep_unc_cbo.c -o pfmlib_intel_hswep_unc_cbo.lo #32
10.59 gcc -Wno-override-init -fPIC -DPIC -g -Wall -Werror -Wextra -
Wno-unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include
-DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_hswep_unc_ha.c
-o pfmlib_intel_hswep_unc_ha.lo #32 10.63 gcc -Wno-override-init -
fPIC -DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_hswep_unc_imc.c -o pfmlib_intel_hswep_unc_imc.lo #32
10.66 gcc -Wno-override-init -fPIC -DPIC -g -Wall -Werror -Wextra -
Wno-unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include
-DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_hswep_unc_pcu.c -o pfmlib_intel_hswep_unc_pcu.lo #32
10.69 gcc -Wno-override-init -fPIC -DPIC -g -Wall -Werror -Wextra -
Wno-unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include
-DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_hswep_unc_qpi.c -o pfmlib_intel_hswep_unc_qpi.lo #32
10.72 gcc -Wno-override-init -fPIC -DPIC -g -Wall -Werror -Wextra -
Wno-unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include
-DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_hswep_unc_ubo.c -o pfmlib_intel_hswep_unc_ubo.lo #32
10.75 gcc -Wno-override-init -fPIC -DPIC -g -Wall -Werror -Wextra -
Wno-unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include
-DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c

```

```

pfmlib_intel_hswep_unc_r2pcie.c -o pfmlib_intel_hswep_unc_r2pcie.lo
#32 10.78 gcc -Wno-override-init -fPIC -DPIC -g -Wall -Werror -Wextra
-Wno-unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include
-DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_hswep_unc_r3qpi.c -o pfmlib_intel_hswep_unc_r3qpi.lo
#32 10.81 gcc -Wno-override-init -fPIC -DPIC -g -Wall -Werror -Wextra
-Wno-unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include
-DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_hswep_unc_irp.c
-o pfmlib_intel_hswep_unc_irp.lo #32 10.84 gcc -Wno-override-init -
fPIC -DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_hswep_unc_sbo.c -o pfmlib_intel_hswep_unc_sbo.lo #32
10.87 gcc -Wno-override-init -fPIC -DPIC -g -Wall -Werror -Wextra -
Wno-unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include
-DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_bdx_unc_cbo.c -
o pfmlib_intel_bdx_unc_cbo.lo #32 10.91 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_bdx_unc_ubo.c -
o pfmlib_intel_bdx_unc_ubo.lo #32 10.94 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_bdx_unc_sbo.c -
o pfmlib_intel_bdx_unc_sbo.lo #32 10.97 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_bdx_unc_ha.c -o
pfmlib_intel_bdx_unc_ha.lo #32 11.00 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_bdx_unc_imc.c -o
pfmlib_intel_bdx_unc_imc.lo #32 11.03 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -

```

```

D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_bdx_unc_irp.c -o
pfmlib_intel_bdx_unc_irp.lo #32 11.06 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_bdx_unc_pcu.c -o
pfmlib_intel_bdx_unc_pcu.lo #32 11.09 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_bdx_unc_qpi.c -o
pfmlib_intel_bdx_unc_qpi.lo #32 11.12 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_bdx_unc_r2pcie.c -o pfmlib_intel_bdx_unc_r2pcie.lo #32
11.15 gcc -Wno-override-init -fPIC -DPIC -g -Wall -Werror -Wextra -
Wno-unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include
-D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_bdx_unc_r3qpi.c
-o pfmlib_intel_bdx_unc_r3qpi.lo #32 11.18 gcc -Wno-override-init -
fPIC -DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_skx_unc_cha.c -o
pfmlib_intel_skx_unc_cha.lo #32 11.23 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_skx_unc_iiio.c -o
pfmlib_intel_skx_unc_iiio.lo #32 11.26 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_skx_unc_imc.c -o
pfmlib_intel_skx_unc_imc.lo #32 11.29 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_skx_unc_irp.c -o
pfmlib_intel_skx_unc_irp.lo #32 11.32 gcc -Wno-override-init -fPIC -

```



```

DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_skx_unc_m2m.c
-o pfmlib_intel_skx_unc_m2m.lo #32 11.36 gcc -Wno-override-init -fPIC
-DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_skx_unc_m3upi.c -o pfmlib_intel_skx_unc_m3upi.lo #32
11.40 gcc -Wno-override-init -fPIC -DPIC -g -Wall -Werror -Wextra -
Wno-unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include
-DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_skx_unc_pcu.c -o
pfmlib_intel_skx_unc_pcu.lo #32 11.43 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_skx_unc_ubo.c -o
pfmlib_intel_skx_unc_ubo.lo #32 11.46 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_skx_unc_upi.c -o
pfmlib_intel_skx_unc_upi.lo #32 11.50 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_icx_unc_cha.c -o
pfmlib_intel_icx_unc_cha.lo #32 11.55 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_icx_unc_imc.c -o
pfmlib_intel_icx_unc_imc.lo #32 11.59 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_icx_unc_m2m.c -o
pfmlib_intel_icx_unc_m2m.lo #32 11.63 gcc -Wno-override-init -fPIC
-DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -

```

```

D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_icx_unc_iiio.c -o
pfmlib_intel_icx_unc_iiio.lo #32 11.67 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_icx_unc_irp.c -o
pfmlib_intel_icx_unc_irp.lo #32 11.70 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_icx_unc_pcu.c -o
pfmlib_intel_icx_unc_pcu.lo #32 11.73 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_icx_unc_upi.c -o
pfmlib_intel_icx_unc_upi.lo #32 11.76 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_icx_unc_m3upi.c
-o pfmlib_intel_icx_unc_m3upi.lo #32 11.80 gcc -Wno-override-init -
fPIC -DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_icx_unc_ubox.c -
o pfmlib_intel_icx_unc_ubox.lo #32 11.83 gcc -Wno-override-init -fPIC
-DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_icx_unc_m2pcie.c -o pfmlib_intel_icx_unc_m2pcie.lo #32
11.87 gcc -Wno-override-init -fPIC -DPIC -g -Wall -Werror -Wextra -
Wno-unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include
-DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_spr_unc_imc.c -o
pfmlib_intel_spr_unc_imc.lo #32 11.90 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_spr_unc_upi.c -o
pfmlib_intel_spr_unc_upi.lo #32 11.94 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -

```

```

I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_spr_unc_cha.c -o
pfmlib_intel_spr_unc_cha.lo #32 11.98 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_gnr_unc_imc.c -o
pfmlib_intel_gnr_unc_imc.lo #32 12.02 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_knc.c -o
pfmlib_intel_knc.lo #32 12.04 gcc -Wno-override-init -fPIC -DPIC -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_slm.c -o
pfmlib_intel_slm.lo #32 12.07 gcc -Wno-override-init -fPIC -DPIC -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_tmt.c -o
pfmlib_intel_tmt.lo #32 12.10 gcc -Wno-override-init -fPIC -DPIC -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_knl.c -o
pfmlib_intel_knl.lo #32 12.13 gcc -Wno-override-init -fPIC -DPIC -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_adl.c -o
pfmlib_intel_adl.lo #32 12.16 gcc -Wno-override-init -fPIC -DPIC -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86
-D_CONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_knl_unc_imc.c -o
pfmlib_intel_knl_unc_imc.lo #32 12.19 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG_PFMLIB_DEBUG -D_CONFIG_PFMLIB_OS_LINUX -
D_CONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG_PFMLIB_ARCH_X86

```

```

-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_knl_unc_edc.c -o
pfmlib_intel_knl_unc_edc.lo #32 12.22 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_knl_unc_cha.c -o
pfmlib_intel_knl_unc_cha.lo #32 12.26 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c
pfmlib_intel_knl_unc_m2pcie.c -o pfmlib_intel_knl_unc_m2pcie.lo #32
12.29 gcc -Wno-override-init -fPIC -DPIC -g -Wall -Werror -Wextra -
Wno-unused-parameter -I. -I/workspace/papi/src/libpfm4/lib/./include
-DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_glm.c -o
pfmlib_intel_glm.lo #32 12.32 gcc -Wno-override-init -fPIC -DPIC -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_intel_netburst.c -o
pfmlib_intel_netburst.lo #32 12.37 gcc -Wno-override-init -fPIC -DPIC
-g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_amd64_k7.c -o
pfmlib_amd64_k7.lo #32 12.39 gcc -Wno-override-init -fPIC -DPIC -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_amd64_k8.c -o
pfmlib_amd64_k8.lo #32 12.42 gcc -Wno-override-init -fPIC -DPIC -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_amd64_fam10h.c -o
pfmlib_amd64_fam10h.lo #32 12.45 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_amd64_fam11h.c -o
pfmlib_amd64_fam11h.lo #32 12.47 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -

```

```

D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c pfmlib_amd64_fam12h.c -o
pfmlib_amd64_fam12h.lo #32 12.50 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c pfmlib_amd64_fam14h.c -o
pfmlib_amd64_fam14h.lo #32 12.53 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c pfmlib_amd64_fam15h.c -o
pfmlib_amd64_fam15h.lo #32 12.56 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c pfmlib_amd64_fam17h.c -o
pfmlib_amd64_fam17h.lo #32 12.59 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c pfmlib_amd64_fam16h.c -o
pfmlib_amd64_fam16h.lo #32 12.61 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c pfmlib_amd64_fam19h.c -o
pfmlib_amd64_fam19h.lo #32 12.65 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c pfmlib_amd64_rapl.c -o
pfmlib_amd64_rapl.lo #32 12.67 gcc -Wno-override-init -fPIC -DPIC -g
-Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c pfmlib_amd64_fam19h_l3.c -o
pfmlib_amd64_fam19h_l3.lo #32 12.70 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
D_CONFIG PFMLIB_DEBUG -D_CONFIG PFMLIB_OS_LINUX -
D_CONFIG PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -D_CONFIG PFMLIB_ARCH_X86
-D_CONFIG PFMLIB_ARCH_X86_64 -I. -c pfmlib_amd64_fam1ah.c -o

```

```

pfmlib_amd64_fam1ah.lo #32 12.73 gcc -Wno-override-init -fPIC -
DPIC -g -Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -c pfmlib_amd64_fam1ah_l3.c -
o pfmlib_amd64_fam1ah_l3.lo #32 12.75 gcc -Wno-override-init -g -
Wall -Werror -Wextra -Wno-unused-parameter -I. -
I/workspace/papi/src/libpfm4/lib/./include -
DCONFIG_PFMLIB_DEBUG -DCONFIG_PFMLIB_OS_LINUX -
DCONFIG_PFMLIB_NOTRACEPOINT -DHAS_OPENAT -
D_REENTRANT -I. -fvisibility=hidden -DCONFIG_PFMLIB_ARCH_X86
-DCONFIG_PFMLIB_ARCH_X86_64 -I. -shared -Wl,-soname -
Wl,libpfm.so.4 -o libpfm.so.4.13.0 pfmlib_common.lo
pfmlib_perf_event_pmu.lo pfmlib_perf_event.lo
pfmlib_perf_event_raw.lo pfmlib_intel_x86_perf_event.lo
pfmlib_amd64_perf_event.lo pfmlib_intel_netburst_perf_event.lo
pfmlib_intel_snbp_unc_perf_event.lo pfmlib_amd64.lo
pfmlib_intel_core.lo pfmlib_intel_x86.lo pfmlib_intel_x86_arch.lo
pfmlib_intel_atom.lo pfmlib_intel_nhm_unc.lo pfmlib_intel_nhm.lo
pfmlib_intel_wsm.lo pfmlib_intel_snb.lo pfmlib_intel_snb_unc.lo
pfmlib_intel_ivb.lo pfmlib_intel_ivb_unc.lo pfmlib_intel_hsw.lo
pfmlib_intel_bdw.lo pfmlib_intel_skl.lo pfmlib_intel_icl.lo
pfmlib_intel_spr.lo pfmlib_intel_gnr.lo pfmlib_intel_rapl.lo
pfmlib_intel_snbp_unc.lo pfmlib_intel_snbp_unc_cbo.lo
pfmlib_intel_snbp_unc_ha.lo pfmlib_intel_snbp_unc_imc.lo
pfmlib_intel_snbp_unc_pcu.lo pfmlib_intel_snbp_unc_qpi.lo
pfmlib_intel_snbp_unc_ubo.lo pfmlib_intel_snbp_unc_r2pcie.lo
pfmlib_intel_snbp_unc_r3qpi.lo pfmlib_intel_ivbep_unc_cbo.lo
pfmlib_intel_ivbep_unc_ha.lo pfmlib_intel_ivbep_unc_imc.lo
pfmlib_intel_ivbep_unc_pcu.lo pfmlib_intel_ivbep_unc_qpi.lo
pfmlib_intel_ivbep_unc_ubo.lo pfmlib_intel_ivbep_unc_r2pcie.lo
pfmlib_intel_ivbep_unc_r3qpi.lo pfmlib_intel_ivbep_unc_irp.lo
pfmlib_intel_hswep_unc_cbo.lo pfmlib_intel_hswep_unc_ha.lo
pfmlib_intel_hswep_unc_imc.lo pfmlib_intel_hswep_unc_pcu.lo
pfmlib_intel_hswep_unc_qpi.lo pfmlib_intel_hswep_unc_ubo.lo
pfmlib_intel_hswep_unc_r2pcie.lo pfmlib_intel_hswep_unc_r3qpi.lo
pfmlib_intel_hswep_unc_irp.lo pfmlib_intel_hswep_unc_sbo.lo
pfmlib_intel_bdx_unc_cbo.lo pfmlib_intel_bdx_unc_ubo.lo
pfmlib_intel_bdx_unc_sbo.lo pfmlib_intel_bdx_unc_ha.lo
pfmlib_intel_bdx_unc_imc.lo pfmlib_intel_bdx_unc_irp.lo
pfmlib_intel_bdx_unc_pcu.lo pfmlib_intel_bdx_unc_qpi.lo
pfmlib_intel_bdx_unc_r2pcie.lo pfmlib_intel_bdx_unc_r3qpi.lo
pfmlib_intel_skn_unc_cha.lo pfmlib_intel_skn_unc_iio.lo
pfmlib_intel_skn_unc_imc.lo pfmlib_intel_skn_unc_irp.lo
pfmlib_intel_skn_unc_m2m.lo pfmlib_intel_skn_unc_m3upi.lo
pfmlib_intel_skn_unc_pcu.lo pfmlib_intel_skn_unc_ubo.lo
pfmlib_intel_skn_unc_upi.lo pfmlib_intel_icx_unc_cha.lo
pfmlib_intel_icx_unc_imc.lo pfmlib_intel_icx_unc_m2m.lo
pfmlib_intel_icx_unc_iio.lo pfmlib_intel_icx_unc_irp.lo
pfmlib_intel_icx_unc_pcu.lo pfmlib_intel_icx_unc_upi.lo
pfmlib_intel_icx_unc_m3upi.lo pfmlib_intel_icx_unc_ubox.lo
pfmlib_intel_icx_unc_m2pcie.lo pfmlib_intel_spr_unc_imc.lo
pfmlib_intel_spr_unc_upi.lo pfmlib_intel_spr_unc_cha.lo
pfmlib_intel_gnr_unc_imc.lo pfmlib_intel_knc.lo pfmlib_intel_slm.lo
pfmlib_intel_tmt.lo pfmlib_intel_knl.lo pfmlib_intel_adl.lo
pfmlib_intel_knl_unc_imc.lo pfmlib_intel_knl_unc_edc.lo
pfmlib_intel_knl_unc_cha.lo pfmlib_intel_knl_unc_m2pcie.lo
pfmlib_intel_glm.lo pfmlib_intel_netburst.lo pfmlib_amd64_k7.lo

```

```

pfmlib_amd64_k8.lo pfmlib_amd64_fam10h.lo
pfmlib_amd64_fam11h.lo pfmlib_amd64_fam12h.lo
pfmlib_amd64_fam14h.lo pfmlib_amd64_fam15h.lo
pfmlib_amd64_fam17h.lo pfmlib_amd64_fam16h.lo
pfmlib_amd64_fam19h.lo pfmlib_amd64_rapl.lo
pfmlib_amd64_fam19h_l3.lo pfmlib_amd64_fam1ah.lo
pfmlib_amd64_fam1ah_l3.lo #32 12.85 ln -sf libpfm.so.4.13.0
libpfm.so.4 #32 12.85 ln -sf libpfm.so.4.13.0 libpfm.so #32 12.85
make[2]: Leaving directory '/workspace/papi/src/libpfm4/lib' #32
12.85 make[1]: Leaving directory '/workspace/papi/src/libpfm4' #32
12.85 make #32 12.85 make[1]: Entering directory
'/workspace/papi/src' #32 12.86 Host architecture : Linux with
perf_event kernel support and libpfm4 #32 12.86 Host CPU
component : perf_event #32 12.87 Installation DESTDIR: #32 12.87
Installation PREFIX : /usr/local/extrape/papi #32 12.87 Installation
EPREFIX: /usr/local/extrape/papi #32 12.87 Installation INCDIR :
/usr/local/extrape/papi/include #32 12.87 Installation LIBDIR :
/usr/local/extrape/papi/lib #32 12.87 Installation BINDIR :
/usr/local/extrape/papi/bin #32 12.87 Installation MANDIR :
/usr/local/extrape/papi/share/man #32 12.87 Installation DOCDIR :
/usr/local/extrape/papi/share/doc/papi #32 12.87 Installation DATADIR:
/usr/local/extrape/papi/share/papi #32 12.87 #32 12.87 sh
papi_events_table.sh papi_events.csv > papi_events_table.h #32 12.88
gcc -E -DFORTRANCAPS papi_fwappers.c >
upper_PAPI_FWRAPPERS.c #32 12.89 gcc -E -
DFORTRANUNDERSCORE papi_fwappers.c > papi_fwappers_.c #32
12.91 gcc -E -DFORTRANDOUBLEUNDERSCORE papi_fwappers.c >
papi_fwappers_.c #32 12.92 rm -f libpapi.so.7.2.1.0 libpapi.so
libpapi.so.7.2 #32 12.92 gcc -fPIC -DPIC -shared -Wl,-soname -
Wl,libpapi.so.7.2 -Xlinker "-rpath" -Xlinker "/usr/local/extrape/papi/lib" -
DPAPI_NO_MEMORY_MANAGEMENT -
DSTATIC_PAPI_EVENTS_TABLE -DUSE_PERFEVENT_RDPMC=1 -
DPEINCLUDE="\libpfm4/include/perfmon/perf_event.h" -
D_REENTRANT -D_GNU_SOURCE -DUSE_COMPILER_TLS -
libpfm4/include -fvisibility=hidden -I. -DPAPI_NUM_COMP=3 -
DOSLOCK="\linux-lock.h" -DOSCONTEXT="\linux-context.h" -O2
x86_cpuid_info.c papi_libpfm4_events.c papi.c papi_internal.c high-
level/papi_hl.c extras.c sw_multiplex.c upper_PAPI_FWRAPPERS.c
papi_fwappers_.c papi_fwappers_.c threads.c cpus.c linux-memory.c
linux-timer.c linux-common.c papi_preset.c papi_vector.c
papi_memory.c components/perf_event/perf_event.c
components/perf_event/pe_libpfm4_events.c
components/perf_event_uncore/perf_event_uncore.c
components/sysdetect/sysdetect.c components/sysdetect/nvidia_gpu.c
components/sysdetect/amd_gpu.c components/sysdetect/cpu.c
components/sysdetect/cpu_utils.c components/sysdetect/os_cpu_utils.c
components/sysdetect/linux_cpu_utils.c
components/sysdetect/x86_cpu_utils.c -o libpapi.so.7.2.1.0 -Bdynamic -
Llibpfm4/lib -lpfm #32 17.02 + test != #32 17.02 ln -sf
libpapi.so.7.2.1.0 libpapi.so #32 17.02 ln -sf libpapi.so.7.2.1.0
libpapi.so.7.2 #32 17.03 ar xv libpfm4/lib/libpfm.a #32 17.05 x -
pfmlib_common.o #32 17.05 x - pfmlib_perf_event_pmu.o #32 17.05 x -
pfmlib_perf_event.o #32 17.05 x - pfmlib_perf_event_raw.o #32
17.05 x - pfmlib_intel_x86_perf_event.o #32 17.05 x -
pfmlib_amd64_perf_event.o #32 17.05 x -
pfmlib_intel_netburst_perf_event.o #32 17.05 x -
pfmlib_intel_snbep_unc_perf_event.o #32 17.05 x - pfmlib_amd64.o
#32 17.05 x - pfmlib_intel_core.o #32 17.05 x - pfmlib_intel_x86.o #32
17.05 x - pfmlib_intel_x86_arch.o #32 17.05 x - pfmlib_intel_atom.o
#32 17.05 x - pfmlib_intel_nhm_unc.o #32 17.05 x -

```

pfmllib_intel_nhm.o #32 17.05 x - pfmllib_intel_wsm.o #32 17.05 x -
pfmllib_intel_snb.o #32 17.05 x - pfmllib_intel_snb_unc.o #32 17.05 x -
pfmllib_intel_ivb.o #32 17.05 x - pfmllib_intel_ivb_unc.o #32 17.05 x -
pfmllib_intel_hsw.o #32 17.05 x - pfmllib_intel_bdw.o #32 17.05 x -
pfmllib_intel_skl.o #32 17.05 x - pfmllib_intel_icl.o #32 17.05 x -
pfmllib_intel_spr.o #32 17.05 x - pfmllib_intel_gnr.o #32 17.05 x -
pfmllib_intel_rapl.o #32 17.05 x - pfmllib_intel_snbep_unc.o #32 17.05
x - pfmllib_intel_snbep_unc_cbo.o #32 17.05 x -
pfmllib_intel_snbep_unc_ha.o #32 17.05 x -
pfmllib_intel_snbep_unc_imc.o #32 17.05 x -
pfmllib_intel_snbep_unc_pcu.o #32 17.05 x -
pfmllib_intel_snbep_unc_qpi.o #32 17.05 x -
pfmllib_intel_snbep_unc_ubo.o #32 17.05 x -
pfmllib_intel_snbep_unc_r2pcie.o #32 17.05 x -
pfmllib_intel_snbep_unc_r3qpi.o #32 17.05 x -
pfmllib_intel_ivbep_unc_cbo.o #32 17.05 x -
pfmllib_intel_ivbep_unc_ha.o #32 17.05 x -
pfmllib_intel_ivbep_unc_imc.o #32 17.05 x -
pfmllib_intel_ivbep_unc_pcu.o #32 17.05 x -
pfmllib_intel_ivbep_unc_qpi.o #32 17.05 x -
pfmllib_intel_ivbep_unc_ubo.o #32 17.05 x -
pfmllib_intel_ivbep_unc_r2pcie.o #32 17.05 x -
pfmllib_intel_ivbep_unc_r3qpi.o #32 17.05 x -
pfmllib_intel_ivbep_unc_irp.o #32 17.05 x -
pfmllib_intel_hswep_unc_cbo.o #32 17.05 x -
pfmllib_intel_hswep_unc_ha.o #32 17.05 x -
pfmllib_intel_hswep_unc_imc.o #32 17.05 x -
pfmllib_intel_hswep_unc_pcu.o #32 17.05 x -
pfmllib_intel_hswep_unc_qpi.o #32 17.05 x -
pfmllib_intel_hswep_unc_ubo.o #32 17.05 x -
pfmllib_intel_hswep_unc_r2pcie.o #32 17.05 x -
pfmllib_intel_hswep_unc_r3qpi.o #32 17.05 x -
pfmllib_intel_hswep_unc_irp.o #32 17.05 x -
pfmllib_intel_hswep_unc_sbo.o #32 17.05 x -
pfmllib_intel_bdx_unc_cbo.o #32 17.05 x - pfmllib_intel_bdx_unc_ubo.o
#32 17.05 x - pfmllib_intel_bdx_unc_sbo.o #32 17.05 x -
pfmllib_intel_bdx_unc_ha.o #32 17.05 x - pfmllib_intel_bdx_unc_imc.o
#32 17.05 x - pfmllib_intel_bdx_unc_irp.o #32 17.05 x -
pfmllib_intel_bdx_unc_pcu.o #32 17.05 x - pfmllib_intel_bdx_unc_qpi.o
#32 17.05 x - pfmllib_intel_bdx_unc_r2pcie.o #32 17.05 x -
pfmllib_intel_bdx_unc_r3qpi.o #32 17.05 x -
pfmllib_intel_sknx_unc_cha.o #32 17.05 x - pfmllib_intel_sknx_unc_iio.o
#32 17.05 x - pfmllib_intel_sknx_unc_imc.o #32 17.05 x -
pfmllib_intel_sknx_unc_irp.o #32 17.05 x - pfmllib_intel_sknx_unc_m2m.o
#32 17.05 x - pfmllib_intel_sknx_unc_m3upi.o #32 17.05 x -
pfmllib_intel_sknx_unc_pcu.o #32 17.05 x - pfmllib_intel_sknx_unc_ubo.o
#32 17.05 x - pfmllib_intel_sknx_unc_upi.o #32 17.05 x -
pfmllib_intel_icx_unc_cha.o #32 17.05 x - pfmllib_intel_icx_unc_imc.o
#32 17.05 x - pfmllib_intel_icx_unc_m2m.o #32 17.05 x -
pfmllib_intel_icx_unc_iio.o #32 17.05 x - pfmllib_intel_icx_unc_irp.o #32
17.05 x - pfmllib_intel_icx_unc_pcu.o #32 17.05 x -
pfmllib_intel_icx_unc_upi.o #32 17.05 x - pfmllib_intel_icx_unc_m3upi.o
#32 17.05 x - pfmllib_intel_icx_unc_ubox.o #32 17.05 x -
pfmllib_intel_icx_unc_m2pcie.o #32 17.05 x -
pfmllib_intel_spr_unc_imc.o #32 17.05 x - pfmllib_intel_spr_unc_upi.o
#32 17.05 x - pfmllib_intel_spr_unc_cha.o #32 17.05 x -
pfmllib_intel_gnr_unc_imc.o #32 17.05 x - pfmllib_intel_knc.o #32
17.05 x - pfmllib_intel_slm.o #32 17.05 x - pfmllib_intel_tmt.o #32
17.05 x - pfmllib_intel_knl.o #32 17.05 x - pfmllib_intel_adl.o #32 17.05
x - pfmllib_intel_knl_unc_imc.o #32 17.05 x -


```

pfmlib_intel_knl_unc_edc.o #32 17.05 x - pfmlib_intel_knl_unc_cha.o
#32 17.05 x - pfmlib_intel_knl_unc_m2pcie.o #32 17.05 x -
pfmlib_intel_glm.o #32 17.05 x - pfmlib_intel_netburst.o #32 17.05 x -
pfmlib_amd64_k7.o #32 17.05 x - pfmlib_amd64_k8.o #32 17.05 x -
pfmlib_amd64_fam10h.o #32 17.05 x - pfmlib_amd64_fam11h.o #32
17.05 x - pfmlib_amd64_fam12h.o #32 17.05 x -
pfmlib_amd64_fam14h.o #32 17.05 x - pfmlib_amd64_fam15h.o #32
17.05 x - pfmlib_amd64_fam17h.o #32 17.05 x -
pfmlib_amd64_fam16h.o #32 17.05 x - pfmlib_amd64_fam19h.o #32
17.05 x - pfmlib_amd64_rapl.o #32 17.05 x -
pfmlib_amd64_fam19h_l3.o #32 17.05 x - pfmlib_amd64_fam1ah.o
#32 17.05 x - pfmlib_amd64_fam1ah_l3.o #32 17.05 gcc -
DPAPI_NO_MEMORY_MANAGEMENT -
DSTATIC_PAPI_EVENTS_TABLE -DUSE_PERFEVENT_RDPMC=1 -
DPEINCLUDE="\libpfm4/include/perfmon/perf_event.h" -
D_REENTRANT -D_GNU_SOURCE -DUSE_COMPILER_TLS -
libpfm4/include -fvisibility=hidden -I. -DPAPI_NUM_COMP=3 -
DOSLOCK="\linux-lock.h" -DOSCONTEXT="\linux-context.h" -O2 -c
x86_cpuid_info.c -o x86_cpuid_info.o #32 17.16 gcc -
DPAPI_NO_MEMORY_MANAGEMENT -
DSTATIC_PAPI_EVENTS_TABLE -DUSE_PERFEVENT_RDPMC=1 -
DPEINCLUDE="\libpfm4/include/perfmon/perf_event.h" -
D_REENTRANT -D_GNU_SOURCE -DUSE_COMPILER_TLS -
libpfm4/include -fvisibility=hidden -I. -DPAPI_NUM_COMP=3 -
DOSLOCK="\linux-lock.h" -DOSCONTEXT="\linux-context.h" -O2 -c
papi_libpfm4_events.c -o papi_libpfm4_events.o #32 17.21 gcc -
DPAPI_NO_MEMORY_MANAGEMENT -
DSTATIC_PAPI_EVENTS_TABLE -DUSE_PERFEVENT_RDPMC=1 -
DPEINCLUDE="\libpfm4/include/perfmon/perf_event.h" -
D_REENTRANT -D_GNU_SOURCE -DUSE_COMPILER_TLS -
libpfm4/include -fvisibility=hidden -I. -DPAPI_NUM_COMP=3 -
DOSLOCK="\linux-lock.h" -DOSCONTEXT="\linux-context.h" -O2 -c
papi.c -o papi.o #32 17.67 gcc -DPAPI_NO_MEMORY_MANAGEMENT
-DSTATIC_PAPI_EVENTS_TABLE -DUSE_PERFEVENT_RDPMC=1 -
DPEINCLUDE="\libpfm4/include/perfmon/perf_event.h" -
D_REENTRANT -D_GNU_SOURCE -DUSE_COMPILER_TLS -
libpfm4/include -fvisibility=hidden -I. -DPAPI_NUM_COMP=3 -
DOSLOCK="\linux-lock.h" -DOSCONTEXT="\linux-context.h" -O2 -c
papi_internal.c -o papi_internal.o #32 18.10 gcc -
DPAPI_NO_MEMORY_MANAGEMENT -
DSTATIC_PAPI_EVENTS_TABLE -DUSE_PERFEVENT_RDPMC=1 -
DPEINCLUDE="\libpfm4/include/perfmon/perf_event.h" -
D_REENTRANT -D_GNU_SOURCE -DUSE_COMPILER_TLS -
libpfm4/include -fvisibility=hidden -I. -DPAPI_NUM_COMP=3 -
DOSLOCK="\linux-lock.h" -DOSCONTEXT="\linux-context.h" -O2 -c
high-level/papi_hl.c -o papi_hl.o #32 18.43 gcc -
DPAPI_NO_MEMORY_MANAGEMENT -
DSTATIC_PAPI_EVENTS_TABLE -DUSE_PERFEVENT_RDPMC=1 -
DPEINCLUDE="\libpfm4/include/perfmon/perf_event.h" -
D_REENTRANT -D_GNU_SOURCE -DUSE_COMPILER_TLS -
libpfm4/include -fvisibility=hidden -I. -DPAPI_NUM_COMP=3 -
DOSLOCK="\linux-lock.h" -DOSCONTEXT="\linux-context.h" -O2 -c
extras.c -o extras.o #32 18.52 gcc -
DPAPI_NO_MEMORY_MANAGEMENT -
DSTATIC_PAPI_EVENTS_TABLE -DUSE_PERFEVENT_RDPMC=1 -
DPEINCLUDE="\libpfm4/include/perfmon/perf_event.h" -
D_REENTRANT -D_GNU_SOURCE -DUSE_COMPILER_TLS -
libpfm4/include -fvisibility=hidden -I. -DPAPI_NUM_COMP=3 -
DOSLOCK="\linux-lock.h" -DOSCONTEXT="\linux-context.h" -O2 -c
sw_multiplex.c -o sw_multiplex.o #32 18.66 gcc -

```

```

DPAPI_NO_MEMORY_MANAGEMENT -
DSTATIC_PAPI_EVENTS_TABLE -DUSE_PERFEVENT_RDPMC=1 -
DPEINCLUDE="\libpfm4/include/perfmon/perf_event.h\" -
D_REENTRANT -D_GNU_SOURCE -DUSE_COMPILER_TLS -
libpfm4/include -fvisibility=hidden -I. -DPAPI_NUM_COMP=3 -
DOSLOCK="\linux-lock.h\" -DOSCONTEXT="\linux-context.h\" -O2 -c
upper_PAPI_FWRAPPERS.c -o upper_PAPI_FWRAPPERS.o #32 18.80
gcc -DPAPI_NO_MEMORY_MANAGEMENT -
DSTATIC_PAPI_EVENTS_TABLE -DUSE_PERFEVENT_RDPMC=1 -
DPEINCLUDE="\libpfm4/include/perfmon/perf_event.h\" -
D_REENTRANT -D_GNU_SOURCE -DUSE_COMPILER_TLS -
libpfm4/include -fvisibility=hidden -I. -DPAPI_NUM_COMP=3 -
DOSLOCK="\linux-lock.h\" -DOSCONTEXT="\linux-context.h\" -O2 -c
papi_fwrappers.c -o papi_fwrappers.o #32 18.94 gcc -
DPAPI_NO_MEMORY_MANAGEMENT -
DSTATIC_PAPI_EVENTS_TABLE -DUSE_PERFEVENT_RDPMC=1 -
DPEINCLUDE="\libpfm4/include/perfmon/perf_event.h\" -
D_REENTRANT -D_GNU_SOURCE -DUSE_COMPILER_TLS -
libpfm4/include -fvisibility=hidden -I. -DPAPI_NUM_COMP=3 -
DOSLOCK="\linux-lock.h\" -DOSCONTEXT="\linux-context.h\" -O2 -c
papi_fwrappers.c -o papi_fwrappers.o #32 19.07 gcc -
DPAPI_NO_MEMORY_MANAGEMENT -
DSTATIC_PAPI_EVENTS_TABLE -DUSE_PERFEVENT_RDPMC=1 -
DPEINCLUDE="\libpfm4/include/perfmon/perf_event.h\" -
D_REENTRANT -D_GNU_SOURCE -DUSE_COMPILER_TLS -
libpfm4/include -fvisibility=hidden -I. -DPAPI_NUM_COMP=3 -
DOSLOCK="\linux-lock.h\" -DOSCONTEXT="\linux-context.h\" -O2 -c
threads.c -o threads.o #32 19.17 gcc -
DPAPI_NO_MEMORY_MANAGEMENT -
DSTATIC_PAPI_EVENTS_TABLE -DUSE_PERFEVENT_RDPMC=1 -
DPEINCLUDE="\libpfm4/include/perfmon/perf_event.h\" -
D_REENTRANT -D_GNU_SOURCE -DUSE_COMPILER_TLS -
libpfm4/include -fvisibility=hidden -I. -DPAPI_NUM_COMP=3 -
DOSLOCK="\linux-lock.h\" -DOSCONTEXT="\linux-context.h\" -O2 -c
cpus.c -o cpus.o #32 19.23 gcc -DPAPI_NO_MEMORY_MANAGEMENT -
DSTATIC_PAPI_EVENTS_TABLE -DUSE_PERFEVENT_RDPMC=1 -
DPEINCLUDE="\libpfm4/include/perfmon/perf_event.h\" -
D_REENTRANT -D_GNU_SOURCE -DUSE_COMPILER_TLS -
libpfm4/include -fvisibility=hidden -I. -DPAPI_NUM_COMP=3 -
DOSLOCK="\linux-lock.h\" -DOSCONTEXT="\linux-context.h\" -O2 -c
linux-memory.c -o linux-memory.o #32 19.34 gcc -
DPAPI_NO_MEMORY_MANAGEMENT -
DSTATIC_PAPI_EVENTS_TABLE -DUSE_PERFEVENT_RDPMC=1 -
DPEINCLUDE="\libpfm4/include/perfmon/perf_event.h\" -
D_REENTRANT -D_GNU_SOURCE -DUSE_COMPILER_TLS -
libpfm4/include -fvisibility=hidden -I. -DPAPI_NUM_COMP=3 -
DOSLOCK="\linux-lock.h\" -DOSCONTEXT="\linux-context.h\" -O2 -c
linux-timer.c -o linux-timer.o #32 19.41 gcc -
DPAPI_NO_MEMORY_MANAGEMENT -
DSTATIC_PAPI_EVENTS_TABLE -DUSE_PERFEVENT_RDPMC=1 -
DPEINCLUDE="\libpfm4/include/perfmon/perf_event.h\" -
D_REENTRANT -D_GNU_SOURCE -DUSE_COMPILER_TLS -
libpfm4/include -fvisibility=hidden -I. -DPAPI_NUM_COMP=3 -
DOSLOCK="\linux-lock.h\" -DOSCONTEXT="\linux-context.h\" -O2 -c
linux-common.c -o linux-common.o #32 19.52 gcc -
DPAPI_NO_MEMORY_MANAGEMENT -
DSTATIC_PAPI_EVENTS_TABLE -DUSE_PERFEVENT_RDPMC=1 -
DPEINCLUDE="\libpfm4/include/perfmon/perf_event.h\" -
D_REENTRANT -D_GNU_SOURCE -DUSE_COMPILER_TLS -
libpfm4/include -fvisibility=hidden -I. -DPAPI_NUM_COMP=3 -

```

```

DOSLOCK="\linux-lock.h" -DOSCONTEXT="\linux-context.h" -O2 -c
papi_preset.c -o papi_preset.o #32 19.89 gcc -
DPAPI_NO_MEMORY_MANAGEMENT -
DSTATIC_PAPI_EVENTS_TABLE -DUSE_PERFEVENT_RDPMC=1 -
DPEINCLUDE="\libpfm4/include/perfmon/perf_event.h" -
D_REENTRANT -D_GNU_SOURCE -DUSE_COMPILER_TLS -
libpfm4/include -fvisibility=hidden -I. -DPAPI_NUM_COMP=3 -
DOSLOCK="\linux-lock.h" -DOSCONTEXT="\linux-context.h" -O2 -c
papi_vector.c -o papi_vector.o #32 19.95 gcc -
DPAPI_NO_MEMORY_MANAGEMENT -
DSTATIC_PAPI_EVENTS_TABLE -DUSE_PERFEVENT_RDPMC=1 -
DPEINCLUDE="\libpfm4/include/perfmon/perf_event.h" -
D_REENTRANT -D_GNU_SOURCE -DUSE_COMPILER_TLS -
libpfm4/include -fvisibility=hidden -I. -DPAPI_NUM_COMP=3 -
DOSLOCK="\linux-lock.h" -DOSCONTEXT="\linux-context.h" -O2 -c
papi_memory.c -o papi_memory.o #32 20.02 gcc -
DPAPI_NO_MEMORY_MANAGEMENT -
DSTATIC_PAPI_EVENTS_TABLE -DUSE_PERFEVENT_RDPMC=1 -
DPEINCLUDE="\libpfm4/include/perfmon/perf_event.h" -
D_REENTRANT -D_GNU_SOURCE -DUSE_COMPILER_TLS -
libpfm4/include -fvisibility=hidden -I. -DPAPI_NUM_COMP=3 -
DOSLOCK="\linux-lock.h" -DOSCONTEXT="\linux-context.h" -O2 -c
components/perf_event/perf_event.c -o perf_event.o #32 20.27 gcc -
DPAPI_NO_MEMORY_MANAGEMENT -
DSTATIC_PAPI_EVENTS_TABLE -DUSE_PERFEVENT_RDPMC=1 -
DPEINCLUDE="\libpfm4/include/perfmon/perf_event.h" -
D_REENTRANT -D_GNU_SOURCE -DUSE_COMPILER_TLS -
libpfm4/include -fvisibility=hidden -I. -DPAPI_NUM_COMP=3 -
DOSLOCK="\linux-lock.h" -DOSCONTEXT="\linux-context.h" -O2 -c
components/perf_event/pe_libpfm4_events.c -o pe_libpfm4_events.o
#32 20.43 gcc -DPAPI_NO_MEMORY_MANAGEMENT -
DSTATIC_PAPI_EVENTS_TABLE -DUSE_PERFEVENT_RDPMC=1 -
DPEINCLUDE="\libpfm4/include/perfmon/perf_event.h" -
D_REENTRANT -D_GNU_SOURCE -DUSE_COMPILER_TLS -
libpfm4/include -fvisibility=hidden -I. -DPAPI_NUM_COMP=3 -
DOSLOCK="\linux-lock.h" -DOSCONTEXT="\linux-context.h" -O2 -
Icomponents/perf_event/ -c
components/perf_event_uncore/perf_event_uncore.c -o
perf_event_uncore.o #32 20.58 gcc -
DPAPI_NO_MEMORY_MANAGEMENT -
DSTATIC_PAPI_EVENTS_TABLE -DUSE_PERFEVENT_RDPMC=1 -
DPEINCLUDE="\libpfm4/include/perfmon/perf_event.h" -
D_REENTRANT -D_GNU_SOURCE -DUSE_COMPILER_TLS -
libpfm4/include -fvisibility=hidden -I. -DPAPI_NUM_COMP=3 -
DOSLOCK="\linux-lock.h" -DOSCONTEXT="\linux-context.h" -O2 -c
components/sysdetect/sysdetect.c -o sysdetect.o #32 20.65 gcc -
DPAPI_NO_MEMORY_MANAGEMENT -
DSTATIC_PAPI_EVENTS_TABLE -DUSE_PERFEVENT_RDPMC=1 -
DPEINCLUDE="\libpfm4/include/perfmon/perf_event.h" -
D_REENTRANT -D_GNU_SOURCE -DUSE_COMPILER_TLS -
libpfm4/include -fvisibility=hidden -I. -DPAPI_NUM_COMP=3 -
DOSLOCK="\linux-lock.h" -DOSCONTEXT="\linux-context.h" -O2 -c
components/sysdetect/nvidia_gpu.c -o nvidia_gpu.o #32 20.69 gcc -
I/include/hsa -DPAPI_NO_MEMORY_MANAGEMENT -
DSTATIC_PAPI_EVENTS_TABLE -DUSE_PERFEVENT_RDPMC=1 -
DPEINCLUDE="\libpfm4/include/perfmon/perf_event.h" -
D_REENTRANT -D_GNU_SOURCE -DUSE_COMPILER_TLS -
libpfm4/include -fvisibility=hidden -I. -DPAPI_NUM_COMP=3 -
DOSLOCK="\linux-lock.h" -DOSCONTEXT="\linux-context.h" -O2 -c
components/sysdetect/amd_gpu.c -o amd_gpu.o #32 20.73 gcc -

```

```

DPAPI_NO_MEMORY_MANAGEMENT -
DSTATIC_PAPI_EVENTS_TABLE -DUSE_PERFEVENT_RDPMC=1 -
DPEINCLUDE="\libpfm4/include/perfmon/perf_event.h\" -
D_REENTRANT -D_GNU_SOURCE -DUSE_COMPILER_TLS -
libpfm4/include -fvisibility=hidden -I. -DPAPI_NUM_COMP=3 -
DOSLOCK="\linux-lock.h\" -DOSCONTEXT="\linux-context.h\" -O2 -c
components/sysdetect/cpu.c -o cpu.o #32 20.81 gcc -
DPAPI_NO_MEMORY_MANAGEMENT -
DSTATIC_PAPI_EVENTS_TABLE -DUSE_PERFEVENT_RDPMC=1 -
DPEINCLUDE="\libpfm4/include/perfmon/perf_event.h\" -
D_REENTRANT -D_GNU_SOURCE -DUSE_COMPILER_TLS -
libpfm4/include -fvisibility=hidden -I. -DPAPI_NUM_COMP=3 -
DOSLOCK="\linux-lock.h\" -DOSCONTEXT="\linux-context.h\" -O2 -c
components/sysdetect/cpu_utils.c -o cpu_utils.o #32 20.87 gcc -
DPAPI_NO_MEMORY_MANAGEMENT -
DSTATIC_PAPI_EVENTS_TABLE -DUSE_PERFEVENT_RDPMC=1 -
DPEINCLUDE="\libpfm4/include/perfmon/perf_event.h\" -
D_REENTRANT -D_GNU_SOURCE -DUSE_COMPILER_TLS -
libpfm4/include -fvisibility=hidden -I. -DPAPI_NUM_COMP=3 -
DOSLOCK="\linux-lock.h\" -DOSCONTEXT="\linux-context.h\" -O2 -c
components/sysdetect/os_cpu_utils.c -o os_cpu_utils.o #32 20.91 gcc -
DPAPI_NO_MEMORY_MANAGEMENT -
DSTATIC_PAPI_EVENTS_TABLE -DUSE_PERFEVENT_RDPMC=1 -
DPEINCLUDE="\libpfm4/include/perfmon/perf_event.h\" -
D_REENTRANT -D_GNU_SOURCE -DUSE_COMPILER_TLS -
libpfm4/include -fvisibility=hidden -I. -DPAPI_NUM_COMP=3 -
DOSLOCK="\linux-lock.h\" -DOSCONTEXT="\linux-context.h\" -O2 -c
components/sysdetect/linux_cpu_utils.c -o linux_cpu_utils.o #32 21.06
gcc -DPAPI_NO_MEMORY_MANAGEMENT -
DSTATIC_PAPI_EVENTS_TABLE -DUSE_PERFEVENT_RDPMC=1 -
DPEINCLUDE="\libpfm4/include/perfmon/perf_event.h\" -
D_REENTRANT -D_GNU_SOURCE -DUSE_COMPILER_TLS -
libpfm4/include -fvisibility=hidden -I. -DPAPI_NUM_COMP=3 -
DOSLOCK="\linux-lock.h\" -DOSCONTEXT="\linux-context.h\" -O2 -c
components/sysdetect/x86_cpu_utils.c -o x86_cpu_utils.o #32 21.18
rm -f libpapi.a #32 21.18 ar rv libpapi.a pfmlib_common.o
pfmlib_perf_event_pmu.o pfmlib_perf_event.o pfmlib_perf_event_raw.o
pfmlib_intel_x86_perf_event.o pfmlib_amd64_perf_event.o
pfmlib_intel_netburst_perf_event.o
pfmlib_intel_snbep_unc_perf_event.o pfmlib_amd64.o
pfmlib_intel_core.o pfmlib_intel_x86.o pfmlib_intel_x86_arch.o
pfmlib_intel_atom.o pfmlib_intel_nhm_unc.o pfmlib_intel_nhm.o
pfmlib_intel_wsm.o pfmlib_intel_snb.o pfmlib_intel_snb_unc.o
pfmlib_intel_ivb.o pfmlib_intel_ivb_unc.o pfmlib_intel_hsw.o
pfmlib_intel_bdw.o pfmlib_intel_skl.o pfmlib_intel_icl.o
pfmlib_intel_spr.o pfmlib_intel_gnr.o pfmlib_intel_rapl.o
pfmlib_intel_snbep_unc.o pfmlib_intel_snbep_unc_cbo.o
pfmlib_intel_snbep_unc_ha.o pfmlib_intel_snbep_unc_imc.o
pfmlib_intel_snbep_unc_pcu.o pfmlib_intel_snbep_unc_qpi.o
pfmlib_intel_snbep_unc_ubo.o pfmlib_intel_snbep_unc_r2pcie.o
pfmlib_intel_snbep_unc_r3qpi.o pfmlib_intel_ivbep_unc_cbo.o
pfmlib_intel_ivbep_unc_ha.o pfmlib_intel_ivbep_unc_imc.o
pfmlib_intel_ivbep_unc_pcu.o pfmlib_intel_ivbep_unc_qpi.o
pfmlib_intel_ivbep_unc_ubo.o pfmlib_intel_ivbep_unc_r2pcie.o
pfmlib_intel_ivbep_unc_r3qpi.o pfmlib_intel_ivbep_unc_irp.o
pfmlib_intel_hswep_unc_cbo.o pfmlib_intel_hswep_unc_ha.o
pfmlib_intel_hswep_unc_imc.o pfmlib_intel_hswep_unc_pcu.o
pfmlib_intel_hswep_unc_qpi.o pfmlib_intel_hswep_unc_ubo.o
pfmlib_intel_hswep_unc_r2pcie.o pfmlib_intel_hswep_unc_r3qpi.o
pfmlib_intel_hswep_unc_irp.o pfmlib_intel_hswep_unc_sbo.o

```

pfmlib_intel_bdx_unc_cbo.o pfmlib_intel_bdx_unc_ubo.o
 pfmlib_intel_bdx_unc_sbo.o pfmlib_intel_bdx_unc_ha.o
 pfmlib_intel_bdx_unc_imc.o pfmlib_intel_bdx_unc_irp.o
 pfmlib_intel_bdx_unc_pcu.o pfmlib_intel_bdx_unc_qpi.o
 pfmlib_intel_bdx_unc_r2pcie.o pfmlib_intel_bdx_unc_r3qpi.o
 pfmlib_intel_skx_unc_cha.o pfmlib_intel_skx_unc_iio.o
 pfmlib_intel_skx_unc_imc.o pfmlib_intel_skx_unc_irp.o
 pfmlib_intel_skx_unc_m2m.o pfmlib_intel_skx_unc_m3upi.o
 pfmlib_intel_skx_unc_pcu.o pfmlib_intel_skx_unc_ubo.o
 pfmlib_intel_skx_unc_upi.o pfmlib_intel_icx_unc_cha.o
 pfmlib_intel_icx_unc_imc.o pfmlib_intel_icx_unc_m2m.o
 pfmlib_intel_icx_unc_iio.o pfmlib_intel_icx_unc_irp.o
 pfmlib_intel_icx_unc_pcu.o pfmlib_intel_icx_unc_upi.o
 pfmlib_intel_icx_unc_m3upi.o pfmlib_intel_icx_unc_ubox.o
 pfmlib_intel_icx_unc_m2pcie.o pfmlib_intel_spr_unc_imc.o
 pfmlib_intel_spr_unc_upi.o pfmlib_intel_spr_unc_cha.o
 pfmlib_intel_gnr_unc_imc.o pfmlib_intel_knc.o pfmlib_intel_slm.o
 pfmlib_intel_tmt.o pfmlib_intel_knl.o pfmlib_intel_adl.o
 pfmlib_intel_knl_unc_imc.o pfmlib_intel_knl_unc_edc.o
 pfmlib_intel_knl_unc_cha.o pfmlib_intel_knl_unc_m2pcie.o
 pfmlib_intel_glm.o pfmlib_intel_netburst.o pfmlib_amd64_k7.o
 pfmlib_amd64_k8.o pfmlib_amd64_fam10h.o pfmlib_amd64_fam11h.o
 pfmlib_amd64_fam12h.o pfmlib_amd64_fam14h.o
 pfmlib_amd64_fam15h.o pfmlib_amd64_fam17h.o
 pfmlib_amd64_fam16h.o pfmlib_amd64_fam19h.o
 pfmlib_amd64_rapl.o pfmlib_amd64_fam19h_l3.o
 pfmlib_amd64_fam1ah.o pfmlib_amd64_fam1ah_l3.o x86_cpuid_info.o
 papi_libpfm4_events.o papi.o papi_internal.o papi_hl.o extras.o
 sw_multiplex.o upper_PAPI_FWRAPPERS.o papi_fwappers_.o
 papi_fwappers_.o threads.o cpus.o linux-memory.o linux-timer.o
 linux-common.o papi_preset.o papi_vector.o papi_memory.o
 perf_event.o pe_libpfm4_events.o perf_event_uncore.o sysdetect.o
 nvidia_gpu.o amd_gpu.o cpu.o cpu_utils.o os_cpu_utils.o
 linux_cpu_utils.o x86_cpu_utils.o #32 21.19 a - creating libpapi.a #32
 21.19 a - pfmlib_common.o #32 21.19 a - pfmlib_perf_event_pmu.o
 #32 21.19 a - pfmlib_perf_event.o #32 21.19 a -
 pfmlib_perf_event_raw.o #32 21.19 a - pfmlib_intel_x86_perf_event.o
 #32 21.19 a - pfmlib_amd64_perf_event.o #32 21.19 a -
 pfmlib_intel_netburst_perf_event.o #32 21.19 a -
 pfmlib_intel_snbep_unc_perf_event.o #32 21.19 a - pfmlib_amd64.o
 #32 21.19 a - pfmlib_intel_core.o #32 21.19 a - pfmlib_intel_x86.o
 #32 21.19 a - pfmlib_intel_x86_arch.o #32 21.19 a -
 pfmlib_intel_atom.o #32 21.19 a - pfmlib_intel_nhm_unc.o #32 21.19 a
 - pfmlib_intel_nhm.o #32 21.19 a - pfmlib_intel_wsm.o #32 21.19 a -
 pfmlib_intel_snb.o #32 21.19 a - pfmlib_intel_snb_unc.o #32 21.19 a -
 pfmlib_intel_ivb.o #32 21.19 a - pfmlib_intel_ivb_unc.o #32 21.19 a -
 pfmlib_intel_hsw.o #32 21.19 a - pfmlib_intel_bdw.o #32 21.19 a -
 pfmlib_intel_skl.o #32 21.19 a - pfmlib_intel_icl.o #32 21.19 a -
 pfmlib_intel_spr.o #32 21.19 a - pfmlib_intel_gnr.o #32 21.19 a -
 pfmlib_intel_rapl.o #32 21.19 a - pfmlib_intel_snbep_unc.o #32 21.19
 a - pfmlib_intel_snbep_unc_cbo.o #32 21.19 a -
 pfmlib_intel_snbep_unc_ha.o #32 21.19 a -
 pfmlib_intel_snbep_unc_imc.o #32 21.19 a -
 pfmlib_intel_snbep_unc_pcu.o #32 21.19 a -
 pfmlib_intel_snbep_unc_qpi.o #32 21.19 a -
 pfmlib_intel_snbep_unc_ubo.o #32 21.19 a -
 pfmlib_intel_snbep_unc_r2pcie.o #32 21.19 a -
 pfmlib_intel_snbep_unc_r3qpi.o #32 21.19 a -
 pfmlib_intel_ivbep_unc_cbo.o #32 21.19 a -
 pfmlib_intel_ivbep_unc_ha.o #32 21.19 a -

pfmllib_intel_ivbep_unc_imc.o #32 21.19 a -
pfmllib_intel_ivbep_unc_pcu.o #32 21.19 a -
pfmllib_intel_ivbep_unc_qpi.o #32 21.19 a -
pfmllib_intel_ivbep_unc_ubo.o #32 21.19 a -
pfmllib_intel_ivbep_unc_r2pcie.o #32 21.19 a -
pfmllib_intel_ivbep_unc_r3qpi.o #32 21.19 a -
pfmllib_intel_ivbep_unc_irp.o #32 21.19 a -
pfmllib_intel_hswep_unc_cbo.o #32 21.19 a -
pfmllib_intel_hswep_unc_ha.o #32 21.19 a -
pfmllib_intel_hswep_unc_imc.o #32 21.19 a -
pfmllib_intel_hswep_unc_pcu.o #32 21.19 a -
pfmllib_intel_hswep_unc_qpi.o #32 21.19 a -
pfmllib_intel_hswep_unc_ubo.o #32 21.19 a -
pfmllib_intel_hswep_unc_r2pcie.o #32 21.19 a -
pfmllib_intel_hswep_unc_r3qpi.o #32 21.19 a -
pfmllib_intel_hswep_unc_irp.o #32 21.19 a -
pfmllib_intel_hswep_unc_sbo.o #32 21.19 a -
pfmllib_intel_bdx_unc_cbo.o #32 21.19 a - pfmllib_intel_bdx_unc_ubo.o
#32 21.19 a - pfmllib_intel_bdx_unc_sbo.o #32 21.19 a -
pfmllib_intel_bdx_unc_ha.o #32 21.19 a - pfmllib_intel_bdx_unc_imc.o
#32 21.19 a - pfmllib_intel_bdx_unc_irp.o #32 21.19 a -
pfmllib_intel_bdx_unc_pcu.o #32 21.19 a - pfmllib_intel_bdx_unc_qpi.o
#32 21.19 a - pfmllib_intel_bdx_unc_r2pcie.o #32 21.19 a -
pfmllib_intel_bdx_unc_r3qpi.o #32 21.19 a -
pfmllib_intel_skx_unc_cha.o #32 21.19 a - pfmllib_intel_skx_unc_iio.o
#32 21.19 a - pfmllib_intel_skx_unc_imc.o #32 21.19 a -
pfmllib_intel_skx_unc_irp.o #32 21.19 a - pfmllib_intel_skx_unc_m2m.o
#32 21.19 a - pfmllib_intel_skx_unc_m3upi.o #32 21.19 a -
pfmllib_intel_skx_unc_pcu.o #32 21.19 a - pfmllib_intel_skx_unc_ubo.o
#32 21.19 a - pfmllib_intel_skx_unc_upi.o #32 21.19 a -
pfmllib_intel_icx_unc_cha.o #32 21.19 a - pfmllib_intel_icx_unc_imc.o
#32 21.19 a - pfmllib_intel_icx_unc_m2m.o #32 21.19 a -
pfmllib_intel_icx_unc_iio.o #32 21.19 a - pfmllib_intel_icx_unc_irp.o
#32 21.19 a - pfmllib_intel_icx_unc_pcu.o #32 21.19 a -
pfmllib_intel_icx_unc_upi.o #32 21.19 a - pfmllib_intel_icx_unc_m3upi.o
#32 21.19 a - pfmllib_intel_icx_unc_ubox.o #32 21.19 a -
pfmllib_intel_icx_unc_m2pcie.o #32 21.19 a -
pfmllib_intel_spr_unc_imc.o #32 21.19 a - pfmllib_intel_spr_unc_upi.o
#32 21.19 a - pfmllib_intel_spr_unc_cha.o #32 21.19 a -
pfmllib_intel_gnr_unc_imc.o #32 21.19 a - pfmllib_intel_knc.o #32
21.19 a - pfmllib_intel_slm.o #32 21.19 a - pfmllib_intel_tmt.o #32
21.19 a - pfmllib_intel_knl.o #32 21.19 a - pfmllib_intel_adl.o #32 21.19
a - pfmllib_intel_knl_unc_imc.o #32 21.19 a -
pfmllib_intel_knl_unc_edc.o #32 21.19 a - pfmllib_intel_knl_unc_cha.o
#32 21.19 a - pfmllib_intel_knl_unc_m2pcie.o #32 21.19 a -
pfmllib_intel_glm.o #32 21.19 a - pfmllib_intel_netburst.o #32 21.19 a -
pfmllib_amd64_k7.o #32 21.19 a - pfmllib_amd64_k8.o #32 21.19 a -
pfmllib_amd64_fam10h.o #32 21.19 a - pfmllib_amd64_fam11h.o #32
21.19 a - pfmllib_amd64_fam12h.o #32 21.19 a -
pfmllib_amd64_fam14h.o #32 21.19 a - pfmllib_amd64_fam15h.o #32
21.19 a - pfmllib_amd64_fam17h.o #32 21.19 a -
pfmllib_amd64_fam16h.o #32 21.19 a - pfmllib_amd64_fam19h.o #32
21.19 a - pfmllib_amd64_rapl.o #32 21.19 a -
pfmllib_amd64_fam19h_l3.o #32 21.19 a - pfmllib_amd64_fam1ah.o
#32 21.19 a - pfmllib_amd64_fam1ah_l3.o #32 21.19 a -
x86_cpuid_info.o #32 21.19 a - papi_libpfm4_events.o #32 21.19 a -
papi.o #32 21.19 a - papi_internal.o #32 21.19 a - papi_hl.o #32 21.19
a - extras.o #32 21.19 a - sw_multiplex.o #32 21.19 a -
upper_PAPI_FWRAPPERS.o #32 21.19 a - papi_fwrappers.o #32
21.19 a - papi_fwrappers_.o #32 21.19 a - threads.o #32 21.19 a -

```

cpus.o #32 21.19 a - linux-memory.o #32 21.19 a - linux-timer.o #32
21.19 a - linux-common.o #32 21.19 a - papi_preset.o #32 21.19 a -
papi_vector.o #32 21.19 a - papi_memory.o #32 21.19 a - perf_event.o
#32 21.19 a - pe_libpfm4_events.o #32 21.19 a - perf_event_uncore.o
#32 21.19 a - sysdetect.o #32 21.19 a - nvidia_gpu.o #32 21.19 a -
amd_gpu.o #32 21.19 a - cpu.o #32 21.19 a - cpu_utils.o #32 21.19 a -
os_cpu_utils.o #32 21.19 a - linux_cpu_utils.o #32 21.19 a -
x86_cpu_utils.o #32 21.25 make CC=gcc -C sde_lib dynamic #32
21.25 make[2]: Entering directory '/workspace/papi/src/sde_lib' #32
21.25 gcc -c -Bdynamic -fPIC -shared -fvisibility=hidden -Wextra -Wall
-O2 -I. -I. sde_lib.c -o sde_lib_d.o #32 21.46 gcc -c -Bdynamic -fPIC -
shared -fvisibility=hidden -Wextra -Wall -O2 -I. -I.
sde_lib_datastructures.c -o sde_lib_datastructures_d.o #32 21.59 gcc -
c -Bdynamic -fPIC -shared -fvisibility=hidden -Wextra -Wall -O2 -I. -I.
sde_lib_misc.c -o sde_lib_misc_d.o #32 21.70 gcc -c -Bdynamic -fPIC -
shared -fvisibility=hidden -Wextra -Wall -O2 -I. -I. sde_lib_ti.c -o
sde_lib_ti_d.o #32 21.78 gcc -Bdynamic -fPIC -shared -Wl,-soname -
Wl,libsde.so -fvisibility=hidden -Wextra -Wall -O2 sde_lib_d.o
sde_lib_datastructures_d.o sde_lib_misc_d.o sde_lib_ti_d.o -lrt -ldl -
pthread -o libsde.so.1.0 #32 21.79 rm -f * _d.o #32 21.79 make[2]:
Leaving directory '/workspace/papi/src/sde_lib' #32 21.79 ln -sf
sde_lib/libsde.so.1.0 libsde.so #32 21.79 make CC=gcc -C sde_lib
static #32 21.80 make[2]: Entering directory
'/workspace/papi/src/sde_lib' #32 21.80 gcc -c -Bstatic -static -Wextra
-Wall -O2 -I. -I. sde_lib.c -o sde_lib_s.o #32 21.99 gcc -c -Bstatic -static
-Wextra -Wall -O2 -I. -I. sde_lib_datastructures.c -o
sde_lib_datastructures_s.o #32 22.12 gcc -c -Bstatic -static -Wextra -
Wall -O2 -I. -I. sde_lib_misc.c -o sde_lib_misc_s.o #32 22.23 gcc -c -
Bstatic -static -Wextra -Wall -O2 -I. -I. sde_lib_ti.c -o sde_lib_ti_s.o #32
22.30 ar rs libsde.a sde_lib_s.o sde_lib_datastructures_s.o
sde_lib_misc_s.o sde_lib_ti_s.o #32 22.30 ar: creating libsde.a #32
22.30 rm -f * _s.o #32 22.31 make[2]: Leaving directory
'/workspace/papi/src/sde_lib' #32 22.31 ln -sf sde_lib/libsde.a libsde.a
#32 22.31 make -C testlib #32 22.31 make[2]: Entering directory
'/workspace/papi/src/testlib' #32 22.31 gcc -I. -I. -
DPAPI_NUM_COMP=3 -O1 -c test_utils.c #32 22.40 gfortran -I. -I. -c
ftests_util.F #32 22.44 ar rv libtestlib.a test_utils.o ftests_util.o #32
22.44 ar: creating libtestlib.a #32 22.44 a - test_utils.o #32 22.44 a -
ftests_util.o #32 22.44 gcc -I. -I. -DPAPI_NUM_COMP=3 -O1 -O0 -c
do_loops.c #32 22.47 gcc -I. -I. -DPAPI_NUM_COMP=3 -O1 -c
clockcore.c #32 22.51 make[2]: Leaving directory
'/workspace/papi/src/testlib' #32 22.51 make -C utils #32 22.52
make[2]: Entering directory '/workspace/papi/src/utils' #32 22.52 gcc
-DPAPI_NUM_COMP=3 -O2 -I./testlib -I. -I. -c papi_avail.c #32 22.66
gcc -I./testlib -I. -I. -DPAPI_NUM_COMP=3 -O2 -c print_header.c #32
22.70 gcc -DPAPI_NUM_COMP=3 -O2 -o papi_avail papi_avail.o
print_header.o ../libpapi.a #32 22.80 gcc -DPAPI_NUM_COMP=3 -O2 -
I./testlib -I. -I. -c papi_mem_info.c #32 22.84 gcc -
DPAPI_NUM_COMP=3 -O2 -o papi_mem_info papi_mem_info.o
../libpapi.a #32 22.93 gcc -DPAPI_NUM_COMP=3 -O2 -I./testlib -I. -I.
-c papi_cost.c #32 23.02 gcc -I./testlib -I. -I. -DPAPI_NUM_COMP=3 -
O2 -c cost_utils.c #32 23.08 gcc -DPAPI_NUM_COMP=3 -O2 -o
papi_cost papi_cost.o cost_utils.o ../libpapi.a -lm #32 23.18 gcc -
DPAPI_NUM_COMP=3 -O2 -I./testlib -I. -I. -c papi_clockres.c #32
23.20 gcc -DPAPI_NUM_COMP=3 -O2 -o papi_clockres
papi_clockres.o ../libpapi.a ../testlib/clockcore.o -lm #32 23.31 gcc -
DPAPI_NUM_COMP=3 -O2 -I./testlib -I. -I. -o papi_native_avail
papi_native_avail.c ../libpapi.a print_header.o #32 23.51 gcc -
DPAPI_NUM_COMP=3 -O2 -I./testlib -I. -I. -c papi_command_line.c
#32 23.56 gcc -DPAPI_NUM_COMP=3 -O2 -o papi_command_line

```

```

papi_command_line.o ../libpapi.a ../testlib/do_loops.o #32 23.66 gcc -
DPAPI_NUM_COMP=3 -O2 -I../testlib -I. -I. -c papi_event_chooser.c
#32 23.71 gcc -DPAPI_NUM_COMP=3 -O2 -o papi_event_chooser
papi_event_chooser.o print_header.o ../libpapi.a #32 23.81 gcc -
DPAPI_NUM_COMP=3 -O2 -I../testlib -I. -I. -c papi_decode.c #32
23.85 gcc -DPAPI_NUM_COMP=3 -O2 -o papi_decode papi_decode.o
../libpapi.a #32 23.95 gcc -DPAPI_NUM_COMP=3 -O2 -I../testlib -I. -I.
-c papi_xml_event_info.c #32 24.02 gcc -DPAPI_NUM_COMP=3 -O2 -o
papi_xml_event_info papi_xml_event_info.o ../libpapi.a #32 24.12 gcc -
DPAPI_NUM_COMP=3 -O2 -I../testlib -I. -I. -c papi_version.c #32
24.15 gcc -DPAPI_NUM_COMP=3 -O2 -o papi_version papi_version.o
../libpapi.a #32 24.16 gcc -DPAPI_NUM_COMP=3 -O2 -I../testlib -I. -I.
-c papi_multiplex_cost.c #32 24.30 gcc -DPAPI_NUM_COMP=3 -O2 -o
papi_multiplex_cost papi_multiplex_cost.o cost_utils.o ../libpapi.a -lm
#32 24.40 gcc -DPAPI_NUM_COMP=3 -O2 -I../testlib -I. -I. -c
papi_component_avail.c #32 24.45 gcc -DPAPI_NUM_COMP=3 -O2 -o
papi_component_avail papi_component_avail.o ../libpapi.a
print_header.o #32 24.55 gcc -DPAPI_NUM_COMP=3 -O2 -I../testlib -
I. -I. -c papi_error_codes.c #32 24.57 gcc -DPAPI_NUM_COMP=3 -O2
-o papi_error_codes papi_error_codes.o ../libpapi.a #32 24.67 gcc -
DPAPI_NUM_COMP=3 -O2 -I../testlib -I. -I. -c papi_hardware_avail.c
#32 24.76 gcc -DPAPI_NUM_COMP=3 -O2 -o papi_hardware_avail
papi_hardware_avail.o ../libpapi.a print_header.o #32 24.85 make[2]:
Leaving directory '/workspace/papi/src/utils' #32 24.85 make -C
validation_tests #32 24.86 make[2]: Entering directory
'/workspace/papi/src/validation_tests' #32 24.86 gcc -
DPAPI_NUM_COMP=3 -O2 -I../testlib -I. -I. -c fp_validation_hl.c #32
24.89 gcc -I../testlib -I. -I. -DPAPI_NUM_COMP=3 -O2 -c
flops_testcode.c #32 24.94 gcc -o fp_validation_hl fp_validation_hl.o
../testlib/libtestlib.a flops_testcode.o ../libpapi.a -lrt -lpthread #32
25.04 gcc -DPAPI_NUM_COMP=3 -O2 -I../testlib -I. -I. -c
cycles_validation.c #32 25.08 gcc -I../testlib -I. -I. -
DPAPI_NUM_COMP=3 -O2 -c display_error.c #32 25.11 gcc -I../testlib
-I. -I. -DPAPI_NUM_COMP=3 -O2 -c instructions_testcode.c #32
25.12 gcc -o cycles_validation cycles_validation.o ../testlib/libtestlib.a
display_error.o instructions_testcode.o ../libpapi.a -lrt #32 25.22 gcc -
DPAPI_NUM_COMP=3 -O2 -I../testlib -I. -I. -c flops_validation.c #32
25.28 gcc -I../testlib -I. -I. -DPAPI_NUM_COMP=3 -O2 -c
branches_testcode.c #32 25.31 gcc -o flops_validation
flops_validation.o ../testlib/libtestlib.a display_error.o
branches_testcode.o flops_testcode.o ../libpapi.a -lrt #32 25.41 gcc -
DPAPI_NUM_COMP=3 -O2 -I../testlib -I. -I. -c papi_br_cn.c #32 25.45
gcc -o papi_br_cn papi_br_cn.o ../testlib/libtestlib.a display_error.o
branches_testcode.o ../libpapi.a -lrt #32 25.55 gcc -
DPAPI_NUM_COMP=3 -O2 -I../testlib -I. -I. -c papi_br_ins.c #32 25.59
gcc -o papi_br_ins papi_br_ins.o ../testlib/libtestlib.a display_error.o
branches_testcode.o ../libpapi.a -lrt #32 25.68 gcc -
DPAPI_NUM_COMP=3 -O2 -I../testlib -I. -I. -c papi_br_msp.c #32
25.73 gcc -o papi_br_msp papi_br_msp.o ../testlib/libtestlib.a
display_error.o branches_testcode.o ../libpapi.a -lrt #32 25.83 gcc -
DPAPI_NUM_COMP=3 -O2 -I../testlib -I. -I. -c papi_br_ntk.c #32
25.87 gcc -o papi_br_ntk papi_br_ntk.o ../testlib/libtestlib.a
display_error.o branches_testcode.o ../libpapi.a -lrt #32 25.97 gcc -
DPAPI_NUM_COMP=3 -O2 -I../testlib -I. -I. -c papi_br_prc.c #32
26.02 gcc -o papi_br_prc papi_br_prc.o ../testlib/libtestlib.a
display_error.o branches_testcode.o ../libpapi.a -lrt #32 26.12 gcc -
DPAPI_NUM_COMP=3 -O2 -I../testlib -I. -I. -c papi_br_tkn.c #32
26.17 gcc -o papi_br_tkn papi_br_tkn.o ../testlib/libtestlib.a
display_error.o branches_testcode.o ../libpapi.a -lrt #32 26.26 gcc -
DPAPI_NUM_COMP=3 -O2 -I../testlib -I. -I. -c papi_br_ucn.c #32

```



```

26.30 gcc -o papi_br_ucln papi_br_ucln.o ../testlib/libtestlib.a
display_error.o branches_testcode.o ../libpapi.a -lrt #32 26.40 gcc -
DPAPI_NUM_COMP=3 -O2 -I../testlib -I.. -I. -c papi_dp_ops.c #32
26.45 gcc -o papi_dp_ops papi_dp_ops.o ../testlib/libtestlib.a
display_error.o branches_testcode.o flops_testcode.o ../libpapi.a -lrt
#32 26.55 gcc -DPAPI_NUM_COMP=3 -O2 -I../testlib -I.. -I. -c
papi_fp_ops.c #32 26.60 gcc -o papi_fp_ops papi_fp_ops.o
../testlib/libtestlib.a display_error.o branches_testcode.o
flops_testcode.o ../libpapi.a -lrt #32 26.70 gcc -DPAPI_NUM_COMP=3
-O2 -I../testlib -I.. -I. -c papi_sp_ops.c #32 26.75 gcc -o papi_sp_ops
papi_sp_ops.o ../testlib/libtestlib.a display_error.o branches_testcode.o
flops_testcode.o ../libpapi.a -lrt #32 26.85 gcc -DPAPI_NUM_COMP=3
-O2 -I../testlib -I.. -I. -c papi_hw_int.c #32 26.89 gcc -o papi_hw_int
papi_hw_int.o ../testlib/libtestlib.a ../libpapi.a -lrt #32 26.99 gcc -
DPAPI_NUM_COMP=3 -O2 -I../testlib -I.. -I. -c papi_l1_dca.c #32 27.03
gcc -I../testlib -I.. -I. -DPAPI_NUM_COMP=3 -O2 -c cache_testcode.c
#32 27.06 gcc -I../testlib -I.. -I. -DPAPI_NUM_COMP=3 -O2 -O1 -c
matrix_multiply.c #32 27.09 gcc -o papi_l1_dca papi_l1_dca.o
../testlib/libtestlib.a cache_testcode.o display_error.o matrix_multiply.o
../libpapi.a -lrt #32 27.19 gcc -DPAPI_NUM_COMP=3 -O2 -I../testlib -
I.. -I. -c papi_l1_dcm.c #32 27.23 gcc -I../testlib -I.. -I. -
DPAPI_NUM_COMP=3 -O2 -c cache_helper.c #32 27.27 gcc -o
papi_l1_dcm papi_l1_dcm.o ../testlib/libtestlib.a cache_helper.o
cache_testcode.o display_error.o matrix_multiply.o ../libpapi.a -lrt #32
27.37 gcc -DPAPI_NUM_COMP=3 -O2 -I../testlib -I.. -I. -c papi_l2_dca.c
#32 27.42 gcc -o papi_l2_dca papi_l2_dca.o ../testlib/libtestlib.a
cache_helper.o cache_testcode.o display_error.o matrix_multiply.o
../libpapi.a -lrt #32 27.52 gcc -DPAPI_NUM_COMP=3 -O2 -I../testlib -
I.. -I. -c papi_l2_dcm.c #32 27.57 gcc -o papi_l2_dcm papi_l2_dcm.o
../testlib/libtestlib.a cache_helper.o cache_testcode.o display_error.o
matrix_multiply.o ../libpapi.a -lrt #32 27.67 gcc -
DPAPI_NUM_COMP=3 -O2 -I../testlib -I.. -I. -c papi_l2_dcr.c #32 27.72
gcc -o papi_l2_dcr papi_l2_dcr.o ../testlib/libtestlib.a cache_helper.o
cache_testcode.o display_error.o matrix_multiply.o ../libpapi.a -lrt #32
27.82 gcc -DPAPI_NUM_COMP=3 -O2 -I../testlib -I.. -I. -c
papi_l2_dcw.c #32 27.86 gcc -o papi_l2_dcw papi_l2_dcw.o
../testlib/libtestlib.a cache_helper.o cache_testcode.o display_error.o
matrix_multiply.o ../libpapi.a -lrt #32 27.96 gcc -
DPAPI_NUM_COMP=3 -O2 -I../testlib -I.. -I. -c papi_ld_ins.c #32 28.02
gcc -I../testlib -I.. -I. -DPAPI_NUM_COMP=3 -O2 -c
load_store_testcode.c #32 28.03 gcc -o papi_ld_ins papi_ld_ins.o
../testlib/libtestlib.a display_error.o matrix_multiply.o
load_store_testcode.o ../libpapi.a -lrt #32 28.13 gcc -
DPAPI_NUM_COMP=3 -O2 -I../testlib -I.. -I. -c papi_sr_ins.c #32 28.18
gcc -o papi_sr_ins papi_sr_ins.o ../testlib/libtestlib.a display_error.o
matrix_multiply.o load_store_testcode.o ../libpapi.a -lrt #32 28.28 gcc -
DPAPI_NUM_COMP=3 -O2 -I../testlib -I.. -I. -c papi_ref_cyc.c #32
28.32 gcc -o papi_ref_cyc papi_ref_cyc.o ../testlib/libtestlib.a
display_error.o flops_testcode.o ../libpapi.a -lrt #32 28.42 gcc -
DPAPI_NUM_COMP=3 -O2 -I../testlib -I.. -I. -c papi_tot_cyc.c #32
28.47 gcc -o papi_tot_cyc papi_tot_cyc.o ../testlib/libtestlib.a
display_error.o matrix_multiply.o ../libpapi.a -lrt #32 28.57 gcc -
DPAPI_NUM_COMP=3 -O2 -I../testlib -I.. -I. -c papi_tot_ins.c #32
28.62 gcc -o papi_tot_ins papi_tot_ins.o ../testlib/libtestlib.a
display_error.o instructions_testcode.o ../libpapi.a -lrt #32 28.72
make[2]: Leaving directory '/workspace/papi/src/validation_tests' #32
28.72 make -C ctests #32 28.72 make[2]: Entering directory
'/workspace/papi/src/ctests' #32 28.72 gcc -pthread -I../testlib -
I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 pthread_hl.c
../testlib/libtestlib.a ../testlib/do_loops.o ../libpapi.a -o pthread_hl -

```

```

lpthread #32 28.86 gcc -pthread -I../testlib -I../validation_tests -I.. -I. -
DPAPI_NUM_COMP=3 -O1 pthrtough.c ../testlib/libtestlib.a ../libpapi.a
-o pthrtough -lpthread #32 28.99 gcc -pthread -I../testlib -
I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 pthrtough2.c
../testlib/libtestlib.a ../libpapi.a -o pthrtough2 -lpthread #32 29.13 gcc
-pthread -I../testlib -I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -
O1 thrspecific.c ../testlib/libtestlib.a ../libpapi.a -o thrspecific -lpthread
#32 29.26 gcc -pthread -I../testlib -I../validation_tests -I.. -I. -
DPAPI_NUM_COMP=3 -O1 profile_pthreads.c ../testlib/libtestlib.a
../testlib/do_loops.o ../libpapi.a -o profile_pthreads -lpthread #32 29.41
gcc -pthread -I../testlib -I../validation_tests -I.. -I. -
DPAPI_NUM_COMP=3 -O1 overflow_pthreads.c ../testlib/libtestlib.a
../testlib/do_loops.o ../libpapi.a -o overflow_pthreads -lpthread #32
29.55 gcc -pthread -I../testlib -I../validation_tests -I.. -I. -
DPAPI_NUM_COMP=3 -O1 zero_pthreads.c ../testlib/libtestlib.a
../testlib/do_loops.o ../libpapi.a -o zero_pthreads -lpthread #32 29.68
gcc -pthread -I../testlib -I../validation_tests -I.. -I. -
DPAPI_NUM_COMP=3 -O1 clockres_pthreads.c ../testlib/libtestlib.a
../testlib/clockcore.o ../libpapi.a -o clockres_pthreads -lpthread -lm
#32 29.82 gcc -pthread -I../testlib -I../validation_tests -I.. -I. -
DPAPI_NUM_COMP=3 -O1 overflow3_pthreads.c ../testlib/libtestlib.a
../testlib/do_loops.o ../libpapi.a -o overflow3_pthreads -lpthread #32
29.95 gcc -pthread -I../testlib -I../validation_tests -I.. -I. -
DPAPI_NUM_COMP=3 -O1 locks_pthreads.c ../testlib/libtestlib.a
../libpapi.a -o locks_pthreads -lpthread -lm #32 30.10 gcc -pthread -
I../testlib -I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1
krentel_pthreads.c ../testlib/libtestlib.a ../libpapi.a -o krentel_pthreads
-lpthread #32 30.24 gcc -I../testlib -I../validation_tests -I.. -I. -
DPAPI_NUM_COMP=3 -O1 serial_hl.c ../testlib/libtestlib.a
../testlib/do_loops.o ../libpapi.a -o serial_hl #32 30.36 gcc -I../testlib -
I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1
serial_hl_ll_comb.c ../testlib/libtestlib.a ../testlib/do_loops.o ../libpapi.a
-o serial_hl_ll_comb #32 30.49 gcc -I../testlib -I../validation_tests -I.. -I.
-DPAPI_NUM_COMP=3 -O1 all_events.c ../testlib/libtestlib.a
../libpapi.a -o all_events #32 30.62 gcc -I../testlib -I../validation_tests -
I.. -I. -DPAPI_NUM_COMP=3 -O1 all_native_events.c
../testlib/libtestlib.a ../libpapi.a -o all_native_events #32 30.76 gcc -
I../testlib -I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1
branches.c ../testlib/libtestlib.a ../libpapi.a
../validation_tests/flops_testcode.o -lm -o branches #32 30.91 gcc -
I../testlib -I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1
calibrate.c ../testlib/libtestlib.a ../testlib/do_loops.o ../libpapi.a -o
calibrate #32 31.09 gcc -I../testlib -I../validation_tests -I.. -I. -
DPAPI_NUM_COMP=3 -O1 case1.c ../testlib/libtestlib.a
../testlib/do_loops.o ../libpapi.a -o case1 #32 31.22 gcc -I../testlib -
I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 case2.c
../testlib/libtestlib.a ../libpapi.a -o case2 #32 31.35 gcc -I../testlib -
I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 cmpinfo.c
../testlib/libtestlib.a ../libpapi.a -o cmpinfo #32 31.47 gcc -I../testlib -
I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 code2name.c
../testlib/libtestlib.a ../libpapi.a -o code2name #32 31.61 gcc -I../testlib
-I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 derived.c
../testlib/libtestlib.a ../testlib/do_loops.o ../libpapi.a -o derived #32
31.74 gcc -I../testlib -I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3
-O1 describe.c ../testlib/libtestlib.a ../libpapi.a -o describe #32 31.86
gcc -I../testlib -I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1
destroy.c ../testlib/libtestlib.a
../validation_tests/instructions_testcode.o ../libpapi.a -o destroy #32
31.99 gcc -I../testlib -I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3
-O1 disable_component.c ../testlib/libtestlib.a ../libpapi.a -o

```

```

disable_component #32 32.11 gcc -I../testlib -I../validation_tests -I.. -I.
-DPAPI_NUM_COMP=3 -O1 dmem_info.c ../testlib/libtestlib.a
../testlib/do_loops.o ../libpapi.a -o dmem_info #32 32.24 gcc -I../testlib
-I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 eventname.c
../testlib/libtestlib.a ../libpapi.a -o eventname #32 32.36 gcc -I../testlib
-I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 exeinfo.c
../testlib/libtestlib.a ../libpapi.a -o exeinfo #32 32.49 gcc -I../testlib -
I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 failed_events.c
../testlib/libtestlib.a ../libpapi.a -o failed_events #32 32.63 gcc -
I../testlib -I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 first.c
../testlib/libtestlib.a ../testlib/do_loops.o ../libpapi.a -o first #32 32.76
gcc -I../testlib -I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1
get_event_component.c ../testlib/libtestlib.a ../libpapi.a -o
get_event_component #32 32.90 gcc -I../testlib -I../validation_tests -I..
-I. -DPAPI_NUM_COMP=3 -O1 inherit.c ../testlib/libtestlib.a
../testlib/do_loops.o ../libpapi.a -o inherit #32 33.03 gcc -I../testlib -
I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 hwinform.c
../testlib/libtestlib.a ../libpapi.a -o hwinform #32 33.16 gcc -I../testlib -
I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 johnmay2.c
../testlib/libtestlib.a ../testlib/do_loops.o ../libpapi.a -o johnmay2 #32
33.28 gcc -I../testlib -I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3
-O1 low-level.c ../testlib/libtestlib.a ../testlib/do_loops.o ../libpapi.a -o
low-level #32 33.42 gcc -I../testlib -I../validation_tests -I.. -I. -
DPAPI_NUM_COMP=3 -O1 memory.c ../testlib/libtestlib.a
../testlib/do_loops.o ../libpapi.a -o memory #32 33.56 gcc -I../testlib -
I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 realtime.c
../testlib/libtestlib.a ../libpapi.a -o realtime #32 33.69 gcc -I../testlib -
I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 remove_events.c
../testlib/libtestlib.a ../testlib/do_loops.o ../libpapi.a -o remove_events
#32 33.81 gcc -I../testlib -I../validation_tests -I.. -I. -
DPAPI_NUM_COMP=3 -O1 reset.c ../testlib/libtestlib.a
../testlib/do_loops.o ../libpapi.a -o reset #32 33.95 gcc -I../testlib -
I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 second.c
../testlib/libtestlib.a ../testlib/do_loops.o ../libpapi.a -o second #32
34.11 gcc -I../testlib -I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3
-O1 tenth.c ../testlib/libtestlib.a ../testlib/do_loops.o ../libpapi.a -o tenth
#32 34.25 gcc -I../testlib -I../validation_tests -I.. -I. -
DPAPI_NUM_COMP=3 -O1 version.c ../testlib/libtestlib.a ../libpapi.a -o
version #32 34.37 gcc -I../testlib -I../validation_tests -I.. -I. -
DPAPI_NUM_COMP=3 -O1 vruntime.c ../testlib/libtestlib.a ../libpapi.a -
o vruntime #32 34.50 gcc -I../testlib -I../validation_tests -I.. -I. -
DPAPI_NUM_COMP=3 -O1 zero.c ../testlib/libtestlib.a
../validation_tests/instructions/testcode.o ../libpapi.a -o zero #32
34.63 gcc -I../testlib -I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3
-O1 zero_flip.c ../testlib/libtestlib.a ../testlib/do_loops.o ../libpapi.a -o
zero_flip #32 34.76 gcc -I../testlib -I../validation_tests -I.. -I. -
DPAPI_NUM_COMP=3 -O1 zero_named.c ../testlib/libtestlib.a
../testlib/do_loops.o ../libpapi.a -o zero_named #32 34.89 gcc -
I../testlib -I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 fork.c
../testlib/libtestlib.a ../libpapi.a -o fork #32 35.02 gcc -I../testlib -
I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 fork2.c
../testlib/libtestlib.a ../libpapi.a -o fork2 #32 35.15 gcc -I../testlib -
I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 exec.c
../testlib/libtestlib.a ../libpapi.a -o exec #32 35.27 gcc -I../testlib -
I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 exec2.c
../testlib/libtestlib.a ../libpapi.a -o exec2 #32 35.40 gcc -I../testlib -
I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 forkexec.c
../testlib/libtestlib.a ../libpapi.a -o forkexec #32 35.53 gcc -I../testlib -
I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 forkexec2.c
../testlib/libtestlib.a ../libpapi.a -o forkexec2 #32 35.66 gcc -I../testlib -

```

```

I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 forkexec3.c
../testlib/libtestlib.a ../libpapi.a -o forkexec3 #32 35.79 gcc -I../testlib -
I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 forkexec4.c
../testlib/libtestlib.a ../libpapi.a -o forkexec4 #32 35.92 gcc -I../testlib -
I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 fork_overflow.c
../testlib/libtestlib.a ../libpapi.a -o fork_overflow #32 36.07 gcc -
DPAPI_NUM_COMP=3 -O1 -c -o ../validation_tests/busy_work.o
../validation_tests/busy_work.c #32 36.09 gcc -I../testlib -
I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 -DPEXEC
exec_overflow.c ../testlib/libtestlib.a ../libpapi.a
../validation_tests/busy_work.o -o exec_overflow #32 36.23 gcc -
I../testlib -I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 -
DPCHILD child_overflow.c ../testlib/libtestlib.a ../libpapi.a
../validation_tests/busy_work.o -o child_overflow #32 36.36 gcc -
I../testlib -I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 -
DSYSTEM system_child_overflow.c ../testlib/libtestlib.a ../libpapi.a -o
system_child_overflow #32 36.51 gcc -I../testlib -I../validation_tests -I..
-I. -DPAPI_NUM_COMP=3 -O1 -DSYSTEM2 system_overflow.c
../testlib/libtestlib.a ../libpapi.a -o system_overflow #32 36.65 gcc -
I../testlib -I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 burn.c
../testlib/libtestlib.a ../testlib/do_loops.o ../libpapi.a -o burn #32 36.68
gcc -I../testlib -I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1
zero_fork.c ../testlib/do_loops.o ../testlib/libtestlib.a ../libpapi.a -o
zero_fork #32 36.81 gcc -I../testlib -I../validation_tests -I.. -I. -
DPAPI_NUM_COMP=3 -O1 overflow.c ../testlib/libtestlib.a
../testlib/do_loops.o ../libpapi.a -o overflow #32 36.94 gcc -I../testlib -
I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1
overflow_force_software.c ../testlib/libtestlib.a ../testlib/do_loops.o
../libpapi.a -o overflow_force_software #32 37.08 gcc -I../testlib -
I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1
overflow_single_event.c ../testlib/libtestlib.a ../testlib/do_loops.o
../libpapi.a -o overflow_single_event #32 37.22 gcc -I../testlib -
I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1
overflow_twoevents.c ../testlib/libtestlib.a ../testlib/do_loops.o
../libpapi.a -o overflow_twoevents #32 37.36 gcc -I../testlib -
I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 timer_overflow.c
../testlib/libtestlib.a ../libpapi.a -o timer_overflow #32 37.49 gcc -
I../testlib -I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1
overflow2.c ../testlib/libtestlib.a ../testlib/do_loops.o ../libpapi.a -o
overflow2 #32 37.62 gcc -I../testlib -I../validation_tests -I.. -I. -
DPAPI_NUM_COMP=3 -O1 overflow_index.c ../testlib/libtestlib.a
../testlib/do_loops.o ../libpapi.a -o overflow_index #32 37.76 gcc -
I../testlib -I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1
overflow_one_and_read.c ../testlib/libtestlib.a ../testlib/do_loops.o
../libpapi.a -o overflow_one_and_read #32 37.88 gcc -I../testlib -
I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1
overflow_allcounters.c ../testlib/libtestlib.a ../testlib/do_loops.o
../libpapi.a -o overflow_allcounters #32 38.04 gcc -I../testlib -
I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 -c prof_utils.c
#32 38.09 gcc -I../testlib -I../validation_tests -I.. -I. -
DPAPI_NUM_COMP=3 -O1 profile.c prof_utils.o ../testlib/libtestlib.a
../testlib/do_loops.o ../libpapi.a -o profile #32 38.23 gcc -I../testlib -
I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 -DSWPROFILE
profile.c prof_utils.o ../testlib/libtestlib.a ../testlib/do_loops.o
../libpapi.a -o profile_force_software #32 38.36 gcc -I../testlib -
I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 sprofile.c
prof_utils.o ../testlib/libtestlib.a ../testlib/do_loops.o ../libpapi.a -o
sprofile #32 38.49 gcc -I../testlib -I../validation_tests -I.. -I. -
DPAPI_NUM_COMP=3 -O1 profile_twoevents.c prof_utils.o
../testlib/libtestlib.a ../testlib/do_loops.o ../libpapi.a -o

```

```

profile_twoevents #32 38.62 gcc -I../testlib -I../validation_tests -I.. -I. -
DPAPI_NUM_COMP=3 -O1 byte_profile.c prof_utils.o
../testlib/libtestlib.a ../testlib/do_loops.o ../libpapi.a -o byte_profile #32
38.77 gcc -I../testlib -I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3
-O1 max_multiplex.c ../testlib/libtestlib.a ../libpapi.a -o max_multiplex
#32 38.90 gcc -I../testlib -I../validation_tests -I.. -I. -
DPAPI_NUM_COMP=3 -O1 multiplex1.c ../testlib/libtestlib.a
../testlib/do_loops.o ../libpapi.a -o multiplex1 #32 39.06 gcc -I../testlib
-I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 multiplex2.c
../testlib/libtestlib.a ../testlib/do_loops.o ../libpapi.a -o multiplex2 #32
39.20 gcc -I../testlib -I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3
-O1 -DMULTIPLEX mendes-alt.c ../testlib/libtestlib.a ../libpapi.a -o
mendes-alt #32 39.35 gcc -I../testlib -I../validation_tests -I.. -I. -
DPAPI_NUM_COMP=3 -O1 -DMPX sdsc-mpx.c ../testlib/libtestlib.a
../validation_tests/flops_testcode.o ../libpapi.a -o sdsc-mpx #32 39.50
gcc -I../testlib -I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 -
DMPX sdsc2.c ../testlib/libtestlib.a ../validation_tests/flops_testcode.o
../libpapi.a -lm -o sdsc2-mpx #32 39.66 gcc -I../testlib -
I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 -DMPX -
DSTARTSTOP sdsc2.c ../testlib/libtestlib.a
../validation_tests/flops_testcode.o ../libpapi.a -lm -o sdsc2-mpx-
noreset #32 39.81 gcc -I../testlib -I../validation_tests -I.. -I. -
DPAPI_NUM_COMP=3 -O1 -DMPX sdsc4-mpx.c ../testlib/libtestlib.a
../validation_tests/flops_testcode.o ../libpapi.a -lm -o sdsc4-mpx #32
39.98 gcc -I../testlib -I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3
-O1 reset_multiplex.c ../testlib/libtestlib.a ../testlib/do_loops.o
../libpapi.a -o reset_multiplex #32 40.12 gcc -pthread -I../testlib -
I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1
multiplex1_pthreads.c ../testlib/libtestlib.a ../testlib/do_loops.o
../libpapi.a -o multiplex1_pthreads -lpthread #32 40.28 gcc -pthread -
I../testlib -I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1
multiplex3_pthreads.c ../testlib/libtestlib.a ../testlib/do_loops.o
../libpapi.a -o multiplex3_pthreads -lpthread #32 40.43 gcc -pthread -
I../testlib -I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1
kufrin.c ../testlib/libtestlib.a ../testlib/do_loops.o ../libpapi.a -o kufrin -
lpthread #32 40.57 gcc -pthread -I../testlib -I../validation_tests -I.. -I. -
fopenmp -DPAPI_NUM_COMP=3 -O1 omp_hl.c ../testlib/libtestlib.a
../testlib/do_loops.o ../libpapi.a -o omp_hl #32 40.70 gcc -pthread -
I../testlib -I../validation_tests -I.. -I. -fopenmp -DPAPI_NUM_COMP=3 -
O1 zero_omp.c ../testlib/libtestlib.a ../testlib/do_loops.o ../libpapi.a -o
zero_omp #32 40.83 gcc -pthread -I../testlib -I../validation_tests -I.. -I. -
fopenmp -DPAPI_NUM_COMP=3 -O1 omptough.c ../testlib/libtestlib.a
../libpapi.a -o omptough #32 40.97 gcc -pthread -I../testlib -
I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 zero_smp.c
../testlib/libtestlib.a ../testlib/do_loops.o ../libpapi.a -o zero_smp #32
41.11 gcc -pthread -I../testlib -I../validation_tests -I.. -I. -
DPAPI_NUM_COMP=3 -O1 zero_shmem.c ../testlib/libtestlib.a
../testlib/do_loops.o ../libpapi.a -o zero_shmem #32 41.24 gcc -
I../testlib -I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 shlib.c
../testlib/libtestlib.a ../libpapi.a -o shlib #32 41.38 gcc -I../testlib -
I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 earprofile.c
../testlib/libtestlib.a ../testlib/do_loops.o prof_utils.o ../libpapi.a -o
earprofile #32 41.52 gcc -I../testlib -I../validation_tests -I.. -I. -
DPAPI_NUM_COMP=3 -O1 data_range.c ../testlib/libtestlib.a
../libpapi.a -o data_range #32 41.64 gcc -I../testlib -I../validation_tests
-I.. -I. -DPAPI_NUM_COMP=3 -O1 p4_lst_ins.c ../testlib/libtestlib.a
../testlib/do_loops.o ../libpapi.a -o p4_lst_ins #32 41.77 gcc -I../testlib -
I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3 -O1 multiattach.c
../testlib/libtestlib.a ../testlib/do_loops.o ../libpapi.a -o multiattach #32
41.92 gcc -I../testlib -I../validation_tests -I.. -I. -DPAPI_NUM_COMP=3

```

```

-O1 multiattach2.c ../testlib/libtestlib.a ../testlib/do_loops.o ../libpapi.a
-o multiattach2 #32 42.07 gcc -I../testlib -I../validation_tests -I. -I. -
DPAPI_NUM_COMP=3 -O1 zero_attach.c ../testlib/libtestlib.a
../testlib/do_loops.o ../libpapi.a -o zero_attach #32 42.20 gcc -I../testlib
-I../validation_tests -I. -I. -DPAPI_NUM_COMP=3 -O1 attach_target.c -
o attach_target ../testlib/do_loops.o ../testlib/libtestlib.a #32 42.24 gcc
-I../testlib -I../validation_tests -I. -I. -DPAPI_NUM_COMP=3 -O1
attach3.c ../testlib/libtestlib.a ../libpapi.a -o attach3 #32 42.39 gcc -
I../testlib -I../validation_tests -I. -I. -DPAPI_NUM_COMP=3 -O1
attach2.c ../testlib/libtestlib.a ../libpapi.a -o attach2 #32 42.53 gcc -
I../testlib -I../validation_tests -I. -I. -DPAPI_NUM_COMP=3 -O1
attach_cpu.c ../testlib/libtestlib.a ../testlib/do_loops.o ../libpapi.a -o
attach_cpu #32 42.66 gcc -I../testlib -I../validation_tests -I. -I. -
DPAPI_NUM_COMP=3 -O1 attach_validate.c ../testlib/libtestlib.a
../validation_tests/instructions/testcode.o ../libpapi.a -o attach_validate
#32 42.81 gcc -I../testlib -I../validation_tests -I. -I. -
DPAPI_NUM_COMP=3 -O1 attach_cpu_validate.c ../testlib/libtestlib.a
../testlib/do_loops.o ../libpapi.a -o attach_cpu_validate #32 42.94 gcc -
I../testlib -I../validation_tests -I. -I. -DPAPI_NUM_COMP=3 -O1
attach_cpu_sys_validate.c ../testlib/libtestlib.a ../testlib/do_loops.o
../libpapi.a -o attach_cpu_sys_validate #32 43.07 mpicc -I../testlib -
I../validation_tests -I. -I. -DPAPI_NUM_COMP=3 -O1 mpi_hl.c
../testlib/libtestlib.a ../testlib/do_loops.o ../libpapi.a -o mpi_hl #32
43.24 mpicc -I../testlib -I../validation_tests -I. -I. -fopenmp -
DPAPI_NUM_COMP=3 -O1 mpi_omp_hl.c ../testlib/libtestlib.a
../testlib/do_loops.o ../libpapi.a -o mpi_omp_hl #32 43.41 mpicc -
I../testlib -I../validation_tests -I. -I. -DPAPI_NUM_COMP=3 -O1 first.c
../testlib/libtestlib.a ../testlib/do_loops.o ../libpapi.a -o mpifirst #32
43.56 make[2]: Leaving directory '/workspace/papi/src/ctests' #32
43.56 make -C ftests #32 43.57 make[2]: Entering directory
'/workspace/papi/src/ftests' #32 43.57 gfortran -I../testlib -I. -I. -
DPAPI_NUM_COMP=3 -ffixed-line-length-132 -O1 strtest.F
../testlib/libtestlib.a ../libpapi.a -o strtest #32 43.74 gfortran -I../testlib
-I. -I. -DPAPI_NUM_COMP=3 -ffixed-line-length-132 -O1 zero.F
../testlib/libtestlib.a ../testlib/do_loops.o ../libpapi.a -o zero #32 43.88
gfortran -I../testlib -I. -I. -DPAPI_NUM_COMP=3 -ffixed-line-length-
132 -O1 zeronamed.F ../testlib/libtestlib.a ../testlib/do_loops.o
../libpapi.a -o zeronamed #32 44.02 gfortran -I../testlib -I. -I. -
DPAPI_NUM_COMP=3 -ffixed-line-length-132 -O1 first.F
../testlib/libtestlib.a ../testlib/do_loops.o ../libpapi.a -o first #32 44.17
gfortran -I../testlib -I. -I. -DPAPI_NUM_COMP=3 -ffixed-line-length-
132 -O1 second.F ../testlib/libtestlib.a ../testlib/do_loops.o ../libpapi.a -
o second #32 44.32 gfortran -I../testlib -I. -I. -DPAPI_NUM_COMP=3 -
ffixed-line-length-132 -O1 tenth.F ../testlib/libtestlib.a
../testlib/do_loops.o ../libpapi.a -o tenth #32 44.46 gfortran -I../testlib -
I. -I. -DPAPI_NUM_COMP=3 -ffixed-line-length-132 -O1 description.F
../testlib/libtestlib.a ../testlib/do_loops.o ../libpapi.a -o description #32
44.62 gfortran -I../testlib -I. -I. -DPAPI_NUM_COMP=3 -ffixed-line-
length-132 -O1 fdmemtest.F ../testlib/libtestlib.a ../libpapi.a -o
fdmemtest #32 44.75 gfortran -I../testlib -I. -I. -
DPAPI_NUM_COMP=3 -ffixed-line-length-132 -O1 accum.F
../testlib/libtestlib.a ../testlib/do_loops.o ../libpapi.a -o accum #32
44.89 gfortran -I../testlib -I. -I. -DPAPI_NUM_COMP=3 -ffixed-line-
length-132 -O1 cost.F ../testlib/libtestlib.a ../libpapi.a -o cost #32
45.03 gfortran -I../testlib -I. -I. -DPAPI_NUM_COMP=3 -ffixed-line-
length-132 -O1 case1.F ../testlib/libtestlib.a ../testlib/do_loops.o
../libpapi.a -o case1 #32 45.17 gfortran -I../testlib -I. -I. -
DPAPI_NUM_COMP=3 -ffixed-line-length-132 -O1 case2.F
../testlib/libtestlib.a ../testlib/do_loops.o ../libpapi.a -o case2 #32 45.30
gfortran -I../testlib -I. -I. -DPAPI_NUM_COMP=3 -ffixed-line-length-

```

```

132 -O1 clocres.F ../testlib/libtestlib.a ../libpapi.a -o clocres #32
45.44 gfortran -I../testlib -I.. -DPAPI_NUM_COMP=3 -ffixed-line-
length-132 -O1 eventname.F ../testlib/libtestlib.a ../libpapi.a -o
eventname #32 45.56 gfortran -I../testlib -I.. -
DPAPI_NUM_COMP=3 -ffixed-line-length-132 -O1 fmatrixlowpapi.F
../testlib/libtestlib.a ../testlib/do_loops.o ../libpapi.a -o fmatrixlowpapi
#32 45.72 gfortran -I../testlib -I.. -DPAPI_NUM_COMP=3 -ffixed-
line-length-132 -O1 fmultiplex1.F ../testlib/libtestlib.a
../testlib/do_loops.o ../libpapi.a -o fmultiplex1 #32 45.88 gfortran -
I../testlib -I.. -DPAPI_NUM_COMP=3 -ffixed-line-length-132 -O1
johnmay2.F ../testlib/libtestlib.a ../testlib/do_loops.o ../libpapi.a -o
johnmay2 #32 46.02 gfortran -I../testlib -I.. -DPAPI_NUM_COMP=3 -
ffixed-line-length-132 -O1 fmultiplex2.F ../testlib/libtestlib.a
../testlib/do_loops.o ../libpapi.a -o fmultiplex2 #32 46.17 gfortran -
I../testlib -I.. -DPAPI_NUM_COMP=3 -ffixed-line-length-132 -O1
avail.F ../testlib/libtestlib.a ../libpapi.a -o avail #32 46.31 gfortran -
I../testlib -I.. -DPAPI_NUM_COMP=3 -ffixed-line-length-132 -O1
openmp.F ../testlib/libtestlib.a ../libpapi.a -o openmp -fopenmp #32
46.44 gfortran -I../testlib -I.. -DPAPI_NUM_COMP=3 -ffixed-line-
length-132 -O1 serial_hl.F ../testlib/libtestlib.a ../testlib/do_loops.o
../libpapi.a -o serial_hl #32 46.57 make[2]: Leaving directory
'/workspace/papi/src/ftests' #32 46.58 + make -C
components/perf_event/tests #32 46.58 make[2]: Entering directory
'/workspace/papi/src/components/perf_event/tests' #32 46.58 gcc -
DPAPI_NUM_COMP=3 -O2 -I.. -I../.. -I../.. /testlib -
I../.. /validation_tests -c broken_events.c #32 46.75 gcc -
DPAPI_NUM_COMP=3 -O2 -I.. -I../.. -I../.. /testlib -
I../.. /validation_tests -c event_name_lib.c #32 46.79 gcc -I.. -I../.. -
I../.. /testlib -I../.. /validation_tests -o broken_events broken_events.o
event_name_lib.o ../.. /testlib/libtestlib.a ../.. /libpapi.a #32 46.89
gcc -DPAPI_NUM_COMP=3 -O2 -I.. -I../.. -I../.. /testlib -
I../.. /validation_tests -c nmi_watchdog.c #32 46.91 gcc -I.. -I../.. -
I../.. /testlib -I../.. /validation_tests -o nmi_watchdog nmi_watchdog.o
../.. /testlib/libtestlib.a ../.. /libpapi.a #32 47.01 gcc -
DPAPI_NUM_COMP=3 -O2 -I.. -I../.. -I../.. /testlib -
I../.. /validation_tests -c perf_event_offcore_response.c #32 47.04 gcc -
-I.. -I../.. -I../.. /testlib -I../.. /validation_tests -o
perf_event_offcore_response perf_event_offcore_response.o
event_name_lib.o ../.. /testlib/libtestlib.a ../.. /testlib/do_loops.o
../.. /libpapi.a #32 47.14 gcc -DPAPI_NUM_COMP=3 -O2 -I.. -I../.. -
I../.. /testlib -I../.. /validation_tests -c perf_event_system_wide.c #32
47.23 gcc -I.. -I../.. -I../.. /testlib -I../.. /validation_tests -o
perf_event_system_wide perf_event_system_wide.o
../.. /testlib/libtestlib.a ../.. /testlib/do_loops.o ../.. /libpapi.a #32
47.32 gcc -DPAPI_NUM_COMP=3 -O2 -I.. -I../.. -I../.. /testlib -
I../.. /validation_tests -c perf_event_user_kernel.c #32 47.40 gcc -I.. -
I../.. -I../.. /testlib -I../.. /validation_tests -o perf_event_user_kernel
perf_event_user_kernel.o event_name_lib.o ../.. /testlib/libtestlib.a
../.. /testlib/do_loops.o ../.. /libpapi.a #32 47.50 make[2]: Leaving
directory '/workspace/papi/src/components/perf_event/tests' #32
47.50 + make -C components/perf_event_uncore/tests #32 47.50
make[2]: Entering directory
'/workspace/papi/src/components/perf_event_uncore/tests' #32 47.50
gcc -DPAPI_NUM_COMP=3 -O2 -I.. -I../.. -I../.. /testlib -
I../.. /validation_tests -c -o perf_event_uncore.o perf_event_uncore.c
#32 47.54 gcc -DPAPI_NUM_COMP=3 -I.. -I../.. -I../.. /testlib -
I../.. /validation_tests -c perf_event_uncore_lib.c #32 47.56 gcc -
DPAPI_NUM_COMP=3 -o perf_event_uncore perf_event_uncore.o
perf_event_uncore_lib.o ../.. /testlib/libtestlib.a
../.. /testlib/do_loops.o ../.. /libpapi.a #32 47.66 gcc -

```

```

DPAPI_NUM_COMP=3 -O2 -I. -I./../.. -I./../testlib -
I./../validation_tests -c -o perf_event_uncore_attach.o
perf_event_uncore_attach.c #32 47.69 gcc -DPAPI_NUM_COMP=3 -o
perf_event_uncore_attach perf_event_uncore_attach.o
perf_event_uncore_lib.o .././../testlib/libtestlib.a
.././../testlib/do_loops.o .././../libpapi.a #32 47.79 gcc -
DPAPI_NUM_COMP=3 -O2 -I. -I./../.. -I./../testlib -
I./../validation_tests -c -o perf_event_uncore_multiple.o
perf_event_uncore_multiple.c #32 47.83 gcc -DPAPI_NUM_COMP=3 -
I. -I./../.. -I./../testlib -I./../validation_tests -o
perf_event_uncore_multiple perf_event_uncore_multiple.o
perf_event_uncore_lib.o .././../testlib/libtestlib.a
.././../testlib/do_loops.o .././../libpapi.a #32 47.92 gcc -
DPAPI_NUM_COMP=3 -O2 -I. -I./../.. -I./../testlib -
I./../validation_tests -c -o perf_event_amd_northbridge.o
perf_event_amd_northbridge.c #32 47.96 gcc -DPAPI_NUM_COMP=3
-o perf_event_amd_northbridge perf_event_amd_northbridge.o
.././../testlib/libtestlib.a .././../testlib/do_loops.o .././../libpapi.a #32
48.06 gcc -DPAPI_NUM_COMP=3 -O2 -I. -I./../.. -I./../testlib -
I./../validation_tests -c -o perf_event_uncore_cbox.o
perf_event_uncore_cbox.c #32 48.11 gcc -DPAPI_NUM_COMP=3 -I. -
I./../.. -I./../testlib -I./../validation_tests -o perf_event_uncore_cbox
perf_event_uncore_cbox.o perf_event_uncore_lib.o
.././../testlib/libtestlib.a .././../testlib/do_loops.o .././../libpapi.a #32
48.21 make[2]: Leaving directory
'/workspace/papi/src/components/perf_event_uncore/tests' #32 48.21
+ make -C components/sysdetect/tests #32 48.21 make[2]: Entering
directory '/workspace/papi/src/components/sysdetect/tests' #32 48.21
gcc -DPAPI_NUM_COMP=3 -O2 -I. -I./../.. -I./../testlib -
I./../validation_tests -c -o query_device_simple.o
query_device_simple.c #32 48.28 gcc -DPAPI_NUM_COMP=3 -I. -
I./../.. -I./../testlib -I./../validation_tests -o query_device_simple
query_device_simple.o .././../testlib/libtestlib.a .././../libpapi.a #32
48.38 gfortran -ffree-form -ffree-line-length-none -I./../.. -o
query_device_simple_f query_device_simple.f.F .././../libpapi.a #32
48.52 mpicc -DPAPI_NUM_COMP=3 -O2 -I. -I./../.. -I./../testlib -
I./../validation_tests -c -o query_device_mpi.o query_device_mpi.c
#32 48.61 mpicc -DPAPI_NUM_COMP=3 -I. -I./../.. -I./../testlib -
I./../validation_tests -o query_device_mpi query_device_mpi.o
.././../testlib/libtestlib.a .././../libpapi.a #32 48.73 make[2]: Leaving
directory '/workspace/papi/src/components/sysdetect/tests' #32 48.73
make[1]: Leaving directory '/workspace/papi/src' #32 48.74 make -C
libpfm4 ARCH="x86_64" DESTDIR= PREFIX=/usr/local/extrae/papi
install prefix=/usr/local/extrae/papi LIBDIR=/usr/local/extrae/papi/lib
INCDIR=/usr/local/extrae/papi/include
MANDIR=/usr/local/extrae/papi/share/man install #32 48.74 make[1]:
Entering directory '/workspace/papi/src/libpfm4' #32 48.75 installing
in /usr/local/extrae/papi #32 48.75 make[2]: Entering directory
'/workspace/papi/src/libpfm4/lib' #32 48.76 building: libpfm.a
libpfm.so.4.13.0 #32 48.76 mkdir -p /usr/local/extrae/papi/lib #32
48.76 install -m 644 libpfm.a /usr/local/extrae/papi/lib #32 48.77
install libpfm.so.4.13.0 /usr/local/extrae/papi/lib #32 48.78 cd
/usr/local/extrae/papi/lib; ln -sf libpfm.so.4.13.0 libpfm.so.4 #32 48.78
cd /usr/local/extrae/papi/lib; ln -sf libpfm.so.4.13.0 libpfm.so #32
48.78 ldconfig #32 48.79 make[2]: Leaving directory
'/workspace/papi/src/libpfm4/lib' #32 48.79 make[2]: Entering
directory '/workspace/papi/src/libpfm4/tests' #32 48.80 make[2]:
Nothing to be done for 'install'. #32 48.80 make[2]: Leaving directory
'/workspace/papi/src/libpfm4/tests' #32 48.80 make[2]: Entering
directory '/workspace/papi/src/libpfm4/examples' #32 48.80 make[2]:

```


Nothing to be done for 'install'. #32 48.80 make[2]: Leaving directory
'/workspace/papi/src/libpfm4/examples' #32 48.80 make[2]: Entering
directory '/workspace/papi/src/libpfm4/perf_examples' #32 48.81
make[2]: Nothing to be done for 'install'. #32 48.81 make[2]: Leaving
directory '/workspace/papi/src/libpfm4/perf_examples' #32 48.81
make[2]: Entering directory '/workspace/papi/src/libpfm4/include' #32
48.82 mkdir -p /usr/local/extrape/papi/include/perfmon #32 48.82
install -m 644 perfmon/pfmlib.h perfmon/perf_event.h
perfmon/pfmlib_perf_event.h /usr/local/extrape/papi/include/perfmon
#32 48.82 make[2]: Leaving directory
'/workspace/papi/src/libpfm4/include' #32 48.82 make[2]: Entering
directory '/workspace/papi/src/libpfm4/docs' #32 48.83 mkdir -p
/usr/local/extrape/papi/share/man/man3 #32 48.83 (cd man3; install -m
644 libpfm.3 pfm_find_event.3 pfm_get_event_attr info.3
pfm_get_event_info.3 pfm_get_event_encoding.3 pfm_get_event_next.3
pfm_get_pmu_info.3 pfm_get_os_event_encoding.3 pfm_get_version.3
pfm_initialize.3 pfm_terminate.3 pfm_strerror.3 libpfm_intel_core.3
libpfm_intel_x86_arch.3 libpfm_amd64.3 libpfm_amd64_k7.3
libpfm_amd64_k8.3 libpfm_amd64_fam10h.3 libpfm_amd64_fam15h.3
libpfm_amd64_fam16h.3 libpfm_amd64_fam17h.3
libpfm_amd64_fam17h_zen2.3 libpfm_amd64_fam19h_zen3.3
libpfm_amd64_fam19h_zen4.3 libpfm_amd64_fam19h_zen3_l3.3
libpfm_amd64_fam1ah_zen5.3 libpfm_amd64_fam1ah_zen5_l3.3
libpfm_intel_atom.3 libpfm_intel_nhm.3 libpfm_intel_nhm_unc.3
libpfm_intel_wsm.3 libpfm_intel_wsm_unc.3 libpfm_intel_snb.3
libpfm_intel_snb_unc.3 libpfm_intel_ivb.3 libpfm_intel_ivb_unc.3
libpfm_intel_hsw.3 libpfm_intel_bdw.3 libpfm_intel_rapl.3
libpfm_intel_slm.3 libpfm_intel_tmt.3 libpfm_intel_skl.3
libpfm_intel_icl.3 libpfm_intel_icx.3 libpfm_intel_spr.3
libpfm_intel_emr.3 libpfm_intel_gnr.3 libpfm_intel_glm.3
libpfm_intel_adl_glc.3 libpfm_intel_adl_grt.3 libpfm_intel_knl.3
libpfm_intel_knm.3 libpfm_intel_snbep_unc_cbo.3
libpfm_intel_snbep_unc_ha.3 libpfm_intel_snbep_unc_imc.3
libpfm_intel_snbep_unc_pcu.3 libpfm_intel_snbep_unc_qpi.3
libpfm_intel_snbep_unc_ubo.3 libpfm_intel_snbep_unc_r2pcie.3
libpfm_intel_snbep_unc_r3qpi.3 libpfm_intel_ivbep_unc_cbo.3
libpfm_intel_ivbep_unc_ha.3 libpfm_intel_ivbep_unc_imc.3
libpfm_intel_ivbep_unc_pcu.3 libpfm_intel_ivbep_unc_qpi.3
libpfm_intel_ivbep_unc_ubo.3 libpfm_intel_ivbep_unc_r2pcie.3
libpfm_intel_ivbep_unc_r3qpi.3 libpfm_intel_ivbep_unc_irp.3
libpfm_intel_knc.3 libpfm_intel_hswep_unc_cbo.3
libpfm_intel_hswep_unc_ha.3 libpfm_intel_hswep_unc_imc.3
libpfm_intel_hswep_unc_irp.3 libpfm_intel_hswep_unc_pcu.3
libpfm_intel_hswep_unc_qpi.3 libpfm_intel_hswep_unc_r2pcie.3
libpfm_intel_hswep_unc_r3qpi.3 libpfm_intel_hswep_unc_sbo.3
libpfm_intel_hswep_unc_ubo.3 libpfm_intel_bdx_unc_cbo.3
libpfm_intel_bdx_unc_ha.3 libpfm_intel_bdx_unc_imc.3
libpfm_intel_bdx_unc_irp.3 libpfm_intel_bdx_unc_pcu.3
libpfm_intel_bdx_unc_qpi.3 libpfm_intel_bdx_unc_r2pcie.3
libpfm_intel_bdx_unc_r3qpi.3 libpfm_intel_bdx_unc_sbo.3
libpfm_intel_bdx_unc_ubo.3 libpfm_intel_skx_unc_cha.3
libpfm_intel_skx_unc_imc.3 libpfm_intel_skx_unc_irp.3
libpfm_intel_skx_unc_m2m.3 libpfm_intel_skx_unc_m3upi.3
libpfm_intel_skx_unc_pcu.3 libpfm_intel_skx_unc_ubo.3
libpfm_intel_skx_unc_upi.3 libpfm_intel_icx_unc_cha.3
libpfm_intel_icx_unc_imc.3 libpfm_intel_icx_unc_m2m.3
libpfm_intel_icx_unc_iiio.3 libpfm_intel_icx_unc_pcu.3
libpfm_intel_icx_unc_upi.3 libpfm_intel_icx_unc_m3upi.3
libpfm_intel_icx_unc_ubox.3 libpfm_intel_icx_unc_m2pcie.3
libpfm_intel_icx_unc_irp.3 libpfm_intel_spr_unc_imc.3

```

libpfm_intel_spr_unc_upi.3 libpfm_intel_spr_unc_cha.3
libpfm_intel_gnr_unc_inc.3 pfm_get_perf_event_encoding.3
libpfm_perf_event_raw.3 /usr/local/extrae/papi/share/man/man3 ) #32
48.84 make[2]: Leaving directory '/workspace/papi/src/libpfm4/docs'
#32 48.84 make[1]: Leaving directory '/workspace/papi/src/libpfm4'
#32 48.84 install -d /usr/local/extrae/papi/lib #32 48.84 install -d
/usr/local/extrae/papi/share/papi #32 48.84 cp -f ./papi_events.csv
/usr/local/extrae/papi/share/papi #32 48.84 Headers (INCDIR) being
installed in: "/usr/local/extrae/papi/include" #32 48.84 mkdir -p
/usr/local/extrae/papi/include #32 48.85 chmod go+rx
/usr/local/extrae/papi/include #32 48.85 cp fpapi.h f77papi.h
f90papi.h papi.h papiStdEventDefs.h
papi_components_config_event_defs.h /usr/local/extrae/papi/include
#32 48.85 set -ex; for comp in perf_event perf_event_uncore
sysdetect; do if [ -e papi_${comp}_std_event_defs.h ]; then cp
papi${comp}_std_event_defs.h /usr/local/extrae/papi/include; fi; done
#32 48.85 + [ -e papi_perf_event_std_event_defs.h ] #32 48.85 + [ -e
papi_perf_event_uncore_std_event_defs.h ] #32 48.85 + [ -e
papi_sysdetect_std_event_defs.h ] #32 48.85 cp sde lib/sde lib.h
sde lib/sde lib.hpp /usr/local/extrae/papi/include #32 48.85 cd
/usr/local/extrae/papi/include && chmod go+r fpapi.h f77papi.h
f90papi.h papi.h papiStdEventDefs.h
papi_components_config_event_defs.h sde lib.h sde lib.hpp #32 48.85
Libraries (LIBDIR) being installed in: "/usr/local/extrae/papi/lib" #32
48.85 mkdir -p /usr/local/extrae/papi/lib #32 48.85 chmod go+rx
/usr/local/extrae/papi/lib #32 48.85 + test -r libpapi.a #32 48.85 + cp
libpapi.a /usr/local/extrae/papi/lib #32 48.86 + chmod go+r
/usr/local/extrae/papi/lib/libpapi.a #32 48.87 + test -r
libpapi.so.7.2.1.0 #32 48.87 + cp -p libpapi.so.7.2.1.0
/usr/local/extrae/papi/lib/libpapi.so.7.2.1.0 #32 48.87 + chmod go+r
/usr/local/extrae/papi/lib/libpapi.so.7.2.1.0 #32 48.87 + cd
/usr/local/extrae/papi/lib #32 48.87 + ln -sf libpapi.so.7.2.1.0
libpapi.so.7.2 #32 48.87 + ln -sf libpapi.so.7.2.1.0 libpapi.so #32
48.87 + test -r libsde.so #32 48.87 + cp sde lib/libsde.so.1.0
/usr/local/extrae/papi/lib #32 48.87 + chmod go+r
/usr/local/extrae/papi/lib/libsde.so.1.0 #32 48.87 + cd
/usr/local/extrae/papi/lib #32 48.87 + ln -sf libsde.so.1.0 libsde.so.1
#32 48.87 + ln -sf libsde.so.1.0 libsde.so #32 48.87 + test -r libsde.a
#32 48.87 + cp sde lib/libsde.a /usr/local/extrae/papi/lib #32 48.88 +
chmod go+r /usr/local/extrae/papi/lib/libsde.a #32 48.88 make -C
../man DOCDIR=/usr/local/extrae/papi/share/doc/papi
MANDIR=/usr/local/extrae/papi/share/man install #32 48.88 make[1]:
Entering directory '/workspace/papi/man' #32 48.88 Man pages
(MANDIR) being installed in: "/usr/local/extrae/papi/share/man" #32
48.88 mkdir -p /usr/local/extrae/papi/share/man/man3 #32 48.88
chmod go+rx /usr/local/extrae/papi/share/man/man3 #32 48.88 cp
man3/PAPI.3 /usr/local/extrae/papi/share/man/man3 #32 48.89 chmod
go+r /usr/local/extrae/papi/share/man/man3/PAPI.3 #32 48.90 mkdir -
p /usr/local/extrae/papi/share/man/man1 #32 48.90 chmod go+rx
/usr/local/extrae/papi/share/man/man1 #32 48.90 cp man1/1
/usr/local/extrae/papi/share/man/man1 #32 48.90 chmod go+r
/usr/local/extrae/papi/share/man/man1/1 #32 48.90 make[1]: Leaving
directory '/workspace/papi/man' #32 48.90 make -C utils
BINDIR="/usr/local/extrae/papi/bin" CC="gcc" CC_R="gcc -pthread"
CFLAGS="-I. -DPAPI_NUM_COMP=3" TOPTFLAGS="-O1"
SMPCFLGS="" OMPCFLGS="-fopenmp" NOOPT="" LDFLAGS=""
LIBRARY="../libpapi.a" install #32 48.91 make[1]: Entering directory
'/workspace/papi/src/utils' #32 48.91 Utilities (BINDIR) being
installed in: "/usr/local/extrae/papi/bin" #32 48.91 mkdir -p
/usr/local/extrae/papi/bin #32 48.91 chmod go+rx

```

```
/usr/local/extrae/papi/bin #32 48.91 find . -perm -100 -type f -exec cp
{} /usr/local/extrae/papi/bin ; #32 48.99 make[1]: Leaving directory
'/workspace/papi/src/utls' #32 48.99 Copy papi_hl_output_writer.py
to: "/usr/local/extrae/papi/bin" #32 48.99 mkdir -p
/usr/local/extrae/papi/bin #32 48.99 cp high-
level/scripts/papi_hl_output_writer.py /usr/local/extrae/papi/bin #32
48.99 pkgconfig being installed in:
"/usr/local/extrae/papi/lib/pkgconfig" #32 48.99 mkdir -p
/usr/local/extrae/papi/lib/pkgconfig #32 48.99 chmod go+rx
/usr/local/extrae/papi/lib/pkgconfig #32 48.99 cp papi.pc
/usr/local/extrae/papi/lib/pkgconfig/papi-7.2.1.0.pc #32 48.99 ln -sf
papi-7.2.1.0.pc /usr/local/extrae/papi/lib/pkgconfig/papi-7.2.pc #32
48.99 ln -sf papi-7.2.1.0.pc /usr/local/extrae/papi/lib/pkgconfig/papi.pc
#32 DONE 51.9s
```

```
#33 [29/48] WORKDIR /workspace #33 DONE 0.0s
```

```
#34 [30/48] RUN wget http://ftp.gnu.org/gnu/binutils/binutils-
2.42.tar.gz #34 0.047 -2025-09-12 14:38:44-
http://ftp.gnu.org/gnu/binutils/binutils-2.42.tar.gz #34 0.047 Resolving
ftp.gnu.org (ftp.gnu.org)... 209.51.188.20, 2001:470:142:3::b #34
0.161 Connecting to ftp.gnu.org (ftp.gnu.org)[209.51.188.20]:80...
connected. #34 0.275 HTTP request sent, awaiting response... 200
OK #34 0.387 Length: 51892456 (49M) [application/x-gzip] #34 0.387
Saving to: 'binutils-2.42.tar.gz' #34 0.388 #34 0.388 OK .....
..... 0% 120K 7m2s #34 0.804 50K .....
..... 0% 78.7K 8m52s #34 1.439 100K .....
..... 0% 56.5K 10m52s #34 2.324 150K .....
..... 0% 67.5K 11m16s #34 3.116 200K .....
..... 0% 45.6K 12m41s #34 4.161 250K .....
..... 0% 39.8K 14m5s #34 5.418 300K .....
..... 0% 49.9K 14m27s #34 6.484 350K .....
..... 0% 58.0K 14m26s #34 7.281 400K .....
..... 0% 57.4K 14m27s #34 8.152 450K .....
..... 0% 64.7K 14m17s #34 8.925 500K .....
..... 1% 58.9K 14m15s #34 9.868 550K .....
..... 1% 52.9K 14m22s #34 10.72 600K .....
..... 1% 79.5K 14m3s #34 11.35 650K .....
..... 1% 95.9K 13m40s #34 11.87 700K .....
..... 1% 80.4K 13m26s #34 12.49 750K .....
..... 1% 81.7K 13m13s #34 13.10 800K .....
..... 1% 34.5K 13m50s #34 14.55 850K .....
..... 1% 41.4K 14m10s #34 15.82 900K .....
..... 1% 32.7K 14m44s #34 17.29 950K .....
..... 1% 25.7K 15m36s #34 19.23 1000K .....
..... 2% 58.5K 15m31s #34 20.13 1050K
..... 2% 16.1K 17m8s #34 23.19 1100K
..... 2% 59.0K 16m59s #34 24.04
1150K ..... 2% 51.0K 16m56s #34
25.02 1200K ..... 2% 35.9K 17m9s #34
26.52 1250K ..... 2% 58.2K 17m1s #34
27.48 1300K ..... 2% 28.2K 17m27s
#34 29.05 1350K ..... 2% 31.1K
17m45s #34 30.65 1400K ..... 2%
57.1K 17m37s #34 31.53 1450K .....
2% 71.4K 17m24s #34 32.23 1500K .....
..... 3% 47.2K 17m23s #34 33.29 1550K .....
..... 3% 35.4K 17m32s #34 34.70 1600K .....
..... 3% 73.8K 17m20s #34 35.44 1650K .....
..... 3% 47.7K 17m18s #34 36.43 1700K
..... 3% 79.3K 17m5s #34 37.06 1750K
```

..... 3% 45.9K 17m5s #34 38.14 1800K
..... 3% 27.6K 17m24s #34 39.96
1850K 3% 36.5K 17m31s #34
41.33 1900K 3% 48.8K 17m29s
#34 42.35 1950K 3% 28.1K
17m45s #34 44.24 2000K 4%
67.1K 17m35s #34 44.88 2050K
4% 99.4K 17m21s #34 45.38 2100K
..... 4% 41.7K 17m23s #34 46.58 2150K
..... 4% 58.6K 17m17s #34 47.43 2200K
..... 4% 37.5K 17m21s #34 48.77 2250K
..... 4% 96.1K 17m9s #34 49.29 2300K
..... 4% 109K 16m55s #34 49.75 2350K
..... 4% 105K 16m42s #34 50.22
2400K 4% 53.9K 16m39s #34
51.15 2450K 4% 53.2K 16m36s
#34 52.09 2500K 5% 29.0K
16m48s #34 53.81 2550K 5%
34.9K 16m54s #34 55.73 2600K
5% 24.3K 17m12s #34 57.40 2650K
..... 5% 51.4K 17m9s #34 58.36 2700K
..... 5% 54.2K 17m5s #34 59.25 2750K
..... 5% 69.1K 16m58s #34 59.93 2800K
..... 5% 121K 16m46s #34 60.34 2850K
..... 5% 79.0K 16m38s #34 60.97 2900K
..... 5% 38.6K 16m41s #34 62.27 2950K
..... 5% 36.8K 16m45s #34 63.63
3000K 6% 40.6K 16m47s #34
64.86 3050K 6% 56.6K 16m43s
#34 65.74 3100K 6% 55.5K
16m40s #34 66.64 3150K 6%
50.7K 16m38s #34 67.63 3200K
6% 22.9K 16m53s #34 69.81 3250K
..... 6% 50.7K 16m51s #34 70.80 3300K
..... 6% 50.4K 16m49s #34 71.79 3350K
..... 6% 77.9K 16m42s #34 72.64 3400K
..... 6% 50.6K 16m40s #34 73.42 3450K
..... 6% 74.5K 16m33s #34 74.09
3500K 7% 24.8K 16m45s #34
76.11 3550K 7% 47.0K 16m44s
#34 77.17 3600K 7% 77.8K
16m38s #34 77.91 3650K 7%
38.6K 16m39s #34 79.22 3700K
7% 39.4K 16m41s #34 80.38 3750K
..... 7% 36.1K 16m44s #34 81.86 3800K
..... 7% 59.2K 16m40s #34 82.61 3850K
..... 7% 24.0K 16m51s #34 84.69 3900K
..... 7% 47.0K 16m50s #34 85.76 3950K
..... 7% 44.9K 16m49s #34 86.87
4000K 7% 53.5K 16m46s #34
87.81 4050K 8% 61.0K 16m42s
#34 88.63 4100K 8% 17.1K 17m2s
#34 91.65 4150K 8% 19.7K
17m17s #34 94.09 4200K 8%
46.0K 17m15s #34 95.18 4250K
8% 86.6K 17m9s #34 95.75 4300K
8% 105K 17m1s #34 96.23 4350K
8% 107K 16m53s #34 96.69 4400K
..... 8% 98.0K 16m46s #34 97.23 4450K
..... 8% 63.9K 16m42s #34 97.99 4500K

..... 8% 59.9K 16m38s #34 98.82 4550K
..... 9% 59.8K 16m34s #34 99.66 4600K
..... 9% 46.0K 16m33s #34 100.9
4650K 9% 45.2K 16m33s #34
101.8 4700K 9% 33.6K 16m35s
#34 103.4 4750K 9% 47.2K
16m34s #34 104.4 4800K 9%
68.1K 16m30s #34 105.3 4850K
9% 43.7K 16m29s #34 106.3 4900K
..... 9% 59.7K 16m26s #34 107.1 4950K
..... 9% 46.9K 16m25s #34 108.2 5000K
..... 9% 71.6K 16m20s #34 108.9 5050K
..... 10% 71.8K 16m16s #34 109.6 5100K
..... 10% 29.0K 16m20s #34 111.3
5150K 10% 45.7K 16m20s #34
112.4 5200K 10% 37.0K 16m21s
#34 113.7 5250K 10% 78.2K
16m16s #34 114.4 5300K 10%
79.6K 16m11s #34 115.2 5350K
10% 36.0K 16m13s #34 116.5 5400K
..... 10% 32.1K 16m16s #34 118.0 5450K
..... 10% 24.0K 16m23s #34 120.0 5500K
..... 10% 78.1K 16m18s #34 120.7 5550K
..... 11% 79.0K 16m13s #34 121.3 5600K
..... 11% 91.9K 16m8s #34 121.9
5650K 11% 88.8K 16m3s #34
122.5 5700K 11% 98.0K 15m57s
#34 122.9 5750K 11% 74.4K
15m53s #34 123.6 5800K 11%
62.6K 15m50s #34 124.4 5850K
11% 34.9K 15m52s #34 125.8 5900K
..... 11% 32.4K 15m55s #34 127.4 5950K
..... 11% 51.3K 15m53s #34 128.4 6000K
..... 11% 59.5K 15m50s #34 129.3 6050K
..... 12% 35.5K 15m52s #34 130.6 6100K
..... 12% 28.7K 15m55s #34 132.5
6150K 12% 31.7K 15m58s #34
133.9 6200K 12% 59.8K 15m55s
#34 134.8 6250K 12% 48.6K
15m54s #34 135.8 6300K 12%
58.7K 15m51s #34 136.6 6350K
12% 69.9K 15m48s #34 137.4 6400K
..... 12% 60.0K 15m45s #34 138.2 6450K
..... 12% 41.6K 15m45s #34 139.4 6500K
..... 12% 55.8K 15m42s #34 140.3 6550K
..... 13% 55.5K 15m40s #34 141.2 6600K
..... 13% 24.2K 15m46s #34 143.3
6650K 13% 27.0K 15m50s #34
145.1 6700K 13% 46.2K 15m49s
#34 146.2 6750K 13% 68.4K
15m45s #34 147.0 6800K 13%
62.5K 15m43s #34 147.7 6850K
13% 63.1K 15m40s #34 148.5 6900K
..... 13% 50.6K 15m38s #34 149.5 6950K
..... 13% 50.6K 15m37s #34 150.5 7000K
..... 13% 83.5K 15m33s #34 151.1 7050K
..... 14% 71.3K 15m29s #34 151.9 7100K
..... 14% 69.5K 15m26s #34 152.5
7150K 14% 95.6K 15m22s #34
153.2 7200K 14% 58.6K 15m19s

#34 153.9 7250K 14% 45.6K
 15m19s #34 155.0 7300K 14%
 25.4K 15m23s #34 157.0 7350K
 14% 54.2K 15m21s #34 157.9 7400K
 14% 44.4K 15m20s #34 159.0 7450K
 14% 49.1K 15m19s #34 160.0 7500K
 14% 62.8K 15m16s #34 160.9 7550K
 14% 52.5K 15m15s #34 161.8 7600K
 15% 64.4K 15m12s #34 162.5
 7650K 15% 83.2K 15m8s #34
 163.1 7700K 15% 60.4K 15m6s
 #34 164.0 7750K 15% 55.6K
 15m4s #34 164.9 7800K 15%
 44.7K 15m3s #34 166.0 7850K
 15% 63.3K 15m1s #34 166.8 7900K
 15% 69.7K 14m58s #34 167.5 7950K
 15% 69.2K 14m55s #34 168.2 8000K
 15% 66.0K 14m53s #34 169.0 8050K
 15% 27.8K 14m56s #34 170.8 8100K
 16% 47.3K 14m55s #34 171.8
 8150K 16% 59.1K 14m52s #34
 172.9 8200K 16% 30.2K 14m55s
 #34 174.3 8250K 16% 68.3K
 14m52s #34 175.1 8300K 16%
 56.3K 14m50s #34 176.0 8350K
 16% 28.3K 14m52s #34 177.7 8400K
 16% 37.6K 14m53s #34 179.0 8450K
 16% 71.3K 14m50s #34 179.8 8500K
 16% 61.3K 14m48s #34 180.6 8550K
 16% 65.3K 14m45s #34 181.5 8600K
 17% 34.7K 14m46s #34 182.8
 8650K 17% 121K 14m42s #34
 183.2 8700K 17% 97.1K 14m38s
 #34 183.7 8750K 17% 87.2K
 14m35s #34 184.3 8800K 17%
 61.7K 14m33s #34 185.2 8850K
 17% 61.7K 14m31s #34 185.9 8900K
 17% 79.8K 14m28s #34 186.5 8950K
 17% 56.3K 14m26s #34 187.4 9000K
 17% 40.4K 14m26s #34 188.7 9050K
 17% 26.3K 14m29s #34 190.6 9100K
 18% 22.2K 14m33s #34 192.8
 9150K 18% 24.6K 14m37s #34
 194.8 9200K 18% 42.9K 14m36s
 #34 196.1 9250K 18% 65.4K
 14m34s #34 196.8 9300K 18%
 61.9K 14m32s #34 197.6 9350K
 18% 35.0K 14m32s #34 199.0 9400K
 18% 29.9K 14m34s #34 200.7 9450K
 18% 30.9K 14m35s #34 202.6 9500K
 18% 43.9K 14m34s #34 203.5 9550K
 18% 61.9K 14m32s #34 204.2 9600K
 19% 40.7K 14m32s #34 205.5
 9650K 19% 69.1K 14m29s #34
 206.2 9700K 19% 99.1K 14m26s
 #34 206.7 9750K 19% 74.0K
 14m23s #34 207.4 9800K 19%
 78.7K 14m21s #34 208.0 9850K
 19% 64.6K 14m18s #34 208.9 9900K
 19% 60.1K 14m16s #34 209.6 9950K

..... 19% 59.8K 14m14s #34 210.5 10000K
..... 19% 65.5K 14m12s #34 211.2 10050K
..... 19% 29.1K 14m14s #34 212.9 10100K
..... 20% 48.0K 14m13s #34 214.0
10150K 20% 22.4K 14m16s #34
216.2 10200K 20% 31.1K 14m18s
#34 217.8 10250K 20% 76.3K
14m15s #34 218.5 10300K 20%
77.3K 14m12s #34 219.1 10350K
20% 74.1K 14m10s #34 219.8 10400K
..... 20% 30.1K 14m11s #34 221.5 10450K
..... 20% 36.3K 14m11s #34 222.8 10500K
..... 20% 13.6K 14m20s #34 226.6 10550K
..... 20% 28.4K 14m22s #34 228.5 10600K
..... 21% 24.7K 14m24s #34 230.3
10650K 21% 49.8K 14m23s #34
231.4 10700K 21% 40.6K 14m22s
#34 232.5 10750K 21% 22.5K
14m25s #34 234.8 10800K 21%
35.9K 14m25s #34 236.2 10850K
21% 11.4K 14m36s #34 240.5 10900K
..... 21% 66.3K 14m34s #34 241.3 10950K
..... 21% 16.2K 14m40s #34 244.4 11000K
..... 21% 27.3K 14m42s #34 246.2 11050K
..... 21% 26.1K 14m43s #34 248.1 11100K
..... 22% 46.2K 14m42s #34 249.2
11150K 22% 67.8K 14m40s #34
249.9 11200K 22% 65.8K 14m37s
#34 250.7 11250K 22% 36.3K
14m37s #34 252.1 11300K 22%
36.2K 14m37s #34 253.5 11350K
22% 40.9K 14m36s #34 254.7 11400K
..... 22% 28.8K 14m37s #34 256.4 11450K
..... 22% 27.6K 14m38s #34 258.2 11500K
..... 22% 93.8K 14m35s #34 258.8 11550K
..... 22% 36.7K 14m35s #34 260.2 11600K
..... 22% 58.7K 14m33s #34 261.0
11650K 23% 65.2K 14m31s #34
261.8 11700K 23% 27.7K 14m32s
#34 263.6 11750K 23% 41.2K
14m31s #34 264.8 11800K 23%
50.2K 14m29s #34 265.8 11850K
23% 67.0K 14m27s #34 266.5 11900K
..... 23% 51.8K 14m26s #34 267.5 11950K
..... 23% 40.7K 14m25s #34 268.7 12000K
..... 23% 46.1K 14m24s #34 269.8 12050K
..... 23% 26.7K 14m25s #34 271.7 12100K
..... 23% 69.2K 14m22s #34 272.4
12150K 24% 36.8K 14m22s #34
273.8 12200K 24% 23.8K 14m24s
#34 275.9 12250K 24% 42.9K
14m23s #34 277.0 12300K 24%
23.2K 14m25s #34 279.2 12350K
24% 54.6K 14m23s #34 280.1 12400K
..... 24% 62.9K 14m21s #34 280.9 12450K
..... 24% 83.3K 14m18s #34 281.5 12500K
..... 24% 100K 14m15s #34 282.0 12550K
..... 24% 96.8K 14m12s #34 282.5 12600K
..... 24% 159K 14m9s #34 282.8
12650K 25% 57.3K 14m7s #34

283.8 12700K 25% 57.7K 14m5s
 #34 284.6 12750K 25% 96.2K
 14m2s #34 285.1 12800K 25%
 68.4K 14m0s #34 285.8 12850K
 25% 70.8K 13m58s #34 286.5 12900K
 25% 60.6K 13m56s #34 287.3 12950K
 25% 58.3K 13m54s #34 288.2 13000K
 25% 80.4K 13m52s #34 288.8 13050K
 25% 61.9K 13m50s #34 289.7 13100K
 25% 54.0K 13m48s #34 290.5
 13150K 26% 54.3K 13m46s #34
 291.5 13200K 26% 43.8K 13m45s
 #34 292.7 13250K 26% 43.7K
 13m44s #34 293.7 13300K 26%
 58.8K 13m43s #34 294.6 13350K
 26% 101K 13m40s #34 295.1 13400K
 26% 85.5K 13m37s #34 295.7 13450K
 26% 100K 13m35s #34 296.2 13500K
 26% 127K 13m32s #34 296.6 13550K
 26% 95.0K 13m29s #34 297.1 13600K
 26% 165K 13m26s #34 297.4
 13650K 27% 121K 13m23s #34
 297.8 13700K 27% 82.8K 13m20s
 #34 298.4 13750K 27% 63.0K
 13m18s #34 299.3 13800K 27%
 43.5K 13m18s #34 300.4 13850K
 27% 47.2K 13m16s #34 301.4 13900K
 27% 96.7K 13m14s #34 302.1 13950K
 27% 75.2K 13m12s #34 302.7 14000K
 27% 70.9K 13m10s #34 303.3 14050K
 27% 91.2K 13m7s #34 303.9 14100K
 27% 76.7K 13m5s #34 304.5
 14150K 28% 69.4K 13m3s #34
 305.2 14200K 28% 59.2K 13m1s
 #34 306.1 14250K 28% 23.6K
 13m3s #34 308.2 14300K 28%
 53.4K 13m2s #34 309.1 14350K
 28% 50.6K 13m0s #34 310.1 14400K
 28% 35.1K 13m0s #34 311.5 14450K
 28% 57.4K 12m58s #34 312.4 14500K
 28% 29.4K 12m59s #34 314.1 14550K
 28% 39.0K 12m58s #34 315.4 14600K
 28% 96.9K 12m56s #34 316.1
 14650K 29% 31.9K 12m56s #34
 317.5 14700K 29% 63.0K 12m54s
 #34 318.3 14750K 29% 44.8K
 12m53s #34 319.4 14800K 29%
 52.8K 12m52s #34 320.3 14850K
 29% 77.9K 12m50s #34 321.0 14900K
 29% 64.6K 12m48s #34 321.7 14950K
 29% 55.3K 12m46s #34 322.7 15000K
 29% 56.1K 12m45s #34 323.6 15050K
 29% 51.4K 12m44s #34 324.5 15100K
 29% 55.1K 12m42s #34 325.4
 15150K 29% 46.3K 12m41s #34
 326.5 15200K 30% 59.5K 12m40s
 #34 327.3 15250K 30% 35.9K
 12m39s #34 328.7 15300K 30%
 41.4K 12m38s #34 329.9 15350K
 30% 78.2K 12m36s #34 330.6 15400K

..... 30% 49.3K 12m35s #34 331.6 15450K
..... 30% 58.2K 12m34s #34 332.4 15500K
..... 30% 61.2K 12m32s #34 333.3 15550K
..... 30% 66.9K 12m30s #34 334.0 15600K
..... 30% 22.0K 12m32s #34 336.4
15650K 30% 43.0K 12m31s #34
337.5 15700K 31% 70.2K 12m29s
#34 338.2 15750K 31% 47.6K
12m28s #34 339.2 15800K 31%
56.6K 12m26s #34 340.1 15850K
31% 67.3K 12m25s #34 340.8 15900K
..... 31% 45.4K 12m24s #34 341.9 15950K
..... 31% 48.4K 12m22s #34 343.0 16000K
..... 31% 52.9K 12m21s #34 344.0 16050K
..... 31% 31.9K 12m21s #34 345.6 16100K
..... 31% 65.3K 12m19s #34 346.3
16150K 31% 22.1K 12m21s #34
348.5 16200K 32% 18.4K 12m23s
#34 351.2 16250K 32% 81.0K
12m21s #34 351.8 16300K 32%
80.4K 12m19s #34 352.5 16350K
32% 77.1K 12m17s #34 353.1 16400K
..... 32% 64.5K 12m16s #34 354.0 16450K
..... 32% 70.3K 12m14s #34 354.6 16500K
..... 32% 107K 12m11s #34 355.1 16550K
..... 32% 46.6K 12m10s #34 356.1 16600K
..... 32% 52.5K 12m9s #34 357.1
16650K 32% 95.2K 12m7s #34
357.6 16700K 33% 122K 12m4s
#34 358.0 16750K 33% 94.6K
12m2s #34 358.6 16800K 33%
126K 12m0s #34 359.0 16850K
33% 59.2K 11m58s #34 359.8 16900K
..... 33% 60.0K 11m57s #34 360.6 16950K
..... 33% 52.8K 11m56s #34 361.6 17000K
..... 33% 21.7K 11m57s #34 363.9 17050K
..... 33% 69.4K 11m55s #34 364.6 17100K
..... 33% 60.2K 11m54s #34 365.4
17150K 33% 26.3K 11m54s #34
367.3 17200K 34% 41.9K 11m53s
#34 368.5 17250K 34% 17.2K
11m56s #34 371.4 17300K 34%
47.1K 11m55s #34 372.5 17350K
34% 48.8K 11m54s #34 373.7 17400K
..... 34% 34.0K 11m53s #34 375.1 17450K
..... 34% 22.6K 11m54s #34 377.2 17500K
..... 34% 42.6K 11m53s #34 378.4 17550K
..... 34% 57.5K 11m52s #34 379.3 17600K
..... 34% 47.7K 11m51s #34 380.3
17650K 34% 21.0K 11m52s #34
382.7 17700K 35% 32.6K 11m52s
#34 384.2 17750K 35% 33.7K
11m52s #34 385.7 17800K 35%
21.1K 11m53s #34 388.2 17850K
35% 66.4K 11m51s #34 388.8 17900K
..... 35% 65.6K 11m50s #34 389.6 17950K
..... 35% 50.8K 11m48s #34 390.6 18000K
..... 35% 47.5K 11m47s #34 391.6 18050K
..... 35% 33.9K 11m47s #34 393.1 18100K
..... 35% 28.3K 11m47s #34 395.1

18150K 35% 45.4K 11m46s #34
396.0 18200K 36% 66.3K 11m44s
#34 396.7 18250K 36% 37.9K
11m44s #34 398.0 18300K 36%
64.1K 11m42s #34 398.8 18350K
36% 67.9K 11m40s #34 399.6 18400K
..... 36% 82.8K 11m38s #34 400.2 18450K
..... 36% 109K 11m36s #34 400.7 18500K
..... 36% 101K 11m34s #34 401.1 18550K
..... 36% 76.0K 11m32s #34 401.8 18600K
..... 36% 34.0K 11m32s #34 403.2
18650K 36% 43.5K 11m31s #34
404.4 18700K 36% 57.5K 11m29s
#34 405.3 18750K 37% 66.8K
11m28s #34 406.1 18800K 37%
44.5K 11m27s #34 407.1 18850K
37% 44.1K 11m26s #34 408.3 18900K
..... 37% 78.9K 11m24s #34 409.0 18950K
..... 37% 93.8K 11m22s #34 409.4 19000K
..... 37% 58.1K 11m20s #34 410.3 19050K
..... 37% 64.3K 11m19s #34 411.1 19100K
..... 37% 24.5K 11m19s #34 413.1
19150K 37% 81.3K 11m18s #34
413.7 19200K 37% 60.7K 11m16s
#34 414.5 19250K 38% 74.0K
11m14s #34 415.2 19300K 38%
44.3K 11m13s #34 416.3 19350K
38% 51.9K 11m12s #34 417.3 19400K
..... 38% 34.0K 11m12s #34 418.8 19450K
..... 38% 101K 11m10s #34 419.3 19500K
..... 38% 98.2K 11m8s #34 419.8 19550K
..... 38% 83.1K 11m6s #34 420.4 19600K
..... 38% 18.2K 11m8s #34 423.1
19650K 38% 34.5K 11m7s #34
424.6 19700K 38% 55.1K 11m6s
#34 425.5 19750K 39% 98.1K
11m4s #34 426.0 19800K 39%
52.6K 11m2s #34 427.0 19850K
39% 60.9K 11m1s #34 427.8 19900K
..... 39% 94.7K 10m59s #34 428.4 19950K
..... 39% 82.7K 10m57s #34 428.9 20000K
..... 39% 82.3K 10m55s #34 429.5 20050K
..... 39% 102K 10m54s #34 430.0 20100K
..... 39% 59.6K 10m52s #34 430.8
20150K 39% 110K 10m50s #34
431.3 20200K 39% 70.2K 10m49s
#34 432.0 20250K 40% 57.3K
10m47s #34 433.0 20300K 40%
46.4K 10m46s #34 434.0 20350K
40% 56.3K 10m45s #34 434.9 20400K
..... 40% 55.4K 10m43s #34 435.8 20450K
..... 40% 63.3K 10m42s #34 436.6 20500K
..... 40% 71.2K 10m40s #34 437.2 20550K
..... 40% 60.9K 10m39s #34 438.1 20600K
..... 40% 91.4K 10m37s #34 438.6
20650K 40% 57.2K 10m36s #34
439.5 20700K 40% 38.0K 10m35s
#34 440.8 20750K 41% 53.5K
10m34s #34 441.8 20800K 41%
71.1K 10m32s #34 442.4 20850K

41% 56.4K 10m31s #34 443.3 20900K
 41% 53.2K 10m30s #34 444.3 20950K
 41% 61.4K 10m28s #34 445.1 21000K
 41% 99.1K 10m27s #34 445.6 21050K
 41% 99.2K 10m25s #34 446.1 21100K
 41% 95.4K 10m23s #34 446.6
 21150K 41% 22.5K 10m24s #34
 448.8 21200K 41% 32.1K 10m23s
 #34 450.4 21250K 42% 35.7K
 10m23s #34 451.8 21300K 42%
 41.4K 10m22s #34 453.1 21350K
 42% 27.4K 10m22s #34 454.8 21400K
 42% 26.8K 10m22s #34 456.7 21450K
 42% 59.8K 10m20s #34 457.6 21500K
 42% 55.1K 10m19s #34 458.4 21550K
 42% 32.6K 10m19s #34 460.1 21600K
 42% 57.9K 10m17s #34 461.0
 21650K 42% 89.1K 10m16s #34
 461.4 21700K 42% 72.5K 10m14s
 #34 462.1 21750K 43% 63.9K
 10m13s #34 462.9 21800K 43%
 98.2K 10m11s #34 463.4 21850K
 43% 104K 10m9s #34 463.9 21900K
 43% 87.7K 10m7s #34 464.5 21950K
 43% 30.2K 10m7s #34 466.1 22000K
 43% 41.5K 10m6s #34 467.3 22050K
 43% 43.7K 10m5s #34 468.4 22100K
 43% 69.5K 10m4s #34 469.2
 22150K 43% 71.4K 10m2s #34
 469.9 22200K 43% 70.7K 10m1s
 #34 470.8 22250K 44% 21.4K
 10m1s #34 472.9 22300K 44%
 66.5K 10m0s #34 473.7 22350K
 44% 59.6K 9m58s #34 474.5 22400K
 44% 49.3K 9m57s #34 475.5 22450K
 44% 77.1K 9m56s #34 476.2 22500K
 44% 87.2K 9m54s #34 476.7 22550K
 44% 50.9K 9m53s #34 477.8 22600K
 44% 28.6K 9m53s #34 479.5
 22650K 44% 50.5K 9m52s #34
 480.6 22700K 44% 52.8K 9m50s
 #34 481.4 22750K 44% 43.2K
 9m50s #34 482.6 22800K 45%
 30.9K 9m49s #34 484.4 22850K
 45% 53.2K 9m48s #34 485.1 22900K
 45% 59.5K 9m47s #34 486.0 22950K
 45% 73.6K 9m45s #34 486.6 23000K
 45% 57.3K 9m44s #34 487.6 23050K
 45% 69.4K 9m42s #34 488.2 23100K
 45% 38.5K 9m42s #34 489.5
 23150K 45% 69.5K 9m40s #34
 490.3 23200K 45% 61.1K 9m39s
 #34 491.1 23250K 45% 60.9K
 9m37s #34 491.9 23300K 46%
 42.2K 9m37s #34 493.3 23350K
 46% 25.0K 9m37s #34 495.1 23400K
 46% 31.9K 9m36s #34 496.6 23450K
 46% 57.9K 9m35s #34 497.5 23500K
 46% 57.1K 9m34s #34 498.4 23550K
 46% 62.0K 9m32s #34 499.2 23600K

..... 46% 37.2K 9m32s #34 500.6
 23650K 46% 51.6K 9m30s #34
 501.5 23700K 46% 55.1K 9m29s
 #34 502.6 23750K 46% 47.1K
 9m28s #34 503.5 23800K 47%
 52.5K 9m27s #34 504.4 23850K
 47% 54.2K 9m26s #34 505.3 23900K
 47% 51.9K 9m25s #34 506.5 23950K
 47% 59.7K 9m23s #34 507.1 24000K
 47% 69.5K 9m22s #34 507.9 24050K
 47% 98.4K 9m20s #34 508.4 24100K
 47% 40.8K 9m19s #34 509.6
 24150K 47% 46.8K 9m18s #34
 510.7 24200K 47% 52.8K 9m17s
 #34 511.6 24250K 47% 70.1K
 9m16s #34 512.3 24300K 48%
 88.3K 9m14s #34 512.9 24350K
 48% 69.8K 9m13s #34 513.6 24400K
 48% 99.2K 9m11s #34 514.1 24450K
 48% 122K 9m9s #34 514.5 24500K
 48% 51.0K 9m8s #34 515.5 24550K
 48% 79.2K 9m7s #34 516.1 24600K
 48% 53.1K 9m6s #34 517.1
 24650K 48% 52.4K 9m4s #34
 518.0 24700K 48% 43.4K 9m3s
 #34 519.2 24750K 48% 43.8K
 9m2s #34 520.3 24800K 49%
 49.6K 9m1s #34 521.3 24850K
 49% 69.8K 9m0s #34 522.0 24900K
 49% 48.5K 8m59s #34 523.1 24950K
 49% 60.5K 8m58s #34 523.9 25000K
 49% 29.4K 8m57s #34 525.6 25050K
 49% 29.1K 8m57s #34 527.3 25100K
 49% 44.0K 8m56s #34 528.5
 25150K 49% 31.7K 8m55s #34
 530.0 25200K 49% 55.0K 8m54s
 #34 530.9 25250K 49% 54.9K
 8m53s #34 531.9 25300K 50%
 79.9K 8m52s #34 532.5 25350K
 50% 71.0K 8m50s #34 533.2 25400K
 50% 32.8K 8m50s #34 534.8 25450K
 50% 39.9K 8m49s #34 536.0 25500K
 50% 46.2K 8m48s #34 537.0 25550K
 50% 82.7K 8m46s #34 537.7 25600K
 50% 83.0K 8m45s #34 538.2
 25650K 50% 47.1K 8m44s #34
 539.3 25700K 50% 41.7K 8m43s
 #34 540.5 25750K 50% 69.9K
 8m41s #34 541.2 25800K 51%
 70.6K 8m40s #34 541.9 25850K
 51% 44.3K 8m39s #34 543.1 25900K
 51% 79.6K 8m38s #34 543.7 25950K
 51% 74.1K 8m36s #34 544.4 26000K
 51% 51.9K 8m35s #34 545.3 26050K
 51% 85.9K 8m34s #34 546.0 26100K
 51% 44.5K 8m33s #34 547.2
 26150K 51% 57.3K 8m31s #34
 547.9 26200K 51% 44.4K 8m31s
 #34 549.0 26250K 51% 70.8K
 8m29s #34 549.7 26300K 51%

80.1K 8m28s #34 550.4 26350K
52% 47.4K 8m27s #34 551.4 26400K
..... 52% 61.8K 8m25s #34 552.2 26450K
..... 52% 96.0K 8m24s #34 552.7 26500K
..... 52% 109K 8m22s #34 553.2 26550K
..... 52% 84.0K 8m21s #34 553.8 26600K
..... 52% 45.3K 8m20s #34 554.9
26650K 52% 61.6K 8m19s #34
555.7 26700K 52% 77.4K 8m17s
#34 556.4 26750K 52% 56.7K
8m16s #34 557.2 26800K 52%
50.3K 8m15s #34 558.2 26850K
53% 60.9K 8m14s #34 559.1 26900K
..... 53% 41.0K 8m13s #34 560.3 26950K
..... 53% 44.0K 8m12s #34 561.4 27000K
..... 53% 22.9K 8m12s #34 563.6 27050K
..... 53% 25.6K 8m12s #34 565.6 27100K
..... 53% 35.1K 8m11s #34 567.0
27150K 53% 37.3K 8m10s #34
568.3 27200K 53% 35.1K 8m9s
#34 569.7 27250K 53% 30.5K
8m9s #34 571.4 27300K 53%
67.7K 8m8s #34 572.1 27350K
54% 60.3K 8m6s #34 573.0 27400K
..... 54% 65.4K 8m5s #34 573.7 27450K
..... 54% 44.9K 8m4s #34 574.8 27500K
..... 54% 56.0K 8m3s #34 575.7 27550K
..... 54% 75.4K 8m2s #34 576.4 27600K
..... 54% 82.4K 8m0s #34 577.0
27650K 54% 98.5K 7m59s #34
577.6 27700K 54% 81.8K 7m57s
#34 578.1 27750K 54% 75.8K
7m56s #34 578.8 27800K 54%
72.3K 7m55s #34 579.5 27850K
55% 51.6K 7m54s #34 580.4 27900K
..... 55% 33.1K 7m53s #34 581.9 27950K
..... 55% 43.9K 7m52s #34 583.1 28000K
..... 55% 82.1K 7m51s #34 583.7 28050K
..... 55% 79.8K 7m49s #34 584.3 28100K
..... 55% 98.1K 7m48s #34 584.8
28150K 55% 64.8K 7m46s #34
585.6 28200K 55% 75.2K 7m45s
#34 586.3 28250K 55% 73.9K
7m44s #34 586.9 28300K 55%
63.4K 7m43s #34 587.7 28350K
56% 72.6K 7m41s #34 588.4 28400K
..... 56% 69.8K 7m40s #34 589.1 28450K
..... 56% 60.4K 7m39s #34 590.0 28500K
..... 56% 48.4K 7m38s #34 591.1 28550K
..... 56% 47.3K 7m37s #34 592.0 28600K
..... 56% 28.6K 7m36s #34 593.8
28650K 56% 80.4K 7m35s #34
594.5 28700K 56% 66.1K 7m34s
#34 595.2 28750K 56% 64.5K
7m32s #34 596.2 28800K 56%
28.1K 7m32s #34 597.7 28850K
57% 43.7K 7m31s #34 598.9 28900K
..... 57% 69.9K 7m30s #34 599.6 28950K
..... 57% 27.5K 7m29s #34 601.4 29000K
..... 57% 49.0K 7m28s #34 602.4 29050K

..... 57% 80.0K 7m27s #34 603.1 29100K
..... 57% 65.3K 7m26s #34 603.8
29150K 57% 98.9K 7m24s #34
604.3 29200K 57% 71.3K 7m23s
#34 605.0 29250K 57% 66.0K
7m22s #34 605.8 29300K 57%
70.3K 7m20s #34 606.5 29350K
58% 34.5K 7m20s #34 608.0 29400K
..... 58% 31.9K 7m19s #34 609.5 29450K
..... 58% 70.5K 7m18s #34 610.2 29500K
..... 58% 52.8K 7m17s #34 611.2 29550K
..... 58% 41.1K 7m16s #34 612.4 29600K
..... 58% 77.6K 7m14s #34 613.0
29650K 58% 87.5K 7m13s #34
613.6 29700K 58% 70.2K 7m12s
#34 614.3 29750K 58% 83.7K
7m10s #34 614.9 29800K 58%
95.2K 7m9s #34 615.4 29850K
59% 78.2K 7m8s #34 616.1 29900K
..... 59% 67.2K 7m7s #34 616.8 29950K
..... 59% 28.5K 7m6s #34 618.6 30000K
..... 59% 40.3K 7m5s #34 619.8 30050K
..... 59% 38.9K 7m4s #34 621.1 30100K
..... 59% 40.7K 7m3s #34 622.4
30150K 59% 59.7K 7m2s #34
623.2 30200K 59% 85.7K 7m1s
#34 623.7 30250K 59% 37.4K
7m0s #34 625.1 30300K 59%
49.9K 6m59s #34 626.1 30350K
59% 83.6K 6m58s #34 626.7 30400K
..... 60% 95.6K 6m56s #34 627.3 30450K
..... 60% 55.8K 6m55s #34 628.1 30500K
..... 60% 59.0K 6m54s #34 628.9 30550K
..... 60% 47.4K 6m53s #34 630.0 30600K
..... 60% 33.7K 6m52s #34 631.5
30650K 60% 44.9K 6m51s #34
632.6 30700K 60% 60.5K 6m50s
#34 633.4 30750K 60% 53.4K
6m49s #34 634.6 30800K 60%
37.4K 6m48s #34 635.7 30850K
60% 47.3K 6m47s #34 636.8 30900K
..... 61% 35.5K 6m46s #34 638.2 30950K
..... 61% 44.6K 6m46s #34 639.3 31000K
..... 61% 89.9K 6m44s #34 639.8 31050K
..... 61% 81.8K 6m43s #34 640.5 31100K
..... 61% 77.8K 6m42s #34 641.1
31150K 61% 71.5K 6m40s #34
641.8 31200K 61% 89.7K 6m39s
#34 642.3 31250K 61% 78.0K
6m38s #34 643.0 31300K 61%
72.4K 6m37s #34 643.7 31350K
61% 55.0K 6m35s #34 644.6 31400K
..... 62% 52.3K 6m34s #34 645.5 31450K
..... 62% 68.7K 6m33s #34 646.5 31500K
..... 62% 24.2K 6m33s #34 648.4 31550K
..... 62% 33.6K 6m32s #34 649.8 31600K
..... 62% 87.9K 6m31s #34 650.4
31650K 62% 47.8K 6m30s #34
651.4 31700K 62% 50.4K 6m29s
#34 652.4 31750K 62% 67.6K

6m27s #34 653.2 31800K 62%
67.8K 6m26s #34 653.9 31850K
62% 68.0K 6m25s #34 654.6 31900K
..... 63% 37.4K 6m24s #34 656.0 31950K
..... 63% 86.0K 6m23s #34 656.6 32000K
..... 63% 96.1K 6m22s #34 657.1 32050K
..... 63% 99.9K 6m20s #34 657.8 32100K
..... 63% 63.0K 6m19s #34 658.4
32150K 63% 81.4K 6m18s #34
659.0 32200K 63% 55.8K 6m17s
#34 659.9 32250K 63% 71.2K
6m16s #34 660.6 32300K 63%
82.8K 6m14s #34 661.2 32350K
63% 98.2K 6m13s #34 661.7 32400K
..... 64% 124K 6m12s #34 662.1 32450K
..... 64% 98.2K 6m10s #34 662.6 32500K
..... 64% 76.2K 6m9s #34 663.3 32550K
..... 64% 75.3K 6m8s #34 663.9 32600K
..... 64% 124K 6m7s #34 664.3
32650K 64% 93.1K 6m5s #34
664.9 32700K 64% 22.3K 6m5s
#34 667.1 32750K 64% 44.3K
6m4s #34 668.4 32800K 64%
31.5K 6m3s #34 670.1 32850K
64% 36.8K 6m2s #34 671.2 32900K
..... 65% 48.2K 6m1s #34 672.2 32950K
..... 65% 40.9K 6m1s #34 673.5 33000K
..... 65% 63.6K 5m59s #34 674.2 33050K
..... 65% 69.3K 5m58s #34 675.0 33100K
..... 65% 41.0K 5m57s #34 676.3
33150K 65% 37.2K 5m56s #34
677.6 33200K 65% 31.4K 5m56s
#34 679.1 33250K 65% 44.2K
5m55s #34 680.3 33300K 65%
47.6K 5m54s #34 681.4 33350K
65% 75.3K 5m53s #34 682.0 33400K
..... 66% 60.9K 5m51s #34 682.8 33450K
..... 66% 71.4K 5m50s #34 683.5 33500K
..... 66% 22.4K 5m50s #34 685.8 33550K
..... 66% 70.2K 5m49s #34 686.4 33600K
..... 66% 65.4K 5m48s #34 687.2
33650K 66% 15.7K 5m48s #34
690.6 33700K 66% 32.0K 5m47s
#34 691.9 33750K 66% 49.2K
5m46s #34 693.0 33800K 66%
27.2K 5m45s #34 694.8 33850K
66% 50.8K 5m44s #34 695.8 33900K
..... 66% 86.7K 5m43s #34 696.3 33950K
..... 67% 119K 5m42s #34 696.8 34000K
..... 67% 46.8K 5m41s #34 697.8 34050K
..... 67% 53.5K 5m39s #34 698.8 34100K
..... 67% 29.2K 5m39s #34 700.5
34150K 67% 55.9K 5m38s #34
701.4 34200K 67% 20.8K 5m37s
#34 703.8 34250K 67% 18.1K
5m37s #34 706.5 34300K 67%
34.3K 5m36s #34 708.0 34350K
67% 46.1K 5m35s #34 709.1 34400K
..... 67% 38.8K 5m34s #34 710.4 34450K
..... 68% 35.1K 5m34s #34 711.8 34500K

..... 68% 68.9K 5m32s #34 712.5 34550K
..... 68% 58.4K 5m31s #34 713.5 34600K
..... 68% 45.4K 5m30s #34 714.5
34650K 68% 60.5K 5m29s #34
715.3 34700K 68% 51.1K 5m28s
#34 716.3 34750K 68% 44.3K
5m27s #34 717.4 34800K 68%
39.7K 5m26s #34 718.7 34850K
68% 18.6K 5m26s #34 721.4 34900K
..... 68% 58.8K 5m25s #34 722.3 34950K
..... 69% 11.9K 5m25s #34 726.4 35000K
..... 69% 30.0K 5m24s #34 728.1 35050K
..... 69% 29.5K 5m24s #34 729.8 35100K
..... 69% 21.9K 5m23s #34 732.1
35150K 69% 26.3K 5m23s #34
734.0 35200K 69% 29.1K 5m22s
#34 735.7 35250K 69% 24.0K
5m21s #34 737.8 35300K 69%
42.5K 5m20s #34 739.0 35350K
69% 25.8K 5m20s #34 740.9 35400K
..... 69% 80.5K 5m18s #34 741.5 35450K
..... 70% 89.2K 5m17s #34 742.1 35500K
..... 70% 62.0K 5m16s #34 742.9 35550K
..... 70% 49.2K 5m15s #34 743.9 35600K
..... 70% 68.4K 5m14s #34 744.7
35650K 70% 86.7K 5m12s #34
745.2 35700K 70% 85.2K 5m11s
#34 745.8 35750K 70% 94.1K
5m10s #34 746.3 35800K 70%
63.0K 5m9s #34 747.1 35850K
70% 24.2K 5m8s #34 749.2 35900K
..... 70% 43.4K 5m7s #34 750.4 35950K
..... 71% 45.8K 5m6s #34 751.4 36000K
..... 71% 22.8K 5m6s #34 753.6 36050K
..... 71% 36.9K 5m5s #34 755.0 36100K
..... 71% 51.8K 5m4s #34 755.9
36150K 71% 75.8K 5m2s #34
756.6 36200K 71% 65.8K 5m1s
#34 757.4 36250K 71% 19.9K
5m1s #34 759.9 36300K 71%
33.3K 5m0s #34 761.5 36350K
71% 58.2K 4m59s #34 762.3 36400K
..... 71% 22.6K 4m58s #34 764.5 36450K
..... 72% 19.6K 4m58s #34 767.0 36500K
..... 72% 30.2K 4m57s #34 768.6 36550K
..... 72% 28.7K 4m56s #34 770.5 36600K
..... 72% 46.2K 4m55s #34 771.5
36650K 72% 31.7K 4m54s #34
773.0 36700K 72% 72.5K 4m53s
#34 773.7 36750K 72% 68.9K
4m52s #34 774.5 36800K 72%
79.0K 4m51s #34 775.1 36850K
72% 45.5K 4m50s #34 776.2 36900K
..... 72% 47.9K 4m49s #34 777.2 36950K
..... 73% 36.8K 4m48s #34 778.6 37000K
..... 73% 43.6K 4m47s #34 779.8 37050K
..... 73% 48.7K 4m46s #34 780.8 37100K
..... 73% 51.1K 4m44s #34 781.7
37150K 73% 56.6K 4m43s #34
782.6 37200K 73% 48.9K 4m42s

#34 783.7 37250K 73% 89.6K
4m41s #34 784.2 37300K 73%
67.4K 4m40s #34 785.0 37350K
73% 63.3K 4m39s #34 785.7 37400K
..... 73% 84.1K 4m38s #34 786.4 37450K
..... 73% 96.2K 4m36s #34 786.9 37500K
..... 74% 78.2K 4m35s #34 787.5 37550K
..... 74% 57.6K 4m34s #34 788.5 37600K
..... 74% 33.8K 4m33s #34 789.9
37650K 74% 33.3K 4m32s #34
791.4 37700K 74% 43.1K 4m31s
#34 792.5 37750K 74% 61.2K
4m30s #34 793.5 37800K 74%
17.8K 4m30s #34 796.1 37850K
74% 21.9K 4m29s #34 798.4 37900K
..... 74% 52.8K 4m28s #34 799.5 37950K
..... 74% 53.1K 4m27s #34 800.4 38000K
..... 75% 35.8K 4m26s #34 801.7 38050K
..... 75% 76.8K 4m25s #34 802.4 38100K
..... 75% 105K 4m23s #34 802.8
38150K 75% 117K 4m22s #34
803.3 38200K 75% 38.4K 4m21s
#34 804.6 38250K 75% 58.3K
4m20s #34 805.4 38300K 75%
54.1K 4m19s #34 806.3 38350K
75% 42.2K 4m18s #34 807.7 38400K
..... 75% 24.5K 4m17s #34 809.6 38450K
..... 75% 37.1K 4m16s #34 811.0 38500K
..... 76% 59.7K 4m15s #34 811.8 38550K
..... 76% 33.0K 4m14s #34 813.3 38600K
..... 76% 33.8K 4m13s #34 814.8
38650K 76% 78.4K 4m12s #34
815.4 38700K 76% 98.1K 4m11s
#34 815.9 38750K 76% 91.3K
4m10s #34 816.4 38800K 76%
112K 4m9s #34 816.9 38850K
76% 21.8K 4m8s #34 819.2 38900K
..... 76% 69.6K 4m7s #34 819.9 38950K
..... 76% 54.4K 4m6s #34 820.9 39000K
..... 77% 30.7K 4m5s #34 822.5 39050K
..... 77% 59.9K 4m4s #34 823.4 39100K
..... 77% 78.0K 4m2s #34 823.9
39150K 77% 76.2K 4m1s #34
824.6 39200K 77% 45.0K 4m0s
#34 825.7 39250K 77% 26.3K
3m59s #34 827.6 39300K 77%
52.8K 3m58s #34 828.5 39350K
77% 36.3K 3m57s #34 829.9 39400K
..... 77% 71.7K 3m56s #34 830.6 39450K
..... 77% 78.8K 3m55s #34 831.4 39500K
..... 78% 64.8K 3m54s #34 832.0 39550K
..... 78% 36.4K 3m53s #34 833.4 39600K
..... 78% 62.1K 3m52s #34 834.3
39650K 78% 85.1K 3m51s #34
834.8 39700K 78% 72.7K 3m50s
#34 835.6 39750K 78% 45.5K
3m49s #34 836.6 39800K 78%
19.7K 3m48s #34 839.1 39850K
78% 47.4K 3m47s #34 840.2 39900K
..... 78% 21.0K 3m46s #34 842.5 39950K

..... 78% 29.1K 3m45s #34 844.3 40000K
..... 79% 24.3K 3m44s #34 846.3 40050K
..... 79% 31.6K 3m44s #34 848.0 40100K
..... 79% 41.1K 3m43s #34 849.1 40150K
..... 79% 47.9K 3m41s #34 850.2 40200K
..... 79% 49.0K 3m40s #34 851.2 40250K
..... 79% 42.7K 3m39s #34 852.4 40300K
..... 79% 30.3K 3m38s #34 854.0 40350K
..... 79% 35.5K 3m37s #34 855.5 40400K
..... 79% 35.9K 3m37s #34 856.8 40450K
..... 79% 24.2K 3m36s #34 858.9 40500K
..... 80% 46.7K 3m35s #34 860.1 40550K
..... 80% 32.1K 3m34s #34 861.5 40600K
..... 80% 49.6K 3m33s #34 862.5 40650K
..... 80% 74.3K 3m31s #34 863.2 40700K
..... 80% 90.4K 3m30s #34 863.8 40750K
..... 80% 65.5K 3m29s #34 864.5 40800K
..... 80% 45.3K 3m28s #34 865.6 40850K
..... 80% 34.9K 3m27s #34 867.0 40900K
..... 80% 45.6K 3m26s #34 868.1 40950K
..... 80% 70.3K 3m25s #34 868.8 41000K
..... 81% 75.2K 3m24s #34 869.7 41050K
..... 81% 35.7K 3m23s #34 870.9 41100K
..... 81% 56.9K 3m22s #34 871.8 41150K
..... 81% 35.3K 3m21s #34 873.3 41200K
..... 81% 29.9K 3m20s #34 874.9 41250K
..... 81% 36.0K 3m19s #34 876.3 41300K
..... 81% 48.5K 3m18s #34 877.3 41350K
..... 81% 52.1K 3m17s #34 878.3 41400K
..... 81% 61.0K 3m16s #34 879.1 41450K
..... 81% 57.3K 3m14s #34 880.0 41500K
..... 81% 26.0K 3m14s #34 882.1 41550K
..... 82% 25.0K 3m13s #34 884.0 41600K
..... 82% 61.7K 3m12s #34 884.7 41650K
..... 82% 92.7K 3m10s #34 885.2 41700K
..... 82% 105K 3m9s #34 885.7 41750K
..... 82% 47.0K 3m8s #34 886.8 41800K
..... 82% 41.0K 3m7s #34 888.2 41850K
..... 82% 44.4K 3m6s #34 889.1 41900K
..... 82% 92.4K 3m5s #34 889.7 41950K
..... 82% 73.1K 3m4s #34 890.3 42000K
..... 82% 96.1K 3m3s #34 891.0 42050K
..... 83% 63.2K 3m2s #34 891.6 42100K
..... 83% 101K 3m0s #34 892.1 42150K
..... 83% 41.5K 2m59s #34 893.4 42200K
..... 83% 40.7K 2m58s #34 894.6 42250K
..... 83% 96.9K 2m57s #34 895.1 42300K
..... 83% 42.0K 2m56s #34 896.3 42350K
..... 83% 75.0K 2m55s #34 896.9 42400K
..... 83% 54.4K 2m54s #34 897.9 42450K
..... 83% 63.1K 2m53s #34 898.7 42500K
..... 83% 66.7K 2m52s #34 899.5 42550K
..... 84% 42.8K 2m51s #34 900.6 42600K
..... 84% 35.2K 2m50s #34 902.0 42650K
..... 84% 32.8K 2m49s #34

903.5 42700K 84% 76.6K 2m48s
#34 904.2 42750K 84% 88.5K
2m46s #34 904.7 42800K 84%
43.0K 2m45s #34 906.0 42850K
84% 27.0K 2m44s #34 907.8 42900K
..... 84% 42.7K 2m43s #34 908.9 42950K
..... 84% 25.1K 2m43s #34 910.9 43000K
..... 84% 39.9K 2m42s #34 912.2 43050K
..... 85% 65.9K 2m40s #34 913.0 43100K
..... 85% 89.9K 2m39s #34 913.5
43150K 85% 51.5K 2m38s #34
914.5 43200K 85% 77.1K 2m37s
#34 915.1 43250K 85% 89.9K
2m36s #34 915.7 43300K 85%
86.2K 2m35s #34 916.2 43350K
85% 47.6K 2m34s #34 917.3 43400K
..... 85% 36.0K 2m33s #34 918.7 43450K
..... 85% 63.2K 2m32s #34 919.5 43500K
..... 85% 59.4K 2m31s #34 920.3 43550K
..... 86% 61.6K 2m29s #34 921.2 43600K
..... 86% 74.8K 2m28s #34 921.8
43650K 86% 38.0K 2m27s #34
923.1 43700K 86% 23.6K 2m26s
#34 925.2 43750K 86% 36.7K
2m25s #34 926.6 43800K 86%
48.5K 2m24s #34 927.6 43850K
86% 59.0K 2m23s #34 928.5 43900K
..... 86% 42.4K 2m22s #34 929.7 43950K
..... 86% 51.1K 2m21s #34 930.7 44000K
..... 86% 59.6K 2m20s #34 931.5 44050K
..... 87% 71.5K 2m19s #34 932.2 44100K
..... 87% 59.4K 2m18s #34 933.0
44150K 87% 53.1K 2m17s #34
934.0 44200K 87% 23.7K 2m16s
#34 936.1 44250K 87% 19.9K
2m15s #34 938.7 44300K 87%
27.7K 2m14s #34 940.4 44350K
87% 80.9K 2m13s #34 941.0 44400K
..... 87% 81.0K 2m12s #34 941.6 44450K
..... 87% 46.1K 2m11s #34 942.7 44500K
..... 87% 40.5K 2m10s #34 943.9 44550K
..... 88% 60.7K 2m9s #34 944.8 44600K
..... 88% 44.0K 2m8s #34 946.0
44650K 88% 29.5K 2m7s #34
947.6 44700K 88% 21.1K 2m6s
#34 950.0 44750K 88% 53.1K
2m5s #34 950.9 44800K 88%
40.4K 2m4s #34 952.1 44850K
88% 42.6K 2m3s #34 953.4 44900K
..... 88% 42.8K 2m2s #34 954.5 44950K
..... 88% 21.0K 2m1s #34 956.9 45000K
..... 88% 44.8K 2m0s #34 958.0 45050K
..... 88% 34.1K 1m59s #34 959.4 45100K
..... 89% 32.9K 1m58s #34 961.1
45150K 89% 36.2K 1m57s #34
962.3 45200K 89% 38.8K 1m56s
#34 963.6 45250K 89% 54.0K
1m54s #34 964.6 45300K 89%
57.9K 1m53s #34 965.4 45350K
89% 87.9K 1m52s #34 966.0 45400K

..... 89% 59.7K 1m51s #34 966.8 45450K
..... 89% 103K 1m50s #34 967.3 45500K
..... 89% 52.7K 1m49s #34 968.3 45550K
..... 89% 40.2K 1m48s #34 969.6 45600K
..... 90% 30.6K 1m47s #34 971.2
45650K 90% 54.5K 1m46s #34
972.1 45700K 90% 61.1K 1m45s
#34 972.9 45750K 90% 36.0K
1m44s #34 974.3 45800K 90%
81.4K 1m43s #34 975.1 45850K
90% 66.7K 1m41s #34 975.6 45900K
..... 90% 48.2K 1m40s #34 976.8 45950K
..... 90% 51.7K 99s #34 977.6 46000K
..... 90% 83.1K 98s #34 978.4 46050K
..... 90% 77.5K 97s #34 978.9 46100K
..... 91% 77.3K 96s #34 979.5 46150K
..... 91% 80.3K 95s #34 980.2 46200K
..... 91% 64.3K 94s #34 980.9 46250K
..... 91% 35.1K 93s #34 982.6 46300K
..... 91% 33.0K 92s #34 983.9 46350K
..... 91% 48.9K 91s #34 984.9 46400K
..... 91% 65.0K 90s #34 985.7 46450K
..... 91% 58.7K 89s #34 986.5 46500K
..... 91% 43.2K 88s #34 987.8 46550K
..... 91% 82.2K 86s #34 988.3 46600K
..... 92% 110K 85s #34 988.7 46650K
..... 92% 89.9K 84s #34 989.3 46700K
..... 92% 97.8K 83s #34 989.8 46750K
..... 92% 80.2K 82s #34 990.4 46800K
..... 92% 26.6K 81s #34 992.3 46850K
..... 92% 26.8K 80s #34 994.2 46900K
..... 92% 37.6K 79s #34 995.5 46950K
..... 92% 54.5K 78s #34 996.4 47000K
..... 92% 55.1K 77s #34 997.3 47050K
..... 92% 46.5K 76s #34 998.4 47100K
..... 93% 29.3K 75s #34 1000.1 47150K
..... 93% 45.7K 74s #34 1001.2 47200K
..... 93% 24.2K 73s #34 1003.3 47250K
..... 93% 50.3K 72s #34 1004.3
47300K 93% 59.6K 71s #34
1005.2 47350K 93% 41.0K 70s
#34 1006.3 47400K 93% 96.4K
68s #34 1006.8 47450K 93% 103K
67s #34 1007.3 47500K 93%
96.2K 66s #34 1007.8 47550K
93% 78.9K 65s #34 1008.5 47600K
..... 94% 69.5K 64s #34 1009.2 47650K
..... 94% 70.7K 63s #34 1009.9 47700K
..... 94% 74.2K 62s #34 1010.6 47750K
..... 94% 89.8K 61s #34 1011.1 47800K
..... 94% 97.7K 60s #34 1011.6
47850K 94% 80.4K 59s #34
1012.3 47900K 94% 79.3K 58s
#34 1012.9 47950K 94% 46.9K
57s #34 1014.0 48000K 94%
30.7K 55s #34 1015.7 48050K
94% 61.8K 54s #34 1016.5 48100K
..... 95% 48.7K 53s #34 1017.4 48150K
..... 95% 34.8K 52s #34 1018.9 48200K
..... 95% 40.6K 51s #34 1020.1 48250K

```

..... 95% 43.2K 50s #34 1021.3 48300K
..... 95% 50.7K 49s #34 1022.2
48350K ..... 95% 83.5K 48s #34
1022.8 48400K ..... 95% 101K 47s #34
1023.3 48450K ..... 95% 162K 46s #34
1023.6 48500K ..... 95% 109K 45s #34
1024.1 48550K ..... 95% 97.2K 44s
#34 1024.6 48600K ..... 96% 108K 43s
#34 1025.1 48650K ..... 96% 66.5K
42s #34 1025.8 48700K ..... 96%
54.4K 41s #34 1026.7 48750K .....
96% 60.0K 39s #34 1027.6 48800K .....
..... 96% 24.0K 38s #34 1029.7 48850K .....
..... 96% 51.8K 37s #34 1030.6 48900K .....
..... 96% 90.0K 36s #34 1031.2 48950K .....
..... 96% 40.9K 35s #34 1032.4 49000K
..... 96% 30.6K 34s #34 1034.1
49050K ..... 96% 35.4K 33s #34
1035.6 49100K ..... 96% 32.8K 32s
#34 1037.1 49150K ..... 97% 58.7K
31s #34 1037.8 49200K ..... 97%
71.7K 30s #34 1038.5 49250K .....
97% 54.9K 29s #34 1039.4 49300K .....
..... 97% 49.5K 28s #34 1040.5 49350K .....
..... 97% 23.4K 27s #34 1042.6 49400K .....
..... 97% 36.1K 26s #34 1044.0 49450K .....
..... 97% 35.4K 25s #34 1045.8 49500K
..... 97% 19.2K 24s #34 1048.0
49550K ..... 97% 61.8K 23s #34
1048.8 49600K ..... 97% 62.7K 22s
#34 1049.6 49650K ..... 98% 81.8K
21s #34 1050.2 49700K ..... 98%
63.7K 20s #34 1051.0 49750K .....
98% 82.5K 18s #34 1051.6 49800K .....
..... 98% 71.5K 17s #34 1052.3 49850K .....
..... 98% 66.4K 16s #34 1053.0 49900K .....
..... 98% 47.2K 15s #34 1054.1 49950K .....
..... 98% 68.6K 14s #34 1054.8 50000K
..... 98% 70.4K 13s #34 1055.6
50050K ..... 98% 55.9K 12s #34
1056.4 50100K ..... 98% 45.1K 11s
#34 1057.6 50150K ..... 99% 71.9K
10s #34 1058.2 50200K ..... 99%
62.4K 9s #34 1059.0 50250K ..... 99%
54.1K 8s #34 1060.1 50300K ..... 99%
49.5K 7s #34 1061.0 50350K ..... 99%
68.7K 6s #34 1061.7 50400K ..... 99%
78.4K 5s #34 1062.3 50450K ..... 99%
32.1K 4s #34 1064.0 50500K ..... 99%
27.4K 3s #34 1065.7 50550K ..... 99%
37.4K 2s #34 1067.1 50600K ..... 99%
44.1K 1s #34 1068.2 50650K ..... 100% 63.9K=17m48s
#34 1068.6 #34 1068.6 2025-09-12 14:56:32 (47.4 KB/s) - 'binutils-
2.42.tar.gz' saved [51892456/51892456] #34 1068.6 #34 DONE
1068.6s

#35 [31/48] RUN tar -xf binutils-2.42.tar.gz #35 DONE 3.5s

#36 [32/48] WORKDIR binutils-2.42 #36 DONE 0.2s

```

```

#37 [33/48] RUN ./configure --prefix=/usr/local/extrae/binutils --
enable-shared CFLAGS="-g -O2 -Wno-error" CXXFLAGS="-g -O2 -
Wno-error" #37 0.144 checking build system type... x86_64-pc-linux-
gnu #37 0.183 checking host system type... x86_64-pc-linux-gnu #37
0.183 checking target system type... x86_64-pc-linux-gnu #37 0.185
checking for a BSD-compatible install... /usr/bin/install -c #37 0.193
checking whether ln works... yes #37 0.196 checking whether ln -s
works... yes #37 0.196 checking for a sed that does not truncate
output... /usr/bin/sed #37 0.200 checking for gawk... no #37 0.201
checking for mawk... mawk #37 0.206 checking for gcc... gcc #37
0.225 checking whether the C compiler works... yes #37 0.255
checking for C compiler default output file name... a.out #37 0.257
checking for suffix of executables... #37 0.286 checking whether we
are cross compiling... no #37 0.322 checking for suffix of object files...
o #37 0.338 checking whether we are using the GNU C compiler...
yes #37 0.352 checking whether gcc accepts -g... yes #37 0.366
checking for gcc option to accept ISO C89... none needed #37 0.392
checking for gcc option to accept ISO C99... none needed #37 0.431
checking for g++... g++ #37 0.449 checking whether we are using
the GNU C++ compiler... yes #37 0.465 checking whether g++
accepts -g... yes #37 0.482 checking whether g++ accepts -static-
libstdc++ -static-libgcc... yes #37 0.516 checking for gnatbind... no
#37 0.516 checking for gnatmake... no #37 0.517 checking whether
compiler driver understands Ada and is recent enough... no #37 0.521
checking for gdc... no #37 0.522 checking whether the D compiler
works... no #37 0.523 checking how to compare bootstrapped
objects... cmp -ignore-initial=16

```

f1

```

f2 #37 0.529 checking for objdir... .libs #37 0.534 checking for isl
0.15 or later... no #37 0.547 required isl version is 0.15 or later #37
1.101 checking for default BUILD_CONFIG... #37 1.101 checking for
--enable-vtable-verify... no #37 1.127 checking for bison... bison -y
#37 1.128 checking for bison... bison #37 1.128 checking for gm4...
no #37 1.129 checking for gnum4... no #37 1.129 checking for m4...
m4 #37 1.130 checking for flex... flex #37 1.130 checking for flex...
flex #37 1.131 checking for makeinfo... makeinfo #37 1.208 checking
for expect... no #37 1.209 checking for runtest... no #37 1.210
checking for ar... ar #37 1.210 checking for as... as #37 1.211
checking for dlltool... no #37 1.211 checking for dsymutil... no #37
1.212 checking for ld... ld #37 1.213 checking for lipo... no #37 1.214
checking for nm... nm #37 1.214 checking for ranlib... ranlib #37
1.215 checking for strip... strip #37 1.216 checking for windres... no
#37 1.216 checking for windmc... no #37 1.217 checking for
objcopy... objcopy #37 1.218 checking for objdump... objdump #37
1.218 checking for otool... no #37 1.219 checking for readelf... readelf
#37 1.219 checking for -plugin option... -plugin /usr/lib/gcc/x86_64-
linux-gnu/11/liblto_plugin.so #37 1.229 checking for cc... cc #37
1.230 checking for c++... c++ #37 1.231 checking for gcc... gcc #37
1.232 checking for gfortran... gfortran #37 1.232 checking for
gccgo... no #37 1.233 checking for gdc... no #37 1.234 checking for
gm2... no #37 1.242 checking for ar... ar #37 1.243 checking for as...
as #37 1.243 checking for dlltool... no #37 1.244 checking for
dsymutil... no #37 1.245 checking for ld... ld #37 1.246 checking for
lipo... no #37 1.247 checking for nm... nm #37 1.247 checking for
objcopy... objcopy #37 1.248 checking for objdump... objdump #37
1.249 checking for otool... no #37 1.250 checking for ranlib... ranlib
#37 1.251 checking for readelf... readelf #37 1.251 checking for
strip... strip #37 1.252 checking for windres... no #37 1.253 checking
for windmc... no #37 1.253 checking where to find the target ar... just
compiled #37 1.253 checking where to find the target as... just

```

compiled #37 1.254 checking where to find the target cc... host tool
#37 1.255 checking where to find the target c++... host tool #37
1.256 checking where to find the target c++ for libstdc++... host tool
#37 1.258 checking where to find the target dlltool... just compiled
#37 1.258 checking where to find the target dsymutil... host tool #37
1.259 checking where to find the target gcc... host tool #37 1.260
checking where to find the target gfortran... host tool #37 1.262
checking where to find the target gccgo... host tool #37 1.263
checking where to find the target gdc... host tool #37 1.264 checking
where to find the target gm2... host tool #37 1.265 checking where to
find the target ld... just compiled #37 1.266 checking where to find
the target lipo... host tool #37 1.267 checking where to find the target
nm... just compiled #37 1.267 checking where to find the target
objcopy... just compiled #37 1.267 checking where to find the target
objdump... just compiled #37 1.268 checking where to find the target
otool... host tool #37 1.269 checking where to find the target ranlib...
just compiled #37 1.269 checking where to find the target readelf...
just compiled #37 1.269 checking where to find the target strip... just
compiled #37 1.270 checking where to find the target windres... just
compiled #37 1.270 checking where to find the target windmc... just
compiled #37 1.270 checking whether to enable maintainer-specific
portions of Makefiles... no #37 1.289 configure: creating
./config.status #37 1.357 config.status: creating Makefile #37 DONE
1.7s

#38 [34/48] RUN make && make install && cp libiberty/pic/libiberty.a
/usr/local/extrae/binutils/lib #38 0.248 make[1]: Entering directory
'/workspace/binutils-2.42' #38 0.254 Configuring in ./libiberty #38
0.342 configure: creating cache ./config.cache #38 0.343 checking
whether to enable maintainer-specific portions of Makefiles... no #38
0.343 checking for makeinfo... makeinfo -split-size=5000000 #38
0.421 checking for perl... perl #38 0.427 checking build system type...
x86_64-pc-linux-gnu #38 0.432 checking host system type... x86_64-
pc-linux-gnu #38 0.437 checking for x86_64-pc-linux-gnu-ar... ar -
plugin /usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so #38 0.437
checking for x86_64-pc-linux-gnu-ranlib... ranlib -plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so #38 0.438 checking
for -plugin option... checking for x86_64-pc-linux-gnu-ar... (cached) ar
-plugin /usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so #38 0.445 -
plugin /usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so #38 0.449
checking whether to install libiberty headers and static library... no
#38 0.449 configure: target_header_dir = #38 0.449 checking for
x86_64-pc-linux-gnu-gcc... gcc #38 0.505 checking whether the C
compiler works... yes #38 0.536 checking for C compiler default
output file name... a.out #38 0.538 checking for suffix of
executables... #38 0.568 checking whether we are cross compiling...
no #38 0.604 checking for suffix of object files... o #38 0.622
checking whether we are using the GNU C compiler... yes #38 0.637
checking whether gcc accepts -g... yes #38 0.652 checking for gcc
option to accept ISO C89... none needed #38 0.679 checking how to
run the C preprocessor... gcc -E #38 0.721 checking for grep that
handles long lines and -e... /usr/bin/grep #38 0.723 checking for
egrep... /usr/bin/grep -E #38 0.725 checking for ANSI C header files...
yes #38 0.815 checking for sys/types.h... yes #38 0.842 checking for
sys/stat.h... yes #38 0.869 checking for stdlib.h... yes #38 0.896
checking for string.h... yes #38 0.924 checking for memory.h... yes
#38 0.953 checking for strings.h... yes #38 0.981 checking for
inttypes.h... yes #38 1.009 checking for stdint.h... yes #38 1.037
checking for unistd.h... yes #38 1.067 checking minix/config.h
usability... no #38 1.095 checking minix/config.h presence... no #38
1.107 checking for minix/config.h... no #38 1.107 checking whether it

is safe to define **EXTENSIONS**... yes #38 1.138 checking for special C compiler options needed for large files... no #38 1.138 checking for _FILE_OFFSET_BITS value needed for large files... no #38 1.159 checking whether gcc supports -W... yes #38 1.177 checking whether gcc supports -Wall... yes #38 1.194 checking whether gcc supports -Wwrite-strings... yes #38 1.212 checking whether gcc supports -Wc++-compat... yes #38 1.230 checking whether gcc supports -Wstrict-prototypes... yes #38 1.251 checking whether gcc supports -Wshadow=local... yes #38 1.267 checking whether gcc supports -pedantic ... yes #38 1.282 checking whether gcc and cc understand -c and -o together... yes #38 1.344 checking for an ANSI C-conforming const... yes #38 1.360 checking for inline... inline #38 1.372 checking whether byte ordering is bigendian... no #38 1.434 checking for a BSD-compatible install... /usr/bin/install -c #38 1.434 checking for CET support... yes #38 1.545 checking target system type... x86_64-pc-linux-gnu #38 1.557 checking for sys/file.h... yes #38 1.573 checking for sys/param.h... yes #38 1.593 checking for limits.h... yes #38 1.608 checking for stdlib.h... (cached) yes #38 1.614 checking for malloc.h... yes #38 1.630 checking for string.h... (cached) yes #38 1.636 checking for unistd.h... (cached) yes #38 1.642 checking for strings.h... (cached) yes #38 1.648 checking for sys/time.h... yes #38 1.663 checking for time.h... yes #38 1.679 checking for sys/resource.h... yes #38 1.694 checking for sys/stat.h... (cached) yes #38 1.700 checking for sys/mman.h... yes #38 1.715 checking for fcntl.h... yes #38 1.730 checking for alloca.h... yes #38 1.745 checking for sys/pstat.h... no #38 1.759 checking for sys/sysmp.h... no #38 1.774 checking for sys/sysinfo.h... yes #38 1.789 checking for machine/hal_sysinfo.h... no #38 1.804 checking for sys/table.h... no #38 1.818 checking for sys/sysctl.h... no #38 1.833 checking for sys/systemcfg.h... no #38 1.847 checking for stdint.h... (cached) yes #38 1.853 checking for stdio_ext.h... yes #38 1.869 checking for process.h... no #38 1.884 checking for sys/prctl.h... yes #38 1.899 checking for spawn.h... yes #38 1.914 checking for sys/wait.h that is POSIX.1 compatible... yes #38 1.940 checking whether time.h and sys/time.h may both be included... yes #38 1.959 checking whether errno must be declared... no #38 1.976 checking size of int... 4 #38 2.030 checking size of long... 8 #38 2.084 checking size of size_t... 8 #38 2.139 checking for long long... yes #38 2.201 checking size of long long... 8 #38 2.255 checking for a 64-bit type... uint64_t #38 2.273 checking for intptr_t... yes #38 2.335 checking for uintptr_t... yes #38 2.397 checking for ssize_t... yes #38 2.460 checking for pid_t... yes #38 2.524 checking for library containing strerror... none required #38 2.559 checking for asprintf... yes #38 2.598 checking for atexit... yes #38 2.637 checking for basename... yes #38 2.676 checking for bcmp... yes #38 2.718 checking for bcopy... yes #38 2.760 checking for bsearch... yes #38 2.799 checking for bzero... yes #38 2.842 checking for calloc... yes #38 2.884 checking for clock... yes #38 2.923 checking for ffs... yes #38 2.965 checking for getcwd... yes #38 3.005 checking for getpagesize... yes #38 3.044 checking for gettimeofday... yes #38 3.082 checking for index... yes #38 3.125 checking for insque... yes #38 3.163 checking for memchr... yes #38 3.205 checking for memcmp... yes #38 3.247 checking for memcpy... yes #38 3.289 checking for memmem... yes #38 3.328 checking for memmove... yes #38 3.370 checking for mempcpy... yes #38 3.412 checking for memset... yes #38 3.454 checking for mkstemp... yes #38 3.493 checking for putenv... yes #38 3.532 checking for random... yes #38 3.570 checking for rename... yes #38 3.609 checking for rindex... yes #38 3.651 checking for setenv... yes #38 3.690 checking for snprintf... yes #38 3.732 checking for sigsetmask... yes #38 3.771 checking for stpcpy... yes #38 3.812

checking for stpncpy... yes #38 3.854 checking for strcasecmp... yes
#38 3.896 checking for strchr... yes #38 3.938 checking for strdup...
yes #38 3.980 checking for strncasecmp... yes #38 4.022 checking for
strndup... yes #38 4.065 checking for strnlen... yes #38 4.107
checking for strrchr... yes #38 4.150 checking for strstr... yes #38
4.192 checking for strtod... yes #38 4.231 checking for strtol... yes
#38 4.270 checking for strtoul... yes #38 4.309 checking for strtoll...
yes #38 4.348 checking for strtoull... yes #38 4.389 checking for
strverscmp... yes #38 4.427 checking for tmpnam... yes #38 4.469
checking for vasprintf... yes #38 4.508 checking for vfprintf... yes #38
4.550 checking for vprintf... yes #38 4.592 checking for vsnprintf...
yes #38 4.634 checking for vsprintf... yes #38 4.676 checking for
waitpid... yes #38 4.715 checking for setproctitle... no #38 4.752
checking whether alloca needs Cray hooks... no #38 4.759 checking
stack direction for C alloca... 1 #38 4.802 checking for vfork.h... no
#38 4.817 checking for fork... yes #38 4.860 checking for vfork... yes
#38 4.897 checking for working fork... yes #38 4.946 checking for
working vfork... (cached) yes #38 4.946 checking for _doprnt... no
#38 4.984 checking for sys_errlist... no #38 5.021 checking for
sys_nerr... no #38 5.057 checking for sys_siglist... no #38 5.094
checking for external symbol _system configuration... no #38 5.111
checking for _fsetlocking... yes #38 5.151 checking for
canonicalize_file_name... yes #38 5.190 checking for dup3... yes #38
5.229 checking for getrlimit... yes #38 5.268 checking for getrusage...
yes #38 5.306 checking for getsysinfo... no #38 5.346 checking for
gettimeofday... (cached) yes #38 5.352 checking for on_exit... yes #38
5.391 checking for pipe2... yes #38 5.430 checking for posix_spawn...
yes #38 5.469 checking for posix_spawnnp... yes #38 5.508 checking
for psignal... yes #38 5.548 checking for pstat_getdynamic... no #38
5.587 checking for pstat_getstatic... no #38 5.628 checking for
realpath... yes #38 5.667 checking for setrlimit... yes #38 5.706
checking for spawnve... no #38 5.746 checking for spawnvpe... no
#38 5.786 checking for strerror... yes #38 5.825 checking for
strsignal... yes #38 5.864 checking for sysconf... yes #38 5.903
checking for sysctl... no #38 5.943 checking for sysmp... no #38 5.982
checking for table... no #38 6.022 checking for times... yes #38 6.061
checking for wait3... yes #38 6.100 checking for wait4... yes #38
6.139 checking for sbrk... yes #38 6.183 checking whether basename
is declared... yes #38 6.220 checking whether ffs is declared... yes
#38 6.258 checking whether asprintf is declared... yes #38 6.295
checking whether vasprintf is declared... yes #38 6.332 checking
whether snprintf is declared... yes #38 6.369 checking whether
vsnprintf is declared... yes #38 6.407 checking whether calloc is
declared... yes #38 6.443 checking whether getenv is declared... yes
#38 6.481 checking whether getopt is declared... yes #38 6.518
checking whether malloc is declared... yes #38 6.556 checking
whether realloc is declared... yes #38 6.594 checking whether sbrk is
declared... yes #38 6.631 checking whether strtol is declared... yes
#38 6.668 checking whether strtoul is declared... yes #38 6.705
checking whether strtoll is declared... yes #38 6.742 checking
whether strtoull is declared... yes #38 6.779 checking whether
strverscmp is declared... yes #38 6.816 checking whether strnlen is
declared... yes #38 6.849 checking whether canonicalize_file_name
must be declared... no #38 6.879 checking for SHA1 HW acceleration
support... x86 SHA1 #38 7.090 checking for stdlib.h... (cached) yes
#38 7.097 checking for unistd.h... (cached) yes #38 7.103 checking
for sys/param.h... (cached) yes #38 7.107 checking for getpagesize...
(cached) yes #38 7.108 checking for working mmap... yes #38 7.178
checking for working strncmp... yes #38 7.242 configure: updating
cache ./config.cache #38 7.248 configure: creating ./config.status #38

7.328 config.status: creating Makefile #38 7.340 config.status:
creating testsuite/Makefile #38 7.356 config.status: creating config.h
#38 7.364 config.status: executing default commands #38 7.390
Configuring in ./bfd #38 7.479 configure: creating cache
./config.cache #38 7.485 checking build system type... x86_64-pc-
linux-gnu #38 7.490 checking host system type... x86_64-pc-linux-gnu
#38 7.495 checking target system type... x86_64-pc-linux-gnu #38
7.500 checking for a BSD-compatible install... /usr/bin/install -c #38
7.500 checking whether build environment is sane... yes #38 7.509
checking for a thread-safe mkdir -p... /usr/bin/mkdir -p #38 7.512
checking for gawk... mawk #38 7.512 checking whether make sets
\$(MAKE)... yes #38 7.522 checking whether make supports nested
variables... yes #38 7.531 checking whether make supports nested
variables... (cached) yes #38 7.532 checking for x86_64-pc-linux-gnu-
ar... ar -plugin /usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so #38
7.532 checking for x86_64-pc-linux-gnu-ranlib... ranlib -plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so #38 7.532 checking
for x86_64-pc-linux-gnu-gcc... gcc #38 7.553 checking whether the C
compiler works... yes #38 7.585 checking for C compiler default
output file name... a.out #38 7.586 checking for suffix of
executables... #38 7.617 checking whether we are cross compiling...
no #38 7.654 checking for suffix of object files... o #38 7.671
checking whether we are using the GNU C compiler... yes #38 7.686
checking whether gcc accepts -g... yes #38 7.701 checking for gcc
option to accept ISO C89... none needed #38 7.727 checking whether
gcc understands -c and -o together... yes #38 7.754 checking for style
of include used by make... GNU #38 7.759 checking dependency style
of gcc... gcc3 #38 7.786 checking how to run the C preprocessor...
gcc -E #38 7.827 checking for grep that handles long lines and -e...
/usr/bin/grep #38 7.829 checking for egrep... /usr/bin/grep -E #38
7.831 checking for ANSI C header files... yes #38 7.922 checking for
sys/types.h... yes #38 7.950 checking for sys/stat.h... yes #38 7.977
checking for stdlib.h... yes #38 8.004 checking for string.h... yes #38
8.032 checking for memory.h... yes #38 8.061 checking for strings.h...
yes #38 8.090 checking for inttypes.h... yes #38 8.119 checking for
stdint.h... yes #38 8.148 checking for unistd.h... yes #38 8.178
checking minix/config.h usability... no #38 8.206 checking
minix/config.h presence... no #38 8.218 checking for minix/config.h...
no #38 8.218 checking whether it is safe to define **EXTENSIONS**...
yes #38 8.249 checking how to print strings... printf #38 8.250
checking for a sed that does not truncate output... /usr/bin/sed #38
8.254 checking for fgrep... /usr/bin/grep -F #38 8.256 checking for ld
used by gcc... ld #38 8.258 checking if the linker (ld) is GNU ld... yes
#38 8.261 checking for BSD- or MS-compatible name lister (nm)...
/usr/bin/nm -B #38 8.287 checking the name lister (/usr/bin/nm -B)
interface... BSD nm #38 8.305 checking whether ln -s works... yes
#38 8.305 checking the maximum length of command line
arguments... 3145728 #38 8.310 checking whether the shell
understands some XSI constructs... yes #38 8.310 checking whether
the shell understands "+="... yes #38 8.314 checking for ld option to
reload object files... -r #38 8.314 checking for x86_64-pc-linux-gnu-
objdump... objdump #38 8.314 checking how to recognize dependent
libraries... pass_all #38 8.318 checking for x86_64-pc-linux-gnu-ar...
(cached) ar -plugin /usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so
#38 8.324 checking for x86_64-pc-linux-gnu-strip... no #38 8.325
checking for strip... strip #38 8.325 checking for x86_64-pc-linux-gnu-
ranlib... (cached) ranlib -plugin /usr/lib/gcc/x86_64-linux-
gnu/11/liblto_plugin.so #38 8.327 checking command to parse
/usr/bin/nm -B output from gcc object... ok #38 8.397 checking for
dlfcn.h... yes #38 8.428 checking for objdir... .libs #38 8.478 checking

if gcc supports -fno-rtti -fno-exceptions... no #38 8.496 checking for
 gcc option to produce PIC... -fPIC -DPIC #38 8.496 checking if gcc
 PIC flag -fPIC -DPIC works... yes #38 8.513 checking if gcc static flag
 -static works... yes #38 8.582 checking if gcc supports -c -o file.o...
 yes #38 8.606 checking if gcc supports -c -o file.o... (cached) yes #38
 8.607 checking whether the gcc linker (ld -m elf_x86_64) supports
 shared libraries... yes #38 8.616 checking whether -lc should be
 explicitly linked in... no #38 8.639 checking dynamic linker
 characteristics... GNU/Linux ld.so #38 8.687 checking how to
 hardcode library paths into programs... immediate #38 8.687
 checking for shl_load... no #38 8.724 checking for shl_load in -ldld...
 no #38 8.750 checking for dlopen... yes #38 8.783 checking whether
 a program can dlopen itself... yes #38 8.822 checking whether a
 statically linked program can dlopen itself... no #38 8.902 checking
 whether stripping libraries is possible... yes #38 8.904 checking if
 libtool supports shared libraries... yes #38 8.905 checking whether to
 build shared libraries... yes #38 8.905 checking whether to build
 static libraries... yes #38 8.905 checking for dlfcn.h... (cached) yes
 #38 8.907 checking for windows.h... no #38 8.938 checking for
 library containing dlsym... none required #38 8.971 checking for
 special C compiler options needed for large files... no #38 8.971
 checking for _FILE_OFFSET_BITS value needed for large files... no
 #38 8.990 checking size of void ... 8 #38 9.102 *Setting warning flags*
 = -W -Wall -Wstrict-prototypes -Wmissing-prototypes -Wshadow -
 Wstack-usage=262144 #38 9.102 checking whether to enable
 maintainer-specific portions of Makefiles... no #38 9.102 checking
 whether to install libbfd... yes #38 9.102 checking whether byte
 ordering is bigendian... no #38 9.165 checking whether NLS is
 requested... yes #38 9.168 checking for msgfmt... /usr/bin/msgfmt
 #38 9.175 checking for gmsgfmt... /usr/bin/msgfmt #38 9.178
 checking for xgettext... /usr/bin/xgettext #38 9.189 checking for
 msgmerge... /usr/bin/msgmerge #38 9.205 checking for ld used by
 GCC... ld -m elf_x86_64 #38 9.208 checking if the linker (ld -m
 elf_x86_64) is GNU ld... yes #38 9.210 checking for shared library run
 path origin... done #38 9.232 checking for
 CFPReferencesCopyAppValue... no #38 9.246 checking for
 CFLocaleCopyPreferredLanguages... no #38 9.260 checking for GNU
 gettext in libc... yes #38 9.294 checking whether to use NLS... yes
 #38 9.294 checking where the gettext function comes from... libc #38
 9.295 checking whether NLS is requested... yes #38 9.295 checking
 for catalogs to be installed... da es fi fr hr id ja ka pt ro ru rw sr sv tr
 uk vi zh_CN da es fi fr hr id ja ka pt ro ru rw sr sv tr uk vi zh_CN #38
 9.448 checking for msgfmt... (cached) /usr/bin/msgfmt #38 9.448
 checking for gmsgfmt... (cached) /usr/bin/msgfmt #38 9.451 checking
 for xgettext... (cached) /usr/bin/xgettext #38 9.456 checking for
 msgmerge... (cached) /usr/bin/msgmerge #38 9.469 checking size of
 long long... 8 #38 9.524 checking size of void ... (cached) 8 #38 9.525
 checking size of long... 8 #38 9.580 checking size of int... 4 #38 9.638
 checking fcntl.h usability... yes #38 9.668 checking fcntl.h presence...
 yes #38 9.678 checking for fcntl.h... yes #38 9.685 checking sys/file.h
 usability... yes #38 9.714 checking sys/file.h presence... yes #38
 9.724 checking for sys/file.h... yes #38 9.732 checking sys/resource.h
 usability... yes #38 9.761 checking sys/resource.h presence... yes #38
 9.770 checking for sys/resource.h... yes #38 9.777 checking for
 sys/stat.h... (cached) yes #38 9.784 checking for sys/types.h...
 (cached) yes #38 9.791 checking for unistd.h... (cached) yes #38
 9.798 checking for fcntl... yes #38 9.838 checking for fdopen... yes
 #38 9.878 checking for fileno... yes #38 9.919 checking for fls... no
 #38 9.960 checking for getgid... yes #38 10.00 checking for
 getpagesize... yes #38 10.04 checking for getrlimit... yes #38 10.08

```

checking for getuid... yes #38 10.12 checking for sysconf... yes #38
10.16 checking whether basename is declared... yes #38 10.20
checking whether ffs is declared... yes #38 10.24 checking whether
stpcpy is declared... yes #38 10.28 checking whether asprintf is
declared... yes #38 10.31 checking whether vasprintf is declared...
yes #38 10.35 checking whether strlen is declared... yes #38 10.39
checking whether __lc_codepage_func is declared... no #38 10.41
checking for thread local storage (TLS) class... _Thread_local #38
10.45 checking for x86_64-pc-linux-gnu-pkg-config... /usr/bin/x86_64-
pc-linux-gnu-pkg-config #38 10.45 checking pkg-config is at least
version 0.9.0... yes #38 10.45 checking for libzstd >= 1.4.0... no #38
10.46 checking compiler support for hidden visibility... yes #38 10.47
checking linker -as-needed support... yes #38 10.48 checking for cos
in -lm... yes #38 10.54 checking for gcc version with buggy 64-bit
support... no #38 10.55 checking sys/procfs.h usability... yes #38
10.57 checking sys/procfs.h presence... yes #38 10.59 checking for
sys/procfs.h... yes #38 10.59 checking for prstatus_t in sys/procfs.h...
yes #38 10.61 checking for prstatus32_t in sys/procfs.h... no #38
10.62 checking for prstatus_t.pr_who in sys/procfs.h... no #38 10.64
checking for prstatus32_t.pr_who in sys/procfs.h... no #38 10.66
checking for pstatus_t in sys/procfs.h... no #38 10.68 checking for
pxstatus_t in sys/procfs.h... no #38 10.69 checking for pstatus32_t in
sys/procfs.h... no #38 10.71 checking for prpsinfo_t in sys/procfs.h...
yes #38 10.73 checking for prpsinfo_t.pr_pid in sys/procfs.h... yes #38
10.75 checking for prpsinfo32_t in sys/procfs.h... no #38 10.77
checking for prpsinfo32_t.pr_pid in sys/procfs.h... no #38 10.78
checking for psinfo_t in sys/procfs.h... no #38 10.80 checking for
psinfo_t.pr_pid in sys/procfs.h... no #38 10.82 checking for psinfo32_t
in sys/procfs.h... no #38 10.84 checking for psinfo32_t.pr_pid in
sys/procfs.h... no #38 10.85 checking for lwpstatus_t in sys/procfs.h...
no #38 10.87 checking for lwpxstatus_t in sys/procfs.h... no #38 10.89
checking for lwpstatus_t.pr_context in sys/procfs.h... no #38 10.91
checking for lwpstatus_t.pr_reg in sys/procfs.h... no #38 10.92
checking for lwpstatus_t.pr_fpreg in sys/procfs.h... no #38 10.94
checking for win32_pstatus_t in sys/procfs.h... no #38 10.96 checking
for ftello... yes #38 11.00 checking for ftello64... yes #38 11.04
checking for fseeko... yes #38 11.08 checking for fseeko64... yes #38
11.13 checking for fopen64... yes #38 11.17 checking whether ftello
is declared... yes #38 11.21 checking whether ftello64 is declared...
yes #38 11.24 checking whether fseeko is declared... yes #38 11.28
checking whether fseeko64 is declared... yes #38 11.32 checking
whether fopen64 is declared... yes #38 11.35 checking size of off_t...
8 #38 11.41 checking file_ptr type... int64_t #38 11.41 checking for
stdlib.h... (cached) yes #38 11.42 checking for unistd.h... (cached) yes
#38 11.43 checking for sys/param.h... yes #38 11.46 checking for
getpagesize... (cached) yes #38 11.46 checking for working mmap...
yes #38 11.54 checking for madvise... yes #38 11.58 checking for
mprotect... yes #38 11.64 configure: updating cache ./config.cache
#38 11.64 checking that generated files are newer than configure...
done #38 11.64 configure: creating ./config.status #38 12.04
config.status: creating Makefile #38 12.05 config.status: creating bfd-
in3.h #38 12.07 config.status: creating po/Makefile.in #38 12.08
config.status: creating config.h #38 12.09 config.status: executing
depfiles commands #38 12.53 config.status: executing libtool
commands #38 12.54 config.status: executing default-1 commands
#38 12.55 config.status: executing default-2 commands #38 12.57
config.status: executing default commands #38 12.62 make[2]:
Entering directory '/workspace/binutils-2.42/libiberty' #38 12.62 if [
x"-fpic" != x ] && [ ! -d pic ]; then
#38 12.62 mkdir pic;

```

```

#38 12.62 else true; fi #38 12.62 touch stamp-picdir #38 12.62 if [
x"" != x ] && [ ! -d noasan ]; then
#38 12.62 mkdir noasan;
#38 12.62 else true; fi #38 12.63 touch stamp-noasandir #38 12.63 if
[ x"-fpic" != x ]; then
#38 12.63 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./regex.c -o pic/regex.o;
#38 12.63 else true; fi #38 13.60 if [ x"" != x ]; then
#38 13.60 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./regex.c -o noasan/regex.o;
#38 13.60 else true; fi #38 13.60 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I../include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./regex.c -o regex.o #38 14.57 if [ x"-fpic" != x ]; then
#38 14.57 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./cplus-dem.c -o pic/cplus-dem.o;
#38 14.57 else true; fi #38 14.66 if [ x"" != x ]; then
#38 14.66 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./cplus-dem.c -o noasan/cplus-dem.o;
#38 14.66 else true; fi #38 14.66 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I../include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./cplus-dem.c -o cplus-dem.o #38 14.74 if [ x"-fpic" != x ];
then
#38 14.74 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./cp-demangle.c -o pic/cp-demangle.o;
#38 14.74 else true; fi #38 15.84 if [ x"" != x ]; then
#38 15.84 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./cp-demangle.c -o noasan/cp-demangle.o;
#38 15.84 else true; fi #38 15.84 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I../include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./cp-demangle.c -o cp-demangle.o #38 16.93 if [ x"-fpic" !=
x ]; then
#38 16.93 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./md5.c -o pic/md5.o;
#38 16.93 else true; fi #38 17.04 if [ x"" != x ]; then
#38 17.04 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./md5.c -o noasan/md5.o;
#38 17.04 else true; fi #38 17.04 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I../include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./md5.c -o md5.o #38 17.15 if [ x"-fpic" != x ]; then
#38 17.15 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -

```

```

I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./sha1.c -o pic/sha1.o;
#38 17.15 else true; fi #38 17.57 if [ x"" != x ]; then
#38 17.57 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./sha1.c -o noasan/sha1.o;
#38 17.57 else true; fi #38 17.57 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./sha1.c -o sha1.o #38 17.99 if [ x"-fpic" != x ]; then
#38 17.99 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./alloca.c -o pic/alloca.o;
#38 17.99 else true; fi #38 18.02 if [ x"" != x ]; then
#38 18.02 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./alloca.c -o noasan/alloca.o;
#38 18.02 else true; fi #38 18.02 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./alloca.c -o alloca.o #38 18.05 if [ x"-fpic" != x ]; then
#38 18.05 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./argv.c -o pic/argv.o;
#38 18.05 else true; fi #38 18.14 if [ x"" != x ]; then
#38 18.14 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./argv.c -o noasan/argv.o;
#38 18.14 else true; fi #38 18.14 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./argv.c -o argv.o #38 18.24 if [ x"-fpic" != x ]; then
#38 18.24 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./bsearch_r.c -o pic/bsearch_r.o;
#38 18.24 else true; fi #38 18.26 if [ x"" != x ]; then
#38 18.26 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./bsearch_r.c -o noasan/bsearch_r.o;
#38 18.26 else true; fi #38 18.26 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./bsearch_r.c -o bsearch_r.o #38 18.29 if [ x"-fpic" != x ];
then
#38 18.29 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./choose-temp.c -o pic/choose-temp.o;
#38 18.29 else true; fi #38 18.32 if [ x"" != x ]; then
#38 18.32 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-

```

```

protection -fpic ./choose-temp.c -o noasan/choose-temp.o;
#38 18.32 else true; fi #38 18.32 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I../include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./choose-temp.c -o choose-temp.o #38 18.35 if [ x"-fpic" !=
x ]; then
#38 18.35 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./concat.c -o pic/concat.o;
#38 18.35 else true; fi #38 18.41 if [ x"" != x ]; then
#38 18.41 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./concat.c -o noasan/concat.o;
#38 18.41 else true; fi #38 18.41 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I../include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./concat.c -o concat.o #38 18.47 if [ x"-fpic" != x ]; then
#38 18.47 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./cp-demint.c -o pic/cp-demint.o;
#38 18.47 else true; fi #38 18.52 if [ x"" != x ]; then
#38 18.52 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./cp-demint.c -o noasan/cp-demint.o;
#38 18.52 else true; fi #38 18.52 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I../include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./cp-demint.c -o cp-demint.o #38 18.57 if [ x"-fpic" != x ];
then
#38 18.57 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./crc32.c -o pic/crc32.o;
#38 18.57 else true; fi #38 18.59 if [ x"" != x ]; then
#38 18.59 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./crc32.c -o noasan/crc32.o;
#38 18.59 else true; fi #38 18.60 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I../include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./crc32.c -o crc32.o #38 18.62 if [ x"-fpic" != x ]; then
#38 18.62 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./d-demangle.c -o pic/d-demangle.o;
#38 18.62 else true; fi #38 18.97 if [ x"" != x ]; then
#38 18.97 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./d-demangle.c -o noasan/d-demangle.o;
#38 18.97 else true; fi #38 18.97 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I../include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./d-demangle.c -o d-demangle.o #38 19.32 if [ x"-fpic" != x
]; then

```

```

#38 19.32 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./dwarfnames.c -o pic/dwarfnames.o;
#38 19.32 else true; fi #38 19.41 if [ x"" != x ]; then
#38 19.41 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./dwarfnames.c -o noasan/dwarfnames.o;
#38 19.41 else true; fi #38 19.41 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./dwarfnames.c -o dwarfnames.o #38 19.49 if [ x"-fpic" != x
]; then
#38 19.49 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./dyn-string.c -o pic/dyn-string.o;
#38 19.49 else true; fi #38 19.56 if [ x"" != x ]; then
#38 19.56 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./dyn-string.c -o noasan/dyn-string.o;
#38 19.56 else true; fi #38 19.57 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./dyn-string.c -o dyn-string.o #38 19.65 if [ x"-fpic" != x ];
then
#38 19.65 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./fdmatch.c -o pic/fdmatch.o;
#38 19.65 else true; fi #38 19.68 if [ x"" != x ]; then
#38 19.68 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./fdmatch.c -o noasan/fdmatch.o;
#38 19.68 else true; fi #38 19.68 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./fdmatch.c -o fdmatch.o #38 19.70 if [ x"-fpic" != x ]; then
#38 19.70 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./fibheap.c -o pic/fibheap.o;
#38 19.70 else true; fi #38 19.79 if [ x"" != x ]; then
#38 19.79 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./fibheap.c -o noasan/fibheap.o;
#38 19.79 else true; fi #38 19.79 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./fibheap.c -o fibheap.o #38 19.88 if [ x"-fpic" != x ]; then
#38 19.88 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./filedescriptor.c -o pic/filedescriptor.o;
#38 19.88 else true; fi #38 19.90 if [ x"" != x ]; then
#38 19.90 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -

```



```

I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./filedescriptor.c -o noasan/filedescriptor.o;
#38 19.90 else true; fi #38 19.90 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./filedescriptor.c -o filedescriptor.o #38 19.93 if [ x"-fpic" !=
x ]; then
#38 19.93 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./filename_cmp.c -o pic/filename_cmp.o;
#38 19.93 else true; fi #38 19.96 if [ x"" != x ]; then
#38 19.96 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./filename_cmp.c -o noasan/filename_cmp.o;
#38 19.96 else true; fi #38 19.96 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./filename_cmp.c -o filename_cmp.o #38 20.00 if [ x"-fpic"
!= x ]; then
#38 20.00 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./floatformat.c -o pic/floatformat.o;
#38 20.00 else true; fi #38 20.09 if [ x"" != x ]; then
#38 20.09 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./floatformat.c -o noasan/floatformat.o;
#38 20.09 else true; fi #38 20.10 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./floatformat.c -o floatformat.o #38 20.19 if [ x"-fpic" != x ];
then
#38 20.19 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./fnmatch.c -o pic/fnmatch.o;
#38 20.19 else true; fi #38 20.21 if [ x"" != x ]; then
#38 20.21 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./fnmatch.c -o noasan/fnmatch.o;
#38 20.21 else true; fi #38 20.21 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./fnmatch.c -o fnmatch.o #38 20.22 if [ x"-fpic" != x ]; then
#38 20.22 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./fopen_unlocked.c -o pic/fopen_unlocked.o;
#38 20.22 else true; fi #38 20.25 if [ x"" != x ]; then
#38 20.25 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./fopen_unlocked.c -o noasan/fopen_unlocked.o;
#38 20.25 else true; fi #38 20.25 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -

```

```

Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./fopen_unlocked.c -o fopen_unlocked.o #38 20.28 if [ x"-
fpic" != x ]; then
#38 20.28 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I./../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./getopt.c -o pic/getopt.o;
#38 20.28 else true; fi #38 20.29 if [ x"" != x ]; then
#38 20.29 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I./../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./getopt.c -o noasan/getopt.o;
#38 20.29 else true; fi #38 20.29 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I./../include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./getopt.c -o getopt.o #38 20.31 if [ x"-fpic" != x ]; then
#38 20.31 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I./../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./getopt1.c -o pic/getopt1.o;
#38 20.31 else true; fi #38 20.32 if [ x"" != x ]; then
#38 20.32 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I./../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./getopt1.c -o noasan/getopt1.o;
#38 20.32 else true; fi #38 20.32 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I./../include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./getopt1.c -o getopt1.o #38 20.34 if [ x"-fpic" != x ]; then
#38 20.34 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I./../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./getpwd.c -o pic/getpwd.o;
#38 20.34 else true; fi #38 20.38 if [ x"" != x ]; then
#38 20.38 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I./../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./getpwd.c -o noasan/getpwd.o;
#38 20.38 else true; fi #38 20.38 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I./../include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./getpwd.c -o getpwd.o #38 20.42 if [ x"-fpic" != x ]; then
#38 20.42 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I./../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./getruntime.c -o pic/getruntime.o;
#38 20.42 else true; fi #38 20.45 if [ x"" != x ]; then
#38 20.45 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I./../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./getruntime.c -o noasan/getruntime.o;
#38 20.45 else true; fi #38 20.45 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I./../include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./getruntime.c -o getruntime.o #38 20.49 if [ x"-fpic" != x ];
then
#38 20.49 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I./../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./hashtab.c -o pic/hashtab.o;

```

```

#38 20.49 else true; fi #38 20.64 if [ x"" != x ]; then
#38 20.64 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./hashtab.c -o noasan/hashtab.o;
#38 20.64 else true; fi #38 20.64 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./hashtab.c -o hashtab.o #38 20.79 if [ x"-fpic" != x ]; then
#38 20.79 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./hex.c -o pic/hex.o;
#38 20.79 else true; fi #38 20.81 if [ x"" != x ]; then
#38 20.81 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./hex.c -o noasan/hex.o;
#38 20.81 else true; fi #38 20.81 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./hex.c -o hex.o #38 20.83 if [ x"-fpic" != x ]; then
#38 20.83 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./lbasename.c -o pic/lbasename.o;
#38 20.83 else true; fi #38 20.86 if [ x"" != x ]; then
#38 20.86 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./lbasename.c -o noasan/lbasename.o;
#38 20.86 else true; fi #38 20.86 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./lbasename.c -o lbasename.o #38 20.89 if [ x"-fpic" != x ];
then
#38 20.89 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./lrealpath.c -o pic/lrealpath.o;
#38 20.89 else true; fi #38 20.92 if [ x"" != x ]; then
#38 20.92 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./lrealpath.c -o noasan/lrealpath.o;
#38 20.92 else true; fi #38 20.92 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./lrealpath.c -o lrealpath.o #38 20.96 if [ x"-fpic" != x ];
then
#38 20.96 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./make-relative-prefix.c -o pic/make-relative-prefix.o;
#38 20.96 else true; fi #38 21.05 if [ x"" != x ]; then
#38 21.05 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./make-relative-prefix.c -o noasan/make-relative-
prefix.o;

```

```

#38 21.05 else true; fi #38 21.06 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I../include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./make-relative-prefix.c -o make-relative-prefix.o #38 21.15
if [ x"-fpic" != x ]; then
#38 21.15 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./make-temp-file.c -o pic/make-temp-file.o;
#38 21.15 else true; fi #38 21.21 if [ x"" != x ]; then
#38 21.21 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./make-temp-file.c -o noasan/make-temp-file.o;
#38 21.21 else true; fi #38 21.21 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I../include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./make-temp-file.c -o make-temp-file.o #38 21.27 if [ x"-
fpic" != x ]; then
#38 21.27 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./objalloc.c -o pic/objalloc.o;
#38 21.27 else true; fi #38 21.32 if [ x"" != x ]; then
#38 21.32 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./objalloc.c -o noasan/objalloc.o;
#38 21.32 else true; fi #38 21.32 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I../include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./objalloc.c -o objalloc.o #38 21.37 if [ x"-fpic" != x ]; then
#38 21.37 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./obstack.c -o pic/obstack.o;
#38 21.37 else true; fi #38 21.42 if [ x"" != x ]; then
#38 21.42 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./obstack.c -o noasan/obstack.o;
#38 21.42 else true; fi #38 21.42 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I../include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./obstack.c -o obstack.o #38 21.48 if [ x"-fpic" != x ]; then
#38 21.48 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./partition.c -o pic/partition.o;
#38 21.48 else true; fi #38 21.53 if [ x"" != x ]; then
#38 21.53 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./partition.c -o noasan/partition.o;
#38 21.53 else true; fi #38 21.53 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I../include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./partition.c -o partition.o #38 21.58 if [ x"-fpic" != x ]; then
#38 21.58 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-

```

```

prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./pexecute.c -o pic/pexecute.o;
#38 21.58 else true; fi #38 21.62 if [ x"" != x ]; then
#38 21.62 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./pexecute.c -o noasan/pexecute.o;
#38 21.62 else true; fi #38 21.62 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I../include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./pexecute.c -o pexecute.o #38 21.65 if [ x"-fpic" != x ];
then
#38 21.65 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./physmem.c -o pic/physmem.o;
#38 21.65 else true; fi #38 21.69 if [ x"" != x ]; then
#38 21.69 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./physmem.c -o noasan/physmem.o;
#38 21.69 else true; fi #38 21.69 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I../include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./physmem.c -o physmem.o #38 21.72 if [ x"-fpic" != x ];
then
#38 21.72 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./pex-common.c -o pic/pex-common.o;
#38 21.72 else true; fi #38 21.84 if [ x"" != x ]; then
#38 21.84 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./pex-common.c -o noasan/pex-common.o;
#38 21.84 else true; fi #38 21.84 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I../include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./pex-common.c -o pex-common.o #38 21.96 if [ x"-fpic" !=
x ]; then
#38 21.96 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./pex-one.c -o pic/pex-one.o;
#38 21.96 else true; fi #38 21.98 if [ x"" != x ]; then
#38 21.98 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./pex-one.c -o noasan/pex-one.o;
#38 21.98 else true; fi #38 21.98 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I../include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./pex-one.c -o pex-one.o #38 22.00 if [ x"-fpic" != x ]; then
#38 22.00 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./pex-unix.c -o pic/pex-unix.o;
#38 22.00 else true; fi #38 22.07 if [ x"" != x ]; then
#38 22.07 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I../include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-

```

```

prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./pex-unix.c -o noasan/pex-unix.o;
#38 22.07 else true; fi #38 22.07 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I./include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./pex-unix.c -o pex-unix.o #38 22.14 if [ x"-fpic" != x ]; then
#38 22.14 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I./include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./vprintf-support.c -o pic/vprintf-support.o;
#38 22.14 else true; fi #38 22.19 if [ x"" != x ]; then
#38 22.19 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I./include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./vprintf-support.c -o noasan/vprintf-support.o;
#38 22.19 else true; fi #38 22.19 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I./include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./vprintf-support.c -o vprintf-support.o #38 22.23 if [ x"-
fpic" != x ]; then
#38 22.23 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I./include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./rust-demangle.c -o pic/rust-demangle.o;
#38 22.23 else true; fi #38 22.56 if [ x"" != x ]; then
#38 22.56 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I./include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./rust-demangle.c -o noasan/rust-demangle.o;
#38 22.56 else true; fi #38 22.56 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I./include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./rust-demangle.c -o rust-demangle.o #38 22.88 if [ x"-fpic"
!= x ]; then
#38 22.88 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I./include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./safe-ctype.c -o pic/safe-ctype.o;
#38 22.88 else true; fi #38 22.90 if [ x"" != x ]; then
#38 22.90 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I./include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./safe-ctype.c -o noasan/safe-ctype.o;
#38 22.90 else true; fi #38 22.90 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I./include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./safe-ctype.c -o safe-ctype.o #38 22.92 if [ x"-fpic" != x ];
then
#38 22.92 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I./include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./simple-object.c -o pic/simple-object.o;
#38 22.92 else true; fi #38 23.02 if [ x"" != x ]; then
#38 23.02 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I./include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./simple-object.c -o noasan/simple-object.o;
#38 23.02 else true; fi #38 23.02 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I./include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-

```

```

protection ./simple-object.c -o simple-object.o #38 23.12 if [ x"-fpic"
!= x ]; then
#38 23.12 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./simple-object-coff.c -o pic/simple-object-coff.o;
#38 23.12 else true; fi #38 23.24 if [ x"" != x ]; then
#38 23.24 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./simple-object-coff.c -o noasan/simple-object-coff.o;
#38 23.24 else true; fi #38 23.24 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./simple-object-coff.c -o simple-object-coff.o #38 23.35 if [
x"-fpic" != x ]; then
#38 23.35 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./simple-object-elf.c -o pic/simple-object-elf.o;
#38 23.35 else true; fi #38 23.62 if [ x"" != x ]; then
#38 23.62 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./simple-object-elf.c -o noasan/simple-object-elf.o;
#38 23.62 else true; fi #38 23.62 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./simple-object-elf.c -o simple-object-elf.o #38 23.88 if [ x"-
fpic" != x ]; then
#38 23.88 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./simple-object-mach-o.c -o pic/simple-object-mach-o.o;
#38 23.88 else true; fi #38 24.06 if [ x"" != x ]; then
#38 24.06 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./simple-object-mach-o.c -o noasan/simple-object-
mach-o.o;
#38 24.06 else true; fi #38 24.07 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./simple-object-mach-o.c -o simple-object-mach-o.o #38
24.25 if [ x"-fpic" != x ]; then
#38 24.25 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./simple-object-xcoff.c -o pic/simple-object-xcoff.o;
#38 24.25 else true; fi #38 24.39 if [ x"" != x ]; then
#38 24.39 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./simple-object-xcoff.c -o noasan/simple-object-xcoff.o;
#38 24.39 else true; fi #38 24.39 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./simple-object-xcoff.c -o simple-object-xcoff.o #38 24.53 if [
x"-fpic" != x ]; then
#38 24.53 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -

```

```

I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./sort.c -o pic/sort.o;
#38 24.53 else true; fi #38 24.58 if [ x"" != x ]; then
#38 24.58 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./sort.c -o noasan/sort.o;
#38 24.58 else true; fi #38 24.58 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./sort.c -o sort.o #38 24.62 if [ x"-fpic" != x ]; then
#38 24.62 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./spaces.c -o pic/spaces.o;
#38 24.62 else true; fi #38 24.65 if [ x"" != x ]; then
#38 24.65 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./spaces.c -o noasan/spaces.o;
#38 24.65 else true; fi #38 24.65 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./spaces.c -o spaces.o #38 24.67 if [ x"-fpic" != x ]; then
#38 24.67 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./splay-tree.c -o pic/splay-tree.o;
#38 24.67 else true; fi #38 24.76 if [ x"" != x ]; then
#38 24.76 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./splay-tree.c -o noasan/splay-tree.o;
#38 24.76 else true; fi #38 24.76 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./splay-tree.c -o splay-tree.o #38 24.84 if [ x"-fpic" != x ];
then
#38 24.84 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./stack-limit.c -o pic/stack-limit.o;
#38 24.84 else true; fi #38 24.86 if [ x"" != x ]; then
#38 24.86 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./stack-limit.c -o noasan/stack-limit.o;
#38 24.86 else true; fi #38 24.86 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./stack-limit.c -o stack-limit.o #38 24.88 if [ x"-fpic" != x ];
then
#38 24.88 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./strerror.c -o pic/strerror.o;
#38 24.88 else true; fi #38 24.93 if [ x"" != x ]; then
#38 24.93 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-

```



```

prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./strerror.c -o noasan/strerror.o;
#38 24.93 else true; fi #38 24.93 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I./include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./strerror.c -o strerror.o #38 24.98 if [ x"-fpic" != x ]; then
#38 24.98 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I./include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./strsignal.c -o pic/strsignal.o;
#38 24.98 else true; fi #38 25.03 if [ x"" != x ]; then
#38 25.03 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I./include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./strsignal.c -o noasan/strsignal.o;
#38 25.03 else true; fi #38 25.03 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I./include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./strsignal.c -o strsignal.o #38 25.08 if [ x"-fpic" != x ]; then
#38 25.08 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I./include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./timeval-utils.c -o pic/timeval-utils.o;
#38 25.08 else true; fi #38 25.10 if [ x"" != x ]; then
#38 25.10 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I./include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./timeval-utils.c -o noasan/timeval-utils.o;
#38 25.10 else true; fi #38 25.10 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I./include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./timeval-utils.c -o timeval-utils.o #38 25.12 if [ x"-fpic" !=
x ]; then
#38 25.12 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I./include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./unlink-if-ordinary.c -o pic/unlink-if-ordinary.o;
#38 25.12 else true; fi #38 25.15 if [ x"" != x ]; then
#38 25.15 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I./include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./unlink-if-ordinary.c -o noasan/unlink-if-ordinary.o;
#38 25.15 else true; fi #38 25.15 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I./include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./unlink-if-ordinary.c -o unlink-if-ordinary.o #38 25.18 if [ x"-
fpic" != x ]; then
#38 25.18 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I./include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./xasprintf.c -o pic/xasprintf.o;
#38 25.18 else true; fi #38 25.20 if [ x"" != x ]; then
#38 25.20 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I./include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./xasprintf.c -o noasan/xasprintf.o;
#38 25.20 else true; fi #38 25.21 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I./include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./xasprintf.c -o xasprintf.o #38 25.23 if [ x"-fpic" != x ];

```

```

then
#38 25.23 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./xatexit.c -o pic/xatexit.o;
#38 25.23 else true; fi #38 25.25 if [ x"" != x ]; then
#38 25.25 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./xatexit.c -o noasan/xatexit.o;
#38 25.25 else true; fi #38 25.25 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./xatexit.c -o xatexit.o #38 25.28 if [ x"-fpic" != x ]; then
#38 25.28 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./xexit.c -o pic/xexit.o;
#38 25.28 else true; fi #38 25.31 if [ x"" != x ]; then
#38 25.31 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./xexit.c -o noasan/xexit.o;
#38 25.31 else true; fi #38 25.31 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./xexit.c -o xexit.o #38 25.33 if [ x"-fpic" != x ]; then
#38 25.33 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./xmalloc.c -o pic/xmalloc.o;
#38 25.33 else true; fi #38 25.37 if [ x"" != x ]; then
#38 25.37 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./xmalloc.c -o noasan/xmalloc.o;
#38 25.37 else true; fi #38 25.37 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./xmalloc.c -o xmalloc.o #38 25.41 if [ x"-fpic" != x ]; then
#38 25.41 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./xmemdup.c -o pic/xmemdup.o;
#38 25.41 else true; fi #38 25.44 if [ x"" != x ]; then
#38 25.44 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./xmemdup.c -o noasan/xmemdup.o;
#38 25.44 else true; fi #38 25.44 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./xmemdup.c -o xmemdup.o #38 25.46 if [ x"-fpic" != x ];
then
#38 25.46 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./xstrdup.c -o pic/xstrdup.o;
#38 25.46 else true; fi #38 25.49 if [ x"" != x ]; then
#38 25.49 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -

```

```

I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./xstrdup.c -o noasan/xstrdup.o;
#38 25.49 else true; fi #38 25.49 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./xstrdup.c -o xstrdup.o #38 25.51 if [ x"-fpic" != x ]; then
#38 25.51 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./xstrerror.c -o pic/xstrerror.o;
#38 25.51 else true; fi #38 25.54 if [ x"" != x ]; then
#38 25.54 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./xstrerror.c -o noasan/xstrerror.o;
#38 25.54 else true; fi #38 25.54 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./xstrerror.c -o xstrerror.o #38 25.56 if [ x"-fpic" != x ];
then
#38 25.56 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./xstrndup.c -o pic/xstrndup.o;
#38 25.56 else true; fi #38 25.58 if [ x"" != x ]; then
#38 25.58 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./xstrndup.c -o noasan/xstrndup.o;
#38 25.58 else true; fi #38 25.58 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./xstrndup.c -o xstrndup.o #38 25.61 if [ x"-fpic" != x ];
then
#38 25.61 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./xvasprintf.c -o pic/xvasprintf.o;
#38 25.61 else true; fi #38 25.63 if [ x"" != x ]; then
#38 25.63 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./xvasprintf.c -o noasan/xvasprintf.o;
#38 25.63 else true; fi #38 25.63 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -
Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./xvasprintf.c -o xvasprintf.o #38 25.65 if [ x"-fpic" != x ];
then
#38 25.65 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./setproctitle.c -o pic/setproctitle.o;
#38 25.65 else true; fi #38 25.67 if [ x"" != x ]; then
#38 25.67 gcc -c -DHAVE_CONFIG_H -g -O2 -Wno-error -I. -
I././include -W -Wall -Wwrite-strings -Wc++-compat -Wstrict-
prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection -fpic ./setproctitle.c -o noasan/setproctitle.o;
#38 25.67 else true; fi #38 25.67 gcc -c -DHAVE_CONFIG_H -g -O2 -
Wno-error -I. -I././include -W -Wall -Wwrite-strings -Wc++-compat -

```

```

Wstrict-prototypes -Wshadow=local -pedantic -D_GNU_SOURCE -fcf-
protection ./setproctitle.c -o setproctitle.o #38 25.69 rm -f ./libiberty.a
pic./libiberty.a noasan./libiberty.a #38 25.69 ar -plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so rc ./libiberty.a
#38 25.69 ./regex.o ./cplus-dem.o ./cp-demangle.o ./md5.o ./sha1.o
./alloca.o ./argv.o ./bsearch_r.o ./choose-temp.o ./concat.o ./cp-demint.o
./crc32.o ./d-demangle.o ./dwarfnames.o ./dyn-string.o ./fdmatch.o
./fibheap.o ./filedescriptor.o ./filename_cmp.o ./floatformat.o
./fnmatch.o ./fopen_unlocked.o ./getopt.o ./getopt1.o ./getpwd.o
./getruntime.o ./hashtab.o ./hex.o ./lbasename.o ./lrealpath.o ./make-
relative-prefix.o ./make-temp-file.o ./objalloc.o ./obstack.o ./partition.o
./pexecute.o ./physmem.o ./pex-common.o ./pex-one.o ./pex-unix.o
./vprintf-support.o ./rust-demangle.o ./safe-ctype.o ./simple-object.o
./simple-object-coff.o ./simple-object-elf.o ./simple-object-mach-o.o
./simple-object-xcoff.o ./sort.o ./spaces.o ./splay-tree.o ./stack-limit.o
./strerror.o ./strsignal.o ./timeval-utils.o ./unlink-if-ordinary.o
./xasprintf.o ./xatexit.o ./xexit.o ./xmalloc.o ./xmemdup.o ./xstrdup.o
./xstrerror.o ./xstrndup.o ./xvasprintf.o ./setproctitle.o #38 25.71
ranlib -plugin /usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so
./libiberty.a #38 25.73 if [ x"-fpic" != x ]; then
#38 25.73 cd pic;
#38 25.73 ar -plugin /usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so
rc ./libiberty.a
#38 25.73 ./regex.o ./cplus-dem.o ./cp-demangle.o ./md5.o ./sha1.o
./alloca.o ./argv.o ./bsearch_r.o ./choose-temp.o ./concat.o ./cp-demint.o
./crc32.o ./d-demangle.o ./dwarfnames.o ./dyn-string.o ./fdmatch.o
./fibheap.o ./filedescriptor.o ./filename_cmp.o ./floatformat.o
./fnmatch.o ./fopen_unlocked.o ./getopt.o ./getopt1.o ./getpwd.o
./getruntime.o ./hashtab.o ./hex.o ./lbasename.o ./lrealpath.o ./make-
relative-prefix.o ./make-temp-file.o ./objalloc.o ./obstack.o ./partition.o
./pexecute.o ./physmem.o ./pex-common.o ./pex-one.o ./pex-unix.o
./vprintf-support.o ./rust-demangle.o ./safe-ctype.o ./simple-object.o
./simple-object-coff.o ./simple-object-elf.o ./simple-object-mach-o.o
./simple-object-xcoff.o ./sort.o ./spaces.o ./splay-tree.o ./stack-limit.o
./strerror.o ./strsignal.o ./timeval-utils.o ./unlink-if-ordinary.o
./xasprintf.o ./xatexit.o ./xexit.o ./xmalloc.o ./xmemdup.o ./xstrdup.o
./xstrerror.o ./xstrndup.o ./xvasprintf.o ./setproctitle.o;
#38 25.73 ranlib -plugin /usr/lib/gcc/x86_64-linux-
gnu/11/liblto_plugin.so ./libiberty.a;
#38 25.73 cd ..;
#38 25.73 else true; fi;
#38 25.73 if [ x"" != x ]; then
#38 25.73 cd noasan;
#38 25.73 ar -plugin /usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so
rc ./libiberty.a
#38 25.73 ./regex.o ./cplus-dem.o ./cp-demangle.o ./md5.o ./sha1.o
./alloca.o ./argv.o ./bsearch_r.o ./choose-temp.o ./concat.o ./cp-demint.o
./crc32.o ./d-demangle.o ./dwarfnames.o ./dyn-string.o ./fdmatch.o
./fibheap.o ./filedescriptor.o ./filename_cmp.o ./floatformat.o
./fnmatch.o ./fopen_unlocked.o ./getopt.o ./getopt1.o ./getpwd.o
./getruntime.o ./hashtab.o ./hex.o ./lbasename.o ./lrealpath.o ./make-
relative-prefix.o ./make-temp-file.o ./objalloc.o ./obstack.o ./partition.o
./pexecute.o ./physmem.o ./pex-common.o ./pex-one.o ./pex-unix.o
./vprintf-support.o ./rust-demangle.o ./safe-ctype.o ./simple-object.o
./simple-object-coff.o ./simple-object-elf.o ./simple-object-mach-o.o
./simple-object-xcoff.o ./sort.o ./spaces.o ./splay-tree.o ./stack-limit.o
./strerror.o ./strsignal.o ./timeval-utils.o ./unlink-if-ordinary.o
./xasprintf.o ./xatexit.o ./xexit.o ./xmalloc.o ./xmemdup.o ./xstrdup.o
./xstrerror.o ./xstrndup.o ./xvasprintf.o ./setproctitle.o;
#38 25.73 ranlib -plugin /usr/lib/gcc/x86_64-linux-

```

```

gnu/11/liblto_plugin.so ./libiberty.a;
#38 25.73 cd ..;
#38 25.73 else true; fi #38 25.77 echo ./regex.o ./cplus-dem.o ./cp-
demangle.o ./md5.o ./sha1.o ./alloca.o ./argv.o ./bsearch_r.o ./choose-
temp.o ./concat.o ./cp-demint.o ./crc32.o ./d-demangle.o
./dwarfnames.o ./dyn-string.o ./fdmatch.o ./fibheap.o ./filedescriptor.o
./filename_cmp.o ./floatformat.o ./fnmatch.o ./fopen_unlocked.o
./getopt.o ./getopt1.o ./getpwd.o ./getruntime.o ./hashtab.o ./hex.o
./lbasename.o ./lrealpath.o ./make-relative-prefix.o ./make-temp-file.o
./objalloc.o ./obstack.o ./partition.o ./pexecute.o ./physmem.o ./pex-
common.o ./pex-one.o ./pex-unix.o ./vprintf-support.o ./rust-demangle.o
./safe-ctype.o ./simple-object.o ./simple-object-coff.o ./simple-object-
elf.o ./simple-object-mach-o.o ./simple-object-xcoff.o ./sort.o ./spaces.o
./splay-tree.o ./stack-limit.o ./strerror.o ./strsignal.o ./timeval-utils.o
./unlink-if-ordinary.o ./xasprintf.o ./xatexit.o ./xexit.o ./xmalloc.o
./xmempdup.o ./xstrdup.o ./xstrerror.o ./xstrndup.o ./xvasprintf.o >
required-list #38 25.77 make[3]: Entering directory
'/workspace/binutils-2.42/libiberty/testsuite' #38 25.77 make[3]:
Nothing to be done for 'all'. #38 25.77 make[3]: Leaving directory
'/workspace/binutils-2.42/libiberty/testsuite' #38 25.77 make[2]:
Leaving directory '/workspace/binutils-2.42/libiberty' #38 25.78
Configuring in ./zlib #38 25.87 configure: creating cache
./config.cache #38 25.88 checking build system type... x86_64-pc-
linux-gnu #38 25.88 checking host system type... x86_64-pc-linux-gnu
#38 25.89 checking target system type... x86_64-pc-linux-gnu #38
25.89 checking for a BSD-compatible install... /usr/bin/install -c #38
25.89 checking whether build environment is sane... yes #38 25.90
checking for a thread-safe mkdir -p... /usr/bin/mkdir -p #38 25.90
checking for gawk... mawk #38 25.91 checking whether make sets
$(MAKE)... yes #38 25.92 checking whether make supports nested
variables... yes #38 25.92 checking whether make supports nested
variables... (cached) yes #38 25.92 checking whether to enable
maintainer-specific portions of Makefiles... no #38 25.92 checking for
x86_64-pc-linux-gnu-gcc... gcc #38 25.98 checking whether the C
compiler works... yes #38 26.01 checking for C compiler default
output file name... a.out #38 26.01 checking for suffix of
executables... #38 26.04 checking whether we are cross compiling...
no #38 26.08 checking for suffix of object files... o #38 26.09
checking whether we are using the GNU C compiler... yes #38 26.11
checking whether gcc accepts -g... yes #38 26.12 checking for gcc
option to accept ISO C89... none needed #38 26.15 checking whether
gcc understands -c and -o together... yes #38 26.18 checking for style
of include used by make... GNU #38 26.18 checking dependency style
of gcc... gcc3 #38 26.21 checking how to print strings... printf #38
26.21 checking for a sed that does not truncate output... /usr/bin/sed
#38 26.21 checking for grep that handles long lines and -e...
/usr/bin/grep #38 26.22 checking for egrep... /usr/bin/grep -E #38
26.22 checking for fgrep... /usr/bin/grep -F #38 26.22 checking for ld
used by gcc... ld #38 26.22 checking if the linker (ld) is GNU ld... yes
#38 26.23 checking for BSD- or MS-compatible name lister (nm)...
/usr/bin/nm -B #38 26.25 checking the name lister (/usr/bin/nm -B)
interface... BSD nm #38 26.27 checking whether ln -s works... yes
#38 26.27 checking the maximum length of command line
arguments... 3145728 #38 26.27 checking whether the shell
understands some XSI constructs... yes #38 26.27 checking whether
the shell understands "+="... yes #38 26.28 checking for ld option to
reload object files... -r #38 26.28 checking for x86_64-pc-linux-gnu-
objdump... objdump #38 26.28 checking how to recognize dependent
libraries... pass_all #38 26.28 checking for x86_64-pc-linux-gnu-ar...
ar -plugin /usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so #38 26.29

```

```

checking for x86_64-pc-linux-gnu-strip... no #38 26.29 checking for
strip... strip #38 26.29 checking for x86_64-pc-linux-gnu-ranlib...
ranlib -plugin /usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so #38
26.29 checking command to parse /usr/bin/nm -B output from gcc
object... ok #38 26.36 checking how to run the C preprocessor... gcc -
E #38 26.40 checking for ANSI C header files... yes #38 26.49
checking for sys/types.h... yes #38 26.52 checking for sys/stat.h... yes
#38 26.55 checking for stdlib.h... yes #38 26.57 checking for
string.h... yes #38 26.60 checking for memory.h... yes #38 26.63
checking for strings.h... yes #38 26.66 checking for inttypes.h... yes
#38 26.68 checking for stdint.h... yes #38 26.71 checking for
unistd.h... yes #38 26.74 checking for dlfcn.h... yes #38 26.77
checking for objdir... .libs #38 26.82 checking if gcc supports -fno-rtti
-fno-exceptions... no #38 26.84 checking for gcc option to produce
PIC... -fPIC -DPIC #38 26.84 checking if gcc PIC flag -fPIC -DPIC
works... yes #38 26.85 checking if gcc static flag -static works... yes
#38 26.92 checking if gcc supports -c -o file.o... yes #38 26.95
checking if gcc supports -c -o file.o... (cached) yes #38 26.95 checking
whether the gcc linker (ld -m elf_x86_64) supports shared libraries...
yes #38 26.96 checking whether -lc should be explicitly linked in... no
#38 26.98 checking dynamic linker characteristics... GNU/Linux ld.so
#38 27.03 checking how to hardcode library paths into programs...
immediate #38 27.03 checking whether stripping libraries is
possible... yes #38 27.03 checking if libtool supports shared
libraries... yes #38 27.03 checking whether to build shared libraries...
yes #38 27.03 checking whether to build static libraries... yes #38
27.03 checking how to run the C preprocessor... gcc -E #38 27.06
checking for stdlib.h... (cached) yes #38 27.06 checking for unistd.h...
(cached) yes #38 27.07 checking for sys/param.h... yes #38 27.10
checking for getpagesize... yes #38 27.13 checking for working
mmap... yes #38 27.20 checking for memcpy... yes #38 27.25
checking for strerror... yes #38 27.28 checking for unistd.h...
(cached) yes #38 27.30 configure: updating cache ./config.cache #38
27.31 checking that generated files are newer than configure... done
#38 27.31 configure: creating ./config.status #38 27.69 config.status:
creating Makefile #38 27.70 config.status: executing depfiles
commands #38 27.76 config.status: executing libtool commands #38
27.81 make[2]: Entering directory '/workspace/binutils-2.42/zlib' #38
27.81 CC libz_a-adler32.o #38 27.88 CC libz_a-compress.o #38 27.91
CC libz_a-crc32.o #38 28.01 CC libz_a-deflate.o #38 28.38 CC libz_a-
gzread.o #38 28.50 CC libz_a-gzclose.o #38 28.53 CC libz_a-gzwrite.o
#38 28.65 CC libz_a-gzlib.o #38 28.74 CC libz_a-inffast.o #38 28.91
CC libz_a-inflate.o #38 28.99 CC libz_a-inflate.o #38 29.37 CC libz_a-
inftrees.o #38 29.44 CC libz_a-trees.o #38 29.66 CC libz_a-uncompr.o
#38 29.70 CC libz_a-zutil.o #38 29.74 AR libz.a #38 29.74 ar: u'
modifier ignored since D' is the default (see U') #38 29.75 true
"AR_FLAGS=rc" "CC_FOR_BUILD=gcc" "CFLAGS=-g -O2 -Wno-error" "
"CXXFLAGS=-g -O2 -Wno-error" "CFLAGS_FOR_BUILD=-g -O2 -Wno-
error" "CFLAGS_FOR_TARGET=-g -O2 -Wno-error"
"INSTALL=/usr/bin/install -c" "INSTALL_DATA=/usr/bin/install -c -m
644" "INSTALL_PROGRAM=/usr/bin/install -c"
"INSTALL_SCRIPT=/usr/bin/install -c" "LDFLAGS=" "LIBCFLAGS=-g -O2 -
Wno-error" "LIBCFLAGS_FOR_TARGET=-g -O2 -Wno-error" "MAKE=make"
"MAKEINFO=makeinfo --split-size=5000000 --split-size=5000000"
"PICFLAG=-fPIC" "PICFLAG_FOR_TARGET=" "SHELL=/bin/bash"
"EXPECT=expect" "RUNTEST=runtest" "RUNTESTFLAGS="
"exec_prefix=/usr/local/extrae/binutils"
"infodir=/usr/local/extrae/binutils/share/info"
"libdir=/usr/local/extrae/binutils/lib"
"prefix=/usr/local/extrae/binutils"

```

```

"tooldir=/usr/local/extrae/binutils/x86_64-pc-linux-gnu" "AR=ar --
plugin /usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so" "AS=as"
"CC=gcc" "CXX=g++" "LD=ld" "LIBCFLAGS=-g -O2 -Wno-error" "NM=nm"
"PICFLAG=-fPIC" "RANLIB=ranlib --plugin /usr/lib/gcc/x86_64-linux-
gnu/11/liblto_plugin.so" "DESTDIR=" D0=all multi-do # make #38 29.75
make[2]: Leaving directory '/workspace/binutils-2.42/zlib' #38 29.76
Configuring in ./libsframe #38 29.84 configure: creating cache
./config.cache #38 29.85 checking for x86_64-pc-linux-gnu-gcc... gcc
#38 29.87 checking whether the C compiler works... yes #38 29.90
checking for C compiler default output file name... a.out #38 29.90
checking for suffix of executables... #38 29.93 checking whether we
are cross compiling... no #38 29.97 checking for suffix of object
files... o #38 29.98 checking whether we are using the GNU C
compiler... yes #38 30.00 checking whether gcc accepts -g... yes #38
30.01 checking for gcc option to accept ISO C89... none needed #38
30.04 checking whether gcc understands -c and -o together... yes #38
30.07 checking how to run the C preprocessor... gcc -E #38 30.11
checking for grep that handles long lines and -e... /usr/bin/grep
#38 30.11 checking for egrep... /usr/bin/grep -E #38 30.11 checking
for ANSI C header files... yes #38 30.20 checking for sys/types.h...
yes #38 30.23 checking for sys/stat.h... yes #38 30.25 checking for
stdlib.h... yes #38 30.28 checking for string.h... yes #38 30.31
checking for memory.h... yes #38 30.33 checking for strings.h... yes
#38 30.36 checking for inttypes.h... yes #38 30.39 checking for
stdint.h... yes #38 30.42 checking for unistd.h... yes #38 30.45
checking minix/config.h usability... no #38 30.48 checking
minix/config.h presence... no #38 30.49 checking for
minix/config.h... no #38 30.49 checking whether it is safe to define
__EXTENSIONS__... yes #38 30.52 checking for a BSD-compatible
install... /usr/bin/install -c #38 30.52 checking whether build
environment is sane... yes #38 30.53 checking for a thread-safe
mkdir -p... /usr/bin/mkdir -p #38 30.53 checking for gawk... mawk
#38 30.53 checking whether make sets $(MAKE)... yes #38 30.54
checking for style of include used by make... GNU #38 30.55 checking
whether make supports nested variables... yes #38 30.55 checking
dependency style of gcc... gcc3 #38 30.58 checking whether make
supports nested variables... (cached) yes #38 30.58 checking whether
make sets $(MAKE)... (cached) yes #38 30.59 checking for x86_64-pc-
linux-gnu-gcc... (cached) gcc #38 30.61 checking whether we are
using the GNU C compiler... (cached) yes #38 30.61 checking whether
gcc accepts -g... (cached) yes #38 30.61 checking for gcc option to
accept ISO C89... (cached) none needed #38 30.61 checking whether
gcc understands -c and -o together... (cached) yes #38 30.61
checking for x86_64-pc-linux-gnu-ranlib... ranlib --plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so #38 30.61 checking
for x86_64-pc-linux-gnu-ar... ar --plugin /usr/lib/gcc/x86_64-linux-
gnu/11/liblto_plugin.so #38 30.61 checking the archiver (ar --plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so) interface... ar
#38 30.63 checking build system type... x86_64-pc-linux-gnu #38
30.63 checking host system type... x86_64-pc-linux-gnu #38 30.64
checking how to print strings... printf #38 30.64 checking for a sed
that does not truncate output... /usr/bin/sed #38 30.64 checking for
fgrep... /usr/bin/grep -F #38 30.64 checking for ld used by gcc...
ld #38 30.65 checking if the linker (ld) is GNU ld... yes #38 30.65
checking for BSD- or MS-compatible name lister (nm)... /usr/bin/nm -
B #38 30.68 checking the name lister (/usr/bin/nm -B) interface...
BSD nm #38 30.69 checking whether ln -s works... yes #38 30.69
checking the maximum length of command line arguments... 3145728 #38
30.70 checking whether the shell understands some XSI constructs...
yes #38 30.70 checking whether the shell understands "+="... yes #38

```

```

30.70 checking for ld option to reload object files... -r #38 30.70
checking for x86_64-pc-linux-gnu-objdump... objdump #38 30.70
checking how to recognize dependent libraries... pass_all #38 30.71
checking for x86_64-pc-linux-gnu-ar... (cached) ar --plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so #38 30.71 checking
for x86_64-pc-linux-gnu-strip... no #38 30.71 checking for strip...
strip #38 30.71 checking for x86_64-pc-linux-gnu-ranlib... (cached)
ranlib --plugin /usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so
#38 30.71 checking command to parse /usr/bin/nm -B output from gcc
object... ok #38 30.78 checking for dlfcn.h... yes #38 30.81
checking for objdir... .libs #38 30.86 checking if gcc supports -
fno-rtti -fno-exceptions... no #38 30.88 checking for gcc option to
produce PIC... -fPIC -DPIC #38 30.88 checking if gcc PIC flag -fPIC
-DPIC works... yes #38 30.90 checking if gcc static flag -static
works... yes #38 30.97 checking if gcc supports -c -o file.o... yes
#38 30.99 checking if gcc supports -c -o file.o... (cached) yes #38
30.99 checking whether the gcc linker (ld -m elf_x86_64) supports
shared libraries... yes #38 31.00 checking whether -lc should be
explicitly linked in... no #38 31.02 checking dynamic linker
characteristics... GNU/Linux ld.so #38 31.07 checking how to
hardcode library paths into programs... immediate #38 31.07 checking
whether stripping libraries is possible... yes #38 31.07 checking if
libtool supports shared libraries... yes #38 31.07 checking whether
to build shared libraries... yes #38 31.07 checking whether to build
static libraries... yes #38 31.07 checking for special C compiler
options needed for large files... no #38 31.07 checking for
_FILE_OFFSET_BITS value needed for large files... no #38 31.09
checking for aclocal... ${SHELL} /workspace/binutils-2.42/missing
aclocal-1.15 #38 31.09 checking for autoconf... ${SHELL}
/workspace/binutils-2.42/missing autoconf #38 31.09 checking for
autoheader... ${SHELL} /workspace/binutils-2.42/missing autoheader
#38 31.10 checking whether gcc supports -Wall... yes #38 31.12
checking whether gcc supports -Wextra... yes #38 31.13 checking
whether gcc supports -Wwrite-strings... yes #38 31.15 checking
whether gcc supports -Wmissing-format-attribute... yes #38 31.17
checking whether gcc supports -Wstrict-prototypes... yes #38 31.19
checking whether gcc supports -Wmissing-prototypes... yes #38 31.21
checking for incompatibility between DejaGnu and GCC... #38 31.22
no #38 31.22 checking for makeinfo... makeinfo --split-size=5000000
#38 31.22 checking if using Solaris linker... no #38 31.23 yes #38
31.23 checking whether to enable maintainer-specific portions of
Makefiles... no #38 31.23 checking whether to install libbfd... yes
#38 31.23 checking for stdlib.h... (cached) yes #38 31.24 checking
for unistd.h... (cached) yes #38 31.24 checking for sys/param.h...
yes #38 31.28 checking for getpagesize... yes #38 31.31 checking for
working mmap... yes #38 31.39 checking byteswap.h usability... yes
#38 31.41 checking byteswap.h presence... yes #38 31.42 checking for
byteswap.h... yes #38 31.43 checking endian.h usability... yes #38
31.46 checking endian.h presence... yes #38 31.47 checking for
endian.h... yes #38 31.48 checking whether bswap_16 is declared...
yes #38 31.50 checking whether bswap_32 is declared... yes #38 31.52
checking whether bswap_64 is declared... yes #38 31.56 configure:
updating cache ./config.cache #38 31.56 checking that generated
files are newer than configure... done #38 31.56 configure: creating
./config.status #38 31.95 config.status: creating Makefile #38 31.96
config.status: creating config.h #38 31.97 config.status: executing
depfiles commands #38 32.00 config.status: executing libtool
commands #38 32.06 make[2]: Entering directory '/workspace/binutils-
2.42/libsframe' #38 32.06 make all-am #38 32.06 make[3]: Entering
directory '/workspace/binutils-2.42/libsframe' #38 32.07 CC

```



```

libsframe_la-sframe.lo #38 32.62 CC      libsframe_la-sframe-
dump.lo #38 32.74 CC      libsframe_la-sframe-error.lo #38 32.80
CCLD      libsframe_la #38 32.87 make[3]: Leaving directory
'/workspace/binutils-2.42/libsframe' #38 32.88 make[2]: Leaving
directory '/workspace/binutils-2.42/libsframe' #38 32.90 make[2]:
Entering directory '/workspace/binutils-2.42/bfd' #38 32.90 GEN
bfdver.h #38 32.91 GEN      elf32-target.h #38 32.91 GEN
elf64-target.h #38 32.92 GEN      targmatch.h #38 32.93 Making
info in po #38 32.93 make[3]: Entering directory
'/workspace/binutils-2.42/bfd/po' #38 32.93 ( if test 'x.' != 'x.';
then \ #38 32.93      posrcprefix='../'; \ #38 32.93      else \ #38
32.93      posrcprefix="../"; \ #38 32.93      fi; \ #38 32.93      rm -f
SRC-POTFILES-t SRC-POTFILES \ #38 32.93      && (sed -e '/^#/d' \ #38
32.93      -e '/^[ ]*$/d' \ #38 32.93      -e "s@.*@
$posrcprefix& \\\@< ./.SRC-POTFILES.in \ #38 32.93      | sed -e
'$s/\\$/\\/' ) > SRC-POTFILES-t \ #38 32.93      && chmod a-w SRC-
POTFILES-t \ #38 32.93      && mv SRC-POTFILES-t SRC-POTFILES ) #38
32.94 ( rm -f BLD-POTFILES-t BLD-POTFILES \ #38 32.94      && (sed -e
'/^#/d' \ #38 32.94      -e '/^[ ]*$/d' \ #38 32.94      -
e "s@.*@ ..& \\\@< ./BLD-POTFILES.in \ #38 32.94      | sed -e
'$s/\\$/\\/' ) > BLD-POTFILES-t \ #38 32.94      && chmod a-w BLD-
POTFILES-t \ #38 32.94      && mv BLD-POTFILES-t BLD-POTFILES ) #38
32.94 cd .. \ #38 32.94      && CONFIG_FILES=po/Makefile.in:po/Make-in
\ #38 32.94      CONFIG_HEADERS= /bin/bash ./config.status #38 33.05
config.status: creating po/Makefile.in #38 33.07 config.status:
executing depfiles commands #38 33.07 config.status: executing
libtool commands #38 33.09 config.status: executing default-1
commands #38 33.10 config.status: executing default-2 commands #38
33.11 config.status: executing default commands #38 33.12 make[3]:
Nothing to be done for 'info'. #38 33.12 make[3]: Leaving directory
'/workspace/binutils-2.42/bfd/po' #38 33.13 make[3]: Circular
doc/bfd.stamp <- doc/bfd.texi dependency dropped. #38 33.13 make[3]:
Entering directory '/workspace/binutils-2.42/bfd' #38 33.14 CCLD
doc/chew.stamp #38 33.54 GEN      doc/aoutx.stamp #38 33.55 GEN
doc/archive.stamp #38 33.56 GEN      doc/archures.stamp #38 33.57
GEN      doc/bfdio.stamp #38 33.58 GEN      doc/bfdt.stamp #38
33.59 GEN      doc/bfdwin.stamp #38 33.59 GEN
doc/cache.stamp #38 33.60 GEN      doc/coffcode.stamp #38 33.61
GEN      doc/corefile.stamp #38 33.62 GEN      doc/elfcode.stamp
#38 33.63 GEN      doc/elf.stamp #38 33.64 GEN
doc/format.stamp #38 33.65 GEN      doc/hash.stamp #38 33.66 GEN
doc/libbfd.stamp #38 33.67 GEN      doc/linker.stamp #38 33.68
GEN      doc/mmo.stamp #38 33.69 GEN      doc/opncls.stamp #38
33.70 GEN      doc/reloc.stamp #38 33.71 GEN
doc/section.stamp #38 33.72 GEN      doc/syms.stamp #38 33.73
GEN      doc/targets.stamp #38 33.74 make[3]: Leaving directory
'/workspace/binutils-2.42/bfd' #38 33.74 make all-recursive #38
33.75 make[3]: Entering directory '/workspace/binutils-2.42/bfd' #38
33.76 Making all in po #38 33.76 make[4]: Entering directory
'/workspace/binutils-2.42/bfd/po' #38 33.76 make[4]: Nothing to be
done for 'all'. #38 33.76 make[4]: Leaving directory
'/workspace/binutils-2.42/bfd/po' #38 33.77 make[4]: Entering
directory '/workspace/binutils-2.42/bfd' #38 33.77 make[4]: Circular
doc/bfd.stamp <- doc/bfd.texi dependency dropped. #38 33.80 rm -f
bfd-tmp.h #38 33.80 cp bfd-in3.h bfd-tmp.h #38 33.81 /bin/bash
./../move-if-change bfd-tmp.h bfd.h #38 33.81 rm -f bfd-tmp.h #38
33.81 touch stmp-bfd-h #38 33.82 CC      archive.lo #38 34.74
CC      archures.lo #38 34.98 CC      bfd.lo #38 35.53 CC
bfdio.lo #38 35.82 CC      bfdwin.lo #38 35.91 CC
cache.lo #38 36.20 CC      coff-bfd.lo #38 36.35 CC

```

```

compress.lo #38 36.75 CC      corefile.lo #38 36.90 CC
elf-properties.lo #38 37.28 CC      format.lo #38 37.60 CC
hash.lo #38 37.90 CC      libbfd.lo #38 38.23 CC
linker.lo #38 39.14 CC      merge.lo #38 39.64 CC
opncls.lo #38 40.13 CC      reloc.lo #38 40.53 CC
section.lo #38 40.82 CC      simple.lo #38 40.98 CC      stab-
syms.lo #38 41.10 CC      stabs.lo #38 41.43 CC      syms.lo
#38 41.83 CC      targets.lo #38 42.04 CC      binary.lo #38
42.23 CC      ihex.lo #38 42.60 CC      srec.lo #38 43.09 CC
tekhex.lo #38 43.48 CC      verilog.lo #38 43.70 CC
elf64-x86-64.lo #38 45.47 CC      elfxx-x86.lo #38 46.98 CC
elf-ifunc.lo #38 47.20 CC      elf-vxworks.lo #38 47.42 CC
elf64.lo #38 48.18 CC      elf.lo #38 53.07 CC      elflink.lo
#38 58.47 CC      elf-attrs.lo #38 58.91 CC      elf-strtab.lo
#38 59.18 CC      elf-eh-frame.lo #38 60.33 CC      elf-
sframe.lo #38 60.61 CC      dwarf1.lo #38 60.86 CC
dwarf2.lo #38 62.76 CC      elf32-i386.lo #38 64.14 CC
elf32.lo #38 64.91 CC      pei-i386.lo #38 66.16 GEN
peigen.c #38 66.17 CC      peigen.lo #38 67.69 CC
cofflink.lo #38 68.87 CC      coffgen.lo #38 69.98 CC      pe-
x86_64.lo #38 71.04 GEN      pex64igen.c #38 71.04 CC
pex64igen.lo #38 72.56 CC      pei-x86_64.lo #38 74.14 CC
elf64-gen.lo #38 74.30 CC      elf32-gen.lo #38 74.46 CC
plugin.lo #38 74.77 CC      cpu-i386.lo #38 74.91 CC      cpu-
iamcu.lo #38 75.01 CC      archive64.lo #38 75.21 rm -f tofiles
#38 75.21 f=""; \ #38 75.21 for i in elf64-x86-64.lo elfxx-x86.lo
elf-ifunc.lo elf-vxworks.lo elf64.lo elf.lo elflink.lo elf-attrs.lo
elf-strtab.lo elf-eh-frame.lo elf-sframe.lo dwarf1.lo dwarf2.lo
elf32-i386.lo elf32.lo pei-i386.lo peigen.lo cofflink.lo coffgen.lo
pe-x86_64.lo pex64igen.lo pei-x86_64.lo elf64-gen.lo elf32-gen.lo
plugin.lo cpu-i386.lo cpu-iamcu.lo archive64.lo ; do \ #38 75.21
case " $f " in \ #38 75.21      "*" $i *) ;; \ #38 75.21      *) f="$f
$i" ;; \ #38 75.21      esac ; \ #38 75.21 done ; \ #38 75.21 echo $f >
tofiles #38 75.21 /bin/bash ../../move-if-change tofiles ofiles #38
75.21 touch stamp-ofiles #38 75.22 CCLD      libbfd.la #38 75.52
make[4]: Leaving directory '/workspace/binutils-2.42/bfd' #38 75.52
make[3]: Leaving directory '/workspace/binutils-2.42/bfd' #38 75.52
make[2]: Leaving directory '/workspace/binutils-2.42/bfd' #38 75.53
Configuring in ./opcodes #38 75.62 configure: creating cache
./config.cache #38 75.63 checking build system type... x86_64-pc-
linux-gnu #38 75.63 checking host system type... x86_64-pc-linux-gnu
#38 75.64 checking target system type... x86_64-pc-linux-gnu #38
75.64 checking for a BSD-compatible install... /usr/bin/install -c
#38 75.64 checking whether build environment is sane... yes #38
75.65 checking for a thread-safe mkdir -p... /usr/bin/mkdir -p #38
75.65 checking for gawk... mawk #38 75.65 checking whether make sets
$(MAKE)... yes #38 75.66 checking whether make supports nested
variables... yes #38 75.67 checking whether make supports nested
variables... (cached) yes #38 75.67 checking for x86_64-pc-linux-
gnu-gcc... gcc #38 75.69 checking whether the C compiler works...
yes #38 75.72 checking for C compiler default output file name...
a.out #38 75.72 checking for suffix of executables... #38 75.76
checking whether we are cross compiling... no #38 75.79 checking for
suffix of object files... o #38 75.81 checking whether we are using
the GNU C compiler... yes #38 75.82 checking whether gcc accepts -
g... yes #38 75.84 checking for gcc option to accept ISO C89... none
needed #38 75.87 checking whether gcc understands -c and -o
together... yes #38 75.89 checking for style of include used by
make... GNU #38 75.90 checking dependency style of gcc... gcc3 #38
75.92 checking how to run the C preprocessor... gcc -E #38 75.97

```

checking for grep that handles long lines and -e... /usr/bin/grep
#38 75.97 checking for egrep... /usr/bin/grep -E #38 75.97 checking
for ANSI C header files... yes #38 76.06 checking for sys/types.h...
yes #38 76.09 checking for sys/stat.h... yes #38 76.11 checking for
stdlib.h... yes #38 76.14 checking for string.h... yes #38 76.17
checking for memory.h... yes #38 76.20 checking for strings.h... yes
#38 76.23 checking for inttypes.h... yes #38 76.26 checking for
stdint.h... yes #38 76.28 checking for unistd.h... yes #38 76.31
checking minix/config.h usability... no #38 76.34 checking
minix/config.h presence... no #38 76.35 checking for
minix/config.h... no #38 76.35 checking whether it is safe to define
__EXTENSIONS__... yes #38 76.39 checking for x86_64-linux-gnu-
ar... ar --plugin /usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so
#38 76.39 checking for x86_64-linux-gnu-ranlib... ranlib --plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so #38 76.39 checking
how to print strings... printf #38 76.39 checking for a sed that
does not truncate output... /usr/bin/sed #38 76.39 checking for
fgrep... /usr/bin/grep -F #38 76.39 checking for ld used by gcc...
ld #38 76.40 checking if the linker (ld) is GNU ld... yes #38 76.40
checking for BSD- or MS-compatible name lister (nm)... /usr/bin/nm -
B #38 76.43 checking the name lister (/usr/bin/nm -B) interface...
BSD nm #38 76.44 checking whether ln -s works... yes #38 76.44
checking the maximum length of command line arguments... 3145728 #38
76.45 checking whether the shell understands some XSI constructs...
yes #38 76.45 checking whether the shell understands "+="... yes #38
76.45 checking for ld option to reload object files... -r #38 76.45
checking for x86_64-linux-gnu-objdump... objdump #38 76.45
checking how to recognize dependent libraries... pass_all #38 76.46
checking for x86_64-linux-gnu-ar... (cached) ar --plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so #38 76.46 checking
for x86_64-linux-gnu-strip... no #38 76.46 checking for strip...
strip #38 76.46 checking for x86_64-linux-gnu-ranlib... (cached)
ranlib --plugin /usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so
#38 76.47 checking command to parse /usr/bin/nm -B output from gcc
object... ok #38 76.54 checking for dlfcn.h... yes #38 76.57
checking for objdir... .libs #38 76.62 checking if gcc supports -
fno-rtti -fno-exceptions... no #38 76.63 checking for gcc option to
produce PIC... -fPIC -DPIC #38 76.63 checking if gcc PIC flag -fPIC
-DPIC works... yes #38 76.65 checking if gcc static flag -static
works... yes #38 76.72 checking if gcc supports -c -o file.o... yes
#38 76.74 checking if gcc supports -c -o file.o... (cached) yes #38
76.74 checking whether the gcc linker (ld -m elf_x86_64) supports
shared libraries... yes #38 76.75 checking whether -lc should be
explicitly linked in... no #38 76.78 checking dynamic linker
characteristics... GNU/Linux ld.so #38 76.82 checking how to
hardcode library paths into programs... immediate #38 76.82 checking
whether stripping libraries is possible... yes #38 76.83 checking if
libtool supports shared libraries... yes #38 76.83 checking whether
to build shared libraries... yes #38 76.83 checking whether to build
static libraries... yes #38 76.88 Setting warning flags = -W -Wall -
Wstrict-prototypes -Wmissing-prototypes -Wshadow -Wstack-
usage=262144 #38 76.88 checking whether to enable maintainer-
specific portions of Makefiles... no #38 76.88 checking whether to
install libbfd... yes #38 76.88 checking whether NLS is requested...
yes #38 76.88 checking for msgfmt... /usr/bin/msgfmt #38 76.89
checking for gmsgfmt... /usr/bin/msgfmt #38 76.89 checking for
xgettext... /usr/bin/xgettext #38 76.90 checking for msgmerge...
/usr/bin/msgmerge #38 76.92 checking for ld used by GCC... ld -m
elf_x86_64 #38 76.92 checking if the linker (ld -m elf_x86_64) is
GNU ld... yes #38 76.92 checking for shared library run path

```

origin... done #38 76.95 checking for CFPREFERENCESCopyAppValue...
no #38 76.96 checking for CFLocaleCopyPreferredLanguages... no #38
76.97 checking for GNU gettext in libc... yes #38 77.01 checking
whether to use NLS... yes #38 77.01 checking where the gettext
function comes from... libc #38 77.01 checking whether NLS is
requested... yes #38 77.01 checking for catalogs to be installed...
da de es fi fr ga id it nl pt_BR ro sr sv tr uk vi zh_CN da de es fi
fr ga id it nl pt_BR ro sr sv tr uk vi zh_CN #38 77.15 checking for
msgfmt... (cached) /usr/bin/msgfmt #38 77.15 checking for gmsgfmt...
(cached) /usr/bin/msgfmt #38 77.16 checking for xgettext... (cached)
/usr/bin/xgettext #38 77.16 checking for msgmerge... (cached)
/usr/bin/msgmerge #38 77.18 checking size of void *... 8 #38 77.23
checking whether basename is declared... yes #38 77.27 checking
whether stpcpy is declared... yes #38 77.31 checking for
sigsetjmp... #38 77.32 checking linker --as-needed support... yes
#38 77.33 checking for cos in -lm... yes #38 77.40 configure:
updating cache ./config.cache #38 77.40 checking that generated
files are newer than configure... done #38 77.40 configure: creating
./config.status #38 77.80 config.status: creating Makefile #38 77.81
config.status: creating po/Makefile.in #38 77.82 config.status:
creating config.h #38 77.83 config.status: executing depfiles
commands #38 78.09 config.status: executing libtool commands #38
78.11 config.status: executing default-1 commands #38 78.12
config.status: creating po/POTFILES #38 78.12 config.status:
creating po/Makefile #38 78.13 config.status: executing default-2
commands #38 78.14 config.status: creating po/POTFILES #38 78.14
config.status: creating po/Makefile #38 78.20 make[2]: Entering
directory '/workspace/binutils-2.42/opcodes' #38 78.20 make all-
recursive #38 78.21 make[3]: Entering directory
'/workspace/binutils-2.42/opcodes' #38 78.21 Making all in . #38
78.22 make[4]: Entering directory '/workspace/binutils-2.42/opcodes'
#38 78.22 CC      dis-buf.lo #38 78.34 CC      disassemble.lo
#38 78.49 CC      dis-init.lo #38 78.60 CC      i386-dis.lo
#38 81.31 CCLD     libopcodes.la #38 81.42 libtool--dir=/bin/bash
./libtool--config | sed -n -e 's/^objdir=//p'; \ #38 81.42 if [ -f
$libtool--dir/libopcodes.a ]; then \ #38 81.42 cp
$libtool--dir/libopcodes.a libopcodes.tmp; \ #38 81.42 ranlib --
plugin /usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so
libopcodes.tmp; \ #38 81.42 /bin/bash ./../move-if-change
libopcodes.tmp libopcodes.a; \ #38 81.42 else true; fi #38 81.44
touch stamp-lib #38 81.45 make[4]: Leaving directory
'/workspace/binutils-2.42/opcodes' #38 81.45 Making all in po #38
81.45 make[4]: Entering directory '/workspace/binutils-
2.42/opcodes/po' #38 81.45 make[4]: Nothing to be done for 'all'.
#38 81.45 make[4]: Leaving directory '/workspace/binutils-
2.42/opcodes/po' #38 81.45 make[3]: Leaving directory
'/workspace/binutils-2.42/opcodes' #38 81.45 make[2]: Leaving
directory '/workspace/binutils-2.42/opcodes' #38 81.46 Configuring
in ./binutils #38 81.55 configure: creating cache ./config.cache #38
81.55 checking build system type... x86_64-pc-linux-gnu #38 81.56
checking host system type... x86_64-pc-linux-gnu #38 81.56 checking
target system type... x86_64-pc-linux-gnu #38 81.57 checking for a
BSD-compatible install... /usr/bin/install -c #38 81.57 checking
whether build environment is sane... yes #38 81.58 checking for a
thread-safe mkdir -p... /usr/bin/mkdir -p #38 81.58 checking for
gawk... mawk #38 81.58 checking whether make sets $(MAKE)... yes #38
81.59 checking whether make supports nested variables... yes #38
81.60 checking whether make supports nested variables... (cached)
yes #38 81.60 checking for x86_64-pc-linux-gnu-gcc... gcc #38 81.62
checking whether the C compiler works... yes #38 81.65 checking for

```

C compiler default output file name... a.out #38 81.65 checking for
suffix of executables... #38 81.68 checking whether we are cross
compiling... no #38 81.72 checking for suffix of object files... o
#38 81.73 checking whether we are using the GNU C compiler... yes
#38 81.75 checking whether gcc accepts -g... yes #38 81.76 checking
for gcc option to accept ISO C89... none needed #38 81.79 checking
whether gcc understands -c and -o together... yes #38 81.82 checking
for style of include used by make... GNU #38 81.82 checking
dependency style of gcc... gcc3 #38 81.85 checking how to run the C
preprocessor... gcc -E #38 81.89 checking for grep that handles long
lines and -e... /usr/bin/grep #38 81.89 checking for egrep...
/usr/bin/grep -E #38 81.90 checking for ANSI C header files... yes
#38 81.99 checking for sys/types.h... yes #38 82.01 checking for
sys/stat.h... yes #38 82.04 checking for stdlib.h... yes #38 82.06
checking for string.h... yes #38 82.09 checking for memory.h... yes
#38 82.12 checking for strings.h... yes #38 82.15 checking for
inttypes.h... yes #38 82.18 checking for stdint.h... yes #38 82.21
checking for unistd.h... yes #38 82.24 checking minix/config.h
usability... no #38 82.26 checking minix/config.h presence... no #38
82.28 checking for minix/config.h... no #38 82.28 checking whether
it is safe to define __EXTENSIONS__... yes #38 82.31 checking how to
print strings... printf #38 82.31 checking for a sed that does not
truncate output... /usr/bin/sed #38 82.31 checking for fgrep...
/usr/bin/grep -F #38 82.31 checking for ld used by gcc... ld #38
82.32 checking if the linker (ld) is GNU ld... yes #38 82.32
checking for BSD- or MS-compatible name lister (nm)... /usr/bin/nm -
B #38 82.34 checking the name lister (/usr/bin/nm -B) interface...
BSD nm #38 82.36 checking whether ln -s works... yes #38 82.36
checking the maximum length of command line arguments... 3145728 #38
82.37 checking whether the shell understands some XSI constructs...
yes #38 82.37 checking whether the shell understands "+="... yes #38
82.37 checking for ld option to reload object files... -r #38 82.37
checking for x86_64-linux-gnu-objdump... objdump #38 82.37
checking how to recognize dependent libraries... pass_all #38 82.38
checking for x86_64-linux-gnu-ar... ar --plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so #38 82.38 checking
for x86_64-linux-gnu-strip... no #38 82.38 checking for strip...
strip #38 82.38 checking for x86_64-linux-gnu-ranlib... ranlib --
plugin /usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so #38 82.38
checking command to parse /usr/bin/nm -B output from gcc object...
ok #38 82.45 checking for dlfcn.h... yes #38 82.48 checking for
objdir... .libs #38 82.53 checking if gcc supports -fno-rtti -fno-
exceptions... no #38 82.55 checking for gcc option to produce PIC...
-fPIC -DPIC #38 82.55 checking if gcc PIC flag -fPIC -DPIC works...
yes #38 82.57 checking if gcc static flag -static works... yes #38
82.64 checking if gcc supports -c -o file.o... yes #38 82.66
checking if gcc supports -c -o file.o... (cached) yes #38 82.66
checking whether the gcc linker (ld -m elf_x86_64) supports shared
libraries... yes #38 82.67 checking whether -lc should be explicitly
linked in... no #38 82.70 checking dynamic linker characteristics...
GNU/Linux ld.so #38 82.74 checking how to hardcode library paths
into programs... immediate #38 82.74 checking whether stripping
libraries is possible... yes #38 82.75 checking if libtool supports
shared libraries... yes #38 82.75 checking whether to build shared
libraries... yes #38 82.75 checking whether to build static
libraries... yes #38 82.75 checking for dlfcn.h... (cached) yes #38
82.75 checking for windows.h... no #38 82.78 checking for library
containing dlsym... none required #38 82.81 checking for special C
compiler options needed for large files... no #38 82.81 checking for
_FILE_OFFSET_BITS value needed for large files... no #38 82.84

checking for x86_64-pc-linux-gnu-pkg-config... /usr/bin/x86_64-pc-linux-gnu-pkg-config #38 82.84 checking pkg-config is at least version 0.9.0... yes #38 82.84 checking whether to use debuginfod... auto #38 82.84 checking for libdebuginfod >= 0.188... no #38 82.85 configure: WARNING: libdebuginfod is missing or some features may be unavailable. #38 82.85 checking for libdebuginfod >= 0.179... no #38 82.85 configure: WARNING: libdebuginfod is missing or unusable; some features may be unavailable. #38 82.90 Setting warning flags = -W -Wall -Wstrict-prototypes -Wmissing-prototypes -Wshadow -Wstack-usage=262144 #38 82.90 checking for bison... bison -y #38 82.91 checking for flex... flex #38 82.91 checking lex output file root... lex.yy #38 82.91 checking lex library... none needed #38 83.51 checking whether yytext is a pointer... no #38 83.71 checking whether NLS is requested... yes #38 83.72 checking for msgfmt... /usr/bin/msgfmt #38 83.72 checking for gmsgfmt... /usr/bin/msgfmt #38 83.73 checking for xgettext... /usr/bin/xgettext #38 83.74 checking for msgmerge... /usr/bin/msgmerge #38 83.76 checking for ld used by GCC... ld -m elf_x86_64 #38 83.76 checking if the linker (ld -m elf_x86_64) is GNU ld... yes #38 83.76 checking for shared library run path origin... done #38 83.78 checking for CFPReferencesCopyAppValue... no #38 83.80 checking for CFLocaleCopyPreferredLanguages... no #38 83.81 checking for GNU gettext in libc... yes #38 83.84 checking whether to use NLS... yes #38 83.84 checking where the gettext function comes from... libc #38 83.85 checking whether NLS is requested... yes #38 83.85 checking for catalogs to be installed... bg ca da es fi fr hr id it ja pt ro ru rw sk sr sv tr uk vi zh_CN zh_TW bg ca da es fi fr hr id it ja pt ro ru rw sk sr sv tr uk vi zh_CN zh_TW #38 84.03 checking for msgfmt... (cached) /usr/bin/msgfmt #38 84.03 checking for gmsgfmt... (cached) /usr/bin/msgfmt #38 84.04 checking for xgettext... (cached) /usr/bin/xgettext #38 84.04 checking for msgmerge... (cached) /usr/bin/msgmerge #38 84.06 checking whether to enable maintainer-specific portions of Makefiles... no #38 84.06 checking for x86_64-pc-linux-gnu-ranlib... (cached) ranlib --plugin /usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so #38 84.06 checking fcntl.h usability... yes #38 84.09 checking fcntl.h presence... yes #38 84.10 checking for fcntl.h... yes #38 84.11 checking for inttypes.h... (cached) yes #38 84.11 checking for stdint.h... (cached) yes #38 84.12 checking sys/file.h usability... yes #38 84.15 checking sys/file.h presence... yes #38 84.16 checking for sys/file.h... yes #38 84.17 checking for sys/stat.h... (cached) yes #38 84.17 checking sys/time.h usability... yes #38 84.20 checking sys/time.h presence... yes #38 84.21 checking for sys/time.h... yes #38 84.22 checking for sys/types.h... (cached) yes #38 84.22 checking for unistd.h... (cached) yes #38 84.23 checking for sys/wait.h that is POSIX.1 compatible... yes #38 84.26 checking for stdlib.h... (cached) yes #38 84.26 checking for unistd.h... (cached) yes #38 84.27 checking for sys/param.h... yes #38 84.31 checking for getpagesize... yes #38 84.34 checking for working mmap... yes #38 84.41 checking for fseeko... yes #38 84.46 checking for fseeko64... yes #38 84.50 checking for getc_unlocked... yes #38 84.53 checking for mkdtemp... yes #38 84.57 checking for mkstemp... yes #38 84.61 checking for utimensat... yes #38 84.65 checking for utimes... yes #38 84.69 checking for mbstate_t... yes #38 84.71 checking for struct stat.st_atim.tv_nsec... yes #38 84.74 checking whether struct stat.st_atim is of type struct timespec... yes #38 84.76 checking for library containing frexp... none required #38 84.79 checking for LC_MESSAGES... yes #38 84.83 checking for a known getopt prototype in unistd.h... yes #38 84.85 checking for utime.h... yes #38 84.87 checking whether asprintf is declared... yes #38 84.91 checking

whether environ is declared... yes #38 84.95 checking whether
getc_unlocked is declared... yes #38 84.99 checking whether stpcpy
is declared... yes #38 85.02 checking whether strlen is declared...
yes #38 85.06 checking for libzstd >= 1.4.0... no #38 85.06 checking
for msgpack... no #38 85.07 checking iconv.h usability... yes #38
85.10 checking iconv.h presence... yes #38 85.11 checking for
iconv.h... yes #38 85.11 checking for iconv... yes #38 85.15
checking for working iconv... yes #38 85.20 checking whether iconv
is compatible with its POSIX signature... yes #38 85.24 configure:
updating cache ./config.cache #38 85.25 checking that generated
files are newer than configure... done #38 85.25 configure: creating
./config.status #38 85.64 config.status: creating Makefile #38 85.66
config.status: creating po/Makefile.in #38 85.67 config.status:
creating config.h #38 85.68 config.status: executing depfiles
commands #38 85.79 config.status: executing libtool commands #38
85.80 config.status: executing default-1 commands #38 85.81
config.status: creating po/POTFILES #38 85.82 config.status:
creating po/Makefile #38 85.82 config.status: executing default-2
commands #38 85.83 config.status: creating po/POTFILES #38 85.83
config.status: creating po/Makefile #38 85.88 Configuring in ./gas
#38 85.96 configure: creating cache ./config.cache #38 85.97
checking build system type... x86_64-pc-linux-gnu #38 85.97 checking
host system type... x86_64-pc-linux-gnu #38 85.98 checking target
system type... x86_64-pc-linux-gnu #38 85.98 checking for a BSD-
compatible install... /usr/bin/install -c #38 85.98 checking whether
build environment is sane... yes #38 85.99 checking for a thread-
safe mkdir -p... /usr/bin/mkdir -p #38 86.00 checking for gawk...
mawk #38 86.00 checking whether make sets \$(MAKE)... yes #38 86.01
checking whether make supports nested variables... yes #38 86.01
checking whether make supports nested variables... (cached) yes #38
86.02 checking for x86_64-pc-linux-gnu-gcc... gcc #38 86.04 checking
whether the C compiler works... yes #38 86.07 checking for C
compiler default output file name... a.out #38 86.07 checking for
suffix of executables... #38 86.10 checking whether we are cross
compiling... no #38 86.14 checking for suffix of object files... o
#38 86.15 checking whether we are using the GNU C compiler... yes
#38 86.17 checking whether gcc accepts -g... yes #38 86.19 checking
for gcc option to accept ISO C89... none needed #38 86.21 checking
whether gcc understands -c and -o together... yes #38 86.24 checking
for style of include used by make... GNU #38 86.24 checking
dependency style of gcc... gcc3 #38 86.27 checking how to run the C
preprocessor... gcc -E #38 86.31 checking for grep that handles long
lines and -e... /usr/bin/grep #38 86.31 checking for egrep...
/usr/bin/grep -E #38 86.32 checking for ANSI C header files... yes
#38 86.41 checking for sys/types.h... yes #38 86.43 checking for
sys/stat.h... yes #38 86.46 checking for stdlib.h... yes #38 86.49
checking for string.h... yes #38 86.52 checking for memory.h... yes
#38 86.54 checking for strings.h... yes #38 86.57 checking for
inttypes.h... yes #38 86.60 checking for stdint.h... yes #38 86.63
checking for unistd.h... yes #38 86.66 checking minix/config.h
usability... no #38 86.69 checking minix/config.h presence... no #38
86.70 checking for minix/config.h... no #38 86.70 checking whether
it is safe to define __EXTENSIONS__... yes #38 86.73 checking how to
print strings... printf #38 86.73 checking for a sed that does not
truncate output... /usr/bin/sed #38 86.74 checking for fgrep...
/usr/bin/grep -F #38 86.74 checking for ld used by gcc... ld #38
86.74 checking if the linker (ld) is GNU ld... yes #38 86.74
checking for BSD- or MS-compatible name lister (nm)... /usr/bin/nm -
B #38 86.77 checking the name lister (/usr/bin/nm -B) interface...
BSD nm #38 86.79 checking whether ln -s works... yes #38 86.79

```

checking the maximum length of command line arguments... 3145728 #38
86.79 checking whether the shell understands some XSI constructs...
yes #38 86.79 checking whether the shell understands "+="... yes #38
86.80 checking for ld option to reload object files... -r #38 86.80
checking for x86_64-pc-linux-gnu-objdump... objdump #38 86.80
checking how to recognize dependent libraries... pass_all #38 86.80
checking for x86_64-pc-linux-gnu-ar... ar --plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so #38 86.81 checking
for x86_64-pc-linux-gnu-strip... no #38 86.81 checking for strip...
strip #38 86.81 checking for x86_64-pc-linux-gnu-ranlib... ranlib --
plugin /usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so #38 86.81
checking command to parse /usr/bin/nm -B output from gcc object...
ok #38 86.88 checking for dlfcn.h... yes #38 86.91 checking for
objdir... .libs #38 86.96 checking if gcc supports -fno-rtti -fno-
exceptions... no #38 86.98 checking for gcc option to produce PIC...
-fPIC -DPIC #38 86.98 checking if gcc PIC flag -fPIC -DPIC works...
yes #38 86.99 checking if gcc static flag -static works... yes #38
87.07 checking if gcc supports -c -o file.o... yes #38 87.09
checking if gcc supports -c -o file.o... (cached) yes #38 87.09
checking whether the gcc linker (ld -m elf_x86_64) supports shared
libraries... yes #38 87.10 checking whether -lc should be explicitly
linked in... no #38 87.12 checking dynamic linker characteristics...
GNU/Linux ld.so #38 87.17 checking how to hardcode library paths
into programs... immediate #38 87.17 checking whether stripping
libraries is possible... yes #38 87.17 checking if libtool supports
shared libraries... yes #38 87.17 checking whether to build shared
libraries... yes #38 87.17 checking whether to build static
libraries... yes #38 87.17 checking for dlfcn.h... (cached) yes #38
87.17 checking for windows.h... no #38 87.21 checking for library
containing dlsym... none required #38 87.24 checking for special C
compiler options needed for large files... no #38 87.24 checking for
_FILE_OFFSET_BITS value needed for large files... no #38 87.26
checking how to compare bootstrapped objects... cmp --ignore-
initial=16 $f1 $f2 #38 87.32 Setting warning flags = -W -Wall -
Wstrict-prototypes -Wmissing-prototypes -Wshadow -Wstack-
usage=262144 #38 87.32 checking whether byte ordering is
bigendian... no #38 87.40 checking for bison... bison -y #38 87.40
checking for flex... flex #38 87.41 checking lex output file root...
lex.yy #38 87.41 checking lex library... none needed #38 88.00
checking whether yytext is a pointer... no #38 88.21 checking
whether NLS is requested... yes #38 88.21 checking for msgfmt...
/usr/bin/msgfmt #38 88.22 checking for gmsgfmt... /usr/bin/msgfmt
#38 88.22 checking for xgettext... /usr/bin/xgettext #38 88.23
checking for msgmerge... /usr/bin/msgmerge #38 88.25 checking for ld
used by GCC... ld -m elf_x86_64 #38 88.25 checking if the linker (ld
-m elf_x86_64) is GNU ld... yes #38 88.26 checking for shared
library run path origin... done #38 88.28 checking for
CFPreferencesCopyAppValue... no #38 88.29 checking for
CFLocaleCopyPreferredLanguages... no #38 88.31 checking for GNU
gettext in libc... yes #38 88.34 checking whether to use NLS... yes
#38 88.34 checking where the gettext function comes from... libc #38
88.34 checking whether NLS is requested... yes #38 88.34 checking
for catalogs to be installed... es fi fr id ja ru rw sv tr uk zh_CN
es fi fr id ja ru rw sv tr uk zh_CN #38 88.44 checking for msgfmt...
(cached) /usr/bin/msgfmt #38 88.44 checking for gmsgfmt... (cached)
/usr/bin/msgfmt #38 88.44 checking for xgettext... (cached)
/usr/bin/xgettext #38 88.45 checking for msgmerge... (cached)
/usr/bin/msgmerge #38 88.46 checking whether to enable maintainer-
specific portions of Makefiles... no #38 88.46 checking for
memory.h... (cached) yes #38 88.47 checking for sys/stat.h...

```



```

(cached) yes #38 88.48 checking for sys/types.h... (cached) yes #38
88.48 checking for unistd.h... (cached) yes #38 88.49 checking
whether compiling a cross-assembler... no #38 88.49 checking for
strsignal... yes #38 88.52 checking for LC_MESSAGES... yes #38 88.56
checking for working assert macro... yes #38 88.60 checking for a
known getopt prototype in unistd.h... yes #38 88.62 checking whether
declaration is required for environ... no #38 88.66 checking whether
declaration is required for ffs... no #38 88.71 checking whether
asprintf is declared... yes #38 88.75 checking whether mempcpy is
declared... yes #38 88.79 checking whether stpcpy is declared... yes
#38 88.82 checking for x86_64-pc-linux-gnu-pkg-config...
/usr/bin/x86_64-pc-linux-gnu-pkg-config #38 88.82 checking pkg-
config is at least version 0.9.0... yes #38 88.82 checking for
libzstd >= 1.4.0... no #38 88.83 checking for struct
stat.st_mtim.tv_sec in sys/stat.h... yes #38 88.85 checking for
struct stat.st_mtim.tv_nsec in sys/stat.h... yes #38 88.89
configure: updating cache ./config.cache #38 88.90 checking that
generated files are newer than configure... done #38 88.90
configure: creating ./config.status #38 89.30 config.status:
creating .gdbinit #38 89.31 config.status: creating Makefile #38
89.32 config.status: creating po/Makefile.in #38 89.33
config.status: creating config.h #38 89.34 config.status: executing
depfiles commands #38 89.56 config.status: executing libtool
commands #38 89.57 config.status: executing default-1 commands #38
89.58 config.status: creating po/POTFILES #38 89.59 config.status:
creating po/Makefile #38 89.59 config.status: executing default-2
commands #38 89.60 config.status: creating po/POTFILES #38 89.61
config.status: creating po/Makefile #38 89.61 config.status:
executing default commands #38 89.67 make[2]: Entering directory
'/workspace/binutils-2.42/gas' #38 89.67 make all-recursive #38
89.68 make[3]: Entering directory '/workspace/binutils-2.42/gas' #38
89.68 Making all in po #38 89.69 make[4]: Entering directory
'/workspace/binutils-2.42/gas/po' #38 89.69 make[4]: Nothing to be
done for 'all'. #38 89.69 make[4]: Leaving directory
'/workspace/binutils-2.42/gas/po' #38 89.70 make[4]: Entering
directory '/workspace/binutils-2.42/gas' #38 89.71 GEN
doc/asconfig.texi #38 89.71 CC app.o #38 89.95 CC
as.o #38 90.15 CC atof-generic.o #38 90.26 CC
codeview.o #38 90.32 CC compress-debug.o #38 90.36 CC
cond.o #38 90.54 CC depend.o #38 90.62 CC
dwarf2dbg.o #38 91.15 CC dw2gencfi.o #38 91.47 CC
ecoff.o #38 91.52 CC ehopt.o #38 91.65 CC expr.o #38
92.01 CC flonum-copy.o #38 92.07 CC flonum-konst.o
#38 92.09 CC flonum-mult.o #38 92.12 CC frags.o #38
92.26 CC gen-sframe.o #38 92.43 CC ginsn.o #38 92.67
CC hash.o #38 92.74 CC input-file.o #38 92.82 CC
input-scrub.o #38 92.94 CC listing.o #38 93.26 CC
literal.o #38 93.31 CC macro.o #38 93.65 CC
messages.o #38 93.77 CC output-file.o #38 93.86 CC
read.o #38 94.79 CC remap.o #38 94.86 CC sb.o #38
94.95 CC scfidw2gen.o #38 95.03 CC scfi.o #38 95.23
CC sframe-opt.o #38 95.30 CC stabs.o #38 95.44 CC
subsegs.o #38 95.56 CC symbols.o #38 96.11 CC
write.o #38 96.59 CC config/tc-i386.o #38 100.3 CC
config/obj-elf.o #38 100.8 CC config/atof-ieee.o #38 101.0
CCLD as-new #38 101.1 GEN doc/as.1 #38 101.3 make[4]:
Leaving directory '/workspace/binutils-2.42/gas' #38 101.3 make[3]:
Leaving directory '/workspace/binutils-2.42/gas' #38 101.3 make[2]:
Leaving directory '/workspace/binutils-2.42/gas' #38 101.3
Configuring in ./libctf #38 101.4 configure: creating cache

```

```

./config.cache #38 101.4 checking build system type... x86_64-pc-
linux-gnu #38 101.4 checking host system type... x86_64-pc-linux-gnu
#38 101.4 checking target system type... x86_64-pc-linux-gnu #38
101.4 checking for x86_64-pc-linux-gnu-gcc... gcc #38 101.4 checking
whether the C compiler works... yes #38 101.5 checking for C
compiler default output file name... a.out #38 101.5 checking for
suffix of executables... #38 101.5 checking whether we are cross
compiling... no #38 101.5 checking for suffix of object files... o
#38 101.5 checking whether we are using the GNU C compiler... yes
#38 101.6 checking whether gcc accepts -g... yes #38 101.6 checking
for gcc option to accept ISO C89... none needed #38 101.6 checking
whether gcc understands -c and -o together... yes #38 101.6 checking
how to run the C preprocessor... gcc -E #38 101.7 checking for grep
that handles long lines and -e... /usr/bin/grep #38 101.7 checking
for egrep... /usr/bin/grep -E #38 101.7 checking for ANSI C header
files... yes #38 101.8 checking for sys/types.h... yes #38 101.8
checking for sys/stat.h... yes #38 101.8 checking for stdlib.h...
yes #38 101.8 checking for string.h... yes #38 101.9 checking for
memory.h... yes #38 101.9 checking for strings.h... yes #38 101.9
checking for inttypes.h... yes #38 102.0 checking for stdint.h...
yes #38 102.0 checking for unistd.h... yes #38 102.0 checking
minix/config.h usability... no #38 102.0 checking minix/config.h
presence... no #38 102.0 checking for minix/config.h... no #38 102.1
checking whether it is safe to define __EXTENSIONS__... yes #38
102.1 checking for a BSD-compatible install... /usr/bin/install -c
#38 102.1 checking whether build environment is sane... yes #38
102.1 checking for a thread-safe mkdir -p... /usr/bin/mkdir -p #38
102.1 checking for gawk... mawk #38 102.1 checking whether make sets
$(MAKE)... yes #38 102.1 checking for style of include used by
make... GNU #38 102.1 checking whether make supports nested
variables... yes #38 102.1 checking dependency style of gcc... gcc3
#38 102.1 checking whether make supports nested variables...
(cached) yes #38 102.1 checking whether make sets $(MAKE)...
(cached) yes #38 102.1 checking for x86_64-pc-linux-gnu-gcc...
(cached) gcc #38 102.2 checking whether we are using the GNU C
compiler... (cached) yes #38 102.2 checking whether gcc accepts -
g... (cached) yes #38 102.2 checking for gcc option to accept ISO
C89... (cached) none needed #38 102.2 checking whether gcc
understands -c and -o together... (cached) yes #38 102.2 checking
for x86_64-pc-linux-gnu-ranlib... ranlib --plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so #38 102.2 checking
for x86_64-pc-linux-gnu-ar... ar --plugin /usr/lib/gcc/x86_64-linux-
gnu/11/liblto_plugin.so #38 102.2 checking the archiver (ar --plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so) interface... ar
#38 102.2 checking whether NLS is requested... yes #38 102.2
checking for msgfmt... /usr/bin/msgfmt #38 102.2 checking for
xgettext... /usr/bin/xgettext #38 102.2 checking for msgmerge...
/usr/bin/msgmerge #38 102.2 checking for ld used by GCC... ld #38
102.2 checking if the linker (ld) is GNU ld... yes #38 102.2
checking for shared library run path origin... done #38 102.2
checking for CFPReferencesCopyAppValue... no #38 102.3 checking for
CFLocaleCopyPreferredLanguages... no #38 102.3 checking for GNU
gettext in libc... yes #38 102.3 checking whether to use NLS... yes
#38 102.3 checking where the gettext function comes from... libc #38
102.3 checking whether NLS is requested... yes #38 102.3 checking
for catalogs to be installed... #38 102.3 checking how to print
strings... printf #38 102.3 checking for a sed that does not
truncate output... /usr/bin/sed #38 102.3 checking for fgrep...
/usr/bin/grep -F #38 102.3 checking for ld used by gcc... ld #38

```

```

102.3 checking if the linker (ld) is GNU ld... yes #38 102.3
checking for BSD- or MS-compatible name lister (nm)... /usr/bin/nm -
B #38 102.4 checking the name lister (/usr/bin/nm -B) interface...
BSD nm #38 102.4 checking whether ln -s works... yes #38 102.4
checking the maximum length of command line arguments... 3145728 #38
102.4 checking whether the shell understands some XSI constructs...
yes #38 102.4 checking whether the shell understands "+="... yes #38
102.4 checking for ld option to reload object files... -r #38 102.4
checking for x86_64-pc-linux-gnu-objdump... objdump #38 102.4
checking how to recognize dependent libraries... pass_all #38 102.4
checking for x86_64-pc-linux-gnu-ar... (cached) ar --plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so #38 102.4 checking
for x86_64-pc-linux-gnu-strip... no #38 102.4 checking for strip...
strip #38 102.4 checking for x86_64-pc-linux-gnu-ranlib... (cached)
ranlib --plugin /usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so
#38 102.4 checking command to parse /usr/bin/nm -B output from gcc
object... ok #38 102.5 checking for dlfcn.h... yes #38 102.5
checking for objdir... .libs #38 102.5 checking if gcc supports -
fno-rtti -fno-exceptions... no #38 102.6 checking for gcc option to
produce PIC... -fPIC -DPIC #38 102.6 checking if gcc PIC flag -fPIC
-DPIC works... yes #38 102.6 checking if gcc static flag -static
works... yes #38 102.6 checking if gcc supports -c -o file.o... yes
#38 102.7 checking if gcc supports -c -o file.o... (cached) yes #38
102.7 checking whether the gcc linker (ld -m elf_x86_64) supports
shared libraries... yes #38 102.7 checking whether -lc should be
explicitly linked in... no #38 102.7 checking dynamic linker
characteristics... GNU/Linux ld.so #38 102.8 checking how to
hardcode library paths into programs... immediate #38 102.8 checking
whether stripping libraries is possible... yes #38 102.8 checking if
libtool supports shared libraries... yes #38 102.8 checking whether
to build shared libraries... yes #38 102.8 checking whether to build
static libraries... yes #38 102.8 checking for special C compiler
options needed for large files... no #38 102.8 checking for
_FILE_OFFSET_BITS value needed for large files... no #38 102.8
configure: creating ./config.lt #38 103.1 config.lt: creating
libtool #38 103.1 checking for aclocal... ${SHELL}
/workspace/binutils-2.42/missing aclocal-1.15 #38 103.1 checking for
autoconf... ${SHELL} /workspace/binutils-2.42/missing autoconf #38
103.1 checking for autoheader... ${SHELL} /workspace/binutils-
2.42/missing autoheader #38 103.1 checking whether gcc supports -
W... yes #38 103.2 checking whether gcc supports -Wall... yes #38
103.2 checking whether gcc supports -Wnarrowing... yes #38 103.2
checking whether gcc supports -Wwrite-strings... yes #38 103.2
checking whether gcc supports -Wmissing-format-attribute... yes #38
103.2 checking whether gcc supports -Wstrict-prototypes... yes #38
103.2 checking whether gcc supports -Wmissing-prototypes... yes #38
103.3 checking whether gcc supports -Wold-style-definition... yes
#38 103.3 checking whether gcc supports -pedantic -Wlong-long... yes
#38 103.3 checking whether to enable maintainer-specific portions of
Makefiles... no #38 103.3 checking whether to install libbfd... yes
#38 103.3 checking whether gcc supports -Wall... (cached) yes #38
103.3 checking for stdlib.h... (cached) yes #38 103.3 checking for
unistd.h... (cached) yes #38 103.3 checking for sys/param.h... yes
#38 103.4 checking for getpagesize... yes #38 103.4 checking for
working mmap... yes #38 103.5 checking for library containing
dlsym... none required #38 103.5 checking for ELF support in BFD...
yes #38 103.6 checking whether byte ordering is bigendian... no #38
103.7 checking byteswap.h usability... yes #38 103.7 checking
byteswap.h presence... yes #38 103.7 checking for byteswap.h... yes
#38 103.7 checking endian.h usability... yes #38 103.8 checking

```

```

endian.h presence... yes #38 103.8 checking for endian.h... yes #38
103.8 checking for pread... yes #38 103.8 checking whether bswap_16
is declared... yes #38 103.8 checking whether bswap_32 is
declared... yes #38 103.8 checking whether bswap_64 is declared...
yes #38 103.9 checking whether asprintf is declared... yes #38 103.9
checking whether vasprintf is declared... yes #38 103.9 checking
whether stpcpy is declared... yes #38 104.0 checking for qsort_r...
yes #38 104.0 checking for qsort_r signature... GNU #38 104.1
checking for _O_CLOEXEC... yes #38 104.1 checking for makeinfo...
makeinfo --split-size=5000000 #38 104.2 checking for expect... no
#38 104.2 checking for Tcl supporting try/catch... no #38 104.2
checking for linker versioning flags... -Wl,--version-
script='./libctf.ver' #38 104.2 configure: updating cache
./config.cache #38 104.2 checking that generated files are newer
than configure... done #38 104.2 configure: creating ./config.status
#38 104.6 config.status: creating Makefile #38 104.6 config.status:
creating config.h #38 104.6 config.status: executing depfiles
commands #38 104.7 config.status: executing default-1 commands #38
104.7 config.status: executing libtool commands #38 104.8 make[2]:
Entering directory '/workspace/binutils-2.42/libctf' #38 104.8 make
all-recursive #38 104.8 make[3]: Entering directory
'/workspace/binutils-2.42/libctf' #38 104.8 make[4]: Entering
directory '/workspace/binutils-2.42/libctf' #38 104.8 CC
libctf_la-ctf-archive.lo #38 105.2 CC libctf_la-ctf-dump.lo
#38 105.6 CC libctf_la-ctf-create.lo #38 106.4 CC
libctf_la-ctf-decl.lo #38 106.5 CC libctf_la-ctf-error.lo
#38 106.7 CC libctf_la-ctf-hash.lo #38 107.0 CC
libctf_la-ctf-labels.lo #38 107.2 CC libctf_la-ctf-dedup.lo
#38 108.1 CC libctf_la-ctf-link.lo #38 108.7 CC
libctf_la-ctf-lookup.lo #38 109.2 CC libctf_la-ctf-open.lo
#38 109.9 CC libctf_la-ctf-serialize.lo #38 110.5 CC
libctf_la-ctf-sha1.lo #38 110.6 CC libctf_la-ctf-string.lo
#38 110.9 CC libctf_la-ctf-subr.lo #38 111.1 CC
libctf_la-ctf-types.lo #38 111.8 CC libctf_la-ctf-util.lo
#38 112.0 CC libctf_la-ctf-open-bfd.lo #38 112.2 CCLD
libctf.la #38 112.4 CC libctf_nobfd_la-ctf-archive.lo #38
112.8 CC libctf_nobfd_la-ctf-dump.lo #38 113.2 CC
libctf_nobfd_la-ctf-create.lo #38 114.0 CC libctf_nobfd_la-
ctf-decl.lo #38 114.2 CC libctf_nobfd_la-ctf-error.lo #38
114.3 CC libctf_nobfd_la-ctf-hash.lo #38 114.6 CC
libctf_nobfd_la-ctf-labels.lo #38 114.8 CC libctf_nobfd_la-
ctf-dedup.lo #38 115.7 CC libctf_nobfd_la-ctf-link.lo #38
116.4 CC libctf_nobfd_la-ctf-lookup.lo #38 116.8 CC
libctf_nobfd_la-ctf-open.lo #38 117.5 CC libctf_nobfd_la-
ctf-serialize.lo #38 118.1 CC libctf_nobfd_la-ctf-sha1.lo
#38 118.2 CC libctf_nobfd_la-ctf-string.lo #38 118.5 CC
libctf_nobfd_la-ctf-subr.lo #38 118.7 CC libctf_nobfd_la-
ctf-types.lo #38 119.4 CC libctf_nobfd_la-ctf-util.lo #38
119.6 CCLD libctf_nobfd.la #38 119.8 make[4]: Leaving
directory '/workspace/binutils-2.42/libctf' #38 119.8 make[3]:
Leaving directory '/workspace/binutils-2.42/libctf' #38 119.8
make[2]: Leaving directory '/workspace/binutils-2.42/libctf' #38
119.8 make[2]: Entering directory '/workspace/binutils-
2.42/binutils' #38 119.8 CC sysinfo.o #38 119.9 CC
syslex_wrap.o #38 120.1 CCLD sysinfo #38 120.1 GEN
sysroff.h #38 120.1 Making info in po #38 120.1 make[3]: Entering
directory '/workspace/binutils-2.42/binutils/po' #38 120.1 make[3]:
Nothing to be done for 'info'. #38 120.1 make[3]: Leaving directory
'/workspace/binutils-2.42/binutils/po' #38 120.1 make[3]: Entering
directory '/workspace/binutils-2.42/binutils' #38 120.1 GEN

```

```

doc/addr2line.1 #38 120.2  GEN      doc/ar.1 #38 120.3  GEN
doc/dlltool.1 #38 120.3  GEN      doc/nm.1 #38 120.4  GEN
doc/objcopy.1 #38 120.5  GEN      doc/objdump.1 #38 120.7  GEN
doc/ranlib.1 #38 120.7  GEN      doc/readelf.1 #38 120.8  GEN
doc/size.1 #38 120.9  GEN      doc/strings.1 #38 121.0  GEN
doc/strip.1 #38 121.0  GEN      doc/elfedit.1 #38 121.1  GEN
doc/windres.1 #38 121.2  GEN      doc/windmc.1 #38 121.2  GEN
doc/cxxfilt.man #38 121.3  GEN      doc/c++filt.1 #38 121.3
make[3]: Leaving directory '/workspace/binutils-2.42/binutils' #38
121.3 make  all-recursive #38 121.3 make[3]: Entering directory
'/workspace/binutils-2.42/binutils' #38 121.3 Making all in po #38
121.3 make[4]: Entering directory '/workspace/binutils-
2.42/binutils/po' #38 121.3 make[4]: Nothing to be done for 'all'.
#38 121.3 make[4]: Leaving directory '/workspace/binutils-
2.42/binutils/po' #38 121.3 make[4]: Entering directory
'/workspace/binutils-2.42/binutils' #38 121.3  CC      size.o #38
121.5  CC      bucomm.o #38 121.7  CC      version.o #38 121.7
CC      filemode.o #38 121.8  CCLD      size #38 121.8  CC
objdump.o #38 123.0  CC      dwarf.o #38 126.3  CC      prdbg.o
#38 126.8  CC      demanguse.o #38 126.9  CC      rddbg.o #38
127.0  CC      debug.o #38 127.4  CC      stabs.o #38 128.2  CC
rdcoff.o #38 128.4  CC      elfcomm.o #38 128.6  CCLD      objdump
#38 128.7  CC      arparse.o #38 128.8  CC      arlex.o #38
128.9  CC      ar.o #38 129.2  CC      not-ranlib.o #38 129.2
CC      arsup.o #38 129.4  CC      rename.o #38 129.4  CC
binemul.o #38 129.5  CC      emul_vanilla.o #38 129.5  CCLD
ar #38 129.6  CC      strings.o #38 129.9  CCLD      strings #38
129.9  CC      is-ranlib.o #38 130.0  CCLD      ranlib #38 130.0
CC      objcopy.o #38 131.0  CC      not-strip.o #38 131.0  CC
wrstabs.o #38 131.4  CCLD      objcopy #38 131.4  CC
addr2line.o #38 131.6  CCLD      addr2line #38 131.7  CC
readelf.o #38 136.4  CC      unwind-ia64.o #38 136.6  CCLD
readelf #38 136.7  CC      elfedit.o #38 136.9  CCLD      elfedit
#38 137.0  CC      nm.o #38 137.3  CCLD      nm-new #38 137.4  CC
is-strip.o #38 137.4  CCLD      strip-new #38 137.5  CC
cxxfilt.o #38 137.6  CCLD      cxxfilt #38 137.7  CC
bfdtest1.o #38 137.7  CCLD      bfdtest1 #38 137.8  CC
bfdtest2.o #38 137.9  CCLD      bfdtest2 #38 138.0  CC
testsuite/gentestdlls.o #38 138.0  CCLD      testsuite/gentestdlls
#38 138.1 make[4]: Leaving directory '/workspace/binutils-
2.42/binutils' #38 138.1 make[3]: Leaving directory
'/workspace/binutils-2.42/binutils' #38 138.1 make[2]: Leaving
directory '/workspace/binutils-2.42/binutils' #38 138.1 Configuring
in ./etc #38 138.2 configure: creating cache ./config.cache #38
138.2 checking whether to enable maintainer-specific portions of
Makefiles... no #38 138.2 checking for a BSD-compatible install...
/usr/bin/install -c #38 138.2 checking whether build environment is
sane... yes #38 138.2 checking for a thread-safe mkdir -p...
/usr/bin/mkdir -p #38 138.2 checking for gawk... mawk #38 138.2
checking whether make sets $(MAKE)... yes #38 138.2 checking whether
make supports nested variables... yes #38 138.2 checking whether
make supports nested variables... (cached) yes #38 138.2 configure:
updating cache ./config.cache #38 138.2 checking that generated
files are newer than configure... done #38 139.2 configure: creating
./config.status #38 139.3 config.status: creating Makefile #38 139.3
make[2]: Entering directory '/workspace/binutils-2.42/etc' #38 139.3
make[2]: Nothing to be done for 'all'. #38 139.3 make[2]: Leaving
directory '/workspace/binutils-2.42/etc' #38 139.3 Configuring in
./gprof #38 139.4 configure: creating cache ./config.cache #38 139.4
checking build system type... x86_64-pc-linux-gnu #38 139.4 checking

```

host system type... x86_64-pc-linux-gnu #38 139.4 checking target
system type... x86_64-pc-linux-gnu #38 139.4 checking for a BSD-
compatible install... /usr/bin/install -c #38 139.4 checking whether
build environment is sane... yes #38 139.4 checking for a thread-
safe mkdir -p... /usr/bin/mkdir -p #38 139.4 checking for gawk...
mawk #38 139.4 checking whether make sets \$(MAKE)... yes #38 139.4
checking whether make supports nested variables... yes #38 139.4
checking whether make supports nested variables... (cached) yes #38
139.4 checking for x86_64-pc-linux-gnu-gcc... gcc #38 139.5 checking
whether the C compiler works... yes #38 139.5 checking for C
compiler default output file name... a.out #38 139.5 checking for
suffix of executables... #38 139.5 checking whether we are cross
compiling... no #38 139.6 checking for suffix of object files... o
#38 139.6 checking whether we are using the GNU C compiler... yes
#38 139.6 checking whether gcc accepts -g... yes #38 139.6 checking
for gcc option to accept ISO C89... none needed #38 139.6 checking
whether gcc understands -c and -o together... yes #38 139.7 checking
for style of include used by make... GNU #38 139.7 checking
dependency style of gcc... gcc3 #38 139.7 checking how to run the C
preprocessor... gcc -E #38 139.7 checking for grep that handles long
lines and -e... /usr/bin/grep #38 139.7 checking for egrep...
/usr/bin/grep -E #38 139.7 checking for ANSI C header files... yes
#38 139.8 checking for sys/types.h... yes #38 139.8 checking for
sys/stat.h... yes #38 139.9 checking for stdlib.h... yes #38 139.9
checking for string.h... yes #38 139.9 checking for memory.h... yes
#38 140.0 checking for strings.h... yes #38 140.0 checking for
inttypes.h... yes #38 140.0 checking for stdint.h... yes #38 140.0
checking for unistd.h... yes #38 140.1 checking minix/config.h
usability... no #38 140.1 checking minix/config.h presence... no #38
140.1 checking for minix/config.h... no #38 140.1 checking whether
it is safe to define __EXTENSIONS__... yes #38 140.1 checking how to
print strings... printf #38 140.1 checking for a sed that does not
truncate output... /usr/bin/sed #38 140.1 checking for fgrep...
/usr/bin/grep -F #38 140.1 checking for ld used by gcc... ld #38
140.2 checking if the linker (ld) is GNU ld... yes #38 140.2
checking for BSD- or MS-compatible name lister (nm)... /usr/bin/nm -
B #38 140.2 checking the name lister (/usr/bin/nm -B) interface...
BSD nm #38 140.2 checking whether ln -s works... yes #38 140.2
checking the maximum length of command line arguments... 3145728 #38
140.2 checking whether the shell understands some XSI constructs...
yes #38 140.2 checking whether the shell understands "+="... yes #38
140.2 checking for ld option to reload object files... -r #38 140.2
checking for x86_64-pc-linux-gnu-objdump... objdump #38 140.2
checking how to recognize dependent libraries... pass_all #38 140.2
checking for x86_64-pc-linux-gnu-ar... ar --plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so #38 140.2 checking
for x86_64-pc-linux-gnu-strip... no #38 140.2 checking for strip...
strip #38 140.2 checking for x86_64-pc-linux-gnu-ranlib... ranlib --
plugin /usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so #38 140.2
checking command to parse /usr/bin/nm -B output from gcc object...
ok #38 140.3 checking for dlfcn.h... yes #38 140.3 checking for
objdir... .libs #38 140.4 checking if gcc supports -fno-rtti -fno-
exceptions... no #38 140.4 checking for gcc option to produce PIC...
-fPIC -DPIC #38 140.4 checking if gcc PIC flag -fPIC -DPIC works...
yes #38 140.4 checking if gcc static flag -static works... yes #38
140.5 checking if gcc supports -c -o file.o... yes #38 140.5
checking if gcc supports -c -o file.o... (cached) yes #38 140.5
checking whether the gcc linker (ld -m elf_x86_64) supports shared
libraries... yes #38 140.5 checking whether -lc should be explicitly
linked in... no #38 140.5 checking dynamic linker characteristics...

```

GNU/Linux ld.so #38 140.6 checking how to hardcode library paths
into programs... immediate #38 140.6 checking whether stripping
libraries is possible... yes #38 140.6 checking if libtool supports
shared libraries... yes #38 140.6 checking whether to build shared
libraries... yes #38 140.6 checking whether to build static
libraries... yes #38 140.6 checking for dlfcn.h... (cached) yes #38
140.6 checking for windows.h... no #38 140.6 checking for library
containing dlsym... none required #38 140.6 checking for special C
compiler options needed for large files... no #38 140.6 checking for
_FILE_OFFSET_BITS value needed for large files... no #38 140.7
checking sys/time.h usability... yes #38 140.7 checking sys/time.h
presence... yes #38 140.7 checking for sys/time.h... yes #38 140.7
checking for setitimer... yes #38 140.7 checking whether NLS is
requested... yes #38 140.7 checking for msgfmt... /usr/bin/msgfmt
#38 140.8 checking for gmsgfmt... /usr/bin/gmsgfmt #38 140.8 checking
for xgettext... /usr/bin/xgettext #38 140.8 checking for msgmerge...
/usr/bin/msgmerge #38 140.8 checking for ld used by GCC... ld -m
elf_x86_64 #38 140.8 checking if the linker (ld -m elf_x86_64) is
GNU ld... yes #38 140.8 checking for shared library run path
origin... done #38 140.8 checking for CFPReferencesCopyAppValue...
no #38 140.8 checking for CFLocaleCopyPreferredLanguages... no #38
140.8 checking for GNU gettext in libc... yes #38 140.9 checking
whether to use NLS... yes #38 140.9 checking where the gettext
function comes from... libc #38 140.9 checking whether NLS is
requested... yes #38 140.9 checking for catalogs to be installed...
bg da de eo es fi fr ga hu id it ja ka ms nl pt_BR ro ru rw sr sv tr
uk vi bg da de eo es fi fr ga hu id it ja ka ms nl pt_BR ro ru rw sr
sv tr uk vi #38 141.1 checking for msgfmt... (cached)
/usr/bin/msgfmt #38 141.1 checking for gmsgfmt... (cached)
/usr/bin/gmsgfmt #38 141.1 checking for xgettext... (cached)
/usr/bin/xgettext #38 141.1 checking for msgmerge... (cached)
/usr/bin/msgmerge #38 141.1 checking whether to enable maintainer-
specific portions of Makefiles... no #38 141.1 checking
sys/gmon_out.h usability... yes #38 141.1 checking sys/gmon_out.h
presence... yes #38 141.1 checking for sys/gmon_out.h... yes #38
141.1 checking for a known getopt prototype in unistd.h... yes #38
141.2 checking for library containing fabs... -lm #38 141.3 Setting
warning flags = -W -Wall -Wstrict-prototypes -Wmissing-prototypes -
Wshadow -Wstack-usage=262144 #38 141.3 configure: updating cache
./config.cache #38 141.3 checking that generated files are newer
than configure... done #38 141.3 configure: creating ./config.status
#38 141.7 config.status: creating Makefile #38 141.7 config.status:
creating po/Makefile.in #38 141.7 config.status: creating gconfig.h
#38 141.7 config.status: executing depfiles commands #38 141.8
config.status: executing libtool commands #38 141.8 config.status:
executing default-1 commands #38 141.8 config.status: creating
po/POTFILES #38 141.8 config.status: creating po/Makefile #38 141.8
config.status: executing default-2 commands #38 141.8 config.status:
creating po/POTFILES #38 141.8 config.status: creating po/Makefile
#38 141.9 make[2]: Entering directory '/workspace/binutils-
2.42/gprof' #38 141.9 make all-recursive #38 141.9 make[3]:
Entering directory '/workspace/binutils-2.42/gprof' #38 141.9 Making
all in po #38 141.9 make[4]: Entering directory
'/workspace/binutils-2.42/gprof/po' #38 141.9 make[4]: Nothing to be
done for 'all'. #38 141.9 make[4]: Leaving directory
'/workspace/binutils-2.42/gprof/po' #38 141.9 make[4]: Entering
directory '/workspace/binutils-2.42/gprof' #38 141.9 CC
basic_blocks.o #38 142.1 CC call_graph.o #38 142.1 CC
cg_arcs.o #38 142.3 CC cg_dfn.o #38 142.4 CC
cg_print.o #38 142.6 CC corefile.o #38 142.8 CC

```

```

gmon_io.o #38 143.0  CC      gprof.o #38 143.1  CC      hertz.o
#38 143.1  CC      hist.o #38 143.3  CC      source.o #38 143.4
CC      search_list.o #38 143.4  CC      symtab.o #38 143.5  CC
sym_ids.o #38 143.6  CC      utils.o #38 143.7  CC      i386.o
#38 143.8  CC      alpha.o #38 143.8  CC      vax.o #38 143.9
CC      sparc.o #38 144.0  CC      mips.o #38 144.1  CC
aarch64.o #38 144.1  CC      flat_bl.o #38 144.2  CC
bsd_callg_bl.o #38 144.2  CC      fsf_callg_bl.o #38 144.2  CCLD
gprof #38 144.3 make[4]: Leaving directory '/workspace/binutils-
2.42/gprof' #38 144.3 make[3]: Leaving directory
'/workspace/binutils-2.42/gprof' #38 144.3 make[2]: Leaving
directory '/workspace/binutils-2.42/gprof' #38 144.3 Configuring in
./gprofng #38 144.4 configure: creating cache ./config.cache #38
144.4 checking build system type... x86_64-pc-linux-gnu #38 144.4
checking host system type... x86_64-pc-linux-gnu #38 144.4 checking
target system type... x86_64-pc-linux-gnu #38 144.4 checking for a
BSD-compatible install... /usr/bin/install -c #38 144.4 checking
whether build environment is sane... yes #38 144.5 checking for a
thread-safe mkdir -p... /usr/bin/mkdir -p #38 144.5 checking for
gawk... mawk #38 144.5 checking whether make sets $(MAKE)... yes #38
144.5 checking whether make supports nested variables... yes #38
144.5 checking whether to enable maintainer-specific portions of
Makefiles... no #38 144.5 checking for style of include used by
make... GNU #38 144.5 checking for x86_64-pc-linux-gnu-gcc... gcc
#38 144.5 checking whether the C compiler works... yes #38 144.5
checking for C compiler default output file name... a.out #38 144.5
checking for suffix of executables... #38 144.6 checking whether we
are cross compiling... no #38 144.6 checking for suffix of object
files... o #38 144.6 checking whether we are using the GNU C
compiler... yes #38 144.6 checking whether gcc accepts -g... yes #38
144.6 checking for gcc option to accept ISO C89... none needed #38
144.7 checking whether gcc understands -c and -o together... yes #38
144.7 checking dependency style of gcc... gcc3 #38 144.7 checking
how to run the C preprocessor... gcc -E #38 144.8 checking for grep
that handles long lines and -e... /usr/bin/grep #38 144.8 checking
for egrep... /usr/bin/grep -E #38 144.8 checking for ANSI C header
files... yes #38 144.9 checking for sys/types.h... yes #38 144.9
checking for sys/stat.h... yes #38 144.9 checking for stdlib.h...
yes #38 144.9 checking for string.h... yes #38 145.0 checking for
memory.h... yes #38 145.0 checking for strings.h... yes #38 145.0
checking for inttypes.h... yes #38 145.1 checking for stdint.h...
yes #38 145.1 checking for unistd.h... yes #38 145.1 checking
minix/config.h usability... no #38 145.1 checking minix/config.h
presence... no #38 145.2 checking for minix/config.h... no #38 145.2
checking whether it is safe to define __EXTENSIONS__... yes #38
145.2 checking for x86_64-pc-linux-gnu-gcc... (cached) gcc #38 145.2
checking whether we are using the GNU C compiler... (cached) yes #38
145.2 checking whether gcc accepts -g... (cached) yes #38 145.2
checking for gcc option to accept ISO C89... (cached) none needed
#38 145.2 checking whether gcc understands -c and -o together...
(cached) yes #38 145.2 checking dependency style of gcc... (cached)
gcc3 #38 145.2 checking whether we are using the GNU C++ compiler...
yes #38 145.2 checking whether g++ accepts -g... yes #38 145.3
checking dependency style of g++... gcc3 #38 145.3 checking for
x86_64-pc-linux-gnu-ranlib... ranlib --plugin /usr/lib/gcc/x86_64-
linux-gnu/11/liblto_plugin.so #38 145.3 checking for x86_64-pc-
linux-gnu-ar... ar --plugin /usr/lib/gcc/x86_64-linux-
gnu/11/liblto_plugin.so #38 145.3 checking the archiver (ar --plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so) interface... ar
#38 145.3 checking for bison... bison #38 145.3 checking for bison

```


3.0.4 or newer... 3.8.2, ok #38 145.3 checking how to print strings... printf #38 145.3 checking for a sed that does not truncate output... /usr/bin/sed #38 145.3 checking for fgrep... /usr/bin/grep -F #38 145.3 checking for ld used by gcc... ld #38 145.3 checking if the linker (ld) is GNU ld... yes #38 145.3 checking for BSD- or MS-compatible name lister (nm)... /usr/bin/nm -B #38 145.4 checking the name lister (/usr/bin/nm -B) interface... BSD nm #38 145.4 checking whether ln -s works... yes #38 145.4 checking the maximum length of command line arguments... 3145728 #38 145.4 checking whether the shell understands some XSI constructs... yes #38 145.4 checking whether the shell understands "+="... yes #38 145.4 checking for ld option to reload object files... -r #38 145.4 checking for x86_64-pc-linux-gnu-objdump... objdump #38 145.4 checking how to recognize dependent libraries... pass_all #38 145.4 checking for x86_64-pc-linux-gnu-ar... (cached) ar --plugin /usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so #38 145.4 checking for x86_64-pc-linux-gnu-strip... no #38 145.4 checking for strip... strip #38 145.4 checking for x86_64-pc-linux-gnu-ranlib... (cached) ranlib --plugin /usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so #38 145.4 checking command to parse /usr/bin/nm -B output from gcc object... ok #38 145.5 checking for dlfcn.h... yes #38 145.5 checking for objdir... .libs #38 145.5 checking if gcc supports -fno-rtti -fno-exceptions... no #38 145.6 checking for gcc option to produce PIC... -fPIC -DPIC #38 145.6 checking if gcc PIC flag -fPIC -DPIC works... yes #38 145.6 checking if gcc static flag -static works... yes #38 145.7 checking if gcc supports -c -o file.o... yes #38 145.7 checking if gcc supports -c -o file.o... (cached) yes #38 145.7 checking whether the gcc linker (ld -m elf_x86_64) supports shared libraries... yes #38 145.7 checking whether -lc should be explicitly linked in... no #38 145.7 checking dynamic linker characteristics... GNU/Linux ld.so #38 145.8 checking how to hardcode library paths into programs... immediate #38 145.8 checking whether stripping libraries is possible... yes #38 145.8 checking if libtool supports shared libraries... yes #38 145.8 checking whether to build shared libraries... yes #38 145.8 checking whether to build static libraries... yes #38 145.8 checking how to run the C++ preprocessor... g++ -E #38 145.9 checking for ld used by g++... ld -m elf_x86_64 #38 145.9 checking if the linker (ld -m elf_x86_64) is GNU ld... yes #38 145.9 checking whether the g++ linker (ld -m elf_x86_64) supports shared libraries... yes #38 145.9 checking for g++ option to produce PIC... -fPIC -DPIC #38 145.9 checking if g++ PIC flag -fPIC -DPIC works... yes #38 145.9 checking if g++ static flag -static works... yes #38 146.0 checking if g++ supports -c -o file.o... yes #38 146.0 checking if g++ supports -c -o file.o... (cached) yes #38 146.0 checking whether the g++ linker (ld -m elf_x86_64) supports shared libraries... yes #38 146.0 checking dynamic linker characteristics... (cached) GNU/Linux ld.so #38 146.0 checking how to hardcode library paths into programs... immediate #38 146.0 checking whether gcc supports -Wall... yes #38 146.1 checking whether gcc supports -Wswitch... yes #38 146.1 checking whether gcc is Clang... no #38 146.1 checking whether pthreads work with -pthread... yes #38 146.1 checking for joinable pthread attribute... PTHREAD_CREATE_JOINABLE #38 146.2 checking whether more special flags are required for pthreads... no #38 146.2 checking for PTHREAD_PRIO_INHERIT... yes #38 146.2 checking for javac... javac #38 146.2 checking for java... java #38 146.2 checking for jni.h... no #38 146.2 configure: WARNING: Cannot find the JDK include directory. #38 146.2 gprofng will be build without support for profiling Java applications. #38 146.2 Use --with-jdk=PATH to specify directory for the installed JDK #38 146.2 checking linker --

```

as-needed support... yes #38 146.2 checking for expect... no #38
146.2 checking for Tcl supporting try/catch... no #38 146.2 checking
for makeinfo... makeinfo --split-size=5000000 #38 146.3 checking
whether basename is declared... yes #38 146.3 checking for
clock_gettime... yes #38 146.4 checking for strsignal... yes #38
146.4 configure: updating cache ./config.cache #38 146.4 checking
that generated files are newer than configure... done #38 146.4
configure: creating ./config.status #38 147.0 config.status:
creating Makefile #38 147.0 config.status: creating src/Makefile #38
147.0 config.status: creating gp-display-html/Makefile #38 147.0
config.status: creating doc/Makefile #38 147.0 config.status:
creating config.h #38 147.1 config.status: executing depfiles
commands #38 147.2 config.status: executing libtool commands #38
147.2 === configuring in libcollector (/workspace/binutils-
2.42/gprofng/libcollector) #38 147.2 configure: running /bin/bash
./configure --disable-option-checking '--
prefix=/usr/local/extrae/binutils' '--with-gnu-as' '--with-gnu-ld'
'--enable-shared' '--program-transform-name=s,y,y,' '--build=x86_64-
pc-linux-gnu' '--host=x86_64-pc-linux-gnu' '--target=x86_64-pc-
linux-gnu' 'build_alias=x86_64-pc-linux-gnu' 'host_alias=x86_64-pc-
linux-gnu' 'target_alias=x86_64-pc-linux-gnu' 'CC=gcc' 'CFLAGS=-g -
O2 -Wno-error' 'LDFLAGS=' 'CXX=g++' 'CXXFLAGS=-g -O2 -Wno-error'
'--cache-file=../config.cache --srcdir=. #38 147.3 configure:
loading cache ../config.cache #38 147.3 checking build system
type... (cached) x86_64-pc-linux-gnu #38 147.3 checking host system
type... (cached) x86_64-pc-linux-gnu #38 147.3 checking target
system type... (cached) x86_64-pc-linux-gnu #38 147.3 checking for a
BSD-compatible install... /usr/bin/install -c #38 147.3 checking
whether build environment is sane... yes #38 147.4 checking for a
thread-safe mkdir -p... (cached) /usr/bin/mkdir -p #38 147.4
checking for gawk... (cached) mawk #38 147.4 checking whether make
sets $(MAKE)... (cached) yes #38 147.4 checking whether make
supports nested variables... (cached) yes #38 147.4 checking whether
to enable maintainer-specific portions of Makefiles... no #38 147.4
checking for style of include used by make... GNU #38 147.4 checking
for x86_64-pc-linux-gnu-gcc... (cached) gcc #38 147.4 checking
whether the C compiler works... yes #38 147.4 checking for C
compiler default output file name... a.out #38 147.4 checking for
suffix of executables... #38 147.5 checking whether we are cross
compiling... no #38 147.5 checking for suffix of object files...
(cached) o #38 147.5 checking whether we are using the GNU C
compiler... (cached) yes #38 147.5 checking whether gcc accepts -
g... (cached) yes #38 147.5 checking for gcc option to accept ISO
C89... (cached) none needed #38 147.5 checking whether gcc
understands -c and -o together... (cached) yes #38 147.5 checking
dependency style of gcc... (cached) gcc3 #38 147.5 checking how to
run the C preprocessor... (cached) gcc -E #38 147.5 checking for
grep that handles long lines and -e... (cached) /usr/bin/grep #38
147.5 checking for egrep... (cached) /usr/bin/grep -E #38 147.5
checking for ANSI C header files... (cached) yes #38 147.5 checking
for sys/types.h... (cached) yes #38 147.5 checking for sys/stat.h...
(cached) yes #38 147.5 checking for stdlib.h... (cached) yes #38
147.5 checking for string.h... (cached) yes #38 147.5 checking for
memory.h... (cached) yes #38 147.5 checking for strings.h...
(cached) yes #38 147.6 checking for inttypes.h... (cached) yes #38
147.6 checking for stdint.h... (cached) yes #38 147.6 checking for
unistd.h... (cached) yes #38 147.6 checking for minix/config.h...
(cached) no #38 147.6 checking whether it is safe to define
__EXTENSIONS__... (cached) yes #38 147.6 checking for x86_64-pc-
linux-gnu-gcc... (cached) gcc #38 147.6 checking whether we are

```

using the GNU C compiler... (cached) yes #38 147.6 checking whether
gcc accepts -g... (cached) yes #38 147.6 checking for gcc option to
accept ISO C89... (cached) none needed #38 147.6 checking whether
gcc understands -c and -o together... (cached) yes #38 147.6
checking dependency style of gcc... (cached) gcc3 #38 147.6 checking
whether we are using the GNU C++ compiler... (cached) yes #38 147.6
checking whether g++ accepts -g... (cached) yes #38 147.6 checking
dependency style of g++... (cached) gcc3 #38 147.6 checking for
x86_64-pc-linux-gnu-ranlib... (cached) ranlib --plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so #38 147.6 checking
for x86_64-pc-linux-gnu-ar... (cached) ar --plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so #38 147.6 checking
the archiver (ar --plugin /usr/lib/gcc/x86_64-linux-
gnu/11/liblto_plugin.so) interface... (cached) ar #38 147.6 checking
how to print strings... printf #38 147.6 checking for a sed that
does not truncate output... (cached) /usr/bin/sed #38 147.6 checking
for fgrep... (cached) /usr/bin/grep -F #38 147.6 checking for ld
used by gcc... (cached) ld #38 147.6 checking if the linker (ld) is
GNU ld... (cached) yes #38 147.6 checking for BSD- or MS-compatible
name lister (nm)... (cached) /usr/bin/nm -B #38 147.6 checking the
name lister (/usr/bin/nm -B) interface... (cached) BSD nm #38 147.6
checking whether ln -s works... yes #38 147.6 checking the maximum
length of command line arguments... (cached) 3145728 #38 147.6
checking whether the shell understands some XSI constructs... yes
#38 147.6 checking whether the shell understands "+="... yes #38
147.6 checking for ld option to reload object files... (cached) -r
#38 147.6 checking for x86_64-pc-linux-gnu-objdump... (cached)
objdump #38 147.6 checking how to recognize dependent libraries...
(cached) pass_all #38 147.6 checking for x86_64-pc-linux-gnu-ar...
(cached) ar --plugin /usr/lib/gcc/x86_64-linux-
gnu/11/liblto_plugin.so #38 147.6 checking for x86_64-pc-linux-gnu-
strip... no #38 147.6 checking for strip... (cached) strip #38 147.6
checking for x86_64-pc-linux-gnu-ranlib... (cached) ranlib --plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so #38 147.6 checking
command to parse /usr/bin/nm -B output from gcc object... (cached)
ok #38 147.7 checking for dlfcn.h... (cached) yes #38 147.7 checking
for objdir... (cached) .libs #38 147.7 checking if gcc supports -
fno-rtti -fno-exceptions... (cached) no #38 147.7 checking for gcc
option to produce PIC... -fPIC -DPIC #38 147.7 checking if gcc PIC
flag -fPIC -DPIC works... (cached) yes #38 147.7 checking if gcc
static flag -static works... (cached) yes #38 147.7 checking if gcc
supports -c -o file.o... (cached) yes #38 147.7 checking if gcc
supports -c -o file.o... (cached) yes #38 147.7 checking whether the
gcc linker (ld -m elf_x86_64) supports shared libraries... yes #38
147.7 checking whether -lc should be explicitly linked in...
(cached) no #38 147.7 checking dynamic linker characteristics...
GNU/Linux ld.so #38 147.7 checking how to hardcode library
paths into programs... immediate #38 147.7 checking whether
stripping libraries is possible... yes #38 147.7 checking if libtool
supports shared libraries... yes #38 147.7 checking whether to build
shared libraries... yes #38 147.7 checking whether to build static
libraries... yes #38 147.7 checking how to run the C++
preprocessor... (cached) g++ -E #38 147.8 checking for ld used by
g++... (cached) ld -m elf_x86_64 #38 147.8 checking if the linker
(ld -m elf_x86_64) is GNU ld... (cached) yes #38 147.8 checking
whether the g++ linker (ld -m elf_x86_64) supports shared
libraries... yes #38 147.9 checking for g++ option to produce PIC...
-fPIC -DPIC #38 147.9 checking if g++ PIC flag -fPIC -DPIC works...
(cached) yes #38 147.9 checking if g++ static flag -static works...
(cached) yes #38 147.9 checking if g++ supports -c -o file.o...

```

(cached) yes #38 147.9 checking if g++ supports -c -o file.o...
(cached) yes #38 147.9 checking whether the g++ linker (ld -m
elf_x86_64) supports shared libraries... yes #38 147.9 checking
dynamic linker characteristics... (cached) GNU/Linux ld.so #38 147.9
checking how to hardcode library paths into programs... immediate
#38 147.9 checking whether gcc supports -Wnonnull-compare... yes #38
147.9 configure: updating cache ../config.cache #38 147.9 checking
that generated files are newer than configure... done #38 148.4
configure: creating ./config.status #38 148.9 config.status:
creating Makefile #38 148.9 config.status: creating lib-config.h #38
148.9 config.status: executing depfiles commands #38 149.0
config.status: executing libtool commands #38 149.0 make[2]:
Entering directory '/workspace/binutils-2.42/gprofng' #38 149.0 make
jdk_inc="" LD_NO_AS_NEEDED="-WL,--no-as-needed" GPROFNG_CFLAGS="-
Wall" GPROFNG_CPPFLAGS="-U_ASM" all-recursive #38 149.0 make[3]:
Entering directory '/workspace/binutils-2.42/gprofng' #38 149.0
Making all in libcollector #38 149.0 make[4]: Entering directory
'/workspace/binutils-2.42/gprofng/libcollector' #38 149.0 make all-
am #38 149.0 make[5]: Entering directory '/workspace/binutils-
2.42/gprofng/libcollector' #38 149.0 /bin/bash ./libtool --tag=CC
--mode=compile gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -
I../common -I../src -I../include -I../bfd -I../.. -
Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT
libgp_collector_la-gethrtime.lo -MD -MP -MF
.deps/libgp_collector_la-gethrtime.Tpo -c -o libgp_collector_la-
gethrtime.lo test -f 'gethrtime.c' || echo './gethrtime.c' #38 149.1
libtool: compile: gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -
I../common -I../src -I../include -I../bfd -I../.. -
Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT libgp_collector_la-
gethrtime.lo -MD -MP -MF .deps/libgp_collector_la-gethrtime.Tpo -c
gethrtime.c -fPIC -DPIC -o .libs/libgp_collector_la-gethrtime.o #38
149.1 libtool: compile: gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -
I../common -I../src -I../include -I../bfd -I../.. -
Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT libgp_collector_la-
gethrtime.lo -MD -MP -MF .deps/libgp_collector_la-gethrtime.Tpo -c
gethrtime.c -o libgp_collector_la-gethrtime.o >/dev/null 2>&1 #38
149.1 mv -f .deps/libgp_collector_la-gethrtime.Tpo
.deps/libgp_collector_la-gethrtime.Plo #38 149.1 /bin/bash ./libtool
--tag=CC --mode=compile gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -
I../common -I../src -I../include -I../bfd -I../.. -
Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT
libgp_collector_la-dispatcher.lo -MD -MP -MF
.deps/libgp_collector_la-dispatcher.Tpo -c -o libgp_collector_la-
dispatcher.lo test -f 'dispatcher.c' || echo './dispatcher.c' #38 149.1
libtool: compile: gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -
I../common -I../src -I../include -I../bfd -I../.. -
Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT libgp_collector_la-
dispatcher.lo -MD -MP -MF .deps/libgp_collector_la-dispatcher.Tpo -c
dispatcher.c -fPIC -DPIC -o .libs/libgp_collector_la-dispatcher.o
#38 149.3 libtool: compile: gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -
I../common -I../src -I../include -I../bfd -I../.. -
Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT libgp_collector_la-
dispatcher.lo -MD -MP -MF .deps/libgp_collector_la-dispatcher.Tpo -c
dispatcher.c -o libgp_collector_la-dispatcher.o >/dev/null 2>&1 #38
149.6 mv -f .deps/libgp_collector_la-dispatcher.Tpo
.deps/libgp_collector_la-dispatcher.Plo #38 149.6 /bin/bash
./libtool --tag=CC --mode=compile gcc -DHAVE_CONFIG_H -I. -U_ASM
-I.. -I. -I../common -I../src -I../include -I../bfd -
I../.. -Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT
libgp_collector_la-iolib.lo -MD -MP -MF .deps/libgp_collector_la-

```

```

iolib.Tpo -c -o libgp_collector_la-iolib.lotest -f 'iolib.c' || echo
'./iolib.c #38 149.6 libtool: compile: gcc -DHAVE_CONFIG_H -I. -
-U_ASM -I.. -I. -I../common -I../src -I../..../include -
I../..../bfd -I../..../ -Wall -Wno-nonnull-compare -g -O2 -Wno-error -
MT libgp_collector_la-iolib.lo -MD -MP -MF .deps/libgp_collector_la-
iolib.Tpo -c iolib.c -fPIC -DPIC -o .libs/libgp_collector_la-
iolib.o #38 149.8 libtool: compile: gcc -DHAVE_CONFIG_H -I. -U_ASM
-I.. -I. -I../common -I../src -I../..../include -I../..../bfd -
I../..../ -Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT
libgp_collector_la-iolib.lo -MD -MP -MF .deps/libgp_collector_la-
iolib.Tpo -c iolib.c -o libgp_collector_la-iolib.o >/dev/null 2>&1
#38 150.0 mv -f .deps/libgp_collector_la-iolib.Tpo
.deps/libgp_collector_la-iolib.Plo #38 150.0 /bin/bash ./libtool --
tag=CC --mode=compile gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -
I../common -I../src -I../..../include -I../..../bfd -I../..../ -
Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT
libgp_collector_la-mmaptrace.lo -MD -MP -MF
.deps/libgp_collector_la-mmaptrace.Tpo -c -o libgp_collector_la-
mmaptrace.lotest -f 'mmaptrace.c' || echo './mmaptrace.c #38 150.0
libtool: compile: gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -
I../common -I../src -I../..../include -I../..../bfd -I../..../ -
Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT libgp_collector_la-
mmaptrace.lo -MD -MP -MF .deps/libgp_collector_la-mmaptrace.Tpo -c
mmaptrace.c -fPIC -DPIC -o .libs/libgp_collector_la-mmaptrace.o #38
150.3 libtool: compile: gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -
I../common -I../src -I../..../include -I../..../bfd -I../..../ -
Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT libgp_collector_la-
mmaptrace.lo -MD -MP -MF .deps/libgp_collector_la-mmaptrace.Tpo -c
mmaptrace.c -o libgp_collector_la-mmaptrace.o >/dev/null 2>&1 #38
150.6 mv -f .deps/libgp_collector_la-mmaptrace.Tpo
.deps/libgp_collector_la-mmaptrace.Plo #38 150.6 /bin/bash ./libtool
--tag=CC --mode=compile gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -
I../common -I../src -I../..../include -I../..../bfd -I../..../ -
Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT
libgp_collector_la-memmgr.lo -MD -MP -MF .deps/libgp_collector_la-
memmgr.Tpo -c -o libgp_collector_la-memmgr.lotest -f 'memmgr.c' ||
echo './memmgr.c #38 150.6 libtool: compile: gcc -DHAVE_CONFIG_H -
I. -U_ASM -I.. -I. -I../common -I../src -I../..../include -
I../..../bfd -I../..../ -Wall -Wno-nonnull-compare -g -O2 -Wno-error -
MT libgp_collector_la-memmgr.lo -MD -MP -MF
.deps/libgp_collector_la-memmgr.Tpo -c memmgr.c -fPIC -DPIC -o
.libs/libgp_collector_la-memmgr.o #38 150.7 libtool: compile: gcc -
DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -I../common -I../src -
I../..../include -I../..../bfd -I../..../ -Wall -Wno-nonnull-compare -g
-O2 -Wno-error -MT libgp_collector_la-memmgr.lo -MD -MP -MF
.deps/libgp_collector_la-memmgr.Tpo -c memmgr.c -o
libgp_collector_la-memmgr.o >/dev/null 2>&1 #38 150.8 mv -f
.deps/libgp_collector_la-memmgr.Tpo .deps/libgp_collector_la-
memmgr.Plo #38 150.8 /bin/bash ./libtool --tag=CC --mode=compile
gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -I../common -I../src -
I../..../include -I../..../bfd -I../..../ -Wall -Wno-nonnull-compare
-g -O2 -Wno-error -MT libgp_collector_la-tds.lo -MD -MP -MF
.deps/libgp_collector_la-tds.Tpo -c -o libgp_collector_la-tds.lotest
-f 'tds.c' || echo './tds.c #38 150.8 libtool: compile: gcc -
DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -I../common -I../src -
I../..../include -I../..../bfd -I../..../ -Wall -Wno-nonnull-compare -g
-O2 -Wno-error -MT libgp_collector_la-tds.lo -MD -MP -MF
.deps/libgp_collector_la-tds.Tpo -c tds.c -fPIC -DPIC -o
.libs/libgp_collector_la-tds.o #38 150.9 libtool: compile: gcc -
DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -I../common -I../src -

```

```

I./.././include -I./../bfd -I./../.. -Wall -Wno-nonnull-compare -g
-O2 -Wno-error -MT libgp_collector_la-tds.lo -MD -MP -MF
.deps/libgp_collector_la-tds.Tpo -c tds.c -o libgp_collector_la-
tds.o >/dev/null 2>&1 #38 150.9 mv -f .deps/libgp_collector_la-
tds.Tpo .deps/libgp_collector_la-tds.Plo #38 150.9 /bin/bash
./libtool --tag=CC --mode=compile gcc -DHAVE_CONFIG_H -I. -U_ASM
-I.. -I. -I./../common -I./../src -I./.././include -I./../bfd -
I./../.. -Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT
libgp_collector_la-profile.lo -MD -MP -MF .deps/libgp_collector_la-
profile.Tpo -c -o libgp_collector_la-profile.lo test -f 'profile.c' ||
echo './profile.c' #38 150.9 libtool: compile: gcc -DHAVE_CONFIG_H -
I. -U_ASM -I.. -I. -I./../common -I./../src -I./.././include -
I./../bfd -I./../.. -Wall -Wno-nonnull-compare -g -O2 -Wno-error -
MT libgp_collector_la-profile.lo -MD -MP -MF
.deps/libgp_collector_la-profile.Tpo -c profile.c -fPIC -DPIC -o
.libs/libgp_collector_la-profile.o #38 151.0 libtool: compile: gcc
-DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -I./../common -I./../src -
I./.././include -I./../bfd -I./../.. -Wall -Wno-nonnull-compare -g
-O2 -Wno-error -MT libgp_collector_la-profile.lo -MD -MP -MF
.deps/libgp_collector_la-profile.Tpo -c profile.c -o
libgp_collector_la-profile.o >/dev/null 2>&1 #38 151.1 mv -f
.deps/libgp_collector_la-profile.Tpo .deps/libgp_collector_la-
profile.Plo #38 151.1 /bin/bash ./libtool --tag=CC --mode=compile
gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -I./../common -I./../src -
I./.././include -I./../bfd -I./../.. -Wall -Wno-nonnull-compare
-g -O2 -Wno-error -MT libgp_collector_la-envmngmt.lo -MD -MP -MF
.deps/libgp_collector_la-envmngmt.Tpo -c -o libgp_collector_la-
envmngmt.lo test -f 'envmngmt.c' || echo './envmngmt.c' #38 151.1 libtool:
compile: gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -I./../common -
I./../src -I./.././include -I./../bfd -I./../.. -Wall -Wno-
nonnull-compare -g -O2 -Wno-error -MT libgp_collector_la-envmngmt.lo
-MD -MP -MF .deps/libgp_collector_la-envmngmt.Tpo -c envmngmt.c -fPIC
-DPIC -o .libs/libgp_collector_la-envmngmt.o #38 151.2 libtool:
compile: gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -I./../common -
I./../src -I./.././include -I./../bfd -I./../.. -Wall -Wno-
nonnull-compare -g -O2 -Wno-error -MT libgp_collector_la-envmngmt.lo
-MD -MP -MF .deps/libgp_collector_la-envmngmt.Tpo -c envmngmt.c -o
libgp_collector_la-envmngmt.o >/dev/null 2>&1 #38 151.4 mv -f
.deps/libgp_collector_la-envmngmt.Tpo .deps/libgp_collector_la-
envmngmt.Plo #38 151.4 /bin/bash ./libtool --tag=CC --mode=compile
gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -I./../common -I./../src -
I./.././include -I./../bfd -I./../.. -Wall -Wno-nonnull-compare
-g -O2 -Wno-error -MT libgp_collector_la-linetrace.lo -MD -MP -
MF .deps/libgp_collector_la-linetrace.Tpo -c -o libgp_collector_la-
linetrace.lo test -f 'linetrace.c' || echo './linetrace.c' #38 151.4
libtool: compile: gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -
I./../common -I./../src -I./.././include -I./../bfd -I./../.. -
Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT libgp_collector_la-
linetrace.lo -MD -MP -MF .deps/libgp_collector_la-linetrace.Tpo -c
linetrace.c -fPIC -DPIC -o .libs/libgp_collector_la-linetrace.o #38
151.5 linetrace.c: In function 'linetrace_ext_fork_epilogue': #38
151.5 linetrace.c:931:11: warning: ignoring return value of
'strerror_r' declared with attribute 'warn_unused_result' [-Wunused-
result] #38 151.5 931 |          strerror_r (errno, errmsg,
sizeof (errmsg)); #38 151.5 |
^~~~~~ #38 151.5 linetrace.c:
In function 'linetrace_ext_exec_epilogue': #38 151.5
linetrace.c:1048:7: warning: ignoring return value of 'strerror_r'
declared with attribute 'warn_unused_result' [-Wunused-result] #38
151.5 1048 |          strerror_r (errno, errmsg, sizeof (errmsg)); #38

```

```

151.5      |      ^~~~~~ #38
151.7 libtool: compile: gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -
I../common -I../src -I../include -I../bfd -I../.. -
Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT libgp_collector_la-
linetrace.lo -MD -MP -MF .deps/libgp_collector_la-linetrace.Tpo -c
linetrace.c -o libgp_collector_la-linetrace.o >/dev/null 2>&1 #38
152.0 mv -f .deps/libgp_collector_la-linetrace.Tpo
.deps/libgp_collector_la-linetrace.Plo #38 152.0 /bin/bash ./libtool
--tag=CC --mode=compile gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -
I../common -I../src -I../include -I../bfd -I../.. -
Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT
libgp_collector_la-libcol_hwcdrv.lo -MD -MP -MF
.deps/libgp_collector_la-libcol_hwcdrv.Tpo -c -o libgp_collector_la-
libcol_hwcdrv.lo test -f 'libcol_hwcdrv.c' || echo './libcol_hwcdrv.c' #38
152.1 libtool: compile: gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -
I../common -I../src -I../include -I../bfd -I../.. -
Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT libgp_collector_la-
libcol_hwcdrv.lo -MD -MP -MF .deps/libgp_collector_la-
libcol_hwcdrv.Tpo -c libcol_hwcdrv.c -fPIC -DPIC -o
.libs/libgp_collector_la-libcol_hwcdrv.o #38 152.4 libtool: compile:
gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -I../common -I../src -
I../include -I../bfd -I../.. -Wall -Wno-nonnull-compare -g
-O2 -Wno-error -MT libgp_collector_la-libcol_hwcdrv.lo -MD -MP -MF
.deps/libgp_collector_la-libcol_hwcdrv.Tpo -c libcol_hwcdrv.c -o
libgp_collector_la-libcol_hwcdrv.o >/dev/null 2>&1 #38 152.7 mv -f
.deps/libgp_collector_la-libcol_hwcdrv.Tpo .deps/libgp_collector_la-
libcol_hwcdrv.Plo #38 152.7 /bin/bash ./libtool --tag=CC --
mode=compile gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -I../common
-I../src -I../include -I../bfd -I../.. -Wall -Wno-
nonnull-compare -g -O2 -Wno-error -MT libgp_collector_la-
libcol_hwcfuns.lo -MD -MP -MF .deps/libgp_collector_la-
libcol_hwcfuns.Tpo -c -o libgp_collector_la-libcol_hwcfuns.lo test -f
'libcol_hwcfuns.c' || echo './libcol_hwcfuns.c' #38 152.7 libtool:
compile: gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -I../common -
I../src -I../include -I../bfd -I../.. -Wall -Wno-
nonnull-compare -g -O2 -Wno-error -MT libgp_collector_la-
libcol_hwcfuns.lo -MD -MP -MF .deps/libgp_collector_la-
libcol_hwcfuns.Tpo -c libcol_hwcfuns.c -fPIC -DPIC -o
.libs/libgp_collector_la-libcol_hwcfuns.o #38 152.8 libtool:
compile: gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -I../common -
I../src -I../include -I../bfd -I../.. -Wall -Wno-
nonnull-compare -g -O2 -Wno-error -MT libgp_collector_la-
libcol_hwcfuns.lo -MD -MP -MF .deps/libgp_collector_la-
libcol_hwcfuns.Tpo -c libcol_hwcfuns.c -o libgp_collector_la-
libcol_hwcfuns.o >/dev/null 2>&1 #38 153.0 mv -f
.deps/libgp_collector_la-libcol_hwcfuns.Tpo
.deps/libgp_collector_la-libcol_hwcfuns.Plo #38 153.0 /bin/bash
./libtool --tag=CC --mode=compile gcc -DHAVE_CONFIG_H -I. -U_ASM
-I.. -I. -I../common -I../src -I../include -I../bfd -
I../.. -Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT
libgp_collector_la-libcol-i386-dis.lo -MD -MP -MF
.deps/libgp_collector_la-libcol-i386-dis.Tpo -c -o
libgp_collector_la-libcol-i386-dis.lo test -f 'libcol-i386-dis.c' || echo
'./libcol-i386-dis.c' #38 153.0 libtool: compile: gcc -
DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -I../common -I../src -
I../include -I../bfd -I../.. -Wall -Wno-nonnull-compare -g
-O2 -Wno-error -MT libgp_collector_la-libcol-i386-dis.lo -MD -MP -MF
.deps/libgp_collector_la-libcol-i386-dis.Tpo -c libcol-i386-dis.c -
fPIC -DPIC -o .libs/libgp_collector_la-libcol-i386-dis.o #38 154.3
libtool: compile: gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -

```

```

I./../common -I./../src -I./../../include -I./../bfd -I./../.. -
Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT libgp_collector_la-
libcol-i386-dis.lo -MD -MP -MF .deps/libgp_collector_la-libcol-i386-
dis.Tpo -c libcol-i386-dis.c -o libgp_collector_la-libcol-i386-dis.o
>/dev/null 2>&1 #38 155.7 mv -f .deps/libgp_collector_la-libcol-
i386-dis.Tpo .deps/libgp_collector_la-libcol-i386-dis.Plo #38 155.7
/bin/bash ./libtool --tag=CC --mode=compile gcc -DHAVE_CONFIG_H -
I. -U_ASM -I.. -I. -I./../common -I./../src -I./../../include -
I./../bfd -I./../.. -Wall -Wno-nonnull-compare -g -O2 -Wno-error
-MT libgp_collector_la-hwprofile.lo -MD -MP -MF
.deps/libgp_collector_la-hwprofile.Tpo -c -o libgp_collector_la-
hwprofile.lo test -f 'hwprofile.c' || echo './hwprofile.c #38 155.7
libtool: compile: gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -
I./../common -I./../src -I./../../include -I./../bfd -I./../.. -
Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT libgp_collector_la-
hwprofile.lo -MD -MP -MF .deps/libgp_collector_la-hwprofile.Tpo -c
hwprofile.c -fPIC -DPIC -o .libs/libgp_collector_la-hwprofile.o #38
155.9 libtool: compile: gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -
I./../common -I./../src -I./../../include -I./../bfd -I./../.. -
Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT libgp_collector_la-
hwprofile.lo -MD -MP -MF .deps/libgp_collector_la-hwprofile.Tpo -c
hwprofile.c -o libgp_collector_la-hwprofile.o >/dev/null 2>&1 #38
156.0 mv -f .deps/libgp_collector_la-hwprofile.Tpo
.deps/libgp_collector_la-hwprofile.Plo #38 156.0 /bin/bash ./libtool
--tag=CC --mode=compile gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -
I./../common -I./../src -I./../../include -I./../bfd -I./../.. -
Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT
libgp_collector_la-jprofile.lo -MD -MP -MF .deps/libgp_collector_la-
jprofile.Tpo -c -o libgp_collector_la-jprofile.lo test -f 'jprofile.c' ||
echo './jprofile.c #38 156.0 libtool: compile: gcc -DHAVE_CONFIG_H
-I. -U_ASM -I.. -I. -I./../common -I./../src -I./../../include -
I./../bfd -I./../.. -Wall -Wno-nonnull-compare -g -O2 -Wno-error -
MT libgp_collector_la-jprofile.lo -MD -MP -MF
.deps/libgp_collector_la-jprofile.Tpo -c jprofile.c -fPIC -DPIC -o
.libs/libgp_collector_la-jprofile.o #38 156.0 libtool: compile: gcc
-DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -I./../common -I./../src -
I./../../include -I./../bfd -I./../.. -Wall -Wno-nonnull-compare -g
-O2 -Wno-error -MT libgp_collector_la-jprofile.lo -MD -MP -MF
.deps/libgp_collector_la-jprofile.Tpo -c jprofile.c -o
libgp_collector_la-jprofile.o >/dev/null 2>&1 #38 156.1 mv -f
.deps/libgp_collector_la-jprofile.Tpo .deps/libgp_collector_la-
jprofile.Plo #38 156.1 /bin/bash ./libtool --tag=CC --
mode=compile gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -I./../common
-I./../src -I./../../include -I./../bfd -I./../.. -Wall -Wno-
nonnull-compare -g -O2 -Wno-error -MT libgp_collector_la-
unwind.lo -MD -MP -MF .deps/libgp_collector_la-unwind.Tpo -c -o
libgp_collector_la-unwind.lo test -f 'unwind.c' || echo './unwind.c #38
156.1 libtool: compile: gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -
I./../common -I./../src -I./../../include -I./../bfd -I./../.. -
Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT libgp_collector_la-
unwind.lo -MD -MP -MF .deps/libgp_collector_la-unwind.Tpo -c
unwind.c -fPIC -DPIC -o .libs/libgp_collector_la-unwind.o #38 156.8
libtool: compile: gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -
I./../common -I./../src -I./../../include -I./../bfd -I./../.. -
Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT libgp_collector_la-
unwind.lo -MD -MP -MF .deps/libgp_collector_la-unwind.Tpo -c
unwind.c -o libgp_collector_la-unwind.o >/dev/null 2>&1 #38 157.5 mv
-f .deps/libgp_collector_la-unwind.Tpo .deps/libgp_collector_la-
unwind.Plo #38 157.5 /bin/bash ./libtool --tag=CC --mode=compile
gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -I./../common -I./../src -

```



```

I./.././include -I./../bfd -I./../.. -Wall -Wno-nonnull-compare
-g -O2 -Wno-error -MT libgp_collector_la-libcol_util.lo -MD -MP
-MF .deps/libgp_collector_la-libcol_util.Tpo -c -o
libgp_collector_la-libcol_util.lo test -f 'libcol_util.c' || echo
'./libcol_util.c #38 157.5 libtool: compile: gcc -DHAVE_CONFIG_H -
I. -U_ASM -I.. -I. -I./../common -I./../src -I./.././include -
I./../bfd -I./../.. -Wall -Wno-nonnull-compare -g -O2 -Wno-error -
MT libgp_collector_la-libcol_util.lo -MD -MP -MF
.deps/libgp_collector_la-libcol_util.Tpo -c libcol_util.c -fPIC -
DPIC -o .libs/libgp_collector_la-libcol_util.o #38 157.8 libtool:
compile: gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -I./../common -
I./../src -I./.././include -I./../bfd -I./../.. -Wall -Wno-
nonnull-compare -g -O2 -Wno-error -MT libgp_collector_la-
libcol_util.lo -MD -MP -MF .deps/libgp_collector_la-libcol_util.Tpo
-c libcol_util.c -o libgp_collector_la-libcol_util.o >/dev/null 2>&1
#38 158.1 mv -f .deps/libgp_collector_la-libcol_util.Tpo
.deps/libgp_collector_la-libcol_util.Plo #38 158.2 /bin/bash
./libtool --tag=CC --mode=compile gcc -DHAVE_CONFIG_H -I. -U_ASM
-I.. -I. -I./../common -I./../src -I./.././include -I./../bfd -
I./../.. -Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT
libgp_collector_la-collector.lo -MD -MP -MF
.deps/libgp_collector_la-collector.Tpo -c -o libgp_collector_la-
collector.lo test -f 'collector.c' || echo './collector.c #38 158.2
libtool: compile: gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -
I./../common -I./../src -I./.././include -I./../bfd -I./../.. -
Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT libgp_collector_la-
collector.lo -MD -MP -MF .deps/libgp_collector_la-collector.Tpo -c
collector.c -fPIC -DPIC -o .libs/libgp_collector_la-collector.o #38
158.5 libtool: compile: gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -
I./../common -I./../src -I./.././include -I./../bfd -I./../.. -
Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT libgp_collector_la-
collector.lo -MD -MP -MF .deps/libgp_collector_la-collector.Tpo -c
collector.c -o libgp_collector_la-collector.o >/dev/null 2>&1 #38
158.9 mv -f .deps/libgp_collector_la-collector.Tpo
.deps/libgp_collector_la-collector.Plo #38 158.9 /bin/bash ./libtool
--tag=CC --mode=link gcc -Wall -Wno-nonnull-compare -g -O2 -Wno-
error -module -avoid-version -Wl,--version-
script,./libgprofng.ver -Wl,--no-as-needed -Wl,-lrt -Wl,-ldl -o
libgp-collector.la -rpath /usr/local/extrae/binutils/lib/gprofng
libgp_collector_la-gethrtime.lo libgp_collector_la-dispatcher.lo
libgp_collector_la-iolib.lo libgp_collector_la-mmaptrace.lo
libgp_collector_la-memmgr.lo libgp_collector_la-tsd.lo
libgp_collector_la-profile.lo libgp_collector_la-envmgt.lo
libgp_collector_la-linetrace.lo libgp_collector_la-libcol_hwcdrv.lo
libgp_collector_la-libcol_hwcfuncs.lo libgp_collector_la-libcol-
i386-dis.lo libgp_collector_la-hwprofile.lo libgp_collector_la-
jprofile.lo libgp_collector_la-unwind.lo libgp_collector_la-
libcol_util.lo libgp_collector_la-collector.lo #38 158.9 libtool:
link: gcc -shared -fPIC -DPIC .libs/libgp_collector_la-gethrtime.o
.libs/libgp_collector_la-dispatcher.o .libs/libgp_collector_la-
iolib.o .libs/libgp_collector_la-mmaptrace.o
.libs/libgp_collector_la-memmgr.o .libs/libgp_collector_la-tsd.o
.libs/libgp_collector_la-profile.o .libs/libgp_collector_la-
envmgt.o .libs/libgp_collector_la-linetrace.o
.libs/libgp_collector_la-libcol_hwcdrv.o .libs/libgp_collector_la-
libcol_hwcfuncs.o .libs/libgp_collector_la-libcol-i386-dis.o
.libs/libgp_collector_la-hwprofile.o .libs/libgp_collector_la-
jprofile.o .libs/libgp_collector_la-unwind.o
.libs/libgp_collector_la-libcol_util.o .libs/libgp_collector_la-
collector.o -Wl,--version-script -Wl,./libgprofng.ver -Wl,--no-

```

```

as-needed -Wl,-lrt -Wl,-ldl -Wl,-soname -Wl,libgp-collector.so -o
.libs/libgp-collector.so #38 158.9 libtool: link: ar --plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so --plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so rc .libs/libgp-
collector.a libgp_collector_la-gethrtime.o libgp_collector_la-
dispatcher.o libgp_collector_la-iolib.o libgp_collector_la-
mmaptrace.o libgp_collector_la-memmgr.o libgp_collector_la-tds.o
libgp_collector_la-profile.o libgp_collector_la-envmngmt.o
libgp_collector_la-linetrace.o libgp_collector_la-libcol_hwcdrv.o
libgp_collector_la-libcol_hwcfuncs.o libgp_collector_la-libcol-i386-
dis.o libgp_collector_la-hwprofile.o libgp_collector_la-jprofile.o
libgp_collector_la-unwind.o libgp_collector_la-libcol_util.o
libgp_collector_la-collector.o #38 159.0 libtool: link: ranlib --
plugin /usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so --plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so .libs/libgp-
collector.a #38 159.0 libtool: link: ( cd ".libs" && rm -f "libgp-
collector.la" && ln -s "../libgp-collector.la" "libgp-collector.la"
) #38 159.0 /bin/bash ./libtool --tag=CC --mode=compile gcc -
DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -I../common -I../src -
I.././include -Wall -Wno-nonnull-compare -g -O2 -Wno-error -
MT collectorAPI.lo -MD -MP -MF .deps/collectorAPI.Tpo -c -o
collectorAPI.lo collectorAPI.c #38 159.0 libtool: compile: gcc -
DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -I../common -I../src -
I.././include -Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT
collectorAPI.lo -MD -MP -MF .deps/collectorAPI.Tpo -c collectorAPI.c
-fPIC -DPIC -o .libs/collectorAPI.o #38 159.0 libtool: compile: gcc
-DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -I../common -I../src -
I.././include -Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT
collectorAPI.lo -MD -MP -MF .deps/collectorAPI.Tpo -c collectorAPI.c
-o collectorAPI.o >/dev/null 2>&1 #38 159.1 mv -f
.deps/collectorAPI.Tpo .deps/collectorAPI.Plo #38 159.1 /bin/bash
./libtool --tag=CC --mode=link gcc -Wall -Wno-nonnull-compare -g
-O2 -Wno-error -module -avoid-version -Wl,--version-
script,./libgprofng.ver -Wl,--no-as-needed -Wl,-lrt -Wl,-ldl -o
libgp-collectorAPI.la -rpath /usr/local/extrae/binutils/lib/gprofng
collectorAPI.lo -lc -ldl #38 159.1 libtool: link: gcc -shared -
fPIC -DPIC .libs/collectorAPI.o -ldl -Wl,--version-script -
Wl,./libgprofng.ver -Wl,--no-as-needed -Wl,-lrt -Wl,-ldl -Wl,-
soname -Wl,libgp-collectorAPI.so -o .libs/libgp-collectorAPI.so #38
159.1 libtool: link: ar --plugin /usr/lib/gcc/x86_64-linux-
gnu/11/liblto_plugin.so --plugin /usr/lib/gcc/x86_64-linux-
gnu/11/liblto_plugin.so rc .libs/libgp-collectorAPI.a
collectorAPI.o #38 159.1 libtool: link: ranlib --plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so --plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so .libs/libgp-
collector.a #38 159.2 libtool: link: ( cd ".libs" && rm -f
"libgp-collectorAPI.la" && ln -s "../libgp-collectorAPI.la" "libgp-
collectorAPI.la" ) #38 159.2 /bin/bash ./libtool --tag=CC --
mode=compile gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -I../common
-I.././src -I.././include -Wall -Wno-nonnull-compare -g -O2 -
Wno-error -MT heaptrace.lo -MD -MP -MF .deps/heaptrace.Tpo -c -o
heaptrace.lo heaptrace.c #38 159.2 libtool: compile: gcc -
DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -I../common -I../src -
I.././include -Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT
heaptrace.lo -MD -MP -MF .deps/heaptrace.Tpo -c heaptrace.c -fPIC -
DPIC -o .libs/heaptrace.o #38 159.3 libtool: compile: gcc -
DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -I../common -I../src -
I.././include -Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT
heaptrace.lo -MD -MP -MF .deps/heaptrace.Tpo -c heaptrace.c -o
heaptrace.o >/dev/null 2>&1 #38 159.4 mv -f .deps/heaptrace.Tpo

```

```

.deps/heaptrace.Plo #38 159.4 /bin/bash ./libtool --tag=CC --
mode=link gcc -Wall -Wno-nonnull-compare -g -O2 -Wno-error -
module -avoid-version -Wl,--version-script,./libgprofng.ver -Wl,--
no-as-needed -Wl,-lrt -Wl,-ldl -o libgp-heap.la -rpath
/usr/local/extrae/binutils/lib/gprofng heaptrace.lo #38 159.4
libtool: link: gcc -shared -fPIC -DPIC .libs/heaptrace.o -Wl,--
version-script -Wl,./libgprofng.ver -Wl,--no-as-needed -Wl,-lrt -
Wl,-ldl -Wl,-soname -Wl,libgp-heap.so -o .libs/libgp-heap.so #38
159.4 libtool: link: ar --plugin /usr/lib/gcc/x86_64-linux-
gnu/11/liblto_plugin.so --plugin /usr/lib/gcc/x86_64-linux-
gnu/11/liblto_plugin.so rc .libs/libgp-heap.a heaptrace.o #38 159.4
libtool: link: ranlib --plugin /usr/lib/gcc/x86_64-linux-
gnu/11/liblto_plugin.so --plugin /usr/lib/gcc/x86_64-linux-
gnu/11/liblto_plugin.so .libs/libgp-heap.a #38 159.4 libtool: link:
( cd ".libs" && rm -f "libgp-heap.la" && ln -s "../libgp-heap.la"
"libgp-heap.la" ) #38 159.4 /bin/bash ./libtool --tag=CC --
mode=compile gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -I../common
-I../src -I../..../include -Wall -Wno-nonnull-compare -g -O2 -
Wno-error -MT synctrace.lo -MD -MP -MF .deps/synctrace.Tpo -c -o
synctrace.lo synctrace.c #38 159.5 libtool: compile: gcc -
DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -I../common -I../src -
I../..../include -Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT
synctrace.lo -MD -MP -MF .deps/synctrace.Tpo -c synctrace.c -fPIC -
DPIC -o .libs/synctrace.o #38 159.6 libtool: compile: gcc -
DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -I../common -I../src -
I../..../include -Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT
synctrace.lo -MD -MP -MF .deps/synctrace.Tpo -c synctrace.c -o
synctrace.o >/dev/null 2>&1 #38 159.8 mv -f .deps/synctrace.Tpo
.deps/synctrace.Plo #38 159.8 /bin/bash ./libtool --tag=CC --
mode=link gcc -Wall -Wno-nonnull-compare -g -O2 -Wno-error -
module -avoid-version -Wl,--version-script,./libgprofng.ver -Wl,--
no-as-needed -Wl,-lrt -Wl,-ldl -o libgp-sync.la -rpath
/usr/local/extrae/binutils/lib/gprofng synctrace.lo #38 159.8
libtool: link: gcc -shared -fPIC -DPIC .libs/synctrace.o -Wl,--
version-script -Wl,./libgprofng.ver -Wl,--no-as-needed -Wl,-lrt -
Wl,-ldl -Wl,-soname -Wl,libgp-sync.so -o .libs/libgp-sync.so #38
159.9 libtool: link: ar --plugin /usr/lib/gcc/x86_64-linux-
gnu/11/liblto_plugin.so --plugin /usr/lib/gcc/x86_64-linux-
gnu/11/liblto_plugin.so rc .libs/libgp-sync.a synctrace.o #38 159.9
libtool: link: ranlib --plugin /usr/lib/gcc/x86_64-linux-
gnu/11/liblto_plugin.so --plugin /usr/lib/gcc/x86_64-linux-
gnu/11/liblto_plugin.so .libs/libgp-sync.a #38 159.9 libtool: link:
( cd ".libs" && rm -f "libgp-sync.la" && ln -s "../libgp-sync.la"
"libgp-sync.la" ) #38 159.9 /bin/bash ./libtool --tag=CC --
mode=compile gcc -DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -I../common
-I../src -I../..../include -Wall -Wno-nonnull-compare -g -O2 -
Wno-error -MT iotrace.lo -MD -MP -MF .deps/iotrace.Tpo -c -o
iotrace.lo iotrace.c #38 159.9 libtool: compile: gcc -
DHAVE_CONFIG_H -I. -U_ASM -I.. -I. -I../common -I../src -
I../..../include -Wall -Wno-nonnull-compare -g -O2 -Wno-error -MT
iotrace.lo -MD -MP -MF .deps/iotrace.Tpo -c iotrace.c -fPIC -DPIC -
o .libs/iotrace.o #38 160.6 libtool: compile: gcc -DHAVE_CONFIG_H -
I. -U_ASM -I.. -I. -I../common -I../src -I../..../include -Wall
-Wno-nonnull-compare -g -O2 -Wno-error -MT iotrace.lo -MD -MP -MF
.deps/iotrace.Tpo -c iotrace.c -o iotrace.o >/dev/null 2>&1 #38
161.3 mv -f .deps/iotrace.Tpo .deps/iotrace.Plo #38 161.3 /bin/bash
./libtool --tag=CC --mode=link gcc -Wall -Wno-nonnull-compare -g
-O2 -Wno-error -module -avoid-version -Wl,--version-
script,./libgprofng.ver -Wl,--no-as-needed -Wl,-lrt -Wl,-ldl -o
libgp-iotrace.la -rpath /usr/local/extrae/binutils/lib/gprofng

```

```

iotrace.lo #38 161.4 libtool: link: gcc -shared -fPIC -DPIC
.libs/iotrace.o -Wl,--version-script -Wl,./libgprofng.ver -Wl,--
no-as-needed -Wl,-lrt -Wl,-ldl -Wl,-soname -Wl,libgp-iotrace.so -o
.libs/libgp-iotrace.so #38 161.4 libtool: link: ar --plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so --plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so rc .libs/libgp-
iotrace.a iotrace.o #38 161.4 libtool: link: ranlib --plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so --plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so .libs/libgp-
iotrace.a #38 161.4 libtool: link: ( cd ".libs" && rm -f "libgp-
iotrace.la" && ln -s "../libgp-iotrace.la" "libgp-iotrace.la" ) #38
161.4 make[5]: Leaving directory '/workspace/binutils-
2.42/gprofng/libcollector' #38 161.4 make[4]: Leaving directory
'/workspace/binutils-2.42/gprofng/libcollector' #38 161.4 Making all
in src #38 161.4 make[4]: Entering directory '/workspace/binutils-
2.42/gprofng/src' #38 161.4 make all-am #38 161.4 make[5]: Entering
directory '/workspace/binutils-2.42/gprofng/src' #38 161.4
depbase=echo Application.lo | sed 's|^[^/]*|.deps/&;s|\.lo$||';\ #38
161.4 /bin/bash ../libtool --tag=CXX --mode=compile g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Application.lo -MD -MP -MF $depbase.Tpo -c -o Application.lo
Application.cc &&\ #38 161.4 mv -f $depbase.Tpo $depbase.Plo #38
161.5 libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Application.lo -MD -MP -MF .deps/Application.Tpo -c Application.cc
-fPIC -DPIC -o .libs/Application.o #38 161.6 libtool: compile: g++
-DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Application.lo -MD -MP -MF .deps/Application.Tpo -c Application.cc -
o Application.o >/dev/null 2>&1 #38 161.7 depbase=echo
BaseMetric.lo | sed 's|^[^/]*|.deps/&;s|\.lo$||';\ #38 161.7 /bin/bash
../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I..
-U_ASM -DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
BaseMetric.lo -MD -MP -MF $depbase.Tpo -c -o BaseMetric.lo
BaseMetric.cc &&\ #38 161.7 mv -f $depbase.Tpo $depbase.Plo #38
161.7 libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
BaseMetric.lo -MD -MP -MF .deps/BaseMetric.Tpo -c BaseMetric.cc -
fPIC -DPIC -o .libs/BaseMetric.o #38 162.0 libtool: compile: g++ -

```

```

DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
BaseMetric.lo -MD -MP -MF .deps/BaseMetric.Tpo -c BaseMetric.cc -o
BaseMetric.o >/dev/null 2>&1 #38 162.3 depbase=echo
BaseMetricTreeNode.lo | sed 's|[^/]$|.deps/&;s|\.lo$||';\ #38 162.3
/bin/bash ../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H
-I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
BaseMetricTreeNode.lo -MD -MP -MF $depbase.Tpo -c -o
BaseMetricTreeNode.lo BaseMetricTreeNode.cc &&\ #38 162.3 mv -f
$depbase.Tpo $depbase.Plo #38 162.3 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
BaseMetricTreeNode.lo -MD -MP -MF .deps/BaseMetricTreeNode.Tpo -c
BaseMetricTreeNode.cc -fPIC -DPIC -o .libs/BaseMetricTreeNode.o #38
162.5 libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
BaseMetricTreeNode.lo -MD -MP -MF .deps/BaseMetricTreeNode.Tpo -c
BaseMetricTreeNode.cc -o BaseMetricTreeNode.o >/dev/null 2>&1 #38
162.7 depbase=echo CallStack.lo | sed 's|[^/]$|.deps/&;s|\.lo$||';\ #38
162.7 /bin/bash ../libtool --tag=CXX --mode=compile g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
CallStack.lo -MD -MP -MF $depbase.Tpo -c -o CallStack.lo
CallStack.cc &&\ #38 162.7 mv -f $depbase.Tpo $depbase.Plo #38 162.7
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
CallStack.lo -MD -MP -MF .deps/CallStack.Tpo -c CallStack.cc -fPIC
-DPIC -o .libs/CallStack.o #38 163.1 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
CallStack.lo -MD -MP -MF .deps/CallStack.Tpo -c CallStack.cc -o

```

```

CallStack.o >/dev/null 2>&1 #38 163.6 depbase=echo
CatchOutOfMemory.lo | sed 's|[^/]$.deps/&;s|.lo$||';\ #38 163.6
/bin/bash ../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H
-I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
CatchOutOfMemory.lo -MD -MP -MF $depbase.Tpo -c -o
CatchOutOfMemory.lo CatchOutOfMemory.cc &&\ #38 163.6 mv -f
$depbase.Tpo $depbase.Plo #38 163.6 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
CatchOutOfMemory.lo -MD -MP -MF .deps/CatchOutOfMemory.Tpo -c
CatchOutOfMemory.cc -fPIC -DPIC -o .libs/CatchOutOfMemory.o #38
163.7 libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
CatchOutOfMemory.lo -MD -MP -MF .deps/CatchOutOfMemory.Tpo -c
CatchOutOfMemory.cc -o CatchOutOfMemory.o >/dev/null 2>&1 #38 163.7
depbase=echo ClassFile.lo | sed 's|[^/]$.deps/&;s|.lo$||';\ #38 163.7
/bin/bash ../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H
-I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
ClassFile.lo -MD -MP -MF $depbase.Tpo -c -o ClassFile.lo
ClassFile.cc &&\ #38 163.7 mv -f $depbase.Tpo $depbase.Plo #38 163.7
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
ClassFile.lo -MD -MP -MF .deps/ClassFile.Tpo -c ClassFile.cc -fPIC
-DPIC -o .libs/ClassFile.o #38 164.1 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
ClassFile.lo -MD -MP -MF .deps/ClassFile.Tpo -c ClassFile.cc -o
ClassFile.o >/dev/null 2>&1 #38 164.6 depbase=echo Command.lo |
sed 's|[^/]$.deps/&;s|.lo$||';\ #38 164.6 /bin/bash ../libtool --
tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -

```

```

I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Command.lo -MD -MP -MF $depbasedir/Command.Tpo -c Command.cc &&\
#38 164.6 mv -f $depbasedir/Command.Tpo $depbasedir/Command.o #38 164.6 libtool:
compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Command.lo -MD -MP -MF .deps/Command.Tpo -c Command.cc -fPIC -DPIC
-o .libs/Command.o #38 164.7 libtool: compile: g++ -DHAVE_CONFIG_H
-I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Command.lo -MD -MP -MF .deps/Command.Tpo -c Command.cc -o Command.o
>/dev/null 2>&1 #38 164.9 depbase=echo CompCom.lo | sed 's|
[^/]$|.deps/&|s|\.lo$||';\ #38 164.9 /bin/bash ../libtool --tag=CXX
--mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
CompCom.lo -MD -MP -MF $depbasedir/CompCom.Tpo -c CompCom.cc &&\
#38 164.9 mv -f $depbasedir/CompCom.Tpo $depbasedir/CompCom.o #38 164.9 libtool:
compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
CompCom.lo -MD -MP -MF .deps/CompCom.Tpo -c CompCom.cc -fPIC -DPIC
-o .libs/CompCom.o #38 166.1 libtool: compile: g++ -DHAVE_CONFIG_H
-I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
CompCom.lo -MD -MP -MF .deps/CompCom.Tpo -c CompCom.cc -o CompCom.o
>/dev/null 2>&1 #38 167.3 depbase=echo DataObject.lo | sed 's|
[^/]$|.deps/&|s|\.lo$||';\ #38 167.3 /bin/bash ../libtool --tag=CXX
--mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DataObject.lo -MD -MP -MF $depbasedir/DataObject.Tpo -c DataObject.cc &&\
#38 167.3 mv -f $depbasedir/DataObject.Tpo $depbasedir/DataObject.o #38
167.3 libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DataObject.lo -MD -MP -MF .deps/DataObject.Tpo -c DataObject.cc -

```

```

fPIC -DPIC -o .libs/DataObject.o #38 167.4 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DataObject.lo -MD -MP -MF .deps/DataObject.Tpo -c DataObject.cc -o
DataObject.o >/dev/null 2>&1 #38 167.6 depbase=echo DataSpace.lo |
sed 's[^\/]$.deps/&;s|.lo$||';\ #38 167.6 /bin/bash ../libtool --
tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DataSpace.lo -MD -MP -MF $depbase.Tpo -c -o DataSpace.lo
DataSpace.cc &&\ #38 167.6 mv -f $depbase.Tpo $depbase.Plo #38 167.6
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DataSpace.lo -MD -MP -MF .deps/DataSpace.Tpo -c DataSpace.cc -fPIC
-DPIC -o .libs/DataSpace.o #38 167.9 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DataSpace.lo -MD -MP -MF .deps/DataSpace.Tpo -c DataSpace.cc -o
DataSpace.o >/dev/null 2>&1 #38 168.1 depbase=echo Data_window.lo |
sed 's[^\/]$.deps/&;s|.lo$||';\ #38 168.1 /bin/bash ../libtool --
tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Data_window.lo -MD -MP -MF $depbase.Tpo -c -o Data_window.lo
Data_window.cc &&\ #38 168.1 mv -f $depbase.Tpo $depbase.Plo #38
168.1 libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Data_window.lo -MD -MP -MF .deps/Data_window.Tpo -c Data_window.cc
-fPIC -DPIC -o .libs/Data_window.o #38 168.2 libtool: compile: g++
-DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Data_window.lo -MD -MP -MF .deps/Data_window.Tpo -c Data_window.cc -
o Data_window.o >/dev/null 2>&1 #38 168.3 depbase=echo
DataStream.lo | sed 's[^\/]$.deps/&;s|.lo$||';\ #38 168.3 /bin/bash

```



```

../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I..
-U_ASM -DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DataStream.lo -MD -MP -MF $debase.Tpo -c -o DataStream.lo
DataStream.cc &&\ #38 168.3 mv -f $debase.Tpo $debase.Plo #38
168.4 libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DataStream.lo -MD -MP -MF .deps/DataStream.Tpo -c DataStream.cc -
fPIC -DPIC -o .libs/DataStream.o #38 168.4 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DataStream.lo -MD -MP -MF .deps/DataStream.Tpo -c DataStream.cc -o
DataStream.o >/dev/null 2>&1 #38 168.5 debase=echo
DbeApplication.lo | sed 's|[^/]$|.deps/&;s|.lo$||';\ #38 168.5
/bin/bash ../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H
-I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DbeApplication.lo -MD -MP -MF $debase.Tpo -c -o DbeApplication.lo
DbeApplication.cc &&\ #38 168.5 mv -f $debase.Tpo $debase.Plo #38
168.5 libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DbeApplication.lo -MD -MP -MF .deps/DbeApplication.Tpo -c
DbeApplication.cc -fPIC -DPIC -o .libs/DbeApplication.o #38 168.6
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DbeApplication.lo -MD -MP -MF .deps/DbeApplication.Tpo -c
DbeApplication.cc -o DbeApplication.o >/dev/null 2>&1 #38 168.7
debase=echo DbeFile.lo | sed 's|[^/]$|.deps/&;s|.lo$||';\ #38 168.7
/bin/bash ../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H
-I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DbeFile.lo -MD -MP -MF $debase.Tpo -c -o DbeFile.lo DbeFile.cc &&\
#38 168.7 mv -f $debase.Tpo $debase.Plo #38 168.8 libtool:

```

```

compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I./../common -
I./../include -I./../opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DbeFile.lo -MD -MP -MF .deps/DbeFile.Tpo -c DbeFile.cc -fPIC -DPIC
-o .libs/DbeFile.o #38 169.0 libtool: compile: g++ -DHAVE_CONFIG_H
-I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I./../common -
I./../include -I./../opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DbeFile.lo -MD -MP -MF .deps/DbeFile.Tpo -c DbeFile.cc -o DbeFile.o
>/dev/null 2>&1 #38 169.2 depbase=echo DbeJarFile.lo | sed 's|
[^/]$|.deps/&;s|\\.lo$||';\ #38 169.2 /bin/bash ../libtool --tag=CXX
--mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I./../common -
I./../include -I./../opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DbeJarFile.lo -MD -MP -MF $depbase.Tpo -c -o DbeJarFile.lo
DbeJarFile.cc &&\ #38 169.2 mv -f $depbase.Tpo $depbase.Plo #38
169.2 libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I./../common -
I./../include -I./../opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DbeJarFile.lo -MD -MP -MF .deps/DbeJarFile.Tpo -c DbeJarFile.cc -
fPIC -DPIC -o .libs/DbeJarFile.o #38 169.4 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I./../common -
I./../include -I./../opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DbeJarFile.lo -MD -MP -MF .deps/DbeJarFile.Tpo -c DbeJarFile.cc -o
DbeJarFile.o >/dev/null 2>&1 #38 169.5 depbase=echo DbeLock.lo | sed
's|[^/]$|.deps/&;s|\\.lo$||';\ #38 169.5 /bin/bash ../libtool --tag=CXX
--mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I./../common -
I./../include -I./../opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DbeLock.lo -MD -MP -MF $depbase.Tpo -c -o DbeLock.lo DbeLock.cc &&\
#38 169.5 mv -f $depbase.Tpo $depbase.Plo #38 169.6 libtool:
compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I./../common -
I./../include -I./../opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DbeLock.lo -MD -MP -MF .deps/DbeLock.Tpo -c DbeLock.cc -fPIC -DPIC
-o .libs/DbeLock.o #38 169.6 libtool: compile: g++ -DHAVE_CONFIG_H
-I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -

```

```

DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./.././bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DbeLock.lo -MD -MP -MF .deps/DbeLock.Tpo -c DbeLock.cc -o DbeLock.o
>/dev/null 2>&1 #38 169.6 depbase=echo DbeSession.lo | sed 's|
[^/]$|.deps/&;s|\\.lo$||';\ #38 169.6 /bin/bash ../libtool --tag=CXX
--mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./.././bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DbeSession.lo -MD -MP -MF $depbase.Tpo -c -o DbeSession.lo
DbeSession.cc &&\ #38 169.6 mv -f $depbase.Tpo $depbase.Plo #38
169.6 libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./.././bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DbeSession.lo -MD -MP -MF .deps/DbeSession.Tpo -c DbeSession.cc -
fPIC -DPIC -o .libs/DbeSession.o #38 170.0 DbeSession.cc: In
destructor 'DbeSession::~DbeSession()': #38 170.0
DbeSession.cc:455:14: warning: ignoring return value of 'int
system(const char*)' declared with attribute 'warn_unused_result' [-
Wunused-result] #38 170.0 455 | system (cmd); #38 170.0
| ~~~~~^~~~~ #38 170.0 DbeSession.cc: In member function
'void DbeSession::unlink_tmp_files()': #38 170.0
DbeSession.cc:479:14: warning: ignoring return value of 'int
system(const char*)' declared with attribute 'warn_unused_result' [-
Wunused-result] #38 170.0 479 | system (cmd); #38 170.0
| ~~~~~^~~~~ #38 171.7 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./.././bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DbeSession.lo -MD -MP -MF .deps/DbeSession.Tpo -c DbeSession.cc -o
DbeSession.o >/dev/null 2>&1 #38 173.8 depbase=echo DbeThread.lo |
sed 's|[^/]$|.deps/&;s|\\.lo$||';\ #38 173.8 /bin/bash ../libtool --
tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./.././bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DbeThread.lo -MD -MP -MF $depbase.Tpo -c -o DbeThread.lo
DbeThread.cc &&\ #38 173.8 mv -f $depbase.Tpo $depbase.Plo #38 173.8
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./.././bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DbeThread.lo -MD -MP -MF .deps/DbeThread.Tpo -c DbeThread.cc -fPIC
-DPIC -o .libs/DbeThread.o #38 173.9 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -

```

```

DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DbeThread.lo -MD -MP -MF .deps/DbeThread.Tpo -c DbeThread.cc -o
DbeThread.o >/dev/null 2>&1 #38 174.0 depbase=echo DbeView.lo | sed
's|[^/]$|.deps/&|;s|\.lo$||';\ #38 174.0 /bin/bash ../libtool --tag=CXX
--mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DbeView.lo -MD -MP -MF $depbase.Tpo -c -o DbeView.lo DbeView.cc &&\
#38 174.0 mv -f $depbase.Tpo $depbase.Plo #38 174.0 libtool:
compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DbeView.lo -MD -MP -MF .deps/DbeView.Tpo -c DbeView.cc -fPIC -DPIC
-o .libs/DbeView.o #38 175.2 libtool: compile: g++ -DHAVE_CONFIG_H
-I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DbeView.lo -MD -MP -MF .deps/DbeView.Tpo -c DbeView.cc -o DbeView.o
>/dev/null 2>&1 #38 176.3 depbase=echo DerivedMetrics.lo | sed 's|
[^/]$|.deps/&|;s|\.lo$||';\ #38 176.3 /bin/bash ../libtool --tag=CXX
--mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DerivedMetrics.lo -MD -MP -MF $depbase.Tpo -c -o DerivedMetrics.lo
DerivedMetrics.cc &&\ #38 176.3 mv -f $depbase.Tpo $depbase.Plo #38
176.3 libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DerivedMetrics.lo -MD -MP -MF .deps/DerivedMetrics.Tpo -c
DerivedMetrics.cc -fPIC -DPIC -o .libs/DerivedMetrics.o #38 176.5
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DerivedMetrics.lo -MD -MP -MF .deps/DerivedMetrics.Tpo -c
DerivedMetrics.cc -o DerivedMetrics.o >/dev/null 2>&1 #38 176.6
depbase=echo Disasm.lo | sed 's|[^/]$|.deps/&|;s|\.lo$||';\ #38 176.6
/bin/bash ../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H
-I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -

```

```

DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Disasm.lo -MD -MP -MF $debase.Tpo -c -o Disasm.lo Disasm.cc && \ #38
176.6 mv -f $debase.Tpo $debase.Plo #38 176.6 libtool: compile:
g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Disasm.lo -MD -MP -MF .deps/Disasm.Tpo -c Disasm.cc -fPIC -o
.libs/Disasm.o #38 176.8 libtool: compile: g++ -DHAVE_CONFIG_H -I.
-I.. -U_ASM -DLOCALEDIR="/usr/local/extrae/binutils/share/locale\"
-DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Disasm.lo -MD -MP -MF .deps/Disasm.Tpo -c Disasm.cc -o Disasm.o
>/dev/null 2>&1 #38 177.0 debase=echo Dwarf.lo | sed 's|
[^/]$.deps/&;s|$.lo$|'; \ #38 177.0 /bin/bash ../libtool --tag=CXX
--mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Dwarf.lo -MD -MP -MF $debase.Tpo -c -o Dwarf.lo Dwarf.cc && \ #38
177.0 mv -f $debase.Tpo $debase.Plo #38 177.0 libtool: compile:
g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Dwarf.lo -MD -MP -MF .deps/Dwarf.Tpo -c Dwarf.cc -fPIC -DPIC -o
.libs/Dwarf.o #38 177.4 libtool: compile: g++ -DHAVE_CONFIG_H -I. -
I.. -U_ASM -DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Dwarf.lo -MD -MP -MF .deps/Dwarf.Tpo -c Dwarf.cc -o Dwarf.o
>/dev/null 2>&1 #38 177.9 debase=echo DwarfLib.lo | sed 's|
[^/]$.deps/&;s|$.lo$|'; \ #38 177.9 /bin/bash ../libtool --tag=CXX
--mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DwarfLib.lo -MD -MP -MF $debase.Tpo -c -o DwarfLib.lo DwarfLib.cc
&& \ #38 177.9 mv -f $debase.Tpo $debase.Plo #38 177.9 libtool:
compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT

```

```

DwarfLib.lo -MD -MP -MF .deps/DwarfLib.Tpo -c DwarfLib.cc -fPIC -
DPIC -o .libs/DwarfLib.o #38 178.6 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
DwarfLib.lo -MD -MP -MF .deps/DwarfLib.Tpo -c DwarfLib.cc -o
DwarfLib.o >/dev/null 2>&1 #38 179.5 depbase=echo Elf.lo | sed 's|
[^/]*.deps/&;s|.lo$||';\ #38 179.5 /bin/bash ../libtool --tag=CXX
--mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Elf.lo -MD -MP -MF $depbase.Tpo -c -o Elf.lo Elf.cc &&\ #38 179.5 mv
-f $depbase.Tpo $depbase.Plo #38 179.5 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT Elf.lo
-MD -MP -MF .deps/Elf.Tpo -c Elf.cc -fPIC -DPIC -o .libs/Elf.o #38
179.9 libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT Elf.lo
-MD -MP -MF .deps/Elf.Tpo -c Elf.cc -o Elf.o >/dev/null 2>&1 #38
180.4 depbase=echo Emsg.lo | sed 's|[^/]*.deps/&;s|.lo$||';\ #38
180.4 /bin/bash ../libtool --tag=CXX --mode=compile g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Emsg.lo -MD -MP -MF $depbase.Tpo -c -o Emsg.lo Emsg.cc &&\ #38 180.4
mv -f $depbase.Tpo $depbase.Plo #38 180.4 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT Emsg.lo
-MD -MP -MF .deps/Emsg.Tpo -c Emsg.cc -fPIC -DPIC -o .libs/Emsg.o
#38 180.6 libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT Emsg.lo
-MD -MP -MF .deps/Emsg.Tpo -c Emsg.cc -o Emsg.o >/dev/null 2>&1 #38
180.7 depbase=echo Experiment.lo | sed 's|[^/]*.deps/&;s|.lo$||';\
#38 180.7 /bin/bash ../libtool --tag=CXX --mode=compile g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -

```

```

DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Experiment.lo -MD -MP -MF $debase.Tpo -c -o Experiment.lo
Experiment.cc && \ #38 180.7 mv -f $debase.Tpo $debase.Plo #38
180.8 libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Experiment.lo -MD -MP -MF .deps/Experiment.Tpo -c Experiment.cc -
fPIC -DPIC -o .libs/Experiment.o #38 181.0 Experiment.cc: In member
function 'char* Experiment::ExperimentFile::fgets()': #38 181.0
Experiment.cc:274:15: warning: ignoring return value of 'char*
fgets(char*, int, FILE*)' declared with attribute
'warn_unused_result' [-Wunused-result] #38 181.0 274 |
::fgets (buffer + bufisz - 1, newsz - bufisz + 1, fh); #38 181.0
| ~~~~~^~~~~~ #38
183.9 libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Experiment.lo -MD -MP -MF .deps/Experiment.Tpo -c Experiment.cc -o
Experiment.o >/dev/null 2>&1 #38 187.0 debase=echo Exp_Layout.lo |
sed 's[^[^/$].deps/&|s|.lo$|]'; \ #38 187.0 /bin/bash ../libtool --
tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Exp_Layout.lo -MD -MP -MF $debase.Tpo -c -o Exp_Layout.lo
Exp_Layout.cc && \ #38 187.0 mv -f $debase.Tpo $debase.Plo #38
187.1 libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Exp_Layout.lo -MD -MP -MF .deps/Exp_Layout.Tpo -c Exp_Layout.cc -
fPIC -DPIC -o .libs/Exp_Layout.o #38 187.2 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Exp_Layout.lo -MD -MP -MF .deps/Exp_Layout.Tpo -c Exp_Layout.cc -o
Exp_Layout.o >/dev/null 2>&1 #38 187.4 debase=echo ExpGroup.lo |
sed 's[^[^/$].deps/&|s|.lo$|]'; \ #38 187.4 /bin/bash ../libtool --
tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -

```

```

I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
ExpGroup.lo -MD -MP -MF $debase.Tpo -c -o ExpGroup.lo ExpGroup.cc
&&\ #38 187.4 mv -f $debase.Tpo $debase.Plo #38 187.4 libtool:
compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
ExpGroup.lo -MD -MP -MF .deps/ExpGroup.Tpo -c ExpGroup.cc -fPIC -
DPIC -o .libs/ExpGroup.o #38 187.6 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
ExpGroup.lo -MD -MP -MF .deps/ExpGroup.Tpo -c ExpGroup.cc -o
ExpGroup.o >/dev/null 2>&1 #38 187.8 debase=echo Expression.lo | sed
's[^\$].deps/&;s|.lo$|';\ #38 187.8 /bin/bash ../libtool --tag=CXX
--mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Expression.lo -MD -MP -MF $debase.Tpo -c -o Expression.lo
Expression.cc &&\ #38 187.8 mv -f $debase.Tpo $debase.Plo #38
187.9 libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Expression.lo -MD -MP -MF .deps/Expression.Tpo -c Expression.cc -
fPIC -DPIC -o .libs/Expression.o #38 188.2 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Expression.lo -MD -MP -MF .deps/Expression.Tpo -c Expression.cc -o
Expression.o >/dev/null 2>&1 #38 188.5 debase=echo FileData.lo | sed
's[^\$].deps/&;s|.lo$|';\ #38 188.5 /bin/bash ../libtool --tag=CXX
--mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
FileData.lo -MD -MP -MF $debase.Tpo -c -o FileData.lo FileData.cc
&&\ #38 188.5 mv -f $debase.Tpo $debase.Plo #38 188.5 libtool:
compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
FileData.lo -MD -MP -MF .deps/FileData.Tpo -c FileData.cc -fPIC -

```



```

DPIC -o .libs/FileData.o #38 188.7 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
FileData.lo -MD -MP -MF .deps/FileData.Tpo -c FileData.cc -o
FileData.o >/dev/null 2>&1 #38 188.8 depbase=echo Filter.lo | sed 's|
[^/]$.deps/&;s|.lo$||';\ #38 188.8 /bin/bash ../libtool --tag=CXX
--mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Filter.lo -MD -MP -MF $depbase.Tpo -c -o Filter.lo Filter.cc &&\ #38
188.8 mv -f $depbase.Tpo $depbase.Plo #38 188.9 libtool: compile:
g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Filter.lo -MD -MP -MF .deps/Filter.Tpo -c Filter.cc -fPIC -DPIC -o
.libs/Filter.o #38 189.0 libtool: compile: g++ -DHAVE_CONFIG_H -I.
-I.. -U_ASM -DLOCALEDIR="/usr/local/extrae/binutils/share/locale"
-DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Filter.lo -MD -MP -MF .deps/Filter.Tpo -c Filter.cc -o Filter.o
>/dev/null 2>&1 #38 189.2 depbase=echo FilterSet.lo | sed 's|
[^/]$.deps/&;s|.lo$||';\ #38 189.2 /bin/bash ../libtool --tag=CXX
--mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
FilterSet.lo -MD -MP -MF $depbase.Tpo -c -o FilterSet.lo
FilterSet.cc &&\ #38 189.2 mv -f $depbase.Tpo $depbase.Plo #38 189.3
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
FilterSet.lo -MD -MP -MF .deps/FilterSet.Tpo -c FilterSet.cc -fPIC
-DPIC -o .libs/FilterSet.o #38 189.4 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
FilterSet.lo -MD -MP -MF .deps/FilterSet.Tpo -c FilterSet.cc -o
FilterSet.o >/dev/null 2>&1 #38 189.5 depbase=echo Function.lo | sed
's|[^/]$.deps/&;s|.lo$||';\ #38 189.5 /bin/bash ../libtool --tag=CXX
--mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -

```

```

DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Function.lo -MD -MP -MF $debase.Tpo -c -o Function.lo Function.cc
&& #38 189.5 mv -f $debase.Tpo $debase.Plo #38 189.5 libtool:
compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Function.lo -MD -MP -MF .deps/Function.Tpo -c Function.cc -fPIC -
DPIC -o .libs/Function.o #38 189.9 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Function.lo -MD -MP -MF .deps/Function.Tpo -c Function.cc -o
Function.o >/dev/null 2>&1 #38 190.3 debase=echo HeapMap.lo | sed
's|[^/]$.deps/&;s|.lo$||';\ #38 190.3 /bin/bash ../libtool --tag=CXX
--mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
HeapMap.lo -MD -MP -MF $debase.Tpo -c -o HeapMap.lo HeapMap.cc &&\
#38 190.3 mv -f $debase.Tpo $debase.Plo #38 190.3 libtool:
compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
HeapMap.lo -MD -MP -MF .deps/HeapMap.Tpo -c HeapMap.cc -fPIC -DPIC
-o .libs/HeapMap.o #38 190.4 libtool: compile: g++ -DHAVE_CONFIG_H
-I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
HeapData.lo -MD -MP -MF $debase.Tpo -c -o HeapData.lo HeapData.cc
&&\ #38 190.5 mv -f $debase.Tpo $debase.Plo #38 190.5 libtool:
compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -

```

```

DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
HeapData.lo -MD -MP -MF .deps/HeapData.Tpo -c HeapData.cc -fPIC -
DPIC -o .libs/HeapData.o #38 190.6 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
HeapData.lo -MD -MP -MF .deps/HeapData.Tpo -c HeapData.cc -o
HeapData.o >/dev/null 2>&1 #38 190.8 depbase=echo HeapActivity.lo |
sed 's[^\/$].deps/&|s|.lo$|';\ #38 190.8 /bin/bash ../libtool --
tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
HeapActivity.lo -MD -MP -MF $depbase.Tpo -c -o HeapActivity.lo
HeapActivity.cc &&\ #38 190.8 mv -f $depbase.Tpo $depbase.Plo #38
190.8 libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
HeapActivity.lo -MD -MP -MF .deps/HeapActivity.Tpo -c
HeapActivity.cc -fPIC -DPIC -o .libs/HeapActivity.o #38 191.0
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
HeapActivity.lo -MD -MP -MF .deps/HeapActivity.Tpo -c
HeapActivity.cc -o HeapActivity.o >/dev/null 2>&1 #38 191.3
depbase=echo Hist_data.lo | sed 's[^\/$].deps/&|s|.lo$|';\ #38 191.3
/bin/bash ../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H
-I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Hist_data.lo -MD -MP -MF $depbase.Tpo -c -o Hist_data.lo
Hist_data.cc &&\ #38 191.3 mv -f $depbase.Tpo $depbase.Plo #38 191.3
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Hist_data.lo -MD -MP -MF .deps/Hist_data.Tpo -c Hist_data.cc -fPIC
-DPIC -o .libs/Hist_data.o #38 192.1 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -

```

```

I./../include -I./../opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Hist_data.lo -MD -MP -MF .deps/Hist_data.Tpo -c Hist_data.cc -o
Hist_data.o >/dev/null 2>&1 #38 192.8 depbase=echo IndexObject.lo |
sed 's|[^/]$|.deps/&;s|.lo$||';\ #38 192.8 /bin/bash ../libtool --
tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale/" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc/" -
DLIBDIR="/usr/local/extrae/binutils/lib/" -I.. -I. -I./../common -
I./../include -I./../opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
IndexObject.lo -MD -MP -MF $depbase.Tpo -c -o IndexObject.lo
IndexObject.cc &&\ #38 192.8 mv -f $depbase.Tpo $depbase.Plo #38
192.8 libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale/" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc/" -
DLIBDIR="/usr/local/extrae/binutils/lib/" -I.. -I. -I./../common -
I./../include -I./../opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
IndexObject.lo -MD -MP -MF .deps/IndexObject.Tpo -c IndexObject.cc
-fPIC -DPIC -o .libs/IndexObject.o #38 193.0 libtool: compile: g++
-DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale/" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc/" -
DLIBDIR="/usr/local/extrae/binutils/lib/" -I.. -I. -I./../common -
I./../include -I./../opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
IndexObject.lo -MD -MP -MF .deps/IndexObject.Tpo -c IndexObject.cc
-o IndexObject.o >/dev/null 2>&1 #38 193.2 depbase=echo IOActivity.lo |
sed 's|[^/]$|.deps/&;s|.lo$||';\ #38 193.2 /bin/bash ../libtool --
tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale/" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc/" -
DLIBDIR="/usr/local/extrae/binutils/lib/" -I.. -I. -I./../common -
I./../include -I./../opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
IOActivity.lo -MD -MP -MF $depbase.Tpo -c -o IOActivity.lo
IOActivity.cc &&\ #38 193.2 mv -f $depbase.Tpo $depbase.Plo #38
193.2 libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale/" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc/" -
DLIBDIR="/usr/local/extrae/binutils/lib/" -I.. -I. -I./../common -
I./../include -I./../opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
IOActivity.lo -MD -MP -MF .deps/IOActivity.Tpo -c IOActivity.cc -
fPIC -DPIC -o .libs/IOActivity.o #38 193.7 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale/" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc/" -
DLIBDIR="/usr/local/extrae/binutils/lib/" -I.. -I. -I./../common -
I./../include -I./../opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
IOActivity.lo -MD -MP -MF .deps/IOActivity.Tpo -c IOActivity.cc -o
IOActivity.o >/dev/null 2>&1 #38 194.1 depbase=echo LoadObject.lo |
sed 's|[^/]$|.deps/&;s|.lo$||';\ #38 194.1 /bin/bash ../libtool --
tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale/" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc/" -
DLIBDIR="/usr/local/extrae/binutils/lib/" -I.. -I. -I./../common -
I./../include -I./../opcodes -I./../bfd -I./../bfd -

```

```

I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
LoadObject.lo -MD -MP -MF $debase.Tpo -c -o LoadObject.lo
LoadObject.cc && \ #38 194.1 mv -f $debase.Tpo $debase.Plo #38
194.2 libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
LoadObject.lo -MD -MP -MF .deps/LoadObject.Tpo -c LoadObject.cc -
fPIC -DPIC -o .libs/LoadObject.o #38 194.7 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
LoadObject.lo -MD -MP -MF .deps/LoadObject.Tpo -c LoadObject.cc -o
LoadObject.o >/dev/null 2>&1 #38 195.3 debase=echo
MachineModel.lo | sed 's|[^/]$|.deps/&;s|.lo$||'; \ #38 195.3
/bin/bash ../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H
-I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
MachineModel.lo -MD -MP -MF $debase.Tpo -c -o MachineModel.lo
MachineModel.cc && \ #38 195.3 mv -f $debase.Tpo $debase.Plo #38
195.3 libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
MachineModel.lo -MD -MP -MF .deps/MachineModel.Tpo -c
MachineModel.cc -fPIC -DPIC -o .libs/MachineModel.o #38 195.4
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
MachineModel.lo -MD -MP -MF .deps/MachineModel.Tpo -c
MachineModel.cc -o MachineModel.o >/dev/null 2>&1 #38 195.6
debase=echo MemObject.lo | sed 's|[^/]$|.deps/&;s|.lo$||'; \ #38
195.6 /bin/bash ../libtool --tag=CXX --mode=compile g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
MemObject.lo -MD -MP -MF $debase.Tpo -c -o MemObject.lo
MemObject.cc && \ #38 195.6 mv -f $debase.Tpo $debase.Plo #38 195.6
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -

```

```

I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
MemObject.lo -MD -MP -MF .deps/MemObject.Tpo -c MemObject.cc -fPIC
-DPIC -o .libs/MemObject.o #38 195.7 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
MemObject.lo -MD -MP -MF .deps/MemObject.Tpo -c MemObject.cc -o
MemObject.o >/dev/null 2>&1 #38 195.8 depbase=echo MemorySpace.lo
| sed 's[^\$].deps/&;s|.lo\$|';\ #38 195.8 /bin/bash ../libtool --
tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
MemorySpace.lo -MD -MP -MF $depbase.Tpo -c -o MemorySpace.lo
MemorySpace.cc &&\ #38 195.8 mv -f $depbase.Tpo $depbase.Plo #38
195.8 libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
MemorySpace.lo -MD -MP -MF .deps/MemorySpace.Tpo -c MemorySpace.cc
-fPIC -DPIC -o .libs/MemorySpace.o #38 196.1 libtool: compile: g++
-DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
MemorySpace.lo -MD -MP -MF .deps/MemorySpace.Tpo -c MemorySpace.cc -o
MemorySpace.o >/dev/null 2>&1 #38 196.4 depbase=echo Metric.lo |
sed 's[^\$].deps/&;s|.lo\$|';\ #38 196.4 /bin/bash ../libtool --
tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Metric.lo -MD -MP -MF $depbase.Tpo -c -o Metric.lo Metric.cc &&\ #38
196.4 mv -f $depbase.Tpo $depbase.Plo #38 196.4 libtool: compile:
g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Metric.lo -MD -MP -MF .deps/Metric.Tpo -c Metric.cc -fPIC -DPIC -o
.libs/Metric.o #38 196.9 libtool: compile: g++ -DHAVE_CONFIG_H -I.
-I.. -U_ASM -DLOCALEDIR="/usr/local/extrae/binutils/share/locale"
-DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Metric.lo -MD -MP -MF .deps/Metric.Tpo -c Metric.cc -o Metric.o
>/dev/null 2>&1 #38 197.3 depbase=echo MetricList.lo | sed 's|

```

```
[^/]$|.deps/&;s|\.lo$|'|; \ #38 197.3 /bin/bash ../libtool --tag=CXX
--mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
MetricList.lo -MD -MP -MF $depbasedir -c -o MetricList.lo
MetricList.cc && \ #38 197.3 mv -f $depbasedir $depbasedir.Plo #38
197.3 libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
MetricList.lo -MD -MP -MF .deps/MetricList.Tpo -c MetricList.cc -
fPIC -DPIC -o .libs/MetricList.o #38 197.7 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
MetricList.lo -MD -MP -MF .deps/MetricList.Tpo -c MetricList.cc -o
MetricList.o >/dev/null 2>&1 #38 198.1 depbase=echo Module.lo | sed
's|[^/]$|.deps/&;s|\.lo$|'|; \ #38 198.1 /bin/bash ../libtool --tag=CXX
--mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Module.lo -MD -MP -MF $depbasedir -c -o Module.lo Module.cc && \ #38
198.1 mv -f $depbasedir $depbasedir.Plo #38 198.1 libtool: compile:
g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Module.lo -MD -MP -MF .deps/Module.Tpo -c Module.cc -fPIC -DPIC -o
.libs/Module.o #38 198.8 libtool: compile: g++ -DHAVE_CONFIG_H -I.
-I.. -U_ASM -DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Module.lo -MD -MP -MF .deps/Module.Tpo -c Module.cc -o Module.o
>/dev/null 2>&1 #38 199.5 depbase=echo Ovw_data.lo | sed 's|
[^/]$|.deps/&;s|\.lo$|'|; \ #38 199.5 /bin/bash ../libtool --tag=CXX
--mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Ovw_data.lo -MD -MP -MF $depbasedir -c -o Ovw_data.lo Ovw_data.cc
&& \ #38 199.5 mv -f $depbasedir $depbasedir.Plo #38 199.6 libtool:
compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
```

```

DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./.././bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Ovw_data.lo -MD -MP -MF .deps/Ovw_data.Tpo -c Ovw_data.cc -fPIC -
DPIC -o .libs/Ovw_data.o #38 199.7 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./.././bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Ovw_data.lo -MD -MP -MF .deps/Ovw_data.Tpo -c Ovw_data.cc -o
Ovw_data.o >/dev/null 2>&1 #38 199.9 depbase=echo PRBTree.lo | sed
's|[^/]$|.deps/&;s|.lo$||';\ #38 199.9 /bin/bash ../libtool --tag=CXX
--mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./.././bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
PRBTree.lo -MD -MP -MF $depbase.Tpo -c -o PRBTree.lo PRBTree.cc &&\
#38 199.9 mv -f $depbase.Tpo $depbase.Plo #38 199.9 libtool:
compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./.././bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
PRBTree.lo -MD -MP -MF .deps/PRBTree.Tpo -c PRBTree.cc -fPIC -DPIC
-o .libs/PRBTree.o #38 200.0 libtool: compile: g++ -DHAVE_CONFIG_H
-I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./.././bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
PRBTree.lo -MD -MP -MF .deps/PRBTree.Tpo -c PRBTree.cc -o PRBTree.o
>/dev/null 2>&1 #38 200.2 depbase=echo PathTree.lo | sed 's|
[^/]$|.deps/&;s|.lo$||';\ #38 200.2 /bin/bash ../libtool --tag=CXX
--mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./.././bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
PathTree.lo -MD -MP -MF $depbase.Tpo -c -o PathTree.lo PathTree.cc
&&\ #38 200.2 mv -f $depbase.Tpo $depbase.Plo #38 200.3 libtool:
compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./.././bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
PathTree.lo -MD -MP -MF .deps/PathTree.Tpo -c PathTree.cc -fPIC -
DPIC -o .libs/PathTree.o #38 201.5 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I./../common -

```



```

I././././include -I././././opcodes -I./././bfd -I./././bfd -
I./././zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
PathTree.lo -MD -MP -MF .deps/PathTree.Tpo -c PathTree.cc -o
PathTree.o >/dev/null 2>&1 #38 202.8 depbase=echo PreviewExp.lo |
sed 's[^\./]$.deps/&;s[^\./]$.lo$|';\ #38 202.8 /bin/bash ../libtool --
tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I././common -
I././././include -I././././opcodes -I./././bfd -I./././bfd -
I./././zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
PreviewExp.lo -MD -MP -MF $depbase.Tpo -c -o PreviewExp.lo
PreviewExp.cc &&\ #38 202.8 mv -f $depbase.Tpo $depbase.Plo #38
202.8 libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I././common -
I././././include -I././././opcodes -I./././bfd -I./././bfd -
I./././zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
PreviewExp.lo -MD -MP -MF .deps/PreviewExp.Tpo -c PreviewExp.cc -
fPIC -DPIC -o .libs/PreviewExp.o #38 202.9 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I././common -
I././././include -I././././opcodes -I./././bfd -I./././bfd -
I./././zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
PreviewExp.lo -MD -MP -MF .deps/PreviewExp.Tpo -c PreviewExp.cc -o
PreviewExp.o >/dev/null 2>&1 #38 203.1 depbase=echo Print.lo | sed 's[^\./]$.deps/&;s[^\./]$.lo$|';\ #38 203.1 /bin/bash ../libtool --tag=CXX
--mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I././common -
I././././include -I././././opcodes -I./././bfd -I./././bfd -
I./././zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Print.lo -MD -MP -MF $depbase.Tpo -c -o Print.lo Print.cc &&\ #38
203.1 mv -f $depbase.Tpo $depbase.Plo #38 203.1 libtool: compile:
g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I././common -
I././././include -I././././opcodes -I./././bfd -I./././bfd -
I./././zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Print.lo -MD -MP -MF .deps/Print.Tpo -c Print.cc -fPIC -DPIC -o
.libs/Print.o #38 204.2 libtool: compile: g++ -DHAVE_CONFIG_H -I. -
I.. -U_ASM -DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I././common -
I././././include -I././././opcodes -I./././bfd -I./././bfd -
I./././zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Print.lo -MD -MP -MF .deps/Print.Tpo -c Print.cc -o Print.o
>/dev/null 2>&1 #38 205.3 depbase=echo SAXParserFactory.lo | sed 's[^\./]$.deps/&;s[^\./]$.lo$|';\ #38 205.3 /bin/bash ../libtool --tag=CXX
--mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I././common -
I././././include -I././././opcodes -I./././bfd -I./././bfd -
I./././zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT

```

```

SAXParserFactory.lo -MD -MP -MF $depbasedir.Tpo -c -o
SAXParserFactory.lo SAXParserFactory.cc &&\ #38 205.3 mv -f
$depbasedir.Tpo $depbasedir.Plo #38 205.3 libtool: compile:  g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale/" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc/" -
DLIBDIR="/usr/local/extrae/binutils/lib/" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
SAXParserFactory.lo -MD -MP -MF .deps/SAXParserFactory.Tpo -c
SAXParserFactory.cc -fPIC -DPIC -o .libs/SAXParserFactory.o #38
205.5 libtool: compile:  g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale/" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc/" -
DLIBDIR="/usr/local/extrae/binutils/lib/" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
SAXParserFactory.lo -MD -MP -MF .deps/SAXParserFactory.Tpo -c
SAXParserFactory.cc -o SAXParserFactory.o >/dev/null 2>&1 #38 205.8
depbasedir=echo Sample.lo | sed 's|[^/]|.deps/&;s|.lo$||';\ #38 205.8
/bin/bash ../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H
-I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale/" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc/" -
DLIBDIR="/usr/local/extrae/binutils/lib/" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Sample.lo -MD -MP -MF $depbasedir.Tpo -c -o Sample.lo Sample.cc &&\ #38
205.8 mv -f $depbasedir.Tpo $depbasedir.Plo #38 205.8 libtool: compile:
g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale/" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc/" -
DLIBDIR="/usr/local/extrae/binutils/lib/" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Sample.lo -MD -MP -MF .deps/Sample.Tpo -c Sample.cc -fPIC -DPIC -o
.libs/Sample.o #38 205.8 libtool: compile:  g++ -DHAVE_CONFIG_H -I.
-I.. -U_ASM -DLOCALEDIR="/usr/local/extrae/binutils/share/locale/"
-DSYSCONFDIR="/usr/local/extrae/binutils/etc/" -
DLIBDIR="/usr/local/extrae/binutils/lib/" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Sample.lo -MD -MP -MF .deps/Sample.Tpo -c Sample.cc -o Sample.o
>/dev/null 2>&1 #38 205.9 depbasedir=echo Settings.lo | sed 's|
[^/]|.deps/&;s|.lo$||';\ #38 205.9 /bin/bash ../libtool --tag=CXX
--mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale/" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc/" -
DLIBDIR="/usr/local/extrae/binutils/lib/" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Settings.lo -MD -MP -MF $depbasedir.Tpo -c -o Settings.lo Settings.cc
&&\ #38 205.9 mv -f $depbasedir.Tpo $depbasedir.Plo #38 205.9 libtool:
compile:  g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale/" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc/" -
DLIBDIR="/usr/local/extrae/binutils/lib/" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Settings.lo -MD -MP -MF .deps/Settings.Tpo -c Settings.cc -fPIC -

```

```

DPIC -o .libs/Settings.o #38 206.5 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Settings.lo -MD -MP -MF .deps/Settings.Tpo -c Settings.cc -o
Settings.o >/dev/null 2>&1 #38 207.0 depbase=echo SourceFile.lo | sed
's|[^/]$.deps/&;s|\.lo$||';\ #38 207.0 /bin/bash ../libtool --tag=CXX
--mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
SourceFile.lo -MD -MP -MF $depbase.Tpo -c -o SourceFile.lo
SourceFile.cc &&\ #38 207.0 mv -f $depbase.Tpo $depbase.Plo #38
207.0 libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
SourceFile.lo -MD -MP -MF .deps/SourceFile.Tpo -c SourceFile.cc -
fPIC -DPIC -o .libs/SourceFile.o #38 207.3 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
SourceFile.lo -MD -MP -MF .deps/SourceFile.Tpo -c SourceFile.cc -o
SourceFile.o >/dev/null 2>&1 #38 207.7 depbase=echo Stabs.lo | sed 's|
[^/]$.deps/&;s|\.lo$||';\ #38 207.7 /bin/bash ../libtool --tag=CXX
--mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Stabs.lo -MD -MP -MF $depbase.Tpo -c -o Stabs.lo Stabs.cc &&\ #38
207.7 mv -f $depbase.Tpo $depbase.Plo #38 207.7 libtool: compile:
g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Stabs.lo -MD -MP -MF .deps/Stabs.Tpo -c Stabs.cc -fPIC -DPIC -o
.libs/Stabs.o #38 208.7 libtool: compile: g++ -DHAVE_CONFIG_H -I. -
I.. -U_ASM -DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Stabs.lo -MD -MP -MF .deps/Stabs.Tpo -c Stabs.cc -o Stabs.o
>/dev/null 2>&1 #38 209.7 depbase=echo Stats_data.lo | sed 's|
[^/]$.deps/&;s|\.lo$||';\ #38 209.7 /bin/bash ../libtool --tag=CXX
--mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -

```

```

DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Stats_data.lo -MD -MP -MF $depbasedir/Stats_data.Tpo -c -o Stats_data.lo
Stats_data.cc && \ #38 209.7 mv -f $depbasedir/Stats_data.Plo #38
209.7 libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Stats_data.lo -MD -MP -MF .deps/Stats_data.Tpo -c Stats_data.cc -
fPIC -DPIC -o .libs/Stats_data.o #38 209.9 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Stats_data.lo -MD -MP -MF .deps/Stats_data.Tpo -c Stats_data.cc -o
Stats_data.o >/dev/null 2>&1 #38 210.0 depbase=echo StringBuilder.lo
| sed 's|[^/]|$|.deps/&|s|.lo$||'; \ #38 210.0 /bin/bash ../libtool --
tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
StringBuilder.lo -MD -MP -MF $depbasedir/Stats_data.Tpo -c -o StringBuilder.lo
StringBuilder.cc && \ #38 210.0 mv -f $depbasedir/Stats_data.Plo #38
210.0 libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
StringBuilder.lo -MD -MP -MF .deps/StringBuilder.Tpo -c
StringBuilder.cc -fPIC -DPIC -o .libs/StringBuilder.o #38 210.0
StringBuilder.cc: In member function 'void
StringBuilder::write(int)': #38 210.0 StringBuilder.cc:455:13:
warning: ignoring return value of 'ssize_t write(int, const void*,
size_t)' declared with attribute 'warn_unused_result' [-Wunused-
result] #38 210.0 455 | :write (fd, value, count); #38 210.0
| ~~~~~^~~~~~ #38 210.2 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
StringBuilder.lo -MD -MP -MF .deps/StringBuilder.Tpo -c
StringBuilder.cc -o StringBuilder.o >/dev/null 2>&1 #38 210.4
depbasedir=echo Table.lo | sed 's|[^/]|$|.deps/&|s|.lo$||'; \ #38 210.4
/bin/bash ../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H
-I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -

```

```

I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Table.lo -MD -MP -MF $depbasedir/objdir/Table.o -c Table.cc && \ #38
210.4 mv -f $depbasedir/objdir/Table.o $depbasedir/objdir/
g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Table.lo -MD -MP -MF .deps/Table.Tpo -c Table.cc -fPIC -DPIC -o
.libs/Table.o #38 211.1 libtool: compile: g++ -DHAVE_CONFIG_H -I. -
I.. -U_ASM -DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Table.lo -MD -MP -MF .deps/Table.Tpo -c Table.cc -o Table.o
>/dev/null 2>&1 #38 211.7 depbase=echo QLParse.tab.lo | sed 's|
[^/]$|.deps/&|s|\.lo$||'; \ #38 211.7 /bin/bash ../libtool --tag=CXX
--mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
QLParse.tab.lo -MD -MP -MF $depbasedir/objdir/QLParse.tab.lo
QLParse.tab.cc && \ #38 211.7 mv -f $depbasedir/objdir/QLParse.tab.o $depbasedir/objdir/
211.7 libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
QLParse.tab.lo -MD -MP -MF .deps/QLParse.tab.Tpo -c
QLParse.tab.cc -fPIC -DPIC -o .libs/QLParse.tab.o #38 212.7
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
QLParse.tab.lo -MD -MP -MF .deps/QLParse.tab.Tpo -c
QLParse.tab.cc -o QLParse.tab.o >/dev/null 2>&1 #38 213.7
depbase=echo db_collctrl.lo | sed 's|[^/]$|.deps/&|s|\.lo$||'; \ #38
213.7 /bin/bash ../libtool --tag=CXX --mode=compile g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
db_collctrl.lo -MD -MP -MF $depbasedir/objdir/db_collctrl.lo
db_collctrl.cc && \ #38 213.7 mv -f $depbasedir/objdir/db_collctrl.o $depbasedir/objdir/
213.7 libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT

```

```

dbe_collctrl.lo -MD -MP -MF .deps/dbe_collctrl.Tpo -c
dbe_collctrl.cc -fPIC -DPIC -o .libs/dbe_collctrl.o #38 213.8 In
file included from dbe_collctrl.cc:28: #38 213.8 collctrl.cc: In
member function 'char* Coll_Ctrl::set_expt(const char*, char**,
bool)': #38 213.8 collctrl.cc:2056:14: warning: ignoring return
value of 'int system(const char*)' declared with attribute
'warn_unused_result' [-Wunused-result] #38 213.8 2056 |
system(cmd); #38 213.8 | ~~~~~^~~~~ #38 214.4
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale/" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc/" -
DLIBDIR="/usr/local/extrae/binutils/lib/" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
dbe_collctrl.lo -MD -MP -MF .deps/dbe_collctrl.Tpo -c
dbe_collctrl.cc -o dbe_collctrl.o >/dev/null 2>&1 #38 215.1
depbases=echo i18n.lo | sed 's|[^/]|$.deps/&|s|.lo$||';\ #38 215.1
/bin/bash ../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H
-I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale/" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc/" -
DLIBDIR="/usr/local/extrae/binutils/lib/" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
i18n.lo -MD -MP -MF $depbases.Tpo -c -o i18n.lo i18n.cc &&\ #38 215.1
mv -f $depbases.Tpo $depbases.Plo #38 215.1 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale/" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc/" -
DLIBDIR="/usr/local/extrae/binutils/lib/" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT i18n.lo
-MD -MP -MF .deps/i18n.Tpo -c i18n.cc -fPIC -DPIC -o .libs/i18n.o
#38 215.1 libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale/" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc/" -
DLIBDIR="/usr/local/extrae/binutils/lib/" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT i18n.lo
-MD -MP -MF .deps/i18n.Tpo -c i18n.cc -o i18n.o >/dev/null 2>&1 #38
215.1 depbase=echo parse.lo | sed 's|[^/]|$.deps/&|s|.lo$||';\ #38
215.1 /bin/bash ../libtool --tag=CXX --mode=compile g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale/" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc/" -
DLIBDIR="/usr/local/extrae/binutils/lib/" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
parse.lo -MD -MP -MF $depbases.Tpo -c -o parse.lo parse.cc &&\ #38
215.1 mv -f $depbases.Tpo $depbases.Plo #38 215.1 libtool: compile:
g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale/" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc/" -
DLIBDIR="/usr/local/extrae/binutils/lib/" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
parse.lo -MD -MP -MF .deps/parse.Tpo -c parse.cc -fPIC -DPIC -o
.libs/parse.o #38 215.5 libtool: compile: g++ -DHAVE_CONFIG_H -I. -
I.. -U_ASM -DLOCALEDIR="/usr/local/extrae/binutils/share/locale/" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc/" -

```

```

DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
parse.lo -MD -MP -MF .deps/parse.Tpo -c parse.cc -o parse.o
>/dev/null 2>&1 #38 215.9 depbase=echo UserLabel.lo | sed 's|
[^/]$|.deps/&;s|\.lo$||';\ #38 215.9 /bin/bash ../libtool --tag=CXX
--mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
UserLabel.lo -MD -MP -MF $depbase.Tpo -c -o UserLabel.lo
UserLabel.cc &&\ #38 215.9 mv -f $depbase.Tpo $depbase.Plo #38 216.0
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
UserLabel.lo -MD -MP -MF .deps/UserLabel.Tpo -c UserLabel.cc -fPIC
-DPIC -o .libs/UserLabel.o #38 216.1 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
UserLabel.lo -MD -MP -MF .deps/UserLabel.Tpo -c UserLabel.cc -o
UserLabel.o >/dev/null 2>&1 #38 216.2 depbase=echo util.lo | sed 's|
[^/]$|.deps/&;s|\.lo$||';\ #38 216.2 /bin/bash ../libtool --tag=CXX
--mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
util.lo -MD -MP -MF $depbase.Tpo -c -o util.lo util.cc &&\ #38 216.2
mv -f $depbase.Tpo $depbase.Plo #38 216.2 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT util.lo
-MD -MP -MF .deps/util.Tpo -c util.cc -fPIC -DPIC -o .libs/util.o
#38 216.6 libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT util.lo
-MD -MP -MF .deps/util.Tpo -c util.cc -o util.o >/dev/null 2>&1 #38
217.1 depbase=echo Dbe.lo | sed 's|[^/]$|.deps/&;s|\.lo$||';\ #38 217.1
/bin/bash ../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H
-I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./../bfd -

```

```

I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
Dbe.lo -MD -MP -MF $debase.Tpo -c -o Dbe.lo Dbe.cc &&\ #38 217.1 mv
-f $debase.Tpo $debase.Plo #38 217.1 libtool: compile: g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT Dbe.lo
-MD -MP -MF .deps/Dbe.Tpo -c Dbe.cc -fPIC -DPIC -o .libs/Dbe.o #38
221.3 libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT Dbe.lo
-MD -MP -MF .deps/Dbe.Tpo -c Dbe.cc -o Dbe.o >/dev/null 2>&1 #38
225.3 debase=echo dbe_hwcdrv.lo | sed 's[^\/$].deps/&;s\.$|';\
#38 225.3 /bin/bash ../libtool --tag=CC --mode=compile gcc -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
dbe_hwcdrv.lo -MD -MP -MF $debase.Tpo -c -o dbe_hwcdrv.lo
dbe_hwcdrv.c &&\ #38 225.3 mv -f $debase.Tpo $debase.Plo #38 225.3
libtool: compile: gcc -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
dbe_hwcdrv.lo -MD -MP -MF .deps/dbe_hwcdrv.Tpo -c dbe_hwcdrv.c -
fPIC -DPIC -o .libs/dbe_hwcdrv.o #38 225.7 libtool: compile: gcc -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
dbe_hwcdrv.lo -MD -MP -MF .deps/dbe_hwcdrv.Tpo -c dbe_hwcdrv.c -o
dbe_hwcdrv.o >/dev/null 2>&1 #38 226.0 debase=echo dbe_hwcfuncs.lo
| sed 's[^\/$].deps/&;s\.$|';\ #38 226.0 /bin/bash ../libtool --
tag=CC --mode=compile gcc -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
dbe_hwcfuncs.lo -MD -MP -MF $debase.Tpo -c -o dbe_hwcfuncs.lo
dbe_hwcfuncs.c &&\ #38 226.0 mv -f $debase.Tpo $debase.Plo #38
226.0 libtool: compile: gcc -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
dbe_hwcfuncs.lo -MD -MP -MF .deps/dbe_hwcfuncs.Tpo -c dbe_hwcfuncs.c
-fPIC -DPIC -o .libs/dbe_hwcfuncs.o #38 226.1 libtool: compile: gcc

```



```

-DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./.././bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
dbe_hwcfuns.lo -MD -MP -MF .deps/dbe_hwcfuns.Tpo -c dbe_hwcfuns.c
-o dbe_hwcfuns.o >/dev/null 2>&1 #38 226.3 depbase=echo
dbe_hwctable.lo | sed 's|[^/]$|.deps/&;s|.lo$||';\ #38 226.3 /bin/bash
../libtool --tag=CC --mode=compile gcc -DHAVE_CONFIG_H -I. -I..
-U_ASM -DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./.././bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
dbe_hwctable.lo -MD -MP -MF $depbase.Tpo -c -o dbe_hwctable.lo
dbe_hwctable.c &&\ #38 226.3 mv -f $depbase.Tpo $depbase.Plo #38
226.3 libtool: compile: gcc -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./.././bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
dbe_hwctable.lo -MD -MP -MF .deps/dbe_hwctable.Tpo -c dbe_hwctable.c
-fPIC -DPIC -o .libs/dbe_hwctable.o #38 226.9 libtool: compile: gcc
-DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./.././bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
dbe_hwctable.lo -MD -MP -MF .deps/dbe_hwctable.Tpo -c dbe_hwctable.c
-o dbe_hwctable.o >/dev/null 2>&1 #38 227.6 depbase=echo
dbe_memmgr.lo | sed 's|[^/]$|.deps/&;s|.lo$||';\ #38 227.6 /bin/bash
../libtool --tag=CC --mode=compile gcc -DHAVE_CONFIG_H -I. -I..
-U_ASM -DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./.././bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
dbe_memmgr.lo -MD -MP -MF $depbase.Tpo -c -o dbe_memmgr.lo
dbe_memmgr.c &&\ #38 227.6 mv -f $depbase.Tpo $depbase.Plo #38 227.6
libtool: compile: gcc -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./.././bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
dbe_memmgr.lo -MD -MP -MF .deps/dbe_memmgr.Tpo -c dbe_memmgr.c -
fPIC -DPIC -o .libs/dbe_memmgr.o #38 227.6 libtool: compile: gcc -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./.././include -I./.././opcodes -I./../bfd -I./.././bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
dbe_memmgr.lo -MD -MP -MF .deps/dbe_memmgr.Tpo -c dbe_memmgr.c -o
dbe_memmgr.o >/dev/null 2>&1 #38 227.7 depbase=echo gethrtime.lo |
sed 's|[^/]$|.deps/&;s|.lo$||';\ #38 227.7 /bin/bash ../libtool --
tag=CC --mode=compile gcc -DHAVE_CONFIG_H -I. -I.. -U_ASM -

```

```
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
gethrtime.lo -MD -MP -MF $debase.Tpo -c -o gethrtime.lo gethrtime.c
&&\ #38 227.7 mv -f $debase.Tpo $debase.Plo #38 227.7 libtool:
compile: gcc -DHAVE_CONFIG_H -I. -I. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
gethrtime.lo -MD -MP -MF .deps/gethrtime.Tpo -c gethrtime.c -fPIC -
DPIC -o .libs/gethrtime.o #38 227.8 libtool: compile: gcc -
DHAVE_CONFIG_H -I. -I. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
gethrtime.lo -MD -MP -MF .deps/gethrtime.Tpo -c gethrtime.c -o
gethrtime.o >/dev/null 2>&1 #38 227.8 /bin/bash ../libtool --
tag=CXX --mode=link g++ -Wall -pthread -Wno-switch -g -O2 -Wno-
error -version-info 0:0:0 -o libprofng.la -rpath
/usr/local/extrae/binutils/lib Application.lo BaseMetric.lo
BaseMetricTreeNode.lo CallStack.lo CatchOutOfMemory.lo ClassFile.lo
Command.lo CompCom.lo DataObject.lo DataSpace.lo Data_window.lo
DataStream.lo DbeApplication.lo DbeFile.lo DbeJarFile.lo DbeLock.lo
DbeSession.lo DbeThread.lo DbeView.lo DerivedMetrics.lo Disasm.lo
Dwarf.lo DwarfLib.lo Elf.lo Emsg.lo Experiment.lo Exp_Layout.lo
ExpGroup.lo Expression.lo FileData.lo Filter.lo FilterSet.lo
Function.lo HeapMap.lo HeapData.lo HeapActivity.lo Hist_data.lo
IndexObject.lo IOActivity.lo LoadObject.lo MachineModel.lo
MemObject.lo MemorySpace.lo Metric.lo MetricList.lo Module.lo
Ovw_data.lo PRBTree.lo PathTree.lo PreviewExp.lo Print.lo
SAXParserFactory.lo Sample.lo Settings.lo SourceFile.lo Stabs.lo
Stats_data.lo StringBuilder.lo Table.lo QLPParser.tab.lo
dbe_colctrl.lo i18n.lo parse.lo UserLabel.lo util.lo Dbe.lo
dbe_hwcdrv.lo dbe_hwcfuns.lo dbe_hwctable.lo dbe_memmgr.lo
gethrtime.lo ../opcodes/libopcodes.la ../bfd/libbfd.la -
L../libliberty/pic -liberty -lpthread -ldl #38 227.9 libtool:
link: g++ -fPIC -DPIC -shared -nostdlib /usr/lib/gcc/x86_64-linux-
gnu/11/../../../../x86_64-linux-gnu/crti.o /usr/lib/gcc/x86_64-linux-
gnu/11/crtbeginS.o .libs/Application.o .libs/BaseMetric.o
.libs/BaseMetricTreeNode.o .libs/CallStack.o
.libs/CatchOutOfMemory.o .libs/ClassFile.o .libs/Command.o
.libs/CompCom.o .libs/DataObject.o .libs/DataSpace.o
.libs/Data_window.o .libs/DataStream.o .libs/DbeApplication.o
.libs/DbeFile.o .libs/DbeJarFile.o .libs/DbeLock.o
.libs/DbeSession.o .libs/DbeThread.o .libs/DbeView.o
.libs/DerivedMetrics.o .libs/Disasm.o .libs/Dwarf.o .libs/DwarfLib.o
.libs/Elf.o .libs/Emsg.o .libs/Experiment.o .libs/Exp_Layout.o
.libs/ExpGroup.o .libs/Expression.o .libs/FileData.o .libs/Filter.o
.libs/FilterSet.o .libs/Function.o .libs/HeapMap.o .libs/HeapData.o
.libs/HeapActivity.o .libs/Hist_data.o .libs/IndexObject.o
.libs/IOActivity.o .libs/LoadObject.o .libs/MachineModel.o
.libs/MemObject.o .libs/MemorySpace.o .libs/Metric.o
.libs/MetricList.o .libs/Module.o .libs/Ovw_data.o .libs/PRBTree.o
.libs/PathTree.o .libs/PreviewExp.o .libs/Print.o
```

```

.libs/SAXParserFactory.o .libs/Sample.o .libs/Settings.o
.libs/SourceFile.o .libs/Stabs.o .libs/Stats_data.o
.libs/StringBuilder.o .libs/Table.o .libs/QLParser.tab.o
.libs/dbe_collctrl.o .libs/i18n.o .libs/parse.o .libs/UserLabel.o
.libs/util.o .libs/Dbe.o .libs/dbe_hwcdrv.o .libs/dbe_hwcfuncs.o
.libs/dbe_hwctable.o .libs/dbe_memmgr.o .libs/gethrtime.o -Wl,-
rpath -Wl,/workspace/binutils-2.42/opcodes/.libs -Wl,-rpath -
Wl,/workspace/binutils-2.42/bfd/.libs -Wl,-rpath -
Wl,/workspace/binutils-2.42/libsframe/.libs -Wl,-rpath -
Wl,/usr/local/extrae/binutils/lib -L/workspace/binutils-
2.42/bfd/.libs -L/workspace/binutils-2.42/libsframe/.libs
../opcodes/.libs/libopcodes.so -L/workspace/binutils-
2.42/bfd/./libiberty/pic -L/workspace/binutils-2.42/zlib -
L/workspace/binutils-2.42/opcodes/./libiberty/pic
/workspace/binutils-2.42/bfd/.libs/libbfd.so
../bfd/.libs/libbfd.so -lz /workspace/binutils-
2.42/libsframe/.libs/libsframe.so -L/workspace/binutils-
2.42/libiberty/pic -liberty -lpthread -ldl -L/usr/lib/gcc/x86_64-
linux-gnu/11 -L/usr/lib/gcc/x86_64-linux-gnu/11/../../../../x86_64-
linux-gnu -L/usr/lib/gcc/x86_64-linux-gnu/11/../../../../lib -
L/lib/x86_64-linux-gnu -L/lib/./lib -L/usr/lib/x86_64-linux-gnu -
L/usr/lib/./lib -L/usr/lib/gcc/x86_64-linux-gnu/11/../../../../
-lstdc++ -lm -lc -lgcc_s /usr/lib/gcc/x86_64-linux-gnu/11/crtendS.o
/usr/lib/gcc/x86_64-linux-gnu/11/../../../../x86_64-linux-gnu/crtn.o -
pthread -Wl,-soname -Wl,libgprofng.so.0 -o
.libs/libgprofng.so.0.0.0 #38 228.1 libtool: link: (cd ".libs" && rm
-f "libgprofng.so.0" && ln -s "libgprofng.so.0.0.0"
"libgprofng.so.0") #38 228.1 libtool: link: (cd ".libs" && rm -f
"libgprofng.so" && ln -s "libgprofng.so.0.0.0" "libgprofng.so") #38
228.1 libtool: link: ar --plugin /usr/lib/gcc/x86_64-linux-
gnu/11/liblto_plugin.so --plugin /usr/lib/gcc/x86_64-linux-
gnu/11/liblto_plugin.so rc .libs/libgprofng.a Application.o
BaseMetric.o BaseMetricTreeNode.o CallStack.o CatchOutOfMemory.o
ClassFile.o Command.o CompCom.o DataObject.o DataSpace.o
DataWindow.o DataStream.o DbeApplication.o DbeFile.o DbeJarFile.o
DbeLock.o DbeSession.o DbeThread.o DbeView.o DerivedMetrics.o
Disasm.o Dwarf.o DwarfLib.o Elf.o Emsg.o Experiment.o Exp_Layout.o
ExpGroup.o Expression.o FileData.o Filter.o FilterSet.o Function.o
HeapMap.o HeapData.o HeapActivity.o Hist_data.o IndexObject.o
IOActivity.o LoadObject.o MachineModel.o MemObject.o MemorySpace.o
Metric.o MetricList.o Module.o Ovw_data.o PRBTree.o PathTree.o
PreviewExp.o Print.o SAXParserFactory.o Sample.o Settings.o
SourceFile.o Stabs.o Stats_data.o StringBuilder.o Table.o
QLParser.tab.o db_e_collctrl.o i18n.o parse.o UserLabel.o util.o
Dbe.o db_e_hwcdrv.o db_e_hwcfuncs.o db_e_hwctable.o db_e_memmgr.o
gethrtime.o #38 228.2 libtool: link: ranlib --plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so --plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so .libs/libgprofng.a
#38 228.3 libtool: link: ( cd ".libs" && rm -f "libgprofng.la" && ln
-s "../libgprofng.la" "libgprofng.la" ) #38 228.3 depbase=echo gp-
archive.o | sed 's|^[^/]*|.deps/&;s|\.o$||';\ #38 228.3 g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
gp-archive.o -MD -MP -MF $depbase.Tpo -c -o gp-archive.o gp-
archive.cc && #38 228.3 mv -f $depbase.Tpo $depbase.Po #38 228.4
gp-archive.cc: In member function 'int

```

```

er_archive::clean_old_archive(char*, ArchiveExp*): #38 228.4 gp-
archive.cc:251:14: warning: ignoring return value of 'int
system(const char*)' declared with attribute 'warn_unused_result' [-
Wunused-result] #38 228.4 251 |         system (cmd); #38 228.4
|         ~~~~~^~~~~ #38 228.6 depbase=echo ArchiveExp.o | sed 's|
[^\]$.deps/&;s|\.o$||';\ #38 228.6 g++ -DHAVE_CONFIG_H -I. -I.. -
U_ASM -DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
ArchiveExp.o -MD -MP -MF $debase.Tpo -c -o ArchiveExp.o
ArchiveExp.cc &&\ #38 228.6 mv -f $debase.Tpo $debase.Po #38 228.7
/bin/bash ../libtool --tag=CXX --mode=link g++ -Wall -pthread -
Wno-switch -g -O2 -Wno-error -o gp-archive gp-archive.o
ArchiveExp.o libgprofng.la -L../zlib -lz #38 228.8 libtool:
link: g++ -Wall -pthread -Wno-switch -g -O2 -Wno-error -o .libs/gp-
archive gp-archive.o ArchiveExp.o ../libs/libgprofng.so -
L/workspace/binutils-2.42/bfd../libiberty/pic -
L/workspace/binutils-2.42/zlib -L/workspace/binutils-
2.42/opcodes../libiberty/pic -L/workspace/binutils-
2.42/libiberty/pic /workspace/binutils-
2.42/opcodes/.libs/libopcodes.so /workspace/binutils-
2.42/bfd/.libs/libbfd.so /workspace/binutils-
2.42/libframe/.libs/libframe.so -pthread -ldl -lz -
pthread -Wl,-rpath -Wl,/usr/local/extrae/binutils/lib #38 228.9
debase=echo gp-collect-app.o | sed 's|^\]$.deps/&;s|\.o$||';\ #38
228.9 g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
gp-collect-app.o -MD -MP -MF $debase.Tpo -c -o gp-collect-app.o gp-
collect-app.cc &&\ #38 228.9 mv -f $debase.Tpo $debase.Po #38
229.0 gp-collect-app.cc: In member function 'void
collect::writeStr(int, const char*): #38 229.0 gp-collect-
app.cc:1597:11: warning: ignoring return value of 'ssize_t
write(int, const void*, size_t)' declared with attribute
'warn_unused_result' [-Wunused-result] #38 229.0 1597 |         write
(f, buf, strlen (buf)); #38 229.0
|         ~~~~~^~~~~ #38 229.3 depbase=echo checks.o | sed
's|^\]$.deps/&;s|\.o$||';\ #38 229.3 g++ -DHAVE_CONFIG_H -I. -I.. -
U_ASM -DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
checks.o -MD -MP -MF $debase.Tpo -c -o checks.o checks.cc &&\ #38
229.3 mv -f $debase.Tpo $debase.Po #38 229.4 depbase=echo
envsets.o | sed 's|^\]$.deps/&;s|\.o$||';\ #38 229.4 g++ -
DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale\" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc\" -
DLIBDIR="/usr/local/extrae/binutils/lib\" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
envsets.o -MD -MP -MF $debase.Tpo -c -o envsets.o envsets.cc &&\
#38 229.4 mv -f $debase.Tpo $debase.Po #38 229.6 depbase=echo
count.o | sed 's|^\]$.deps/&;s|\.o$||';\ #38 229.6 g++ -

```

```

DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./../include -I./../opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
count.o -MD -MP -MF $debase.Tpo -c -o count.o count.cc && \ #38
229.6 mv -f $debase.Tpo $debase.Po #38 229.7 count.cc: In member
function 'void collect::get_count_data()': #38 229.7
count.cc:214:13: warning: ignoring return value of 'ssize_t
write(int, const void*, size_t)' declared with attribute
'warn_unused_result' [-Wunused-result] #38 229.7 214 | write
(2, sb.toString(), sb.length()); #38 229.7 |
~~~~~^~~~~~ #38 229.7 /bin/bash
../libtool --tag=CXX --mode=link g++ -Wall -pthread -Wno-switch -
g -O2 -Wno-error -o gp-collect-app gp-collect-app.o checks.o
envsets.o count.o libgprofng.la -L../zlib -lz #38 229.8
libtool: link: g++ -Wall -pthread -Wno-switch -g -O2 -Wno-error -o
.libs/gp-collect-app gp-collect-app.o checks.o envsets.o count.o
../libs/libgprofng.so -L/workspace/binutils-
2.42/bfd/./libiberty/pic -L/workspace/binutils-2.42/zlib -
L/workspace/binutils-2.42/opcodes/./libiberty/pic -
L/workspace/binutils-2.42/libiberty/pic /workspace/binutils-
2.42/opcodes/.libs/libopcodes.so /workspace/binutils-
2.42/bfd/.libs/libbfd.so /workspace/binutils-
2.42/libframe/.libs/libframe.so -liberty -lpthread -ldl -lz -
pthread -Wl,-rpath -Wl,/usr/local/extrae/binutils/lib #38 229.9
debase=echo gprofng.o | sed 's|[^/]|$.deps/&;s|.o$||'; \ #38 229.9 g++
-DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./../include -I./../opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
gprofng.o -MD -MP -MF $debase.Tpo -c -o gprofng.o gprofng.cc && \
#38 229.9 mv -f $debase.Tpo $debase.Po #38 230.0 /bin/bash
../libtool --tag=CXX --mode=link g++ -Wall -pthread -Wno-switch -
g -O2 -Wno-error -o gprofng gprofng.o libgprofng.la -
L../zlib -lz #38 230.0 libtool: link: g++ -Wall -pthread -Wno-
switch -g -O2 -Wno-error -o .libs/gprofng gprofng.o
../libs/libgprofng.so -L/workspace/binutils-
2.42/bfd/./libiberty/pic -L/workspace/binutils-2.42/zlib -
L/workspace/binutils-2.42/opcodes/./libiberty/pic -
L/workspace/binutils-2.42/libiberty/pic /workspace/binutils-
2.42/opcodes/.libs/libopcodes.so /workspace/binutils-
2.42/bfd/.libs/libbfd.so /workspace/binutils-
2.42/libframe/.libs/libframe.so -liberty -lpthread -ldl -lz -
pthread -Wl,-rpath -Wl,/usr/local/extrae/binutils/lib #38 230.1
debase=echo gp-display-text.o | sed 's|[^/]|$.deps/&;s|.o$||'; \ #38
230.1 g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I./../common -
I./../include -I./../opcodes -I./../bfd -I./../bfd -
I./../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
gp-display-text.o -MD -MP -MF $debase.Tpo -c -o gp-display-text.o
gp-display-text.cc && \ #38 230.1 mv -f $debase.Tpo $debase.Po #38
231.0 debase=echo ipc.o | sed 's|[^/]|$.deps/&;s|.o$||'; \ #38 231.0
g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -

```

```

DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
ipc.o -MD -MP -MF $depbasedir.Tpo -c -o ipc.o ipc.cc && \ #38 231.0 mv -
f $depbasedir.Tpo $depbasedir.Po #38 231.1 ipc.cc: In function 'void
fatalErrorHandler(int, siginfo_t*, void*): #38 231.1 ipc.cc:134:10:
warning: ignoring return value of 'int system(const char*)' declared
with attribute 'warn_unused_result' [-Wunused-result] #38 231.1
134 | system(buf); #38 231.1 | ~~~~~^~~~~ #38 231.1
ipc.cc: In function 'void ipc_mainLoop(int, char**): #38 231.1
ipc.cc:2639:15: warning: ignoring return value of 'FILE*
freopen(const char*, const char*, FILE*)' declared with attribute
'warn_unused_result' [-Wunused-result] #38 231.1 2639 |
freopen(ipc_log_name, "w", stderr); #38 231.1 |
~~~~~^~~~~ #38 231.1 ipc.cc:2656:13:
warning: ignoring return value of 'FILE* freopen(const char*, const
char*, FILE*)' declared with attribute 'warn_unused_result' [-
Wunused-result] #38 231.1 2656 | freopen("/dev/null", "w",
stderr); #38 231.1 | ~~~~~^~~~~
#38 231.6 depbase=echo ipcio.o | sed 's|^[^/]*|.deps/&|.s|.o$|'; \ #38
231.6 g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
ipcio.o -MD -MP -MF $depbasedir.Tpo -c -o ipcio.o ipcio.cc && \ #38
231.6 mv -f $depbasedir.Tpo $depbasedir.Po #38 231.9 ipcio.cc: In member
function 'void IPCresponse::print(): #38 231.9 ipcio.cc:880:9:
warning: ignoring return value of 'ssize_t write(int, const void*,
size_t)' declared with attribute 'warn_unused_result' [-Wunused-
result] #38 231.9 880 | write(1, buf, 22); #38 231.9 |
~~~~~^~~~~ #38 232.3 /bin/bash ../libtool --tag=CXX --
mode=link g++ -Wall -pthread -Wno-switch -g -O2 -Wno-error -o
gp-display-text gp-display-text.o ipc.o ipcio.o libgprofng.la -
L../zlib -lz #38 232.4 libtool: link: g++ -Wall -pthread -Wno-
switch -g -O2 -Wno-error -o .libs/gp-display-text gp-display-text.o
ipc.o ipcio.o ../libs/libgprofng.so -L/workspace/binutils-
2.42/bfd/./libiberty/pic -L/workspace/binutils-2.42/zlib -
L/workspace/binutils-2.42/opcodes/./libiberty/pic -
L/workspace/binutils-2.42/libiberty/pic /workspace/binutils-
2.42/opcodes/.libs/libopcodes.so /workspace/binutils-
2.42/bfd/.libs/libbfd.so /workspace/binutils-
2.42/libframe/.libs/libframe.so -liberty -lpthread -ldl -lz -
pthread -Wl,-rpath,/usr/local/extrae/binutils/lib #38 232.4
depbasedir=echo gp-display-src.o | sed 's|^[^/]*|.deps/&|.s|.o$|'; \ #38
232.4 g++ -DHAVE_CONFIG_H -I. -I.. -U_ASM -
DLOCALEDIR="/usr/local/extrae/binutils/share/locale" -
DSYSCONFDIR="/usr/local/extrae/binutils/etc" -
DLIBDIR="/usr/local/extrae/binutils/lib" -I.. -I. -I../common -
I../include -I../opcodes -I../bfd -I../bfd -
I../zlib -Wall -pthread -Wno-switch -g -O2 -Wno-error -MT
gp-display-src.o -MD -MP -MF $depbasedir.Tpo -c -o gp-display-src.o gp-
display-src.cc && \ #38 232.4 mv -f $depbasedir.Tpo $depbasedir.Po #38
232.8 /bin/bash ../libtool --tag=CXX --mode=link g++ -Wall -
pthread -Wno-switch -g -O2 -Wno-error -o gp-display-src gp-
display-src.o libgprofng.la -L../zlib -lz #38 232.8 libtool:
link: g++ -Wall -pthread -Wno-switch -g -O2 -Wno-error -o .libs/gp-
display-src gp-display-src.o ../libs/libgprofng.so -

```

```

L/workspace/binutils-2.42/bfd/./libiberty/pic -
L/workspace/binutils-2.42/zlib -L/workspace/binutils-
2.42/opcodes/./libiberty/pic -L/workspace/binutils-
2.42/libiberty/pic /workspace/binutils-
2.42/opcodes/.libs/libopcodes.so /workspace/binutils-
2.42/bfd/.libs/libbfd.so /workspace/binutils-
2.42/libframe/.libs/libframe.so -liberty -lpthread -ldl -lz -
pthread -Wl,-rpath -Wl,/usr/local/extrae/binutils/lib #38 232.9
make[5]: Leaving directory '/workspace/binutils-2.42/gprofng/src'
#38 232.9 make[4]: Leaving directory '/workspace/binutils-
2.42/gprofng/src' #38 232.9 Making all in gp-display-html #38 232.9
make[4]: Entering directory '/workspace/binutils-2.42/gprofng/gp-
display-html' #38 232.9 sed -e 's/BINUTILS_VERSION/2.42/' < ./gp-
display-html.in > gp-display-html #38 232.9 chmod +x gp-display-html
#38 232.9 make[4]: Leaving directory '/workspace/binutils-
2.42/gprofng/gp-display-html' #38 232.9 Making all in doc #38 232.9
make[4]: Entering directory '/workspace/binutils-2.42/gprofng/doc'
#38 232.9 restore=: && backupdir=".am$$" && \ #38 232.9 rm -rf
$backupdir && mkdir $backupdir && \ #38 232.9 if (makeinfo --split-
size=5000000 --split-size=5000000 --version) >/dev/null 2>&1; then \
#38 232.9   for f in gprofng.info gprofng.info-[0-9] gprofng.info-
[0-9][0-9] gprofng.i[0-9] gprofng.i[0-9][0-9]; do \ #38 232.9     if
test -f $f; then mv $f $backupdir; restore=mv; else ;; fi; \ #38
232.9   done; \ #38 232.9   else ;; fi && \ #38 232.9   if makeinfo --
split-size=5000000 --split-size=5000000 -I . \ #38 232.9   -o
gprofng.infotest -f 'gprofng_ug.texi' || echo './gprofng_ug.texi; \ #38
232.9   then \ #38 232.9     rc=0; \ #38 232.9   else \ #38 232.9     rc=$?;
\ #38 232.9     $restore $backupdir/*echo "./gprofng.info" | sed 's|
[^/]*$||'; \ #38 232.9   fi; \ #38 232.9   rm -rf $backupdir; exit $rc
#38 233.1 gprofng_ug.texi:3491: warning: nodeThe
@command{gprofng collect app} Tool' unreferenced #38 233.2
make[4]: Leaving directory '/workspace/binutils-2.42/gprofng/doc'
#38 233.3 make[4]: Entering directory '/workspace/binutils-
2.42/gprofng' #38 233.3 make[4]: Leaving directory
'/workspace/binutils-2.42/gprofng' #38 233.3 make[3]: Leaving
directory '/workspace/binutils-2.42/gprofng' #38 233.3 make[2]:
Leaving directory '/workspace/binutils-2.42/gprofng' #38 233.3
Configuring in ./ld #38 233.4 configure: creating cache ./config.cache
#38 233.4 checking build system type... x86_64-pc-linux-gnu #38
233.4 checking host system type... x86_64-pc-linux-gnu #38 233.4
checking target system type... x86_64-pc-linux-gnu #38 233.4
checking for a BSD-compatible install... /usr/bin/install -c #38 233.4
checking whether build environment is sane... yes #38 233.4 checking
for a thread-safe mkdir -p... /usr/bin/mkdir -p #38 233.4 checking for
gawk... mawk #38 233.4 checking whether make sets $(MAKE)... yes
#38 233.4 checking whether make supports nested variables... yes
#38 233.4 checking whether make supports nested variables...
(cached) yes #38 233.4 checking whether to enable maintainer-
specific portions of Makefiles... no #38 233.4 checking for x86_64-pc-
linux-gnu-gcc... gcc #38 233.4 checking whether the C compiler
works... yes #38 233.5 checking for C compiler default output file
name... a.out #38 233.5 checking for suffix of executables... #38
233.5 checking whether we are cross compiling... no #38 233.5
checking for suffix of object files... o #38 233.5 checking whether we
are using the GNU C compiler... yes #38 233.6 checking whether gcc
accepts -g... yes #38 233.6 checking for gcc option to accept ISO
C89... none needed #38 233.6 checking whether gcc understands -c
and -o together... yes #38 233.6 checking for style of include used by
make... GNU #38 233.6 checking dependency style of gcc... gcc3 #38
233.7 checking whether we are using the GNU C++ compiler... yes

```

#38 233.7 checking whether g++ accepts -g... yes #38 233.7
 checking dependency style of g++... gcc3 #38 233.7 checking for
 grep that handles long lines and -e... /usr/bin/grep #38 233.7
 checking how to run the C preprocessor... gcc -E #38 233.8 checking
 for egrep... /usr/bin/grep -E #38 233.8 checking for ANSI C header
 files... yes #38 233.9 checking for sys/types.h... yes #38 233.9
 checking for sys/stat.h... yes #38 233.9 checking for stdlib.h... yes
 #38 234.0 checking for string.h... yes #38 234.0 checking for
 memory.h... yes #38 234.0 checking for strings.h... yes #38 234.0
 checking for inttypes.h... yes #38 234.1 checking for stdint.h... yes
 #38 234.1 checking for unistd.h... yes #38 234.1 checking
 minix/config.h usability... no #38 234.2 checking minix/config.h
 presence... no #38 234.2 checking for minix/config.h... no #38 234.2
 checking whether it is safe to define **EXTENSIONS**... yes #38 234.2
 checking for x86_64-linux-gnu-pkg-config... /usr/bin/x86_64-linux-gnu-pkg-config #38 234.2 checking pkg-config is at least version
 0.9.0... yes #38 234.2 checking how to print strings... printf #38
 234.2 checking for a sed that does not truncate output... /usr/bin/sed
 #38 234.2 checking for fgrep... /usr/bin/grep -F #38 234.2 checking
 for ld used by gcc... ld #38 234.2 checking if the linker (ld) is GNU
 ld... yes #38 234.2 checking for BSD- or MS-compatible name lister
 (nm)... /usr/bin/nm -B #38 234.2 checking the name lister (/usr/bin/nm
 -B) interface... BSD nm #38 234.3 checking whether ln -s works... yes
 #38 234.3 checking the maximum length of command line
 arguments... 3145728 #38 234.3 checking whether the shell
 understands some XSI constructs... yes #38 234.3 checking whether
 the shell understands "+="... yes #38 234.3 checking for ld option to
 reload object files... -r #38 234.3 checking for x86_64-linux-gnu-
 objdump... objdump #38 234.3 checking how to recognize dependent
 libraries... pass_all #38 234.3 checking for x86_64-linux-gnu-ar...
 ar -plugin /usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so #38 234.3
 checking for x86_64-linux-gnu-strip... no #38 234.3 checking for
 strip... strip #38 234.3 checking for x86_64-linux-gnu-ranlib...
 ranlib -plugin /usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so #38
 234.3 checking command to parse /usr/bin/nm -B output from gcc
 object... ok #38 234.4 checking for dlfcn.h... yes #38 234.4 checking
 for objdir... .libs #38 234.4 checking if gcc supports -fno-rtti -fno-
 exceptions... no #38 234.5 checking for gcc option to produce PIC... -
 fPIC -DPIC #38 234.5 checking if gcc PIC flag -fPIC -DPIC works... yes
 #38 234.5 checking if gcc static flag -static works... yes #38 234.5
 checking if gcc supports -c -o file.o... yes #38 234.6 checking if gcc
 supports -c -o file.o... (cached) yes #38 234.6 checking whether the
 gcc linker (ld -m elf_x86_64) supports shared libraries... yes #38
 234.6 checking whether -lc should be explicitly linked in... no #38
 234.6 checking dynamic linker characteristics... GNU/Linux ld.so #38
 234.6 checking how to hardcode library paths into programs...
 immediate #38 234.7 checking whether stripping libraries is
 possible... yes #38 234.7 checking if libtool supports shared
 libraries... yes #38 234.7 checking whether to build shared libraries...
 yes #38 234.7 checking whether to build static libraries... yes #38
 234.7 checking how to run the C++ preprocessor... g++ -E #38 234.8
 checking for ld used by g++... ld -m elf_x86_64 #38 234.8 checking if
 the linker (ld -m elf_x86_64) is GNU ld... yes #38 234.8 checking
 whether the g++ linker (ld -m elf_x86_64) supports shared libraries...
 yes #38 234.8 checking for g++ option to produce PIC... -fPIC -DPIC
 #38 234.8 checking if g++ PIC flag -fPIC -DPIC works... yes #38
 234.8 checking if g++ static flag -static works... yes #38 234.9
 checking if g++ supports -c -o file.o... yes #38 234.9 checking if g++
 supports -c -o file.o... (cached) yes #38 234.9 checking whether the
 g++ linker (ld -m elf_x86_64) supports shared libraries... yes #38

234.9 checking dynamic linker characteristics... (cached) GNU/Linux
ld.so #38 234.9 checking how to hardcode library paths into
programs... immediate #38 234.9 checking for dlfcn.h... (cached) yes
#38 234.9 checking for windows.h... no #38 235.0 checking for
library containing dlsym... none required #38 235.0 checking for
special C compiler options needed for large files... no #38 235.0
checking for _FILE_OFFSET_BITS value needed for large files... no
#38 235.0 checking size of void ... 8 #38 235.1 Setting warning flags
= -W -Wall -Wstrict-prototypes -Wmissing-prototypes -Wshadow -
Wstack-usage=262144 #38 235.1 checking for LC_MESSAGES... yes
#38 235.2 checking whether NLS is requested... yes #38 235.2
checking for msgfmt... /usr/bin/msgfmt #38 235.2 checking for
gmsgfmt... /usr/bin/msgfmt #38 235.2 checking for xgettext...
/usr/bin/xgettext #38 235.2 checking for msgmerge...
/usr/bin/msgmerge #38 235.2 checking for ld used by GCC... ld -m
elf_x86_64 #38 235.2 checking if the linker (ld -m elf_x86_64) is GNU
ld... yes #38 235.2 checking for shared library run path origin... done
#38 235.2 checking for CFPReferencesCopyAppValue... no #38 235.3
checking for CFLocaleCopyPreferredLanguages... no #38 235.3
checking for GNU gettext in libc... yes #38 235.3 checking whether to
use NLS... yes #38 235.3 checking where the gettext function comes
from... libc #38 235.3 checking whether NLS is requested... yes #38
235.3 checking for catalogs to be installed... bg da de es fi fr ga id it ja
ka pt_BR ro ru sr sv tr uk vi zh_CN zh_TW bg da de es fi fr ga id it ja
ka pt_BR ro ru sr sv tr uk vi zh_CN zh_TW #38 235.5 checking for
msgfmt... (cached) /usr/bin/msgfmt #38 235.5 checking for gmsgfmt...
(cached) /usr/bin/msgfmt #38 235.5 checking for xgettext... (cached)
/usr/bin/xgettext #38 235.5 checking for msgmerge... (cached)
/usr/bin/msgmerge #38 235.5 checking for bison... bison -y #38 235.5
checking for flex... flex #38 235.5 checking lex output file root...
lex.yy #38 235.5 checking lex library... none needed #38 236.1
checking whether yytext is a pointer... no #38 236.3 checking
whether to enable maintainer-specific portions of Makefiles... no #38
236.3 checking how to compare bootstrapped objects... cmp -ignore-
initial=16

f1

f2 #38 236.3 checking fcntl.h usability... yes #38 236.4 checking
fcntl.h presence... yes #38 236.4 checking for fcntl.h... yes #38 236.4
checking elf-hints.h usability... no #38 236.4 checking elf-hints.h
presence... no #38 236.4 checking for elf-hints.h... no #38 236.4
checking limits.h usability... yes #38 236.5 checking limits.h
presence... yes #38 236.5 checking for limits.h... yes #38 236.5
checking for inttypes.h... (cached) yes #38 236.5 checking for
stdint.h... (cached) yes #38 236.5 checking sys/file.h usability... yes
#38 236.5 checking sys/file.h presence... yes #38 236.5 checking for
sys/file.h... yes #38 236.5 checking sys/mman.h usability... yes #38
236.6 checking sys/mman.h presence... yes #38 236.6 checking for
sys/mman.h... yes #38 236.6 checking sys/param.h usability... yes
#38 236.6 checking sys/param.h presence... yes #38 236.6 checking
for sys/param.h... yes #38 236.6 checking for sys/stat.h... (cached) yes
#38 236.6 checking sys/time.h usability... yes #38 236.7 checking
sys/time.h presence... yes #38 236.7 checking for sys/time.h... yes
#38 236.7 checking for sys/types.h... (cached) yes #38 236.7
checking for unistd.h... (cached) yes #38 236.7 checking for close...
yes #38 236.7 checking for glob... yes #38 236.8 checking for lseek...
yes #38 236.8 checking for mkstemp... yes #38 236.9 checking for
open... yes #38 236.9 checking for realpath... yes #38 237.0 checking
for waitpid... yes #38 237.0 checking whether asprintf is declared...
yes #38 237.0 checking whether environ is declared... yes #38 237.1
checking whether stpcpy is declared... yes #38 237.1 checking for

```

stdlib.h... (cached) yes #38 237.1 checking for unistd.h... (cached) yes
#38 237.1 checking for sys/param.h... (cached) yes #38 237.1
checking for getpagesize... yes #38 237.2 checking for working
mmap... yes #38 237.2 checking for library containing dlopen... none
required #38 237.3 checking for a known getopt prototype in
unistd.h... yes #38 237.3 checking for libzstd >= 1.4.0... no #38
237.3 configure: updating cache ./config.cache #38 237.3 checking
that generated files are newer than configure... done #38 237.3
configure: creating ./config.status #38 237.9 config.status: creating
Makefile #38 237.9 config.status: creating po/Makefile.in #38 237.9
config.status: creating config.h #38 237.9 config.status: executing
depfiles commands #38 238.4 config.status: executing libtool
commands #38 238.4 config.status: executing default-1 commands
#38 238.4 config.status: executing default-2 commands #38 238.5
config.status: executing default commands #38 238.5 make[2]:
Entering directory '/workspace/binutils-2.42/ld' #38 238.5 (echo "/
This file is automatically generated. DO NOT EDIT! */";
#38 238.5 for f in echo " " eelf_x86_64.o eelf32_x86_64.o eelf_i386.o
eelf_iamcu.o "" \ #38 238.5 | sed -e 's/ e/ ld/g' -e 's/ ld/ /g' -e
's/[. ]o//g'; do
#38 238.5 echo "extern ld_emulation_xfer_type ld_${f}_emulation;"; \
#38 238.5 done; \ #38 238.5 echo "" \ #38 238.5 echo "#define
EMULATION_LIST \\"; \ #38 238.5 for f in `echo " " eelf_x86_64.o
eelf32_x86_64.o eelf_i386.o eelf_iamcu.o "" \ #38 238.5 | sed -e 's/ e/
ld/g' -e 's/ ld/ /g' -e 's/[. ]o//g'; do \ #38 238.5 echo "
&ld_${f}_emulation, \\";
#38 238.5 done;
#38 238.5 echo " 0") >ldemul-tmp.h #38 238.5 mv ldemul-tmp.h
ldemul-list.h #38 238.5 make all-recursive #38 238.6 make[3]:
Entering directory '/workspace/binutils-2.42/ld' #38 238.6 Making all
in po #38 238.6 make[4]: Entering directory '/workspace/binutils-
2.42/ld/po' #38 238.6 ( if test 'x.' != 'x.'; then
#38 238.6 posrcprefix='../';
#38 238.6 else
#38 238.6 posrcprefix="../";
#38 238.6 fi;
#38 238.6 rm -f SRC-POTFILES-t SRC-POTFILES
#38 238.6 && (sed -e '/^#/d' -e '/^$/d'
#38 238.6 -e "s@. @ $posrcprefix& \\|@<" < ./SRC-POTFILES.in \ #38
238.6 | sed -e 's/\$/') > SRC-POTFILES-t \ #38 238.6 && chmod a-w
SRC-POTFILES-t \ #38 238.6 && mv SRC-POTFILES-t SRC-POTFILES
) #38 238.6 rm -f BLD-POTFILES-t BLD-POTFILES \ #38 238.6 &&
sed -e '/^#/d' -e '/^[/ ]*$/d'
#38 238.6 -e "s@. @ ../& \\|@<" < ./BLD-POTFILES.in
#38 238.6 | sed -e 's/\$/') > BLD-POTFILES-t
#38 238.6 && chmod a-w BLD-POTFILES-t
#38 238.6 && mv BLD-POTFILES-t BLD-POTFILES #38 238.6 cd ..
#38 238.6 && CONFIG_FILES=po/Makefile.in:po/Makefile
#38 238.6 CONFIG_HEADERS= /bin/bash ./config.status #38 238.7
config.status: creating po/Makefile.in #38 238.7 config.status:
executing depfiles commands #38 238.7 config.status: executing
libtool commands #38 238.7 config.status: executing default-1
commands #38 238.8 config.status: executing default-2 commands
#38 238.8 config.status: executing default commands #38 238.8
make[4]: Nothing to be done for 'all'. #38 238.8 make[4]: Leaving
directory '/workspace/binutils-2.42/ld/po' #38 238.8 make[4]:
Entering directory '/workspace/binutils-2.42/ld' #38 238.8 CC
libdep_plugin.lo #38 239.0 GEN libdep_la #38 239.0 libtool: link:
warning: ignoring multiple -rpath's for a libtool library #38 239.1
CC libldtestplug_la-testplug.lo #38 239.3 CCLD

```

```

libldtestplug_la #38 239.4 CC libldtestplug2_la-testplug2.lo
#38 239.7 CCLD libldtestplug2_la #38 239.7 CC
libldtestplug3_la-testplug3.lo #38 240.0 CCLD
libldtestplug3_la #38 240.1 CC libldtestplug4_la-
testplug4.lo #38 240.3 CCLD libldtestplug4_la #38 240.4 CC
ldgram.o #38 240.7 CC ldlex-wrapper.o #38 241.0 CC
lexsup.o #38 241.4 CC ldlang.o #38 242.8 CC mri.o
#38 242.9 CC ldctor.o #38 243.0 CC ldmain.o #38
243.3 CC ldwrite.o #38 243.5 CC ldexp.o #38 243.8
CC ldemul.o #38 243.9 CC ldver.o #38 243.9 CC
ldmisc.o #38 244.1 CC ldfile.o #38 244.3 CC ldcref.o
#38 244.5 CC plugin.o #38 244.7 CC ldbuildid.o #38
244.8 GEN ldscripts/stamp #38 244.9 GEN eelf_x86_64.c
#38 245.6 CC eelf_x86_64.o #38 245.7 GEN
eelf32_x86_64.c #38 246.4 CC eelf32_x86_64.o #38 246.5 GEN
eelf_i386.c #38 247.2 CC eelf_i386.o #38 247.3 GEN
eelf_iamcu.c #38 247.9 CC eelf_iamcu.o #38 248.1 CC
ldelf.o #38 248.5 CC ldelfgen.o #38 248.6 CCLD ld-new
#38 248.8 make[4]: Leaving directory '/workspace/binutils-2.42/ld'
#38 248.8 make[3]: Leaving directory '/workspace/binutils-2.42/ld'
#38 248.8 make[2]: Leaving directory '/workspace/binutils-2.42/ld'
#38 248.8 make[1]: Nothing to be done for 'all-target'. #38 248.8
make[1]: Leaving directory '/workspace/binutils-2.42' #38 248.9
make[1]: Entering directory '/workspace/binutils-2.42' #38 248.9
/bin/bash ./mkinstalldirs /usr/local/extrae/binutils
/usr/local/extrae/binutils #38 248.9 make[2]: Entering directory
'/workspace/binutils-2.42/libsframe' #38 248.9 make[3]: Entering
directory '/workspace/binutils-2.42/libsframe' #38 248.9
/usr/bin/mkdir -p '/usr/local/extrae/binutils/lib' #38 248.9
/bin/bash ./libtool --mode=install /usr/bin/install -c
libsframe.la '/usr/local/extrae/binutils/lib' #38 248.9 libtool:
install: /usr/bin/install -c .libs/libsframe.so.1.0.0
/usr/local/extrae/binutils/lib/libsframe.so.1.0.0 #38 248.9 libtool:
install: (cd /usr/local/extrae/binutils/lib && { ln -s -f
libsframe.so.1.0.0 libsframe.so.1 || { rm -f libsframe.so.1 && ln -s
libsframe.so.1.0.0 libsframe.so.1; }; }) #38 248.9 libtool: install:
(cd /usr/local/extrae/binutils/lib && { ln -s -f libsframe.so.1.0.0
libsframe.so || { rm -f libsframe.so && ln -s libsframe.so.1.0.0
libsframe.so; }; }) #38 248.9 libtool: install: /usr/bin/install -c
.libs/libsframe.lai /usr/local/extrae/binutils/lib/libsframe.la #38
248.9 libtool: install: /usr/bin/install -c .libs/libsframe.a
/usr/local/extrae/binutils/lib/libsframe.a #38 248.9 libtool:
install: chmod 644 /usr/local/extrae/binutils/lib/libsframe.a #38
248.9 libtool: install: ranlib --plugin /usr/lib/gcc/x86_64-linux-
gnu/11/liblto_plugin.so --plugin /usr/lib/gcc/x86_64-linux-
gnu/11/liblto_plugin.so /usr/local/extrae/binutils/lib/libsframe.a
#38 248.9 libtool: finish:
PATH="/usr/local/gmsh/bin:/usr/local/petsc/arch-linux-c-
opt/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
:/sbin" ldconfig -n /usr/local/extrae/binutils/lib #38 248.9 -----
----- #38
248.9 Libraries have been installed in: #38 248.9
/usr/local/extrae/binutils/lib #38 248.9 #38 248.9 If you ever
happen to want to link against installed libraries #38 248.9 in a
given directory, LIBDIR, you must either use libtool, and #38 248.9
specify the full pathname of the library, or use the-LLIBDIR' #38
248.9 flag during linking and do at least one of the following: #38
248.9 - add LIBDIR to the LD_LIBRARY_PATH' environment variable #38
248.9 during execution #38 248.9 - add LIBDIR to
theLD_RUN_PATH' environment variable #38 248.9 during linking

```

#38 248.9 - use the -Wl,-rpath -Wl,LIBDIR' linker flag #38 248.9
- have your system administrator add LIBDIR to/etc/ld.so.conf' #38
248.9 #38 248.9 See any operating system documentation about
shared libraries for #38 248.9 more information, such as the ld(1) and
ld.so(8) manual pages. #38 248.9

----- #38 248.9
/usr/bin/mkdir -p '/usr/local/extrae/binutils/include' #38 248.9
/usr/bin/install -c -m 644 ./include/sframe.h ./include/sframe-api.h
'/usr/local/extrae/binutils/include' #38 248.9 /usr/bin/mkdir -p
'/usr/local/extrae/binutils/share/info' #38 248.9 /usr/bin/install -c -m
644 ./doc/sframe-spec.info '/usr/local/extrae/binutils/share/info' #38
248.9 make[3]: Leaving directory '/workspace/binutils-2.42/libsframe'
#38 248.9 make[2]: Leaving directory '/workspace/binutils-
2.42/libsframe' #38 249.0 make[2]: Entering directory
'/workspace/binutils-2.42/bfd' #38 249.0 make install-recursive #38
249.0 make[3]: Entering directory '/workspace/binutils-2.42/bfd' #38
249.0 Making install in po #38 249.0 make[4]: Entering directory
'/workspace/binutils-2.42/bfd/po' #38 249.0 if test -r
../mkinstalldirs; then
#38 249.0 ../mkinstalldirs /usr/local/extrae/binutils/share;
#38 249.0 else
#38 249.0 ../mkinstalldirs /usr/local/extrae/binutils/share;
#38 249.0 fi #38 249.0 mkdir -p -
/usr/local/extrae/binutils/share/locale/da/LC_MESSAGES #38 249.0
installing da.gmo as
/usr/local/extrae/binutils/share/locale/da/LC_MESSAGES/bfd.mo #38
249.0 mkdir -p -
/usr/local/extrae/binutils/share/locale/es/LC_MESSAGES #38 249.0
installing es.gmo as
/usr/local/extrae/binutils/share/locale/es/LC_MESSAGES/bfd.mo #38
249.0 mkdir -p -
/usr/local/extrae/binutils/share/locale/fi/LC_MESSAGES #38 249.0
installing fi.gmo as
/usr/local/extrae/binutils/share/locale/fi/LC_MESSAGES/bfd.mo #38
249.0 mkdir -p -
/usr/local/extrae/binutils/share/locale/fr/LC_MESSAGES #38 249.1
installing fr.gmo as
/usr/local/extrae/binutils/share/locale/fr/LC_MESSAGES/bfd.mo #38
249.1 mkdir -p -
/usr/local/extrae/binutils/share/locale/hr/LC_MESSAGES #38 249.1
installing hr.gmo as
/usr/local/extrae/binutils/share/locale/hr/LC_MESSAGES/bfd.mo #38
249.1 mkdir -p -
/usr/local/extrae/binutils/share/locale/id/LC_MESSAGES #38 249.1
installing id.gmo as
/usr/local/extrae/binutils/share/locale/id/LC_MESSAGES/bfd.mo #38
249.1 mkdir -p -
/usr/local/extrae/binutils/share/locale/ja/LC_MESSAGES #38 249.1
installing ja.gmo as
/usr/local/extrae/binutils/share/locale/ja/LC_MESSAGES/bfd.mo #38
249.1 mkdir -p -
/usr/local/extrae/binutils/share/locale/ka/LC_MESSAGES #38 249.1
installing ka.gmo as
/usr/local/extrae/binutils/share/locale/ka/LC_MESSAGES/bfd.mo #38
249.1 mkdir -p -
/usr/local/extrae/binutils/share/locale/pt/LC_MESSAGES #38 249.1
installing pt.gmo as
/usr/local/extrae/binutils/share/locale/pt/LC_MESSAGES/bfd.mo #38
249.1 mkdir -p -
/usr/local/extrae/binutils/share/locale/ro/LC_MESSAGES #38 249.1

installing ro.gmo as
/usr/local/extrae/binutils/share/locale/ro/LC_MESSAGES/bfd.mo #38
249.1 mkdir -p -
/usr/local/extrae/binutils/share/locale/ru/LC_MESSAGES #38 249.1
installing ru.gmo as
/usr/local/extrae/binutils/share/locale/ru/LC_MESSAGES/bfd.mo #38
249.1 mkdir -p -
/usr/local/extrae/binutils/share/locale/rw/LC_MESSAGES #38 249.1
installing rw.gmo as
/usr/local/extrae/binutils/share/locale/rw/LC_MESSAGES/bfd.mo #38
249.1 mkdir -p -
/usr/local/extrae/binutils/share/locale/sr/LC_MESSAGES #38 249.1
installing sr.gmo as
/usr/local/extrae/binutils/share/locale/sr/LC_MESSAGES/bfd.mo #38
249.1 mkdir -p -
/usr/local/extrae/binutils/share/locale/sv/LC_MESSAGES #38 249.1
installing sv.gmo as
/usr/local/extrae/binutils/share/locale/sv/LC_MESSAGES/bfd.mo #38
249.1 mkdir -p -
/usr/local/extrae/binutils/share/locale/tr/LC_MESSAGES #38 249.1
installing tr.gmo as
/usr/local/extrae/binutils/share/locale/tr/LC_MESSAGES/bfd.mo #38
249.1 mkdir -p -
/usr/local/extrae/binutils/share/locale/uk/LC_MESSAGES #38 249.1
installing uk.gmo as
/usr/local/extrae/binutils/share/locale/uk/LC_MESSAGES/bfd.mo #38
249.1 mkdir -p -
/usr/local/extrae/binutils/share/locale/vi/LC_MESSAGES #38 249.1
installing vi.gmo as
/usr/local/extrae/binutils/share/locale/vi/LC_MESSAGES/bfd.mo #38
249.1 mkdir -p -
/usr/local/extrae/binutils/share/locale/zh_CN/LC_MESSAGES #38
249.1 installing zh_CN.gmo as
/usr/local/extrae/binutils/share/locale/zh_CN/LC_MESSAGES/bfd.mo
#38 249.2 installing da.gmo as
/usr/local/extrae/binutils/share/locale/da/LC_MESSAGES/bfd.mo #38
249.2 installing es.gmo as
/usr/local/extrae/binutils/share/locale/es/LC_MESSAGES/bfd.mo #38
249.2 installing fi.gmo as
/usr/local/extrae/binutils/share/locale/fi/LC_MESSAGES/bfd.mo #38
249.2 installing fr.gmo as
/usr/local/extrae/binutils/share/locale/fr/LC_MESSAGES/bfd.mo #38
249.2 installing hr.gmo as
/usr/local/extrae/binutils/share/locale/hr/LC_MESSAGES/bfd.mo #38
249.2 installing id.gmo as
/usr/local/extrae/binutils/share/locale/id/LC_MESSAGES/bfd.mo #38
249.2 installing ja.gmo as
/usr/local/extrae/binutils/share/locale/ja/LC_MESSAGES/bfd.mo #38
249.2 installing ka.gmo as
/usr/local/extrae/binutils/share/locale/ka/LC_MESSAGES/bfd.mo #38
249.2 installing pt.gmo as
/usr/local/extrae/binutils/share/locale/pt/LC_MESSAGES/bfd.mo #38
249.2 installing ro.gmo as
/usr/local/extrae/binutils/share/locale/ro/LC_MESSAGES/bfd.mo #38
249.2 installing ru.gmo as
/usr/local/extrae/binutils/share/locale/ru/LC_MESSAGES/bfd.mo #38
249.2 installing rw.gmo as
/usr/local/extrae/binutils/share/locale/rw/LC_MESSAGES/bfd.mo #38
249.2 installing sr.gmo as
/usr/local/extrae/binutils/share/locale/sr/LC_MESSAGES/bfd.mo #38

```

249.2 installing sv.gmo as
/usr/local/extrae/binutils/share/locale/sv/LC_MESSAGES/bfd.mo #38
249.2 installing tr.gmo as
/usr/local/extrae/binutils/share/locale/tr/LC_MESSAGES/bfd.mo #38
249.2 installing uk.gmo as
/usr/local/extrae/binutils/share/locale/uk/LC_MESSAGES/bfd.mo #38
249.2 installing vi.gmo as
/usr/local/extrae/binutils/share/locale/vi/LC_MESSAGES/bfd.mo #38
249.2 installing zh_CN.gmo as
/usr/local/extrae/binutils/share/locale/zh_CN/LC_MESSAGES/bfd.mo
#38 249.2 if test "bfd" = "gettext"; then
#38 249.2 if test -r .././mkinstalldirs; then
#38 249.2 .././mkinstalldirs
/usr/local/extrae/binutils/share/gettext/po;
#38 249.2 else
#38 249.2 ../mkinstalldirs /usr/local/extrae/binutils/share/gettext/po;
#38 249.2 fi;
#38 249.2 /usr/bin/install -c -m 644 ./Makefile.in.in
#38 249.2 /usr/local/extrae/binutils/share/gettext/po/Makefile.in.in;
#38 249.2 else
#38 249.2 : ;
#38 249.2 fi #38 249.2 make[4]: Leaving directory
'/workspace/binutils-2.42/bfd/po' #38 249.3 make[4]: Circular
doc/bfd.stamp <- doc/bfd.texi dependency dropped. #38 249.3
make[4]: Entering directory '/workspace/binutils-2.42/bfd' #38 249.3
make[5]: Entering directory '/workspace/binutils-2.42/bfd' #38 249.3
make[5]: Nothing to be done for 'install-exec-am'. #38 249.3
/usr/bin/mkdir -p '/usr/local/extrae/binutils/include' #38 249.3
/usr/bin/install -c -m 644 bfd.h ../include/ansidecl.h
../include/symcat.h ../include/diagnostics.h ../include/bfdlink.h
../include/plugin-api.h '/usr/local/extrae/binutils/include' #38 249.4
/usr/bin/mkdir -p '/usr/local/extrae/binutils/lib' #38 249.4 /bin/bash
./libtool --mode=install /usr/bin/install -c libbfd.la
'/usr/local/extrae/binutils/lib' #38 249.4 libtool: install: warning:
relinking libbfd.la' #38 249.4 libtool: install: (cd
/workspace/binutils-2.42/bfd; /bin/bash /workspace/binutils-
2.42/bfd/libtool --silent --tag CC --mode=relink gcc -W -Wall -
Wstrict-prototypes -Wmissing-prototypes -Wshadow -Wstack-
usage=262144 -I../zlib -g -O2 -Wno-error -release 2.42 -o
libbfd.la -rpath /usr/local/extrae/binutils/lib archive.lo
archures.lo bfd.lo bfdio.lo bfdwin.lo cache.lo coff-bfd.lo
compress.lo corefile.lo elf-properties.lo format.lo hash.lo
libbfd.lo linker.lo merge.lo opncls.lo reloc.lo section.lo simple.lo
stab-syms.lo stabs.lo syms.lo targets.lo binary.lo ihex.lo srec.lo
tekhex.lo verilog.lo elf64-x86-64.lo elfxx-x86.lo elf-ifunc.lo elf-
vxworks.lo elf64.lo elf.lo elflink.lo elf-attrs.lo elf-strtab.lo
elf-eh-frame.lo elf-sframe.lo dwarf1.lo dwarf2.lo elf32-i386.lo
elf32.lo pei-i386.lo peigen.lo cofflink.lo coffgen.lo pe-x86_64.lo
pex64igen.lo pei-x86_64.lo elf64-gen.lo elf32-gen.lo plugin.lo cpu-
i386.lo cpu-iamcu.lo archive64.lo -L/workspace/binutils-
2.42/bfd/./libiberty/pic -liberty -Wl,-lc,-as-needed,-lm,-no-as-
needed -L../zlib -lz ../libsframe/libsframe.la ) #38 249.6
libtool: install: /usr/bin/install -c .libs/libbfd-2.42.soT
/usr/local/extrae/binutils/lib/libbfd-2.42.so #38 249.6 libtool:
install: (cd /usr/local/extrae/binutils/lib && { ln -s -f libbfd-
2.42.so libbfd.so || { rm -f libbfd.so && ln -s libbfd-2.42.so
libbfd.so; }; }) #38 249.6 libtool: install: /usr/bin/install -c
.libs/libbfd.lai /usr/local/extrae/binutils/lib/libbfd.la #38 249.6
libtool: install: /usr/bin/install -c .libs/libbfd.a
/usr/local/extrae/binutils/lib/libbfd.a #38 249.6 libtool: install:

```

```

chmod 644 /usr/local/extrae/binutils/lib/libbfd.a #38 249.6 libtool:
install: ranlib --plugin /usr/lib/gcc/x86_64-linux-
gnu/11/liblto_plugin.so --plugin /usr/lib/gcc/x86_64-linux-
gnu/11/liblto_plugin.so /usr/local/extrae/binutils/lib/libbfd.a #38
249.7 libtool: finish:
PATH="/usr/local/gmsh/bin:/usr/local/petsc/arch-linux-c-
opt/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
:/sbin" ldconfig -n /usr/local/extrae/binutils/lib #38 249.7 -----
----- #38
249.7 Libraries have been installed in: #38 249.7
/usr/local/extrae/binutils/lib #38 249.7 #38 249.7 If you ever
happen to want to link against installed libraries #38 249.7 in a
given directory, LIBDIR, you must either use libtool, and #38 249.7
specify the full pathname of the library, or use the-LLIBDIR' #38
249.7 flag during linking and do at least one of the following: #38
249.7 - add LIBDIR to the LD_LIBRARY_PATH' environment variable #38
249.7 during execution #38 249.7 - add LIBDIR to
theLD_RUN_PATH' environment variable #38 249.7 during linking
#38 249.7 - use the -Wl,-rpath -Wl,LIBDIR' linker flag #38 249.7
- have your system administrator add LIBDIR to/etc/ld.so.conf' #38
249.7 #38 249.7 See any operating system documentation about
shared libraries for #38 249.7 more information, such as the ld(1) and
ld.so(8) manual pages. #38 249.7
----- #38 249.7 make[5]:
Circular doc/bfd.stamp <- doc/bfd.texi dependency dropped. #38
249.7 /usr/bin/mkdir -p '/usr/local/extrae/binutils/share/info' #38
249.7 /usr/bin/install -c -m 644 ./doc/bfd.info
'/usr/local/extrae/binutils/share/info' #38 249.7 make[5]: Leaving
directory '/workspace/binutils-2.42/bfd' #38 249.7 make[4]: Leaving
directory '/workspace/binutils-2.42/bfd' #38 249.7 make[3]: Leaving
directory '/workspace/binutils-2.42/bfd' #38 249.7 make[2]: Leaving
directory '/workspace/binutils-2.42/bfd' #38 249.7 make[2]: Entering
directory '/workspace/binutils-2.42/opcodes' #38 249.7 Making install
in . #38 249.8 make[3]: Entering directory '/workspace/binutils-
2.42/opcodes' #38 249.8 make[4]: Entering directory
'/workspace/binutils-2.42/opcodes' #38 249.8 make[4]: Nothing to be
done for 'install-exec-am'. #38 249.8 /usr/bin/mkdir -p
'/usr/local/extrae/binutils/include' #38 249.8 /usr/bin/install -c -m 644
././include/dis-asm.h '/usr/local/extrae/binutils/include' #38 249.8
/usr/bin/mkdir -p '/usr/local/extrae/binutils/lib' #38 249.8 /bin/bash
./libtool --mode=install /usr/bin/install -c libopcodes.la
'/usr/local/extrae/binutils/lib' #38 249.8 libtool: install: warning:
relinking libopcodes.la' #38 249.8 libtool: install: (cd
/workspace/binutils-2.42/opcodes; /bin/bash /workspace/binutils-
2.42/opcodes/libtool --silent --tag CC --mode=relink gcc -W -Wall -
Wstrict-prototypes -Wmissing-prototypes -Wshadow -Wstack-
usage=262144 -g -O2 -Wno-error -release 2.42 -o libopcodes.la -rpath
/usr/local/extrae/binutils/lib dis-buf.lo disassemble.lo dis-init.lo
i386-dis.lo ../bfd/libbfd.la -L/workspace/binutils-
2.42/opcodes/./liberty/pic -liberty -Wl,-lc,--as-needed,-lm,--no-
as-needed ) #38 249.9 libtool: install: /usr/bin/install -c
.libs/libopcodes-2.42.soT /usr/local/extrae/binutils/lib/libopcodes-
2.42.so #38 249.9 libtool: install: (cd
/usr/local/extrae/binutils/lib && { ln -s -f libopcodes-2.42.so
libopcodes.so || { rm -f libopcodes.so && ln -s libopcodes-2.42.so
libopcodes.so; }; }) #38 249.9 libtool: install: /usr/bin/install -c
.libs/libopcodes.lai /usr/local/extrae/binutils/lib/libopcodes.la
#38 249.9 libtool: install: /usr/bin/install -c .libs/libopcodes.a
/usr/local/extrae/binutils/lib/libopcodes.a #38 249.9 libtool:
install: chmod 644 /usr/local/extrae/binutils/lib/libopcodes.a #38

```

```

249.9 libtool: install: ranlib --plugin /usr/lib/gcc/x86_64-linux-
gnu/11/liblto_plugin.so --plugin /usr/lib/gcc/x86_64-linux-
gnu/11/liblto_plugin.so /usr/local/extrae/binutils/lib/libopcodes.a
#38 249.9 libtool: finish:
PATH="/usr/local/gmsh/bin:/usr/local/petsc/arch-linux-c-
opt/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
:/sbin" ldconfig -n /usr/local/extrae/binutils/lib #38 249.9 -----
----- #38
249.9 Libraries have been installed in: #38 249.9
/usr/local/extrae/binutils/lib #38 249.9 #38 249.9 If you ever
happen to want to link against installed libraries #38 249.9 in a
given directory, LIBDIR, you must either use libtool, and #38 249.9
specify the full pathname of the library, or use the-LLIBDIR' #38
249.9 flag during linking and do at least one of the following: #38
249.9 - add LIBDIR to the LD_LIBRARY_PATH' environment variable #38
249.9 during execution #38 249.9 - add LIBDIR to
theLD_RUN_PATH' environment variable #38 249.9 during linking
#38 249.9 - use the -Wl,-rpath -Wl,LIBDIR' linker flag #38 249.9
- have your system administrator add LIBDIR to/etc/ld.so.conf' #38
249.9 #38 249.9 See any operating system documentation about
shared libraries for #38 249.9 more information, such as the ld(1) and
ld.so(8) manual pages. #38 249.9
----- #38 249.9 make[4]:
Leaving directory '/workspace/binutils-2.42/opcodes' #38 249.9
make[3]: Leaving directory '/workspace/binutils-2.42/opcodes' #38
249.9 Making install in po #38 249.9 make[3]: Entering directory
'/workspace/binutils-2.42/opcodes/po' #38 249.9 if test -r
.././mkinstalldirs; then
#38 249.9 .././mkinstalldirs /usr/local/extrae/binutils/share;
#38 249.9 else
#38 249.9 ../mkinstalldirs /usr/local/extrae/binutils/share;
#38 249.9 fi #38 249.9 installing da.gmo as
/usr/local/extrae/binutils/share/locale/da/LC_MESSAGES/opcodes.mo
#38 249.9 mkdir -p -
/usr/local/extrae/binutils/share/locale/de/LC_MESSAGES #38 249.9
installing de.gmo as
/usr/local/extrae/binutils/share/locale/de/LC_MESSAGES/opcodes.mo
#38 249.9 installing es.gmo as
/usr/local/extrae/binutils/share/locale/es/LC_MESSAGES/opcodes.mo
#38 249.9 installing fi.gmo as
/usr/local/extrae/binutils/share/locale/fi/LC_MESSAGES/opcodes.mo
#38 250.0 installing fr.gmo as
/usr/local/extrae/binutils/share/locale/fr/LC_MESSAGES/opcodes.mo
#38 250.0 mkdir -p -
/usr/local/extrae/binutils/share/locale/ga/LC_MESSAGES #38 250.0
installing ga.gmo as
/usr/local/extrae/binutils/share/locale/ga/LC_MESSAGES/opcodes.mo
#38 250.0 installing id.gmo as
/usr/local/extrae/binutils/share/locale/id/LC_MESSAGES/opcodes.mo
#38 250.0 mkdir -p -
/usr/local/extrae/binutils/share/locale/it/LC_MESSAGES #38 250.0
installing it.gmo as
/usr/local/extrae/binutils/share/locale/it/LC_MESSAGES/opcodes.mo
#38 250.0 mkdir -p -
/usr/local/extrae/binutils/share/locale/nl/LC_MESSAGES #38 250.0
installing nl.gmo as
/usr/local/extrae/binutils/share/locale/nl/LC_MESSAGES/opcodes.mo
#38 250.0 mkdir -p -
/usr/local/extrae/binutils/share/locale/pt_BR/LC_MESSAGES #38
250.0 installing pt_BR.gmo as

```



```

/usr/local/extrae/binutils/share/locale/pt_BR/LC_MESSAGES/opcodes.
mo #38 250.0 installing ro.gmo as
/usr/local/extrae/binutils/share/locale/ro/LC_MESSAGES/opcodes.mo
#38 250.0 installing sr.gmo as
/usr/local/extrae/binutils/share/locale/sr/LC_MESSAGES/opcodes.mo
#38 250.0 installing sv.gmo as
/usr/local/extrae/binutils/share/locale/sv/LC_MESSAGES/opcodes.mo
#38 250.0 installing tr.gmo as
/usr/local/extrae/binutils/share/locale/tr/LC_MESSAGES/opcodes.mo
#38 250.0 installing uk.gmo as
/usr/local/extrae/binutils/share/locale/uk/LC_MESSAGES/opcodes.mo
#38 250.0 installing vi.gmo as
/usr/local/extrae/binutils/share/locale/vi/LC_MESSAGES/opcodes.mo
#38 250.0 installing zh_CN.gmo as
/usr/local/extrae/binutils/share/locale/zh_CN/LC_MESSAGES/opcodes.
mo #38 250.0 installing da.gmo as
/usr/local/extrae/binutils/share/locale/da/LC_MESSAGES/opcodes.mo
#38 250.0 installing de.gmo as
/usr/local/extrae/binutils/share/locale/de/LC_MESSAGES/opcodes.mo
#38 250.0 installing es.gmo as
/usr/local/extrae/binutils/share/locale/es/LC_MESSAGES/opcodes.mo
#38 250.0 installing fi.gmo as
/usr/local/extrae/binutils/share/locale/fi/LC_MESSAGES/opcodes.mo
#38 250.0 installing fr.gmo as
/usr/local/extrae/binutils/share/locale/fr/LC_MESSAGES/opcodes.mo
#38 250.1 installing ga.gmo as
/usr/local/extrae/binutils/share/locale/ga/LC_MESSAGES/opcodes.mo
#38 250.1 installing id.gmo as
/usr/local/extrae/binutils/share/locale/id/LC_MESSAGES/opcodes.mo
#38 250.1 installing it.gmo as
/usr/local/extrae/binutils/share/locale/it/LC_MESSAGES/opcodes.mo
#38 250.1 installing nl.gmo as
/usr/local/extrae/binutils/share/locale/nl/LC_MESSAGES/opcodes.mo
#38 250.1 installing pt_BR.gmo as
/usr/local/extrae/binutils/share/locale/pt_BR/LC_MESSAGES/opcodes.
mo #38 250.1 installing ro.gmo as
/usr/local/extrae/binutils/share/locale/ro/LC_MESSAGES/opcodes.mo
#38 250.1 installing sr.gmo as
/usr/local/extrae/binutils/share/locale/sr/LC_MESSAGES/opcodes.mo
#38 250.1 installing sv.gmo as
/usr/local/extrae/binutils/share/locale/sv/LC_MESSAGES/opcodes.mo
#38 250.1 installing tr.gmo as
/usr/local/extrae/binutils/share/locale/tr/LC_MESSAGES/opcodes.mo
#38 250.1 installing uk.gmo as
/usr/local/extrae/binutils/share/locale/uk/LC_MESSAGES/opcodes.mo
#38 250.1 installing vi.gmo as
/usr/local/extrae/binutils/share/locale/vi/LC_MESSAGES/opcodes.mo
#38 250.1 installing zh_CN.gmo as
/usr/local/extrae/binutils/share/locale/zh_CN/LC_MESSAGES/opcodes.
mo #38 250.1 if test "opcodes" = "gettext"; then
#38 250.1 if test -r .././mkinstalldirs; then
#38 250.1 .././mkinstalldirs
/usr/local/extrae/binutils/share/gettext/po;
#38 250.1 else
#38 250.1 ../mkinstalldirs /usr/local/extrae/binutils/share/gettext/po;
#38 250.1 fi;
#38 250.1 /usr/bin/install -c -m 644 ./Makefile.in.in
#38 250.1 /usr/local/extrae/binutils/share/gettext/po/Makefile.in.in;
#38 250.1 else
#38 250.1 : ;

```

```

#38 250.1 fi #38 250.1 make[3]: Leaving directory
'/workspace/binutils-2.42/opcodes/po' #38 250.1 make[2]: Leaving
directory '/workspace/binutils-2.42/opcodes' #38 250.1 make[2]:
Entering directory '/workspace/binutils-2.42/binutils' #38 250.1 make
install-recursive #38 250.2 make[3]: Entering directory
'/workspace/binutils-2.42/binutils' #38 250.2 Making install in po #38
250.2 make[4]: Entering directory '/workspace/binutils-
2.42/binutils/po' #38 250.2 if test -r ../../mkinstalldirs; then
#38 250.2 ../../mkinstalldirs /usr/local/extrae/binutils/share;
#38 250.2 else
#38 250.2 ../mkinstalldirs /usr/local/extrae/binutils/share;
#38 250.2 fi #38 250.2 mkdir -p -
/usr/local/extrae/binutils/share/locale/bg/LC_MESSAGES #38 250.2
installing bg.gmo as
/usr/local/extrae/binutils/share/locale/bg/LC_MESSAGES/binutils.mo
#38 250.2 mkdir -p -
/usr/local/extrae/binutils/share/locale/ca/LC_MESSAGES #38 250.2
installing ca.gmo as
/usr/local/extrae/binutils/share/locale/ca/LC_MESSAGES/binutils.mo
#38 250.2 installing da.gmo as
/usr/local/extrae/binutils/share/locale/da/LC_MESSAGES/binutils.mo
#38 250.2 installing es.gmo as
/usr/local/extrae/binutils/share/locale/es/LC_MESSAGES/binutils.mo
#38 250.2 installing fi.gmo as
/usr/local/extrae/binutils/share/locale/fi/LC_MESSAGES/binutils.mo
#38 250.2 installing fr.gmo as
/usr/local/extrae/binutils/share/locale/fr/LC_MESSAGES/binutils.mo
#38 250.2 installing hr.gmo as
/usr/local/extrae/binutils/share/locale/hr/LC_MESSAGES/binutils.mo
#38 250.2 installing id.gmo as
/usr/local/extrae/binutils/share/locale/id/LC_MESSAGES/binutils.mo
#38 250.2 installing it.gmo as
/usr/local/extrae/binutils/share/locale/it/LC_MESSAGES/binutils.mo
#38 250.2 installing ja.gmo as
/usr/local/extrae/binutils/share/locale/ja/LC_MESSAGES/binutils.mo
#38 250.2 installing pt.gmo as
/usr/local/extrae/binutils/share/locale/pt/LC_MESSAGES/binutils.mo
#38 250.2 installing ro.gmo as
/usr/local/extrae/binutils/share/locale/ro/LC_MESSAGES/binutils.mo
#38 250.2 installing ru.gmo as
/usr/local/extrae/binutils/share/locale/ru/LC_MESSAGES/binutils.mo
#38 250.2 installing rw.gmo as
/usr/local/extrae/binutils/share/locale/rw/LC_MESSAGES/binutils.mo
#38 250.2 mkdir -p -
/usr/local/extrae/binutils/share/locale/sk/LC_MESSAGES #38 250.2
installing sk.gmo as
/usr/local/extrae/binutils/share/locale/sk/LC_MESSAGES/binutils.mo
#38 250.2 installing sr.gmo as
/usr/local/extrae/binutils/share/locale/sr/LC_MESSAGES/binutils.mo
#38 250.3 installing sv.gmo as
/usr/local/extrae/binutils/share/locale/sv/LC_MESSAGES/binutils.mo
#38 250.3 installing tr.gmo as
/usr/local/extrae/binutils/share/locale/tr/LC_MESSAGES/binutils.mo
#38 250.3 installing uk.gmo as
/usr/local/extrae/binutils/share/locale/uk/LC_MESSAGES/binutils.mo
#38 250.3 installing vi.gmo as
/usr/local/extrae/binutils/share/locale/vi/LC_MESSAGES/binutils.mo
#38 250.3 installing zh_CN.gmo as
/usr/local/extrae/binutils/share/locale/zh_CN/LC_MESSAGES/binutils.
mo #38 250.3 mkdir -p -

```

```

/usr/local/extrae/binutils/share/locale/zh_TW/LC_MESSAGES #38
250.3 installing zh_TW.gmo as
/usr/local/extrae/binutils/share/locale/zh_TW/LC_MESSAGES/binutils.
mo #38 250.3 installing bg.gmo as
/usr/local/extrae/binutils/share/locale/bg/LC_MESSAGES/binutils.mo
#38 250.3 installing ca.gmo as
/usr/local/extrae/binutils/share/locale/ca/LC_MESSAGES/binutils.mo
#38 250.3 installing da.gmo as
/usr/local/extrae/binutils/share/locale/da/LC_MESSAGES/binutils.mo
#38 250.3 installing es.gmo as
/usr/local/extrae/binutils/share/locale/es/LC_MESSAGES/binutils.mo
#38 250.3 installing fi.gmo as
/usr/local/extrae/binutils/share/locale/fi/LC_MESSAGES/binutils.mo
#38 250.3 installing fr.gmo as
/usr/local/extrae/binutils/share/locale/fr/LC_MESSAGES/binutils.mo
#38 250.3 installing hr.gmo as
/usr/local/extrae/binutils/share/locale/hr/LC_MESSAGES/binutils.mo
#38 250.3 installing id.gmo as
/usr/local/extrae/binutils/share/locale/id/LC_MESSAGES/binutils.mo
#38 250.3 installing it.gmo as
/usr/local/extrae/binutils/share/locale/it/LC_MESSAGES/binutils.mo
#38 250.3 installing ja.gmo as
/usr/local/extrae/binutils/share/locale/ja/LC_MESSAGES/binutils.mo
#38 250.3 installing pt.gmo as
/usr/local/extrae/binutils/share/locale/pt/LC_MESSAGES/binutils.mo
#38 250.3 installing ro.gmo as
/usr/local/extrae/binutils/share/locale/ro/LC_MESSAGES/binutils.mo
#38 250.3 installing ru.gmo as
/usr/local/extrae/binutils/share/locale/ru/LC_MESSAGES/binutils.mo
#38 250.4 installing rw.gmo as
/usr/local/extrae/binutils/share/locale/rw/LC_MESSAGES/binutils.mo
#38 250.4 installing sk.gmo as
/usr/local/extrae/binutils/share/locale/sk/LC_MESSAGES/binutils.mo
#38 250.4 installing sr.gmo as
/usr/local/extrae/binutils/share/locale/sr/LC_MESSAGES/binutils.mo
#38 250.4 installing sv.gmo as
/usr/local/extrae/binutils/share/locale/sv/LC_MESSAGES/binutils.mo
#38 250.4 installing tr.gmo as
/usr/local/extrae/binutils/share/locale/tr/LC_MESSAGES/binutils.mo
#38 250.4 installing uk.gmo as
/usr/local/extrae/binutils/share/locale/uk/LC_MESSAGES/binutils.mo
#38 250.4 installing vi.gmo as
/usr/local/extrae/binutils/share/locale/vi/LC_MESSAGES/binutils.mo
#38 250.4 installing zh_CN.gmo as
/usr/local/extrae/binutils/share/locale/zh_CN/LC_MESSAGES/binutils.
mo #38 250.4 installing zh_TW.gmo as
/usr/local/extrae/binutils/share/locale/zh_TW/LC_MESSAGES/binutils.
mo #38 250.4 if test "binutils" = "gettext"; then
#38 250.4 if test -r ../../mkinstalldirs; then
#38 250.4 ../../mkinstalldirs
/usr/local/extrae/binutils/share/gettext/po;
#38 250.4 else
#38 250.4 ../mkinstalldirs /usr/local/extrae/binutils/share/gettext/po;
#38 250.4 fi;
#38 250.4 /usr/bin/install -c -m 644 ./Makefile.in.in
#38 250.4 /usr/local/extrae/binutils/share/gettext/po/Makefile.in.in;
#38 250.4 else
#38 250.4 : ;
#38 250.4 fi #38 250.4 make[4]: Leaving directory
'/workspace/binutils-2.42/binutils/po' #38 250.4 make[4]: Entering

```

```

directory '/workspace/binutils-2.42/binutils' #38 250.4 make[5]:
Entering directory '/workspace/binutils-2.42/binutils' #38 250.5
/usr/bin/mkdir -p '/usr/local/extrae/binutils/bin' #38 250.5 /bin/bash
./libtool -mode=install /usr/bin/install -c size objdump ar strings ranlib
objcopy addr2line readelf elfedit '/usr/local/extrae/binutils/bin' #38
250.5 libtool: install: /usr/bin/install -c .libs/size
/usr/local/extrae/binutils/bin/size #38 250.5 libtool: install: warning:
../libctf/libctf.la' has not been installed
in/usr/local/extrae/binutils/lib' #38 250.5 libtool: install:
/usr/bin/install -c .libs/objdump /usr/local/extrae/binutils/bin/objdump
#38 250.5 libtool: install: /usr/bin/install -c .libs/ar
/usr/local/extrae/binutils/bin/ar #38 250.5 libtool: install:
/usr/local/extrae/binutils/bin/ar #38 250.5 libtool: install:
/usr/bin/install -c .libs/strings /usr/local/extrae/binutils/bin/strings #38
250.6 libtool: install: /usr/bin/install -c .libs/ranlib
/usr/local/extrae/binutils/bin/ranlib #38 250.6 libtool: install:
/usr/bin/install -c .libs/objcopy /usr/local/extrae/binutils/bin/objcopy
#38 250.6 libtool: install: /usr/bin/install -c .libs/addr2line
/usr/local/extrae/binutils/bin/addr2line #38 250.6 libtool: install:
warning: ../libctf/libctf-nobfd.la' has not been installed
in/usr/local/extrae/binutils/lib' #38 250.6 libtool: install:
/usr/bin/install -c .libs/readelf /usr/local/extrae/binutils/bin/readelf #38
250.6 libtool: install: /usr/bin/install -c elfedit
/usr/local/extrae/binutils/bin/elfedit #38 250.6 /bin/bash ./libtool -
mode=install /usr/bin/install -c nm-new
/usr/local/extrae/binutils/bin/nm #38 250.6 libtool: install:
/usr/bin/install -c .libs/nm-new /usr/local/extrae/binutils/bin/nm #38
250.6 /bin/bash ./libtool -mode=install /usr/bin/install -c strip-new
/usr/local/extrae/binutils/bin/strip #38 250.6 libtool: install:
/usr/bin/install -c .libs/strip-new /usr/local/extrae/binutils/bin/strip #38
250.7 /bin/bash ./libtool -mode=install /usr/bin/install -c cxxfilt
/usr/local/extrae/binutils/bin/c++filt #38 250.7 libtool: install:
/usr/bin/install -c .libs/cxxfilt /usr/local/extrae/binutils/bin/c++filt #38
250.7 /bin/bash ./mkinstalldirs /usr/local/extrae/binutils/x86_64-pc-
linux-gnu/bin #38 250.7 mkdir -p - /usr/local/extrae/binutils/x86_64-
pc-linux-gnu/bin #38 250.7 for i in nm-new strip-new ar ranlib dlltool
objdump objcopy readelf; do
#38 250.7 if [ -f $i ]; then
#38 250.7 j=echo $i | sed -e 's/-new//';
#38 250.7 k=echo $j | sed 's,y,y,';
#38 250.7 if [ "/usr/local/extrae/binutils/bin/$k" !=
"/usr/local/extrae/binutils/x86_64-pc-linux-gnu/bin/$j" ]; then
#38 250.7 rm -f /usr/local/extrae/binutils/x86_64-pc-linux-gnu/bin/$j; \
#38 250.7 ln /usr/local/extrae/binutils/bin/$k
/usr/local/extrae/binutils/x86_64-pc-linux-gnu/bin/$j >/dev/null
2>/dev/null
#38 250.7 || /bin/bash ./libtool -mode=install /usr/bin/install -c
i/usr/local/extrae/binutils/x86_64-pc-linux-gnu/bin/j;
#38 250.7 fi;
#38 250.7 else true;
#38 250.7 fi;
#38 250.7 done #38 250.7 /usr/bin/mkdir -p
'/usr/local/extrae/binutils/share/info' #38 250.7 /usr/bin/install -c -m
644 ./doc/binutils.info /usr/local/extrae/binutils/share/info' #38 250.7
/usr/bin/mkdir -p '/usr/local/extrae/binutils/share/man/man1' #38
250.7 /usr/bin/install -c -m 644 doc/addr2line.1 doc/ar.1 doc/dlltool.1
doc/nm.1 doc/objcopy.1 doc/objdump.1 doc/ranlib.1 doc/readelf.1
doc/size.1 doc/strings.1 doc/strip.1 doc/elfedit.1 doc/windres.1
doc/windmc.1 doc/c++filt.1
'/usr/local/extrae/binutils/share/man/man1' #38 250.7 make[5]:
Leaving directory '/workspace/binutils-2.42/binutils' #38 250.7

```

```
make[4]: Leaving directory '/workspace/binutils-2.42/binutils' #38
250.7 make[3]: Leaving directory '/workspace/binutils-2.42/binutils'
#38 250.7 make[2]: Leaving directory '/workspace/binutils-
2.42/binutils' #38 250.8 make[2]: Entering directory
'/workspace/binutils-2.42/etc' #38 250.8 make[3]: Entering directory
'/workspace/binutils-2.42/etc' #38 250.8 make[3]: Nothing to be done
for 'install-exec-am'. #38 250.8 make[3]: Nothing to be done for
'install-data-am'. #38 250.8 make[3]: Leaving directory
'/workspace/binutils-2.42/etc' #38 250.8 make[2]: Leaving directory
'/workspace/binutils-2.42/etc' #38 250.8 make[2]: Entering directory
'/workspace/binutils-2.42/gas' #38 250.8 Making install in po #38
250.8 make[3]: Entering directory '/workspace/binutils-2.42/gas/po'
#38 250.8 if test -r ../mkinstalldirs; then
#38 250.8 ../mkinstalldirs /usr/local/extrae/binutils/share;
#38 250.8 else
#38 250.8 ../mkinstalldirs /usr/local/extrae/binutils/share;
#38 250.8 fi #38 250.8 installing es.gmo as
/usr/local/extrae/binutils/share/locale/es/LC_MESSAGES/gas.mo #38
250.8 installing fi.gmo as
/usr/local/extrae/binutils/share/locale/fi/LC_MESSAGES/gas.mo #38
250.8 installing fr.gmo as
/usr/local/extrae/binutils/share/locale/fr/LC_MESSAGES/gas.mo #38
250.8 installing id.gmo as
/usr/local/extrae/binutils/share/locale/id/LC_MESSAGES/gas.mo #38
250.8 installing ja.gmo as
/usr/local/extrae/binutils/share/locale/ja/LC_MESSAGES/gas.mo #38
250.8 installing ru.gmo as
/usr/local/extrae/binutils/share/locale/ru/LC_MESSAGES/gas.mo #38
250.8 installing rw.gmo as
/usr/local/extrae/binutils/share/locale/rw/LC_MESSAGES/gas.mo #38
250.8 installing sv.gmo as
/usr/local/extrae/binutils/share/locale/sv/LC_MESSAGES/gas.mo #38
250.8 installing tr.gmo as
/usr/local/extrae/binutils/share/locale/tr/LC_MESSAGES/gas.mo #38
250.8 installing uk.gmo as
/usr/local/extrae/binutils/share/locale/uk/LC_MESSAGES/gas.mo #38
250.9 installing zh_CN.gmo as
/usr/local/extrae/binutils/share/locale/zh_CN/LC_MESSAGES/gas.mo
#38 250.9 installing es.gmo as
/usr/local/extrae/binutils/share/locale/es/LC_MESSAGES/gas.mo #38
250.9 installing fi.gmo as
/usr/local/extrae/binutils/share/locale/fi/LC_MESSAGES/gas.mo #38
250.9 installing fr.gmo as
/usr/local/extrae/binutils/share/locale/fr/LC_MESSAGES/gas.mo #38
250.9 installing id.gmo as
/usr/local/extrae/binutils/share/locale/id/LC_MESSAGES/gas.mo #38
250.9 installing ja.gmo as
/usr/local/extrae/binutils/share/locale/ja/LC_MESSAGES/gas.mo #38
250.9 installing ru.gmo as
/usr/local/extrae/binutils/share/locale/ru/LC_MESSAGES/gas.mo #38
250.9 installing rw.gmo as
/usr/local/extrae/binutils/share/locale/rw/LC_MESSAGES/gas.mo #38
250.9 installing sv.gmo as
/usr/local/extrae/binutils/share/locale/sv/LC_MESSAGES/gas.mo #38
250.9 installing tr.gmo as
/usr/local/extrae/binutils/share/locale/tr/LC_MESSAGES/gas.mo #38
250.9 installing uk.gmo as
/usr/local/extrae/binutils/share/locale/uk/LC_MESSAGES/gas.mo #38
250.9 installing zh_CN.gmo as
/usr/local/extrae/binutils/share/locale/zh_CN/LC_MESSAGES/gas.mo
```

```

#38 250.9 if test "gas" = "gettext"; then
#38 250.9 if test -r ../mkinstalldirs; then
#38 250.9 ../mkinstalldirs /usr/local/extrae/binutils/share/gettext/po;
#38 250.9 else
#38 250.9 ../mkinstalldirs /usr/local/extrae/binutils/share/gettext/po;
#38 250.9 fi;
#38 250.9 /usr/bin/install -c -m 644 ./Makefile.in.in
#38 250.9 /usr/local/extrae/binutils/share/gettext/po/Makefile.in.in;
#38 250.9 else
#38 250.9 : ;
#38 250.9 fi #38 250.9 make[3]: Leaving directory
'/workspace/binutils-2.42/gas/po' #38 250.9 make[3]: Entering
directory '/workspace/binutils-2.42/gas' #38 250.9 GEN
doc/asconfig.texi #38 251.0 make[4]: Entering directory
'/workspace/binutils-2.42/gas' #38 251.0 /bin/bash ../mkinstalldirs
/usr/local/extrae/binutils/bin #38 251.0 /bin/bash ./libtool -
mode=install /usr/bin/install -c as-new /usr/local/extrae/binutils/bin/as
#38 251.0 libtool: install: /usr/bin/install -c .libs/as-new
/usr/local/extrae/binutils/bin/as #38 251.0 /bin/bash ../mkinstalldirs
/usr/local/extrae/binutils/x86_64-pc-linux-gnu/bin #38 251.0 n=echo as
| sed 's,y,y,';
#38 251.0 if [ "/usr/local/extrae/binutils/bin/$n" !=
"/usr/local/extrae/binutils/x86_64-pc-linux-gnu/bin/as" ]; then \ #38
251.0 rm -f /usr/local/extrae/binutils/x86_64-pc-linux-gnu/bin/as; \ #38
251.0 ln /usr/local/extrae/binutils/bin/$n
/usr/local/extrae/binutils/x86_64-pc-linux-gnu/bin/as >/dev/null
2>/dev/null
#38 251.0 || /bin/bash ./libtool -mode=install /usr/bin/install -c as-new
/usr/local/extrae/binutils/x86_64-pc-linux-gnu/bin/as;
#38 251.0 else
#38 251.0 true ;
#38 251.0 fi #38 251.0 GEN doc/asconfig.texi #38 251.0
/usr/bin/mkdir -p '/usr/local/extrae/binutils/share/info' #38 251.1
/usr/bin/install -c -m 644 ./doc/as.info
'/usr/local/extrae/binutils/share/info' #38 251.1 /usr/bin/mkdir -p
'/usr/local/extrae/binutils/share/man/man1' #38 251.1 /usr/bin/install -
c -m 644 doc/as.1 '/usr/local/extrae/binutils/share/man/man1' #38
251.1 make[4]: Leaving directory '/workspace/binutils-2.42/gas' #38
251.1 make[3]: Leaving directory '/workspace/binutils-2.42/gas' #38
251.1 make[2]: Leaving directory '/workspace/binutils-2.42/gas' #38
251.1 make[2]: Entering directory '/workspace/binutils-2.42/gprof'
#38 251.1 make install-recursive #38 251.1 make[3]: Entering
directory '/workspace/binutils-2.42/gprof' #38 251.1 Making install in
po #38 251.1 make[4]: Entering directory '/workspace/binutils-
2.42/gprof/po' #38 251.1 if test -r ../mkinstalldirs; then
#38 251.1 ../mkinstalldirs /usr/local/extrae/binutils/share;
#38 251.1 else
#38 251.1 ../mkinstalldirs /usr/local/extrae/binutils/share;
#38 251.1 fi #38 251.1 installing bg.gmo as
/usr/local/extrae/binutils/share/locale/bg/LC_MESSAGES/gprof.mo
#38 251.1 installing da.gmo as
/usr/local/extrae/binutils/share/locale/da/LC_MESSAGES/gprof.mo
#38 251.1 installing de.gmo as
/usr/local/extrae/binutils/share/locale/de/LC_MESSAGES/gprof.mo
#38 251.1 mkdir -p -
/usr/local/extrae/binutils/share/locale/eo/LC_MESSAGES #38 251.1
installing eo.gmo as
/usr/local/extrae/binutils/share/locale/eo/LC_MESSAGES/gprof.mo
#38 251.1 installing es.gmo as
/usr/local/extrae/binutils/share/locale/es/LC_MESSAGES/gprof.mo #38

```

251.1 installing fi.gmo as
/usr/local/extrae/binutils/share/locale/fi/LC_MESSAGES/gprof.mo #38
251.1 installing fr.gmo as
/usr/local/extrae/binutils/share/locale/fr/LC_MESSAGES/gprof.mo #38
251.1 installing ga.gmo as
/usr/local/extrae/binutils/share/locale/ga/LC_MESSAGES/gprof.mo
#38 251.2 mkdir -p -
/usr/local/extrae/binutils/share/locale/hu/LC_MESSAGES #38 251.2
installing hu.gmo as
/usr/local/extrae/binutils/share/locale/hu/LC_MESSAGES/gprof.mo
#38 251.2 installing id.gmo as
/usr/local/extrae/binutils/share/locale/id/LC_MESSAGES/gprof.mo #38
251.2 installing it.gmo as
/usr/local/extrae/binutils/share/locale/it/LC_MESSAGES/gprof.mo #38
251.2 installing ja.gmo as
/usr/local/extrae/binutils/share/locale/ja/LC_MESSAGES/gprof.mo #38
251.2 installing ka.gmo as
/usr/local/extrae/binutils/share/locale/ka/LC_MESSAGES/gprof.mo
#38 251.2 mkdir -p -
/usr/local/extrae/binutils/share/locale/ms/LC_MESSAGES #38 251.2
installing ms.gmo as
/usr/local/extrae/binutils/share/locale/ms/LC_MESSAGES/gprof.mo
#38 251.2 installing nl.gmo as
/usr/local/extrae/binutils/share/locale/nl/LC_MESSAGES/gprof.mo #38
251.2 installing pt_BR.gmo as
/usr/local/extrae/binutils/share/locale/pt_BR/LC_MESSAGES/gprof.mo
#38 251.2 installing ro.gmo as
/usr/local/extrae/binutils/share/locale/ro/LC_MESSAGES/gprof.mo #38
251.2 installing ru.gmo as
/usr/local/extrae/binutils/share/locale/ru/LC_MESSAGES/gprof.mo #38
251.2 installing rw.gmo as
/usr/local/extrae/binutils/share/locale/rw/LC_MESSAGES/gprof.mo
#38 251.2 installing sr.gmo as
/usr/local/extrae/binutils/share/locale/sr/LC_MESSAGES/gprof.mo #38
251.2 installing sv.gmo as
/usr/local/extrae/binutils/share/locale/sv/LC_MESSAGES/gprof.mo #38
251.2 installing tr.gmo as
/usr/local/extrae/binutils/share/locale/tr/LC_MESSAGES/gprof.mo #38
251.2 installing uk.gmo as
/usr/local/extrae/binutils/share/locale/uk/LC_MESSAGES/gprof.mo
#38 251.2 installing vi.gmo as
/usr/local/extrae/binutils/share/locale/vi/LC_MESSAGES/gprof.mo #38
251.2 installing bg.gmo as
/usr/local/extrae/binutils/share/locale/bg/LC_MESSAGES/gprof.mo
#38 251.2 installing da.gmo as
/usr/local/extrae/binutils/share/locale/da/LC_MESSAGES/gprof.mo
#38 251.2 installing de.gmo as
/usr/local/extrae/binutils/share/locale/de/LC_MESSAGES/gprof.mo
#38 251.2 installing eo.gmo as
/usr/local/extrae/binutils/share/locale/eo/LC_MESSAGES/gprof.mo
#38 251.3 installing es.gmo as
/usr/local/extrae/binutils/share/locale/es/LC_MESSAGES/gprof.mo #38
251.3 installing fi.gmo as
/usr/local/extrae/binutils/share/locale/fi/LC_MESSAGES/gprof.mo #38
251.3 installing fr.gmo as
/usr/local/extrae/binutils/share/locale/fr/LC_MESSAGES/gprof.mo #38
251.3 installing ga.gmo as
/usr/local/extrae/binutils/share/locale/ga/LC_MESSAGES/gprof.mo
#38 251.3 installing hu.gmo as
/usr/local/extrae/binutils/share/locale/hu/LC_MESSAGES/gprof.mo

```

#38 251.3 installing id.gmo as
/usr/local/extrae/binutils/share/locale/id/LC_MESSAGES/gprof.mo #38
251.3 installing it.gmo as
/usr/local/extrae/binutils/share/locale/it/LC_MESSAGES/gprof.mo #38
251.3 installing ja.gmo as
/usr/local/extrae/binutils/share/locale/ja/LC_MESSAGES/gprof.mo #38
251.3 installing ka.gmo as
/usr/local/extrae/binutils/share/locale/ka/LC_MESSAGES/gprof.mo
#38 251.3 installing ms.gmo as
/usr/local/extrae/binutils/share/locale/ms/LC_MESSAGES/gprof.mo
#38 251.3 installing nl.gmo as
/usr/local/extrae/binutils/share/locale/nl/LC_MESSAGES/gprof.mo #38
251.3 installing pt_BR.gmo as
/usr/local/extrae/binutils/share/locale/pt_BR/LC_MESSAGES/gprof.mo
#38 251.3 installing ro.gmo as
/usr/local/extrae/binutils/share/locale/ro/LC_MESSAGES/gprof.mo #38
251.3 installing ru.gmo as
/usr/local/extrae/binutils/share/locale/ru/LC_MESSAGES/gprof.mo #38
251.3 installing rw.gmo as
/usr/local/extrae/binutils/share/locale/rw/LC_MESSAGES/gprof.mo
#38 251.3 installing sr.gmo as
/usr/local/extrae/binutils/share/locale/sr/LC_MESSAGES/gprof.mo #38
251.3 installing sv.gmo as
/usr/local/extrae/binutils/share/locale/sv/LC_MESSAGES/gprof.mo #38
251.3 installing tr.gmo as
/usr/local/extrae/binutils/share/locale/tr/LC_MESSAGES/gprof.mo #38
251.3 installing uk.gmo as
/usr/local/extrae/binutils/share/locale/uk/LC_MESSAGES/gprof.mo
#38 251.3 installing vi.gmo as
/usr/local/extrae/binutils/share/locale/vi/LC_MESSAGES/gprof.mo #38
251.3 if test "gprof" = "gettext"; then
#38 251.3 if test -r ../../mkinstalldirs; then
#38 251.3 ../../mkinstalldirs
/usr/local/extrae/binutils/share/gettext/po;
#38 251.3 else
#38 251.3 ../mkinstalldirs /usr/local/extrae/binutils/share/gettext/po;
#38 251.3 fi;
#38 251.3 /usr/bin/install -c -m 644 ./Makefile.in.in
#38 251.3 /usr/local/extrae/binutils/share/gettext/po/Makefile.in.in;
#38 251.3 else
#38 251.3 : ;
#38 251.3 fi #38 251.4 make[4]: Leaving directory
'/workspace/binutils-2.42/gprof/po' #38 251.4 make[4]: Entering
directory '/workspace/binutils-2.42/gprof' #38 251.4 make[5]:
Entering directory '/workspace/binutils-2.42/gprof' #38 251.4
/usr/bin/mkdir -p '/usr/local/extrae/binutils/bin' #38 251.4 /bin/bash
./libtool -mode=install /usr/bin/install -c gprof
'/usr/local/extrae/binutils/bin' #38 251.4 libtool: install: /usr/bin/install
-c .libs/gprof /usr/local/extrae/binutils/bin/gprof #38 251.4
/usr/bin/mkdir -p '/usr/local/extrae/binutils/share/info' #38 251.4
/usr/bin/install -c -m 644 ./gprof.info
'/usr/local/extrae/binutils/share/info' #38 251.4 /usr/bin/mkdir -p
'/usr/local/extrae/binutils/share/man/man1' #38 251.4 /usr/bin/install -
c -m 644 gprof.1 '/usr/local/extrae/binutils/share/man/man1' #38
251.4 make[5]: Leaving directory '/workspace/binutils-2.42/gprof' #38
251.4 make[4]: Leaving directory '/workspace/binutils-2.42/gprof' #38
251.4 make[3]: Leaving directory '/workspace/binutils-2.42/gprof' #38
251.4 make[2]: Leaving directory '/workspace/binutils-2.42/gprof' #38
251.5 make[2]: Entering directory '/workspace/binutils-2.42/gprofng'
#38 251.5 Making install in libcollector #38 251.5 make[3]: Entering

```



```

directory '/workspace/binutils-2.42/gprofng/libcollector' #38 251.5
make[4]: Entering directory '/workspace/binutils-
2.42/gprofng/libcollector' #38 251.5 /usr/bin/mkdir -p
'/usr/local/extrae/binutils/lib/gprofng' #38 251.5 /bin/bash ./libtool -
mode=install /usr/bin/install -c libgp-collector.la libgp-collectorAPI.la
libgp-heap.la libgp-sync.la libgp-iotrace.la
'/usr/local/extrae/binutils/lib/gprofng' #38 251.5 libtool: install:
/usr/bin/install -c .libs/libgp-collector.so
/usr/local/extrae/binutils/lib/gprofng/libgp-collector.so #38 251.5
libtool: install: /usr/bin/install -c .libs/libgp-collector.lai
/usr/local/extrae/binutils/lib/gprofng/libgp-collector.la #38 251.5
libtool: install: /usr/bin/install -c .libs/libgp-collectorAPI.so
/usr/local/extrae/binutils/lib/gprofng/libgp-collectorAPI.so #38 251.5
libtool: install: /usr/bin/install -c .libs/libgp-collectorAPI.lai
/usr/local/extrae/binutils/lib/gprofng/libgp-collectorAPI.la #38 251.5
libtool: install: /usr/bin/install -c .libs/libgp-heap.so
/usr/local/extrae/binutils/lib/gprofng/libgp-heap.so #38 251.5 libtool:
install: /usr/bin/install -c .libs/libgp-heap.lai
/usr/local/extrae/binutils/lib/gprofng/libgp-heap.la #38 251.5 libtool:
install: /usr/bin/install -c .libs/libgp-sync.so
/usr/local/extrae/binutils/lib/gprofng/libgp-sync.so #38 251.5 libtool:
install: /usr/bin/install -c .libs/libgp-sync.lai
/usr/local/extrae/binutils/lib/gprofng/libgp-sync.la #38 251.5 libtool:
install: /usr/bin/install -c .libs/libgp-iotrace.so
/usr/local/extrae/binutils/lib/gprofng/libgp-iotrace.so #38 251.5
libtool: install: /usr/bin/install -c .libs/libgp-iotrace.lai
/usr/local/extrae/binutils/lib/gprofng/libgp-iotrace.la #38 251.5 libtool:
install: /usr/bin/install -c .libs/libgp-collector.a
/usr/local/extrae/binutils/lib/gprofng/libgp-collector.a #38 251.5
libtool: install: chmod 644 /usr/local/extrae/binutils/lib/gprofng/libgp-
collector.a #38 251.5 libtool: install: ranlib -plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so -plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so
/usr/local/extrae/binutils/lib/gprofng/libgp-collector.a #38 251.5
libtool: install: /usr/bin/install -c .libs/libgp-collectorAPI.a
/usr/local/extrae/binutils/lib/gprofng/libgp-collectorAPI.a #38 251.5
libtool: install: chmod 644 /usr/local/extrae/binutils/lib/gprofng/libgp-
collectorAPI.a #38 251.5 libtool: install: ranlib -plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so -plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so
/usr/local/extrae/binutils/lib/gprofng/libgp-collectorAPI.a #38 251.6
libtool: install: /usr/bin/install -c .libs/libgp-heap.a
/usr/local/extrae/binutils/lib/gprofng/libgp-heap.a #38 251.6 libtool:
install: chmod 644 /usr/local/extrae/binutils/lib/gprofng/libgp-heap.a
#38 251.6 libtool: install: ranlib -plugin /usr/lib/gcc/x86_64-linux-
gnu/11/liblto_plugin.so -plugin /usr/lib/gcc/x86_64-linux-
gnu/11/liblto_plugin.so /usr/local/extrae/binutils/lib/gprofng/libgp-
heap.a #38 251.6 libtool: install: /usr/bin/install -c .libs/libgp-sync.a
/usr/local/extrae/binutils/lib/gprofng/libgp-sync.a #38 251.6 libtool:
install: chmod 644 /usr/local/extrae/binutils/lib/gprofng/libgp-sync.a
#38 251.6 libtool: install: ranlib -plugin /usr/lib/gcc/x86_64-linux-
gnu/11/liblto_plugin.so -plugin /usr/lib/gcc/x86_64-linux-
gnu/11/liblto_plugin.so /usr/local/extrae/binutils/lib/gprofng/libgp-
sync.a #38 251.6 libtool: install: /usr/bin/install -c .libs/libgp-iotrace.a
/usr/local/extrae/binutils/lib/gprofng/libgp-iotrace.a #38 251.6 libtool:
install: chmod 644 /usr/local/extrae/binutils/lib/gprofng/libgp-iotrace.a
#38 251.6 libtool: install: ranlib -plugin /usr/lib/gcc/x86_64-linux-
gnu/11/liblto_plugin.so -plugin /usr/lib/gcc/x86_64-linux-
gnu/11/liblto_plugin.so /usr/local/extrae/binutils/lib/gprofng/libgp-
iotrace.a #38 251.6 libtool: finish:

```

```

PATH="/usr/local/gmsh/bin:/usr/local/petsc/arch-linux-c-
opt/bin:/usr/local/sbin:/usr/local/bin:/usr/bin:/sbin:/bin"
ldconfig -n /usr/local/extrae/binutils/lib/gprofng #38 251.6
----- #38 251.6 Libraries
have been installed in: #38 251.6 /usr/local/extrae/binutils/lib/gprofng
#38 251.6 #38 251.6 If you ever happen to want to link against
installed libraries #38 251.6 in a given directory, LIBDIR, you must
either use libtool, and #38 251.6 specify the full pathname of the
library, or use the -LLIBDIR' #38 251.6 flag during linking and do at
least one of the following: #38 251.6 - add LIBDIR to
theLD_LIBRARY_PATH' environment variable #38 251.6 during
execution #38 251.6 - add LIBDIR to the LD_RUN_PATH' environment
variable #38 251.6 during linking #38 251.6 - use the-Wl,-
rpath -Wl,LIBDIR' linker flag #38 251.6 - have your system
administrator add LIBDIR to /etc/ld.so.conf' #38 251.6 #38 251.6
See any operating system documentation about shared libraries for
#38 251.6 more information, such as the ld(1) and ld.so(8) manual
pages. #38 251.6 -----
----- #38 251.6 for f in libgp-collector libgp-heap
libgp-sync libgp-iotrace ; do \ #38 251.6 rm -f
//usr/local/extrae/binutils/lib/gprofng/$f.la
//usr/local/extrae/binutils/lib/gprofng/$f.a ; \ #38 251.6 done #38
251.6 /usr/bin/mkdir -p '/usr/local/extrae/binutils/include' #38
251.6 /usr/bin/install -c -m 644 ../../include/collectorAPI.h
../../include/libcollector.h ../../include/libfcollector.h
'/usr/local/extrae/binutils/include' #38 251.6 make[4]: Leaving
directory '/workspace/binutils-2.42/gprofng/libcollector' #38 251.6
make[3]: Leaving directory '/workspace/binutils-
2.42/gprofng/libcollector' #38 251.6 Making install in src #38 251.6
make[3]: Entering directory '/workspace/binutils-2.42/gprofng/src'
#38 251.6 make install-am #38 251.7 make[4]: Entering directory
'/workspace/binutils-2.42/gprofng/src' #38 251.7 make[5]: Entering
directory '/workspace/binutils-2.42/gprofng/src' #38 251.7
/usr/bin/mkdir -p '/usr/local/extrae/binutils/lib' #38 251.8
/bin/bash ../libtool --mode=install /usr/bin/install -c
libgprofng.la '/usr/local/extrae/binutils/lib' #38 251.8 libtool:
install: warning: relinkinglibgprofng.la' #38 251.8 libtool: install:
(cd /workspace/binutils-2.42/gprofng/src; /bin/bash
/workspace/binutils-2.42/gprofng/libtool -tag CXX -mode=relink g++
-Wall -pthread -Wno-switch -g -O2 -Wno-error -version-info 0:0:0 -o
libgprofng.la -rpath /usr/local/extrae/binutils/lib Application.lo
BaseMetric.lo BaseMetricTreeNode.lo CallStack.lo
CatchOutOfMemory.lo ClassFile.lo Command.lo CompCom.lo
DataObject.lo DataSpace.lo Data_window.lo DataStream.lo
DbeApplication.lo DbeFile.lo DbeJarFile.lo DbeLock.lo DbeSession.lo
DbeThread.lo DbeView.lo DerivedMetrics.lo Disasm.lo Dwarf.lo
DwarfLib.lo Elf.lo Emsg.lo Experiment.lo Exp_Layout.lo ExpGroup.lo
Expression.lo FileData.lo Filter.lo FilterSet.lo Function.lo HeapMap.lo
HeapData.lo HeapActivity.lo Hist_data.lo IndexObject.lo IOActivity.lo
LoadObject.lo MachineModel.lo MemObject.lo MemorySpace.lo
Metric.lo MetricList.lo Module.lo Ovw_data.lo PRBTree.lo PathTree.lo
PreviewExp.lo Print.lo SAXParserFactory.lo Sample.lo Settings.lo
SourceFile.lo Stabs.lo Stats_data.lo StringBuilder.lo Table.lo
QLParser.tab.lo dbe_collctrl.lo i18n.lo parse.lo UserLabel.lo util.lo
Dbe.lo dbe_hwcdrv.lo dbe_hwcfuncs.lo dbe_hwctable.lo
dbe_memmgr.lo gethrtime.lo ../../opcodes/libopcodes.la
../../bfd/libbfd.la -L../../liberty -liberty -lpthread -ldl ) #38 251.8
libtool: relink: g++ -fPIC -DPIC -shared -nostdlib /usr/lib/gcc/x86_64-
linux-gnu/11/../../../../x86_64-linux-gnu/crti.o /usr/lib/gcc/x86_64-
linux-gnu/11/crtbeginS.o .libs/Application.o .libs/BaseMetric.o

```

```

.libs/BaseMetricTreeNode.o .libs/CallStack.o
.libs/CatchOutOfMemory.o .libs/ClassFile.o .libs/Command.o
.libs/CompCom.o .libs/DataObject.o .libs/DataSpace.o
.libs/Data_window.o .libs/DataStream.o .libs/DbeApplication.o
.libs/DbeFile.o .libs/DbeJarFile.o .libs/DbeLock.o .libs/DbeSession.o
.libs/DbeThread.o .libs/DbeView.o .libs/DerivedMetrics.o
.libs/Disasm.o .libs/Dwarf.o .libs/DwarfLib.o .libs/Elf.o .libs/Emsg.o
.libs/Experiment.o .libs/Exp_Layout.o .libs/ExpGroup.o
.libs/Expression.o .libs/FileData.o .libs/Filter.o .libs/FilterSet.o
.libs/Function.o .libs/HeapMap.o .libs/HeapData.o .libs/HeapActivity.o
.libs/Hist_data.o .libs/IndexObject.o .libs/IOActivity.o
.libs/LoadObject.o .libs/MachineModel.o .libs/MemObject.o
.libs/MemorySpace.o .libs/Metric.o .libs/MetricList.o .libs/Module.o
.libs/Ovw_data.o .libs/PRBTree.o .libs/PathTree.o .libs/PreviewExp.o
.libs/Print.o .libs/SAXParserFactory.o .libs/Sample.o .libs/Settings.o
.libs/SourceFile.o .libs/Stabs.o .libs/Stats_data.o .libs/StringBuilder.o
.libs/Table.o .libs/QLParser.tab.o .libs/dbe_colctrl.o .libs/i18n.o
.libs/parse.o .libs/UserLabel.o .libs/util.o .libs/Dbe.o .libs/dbe_hwcdrv.o
.libs/dbe_hwcfuncs.o .libs/dbe_hwctable.o .libs/dbe_memmgr.o
.libs/gethrtime.o -Wl,-rpath -Wl,/usr/local/extrae/binutils/lib -
-L/workspace/binutils-2.42/bfd/.libs -L/workspace/binutils-
2.42/ldframe/.libs -L/usr/local/extrae/binutils/lib -lopcodes -
-L/workspace/binutils-2.42/bfd/./libiberty/pic -L/workspace/binutils-
2.42/zlib -L/workspace/binutils-2.42/opcodes/./libiberty/pic -lbfd -lz -
ldframe -L/workspace/binutils-2.42/libiberty/pic -liberty -lpthread -ldl -
L/usr/lib/gcc/x86_64-linux-gnu/11 -L/usr/lib/gcc/x86_64-linux-
gnu/11/./././x86_64-linux-gnu -L/usr/lib/gcc/x86_64-linux-
gnu/11/././././lib -L/lib/x86_64-linux-gnu -L/lib/./lib -L/usr/lib/x86_64-
linux-gnu -L/usr/lib/./lib -L/usr/lib/gcc/x86_64-linux-gnu/11/./././ -
lstdc++ -lm -lc -lgcc_s /usr/lib/gcc/x86_64-linux-gnu/11/crtendS.o
/usr/lib/gcc/x86_64-linux-gnu/11/./././x86_64-linux-gnu/crtn.o -
pthread -pthread -Wl,-soname -Wl,libgprofng.so.0 -o
.libs/libgprofng.so.0.0.0 #38 252.1 libtool: install: /usr/bin/install -c
.libs/libgprofng.so.0.0.0T
/usr/local/extrae/binutils/lib/libgprofng.so.0.0.0 #38 252.1 libtool:
install: (cd /usr/local/extrae/binutils/lib && { ln -s f
libgprofng.so.0.0.0 libgprofng.so.0 || { rm -f libgprofng.so.0 && ln -s
libgprofng.so.0.0.0 libgprofng.so.0; }; }) #38 252.1 libtool: install: (cd
/usr/local/extrae/binutils/lib && { ln -s f libgprofng.so.0.0.0
libgprofng.so || { rm -f libgprofng.so && ln -s libgprofng.so.0.0.0
libgprofng.so; }; }) #38 252.1 libtool: install: /usr/bin/install -c
.libs/libgprofng.lai /usr/local/extrae/binutils/lib/libgprofng.la #38
252.1 libtool: install: /usr/bin/install -c .libs/libgprofng.a
/usr/local/extrae/binutils/lib/libgprofng.a #38 252.1 libtool: install:
chmod 644 /usr/local/extrae/binutils/lib/libgprofng.a #38 252.1 libtool:
install: ranlib -plugin /usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so
/usr/local/extrae/binutils/lib/libgprofng.a #38 252.2 libtool: finish:
PATH="/usr/local/gmsh/bin:/usr/local/petsc/arch-linux-c-
opt/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin:/sbin"
ldconfig -n /usr/local/extrae/binutils/lib #38 252.2

```

----- #38 252.2 Libraries
have been installed in: #38 252.2 /usr/local/extrae/binutils/lib #38
252.2 #38 252.2 If you ever happen to want to link against installed
libraries #38 252.2 in a given directory, LIBDIR, you must either use
libtool, and #38 252.2 specify the full pathname of the library, or use
the -LLIBDIR' #38 252.2 flag during linking and do at least one of
the following: #38 252.2 - add LIBDIR to theLD LIBRARY_PATH'
environment variable #38 252.2 during execution #38 252.2 - add
LIBDIR to the LD_RUN_PATH' environment variable #38 252.2

```

during linking #38 252.2 - use the -Wl,-rpath -Wl,LIBDIR linker
flag #38 252.2 - have your system administrator add LIBDIR to
/etc/ld.so.conf' #38 252.2 #38 252.2 See any operating system
documentation about shared libraries for #38 252.2 more information,
such as the ld(1) and ld.so(8) manual pages. #38 252.2 -----
----- #38 252.2
/usr/bin/mkdir -p '/usr/local/extrae/binutils/bin' #38 252.2
/bin/bash ../libtool --mode=install /usr/bin/install -c gp-archive
gp-collect-app gprofng gp-display-text gp-display-src
'/usr/local/extrae/binutils/bin' #38 252.2 libtool: install:
/usr/bin/install -c .libs/gp-archive
/usr/local/extrae/binutils/bin/gp-archive #38 252.2 libtool:
install: /usr/bin/install -c .libs/gp-collect-app
/usr/local/extrae/binutils/bin/gp-collect-app #38 252.3 libtool:
install: /usr/bin/install -c .libs/gprofng
/usr/local/extrae/binutils/bin/gprofng #38 252.3 libtool: install:
/usr/bin/install -c .libs/gp-display-text
/usr/local/extrae/binutils/bin/gp-display-text #38 252.3 libtool:
install: /usr/bin/install -c .libs/gp-display-src
/usr/local/extrae/binutils/bin/gp-display-src #38 252.3
/usr/bin/mkdir -p '/usr/local/extrae/binutils/etc' #38 252.3
/usr/bin/install -c -m 644 ./gprofng.rc
'/usr/local/extrae/binutils/etc' #38 252.3 make[5]: Leaving
directory '/workspace/binutils-2.42/gprofng/src' #38 252.3 make[4]:
Leaving directory '/workspace/binutils-2.42/gprofng/src' #38 252.3
make[3]: Leaving directory '/workspace/binutils-2.42/gprofng/src'
#38 252.3 Making install in gp-display-html #38 252.3 make[3]:
Entering directory '/workspace/binutils-2.42/gprofng/gp-display-
html' #38 252.3 make[4]: Entering directory '/workspace/binutils-
2.42/gprofng/gp-display-html' #38 252.3 /usr/bin/mkdir -p
'/usr/local/extrae/binutils/bin' #38 252.3 /usr/bin/install -c gp-
display-html '/usr/local/extrae/binutils/bin' #38 252.3 make[4]:
Nothing to be done for 'install-data-am'. #38 252.3 make[4]: Leaving
directory '/workspace/binutils-2.42/gprofng/gp-display-html' #38
252.3 make[3]: Leaving directory '/workspace/binutils-
2.42/gprofng/gp-display-html' #38 252.3 Making install in doc #38
252.3 make[3]: Entering directory '/workspace/binutils-
2.42/gprofng/doc' #38 252.3 make[4]: Entering directory
'/workspace/binutils-2.42/gprofng/doc' #38 252.3 make[4]: Nothing to
be done for 'install-exec-am'. #38 252.3 /usr/bin/mkdir -p
'/usr/local/extrae/binutils/share/info' #38 252.3 /usr/bin/install
-c -m 644 ./gprofng.info '/usr/local/extrae/binutils/share/info' #38
252.3 /usr/bin/mkdir -p '/usr/local/extrae/binutils/share/man/man1'
#38 252.3 /usr/bin/install -c -m 644 gprofng.1 gp-archive.1 gp-
collect-app.1 gp-display-html.1 gp-display-src.1 gp-display-text.1
'/usr/local/extrae/binutils/share/man/man1' #38 252.3 make[4]:
Leaving directory '/workspace/binutils-2.42/gprofng/doc' #38 252.3
make[3]: Leaving directory '/workspace/binutils-2.42/gprofng/doc'
#38 252.3 make[3]: Entering directory '/workspace/binutils-
2.42/gprofng' #38 252.4 make[4]: Entering directory
'/workspace/binutils-2.42/gprofng' #38 252.4 make[4]: Nothing to be
done for 'install-exec-am'. #38 252.4 make[4]: Nothing to be done
for 'install-data-am'. #38 252.4 make[4]: Leaving directory
'/workspace/binutils-2.42/gprofng' #38 252.4 make[3]: Leaving
directory '/workspace/binutils-2.42/gprofng' #38 252.4 make[2]:
Leaving directory '/workspace/binutils-2.42/gprofng' #38 252.4
make[2]: Entering directory '/workspace/binutils-2.42/libctf' #38
252.4 make[3]: Entering directory '/workspace/binutils-2.42/libctf'
#38 252.4 make[4]: Entering directory '/workspace/binutils-
2.42/libctf' #38 252.4 /usr/bin/mkdir -p

```

```

'/usr/local/extrae/binutils/lib' #38 252.4 /bin/bash ./libtool --
mode=install /usr/bin/install -c libctf_la libctf-nobfd.la
'/usr/local/extrae/binutils/lib' #38 252.4 libtool: install:
warning: relinkinglibctf.la' #38 252.4 libtool: install: (cd
/workspace/binutils-2.42/libctf; /bin/bash /workspace/binutils-
2.42/libctf/libtool -silent -tag CC -mode=relink gcc -std=gnu99 -Wall -
W -Wall -Wno-narrowing -Wwrite-strings -Wmissing-format-attribute -
Wstrict-prototypes -Wmissing-prototypes -Wold-style-definition -
pedantic -Wno-long-long -I./../zlib -g -O2 -Wno-error -version-info 0:0:0
-Wl,-version-script=../libctf.ver -o libctf.la -rpath
/usr/local/extrae/binutils/lib libctf_la-ctf-archive.lo libctf_la-ctf-dump.lo
libctf_la-ctf-create.lo libctf_la-ctf-decl.lo libctf_la-ctf-error.lo libctf_la-
ctf-hash.lo libctf_la-ctf-labels.lo libctf_la-ctf-dedup.lo libctf_la-ctf-link.lo
libctf_la-ctf-lookup.lo libctf_la-ctf-open.lo libctf_la-ctf-serialize.lo
libctf_la-ctf-sha1.lo libctf_la-ctf-string.lo libctf_la-ctf-subr.lo libctf_la-
ctf-types.lo libctf_la-ctf-util.lo libctf_la-ctf-open-bfd.lo -
L/workspace/binutils-2.42/libctf/./libiberty/pic -liberty ../bfd/libbfd.la -
L/workspace/binutils-2.42/libctf/./libiberty/pic -liberty -L./../zlib -lz )
#38 252.5 libtool: install: /usr/bin/install -c .libs/libctf.so.0.0.0T
/usr/local/extrae/binutils/lib/libctf.so.0.0.0 #38 252.5 libtool: install:
(cd /usr/local/extrae/binutils/lib && { ln -s -f libctf.so.0.0.0 libctf.so.0 ||
{ rm -f libctf.so.0 && ln -s libctf.so.0.0.0 libctf.so.0; }; }) #38 252.6
libtool: install: (cd /usr/local/extrae/binutils/lib && { ln -s -f
libctf.so.0.0.0 libctf.so || { rm -f libctf.so && ln -s libctf.so.0.0.0
libctf.so; }; }) #38 252.6 libtool: install: /usr/bin/install -c .libs/libctf.lai
/usr/local/extrae/binutils/lib/libctf.la #38 252.6 libtool: install:
/usr/bin/install -c .libs/libctf-nobfd.so.0.0.0
/usr/local/extrae/binutils/lib/libctf-nobfd.so.0.0.0 #38 252.6 libtool:
install: (cd /usr/local/extrae/binutils/lib && { ln -s -f libctf-
nobfd.so.0.0.0 libctf-nobfd.so.0 || { rm -f libctf-nobfd.so.0 && ln -s
libctf-nobfd.so.0.0.0 libctf-nobfd.so.0; }; }) #38 252.6 libtool: install:
(cd /usr/local/extrae/binutils/lib && { ln -s -f libctf-nobfd.so.0.0.0
libctf-nobfd.so || { rm -f libctf-nobfd.so && ln -s libctf-nobfd.so.0.0.0
libctf-nobfd.so; }; }) #38 252.6 libtool: install: /usr/bin/install -c
.libs/libctf-nobfd.lai /usr/local/extrae/binutils/lib/libctf-nobfd.la #38
252.6 libtool: install: /usr/bin/install -c .libs/libctf.a
/usr/local/extrae/binutils/lib/libctf.a #38 252.6 libtool: install: chmod
644 /usr/local/extrae/binutils/lib/libctf.a #38 252.6 libtool: install:
ranlib -plugin /usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so -plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so
/usr/local/extrae/binutils/lib/libctf.a #38 252.6 libtool: install:
/usr/bin/install -c .libs/libctf-nobfd.a /usr/local/extrae/binutils/lib/libctf-
nobfd.a #38 252.6 libtool: install: chmod 644
/usr/local/extrae/binutils/lib/libctf-nobfd.a #38 252.6 libtool: install:
ranlib -plugin /usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so -plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so
/usr/local/extrae/binutils/lib/libctf-nobfd.a #38 252.6 libtool: finish:
PATH="/usr/local/gmsh/bin:/usr/local/petsc/arch-linux-c-
opt/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin:/sbin"
ldconfig -n /usr/local/extrae/binutils/lib #38 252.6
----- #38 252.6 Libraries
have been installed in: #38 252.6 /usr/local/extrae/binutils/lib #38
252.6 #38 252.6 If you ever happen to want to link against installed
libraries #38 252.6 in a given directory, LIBDIR, you must either use
libtool, and #38 252.6 specify the full pathname of the library, or use
the -LLIBDIR' #38 252.6 flag during linking and do at least one of
the following: #38 252.6 - add LIBDIR to theLD_LIBRARY_PATH'
environment variable #38 252.6 during execution #38 252.6 - add
LIBDIR to the LD_RUN_PATH' environment variable #38 252.6
during linking #38 252.6 - use the-Wl,-rpath -Wl,LIBDIR' linker

```

```

flag #38 252.6 - have your system administrator add LIBDIR to
/etc/ld.so.conf' #38 252.6 #38 252.6 See any operating system
documentation about shared libraries for #38 252.6 more information,
such as the ld(1) and ld.so(8) manual pages. #38 252.6 -----
----- #38 252.6
/usr/bin/mkdir -p '/usr/local/extrae/binutils/include' #38 252.6
/usr/bin/install -c -m 644 ../../include/ctf.h ../../include/ctf-api.h
'/usr/local/extrae/binutils/include' #38 252.6 /usr/bin/mkdir -p
'/usr/local/extrae/binutils/share/info' #38 252.6 /usr/bin/install
-c -m 644 ./doc/ctf-spec.info
'/usr/local/extrae/binutils/share/info' #38 252.6 make[4]: Leaving
directory '/workspace/binutils-2.42/libctf' #38 252.6 make[3]:
Leaving directory '/workspace/binutils-2.42/libctf' #38 252.6
make[2]: Leaving directory '/workspace/binutils-2.42/libctf' #38
252.7 make[2]: Entering directory '/workspace/binutils-2.42/ld' #38
252.7 make install-recursive #38 252.7 make[3]: Entering directory
'/workspace/binutils-2.42/ld' #38 252.7 Making install in po #38
252.7 make[4]: Entering directory '/workspace/binutils-2.42/ld/po'
#38 252.7 if test -r ../../mkinstalldirs; then \ #38 252.7
../../mkinstalldirs /usr/local/extrae/binutils/share; \ #38 252.7
else \ #38 252.7 ../../mkinstalldirs
/usr/local/extrae/binutils/share; \ #38 252.7 fi #38 252.7
installing bg.gmo as
/usr/local/extrae/binutils/share/locale/bg/LC_MESSAGES/ld.mo #38
252.7 installing da.gmo as
/usr/local/extrae/binutils/share/locale/da/LC_MESSAGES/ld.mo #38
252.7 installing de.gmo as
/usr/local/extrae/binutils/share/locale/de/LC_MESSAGES/ld.mo #38
252.7 installing es.gmo as
/usr/local/extrae/binutils/share/locale/es/LC_MESSAGES/ld.mo #38
252.7 installing fi.gmo as
/usr/local/extrae/binutils/share/locale/fi/LC_MESSAGES/ld.mo #38
252.7 installing fr.gmo as
/usr/local/extrae/binutils/share/locale/fr/LC_MESSAGES/ld.mo #38
252.8 installing ga.gmo as
/usr/local/extrae/binutils/share/locale/ga/LC_MESSAGES/ld.mo #38
252.8 installing id.gmo as
/usr/local/extrae/binutils/share/locale/id/LC_MESSAGES/ld.mo #38
252.8 installing it.gmo as
/usr/local/extrae/binutils/share/locale/it/LC_MESSAGES/ld.mo #38
252.8 installing ja.gmo as
/usr/local/extrae/binutils/share/locale/ja/LC_MESSAGES/ld.mo #38
252.8 installing ka.gmo as
/usr/local/extrae/binutils/share/locale/ka/LC_MESSAGES/ld.mo #38
252.8 installing pt_BR.gmo as
/usr/local/extrae/binutils/share/locale/pt_BR/LC_MESSAGES/ld.mo #38
252.8 installing ro.gmo as
/usr/local/extrae/binutils/share/locale/ro/LC_MESSAGES/ld.mo #38
252.8 installing ru.gmo as
/usr/local/extrae/binutils/share/locale/ru/LC_MESSAGES/ld.mo #38
252.8 installing sr.gmo as
/usr/local/extrae/binutils/share/locale/sr/LC_MESSAGES/ld.mo #38
252.8 installing sv.gmo as
/usr/local/extrae/binutils/share/locale/sv/LC_MESSAGES/ld.mo #38
252.8 installing tr.gmo as
/usr/local/extrae/binutils/share/locale/tr/LC_MESSAGES/ld.mo #38
252.8 installing uk.gmo as
/usr/local/extrae/binutils/share/locale/uk/LC_MESSAGES/ld.mo #38
252.8 installing vi.gmo as
/usr/local/extrae/binutils/share/locale/vi/LC_MESSAGES/ld.mo #38

```

```

252.8 installing zh_CN.gmo as
/usr/local/extrae/binutils/share/locale/zh_CN/LC_MESSAGES/ld.mo #38
252.8 installing zh_TW.gmo as
/usr/local/extrae/binutils/share/locale/zh_TW/LC_MESSAGES/ld.mo #38
252.8 installing bg.gmo as
/usr/local/extrae/binutils/share/locale/bg/LC_MESSAGES/ld.mo #38
252.8 installing da.gmo as
/usr/local/extrae/binutils/share/locale/da/LC_MESSAGES/ld.mo #38
252.8 installing de.gmo as
/usr/local/extrae/binutils/share/locale/de/LC_MESSAGES/ld.mo #38
252.8 installing es.gmo as
/usr/local/extrae/binutils/share/locale/es/LC_MESSAGES/ld.mo #38
252.8 installing fi.gmo as
/usr/local/extrae/binutils/share/locale/fi/LC_MESSAGES/ld.mo #38
252.9 installing fr.gmo as
/usr/local/extrae/binutils/share/locale/fr/LC_MESSAGES/ld.mo #38
252.9 installing ga.gmo as
/usr/local/extrae/binutils/share/locale/ga/LC_MESSAGES/ld.mo #38
252.9 installing id.gmo as
/usr/local/extrae/binutils/share/locale/id/LC_MESSAGES/ld.mo #38
252.9 installing it.gmo as
/usr/local/extrae/binutils/share/locale/it/LC_MESSAGES/ld.mo #38
252.9 installing ja.gmo as
/usr/local/extrae/binutils/share/locale/ja/LC_MESSAGES/ld.mo #38
252.9 installing ka.gmo as
/usr/local/extrae/binutils/share/locale/ka/LC_MESSAGES/ld.mo #38
252.9 installing pt_BR.gmo as
/usr/local/extrae/binutils/share/locale/pt_BR/LC_MESSAGES/ld.mo #38
252.9 installing ro.gmo as
/usr/local/extrae/binutils/share/locale/ro/LC_MESSAGES/ld.mo #38
252.9 installing ru.gmo as
/usr/local/extrae/binutils/share/locale/ru/LC_MESSAGES/ld.mo #38
252.9 installing sr.gmo as
/usr/local/extrae/binutils/share/locale/sr/LC_MESSAGES/ld.mo #38
252.9 installing sv.gmo as
/usr/local/extrae/binutils/share/locale/sv/LC_MESSAGES/ld.mo #38
252.9 installing tr.gmo as
/usr/local/extrae/binutils/share/locale/tr/LC_MESSAGES/ld.mo #38
252.9 installing uk.gmo as
/usr/local/extrae/binutils/share/locale/uk/LC_MESSAGES/ld.mo #38
252.9 installing vi.gmo as
/usr/local/extrae/binutils/share/locale/vi/LC_MESSAGES/ld.mo #38
252.9 installing zh_CN.gmo as
/usr/local/extrae/binutils/share/locale/zh_CN/LC_MESSAGES/ld.mo #38
252.9 installing zh_TW.gmo as
/usr/local/extrae/binutils/share/locale/zh_TW/LC_MESSAGES/ld.mo #38
252.9 if test "ld" = "gettext"; then \ #38 252.9 if test -r
.././../mkinstalldirs; then \ #38 252.9 .././../mkinstalldirs
/usr/local/extrae/binutils/share/gettext/po; \ #38 252.9 else \
#38 252.9 ../mkinstalldirs
/usr/local/extrae/binutils/share/gettext/po; \ #38 252.9 fi; \ #38
252.9 /usr/bin/install -c -m 644 ./Makefile.in.in \ #38 252.9
/usr/local/extrae/binutils/share/gettext/po/Makefile.in.in; \ #38
252.9 else \ #38 252.9 : ; \ #38 252.9 fi #38 252.9 make[4]:
Leaving directory '/workspace/binutils-2.42/ld/po' #38 253.0
make[4]: Entering directory '/workspace/binutils-2.42/ld' #38 253.0
make[5]: Entering directory '/workspace/binutils-2.42/ld' #38 253.0
/usr/bin/mkdir -p '/usr/local/extrae/binutils/bin' #38 253.0
/bin/bash ./libtool --mode=install /usr/bin/install -c ld-new
'/usr/local/extrae/binutils/bin/./ld.bfd' #38 253.0 libtool:

```

```

install: /usr/bin/install -c .libs/ld-new
/usr/local/extrae/binutils/bin/./ld.bfd #38 253.1 /bin/bash
./../mkinstalldirs /usr/local/extrae/binutils/x86_64-pc-linux-
gnu/bin #38 253.1 n=echo ld.bfd | sed 's/^ld-new$/ld.bfd/s,y,y,`; \ #38
253.1 if test "/usr/local/extrae/binutils/bin" !=
"/usr/local/extrae/binutils/x86_64-pc-linux-gnu/bin"; then \ #38 253.1
rm -f /usr/local/extrae/binutils/x86_64-pc-linux-gnu/bin/ld.bfd; \ #38
253.1 ln /usr/local/extrae/binutils/bin/$n
/usr/local/extrae/binutils/x86_64-pc-linux-gnu/bin/ld.bfd >/dev/null
2>/dev/null
#38 253.1 || /bin/bash ./libtool --mode=install /usr/bin/install -c ld-new
/usr/local/extrae/binutils/x86_64-pc-linux-gnu/bin/ld.bfd;
#38 253.1 fi;
#38 253.1 if test "xyes" = "xyes"; then
#38 253.1 ld=echo ld | sed 's/^ld-new$/ld.bfd/s,y,y,`;
#38 253.1 rm -f /usr/local/extrae/binutils/bin/$ld; \ #38 253.1 ln
/usr/local/extrae/binutils/bin/$n /usr/local/extrae/binutils/bin/$ld
>/dev/null 2>/dev/null \ #38 253.1 || /bin/bash ./libtool --mode=install
/usr/bin/install -c ld-new /usr/local/extrae/binutils/bin/$ld;
#38 253.1 if test "/usr/local/extrae/binutils/bin" !=
"/usr/local/extrae/binutils/x86_64-pc-linux-gnu/bin"; then
#38 253.1 rm -f /usr/local/extrae/binutils/x86_64-pc-linux-gnu/bin/ld;
#38 253.1 ln /usr/local/extrae/binutils/bin/$n
/usr/local/extrae/binutils/x86_64-pc-linux-gnu/bin/ld >/dev/null
2>/dev/null
#38 253.1 || /bin/bash ./libtool --mode=install /usr/bin/install -c ld-new
/usr/local/extrae/binutils/x86_64-pc-linux-gnu/bin/ld;
#38 253.1 fi;
#38 253.1 fi #38 253.1 /usr/bin/mkdir -
p'/usr/local/extrae/binutils/lib/bfd-plugins' #38 253.1 /bin/bash
./libtool --mode=install /usr/bin/install -c libdep.la
'/usr/local/extrae/binutils/lib/bfd-plugins' #38 253.1 libtool: install:
/usr/bin/install -c .libs/libdep.so /usr/local/extrae/binutils/lib/bfd-
plugins/libdep.so #38 253.1 libtool: install: /usr/bin/install -c
.libs/libdep.lai /usr/local/extrae/binutils/lib/bfd-plugins/libdep.la #38
253.1 libtool: install: warning: remember to run libtool --finish
/nowhere' #38 253.1 /bin/bash ./../mkinstalldirs
/usr/local/extrae/binutils/x86_64-pc-linux-gnu/lib/ldscripts #38
253.1 mkdir -p -- /usr/local/extrae/binutils/x86_64-pc-linux-
gnu/lib/ldscripts #38 253.1 for f in ldscripts/* ; do \ #38 253.1
case $f in \ #38 253.1 stamp) ;; \ #38 253.1 *)
/usr/bin/install -c -m 644 $f /usr/local/extrae/binutils/x86_64-pc-
linux-gnu/lib/$f ; \ #38 253.1 esac \ #38 253.1 done #38 253.2 rm
-f /usr/local/extrae/binutils/lib/bfd-plugins/libdep.la #38 253.2 rm
-f /usr/local/extrae/binutils/lib/bfd-plugins/libdep.dll.a #38 253.2
/usr/bin/mkdir -p '/usr/local/extrae/binutils/share/info' #38 253.2
/usr/bin/install -c -m 644 ./ld.info ./ldint.info
'/usr/local/extrae/binutils/share/info' #38 253.2 /usr/bin/mkdir -p
'/usr/local/extrae/binutils/share/man/man1' #38 253.2
/usr/bin/install -c -m 644 ld.1
'/usr/local/extrae/binutils/share/man/man1' #38 253.2 make[5]:
Leaving directory '/workspace/binutils-2.42/ld' #38 253.2 make[4]:
Leaving directory '/workspace/binutils-2.42/ld' #38 253.2 make[3]:
Leaving directory '/workspace/binutils-2.42/ld' #38 253.2 make[2]:
Leaving directory '/workspace/binutils-2.42/ld' #38 253.2 make[2]:
Entering directory '/workspace/binutils-2.42/libiberty' #38 253.2
make[3]: Entering directory '/workspace/binutils-
2.42/libiberty/testsuite' #38 253.2 make[3]: Nothing to be done for
'all'. #38 253.2 make[3]: Leaving directory '/workspace/binutils-
2.42/libiberty/testsuite' #38 253.2 if test -n ""; then \ #38 253.2

```



```

/bin/bash ../../mkinstalldirs /usr/local/extrae/binutils/lib/gcc-g -
O2 -Wno-error-print-multi-os-directory; \ #38 253.2
/usr/bin/install -c -m 644 ./libiberty.a
/usr/local/extrae/binutils/lib/gcc-g -O2 -Wno-error-print-multi-os-
directory/./libiberty.an; \ #38 253.2 ( cd
/usr/local/extrae/binutils/lib/gcc-g -O2 -Wno-error-print-multi-os-
directory; chmod 644 ./libiberty.an ;ranlib --plugin
/usr/lib/gcc/x86_64-linux-gnu/11/liblto_plugin.so ./libiberty.an );
\ #38 253.2 mv -f /usr/local/extrae/binutils/lib/gcc-g -O2 -Wno-
error-print-multi-os-directory/./libiberty.an
/usr/local/extrae/binutils/lib/gcc-g -O2 -Wno-error-print-multi-os-
directory/./libiberty.a;
#38 253.2 case "" in
#38 253.2 /) thd=;;
#38 253.2 *) thd=/usr/local/extrae/binutils/include/;;
#38 253.2 esac;
#38 253.2 /bin/bash ../../mkinstalldirs ${thd};
#38 253.2 for h in ./include/ansidecl.h ./include/demangle.h
./include/dyn-string.h ./include/fibheap.h ./include/floatformat.h
./include/hashtab.h ./include/libiberty.h ./include/objalloc.h
./include/partition.h ./include/safe-ctype.h ./include/sort.h
./include/splay-tree.h ./include/timeval-utils.h; do
#38 253.2 /usr/bin/install -c -m 644 $h ${thd};
#38 253.2 done;
#38 253.2 fi #38 253.3 make[3]: Entering directory
'/workspace/binutils-2.42/libiberty/testsuite' #38 253.3 make[3]:
Nothing to be done for 'install'. #38 253.3 make[3]: Leaving directory
'/workspace/binutils-2.42/libiberty/testsuite' #38 253.3 make[2]:
Leaving directory '/workspace/binutils-2.42/libiberty' #38 253.3
make[1]: Nothing to be done for 'install-target'. #38 253.3 make[1]:
Leaving directory '/workspace/binutils-2.42' #38 DONE 253.3s

#39 [35/48] WORKDIR /workspace #39 DONE 0.0s

#40 [36/48] RUN git clone -branch v2.13.0
https://gitlab.gnome.org/GNOME/libxml2.git #40 0.059 Cloning into
'libxml2'... #40 8.523 Note: switching to
'cdd2575f7fbab1d8162600f4048bc37503c80e28'. #40 8.523 #40
8.523 You are in 'detached HEAD' state. You can look around, make
experimental #40 8.523 changes and commit them, and you can
discard any commits you make in this #40 8.523 state without
impacting any branches by switching back to a branch. #40 8.523
#40 8.523 If you want to create a new branch to retain commits you
create, you may #40 8.523 do so (now or later) by using -c with the
switch command. Example: #40 8.523 #40 8.523 git switch -c #40
8.523 #40 8.523 Or undo this operation with: #40 8.523 #40 8.523
git switch - #40 8.523 #40 8.523 Turn off this advice by setting config
variable advice.detachedHead to false #40 8.523 #40 DONE 8.9s

#41 [37/48] WORKDIR libxml2 #41 DONE 0.0s

#42 [38/48] RUN ./autogen.sh -prefix=/usr/local/extrae/libxml2 -
without-python #42 2.420 libtoolize: putting auxiliary files in './'. #42
2.420 libtoolize: copying file './ltmain.sh' #42 2.445 libtoolize: putting
macros in AC_CONFIG_MACRO_DIRS, 'm4'. #42 2.445 libtoolize:
copying file 'm4/libtool.m4' #42 2.474 libtoolize: copying file
'm4/ltoptions.m4' #42 2.503 libtoolize: copying file 'm4/ltugar.m4'
#42 2.533 libtoolize: copying file 'm4/ltversion.m4' #42 2.562
libtoolize: copying file 'm4/lt~obsolete.m4' #42 4.267 configure.ac:47:
installing './compile' #42 4.269 configure.ac:12: installing
'./config.guess' #42 4.271 configure.ac:12: installing './config.sub'

```

#42 4.273 configure.ac:42: installing './install-sh' #42 4.275
configure.ac:42: installing './missing' #42 4.312 Makefile.am:
installing './depcomp' #42 4.551 python/Makefile.am:31: installing
 './py-compile' #42 4.686 checking build system type... x86_64-pc-
linux-gnu #42 4.723 checking host system type... x86_64-pc-linux-gnu
 #42 4.728 extra=v2.13.0 #42 4.729 checking for a BSD-compatible
 install... /usr/bin/install -c #42 4.736 checking whether build
 environment is sane... yes #42 4.745 checking for a race-free mkdir -
 p... /usr/bin/mkdir -p #42 4.747 checking for gawk... no #42 4.747
 checking for mawk... mawk #42 4.747 checking whether make sets
 \$(MAKE)... yes #42 4.757 checking whether make supports nested
 variables... yes #42 4.763 checking whether to enable maintainer-
 specific portions of Makefiles... yes #42 4.764 checking whether make
 supports nested variables... (cached) yes #42 4.764 checking for
 gcc... gcc #42 4.788 checking whether the C compiler works... yes
 #42 4.819 checking for C compiler default output file name... a.out
 #42 4.820 checking for suffix of executables... #42 4.850 checking
 whether we are cross compiling... no #42 4.882 checking for suffix of
 object files... o #42 4.897 checking whether the compiler supports
 GNU C... yes #42 4.912 checking whether gcc accepts -g... yes #42
 4.926 checking for gcc option to enable C11 features... none needed
 #42 4.964 checking whether gcc understands -c and -o together... yes
 #42 4.989 checking whether make supports the include directive...
 yes (GNU style) #42 4.997 checking dependency style of gcc... gcc3
 #42 5.024 checking whether ln -s works... yes #42 5.024 checking for
 tar... /usr/bin/tar #42 5.024 checking for perl... /usr/bin/perl #42
 5.025 checking for wget... /usr/bin/wget #42 5.025 checking for
 xsltproc... /usr/bin/xsltproc #42 5.026 checking for pkg-config...
 /usr/bin/pkg-config #42 5.026 checking pkg-config is at least version
 0.9.0... yes #42 5.029 checking how to print strings... printf #42
 5.030 checking for a sed that does not truncate output... /usr/bin/sed
 #42 5.035 checking for grep that handles long lines and -e...
 /usr/bin/grep #42 5.037 checking for egrep... /usr/bin/grep -E #42
 5.039 checking for fgrep... /usr/bin/grep -F #42 5.041 checking for ld
 used by gcc... /usr/bin/ld #42 5.045 checking if the linker (/usr/bin/ld)
 is GNU ld... yes #42 5.047 checking for BSD- or MS-compatible name
 lister (nm)... /usr/bin/nm -B #42 5.050 checking the name lister
 (/usr/bin/nm -B) interface... BSD nm #42 5.066 checking the
 maximum length of command line arguments... 3145728 #42 5.073
 checking how to convert x86_64-pc-linux-gnu file names to x86_64-pc-
 linux-gnu format... func_convert_file_noop #42 5.073 checking how to
 convert x86_64-pc-linux-gnu file names to toolchain format...
 func_convert_file_noop #42 5.073 checking for /usr/bin/ld option to
 reload object files... -r #42 5.074 checking for objdump... objdump
 #42 5.074 checking how to recognize dependent libraries... pass_all
 #42 5.075 checking for dlltool... no #42 5.075 checking how to
 associate runtime and link libraries... printf %s #42 5.076 checking
 for ar... ar #42 5.076 checking for archiver @FILE support... @ #42
 5.097 checking for strip... strip #42 5.098 checking for ranlib... ranlib
 #42 5.098 checking command to parse /usr/bin/nm -B output from gcc
 object... ok #42 5.156 checking for sysroot... no #42 5.156 checking
 for a working dd... /usr/bin/dd #42 5.161 checking how to truncate
 binary pipes... /usr/bin/dd bs=4096 count=1 #42 5.177 checking for
 mt... no #42 5.177 checking if : is a manifest tool... no #42 5.181
 checking for stdio.h... yes #42 5.198 checking for stdlib.h... yes #42
 5.218 checking for string.h... yes #42 5.240 checking for inttypes.h...
 yes #42 5.263 checking forstdint.h... yes #42 5.285 checking for
 strings.h... yes #42 5.308 checking for sys/stat.h... yes #42 5.331
 checking for sys/types.h... yes #42 5.353 checking forunistd.h... yes
 #42 5.380 checking for dlfcn.h... yes #42 5.406 checking for objdir...

```
.libs #42 5.456 checking if gcc supports -fno-rtti -fno-exceptions... no
#42 5.473 checking for gcc option to produce PIC... -fPIC -DPIC #42
5.473 checking if gcc PIC flag -fPIC -DPIC works... yes #42 5.489
checking if gcc static flag -static works... yes #42 5.561 checking if
gcc supports -c -o file.o... yes #42 5.584 checking if gcc supports -c -o
file.o... (cached) yes #42 5.584 checking whether the gcc linker
(/usr/bin/ld -m elf_x86_64) supports shared libraries... yes #42 5.593
checking whether -lc should be explicitly linked in... no #42 5.615
checking dynamic linker characteristics... GNU/Linux ld.so #42 5.662
checking how to hardcode library paths into programs... immediate
#42 5.662 checking whether stripping libraries is possible... yes #42
5.664 checking if libtool supports shared libraries... yes #42 5.664
checking whether to build shared libraries... yes #42 5.664 checking
whether to build static libraries... no #42 5.665 checking for cos in -
lm... yes #42 5.707 checking for stdint.h... (cached) yes #42 5.707
checking for fcntl.h... yes #42 5.734 checking for unistd.h... (cached)
yes #42 5.735 checking for sys/stat.h... (cached) yes #42 5.735
checking for sys/mman.h... yes #42 5.762 checking for sys/time.h...
yes #42 5.789 checking for sys/timeb.h... yes #42 5.815 checking for
sys/random.h... yes #42 5.842 checking for dl.h... no #42 5.870
checking for dlfcn.h... (cached) yes #42 5.871 checking for glob.h...
yes #42 5.897 checking for getentropy... yes #42 5.931 checking for
gettimeofday... yes #42 5.965 checking for ftime... yes #42 5.999
checking for stat... yes #42 6.033 checking for mmap... yes #42 6.067
checking for munmap... yes #42 6.101 checking whether
attribute((destructor)) is accepted... yes #42 6.134 checking whether
the linker accepts -Wl,-undefined-version... no #42 6.159 checking for
library containing dlopen... none required #42 6.192 checking for
pthread.h... yes #42 6.221 checking for library containing
pthread_create... none required #42 6.255 checking for libiconv...
none required #42 6.314 checking that generated files are newer than
configure... done #42 6.315 configure: creating ./config.status #42
6.722 config.status: creating Makefile #42 6.734 config.status:
creating include/Makefile #42 6.748 config.status: creating
include/libxml/Makefile #42 6.763 config.status: creating
include/private/Makefile #42 6.777 config.status: creating
doc/Makefile #42 6.791 config.status: creating doc/devhelp/Makefile
#42 6.805 config.status: creating example/Makefile #42 6.819
config.status: creating fuzz/Makefile #42 6.833 config.status: creating
python/Makefile #42 6.848 config.status: creating
python/tests/Makefile #42 6.862 config.status: creating xstc/Makefile
#42 6.876 config.status: creating include/libxml/xmlversion.h #42
6.890 config.status: creating libxml-2.0.pc #42 6.901 config.status:
creating libxml-2.0-uninstalled.pc #42 6.912 config.status: creating
libxml2-config.cmake #42 6.923 config.status: creating
python/setup.py #42 6.938 config.status: creating xml2-config #42
6.950 config.status: creating config.h #42 6.958 config.status:
executing depfiles commands #42 7.340 config.status: executing
libtool commands #42 7.381 #42 7.381 Now type 'make' to compile
libxml2. #42 DONE 7.4s
```

```
#43 [39/48] RUN make && make install #43 0.051 make all-recursive
#43 0.055 make[1]: Entering directory '/workspace/libxml2' #43
0.059 Making all in include #43 0.061 make[2]: Entering directory
'/workspace/libxml2/include' #43 0.064 Making all in libxml #43
0.066 make[3]: Entering directory '/workspace/libxml2/include/libxml'
#43 0.066 make[3]: Nothing to be done for 'all'. #43 0.066 make[3]:
Leaving directory '/workspace/libxml2/include/libxml' #43 0.067
Making all in private #43 0.069 make[3]: Entering directory
'/workspace/libxml2/include/private' #43 0.069 make[3]: Nothing to
```

```

be done for 'all'. #43 0.069 make[3]: Leaving directory
'/workspace/libxml2/include/private' #43 0.070 make[3]: Entering
directory '/workspace/libxml2/include' #43 0.070 make[3]: Nothing to
be done for 'all-am'. #43 0.070 make[3]: Leaving directory
'/workspace/libxml2/include' #43 0.071 make[2]: Leaving directory
'/workspace/libxml2/include' #43 0.071 Making all in . #43 0.075
make[2]: Entering directory '/workspace/libxml2' #43 0.076 CC
xmllint-xmllint.o #43 0.710 CC libxml2_la-buf.lo #43 0.914 CC
libxml2_la-chvalid.lo #43 0.990 CC libxml2_la-dict.lo #43 1.180 CC
libxml2_la-entities.lo #43 1.365 CC libxml2_la-encoding.lo #43 1.753
CC libxml2_la-error.lo #43 1.979 CC libxml2_la-globals.lo #43 2.142
CC libxml2_la-hash.lo #43 2.373 CC libxml2_la-list.lo #43 2.513 CC
libxml2_la-parser.lo #43 4.693 CC libxml2_la-parserInternals.lo #43
5.072 CC libxml2_la-SAX2.lo #43 5.485 CC libxml2_la-threads.lo #43
5.589 CC libxml2_la-tree.lo #43 6.961 CC libxml2_la-uri.lo #43 7.416
CC libxml2_la-valid.lo #43 8.302 CC libxml2_la-xmlIO.lo #43 8.629 CC
libxml2_la-xmlmemory.lo #43 8.739 CC libxml2_la-xmlstring.lo #43
8.963 CC libxml2_la-c14n.lo #43 9.281 CC libxml2_la-catalog.lo #43
9.833 CC libxml2_la-debugXML.lo #43 10.42 CC libxml2_la-
HTMLparser.lo #43 11.39 CC libxml2_la-HTMLtree.lo #43 11.60 CC
libxml2_la-xmlmodule.lo #43 11.67 CC libxml2_la-xmlsave.lo #43
12.12 CC libxml2_la-pattern.lo #43 12.56 CC libxml2_la-xmlreader.lo
#43 13.26 CC libxml2_la-xmlregexp.lo #43 14.25 CC libxml2_la-
xmlunicode.lo #43 14.46 CC libxml2_la-relaxng.lo #43 16.09 CC
libxml2_la-xmlschemas.lo #43 20.17 CC libxml2_la-
xmlschematypes.lo #43 21.13 CC libxml2_la-schematron.lo #43
21.47 CC libxml2_la-xmlwriter.lo #43 22.00 CC libxml2_la-xinclude.lo
#43 22.34 CC libxml2_la-xpath.lo #43 24.42 CC libxml2_la-xlink.lo
#43 24.50 CC libxml2_la-xpointer.lo #43 24.64 CCLD libxml2.la #43
24.81 CCLD xmllint #43 24.90 CC xmllcatalog-xmllcatalog.o #43 25.05
CCLD xmllcatalog #43 25.13 CC testdso.lo #43 25.19 CCLD testdso.la
#43 25.26 make[2]: Leaving directory '/workspace/libxml2' #43 25.26
Making all in doc #43 25.26 make[2]: Entering directory
'/workspace/libxml2/doc' #43 25.27 Making all in . #43 25.27
make[3]: Entering directory '/workspace/libxml2/doc' #43 25.27
Nothing to be done for 'all-am'. #43 25.27 make[3]: Leaving
directory '/workspace/libxml2/doc' #43 25.27 Making all in devhelp
#43 25.27 make[3]: Entering directory
'/workspace/libxml2/doc/devhelp' #43 25.27 make[3]: Nothing to be
done for 'all'. #43 25.27 make[3]: Leaving directory
'/workspace/libxml2/doc/devhelp' #43 25.27 make[2]: Leaving
directory '/workspace/libxml2/doc' #43 25.27 Making all in example
#43 25.28 make[2]: Entering directory '/workspace/libxml2/example'
#43 25.28 make[2]: Nothing to be done for 'all'. #43 25.28 make[2]:
Leaving directory '/workspace/libxml2/example' #43 25.28 Making all
in xstc #43 25.28 make[2]: Entering directory
'/workspace/libxml2/xstc' #43 25.28 make[2]: Nothing to be done for
'all'. #43 25.28 make[2]: Leaving directory '/workspace/libxml2/xstc'
#43 25.28 Making all in fuzz #43 25.28 make[2]: Entering directory
'/workspace/libxml2/fuzz' #43 25.28 make[2]: Nothing to be done for
'all'. #43 25.28 make[2]: Leaving directory '/workspace/libxml2/fuzz'
#43 25.28 make[1]: Leaving directory '/workspace/libxml2' #43 25.29
Making install in include #43 25.30 make[1]: Entering directory
'/workspace/libxml2/include' #43 25.30 Making install in libxml #43
25.30 make[2]: Entering directory '/workspace/libxml2/include/libxml'
#43 25.30 make[3]: Entering directory
'/workspace/libxml2/include/libxml' #43 25.30 make[3]: Nothing to be
done for 'install-exec-am'. #43 25.31 /usr/bin/mkdir -p
'/usr/local/extrae/libxml2/include/libxml2/libxml' #43 25.31
/usr/bin/install -c -m 644 xmlversion.h

```

```

/usr/local/extrae/libxml2/include/libxml2/libxml' #43 25.31
/usr/bin/mkdir -p '/usr/local/extrae/libxml2/include/libxml2/libxml' #43
25.32 /usr/bin/install -c -m 644 SAX.h entities.h encoding.h parser.h
parserInternals.h xmlerror.h HTMLparser.h HTMLtree.h debugXML.h
tree.h list.h hash.h xpath.h xpathInternals.h xpointer.h xinclude.h
xmlIO.h xmlmemory.h nanohttp.h nanoftp.h uri.h valid.h xlink.h
catalog.h threads.h globals.h c14n.h xmlautomata.h xmlregexp.h
xmlmodule.h xmlschemas.h schemasInternals.h xmlschemasypes.h
xmlstring.h xmlunicode.h xmlreader.h relaxng.h dict.h SAX2.h
xmlexports.h '/usr/local/extrae/libxml2/include/libxml2/libxml' #43
25.32 /usr/bin/install -c -m 644 xmlwriter.h chvalid.h pattern.h
xmlsave.h schematron.h
'/usr/local/extrae/libxml2/include/libxml2/libxml' #43 25.32 make[3]:
Leaving directory '/workspace/libxml2/include/libxml' #43 25.32
make[2]: Leaving directory '/workspace/libxml2/include/libxml' #43
25.32 Making install in private #43 25.33 make[2]: Entering directory
'/workspace/libxml2/include/private' #43 25.33 make[3]: Entering
directory '/workspace/libxml2/include/private' #43 25.33 make[3]:
Nothing to be done for 'install-exec-am'. #43 25.33 make[3]: Nothing
to be done for 'install-data-am'. #43 25.33 make[3]: Leaving directory
'/workspace/libxml2/include/private' #43 25.33 make[2]: Leaving
directory '/workspace/libxml2/include/private' #43 25.33 make[2]:
Entering directory '/workspace/libxml2/include' #43 25.33 make[3]:
Entering directory '/workspace/libxml2/include' #43 25.33 make[3]:
Nothing to be done for 'install-exec-am'. #43 25.33 make[3]: Nothing
to be done for 'install-data-am'. #43 25.33 make[3]: Leaving directory
'/workspace/libxml2/include' #43 25.33 make[2]: Leaving directory
'/workspace/libxml2/include' #43 25.33 make[1]: Leaving directory
'/workspace/libxml2/include' #43 25.33 Making install in . #43 25.34
make[1]: Entering directory '/workspace/libxml2' #43 25.37 make[2]:
Entering directory '/workspace/libxml2' #43 25.38 /usr/bin/mkdir -p
'/usr/local/extrae/libxml2/lib' #43 25.38 /bin/bash ./libtool -
mode=install /usr/bin/install -c libxml2.la '/usr/local/extrae/libxml2/lib'
#43 25.39 libtool: install: /usr/bin/install -c .libs/libxml2.so.2.13.0
/usr/local/extrae/libxml2/lib/libxml2.so.2.13.0 #43 25.40 libtool:
install: (cd /usr/local/extrae/libxml2/lib && { ln -s -f libxml2.so.2.13.0
libxml2.so.2 || { rm -f libxml2.so.2 && ln -s libxml2.so.2.13.0
libxml2.so.2; }; }) #43 25.40 libtool: install: (cd
/usr/local/extrae/libxml2/lib && { ln -s -f libxml2.so.2.13.0 libxml2.so ||
{ rm -f libxml2.so && ln -s libxml2.so.2.13.0 libxml2.so; }; }) #43
25.40 libtool: install: /usr/bin/install -c .libs/libxml2.lai
/usr/local/extrae/libxml2/lib/libxml2.la #43 25.42 libtool: finish:
PATH="/usr/local/gmsh/bin:/usr/local/petsc/arch-linux-c-
opt/bin:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin"
ldconfig -n /usr/local/extrae/libxml2/lib #43 25.43
----- #43 25.43 Libraries
have been installed in: #43 25.43 /usr/local/extrae/libxml2/lib #43
25.43 #43 25.43 If you ever happen to want to link against installed
libraries #43 25.43 in a given directory, LIBDIR, you must either use
libtool, and #43 25.43 specify the full pathname of the library, or use
the '-LLIBDIR' #43 25.43 flag during linking and do at least one of the
following: #43 25.43 - add LIBDIR to the 'LD_LIBRARY_PATH'
environment variable #43 25.43 during execution #43 25.43 - add
LIBDIR to the 'LD_RUN_PATH' environment variable #43 25.43
during linking #43 25.43 - use the '-Wl,-rpath -Wl,LIBDIR' linker flag
#43 25.43 - have your system administrator add LIBDIR to
'/etc/ld.so.conf' #43 25.43 #43 25.43 See any operating system
documentation about shared libraries for #43 25.43 more
information, such as the ld(1) and ld.so(8) manual pages. #43 25.43
----- #43 25.43

```

```

./usr/bin/mkdir -p /usr/local/extrae/libxml2/bin' #43 25.43 /bin/bash
/libtool -mode=install /usr/bin/install -c xmllint xmlcatalog
'/usr/local/extrae/libxml2/bin' #43 25.45 libtool: install: /usr/bin/install
-c .libs/xmllint /usr/local/extrae/libxml2/bin/xmllint #43 25.47 libtool:
install: /usr/bin/install -c .libs/xmlcatalog
/usr/local/extrae/libxml2/bin/xmlcatalog #43 25.47 /usr/bin/mkdir -p
'/usr/local/extrae/libxml2/bin' #43 25.47 /usr/bin/install -c xml2-config
'/usr/local/extrae/libxml2/bin' #43 25.47 /usr/bin/mkdir -p
'/usr/local/extrae/libxml2/lib/cmake/libxml2' #43 25.48 /usr/bin/install
-c -m 644 libxml2-config.cmake
'/usr/local/extrae/libxml2/lib/cmake/libxml2' #43 25.48 /usr/bin/mkdir
-p '/usr/local/extrae/libxml2/share/aclocal' #43 25.48 /usr/bin/install -c
-m 644 libxml.m4 '/usr/local/extrae/libxml2/share/aclocal' #43 25.48
/usr/bin/mkdir -p '/usr/local/extrae/libxml2/lib/pkgconfig' #43 25.49
/usr/bin/install -c -m 644 libxml-2.0.pc
'/usr/local/extrae/libxml2/lib/pkgconfig' #43 25.49 make[2]: Leaving
directory '/workspace/libxml2' #43 25.49 make[1]: Leaving directory
'/workspace/libxml2' #43 25.49 Making install in doc #43 25.49
make[1]: Entering directory '/workspace/libxml2/doc' #43 25.50
Making install in . #43 25.50 make[2]: Entering directory
'/workspace/libxml2/doc' #43 25.50 make[3]: Entering directory
'/workspace/libxml2/doc' #43 25.50 make[3]: Nothing to be done for
'install-exec-am'. #43 25.50 /usr/bin/mkdir -p
'/usr/local/extrae/libxml2/share/man/man1' #43 25.51 /usr/bin/install -
c -m 644 xml2-config.1 xmllint.1 xmlcatalog.1
'/usr/local/extrae/libxml2/share/man/man1' #43 25.51 /usr/bin/mkdir -
p '/usr/local/extrae/libxml2/share/doc/libxml2' #43 25.51
/usr/bin/install -c -m 644 xmlcatalog.html xmllint.html
'/usr/local/extrae/libxml2/share/doc/libxml2/' #43 25.52 make[3]:
Leaving directory '/workspace/libxml2/doc' #43 25.52 make[2]:
Leaving directory '/workspace/libxml2/doc' #43 25.52 Making install
in devhelp #43 25.52 make[2]: Entering directory
'/workspace/libxml2/doc/devhelp' #43 25.52 make[3]: Entering
directory '/workspace/libxml2/doc/devhelp' #43 25.52 make[3]:
Nothing to be done for 'install-exec-am'. #43 25.52 /usr/bin/mkdir -p
'/usr/local/extrae/libxml2/share/gtk-doc/html/libxml2' #43 25.53
/usr/bin/install -c -m 644 libxml2.devhelp2 general.html index.html
libxml2-c14n.html libxml2-catalog.html libxml2-chvalid.html libxml2-
debugXML.html libxml2-dict.html libxml2-encoding.html libxml2-
entities.html libxml2-globals.html libxml2-hash.html libxml2-
HTMLparser.html libxml2-HTMLtree.html libxml2-list.html libxml2-
nanoftp.html libxml2-nanohttp.html libxml2-parser.html libxml2-
parserInternals.html libxml2-pattern.html libxml2-relaxng.html
libxml2-SAX2.html libxml2-SAX.html libxml2-schemasInternals.html
libxml2-schematron.html libxml2-threads.html libxml2-tree.html
libxml2-uri.html libxml2-valid.html libxml2-xincludet.html libxml2-
xlink.html libxml2-xmlautotata.html libxml2-xmllerror.html libxml2-
xmlexports.html libxml2-xmlIO.html libxml2-xmllmemory.html libxml2-
xmlmodule.html libxml2-xmlreader.html libxml2-xmlregexp.html
libxml2-xmlsave.html '/usr/local/extrae/libxml2/share/gtk-
doc/html/libxml2' #43 25.53 /usr/bin/install -c -m 644 libxml2-
xmllschemas.html libxml2-xmllschematypes.html libxml2-
xmlstring.html libxml2-xmlunicode.html libxml2-xmlversion.html
libxml2-xmlwriter.html libxml2-xpath.html libxml2-xpathInternals.html
libxml2-xpointer.html home.png left.png right.png up.png style.css
'/usr/local/extrae/libxml2/share/gtk-doc/html/libxml2' #43 25.54
make[3]: Leaving directory '/workspace/libxml2/doc/devhelp' #43
25.54 make[2]: Leaving directory '/workspace/libxml2/doc/devhelp'
#43 25.54 make[1]: Leaving directory '/workspace/libxml2/doc' #43
25.54 Making install in example #43 25.54 make[1]: Entering

```

directory '/workspace/libxml2/example' #43 25.54 make[2]: Entering directory '/workspace/libxml2/example' #43 25.54 make[2]: Nothing to be done for 'install-exec-am'. #43 25.54 make[2]: Nothing to be done for 'install-data-am'. #43 25.54 make[2]: Leaving directory '/workspace/libxml2/example' #43 25.54 make[1]: Leaving directory '/workspace/libxml2/example' #43 25.54 Making install in xstc #43 25.55 make[1]: Entering directory '/workspace/libxml2/xstc' #43 25.55 make[2]: Entering directory '/workspace/libxml2/xstc' #43 25.55 make[2]: Nothing to be done for 'install-exec-am'. #43 25.55 make[2]: Nothing to be done for 'install-data-am'. #43 25.55 make[2]: Leaving directory '/workspace/libxml2/xstc' #43 25.55 make[1]: Leaving directory '/workspace/libxml2/xstc' #43 25.55 Making install in fuzz #43 25.55 make[1]: Entering directory '/workspace/libxml2/fuzz' #43 25.55 make[2]: Entering directory '/workspace/libxml2/fuzz' #43 25.55 make[2]: Nothing to be done for 'install-exec-am'. #43 25.55 make[2]: Nothing to be done for 'install-data-am'. #43 25.55 make[2]: Leaving directory '/workspace/libxml2/fuzz' #43 25.55 make[1]: Leaving directory '/workspace/libxml2/fuzz' #43 DONE 25.6s

#44 [40/48] WORKDIR /workspace #44 DONE 0.0s

#45 [41/48] RUN git clone https://github.com/bsc-performance-tools/extrae.git #45 0.047 Cloning into 'extrae'... #45 DONE 1.9s

#46 [42/48] WORKDIR extrae #46 DONE 0.0s

#47 [43/48] RUN git submodule update -init -recursive #47 0.063 Submodule 'libaddr2line' (https://github.com/bsc-performance-tools/libaddr2line.git) registered for path 'libaddr2line' #47 0.067 Cloning into '/workspace/extrae/libaddr2line'... #47 0.537 Submodule path 'libaddr2line': checked out '70b1ab0087acf35d5825b2341b2b03cb3cce3e24' #47 DONE 0.5s

#48 [44/48] RUN autoreconf -f -i #48 5.484 libtoolize: putting auxiliary files in '.'. #48 5.484 libtoolize: copying file './ltmain.sh' #48 5.502 libtoolize: putting macros in AC_CONFIG_MACRO_DIRS, 'm4'. #48 5.502 libtoolize: copying file 'm4/libtool.m4' #48 5.527 libtoolize: copying file 'm4/ltoptions.m4' #48 5.552 libtoolize: copying file 'm4/ltsugar.m4' #48 5.577 libtoolize: copying file 'm4/ltversion.m4' #48 5.603 libtoolize: copying file 'm4/lt~obsolete.m4' #48 5.629 libtoolize: Consider adding '-I m4' to ACLOCAL_AMFLAGS in Makefile.am. #48 7.115 configure.ac:16: installing './ar-lib' #48 7.117 configure.ac:16: installing './compile' #48 7.119 configure.ac:19: installing './config.guess' #48 7.121 configure.ac:19: installing './config.sub' #48 7.123 configure.ac:13: installing './install-sh' #48 7.125 configure.ac:13: installing './missing' #48 7.320 libtoolize: putting auxiliary files in AC_CONFIG_AUX_DIR, 'config'. #48 7.320 libtoolize: copying file 'config/ltmain.sh' #48 7.343 libtoolize: putting macros in AC_CONFIG_MACRO_DIRS, 'config'. #48 7.343 libtoolize: copying file 'config/libtool.m4' #48 7.407 libtoolize: copying file 'config/ltoptions.m4' #48 7.472 libtoolize: copying file 'config/ltsugar.m4' #48 7.537 libtoolize: copying file 'config/ltversion.m4' #48 7.603 libtoolize: copying file 'config/lt~obsolete.m4' #48 9.806 configure.ac:35: warning: The macro AC_HELP_STRING is obsolete. #48 9.806 configure.ac:35: You should run autoupdate. #48 9.806 ./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from... #48 9.806 config/system.m4:3: AX_SYSTEM_TYPE is expanded from... #48 9.806 configure.ac:35: the top level #48 9.807 configure.ac:35: warning: The macro AC_HELP_STRING is obsolete. #48 9.807 configure.ac:35: You

should run autoupdate. #48 9.807 ./lib/autoconf/general.m4:204:
 AC_HELP_STRING is expanded from... #48 9.807
 config/macros.m4:1112: AX_IS_CRAY_XT is expanded from... #48
 9.807 config/system.m4:3: AX_SYSTEM_TYPE is expanded from... #48
 9.807 configure.ac:35: the top level #48 9.807 configure.ac:35:
 warning: The macro AC_HELP_STRING' is obsolete. #48 9.807
 configure.ac:35: You should run autoupdate. #48 9.807
 ./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
 #48 9.807 config/macros.m4:1197: AX_IS_BGL_MACHINE is expanded
 from... #48 9.807 config/system.m4:3: AX_SYSTEM_TYPE is expanded
 from... #48 9.807 configure.ac:35: the top level #48 9.807
 configure.ac:35: warning: The macro AC_HELP_STRING' is obsolete.
 #48 9.807 configure.ac:35: You should run autoupdate. #48 9.807
 ./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
 #48 9.807 config/macros.m4:1168: AX_IS_BGP_MACHINE is
 expanded from... #48 9.807 config/system.m4:3: AX_SYSTEM_TYPE is
 expanded from... #48 9.807 configure.ac:35: the top level #48 9.807
 configure.ac:35: warning: The macro AC_HELP_STRING' is obsolete. #48
 9.807 configure.ac:35: You should run autoupdate. #48 9.807
 ./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
 #48 9.807 config/macros.m4:1140: AX_IS_BGQ_MACHINE is expanded
 from... #48 9.807 config/system.m4:3: AX_SYSTEM_TYPE is expanded
 from... #48 9.807 configure.ac:35: the top level #48 9.807
 configure.ac:62: warning: The macro AC_CONFIG_HEADER' is
 obsolete. #48 9.807 configure.ac:62: You should run autoupdate. #48
 9.807 ./lib/autoconf/status.m4:719: AC_CONFIG_HEADER is expanded
 from... #48 9.807 configure.ac:62: the top level #48 9.807
 configure.ac:65: warning: The macro AC_HELP_STRING' is obsolete. #48
 9.807 configure.ac:65: You should run autoupdate. #48 9.807
 ./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
 #48 9.807 configure.ac:65: the top level #48 9.807 configure.ac:134:
 warning: The macro AC_HELP_STRING' is obsolete. #48 9.807
 configure.ac:134: You should run autoupdate. #48 9.807
 ./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
 #48 9.807 config/threads.m4:3: AX_PTHREAD is expanded from...
 #48 9.807 config/java.m4:3: AX_JAVA is expanded from... #48 9.807
 configure.ac:134: the top level #48 9.807 configure.ac:134: warning:
 The macro AC_LANG_C' is obsolete. #48 9.807 configure.ac:134: You
 should run autoupdate. #48 9.807 ./lib/autoconf/c.m4:72: AC_LANG_C
 is expanded from... #48 9.807 config/acarchive.m4:318: ACX_PTHREAD
 is expanded from... #48 9.807 config/threads.m4:3: AX_PTHREAD is
 expanded from... #48 9.807 config/java.m4:3: AX_JAVA is expanded
 from... #48 9.807 configure.ac:134: the top level #48 9.807
 configure.ac:134: warning: The macro AC_TRY_LINK' is obsolete. #48
 9.807 configure.ac:134: You should run autoupdate. #48 9.807
 ./lib/autoconf/general.m4:2920: AC_TRY_LINK is expanded from...
 #48 9.807 config/acarchive.m4:318: ACX_PTHREAD is expanded
 from... #48 9.807 config/threads.m4:3: AX_PTHREAD is expanded
 from... #48 9.807 config/java.m4:3: AX_JAVA is expanded from... #48
 9.807 configure.ac:134: the top level #48 9.808 configure.ac:134:
 warning: The macro AC_TRY_LINK' is obsolete. #48 9.808
 configure.ac:134: You should run autoupdate. #48 9.808
 ./lib/autoconf/general.m4:2920: AC_TRY_LINK is expanded from... #48
 9.808 config/threads.m4:3: AX_PTHREAD is expanded from... #48 9.808
 config/java.m4:3: AX_JAVA is expanded from... #48 9.808
 configure.ac:134: the top level #48 9.808 configure.ac:134: warning:
 The macro AC_WARN' is obsolete. #48 9.808 configure.ac:134: You
 should run autoupdate. #48 9.808 ./lib/autoconf/oldnames.m4:33:
 AC_WARN is expanded from... #48 9.808 config/threads.m4:3:
 AX_PTHREAD is expanded from... #48 9.808 config/java.m4:3:

AX_JAVA is expanded from... #48 9.808 configure.ac:134: the top level
 #48 9.808 configure.ac:134: warning: The macro AC_HELP_STRING' is
 obsolete. #48 9.808 configure.ac:134: You should run autoupdate. #48
 9.808 ./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded
 from... #48 9.808 config/java.m4:3: AX_JAVA is expanded from... #48
 9.808 configure.ac:134: the top level #48 9.808 configure.ac:135:
 warning: The macro AC_HELP_STRING' is obsolete. #48 9.808
 configure.ac:135: You should run autoupdate. #48 9.808
 ./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
 #48 9.808 config/java.m4:116: AX_JAVA_ASPECTJ is expanded from...
 #48 9.808 configure.ac:135: the top level #48 9.808 configure.ac:165:
 warning: The macro AC_TRY_COMPILE' is obsolete. #48 9.808
 configure.ac:165: You should run autoupdate. #48 9.808
 ./lib/autoconf/general.m4:2847: AC_TRY_COMPILE is expanded from...
 #48 9.808 config/macros.m4:580: AX_CHECK_PGI is expanded from... #48
 9.808 configure.ac:165: the top level #48 9.808 configure.ac:200:
 warning: The macro AC_HELP_STRING' is obsolete. #48 9.808
 configure.ac:200: You should run autoupdate. #48 9.808
 ./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
 #48 9.808 config/mpi-macros.m4:3: AX_PROG_MPI is expanded
 from... #48 9.808 configure.ac:200: the top level #48 9.809
 configure.ac:200: warning: The macro AC_HELP_STRING' is obsolete.
 #48 9.809 configure.ac:200: You should run autoupdate. #48 9.809
 ./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
 #48 9.809 config/macros.m4:439: AX_SELECT_BINARY_TYPE is expanded
 from... #48 9.809 config/macros.m4:33: AX_FIND_INSTALLATION is
 expanded from... #48 9.809 config/mpi-macros.m4:3: AX_PROG_MPI is
 expanded from... #48 9.809 configure.ac:200: the top level #48 9.809
 configure.ac:200: warning: The macro AC_HELP_STRING' is obsolete.
 #48 9.809 configure.ac:200: You should run autoupdate. #48 9.809
 ./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
 #48 9.809 config/macros.m4:33: AX_FIND_INSTALLATION is
 expanded from... #48 9.809 config/mpi-macros.m4:3: AX_PROG_MPI
 is expanded from... #48 9.809 configure.ac:200: the top level #48
 9.809 configure.ac:200: warning: The macro AC_TRY_COMPILE' is
 obsolete. #48 9.809 configure.ac:200: You should run autoupdate. #48
 9.809 ./lib/autoconf/general.m4:2847: AC_TRY_COMPILE is expanded
 from... #48 9.809 config/check_define.m4:63: AX_CHECK_DEFINED is
 expanded from... #48 9.809 config/mpi-macros.m4:3: AX_PROG_MPI is
 expanded from... #48 9.809 configure.ac:200: the top level #48 9.809
 configure.ac:203: warning: The macro AC_HELP_STRING' is obsolete.
 #48 9.809 configure.ac:203: You should run autoupdate. #48 9.809
 ./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
 #48 9.809 config/openshmem-macros.m4:3: AX_PROG_OPENSHMEM
 is expanded from... #48 9.809 configure.ac:203: the top level #48
 9.809 configure.ac:203: warning: The macro AC_HELP_STRING' is
 obsolete. #48 9.809 configure.ac:203: You should run autoupdate. #48
 9.809 ./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded
 from... #48 9.809 config/macros.m4:33: AX_FIND_INSTALLATION is
 expanded from... #48 9.809 config/openshmem-macros.m4:3:
 AX_PROG_OPENSHMEM is expanded from... #48 9.809 configure.ac:203:
 the top level #48 9.810 configure.ac:203: warning: The
 macro AC_TRY_LINK' is obsolete. #48 9.810 configure.ac:203: You
 should run autoupdate. #48 9.810 ./lib/autoconf/general.m4:2920:
 AC_TRY_LINK is expanded from... #48 9.810 config/openshmem-
 macros.m4:3: AX_PROG_OPENSHMEM is expanded from... #48 9.810
 configure.ac:203: the top level #48 9.810 configure.ac:206: warning:
 The macro AC_HELP_STRING' is obsolete. #48 9.810 configure.ac:206:
 You should run autoupdate. #48 9.810 ./lib/autoconf/general.m4:204:
 AC_HELP_STRING is expanded from... #48 9.810 config/openacc-

macros.m4:3: AX_PROG_OPENACC is expanded from... #48 9.810
 configure.ac:206: the top level #48 9.810 configure.ac:206: warning:
 The macro AC_HELP_STRING' is obsolete. #48 9.810 configure.ac:206:
 You should run autoupdate. #48 9.810 ./lib/autoconf/general.m4:204:
 AC_HELP_STRING is expanded from... #48 9.810
 config/macros.m4:33: AX_FIND_INSTALLATION is expanded from...
 #48 9.810 config/openacc-macros.m4:3: AX_PROG_OPENACC is
 expanded from... #48 9.810 configure.ac:206: the top level #48 9.810
 configure.ac:212: warning: The macro AC_HELP_STRING' is obsolete.
 #48 9.810 configure.ac:212: You should run autoupdate. #48 9.810
 ./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
 #48 9.810 config/gaspi-macros.m4:3: AX_PROG_GASPI is expanded
 from... #48 9.810 configure.ac:212: the top level #48 9.811
 configure.ac:212: warning: The macro AC_HELP_STRING' is obsolete.
 #48 9.811 configure.ac:212: You should run autoupdate. #48 9.811
 ./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
 #48 9.811 config/macros.m4:33: AX_FIND_INSTALLATION is
 expanded from... #48 9.811 config/gaspi-macros.m4:3:
 AX_PROG_GASPI is expanded from... #48 9.811 configure.ac:212: the
 top level #48 9.811 configure.ac:215: warning: The macro
 AC_LIBTOOL_DLOPEN' is obsolete. #48 9.811 configure.ac:215: You
 should run autoupdate. #48 9.811 config/ltoptions.m4:113:
 AC_LIBTOOL_DLOPEN is expanded from... #48 9.811 configure.ac:215:
 the top level #48 9.811 configure.ac:215: warning:
 AC_LIBTOOL_DLOPEN: Remove this warning and the call to
 _LT_SET_OPTION when you #48 9.811 configure.ac:215: put the 'dlopen'
 option into LT_INIT's first parameter. #48 9.811
 ./lib/autoconf/general.m4:2434: AC_DIAGNOSE is expanded from... #48
 9.811 config/ltoptions.m4:113: AC_LIBTOOL_DLOPEN is expanded from...
 #48 9.811 configure.ac:215: the top level #48 9.811
 configure.ac:221: warning: The macro AC_PROG_LIBTOOL' is obsolete.
 #48 9.811 configure.ac:221: You should run autoupdate. #48 9.811
 config/libtool.m4:99: AC_PROG_LIBTOOL is expanded from... #48
 9.811 configure.ac:221: the top level #48 9.811 configure.ac:268:
 warning: The macro AC_HELP_STRING' is obsolete. #48 9.811
 configure.ac:268: You should run autoupdate. #48 9.811
 ./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
 #48 9.811 config/posix-clock-macros.m4:3: AX_CHECK_POSIX_CLOCK is
 expanded from... #48 9.811 configure.ac:268: the top level #48 9.811
 configure.ac:268: warning: The macro AC_TRY_COMPILE' is obsolete.
 #48 9.811 configure.ac:268: You should run autoupdate. #48 9.811
 ./lib/autoconf/general.m4:2847: AC_TRY_COMPILE is expanded
 from... #48 9.811 config/posix-clock-macros.m4:3:
 AX_CHECK_POSIX_CLOCK is expanded from... #48 9.811
 configure.ac:268: the top level #48 9.811 configure.ac:268: warning:
 The macro AC_TRY_LINK' is obsolete. #48 9.811 configure.ac:268: You
 should run autoupdate. #48 9.811 ./lib/autoconf/general.m4:2920:
 AC_TRY_LINK is expanded from... #48 9.811 config/posix-clock-
 macros.m4:3: AX_CHECK_POSIX_CLOCK is expanded from... #48 9.811
 configure.ac:268: the top level #48 9.812 configure.ac:269: warning:
 The macro AC_HELP_STRING' is obsolete. #48 9.812 configure.ac:269:
 You should run autoupdate. #48 9.812 ./lib/autoconf/general.m4:204:
 AC_HELP_STRING is expanded from... #48 9.812
 config/gettimeofday-clock-macros.m4:3:
 AX_CHECK_GETTIMEOFDAY_CLOCK is expanded from... #48 9.812
 configure.ac:269: the top level #48 9.812 configure.ac:275: warning:
 The macro AC_HELP_STRING' is obsolete. #48 9.812 configure.ac:275:
 You should run autoupdate. #48 9.812 ./lib/autoconf/general.m4:204:
 AC_HELP_STRING is expanded from... #48 9.812 config/macros.m4:762:
 AX_CHECK_PERUSE is expanded from... #48 9.812 configure.ac:275: the

top level #48 9.812 configure.ac:275: warning: The macro AC_TRY_COMPILE' is obsolete. #48 9.812 configure.ac:275: You should run autoupdate. #48 9.812 ./lib/autoconf/general.m4:2847: AC_TRY_COMPILE is expanded from... #48 9.812 config/macros.m4:762: AX_CHECK_PERUSE is expanded from... #48 9.812 configure.ac:275: the top level #48 9.812 configure.ac:277: warning: The macro AC_HELP_STRING' is obsolete. #48 9.812 configure.ac:277: You should run autoupdate. #48 9.812 ./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from... #48 9.812 config/mpi-macros.m4:449: AX_CHECK_PMPI_NAME_MANGLING is expanded from... #48 9.812 configure.ac:277: the top level #48 9.812 configure.ac:277: warning: The macro AC_TRY_LINK' is obsolete. #48 9.812 configure.ac:277: You should run autoupdate. #48 9.812 ./lib/autoconf/general.m4:2920: AC_TRY_LINK is expanded from... #48 9.812 config/mpi-macros.m4:449: AX_CHECK_PMPI_NAME_MANGLING is expanded from... #48 9.812 configure.ac:277: the top level #48 9.812 configure.ac:279: warning: The macro AC_TRY_LINK' is obsolete. #48 9.812 configure.ac:279: You should run autoupdate. #48 9.812 ./lib/autoconf/general.m4:2920: AC_TRY_LINK is expanded from... #48 9.812 config/mpi-macros.m4:711: AX_CHECK_MPI_LIB_HAS_MPI_INIT_THREAD_C is expanded from... #48 9.812 config/mpi-macros.m4:785: AX_CHECK_MPI_LIB_HAS_MPI_INIT_THREAD is expanded from... #48 9.812 configure.ac:279: the top level #48 9.812 configure.ac:280: warning: The macro AC_TRY_LINK' is obsolete. #48 9.812 configure.ac:280: You should run autoupdate. #48 9.812 ./lib/autoconf/general.m4:2920: AC_TRY_LINK is expanded from... #48 9.812 config/mpi-macros.m4:681: AX_CHECK_MPI_C_HAS_FORTRAN_MPI_INIT is expanded from... #48 9.812 configure.ac:280: the top level #48 9.812 configure.ac:281: warning: The macro AC_TRY_LINK' is obsolete. #48 9.812 configure.ac:281: You should run autoupdate. #48 9.812 ./lib/autoconf/general.m4:2920: AC_TRY_LINK is expanded from... #48 9.812 config/mpi-macros.m4:649: AX_CHECK_MPI_SUPPORTS_MPI_IO is expanded from... #48 9.812 configure.ac:281: the top level #48 9.812 configure.ac:282: warning: The macro AC_TRY_LINK' is obsolete. #48 9.812 configure.ac:282: You should run autoupdate. #48 9.812 ./lib/autoconf/general.m4:2920: AC_TRY_LINK is expanded from... #48 9.812 config/mpi-macros.m4:601: AX_CHECK_MPI_SUPPORTS_MPI_1SIDED is expanded from... #48 9.812 configure.ac:282: the top level #48 9.812 configure.ac:283: warning: The macro AC_TRY_LINK' is obsolete. #48 9.812 configure.ac:283: You should run autoupdate. #48 9.812 ./lib/autoconf/general.m4:2920: AC_TRY_LINK is expanded from... #48 9.812 config/mpi-macros.m4:565: AX_CHECK_MPI_SUPPORTS_MPI_COMM_SPAWN is expanded from... #48 9.812 configure.ac:283: the top level #48 9.812 configure.ac:284: warning: The macro AC_TRY_COMPILE' is obsolete. #48 9.813 configure.ac:284: You should run autoupdate. #48 9.813 ./lib/autoconf/general.m4:2847: AC_TRY_COMPILE is expanded from... #48 9.813 config/mpi-macros.m4:375: AX_CHECK_MPI_F_STATUS_IGNORE is expanded from... #48 9.813 configure.ac:284: the top level #48 9.813 configure.ac:285: warning: The macro AC_TRY_COMPILE' is obsolete. #48 9.813 configure.ac:285: You should run autoupdate. #48 9.813 ./lib/autoconf/general.m4:2847: AC_TRY_COMPILE is expanded from... #48 9.813 config/mpi-macros.m4:320: AX_CHECK_MPI3_VERSION is expanded from... #48 9.813 configure.ac:285: the top level #48 9.813 configure.ac:287: warning: The macro AC_HELP_STRING' is obsolete. #48 9.813 configure.ac:287: You should run autoupdate. #48 9.813 ./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from... #48 9.813 config/mpi-macros.m4:838: AX_ENABLE_SINGLE_MPI_LIBRARY is expanded

```

from... #48 9.813 configure.ac:287: the top level #48 9.813
configure.ac:288: warning: The macro AC_TRY_LINK' is obsolete. #48
9.813 configure.ac:288: You should run autoupdate. #48 9.813
./lib/autoconf/general.m4:2920: AC_TRY_LINK is expanded from... #48
9.813 config/mpi-macros.m4:794:
AX_CHECK_MPI_LIB_HAS_C_AND_FORTRAN_SYMBOLS is expanded from... #48
9.813 configure.ac:288: the top level #48 9.813 configure.ac:294:
warning: The macroAC_HELP_STRING' is obsolete. #48 9.813
configure.ac:294: You should run autoupdate. #48 9.813
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.813 configure.ac:294: the top level #48 9.813 configure.ac:304:
warning: The macro AC_HELP_STRING' is obsolete. #48 9.813
configure.ac:304: You should run autoupdate. #48 9.813
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.813 configure.ac:304: the top level #48 9.813
configure.ac:318: warning: The macroAC_HELP_STRING' is obsolete.
#48 9.813 configure.ac:318: You should run autoupdate. #48 9.813
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.813 config/macros.m4:1259: AX_CHECK_UNWIND is expanded
from... #48 9.813 configure.ac:318: the top level #48 9.813
configure.ac:318: warning: The macro AC_HELP_STRING' is obsolete.
#48 9.813 configure.ac:318: You should run autoupdate. #48 9.813
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.813 config/macros.m4:33: AX_FIND_INSTALLATION is expanded
from... #48 9.813 config/macros.m4:1259: AX_CHECK_UNWIND is expanded
from... #48 9.813 configure.ac:318: the top level #48 9.814
configure.ac:318: warning: The macroAC_TRY_LINK' is obsolete. #48
9.814 configure.ac:318: You should run autoupdate. #48 9.814
./lib/autoconf/general.m4:2920: AC_TRY_LINK is expanded from...
#48 9.814 config/macros.m4:1259: AX_CHECK_UNWIND is expanded
from... #48 9.814 configure.ac:318: the top level #48 9.814
configure.ac:321: warning: The macro AC_HELP_STRING' is obsolete.
#48 9.814 configure.ac:321: You should run autoupdate. #48 9.814
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.814 config/macros.m4:1326: AX_CHECK_LIBZ is expanded from...
#48 9.814 configure.ac:321: the top level #48 9.814
configure.ac:321: warning: The macroAC_HELP_STRING' is obsolete.
#48 9.814 configure.ac:321: You should run autoupdate. #48 9.814
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.814 config/macros.m4:33: AX_FIND_INSTALLATION is
expanded from... #48 9.814 config/macros.m4:1326: AX_CHECK_LIBZ
is expanded from... #48 9.814 configure.ac:321: the top level #48
9.814 configure.ac:323: warning: The macro AC_HELP_STRING' is
obsolete. #48 9.814 configure.ac:323: You should run autoupdate. #48
9.814 ./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded
from... #48 9.814 config/mpi-macros.m4:855: AX_PROG_GM is expanded
from... #48 9.814 configure.ac:323: the top level #48 9.814
configure.ac:323: warning: The macroAC_HELP_STRING' is obsolete.
#48 9.814 configure.ac:323: You should run autoupdate. #48 9.814
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.814 config/macros.m4:33: AX_FIND_INSTALLATION is
expanded from... #48 9.814 config/mpi-macros.m4:855:
AX_PROG_GM is expanded from... #48 9.814 configure.ac:323: the
top level #48 9.815 configure.ac:324: warning: The macro
AC_HELP_STRING' is obsolete. #48 9.815 configure.ac:324: You should
run autoupdate. #48 9.815 ./lib/autoconf/general.m4:204:
AC_HELP_STRING is expanded from... #48 9.815 config/macros.m4:830:
AX_PROG_MX is expanded from... #48 9.815 configure.ac:324: the top
level #48 9.815 configure.ac:324: warning: The
macroAC_HELP_STRING' is obsolete. #48 9.815 configure.ac:324: You

```

should run autoupdate. #48 9.815 ./lib/autoconf/general.m4:204:
AC_HELP_STRING is expanded from... #48 9.815
config/macros.m4:33: AX_FIND_INSTALLATION is expanded from...
#48 9.815 config/macros.m4:830: AX_PROG_MX is expanded from...
#48 9.815 configure.ac:324: the top level #48 9.815 configure.ac:325:
warning: The macro AC_HELP_STRING' is obsolete. #48 9.815
configure.ac:325: You should run autoupdate. #48 9.815
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.815 config/macros.m4:1363: AX_PROG_LIBEXECINFO is expanded
from... #48 9.815 configure.ac:325: the top level #48 9.815
configure.ac:325: warning: The macro AC_HELP_STRING' is obsolete.
#48 9.815 configure.ac:325: You should run autoupdate. #48 9.815
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.815 config/macros.m4:33: AX_FIND_INSTALLATION is
expanded from... #48 9.815 config/macros.m4:1363:
AX_PROG_LIBEXECINFO is expanded from... #48 9.815
configure.ac:325: the top level #48 9.816 configure.ac:325: warning:
The macro AC_TRY_LINK' is obsolete. #48 9.816 configure.ac:325: You
should run autoupdate. #48 9.816 ./lib/autoconf/general.m4:2920:
AC_TRY_LINK is expanded from... #48 9.816 config/macros.m4:1363:
AX_PROG_LIBEXECINFO is expanded from... #48 9.816 configure.ac:325:
the top level #48 9.816 configure.ac:326: warning: The
macro AC_HELP_STRING' is obsolete. #48 9.816 configure.ac:326: You
should run autoupdate. #48 9.816 ./lib/autoconf/general.m4:204:
AC_HELP_STRING is expanded from... #48 9.816
config/macros.m4:675: AX_PROG_ELFUTILS is expanded from... #48
9.816 config/dyninst.m4:119: AX_PROG_DYNINST is expanded from...
#48 9.816 configure.ac:326: the top level #48 9.816 configure.ac:326:
warning: The macro AC_HELP_STRING' is obsolete. #48 9.816
configure.ac:326: You should run autoupdate. #48 9.816
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.816 config/macros.m4:33: AX_FIND_INSTALLATION is expanded
from... #48 9.816 config/macros.m4:675: AX_PROG_ELFUTILS is expanded
from... #48 9.816 config/dyninst.m4:119: AX_PROG_DYNINST is expanded
from... #48 9.816 configure.ac:326: the top level #48 9.816
configure.ac:326: warning: The macro AC_HELP_STRING' is obsolete.
#48 9.816 configure.ac:326: You should run autoupdate. #48 9.816
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.816 config/dyninst.m4:84: AX_PROG_TBB is expanded from...
#48 9.816 config/dyninst.m4:119: AX_PROG_DYNINST is expanded
from... #48 9.816 configure.ac:326: the top level #48 9.816
configure.ac:326: warning: The macro AC_HELP_STRING' is obsolete.
#48 9.816 configure.ac:326: You should run autoupdate. #48 9.816
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.816 config/macros.m4:33: AX_FIND_INSTALLATION is expanded
from... #48 9.816 config/dyninst.m4:84: AX_PROG_TBB is expanded
from... #48 9.816 config/dyninst.m4:119: AX_PROG_DYNINST is expanded
from... #48 9.816 configure.ac:326: the top level #48 9.817
configure.ac:326: warning: The macro AC_HELP_STRING' is obsolete.
#48 9.817 configure.ac:326: You should run autoupdate. #48 9.817
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.817 config/dyninst.m4:16: AX_PROG_BOOST is expanded
from... #48 9.817 config/dyninst.m4:119: AX_PROG_DYNINST is
expanded from... #48 9.817 configure.ac:326: the top level #48 9.817
configure.ac:326: warning: The macro AC_HELP_STRING' is obsolete.
#48 9.817 configure.ac:326: You should run autoupdate. #48 9.817
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.817 config/macros.m4:33: AX_FIND_INSTALLATION is expanded
from... #48 9.817 config/dyninst.m4:16: AX_PROG_BOOST is expanded
from... #48 9.817 config/dyninst.m4:119: AX_PROG_DYNINST is expanded

from... #48 9.817 configure.ac:326: the top level #48 9.817
configure.ac:326: warning: The macro AC_HELP_STRING' is obsolete.
#48 9.817 configure.ac:326: You should run autoupdate. #48 9.817
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.817 config/dyninst.m4:119: AX_PROG_DYNINST is expanded
from... #48 9.817 configure.ac:326: the top level #48 9.817
configure.ac:326: warning: The macro AC_HELP_STRING' is obsolete.
#48 9.817 configure.ac:326: You should run autoupdate. #48 9.817
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.817 config/macros.m4:33: AX_FIND_INSTALLATION is expanded
from... #48 9.817 config/dyninst.m4:119: AX_PROG_DYNINST is expanded
from... #48 9.817 configure.ac:326: the top level #48 9.818
configure.ac:327: warning: The macro AC_HELP_STRING' is obsolete.
#48 9.818 configure.ac:327: You should run autoupdate. #48 9.818
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.818 config/macros.m4:911: AX_PROG_PMAPI is expanded
from... #48 9.818 config/macros.m4:880: AX_PROG_COUNTERS is
expanded from... #48 9.818 configure.ac:327: the top level #48 9.818
configure.ac:327: warning: The macro AC_HELP_STRING' is obsolete.
#48 9.818 configure.ac:327: You should run autoupdate. #48 9.818
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.818 config/macros.m4:945: AX_PROG_PAPI is expanded from... #48
9.818 config/macros.m4:880: AX_PROG_COUNTERS is expanded from... #48
9.818 configure.ac:327: the top level #48 9.818 configure.ac:327:
warning: The macro AC_HELP_STRING' is obsolete. #48 9.818
configure.ac:327: You should run autoupdate. #48 9.818
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.818 config/macros.m4:33: AX_FIND_INSTALLATION is
expanded from... #48 9.818 config/macros.m4:945: AX_PROG_PAPI is
expanded from... #48 9.818 config/macros.m4:880:
AX_PROG_COUNTERS is expanded from... #48 9.818
configure.ac:327: the top level #48 9.818 configure.ac:328: warning:
The macro AC_HELP_STRING' is obsolete. #48 9.818 configure.ac:328:
You should run autoupdate. #48 9.818 ./lib/autoconf/general.m4:204:
AC_HELP_STRING is expanded from... #48 9.818 config/sionlib.m4:3:
AX_PROG_SIONLIB is expanded from... #48 9.818 configure.ac:328: the
top level #48 9.818 configure.ac:328: warning: The
macro AC_HELP_STRING' is obsolete. #48 9.818 configure.ac:328: You
should run autoupdate. #48 9.818 ./lib/autoconf/general.m4:204:
AC_HELP_STRING is expanded from... #48 9.818
config/macros.m4:33: AX_FIND_INSTALLATION is expanded from...
#48 9.818 config/sionlib.m4:3: AX_PROG_SIONLIB is expanded
from... #48 9.818 configure.ac:328: the top level #48 9.819
configure.ac:330: warning: The macro AC_HELP_STRING' is obsolete.
#48 9.819 configure.ac:330: You should run autoupdate. #48 9.819
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.819 config/macros.m4:706: AX_PROG_BINUTILS is expanded from...
#48 9.819 config/macros.m4:736: AX_PROG_LIBADDR2LINE is expanded
from... #48 9.819 configure.ac:330: the top level #48 9.819
configure.ac:330: warning: The macro AC_HELP_STRING' is obsolete.
#48 9.819 configure.ac:330: You should run autoupdate. #48 9.819
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.819 config/macros.m4:33: AX_FIND_INSTALLATION is
expanded from... #48 9.819 config/macros.m4:706:
AX_PROG_BINUTILS is expanded from... #48 9.819
config/macros.m4:736: AX_PROG_LIBADDR2LINE is expanded from...
#48 9.819 configure.ac:330: the top level #48 9.819 configure.ac:336:
warning: The macro AC_TRY_LINK' is obsolete. #48 9.819
configure.ac:336: You should run autoupdate. #48 9.819
./lib/autoconf/general.m4:2920: AC_TRY_LINK is expanded from... #48

9.819 config/openmp.m4:93: AX_HAVE_SYNC_FETCH_AND_ADD is expanded from... #48 9.819 config/openmp.m4:3: AX_CHECK_OPENMP is expanded from... #48 9.819 configure.ac:336: the top level #48 9.819 configure.ac:336: warning: The macro AC_HELP_STRING' is obsolete. #48 9.819 configure.ac:336: You should run autoupdate. #48 9.819 ./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from... #48 9.819 config/openmp.m4:3: AX_CHECK_OPENMP is expanded from... #48 9.819 configure.ac:336: the top level #48 9.820 configure.ac:338: warning: The macro AC_HELP_STRING' is obsolete. #48 9.820 configure.ac:338: You should run autoupdate. #48 9.820 ./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from... #48 9.820 config/cuda.m4:3: AX_CUDA is expanded from... #48 9.820 configure.ac:338: the top level #48 9.820 configure.ac:338: warning: The macro AC_HELP_STRING' is obsolete. #48 9.820 configure.ac:338: You should run autoupdate. #48 9.820 ./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from... #48 9.820 config/macros.m4:33: AX_FIND_INSTALLATION is expanded from... #48 9.820 config/cuda.m4:3: AX_CUDA is expanded from... #48 9.820 configure.ac:338: the top level #48 9.820 configure.ac:339: warning: The macro AC_HELP_STRING' is obsolete. #48 9.820 configure.ac:339: You should run autoupdate. #48 9.820 ./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from... #48 9.820 config/cuda.m4:28: AX_CUPTI is expanded from... #48 9.820 configure.ac:339: the top level #48 9.820 configure.ac:339: warning: The macro AC_HELP_STRING' is obsolete. #48 9.820 configure.ac:339: You should run autoupdate. #48 9.820 ./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from... #48 9.820 config/macros.m4:33: AX_FIND_INSTALLATION is expanded from... #48 9.820 config/cuda.m4:28: AX_CUPTI is expanded from... #48 9.820 configure.ac:339: the top level #48 9.821 configure.ac:340: warning: The macro AC_HELP_STRING' is obsolete. #48 9.821 configure.ac:340: You should run autoupdate. #48 9.821 ./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from... #48 9.821 config/opencl.m4:3: AX_OPENCL is expanded from... #48 9.821 configure.ac:340: the top level #48 9.821 configure.ac:340: warning: The macro AC_HELP_STRING' is obsolete. #48 9.821 configure.ac:340: You should run autoupdate. #48 9.821 ./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from... #48 9.821 config/macros.m4:33: AX_FIND_INSTALLATION is expanded from... #48 9.821 config/opencl.m4:3: AX_OPENCL is expanded from... #48 9.821 configure.ac:340: the top level #48 9.821 configure.ac:340: warning: The macro AC_TRY_COMPILE' is obsolete. #48 9.821 configure.ac:340: You should run autoupdate. #48 9.821 ./lib/autoconf/general.m4:2847: AC_TRY_COMPILE is expanded from... #48 9.821 config/opencl.m4:3: AX_OPENCL is expanded from... #48 9.821 configure.ac:340: the top level #48 9.821 configure.ac:341: warning: The macro AC_HELP_STRING' is obsolete. #48 9.821 configure.ac:341: You should run autoupdate. #48 9.821 ./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from... #48 9.821 config/pthread.m4:3: AX_PTHREAD is expanded from... #48 9.821 configure.ac:341: the top level #48 9.821 configure.ac:341: warning: The macro AC_LANG_C' is obsolete. #48 9.821 configure.ac:341: You should run autoupdate. #48 9.821 ./lib/autoconf/c.m4:72: AC_LANG_C is expanded from... #48 9.821 config/acarchive.m4:318: ACX_PTHREAD is expanded from... #48 9.821 config/pthread.m4:3: AX_PTHREAD is expanded from... #48 9.821 configure.ac:341: the top level #48 9.822 configure.ac:341: warning: The macro AC_TRY_LINK' is obsolete. #48 9.822 configure.ac:341: You should run autoupdate. #48 9.822 ./lib/autoconf/general.m4:2920: AC_TRY_LINK is expanded from... #48 9.822

config/acarchive.m4:318: ACX_PTHREAD is expanded from... #48
9.822 config/pthread.m4:3: AX_PTHREAD is expanded from... #48
9.822 configure.ac:341: the top level #48 9.822 configure.ac:341:
warning: The macro AC_TRY_LINK' is obsolete. #48 9.822
configure.ac:341: You should run autoupdate. #48 9.822
./lib/autoconf/general.m4:2920: AC_TRY_LINK is expanded from... #48
9.822 config/pthread.m4:3: AX_PTHREAD is expanded from... #48 9.822
configure.ac:341: the top level #48 9.822 configure.ac:341: warning:
The macro AC_WARN' is obsolete. #48 9.822 configure.ac:341: You
should run autoupdate. #48 9.822 ./lib/autoconf/oldnames.m4:33:
AC_WARN is expanded from... #48 9.822 config/pthread.m4:3:
AX_PTHREAD is expanded from... #48 9.822 configure.ac:341: the top
level #48 9.822 configure.ac:344: warning: The macro AC_HELP_STRING'
is obsolete. #48 9.822 configure.ac:344: You should run autoupdate.
#48 9.822 ./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded
from... #48 9.822 configure.ac:344: the top level #48 9.822
configure.ac:354: warning: The macro AC_HELP_STRING' is obsolete.
#48 9.822 configure.ac:354: You should run autoupdate. #48 9.822
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.822 configure.ac:354: the top level #48 9.822 configure.ac:364:
warning: The macro AC_HELP_STRING' is obsolete. #48 9.822
configure.ac:364: You should run autoupdate. #48 9.822
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.822 configure.ac:364: the top level #48 9.823
configure.ac:375: warning: The macro AC_HELP_STRING' is obsolete.
#48 9.823 configure.ac:375: You should run autoupdate. #48 9.823
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.823 config/macros.m4:609: AX_PROG_XML2 is expanded
from... #48 9.823 configure.ac:375: the top level #48 9.823
configure.ac:375: warning: The macro AC_HELP_STRING' is obsolete.
#48 9.823 configure.ac:375: You should run autoupdate. #48 9.823
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.823 config/macros.m4:33: AX_FIND_INSTALLATION is expanded
from... #48 9.823 config/macros.m4:609: AX_PROG_XML2 is expanded
from... #48 9.823 configure.ac:375: the top level #48 9.823
configure.ac:378: warning: The macro AC_HELP_STRING' is obsolete.
#48 9.823 configure.ac:378: You should run autoupdate. #48 9.823
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.823 configure.ac:378: the top level #48 9.823 configure.ac:388:
warning: The macro AC_HELP_STRING' is obsolete. #48 9.823
configure.ac:388: You should run autoupdate. #48 9.823
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.823 configure.ac:388: the top level #48 9.823
configure.ac:401: warning: The macro AC_HELP_STRING' is obsolete.
#48 9.823 configure.ac:401: You should run autoupdate. #48 9.823
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.823 configure.ac:401: the top level #48 9.823 configure.ac:414:
warning: The macro AC_HELP_STRING' is obsolete. #48 9.823
configure.ac:414: You should run autoupdate. #48 9.823
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.823 config/macros.m4:1932: AX_PROG_MEMKIND is expanded from...
#48 9.823 configure.ac:414: the top level #48 9.823
configure.ac:414: warning: The macro AC_HELP_STRING' is obsolete.
#48 9.823 configure.ac:414: You should run autoupdate. #48 9.823
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.823 config/macros.m4:33: AX_FIND_INSTALLATION is
expanded from... #48 9.823 config/macros.m4:1932:
AX_PROG_MEMKIND is expanded from... #48 9.823 configure.ac:414:
the top level #48 9.823 configure.ac:417: warning: The macro
AC_HELP_STRING' is obsolete. #48 9.823 configure.ac:417: You should


```

run autoupdate. #48 9.823 ./lib/autoconf/general.m4:204:
AC_HELP_STRING is expanded from... #48 9.823 configure.ac:417: the
top level #48 9.823 configure.ac:430: warning: The
macroAC_HELP_STRING' is obsolete. #48 9.823 configure.ac:430: You
should run autoupdate. #48 9.823 ./lib/autoconf/general.m4:204:
AC_HELP_STRING is expanded from... #48 9.823 configure.ac:430:
the top level #48 9.823 configure.ac:445: warning: The macro
AC_HELP_STRING' is obsolete. #48 9.823 configure.ac:445: You should
run autoupdate. #48 9.823 ./lib/autoconf/general.m4:204:
AC_HELP_STRING is expanded from... #48 9.823 config/macros.m4:1515:
AX_PROG_SYNAPSE is expanded from... #48 9.823 config/macros.m4:1690:
AX_PROG_ONLINE is expanded from... #48 9.823 configure.ac:445: the
top level #48 9.823 configure.ac:445: warning: The
macroAC_HELP_STRING' is obsolete. #48 9.823 configure.ac:445: You
should run autoupdate. #48 9.823 ./lib/autoconf/general.m4:204:
AC_HELP_STRING is expanded from... #48 9.823
config/macros.m4:33: AX_FIND_INSTALLATION is expanded from...
#48 9.823 config/macros.m4:1515: AX_PROG_SYNAPSE is expanded
from... #48 9.823 config/macros.m4:1690: AX_PROG_ONLINE is
expanded from... #48 9.823 configure.ac:445: the top level #48 9.824
configure.ac:445: warning: The macro AC_HELP_STRING' is obsolete.
#48 9.824 configure.ac:445: You should run autoupdate. #48 9.824
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.824 config/macros.m4:1581: AX_PROG_CLUSTERING is expanded
from... #48 9.824 config/macros.m4:1690: AX_PROG_ONLINE is expanded
from... #48 9.824 configure.ac:445: the top level #48 9.824
configure.ac:445: warning: The macroAC_HELP_STRING' is obsolete.
#48 9.824 configure.ac:445: You should run autoupdate. #48 9.824
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.824 config/macros.m4:33: AX_FIND_INSTALLATION is
expanded from... #48 9.824 config/macros.m4:1581:
AX_PROG_CLUSTERING is expanded from... #48 9.824
config/macros.m4:1690: AX_PROG_ONLINE is expanded from... #48
9.824 configure.ac:445: the top level #48 9.824 configure.ac:445:
warning: The macro AC_HELP_STRING' is obsolete. #48 9.824
configure.ac:445: You should run autoupdate. #48 9.824
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.824 config/macros.m4:1626: AX_PROG_SPECTRAL is expanded
from... #48 9.824 config/macros.m4:1690: AX_PROG_ONLINE is expanded
from... #48 9.824 configure.ac:445: the top level #48 9.824
configure.ac:445: warning: The macroAC_HELP_STRING' is obsolete.
#48 9.824 configure.ac:445: You should run autoupdate. #48 9.824
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.824 config/macros.m4:33: AX_FIND_INSTALLATION is
expanded from... #48 9.824 config/macros.m4:1626:
AX_PROG_SPECTRAL is expanded from... #48 9.824
config/macros.m4:1690: AX_PROG_ONLINE is expanded from... #48
9.824 configure.ac:445: the top level #48 9.825 configure.ac:445:
warning: The macro AC_TRY_LINK' is obsolete. #48 9.825
configure.ac:445: You should run autoupdate. #48 9.825
./lib/autoconf/general.m4:2920: AC_TRY_LINK is expanded from... #48
9.825 config/macros.m4:1626: AX_PROG_SPECTRAL is expanded from...
#48 9.825 config/macros.m4:1690: AX_PROG_ONLINE is expanded from...
#48 9.825 configure.ac:445: the top level #48 9.825
configure.ac:445: warning: The macroAC_HELP_STRING' is obsolete.
#48 9.825 configure.ac:445: You should run autoupdate. #48 9.825
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.825 config/macros.m4:1690: AX_PROG_ONLINE is expanded
from... #48 9.825 configure.ac:445: the top level #48 9.826
configure.ac:487: warning: The macro AC_TRY_COMPILE' is obsolete.

```

```

#48 9.826 configure.ac:487: You should run autoupdate. #48 9.826
./lib/autoconf/general.m4:2847: AC_TRY_COMPILE is expanded from...
#48 9.826 lib/m4sugar/m4sh.m4:692: _AS_IF_ELSE is expanded from...
#48 9.826 lib/m4sugar/m4sh.m4:699: AS_IF is expanded from... #48
9.826 ./lib/autoconf/general.m4:2249: AC_CACHE_VAL is expanded
from... #48 9.826 ./lib/autoconf/general.m4:2270: AC_CACHE_CHECK is
expanded from... #48 9.826 config/macros.m4:557:
AX_CHECK_FUNCTION_MACRO is expanded from... #48 9.826
configure.ac:487: the top level #48 9.826 configure.ac:491: warning:
The macro AC_LANG_C' is obsolete. #48 9.826 configure.ac:491: You
should run autoupdate. #48 9.826 ./lib/autoconf/c.m4:72: AC_LANG_C
is expanded from... #48 9.826 lib/m4sugar/m4sh.m4:692:
_AS_IF_ELSE is expanded from... #48 9.826
lib/m4sugar/m4sh.m4:699: AS_IF is expanded from... #48 9.826
./lib/autoconf/general.m4:2249: AC_CACHE_VAL is expanded from...
#48 9.826 ./lib/autoconf/general.m4:2270: AC_CACHE_CHECK is
expanded from... #48 9.826 config/acarchive.m4:65:
AX_CFLAGS_WARN_ALL is expanded from... #48 9.826
configure.ac:491: the top level #48 9.826 configure.ac:491: warning:
The macro AC_TRY_COMPILE' is obsolete. #48 9.826 configure.ac:491:
You should run autoupdate. #48 9.826 ./lib/autoconf/general.m4:2847:
AC_TRY_COMPILE is expanded from... #48 9.826
lib/m4sugar/m4sh.m4:692: _AS_IF_ELSE is expanded from... #48 9.826
lib/m4sugar/m4sh.m4:699: AS_IF is expanded from... #48 9.826
./lib/autoconf/general.m4:2249: AC_CACHE_VAL is expanded from... #48
9.826 ./lib/autoconf/general.m4:2270: AC_CACHE_CHECK is expanded
from... #48 9.826 config/acarchive.m4:65: AX_CFLAGS_WARN_ALL is
expanded from... #48 9.826 configure.ac:491: the top level #48 9.826
configure.ac:492: warning: The macro AC_LANG_CPLUSPLUS' is
obsolete. #48 9.826 configure.ac:492: You should run autoupdate.
#48 9.826 ./lib/autoconf/c.m4:262: AC_LANG_CPLUSPLUS is
expanded from... #48 9.826 lib/m4sugar/m4sh.m4:692: _AS_IF_ELSE
is expanded from... #48 9.826 lib/m4sugar/m4sh.m4:699: AS_IF is
expanded from... #48 9.826 ./lib/autoconf/general.m4:2249:
AC_CACHE_VAL is expanded from... #48 9.826
./lib/autoconf/general.m4:2270: AC_CACHE_CHECK is expanded
from... #48 9.826 config/acarchive.m4:108:
AX_CXXFLAGS_WARN_ALL is expanded from... #48 9.826
configure.ac:492: the top level #48 9.826 configure.ac:492: warning:
The macro AC_TRY_COMPILE' is obsolete. #48 9.826 configure.ac:492:
You should run autoupdate. #48 9.826 ./lib/autoconf/general.m4:2847:
AC_TRY_COMPILE is expanded from... #48 9.826
lib/m4sugar/m4sh.m4:692: _AS_IF_ELSE is expanded from... #48 9.826
lib/m4sugar/m4sh.m4:699: AS_IF is expanded from... #48 9.826
./lib/autoconf/general.m4:2249: AC_CACHE_VAL is expanded from... #48
9.826 ./lib/autoconf/general.m4:2270: AC_CACHE_CHECK is expanded
from... #48 9.826 config/acarchive.m4:108: AX_CXXFLAGS_WARN_ALL is
expanded from... #48 9.826 configure.ac:492: the top level #48 9.826
configure.ac:500: warning: The macro AC_HELP_STRING' is obsolete.
#48 9.826 configure.ac:500: You should run autoupdate. #48 9.826
./lib/autoconf/general.m4:204: AC_HELP_STRING is expanded from...
#48 9.826 config/pebs-sampling.m4:3: AX_PEBS_SAMPLING is
expanded from... #48 9.826 configure.ac:500: the top level #48 11.12
configure.ac:155: installing 'config/ar-lib' #48 11.12 configure.ac:121:
installing 'config/config.guess' #48 11.12 configure.ac:27: installing
'config/config.sub' #48 11.13 configure.ac:53: installing
'config/install-sh' #48 11.13 configure.ac:53: installing
'config/missing' #48 15.00 parallel-tests: installing 'config/test-driver'
#48 DONE 16.1s

```

```

#49 [45/48] RUN ./configure --prefix=/usr/local/extrae --with-
mpi=/usr/local/petsc/arch-linux-c-opt/ --with-
papi=/usr/local/extrae/papi --with-xml-prefix=/usr/local/extrae/libxml2
--with-unwind=/usr/local/extrae/libunwind --with-
binutils=/usr/local/extrae/binutils --without-dyninst #49 0.152
Configuring package Extrae 4.3.1 #49 0.156 checking build system
type... x86_64-pc-linux-gnu #49 0.195 checking host system type...
x86_64-pc-linux-gnu #49 0.195 checking target system type... x86_64-
pc-linux-gnu #49 0.196 checking if this is an Altix machine... no #49
0.196 checking if this is a Cray XT machine... no #49 0.196 checking
if this is a BG/L machine... no #49 0.197 checking if this is a BG/P
machine... no #49 0.197 checking if this is a BG/Q machine... no #49
0.199 checking for /proc/self/exe... yes #49 0.199 checking for
/proc/self/maps... yes #49 0.199 checking for a BSD-compatible
install... /usr/bin/install -c #49 0.208 checking whether build
environment is sane... yes #49 0.217 checking for a race-free mkdir -
p... /usr/bin/mkdir -p #49 0.220 checking for gawk... no #49 0.220
checking for mawk... mawk #49 0.220 checking whether make sets
$(MAKE)... yes #49 0.230 checking whether make supports nested
variables... yes #49 0.238 checking whether UID '0' is supported by
ustar format... yes #49 0.238 checking whether GID '0' is supported
by ustar format... yes #49 0.238 checking how to create a ustar tar
archive... gnutar #49 0.254 checking whether make supports nested
variables... (cached) yes #49 0.255 checking for gcc... gcc #49 0.280
checking whether the C compiler works... yes #49 0.311 checking for
C compiler default output file name... a.out #49 0.312 checking for
suffix of executables... #49 0.342 checking whether we are cross
compiling... no #49 0.375 checking for suffix of object files... o #49
0.391 checking whether the compiler supports GNU C... yes #49
0.406 checking whether gcc accepts -g... yes #49 0.420 checking for
gcc option to enable C11 features... none needed #49 0.461 checking
whether gcc understands -c and -o together... yes #49 0.489 checking
for C compiler vendor... gnu #49 0.597 checking for C compiler
version... 11.4.0 #49 0.736 checking for g++... g++ #49 0.756
checking whether the compiler supports GNU C++... yes #49 0.772
checking whether g++ accepts -g... yes #49 0.787 checking for g++
option to enable C++11 features... none needed #49 0.850 checking
how to run the C preprocessor... gcc -E #49 0.896 checking for
gfortran... gfortran #49 0.917 checking whether the compiler
supports GNU Fortran... yes #49 0.934 checking whether gfortran
accepts -g... yes #49 0.953 checking how to get verbose linking
output from gfortran... -v #49 1.020 checking for Fortran libraries of
gfortran... -L/usr/lib/gcc/x86_64-linux-gnu/11 -L/usr/lib/gcc/x86_64-
linux-gnu/11/../../../../x86_64-linux-gnu -L/usr/lib/gcc/x86_64-linux-
gnu/11/../../../../lib -L/lib/x86_64-linux-gnu -L/lib/./lib -L/usr/lib/x86_64-
linux-gnu -L/usr/lib/./lib -L/usr/lib/gcc/x86_64-linux-gnu/11/../../../../
lgfortran -lm -lquadmath #49 1.075 checking for dummy main to link
with Fortran libraries... none #49 1.115 checking for Fortran name-
mangling scheme... lower case, underscore, no extra underscore #49
1.255 checking for the pthreads library -lpthreads... no #49 1.291
checking whether pthreads work without any flags... yes #49 1.334
checking for joinable pthread attribute...
PTHREAD_CREATE_JOINABLE #49 1.371 checking if more special
flags are required for pthreads... no #49 1.371 checking whether
pthread_create exists... yes #49 1.413 checking whether
pthread_barrier_wait exists... yes #49 1.456 checking whether
pthread_cond_* calls are instrumented... yes #49 1.457 checking for
gawk... (cached) mawk #49 1.457 checking for ar... ar #49 1.458
checking the archiver (ar) interface... ar #49 1.474 checking for
/proc/cpuinfo... found #49 1.474 checking for /proc/meminfo... found

```

#49 1.475 checking for stdio.h... yes #49 1.492 checking for
 stdlib.h... yes #49 1.513 checking for string.h... yes #49 1.536
 checking for inttypes.h... yes #49 1.559 checking for stdint.h... yes
 #49 1.584 checking for strings.h... yes #49 1.608 checking for
 sys/stat.h... yes #49 1.633 checking for sys/types.h... yes #49 1.659
 checking for unistd.h... yes #49 1.686 checking for sched.h... yes #49
 1.715 checking for sched_getcpu... yes #49 1.749 checking for PGI C
 compiler... no #49 1.765 checking whether gcc accepts function
attribute((alias()))... yes #49 1.798 checking whether gcc accepts
 function **attribute**((weak,alias()))... yes #49 1.831 checking whether
 gcc accepts function **attribute**((unused()))... yes #49 1.863 checking
 how to get 64-bit off t... define FILE_OFFSET_BITS=64 #49 1.863
 checking for fopen64... yes #49 1.899 checking for ftell64... no #49
 1.938 checking for ftello64... yes #49 1.974 checking for fseek64... no
 #49 2.014 checking for fseeko64... yes #49 2.049 checking for
 fgetpos64... yes #49 2.084 checking for fsetpos64... yes #49 2.119
 checking for stat... yes #49 2.155 checking for stat64... yes #49 2.190
 checking for access... yes #49 2.226 checking for sleep... yes #49
 2.260 checking for usleep... yes #49 2.295 checking for nanosleep...
 yes #49 2.335 checking for sysconf... yes #49 2.371 checking for
 posix_memalign... yes #49 2.409 checking for madvise... yes #49
 2.444 checking for mmap... yes #49 2.478 checking size of void *... 8
 #49 2.531 checking for gcc compiler default binary type... 64-bit #49
 2.532 configure: cannot locate multiarch triplet #49 2.532 checking
 for g++ compiler default binary type... 64-bit #49 2.534 configure:
 cannot locate multiarch triplet #49 2.535 checking for MPI
 installation... /usr/local/petsc/arch-linux-c-opt/ #49 2.535 checking for
 MPI binaries directory... /usr/local/petsc/arch-linux-c-opt//bin #49
 2.535 checking for MPI includes directory... /usr/local/petsc/arch-
 linux-c-opt//include #49 2.535 checking for MPI libraries directory...
 /usr/local/petsc/arch-linux-c-opt//lib #49 2.536 checking for MPI
 shared library folder... no #49 2.536 checking for MPI multiarch
 library folder... no #49 2.536 checking for MPI valid installation... yes
 #49 2.537 checking for mpi.h... yes #49 2.586 checking for MPICH2
 defined... no #49 2.622 checking for MPI library...
 /usr/local/petsc/arch-linux-c-opt//lib, -lmpi #49 2.622 checking for
 shared MPI library... yes #49 2.623 checking for fortran MPI library...
 yes, -lfmpich #49 2.623 checking for MPI C compiler...
 /usr/local/petsc/arch-linux-c-opt//bin/mpicc #49 2.623 checking for
 MPI F77 compiler... /usr/local/petsc/arch-linux-c-opt//bin/mpif77 #49
 2.624 checking for MPI F90 compiler... /usr/local/petsc/arch-linux-c-
 opt//bin/mpif90 #49 2.624 checking for MPI launcher...
 /usr/local/petsc/arch-linux-c-opt//bin/mpirun #49 2.625 checking for
 OPENACC installation... not found #49 2.625 checking for OPENACC
 binaries directory... not found #49 2.626 checking for OPENACC
 includes directory... not found #49 2.626 checking for OPENACC
 libraries directory... not found #49 2.626 checking for OPENACC
 valid installation... no #49 2.627 checking for GASPI installation... not
 found #49 2.627 checking for GASPI binaries directory... not found
 #49 2.627 checking for GASPI includes directory... not found #49
 2.628 checking for GASPI libraries directory... not found #49 2.628
 checking for GASPI valid installation... no #49 2.629 checking how to
 print strings... printf #49 2.631 checking for grep that handles long
 lines and -e... /usr/bin/grep #49 2.634 checking for egrep...
 /usr/bin/grep -E #49 2.636 checking for fgrep... /usr/bin/grep -F #49
 2.638 checking for ld used by gcc... /usr/bin/ld #49 2.642 checking if
 the linker (/usr/bin/ld) is GNU ld... yes #49 2.644 checking for BSD-
 or MS-compatible name lister (nm)... /usr/bin/nm -B #49 2.647
 checking the name lister (/usr/bin/nm -B) interface... BSD nm #49
 2.664 checking whether ln -s works... yes #49 2.665 checking the

maximum length of command line arguments... 3145728 #49 2.672
 checking how to convert x86_64-pc-linux-gnu file names to x86_64-pc-
 linux-gnu format... func_convert_file_noop #49 2.672 checking how to
 convert x86_64-pc-linux-gnu file names to toolchain format...
 func_convert_file_noop #49 2.672 checking for /usr/bin/ld option to
 reload object files... -r #49 2.673 checking for objdump... objdump
 #49 2.673 checking how to recognize dependent libraries... pass_all
 #49 2.674 checking for dlltool... no #49 2.675 checking how to
 associate runtime and link libraries... printf %s #49 2.675 checking
 for archiver @FILE support... @ #49 2.698 checking for strip... strip
 #49 2.699 checking for ranlib... ranlib #49 2.699 checking command
 to parse /usr/bin/nm -B output from gcc object... ok #49 2.758
 checking for sysroot... no #49 2.759 checking for a working dd...
 /usr/bin/dd #49 2.763 checking how to truncate binary pipes...
 /usr/bin/dd bs=4096 count=1 #49 2.780 checking for mt... no #49
 2.780 checking if : is a manifest tool... no #49 2.785 checking for
 dlfcn.h... yes #49 2.814 checking for objdir... .libs #49 2.867 checking
 if gcc supports -fno-rtti -fno-exceptions... no #49 2.884 checking for
 gcc option to produce PIC... -fPIC -DPIC #49 2.885 checking if gcc
 PIC flag -fPIC -DPIC works... yes #49 2.901 checking if gcc static flag
 -static works... yes #49 2.975 checking if gcc supports -c -o file.o...
 yes #49 2.999 checking if gcc supports -c -o file.o... (cached) yes #49
 2.999 checking whether the gcc linker (/usr/bin/ld -m elf_x86_64)
 supports shared libraries... yes #49 3.009 checking whether -lc should
 be explicitly linked in... no #49 3.033 checking dynamic linker
 characteristics... GNU/Linux ld.so #49 3.081 checking how to
 hardcode library paths into programs... immediate #49 3.081
 checking for shl_load... no #49 3.120 checking for shl_load in -ldld...
 no #49 3.148 checking for dlopen... yes #49 3.183 checking whether
 a program can dlopen itself... yes #49 3.225 checking whether a
 statically linked program can dlopen itself... no #49 3.308 checking
 whether stripping libraries is possible... yes #49 3.310 checking if
 libtool supports shared libraries... yes #49 3.310 checking whether to
 build shared libraries... yes #49 3.310 checking whether to build
 static libraries... yes #49 3.315 checking how to run the C++
 preprocessor... g++ -E #49 3.423 checking for ld used by g++...
 /usr/bin/ld -m elf_x86_64 #49 3.425 checking if the linker (/usr/bin/ld -
 m elf_x86_64) is GNU ld... yes #49 3.432 checking whether the g++
 linker (/usr/bin/ld -m elf_x86_64) supports shared libraries... yes #49
 3.501 checking for g++ option to produce PIC... -fPIC -DPIC #49
 3.501 checking if g++ PIC flag -fPIC -DPIC works... yes #49 3.521
 checking if g++ static flag -static works... yes #49 3.602 checking if
 g++ supports -c -o file.o... yes #49 3.628 checking if g++ supports -c
 -o file.o... (cached) yes #49 3.628 checking whether the g++ linker
 (/usr/bin/ld -m elf_x86_64) supports shared libraries... yes #49 3.629
 checking dynamic linker characteristics... (cached) GNU/Linux ld.so
 #49 3.633 checking how to hardcode library paths into programs...
 immediate #49 3.703 checking if libtool supports shared libraries...
 yes #49 3.703 checking whether to build shared libraries... yes #49
 3.703 checking whether to build static libraries... yes #49 3.775
 checking for gfortran option to produce PIC... -fPIC #49 3.775
 checking if gfortran PIC flag -fPIC works... yes #49 3.797 checking if
 gfortran static flag -static works... yes #49 3.897 checking if gfortran
 supports -c -o file.o... yes #49 3.926 checking if gfortran supports -c -o
 file.o... (cached) yes #49 3.926 checking whether the gfortran linker
 (/usr/bin/ld -m elf_x86_64) supports shared libraries... yes #49 3.936
 checking dynamic linker characteristics... (cached) GNU/Linux ld.so
 #49 3.941 checking how to hardcode library paths into programs...
 immediate #49 3.942 checking for dlopen in -ldl... yes #49 3.976
 checking for stdint.h... (cached) yes #49 3.976 checking for netdb.h...

yes #49 4.008 checking for errno.h... yes #49 4.037 checking for
 string.h... (cached) yes #49 4.037 checking for strings.h... (cached)
 yes #49 4.037 checking for unistd.h... (cached) yes #49 4.038
 checking for rts.h... no #49 4.067 checking for byteswap.h... yes #49
 4.095 checking for limits.h... yes #49 4.122 checking for malloc.h...
 yes #49 4.150 checking for stdio.h... (cached) yes #49 4.150 checking
 for stdlib.h... (cached) yes #49 4.150 checking for values.h... yes #49
 4.178 checking for assert.h... yes #49 4.207 checking for
 bgl_perfctr.h... no #49 4.239 checking for bgl_perfctr_events.h... no
 #49 4.270 checking for ctype.h... yes #49 4.298 checking for
 dlfcn.h... (cached) yes #49 4.298 checking for excpt.h... no #49 4.327
 checking for fcntl.h... yes #49 4.355 checking for getopt.h... yes #49
 4.383 checking for libgen.h... yes #49 4.410 checking for libspe.h...
 no #49 4.439 checking for libspe2.h... no #49 4.468 checking for
 pdsc.h... no #49 4.499 checking for signal.h... yes #49 4.529 checking
 for stdarg.h... yes #49 4.557 checking for math.h... yes #49 4.591
 checking for inttypes.h... (cached) yes #49 4.591 checking for
 time.h... yes #49 4.620 checking for ucontext.h... yes #49 4.648
 checking for pthread.h... yes #49 4.677 checking for semaphore.h...
 yes #49 4.704 checking for execinfo.h... yes #49 4.731 checking for
 dirent.h... yes #49 4.761 checking for sys/types.h... (cached) yes #49
 4.762 checking for sys/socket.h... yes #49 4.792 checking for
 sys/utsname.h... yes #49 4.820 checking for sys/wait.h... yes #49
 4.851 checking for sys/resource.h... yes #49 4.879 checking for
 sys/sysctl.h... no #49 4.908 checking for sys/time.h... yes #49 4.936
 checking for sys/stat.h... (cached) yes #49 4.936 checking for
 sys/procfs.h... yes #49 4.964 checking for sys/mman.h... yes #49
 4.992 checking for sys/ioctl.h... yes #49 5.019 checking for sys/file.h...
 yes #49 5.047 checking for sys/endian.h... no #49 5.078 checking for
 sys/systeminfo.h... no #49 5.109 checking for sys/uio.h... yes #49
 5.137 checking for asm-ppc/atomic.h... no #49 5.167 checking for
 asm-ppc64/atomic.h... no #49 5.197 checking for linux/limits.h... yes
 #49 5.225 checking for linux/mmtimer.h... yes #49 5.252 checking for
 linux/perf_event.h... yes #49 5.282 checking for netinet/in.h... yes #49
 5.312 checking for arch/powerpc/include/asm/atomic.h... no #49
 5.336 checking for firmware/include/personality.h... no #49 5.367
 checking for spi/include/kernel/process.h... no #49 5.397 checking for
 spi/include/kernel/location.h... no #49 5.427 checking for the name
 definition of struct ucontext... ucontext_t #49 5.464 ./configure: line
 28354: lsmode: command not found #49 5.466 ./configure: line 28360:
 lsmode: command not found #49 5.469 ./configure: line 28361: lsmode:
 command not found #49 5.475 checking for peruse.h... not available
 #49 5.476 checking for Fortran PMPI symbols name decoration
 scheme... 0 underscores #49 5.553 checking for MPI_F_STATUS_SIZE
 definition... yes #49 5.590 checking size of MPI_Status... 20 #49
 5.657 checking size of int... 4 #49 5.710 checking for number of
 integer fields in MPI_Status struct... 5 #49 5.710 checking if MPI
 library supports threads using MPI_Init_thread (C)... yes #49 5.777
 checking if MPI library supports threads using MPI_Init_thread
 (Fortran)... yes #49 5.844 checking if MPI C library contains Fortran
 MPI_Init symbol... no #49 5.911 checking if MPI library supports MPI
 I/O... yes #49 5.978 checking if MPI library supports MPI 1-sided
 operations... yes #49 6.047 checking if MPI library supports
 MPI_Get_accumulate... yes #49 6.113 checking if MPI library
 supports MPI_Comm_spawn... yes #49 6.185 checking if
 MPI_F_STATUS_IGNORE and MPI_F_STATUSES_IGNORE exist... yes
 #49 6.228 checking if given MPI implementation supports MPI3
 standard... yes #49 6.266 checking if given MPI3 implementation is a
 draft... no #49 6.303 checking if MPI library contains both C and
 Fortran symbols... no #49 6.378 checking for UNWIND installation...

```

/usr/local/extrae/libunwind #49 6.378 checking for UNWIND binaries
directory... not found #49 6.378 checking for UNWIND includes
directory... /usr/local/extrae/libunwind/include #49 6.378 checking for
UNWIND libraries directory... /usr/local/extrae/libunwind/lib #49
6.378 checking for UNWIND shared library folder... no #49 6.378
checking for UNWIND multiarch library folder... no #49 6.379
checking for UNWIND valid installation... yes #49 6.379 checking if
libunwind works... yes #49 6.420 checking for LIBZ installation...
/usr/local #49 6.420 checking for LIBZ binaries directory...
/usr/local/bin #49 6.420 checking for LIBZ includes directory...
/usr/local/include #49 6.421 checking for zlib.h... yes #49 6.450
checking for LIBZ libraries directory... /usr/local/lib #49 6.451
checking for LIBZ shared library folder... no #49 6.451 checking for
LIBZ multiarch library folder... no #49 6.451 checking for LIBZ
required library libz... no #49 6.451 checking for LIBZ valid
installation... no #49 6.452 checking for GM installation... not found
#49 6.452 checking for GM binaries directory... not found #49 6.452
checking for GM includes directory... not found #49 6.453 checking
for GM libraries directory... not found #49 6.453 checking for GM
valid installation... no #49 6.454 configure: WARNING: Myrinet GM
counters tracing has been disabled #49 6.454 checking for MX
installation... not found #49 6.454 checking for MX binaries
directory... not found #49 6.454 checking for MX includes directory...
not found #49 6.455 checking for MX libraries directory... not found
#49 6.455 checking for MX valid installation... no #49 6.456
configure: WARNING: Myrinet MX counters tracing has been disabled
#49 6.459 checking for PAPI installation... /usr/local/extrae/papi #49
6.459 checking for PAPI binaries directory... /usr/local/extrae/papi/bin
#49 6.459 checking for PAPI includes directory...
/usr/local/extrae/papi/include #49 6.459 checking for PAPI libraries
directory... /usr/local/extrae/papi/lib #49 6.459 checking for PAPI
shared library folder... no #49 6.460 checking for PAPI multiarch
library folder... no #49 6.460 checking for PAPI valid installation... yes
#49 6.460 checking for papi.h... yes #49 6.492 checking for
PAPI_start in -lpapi... yes #49 6.528 configure: PAPI and substrate
libraries: -lpapi -lpfm #49 6.529 checking for
PAPI_substrate_info_t.supports_hw_overflow... no #49 6.573 checking
for PAPI_substrate_info_t.hardware_intr_sig... no #49 6.615 checking
for PAPI_component_info_t.hardware_intr... yes #49 6.641 checking
for BINUTILS installation... /usr/local/extrae/binutils #49 6.641
checking for BINUTILS binaries directory...
/usr/local/extrae/binutils/bin #49 6.641 checking for BINUTILS
required binary addr2line... /usr/local/extrae/binutils/bin/addr2line
#49 6.641 checking for BINUTILS includes directory...
/usr/local/extrae/binutils/include #49 6.642 checking for BINUTILS
libraries directory... /usr/local/extrae/binutils/lib #49 6.642 checking
for BINUTILS shared library folder... no #49 6.642 checking for
BINUTILS multiarch library folder... no #49 6.642 checking for
BINUTILS valid installation... yes #49 6.643 checking for
__sync_fetch_and_add availability... yes #49 6.676 checking for
OpenMP flag of C compiler... -fopenmp #49 6.713 checking for
cudaConfigureCall_v3020_params definition... checking for
cudaLaunch_v3020_params definition... checking for
cudaStreamDestroy_v3020_params definition... checking for the
pthreads library -lpthreads... no #49 6.749 checking whether
pthreads work without any flags... yes #49 6.793 checking for joinable
pthread attribute... PTHREAD_CREATE_JOINABLE #49 6.829
checking if more special flags are required for pthreads... no #49
6.830 checking whether pthread_create exists... yes #49 6.870
checking whether pthread_barrier_wait exists... yes #49 6.913

```

checking whether pthread_cond_* calls are instrumented... yes #49
6.914 checking for XML2 installation... /usr/local/extrae/libxml2 #49
6.914 checking for XML2 binaries directory...
/usr/local/extrae/libxml2/bin #49 6.914 checking for XML2 required
binary xml2-config... /usr/local/extrae/libxml2/bin/xml2-config #49
6.914 checking for XML2 includes directory...
/usr/local/extrae/libxml2/include #49 6.915 checking for XML2
libraries directory... /usr/local/extrae/libxml2/lib #49 6.915 checking
for XML2 shared library folder... no #49 6.915 checking for XML2
multiarch library folder... no #49 6.916 checking for XML2 required
library libxml2... /usr/local/extrae/libxml2/lib/libxml2.so #49 6.916
checking for XML2 valid installation... yes #49 6.916 checking for
libxml2 version >= 2.5.0... yes (2.13.0) #49 6.932 checking for
libxml/parser.h... yes #49 6.969 checking for libxml/xmlmemory.h...
yes #49 6.997 checking for MEMKIND installation... not found #49
6.997 checking for MEMKIND binaries directory... not found #49
6.997 checking for MEMKIND includes directory... not found #49
6.998 checking for MEMKIND libraries directory... not found #49
6.998 checking for MEMKIND valid installation... no #49 6.999
checking for SYNAPSE installation... not found #49 6.999 checking
for SYNAPSE binaries directory... not found #49 6.999 checking for
SYNAPSE includes directory... not found #49 7.000 checking for
SYNAPSE libraries directory... not found #49 7.000 checking for
SYNAPSE valid installation... no #49 7.001 checking for
CLUSTERING installation... not found #49 7.001 checking for
CLUSTERING binaries directory... not found #49 7.001 checking for
CLUSTERING includes directory... not found #49 7.001 checking for
CLUSTERING libraries directory... not found #49 7.002 checking for
CLUSTERING valid installation... no #49 7.002 checking for
SPECTRAL installation... not found #49 7.003 checking for
SPECTRAL binaries directory... not found #49 7.003 checking for
SPECTRAL includes directory... not found #49 7.003 checking for
SPECTRAL libraries directory... not found #49 7.004 checking for
SPECTRAL valid installation... no #49 7.005 checking for int64_t...
yes #49 7.065 checking for uint64_t... yes #49 7.126 checking for
int32_t... yes #49 7.186 checking for uint32_t... yes #49 7.245
checking for int16_t... yes #49 7.306 checking for uint16_t... yes #49
7.373 checking for int8_t... yes #49 7.439 checking for uint8_t... yes
#49 7.498 checking for off_t... yes #49 7.559 checking for ssize_t...
yes #49 7.619 checking for size_t... yes #49 7.680 checking for
pid_t... yes #49 7.742 checking for long... yes #49 7.809 checking for
long long... yes #49 7.871 checking for char... yes #49 7.934
checking for int... yes #49 7.998 checking for short... yes #49 8.059
checking size of long long... 8 #49 8.112 checking size of long... 8
#49 8.166 checking size of short... 2 #49 8.219 checking size of int...
(cached) 4 #49 8.220 checking size of char... 1 #49 8.274 checking
size of off_t... 8 #49 8.326 checking size of pid_t... 4 #49 8.378
checking size of ssize_t... 8 #49 8.431 checking size of size_t... 8 #49
8.484 checking size of void... 8 #49 8.538 checking for struct
mallinfo.arena... yes #49 8.560 checking for union
perf_mem_data_src.val... yes #49 8.579 checking for struct
perf_event_mmap_page.data_size... yes #49 8.599 checking whether
byte ordering is bigendian... no #49 8.655 checking whether the
compiler defines the **FUNCTION** macro... yes #49 8.680 checking
CFLAGS for maximum warnings... -Wall -W #49 8.702 checking
CXXFLAGS for maximum warnings... -Wall -W #49 8.725 checking for
inline... inline #49 8.738 checking for latex... latex #49 8.738
checking for dvips... dvips #49 8.739 checking for dvipdf... no #49
8.739 checking for latex2html... no #49 8.773 checking that
generated files are newer than configure... done #49 8.775 configure:

creating ./config.status #49 9.479 config.status: creating Makefile
#49 9.491 config.status: creating src/Makefile #49 9.507
config.status: creating include/Makefile #49 9.522 config.status:
creating src/loader/Makefile #49 9.538 config.status: creating
src/launcher/Makefile #49 9.553 config.status: creating
src/launcher/static/Makefile #49 9.568 config.status: creating
src/launcher/dyninst/Makefile #49 9.584 config.status: creating
src/launcher/java/Makefile #49 9.600 config.status: creating
src/extrae-uncore/Makefile #49 9.615 config.status: creating
src/extrae-uncore/uncore-service/Makefile #49 9.631 config.status:
creating src/extrae-uncore/uncore-service/seq/Makefile #49 9.646
config.status: creating src/extrae-uncore/uncore-service/mpi/Makefile
#49 9.661 config.status: creating scripts/Makefile #49 9.677
config.status: creating src/common/Makefile #49 9.693 config.status:
creating src/common/MPI/Makefile #49 9.708 config.status: creating
src/tracer/Makefile #49 9.728 config.status: creating
src/tracer/clocks/Makefile #49 9.745 config.status: creating
src/tracer/interfaces/Makefile #49 9.760 config.status: creating
src/tracer/interfaces/API/Makefile #49 9.776 config.status: creating
src/tracer/interfaces/MPI/Makefile #49 9.792 config.status: creating
src/tracer/wrappers/Makefile #49 9.809 config.status: creating
src/tracer/wrappers/MPI/Makefile #49 9.825 config.status: creating
src/tracer/wrappers/OMP/Makefile #49 9.841 config.status: creating
src/tracer/wrappers/OMP/intel-kmpc-11-intermediate/Makefile #49
9.858 config.status: creating src/tracer/wrappers/OMP_new/Makefile
#49 9.874 config.status: creating src/tracer/wrappers/CUDA/Makefile
#49 9.890 config.status: creating
src/tracer/wrappers/OPENCL/Makefile #49 9.905 config.status:
creating src/tracer/wrappers/pthread/Makefile #49 9.921
config.status: creating src/tracer/wrappers/openshmem/Makefile #49
9.937 config.status: creating src/tracer/wrappers/MALLOC/Makefile
#49 9.952 config.status: creating src/tracer/wrappers/IO/Makefile
#49 9.968 config.status: creating
src/tracer/wrappers/SYSCALL/Makefile #49 9.983 config.status:
creating src/tracer/wrappers/fork/Makefile #49 9.999 config.status:
creating src/tracer/wrappers/JAVA/Makefile #49 10.01 config.status:
creating src/tracer/wrappers/OPENACC/Makefile #49 10.03
config.status: creating src/tracer/wrappers/GASPI/Makefile #49 10.05
config.status: creating src/tracer/hwc/Makefile #49 10.06
config.status: creating src/tracer/sampling/Makefile #49 10.08
config.status: creating src/tracer/sampling/common/Makefile #49
10.09 config.status: creating src/tracer/sampling/timer/Makefile #49
10.11 config.status: creating src/tracer/sampling/intel-pebs/Makefile
#49 10.12 config.status: creating src/merger/Makefile #49 10.14
config.status: creating src/merger/parallel/Makefile #49 10.16
config.status: creating src/others/Makefile #49 10.17 config.status:
creating src/cmd-line/Makefile #49 10.19 config.status: creating
src/java-connector/Makefile #49 10.20 config.status: creating
src/java-connector/jni/Makefile #49 10.22 config.status: creating
src/java-connector/jvmti-agent/Makefile #49 10.23 config.status:
creating etc/Makefile #49 10.25 config.status: creating tests/Makefile
#49 10.27 config.status: creating tests/src/Makefile #49 10.28
config.status: creating tests/src/common/Makefile #49 10.30
config.status: creating tests/src/tracer/Makefile #49 10.31
config.status: creating tests/src/tracer/clocks/Makefile #49 10.33
config.status: creating tests/functional/Makefile #49 10.34
config.status: creating tests/functional/launcher/Makefile #49 10.36
config.status: creating tests/functional/tracer/Makefile #49 10.38
config.status: creating tests/functional/tracer/OTHER/Makefile #49
10.39 config.status: creating

tests/functional/tracer/PTHREAD/Makefile #49 10.41 config.status:
 creating tests/functional/tracer/MPI/Makefile #49 10.42 config.status:
 creating tests/functional/tracer/JAVA/Makefile #49 10.44
 config.status: creating tests/functional/tracer/OPENCL/Makefile #49
 10.45 config.status: creating tests/functional/tracer/CUDA/Makefile
 #49 10.47 config.status: creating tests/functional/tracer/IO/Makefile
 #49 10.49 config.status: creating
 tests/functional/tracer/OMP/Makefile #49 10.50 config.status:
 creating tests/functional/merger/Makefile #49 10.52 config.status:
 creating tests/functional/merger/dump-events/Makefile #49 10.54
 config.status: creating tests/functional/merger/shared-
 libraries/Makefile #49 10.55 config.status: creating
 tests/functional/merger/value-range/Makefile #49 10.57 config.status:
 creating tests/functional/xml/Makefile #49 10.58 config.status:
 creating tests/functional/hw-counters/Makefile #49 10.60
 config.status: creating tests/functional/callstack/Makefile #49 10.62
 config.status: creating tests/overhead/Makefile #49 10.63
 config.status: creating src/tracer/online/Makefile #49 10.65
 config.status: creating src/tracer/online/extractors/Makefile #49 10.66
 config.status: creating docs/Makefile #49 10.68 config.status:
 creating config.h #49 11.20 config.status: executing libtool commands
 #49 11.21 === configuring in libaddr2line
 (/workspace/extrae/libaddr2line) #49 11.22 configure: running
 /bin/bash ./configure --disable-option-checking '--
 prefix=/usr/local/extrae' '--with-binutils-
 addr2line=/usr/local/extrae/binutils/bin/addr2line' --cache-
 file=/dev/null --srcdir=. #49 11.28 checking for a BSD-compatible
 install... /usr/bin/install -c #49 11.29 checking whether build
 environment is sane... yes #49 11.30 checking for a race-free mkdir -
 p... /usr/bin/mkdir -p #49 11.30 checking for gawk... no #49 11.30
 checking for mawk... mawk #49 11.30 checking whether make sets
 \$(MAKE)... yes #49 11.31 checking whether make supports nested
 variables... yes #49 11.32 checking whether UID '0' is supported by
 ustar format... yes #49 11.32 checking whether GID '0' is supported
 by ustar format... yes #49 11.32 checking how to create a ustar tar
 archive... gnutar #49 11.33 checking for gcc... gcc #49 11.36
 checking whether the C compiler works... yes #49 11.39 checking for
 C compiler default output file name... a.out #49 11.39 checking for
 suffix of executables... #49 11.42 checking whether we are cross
 compiling... no #49 11.45 checking for suffix of object files... o #49
 11.47 checking whether the compiler supports GNU C... yes #49
 11.48 checking whether gcc accepts -g... yes #49 11.50 checking for
 gcc option to enable C11 features... none needed #49 11.54 checking
 whether gcc understands -c and -o together... yes #49 11.56 checking
 for ar... ar #49 11.56 checking the archiver (ar) interface... ar #49
 11.58 checking build system type... x86_64-pc-linux-gnu #49 11.62
 checking host system type... x86_64-pc-linux-gnu #49 11.62 checking
 how to print strings... printf #49 11.62 checking for a sed that does
 not truncate output... /usr/bin/sed #49 11.63 checking for grep that
 handles long lines and -e... /usr/bin/grep #49 11.63 checking for
 egrep... /usr/bin/grep -E #49 11.63 checking for fgrep... /usr/bin/grep
 -F #49 11.63 checking for ld used by gcc... /usr/bin/ld #49 11.64
 checking if the linker (/usr/bin/ld) is GNU ld... yes #49 11.64 checking
 for BSD- or MS-compatible name lister (nm)... /usr/bin/nm -B #49
 11.64 checking the name lister (/usr/bin/nm -B) interface... BSD nm
 #49 11.66 checking whether ln -s works... yes #49 11.66 checking the
 maximum length of command line arguments... 3145728 #49 11.66
 checking how to convert x86_64-pc-linux-gnu file names to x86_64-pc-
 linux-gnu format... func_convert_file_noop #49 11.66 checking how to
 convert x86_64-pc-linux-gnu file names to toolchain format...

func_convert_file_noop #49 11.66 checking for /usr/bin/ld option to
 reload object files... -r #49 11.67 checking for objdump... objdump
 #49 11.67 checking how to recognize dependent libraries... pass_all
 #49 11.67 checking for dlltool... no #49 11.67 checking how to
 associate runtime and link libraries... printf %s #49 11.67 checking
 for archiver @FILE support... @ #49 11.69 checking for strip... strip
 #49 11.69 checking for ranlib... ranlib #49 11.69 checking command
 to parse /usr/bin/nm -B output from gcc object... ok #49 11.75
 checking for sysroot... no #49 11.75 checking for a working dd...
 /usr/bin/dd #49 11.75 checking how to truncate binary pipes...
 /usr/bin/dd bs=4096 count=1 #49 11.77 checking for mt... no #49
 11.77 checking if : is a manifest tool... no #49 11.77 checking for
 stdio.h... yes #49 11.79 checking for stdlib.h... yes #49 11.81
 checking for string.h... yes #49 11.84 checking for inttypes.h... yes
 #49 11.86 checking for stdint.h... yes #49 11.88 checking for
 strings.h... yes #49 11.90 checking for sys/stat.h... yes #49 11.93
 checking for sys/types.h... yes #49 11.95 checking for unistd.h... yes
 #49 11.98 checking for dlfcn.h... yes #49 12.00 checking for objdir...
 .libs #49 12.05 checking if gcc supports -fno-rtti -fno-exceptions... no
 #49 12.07 checking for gcc option to produce PIC... -fPIC -DPIC #49
 12.07 checking if gcc PIC flag -fPIC -DPIC works... yes #49 12.09
 checking if gcc static flag -static works... yes #49 12.16 checking if
 gcc supports -c -o file.o... yes #49 12.18 checking if gcc supports -c -o
 file.o... (cached) yes #49 12.18 checking whether the gcc linker
 (/usr/bin/ld -m elf_x86_64) supports shared libraries... yes #49 12.19
 checking whether -lc should be explicitly linked in... no #49 12.21
 checking dynamic linker characteristics... GNU/Linux ld.so #49 12.26
 checking how to hardcode library paths into programs... immediate
 #49 12.26 checking whether stripping libraries is possible... yes #49
 12.26 checking if libtool supports shared libraries... yes #49 12.26
 checking whether to build shared libraries... yes #49 12.26 checking
 whether to build static libraries... yes #49 12.26 checking for gcc...
 (cached) gcc #49 12.29 checking whether the compiler supports GNU
 C... (cached) yes #49 12.29 checking whether gcc accepts -g...
 (cached) yes #49 12.29 checking for gcc option to enable C11
 features... (cached) none needed #49 12.29 checking whether gcc
 understands -c and -o together... (cached) yes #49 12.29 checking for
 non-PIE executable fixed base address... 0x400000 #49 12.33
 checking for elfutils' addr2line command... not available #49 12.33
 checking for required components to build libsyntab... no #49 12.33
 checking for binutils' addr2line command...
 /usr/local/extrae/binutils/bin/addr2line #49 12.34 checking for
 magic_open in -lmagic... no #49 12.36 checking for ctype.h... yes #49
 12.39 checking for stdio.h... (cached) yes #49 12.39 checking for
 stdlib.h... (cached) yes #49 12.39 checking for string.h... (cached) yes
 #49 12.39 checking for sys/types.h... (cached) yes #49 12.39
 checking for unistd.h... (cached) yes #49 12.41 checking that
 generated files are newer than configure... done #49 12.41 configure:
 creating ./config.status #49 12.81 config.status: creating Makefile
 #49 12.82 config.status: creating src/Makefile #49 12.83
 config.status: creating config.h #49 12.84 config.status: executing
 libtool commands #49 12.88 #49 12.88 Package configuration for
 Extrae 4.3.1 #49 12.88 ----- #49 12.88 Installation prefix:
 /usr/local/extrae #49 12.88 Cross compilation: no #49 12.88 CC: gcc
 #49 12.88 CXX: g++ #49 12.88 Binary type: 64 bits #49 12.88 #49
 12.88 MPI instrumentation: yes #49 12.88 MPI home:
 /usr/local/petsc/arch-linux-c-opt/ #49 12.88 MPI launcher:
 /usr/local/petsc/arch-linux-c-opt/bin/mpirun #49 12.88 Fortran
 decoration: 0 underscores #49 12.88 mixed C/Fortran libraries? no
 #49 12.88 shared libraries? yes #49 12.88 MPI capabilities: 1-sided

I/O MPI_Comm_spawn MPI3 #49 12.88 GASPI instrumentation: no
 #49 12.88 OpenMP instrumentation: yes, through LD_PRELOAD #49
 12.88 GNU OpenMP: yes #49 12.88 IBM OpenMP: no #49 12.88 Intel
 OpenMP: yes #49 12.88 OMPT: yes #49 12.88 OpenSHMEM
 instrumentation: no #49 12.88 pthread instrumentation: yes #49
 12.88 Support for pthread_barrier_wait: yes #49 12.88 Support for
 pthread_cond_calls: yes #49 12.88 CUDA instrumentation: no #49
 12.88 OpenCL instrumentation: no #49 12.88 OPENACC
 instrumentation: no #49 12.88 Java instrumentation: unsupported
 #49 12.88 #49 12.88 Performance counters: yes #49 12.88
 Performance API: PAPI #49 12.88 PAPI home: /usr/local/extrae/papi
 #49 12.88 Sampling support: yes #49 12.88 #49 12.88 PEBS
 sampling: yes #49 12.88 #49 12.88 libaddr2line available: yes #49
 12.88 zlib available: yes (/usr/local) #49 12.88 libxml2 available: yes
 (/usr/local/extrae/libxml2) #49 12.88 BOOST available: no #49 12.88
 callstack access: through libunwind (/usr/local/extrae/libunwind) #49
 12.88 #49 12.88 Dynamic instrumentation: no #49 12.88 #49 12.88
 Optional features: #49 12.88 ————— #49 12.88 On-line analysis:
 no #49 12.88 Clock routine: low-level / architecture dependant #49
 12.88 Heterogeneous support: no #49 12.88 Parallel merge: yes #49
 DONE 12.9s

#50 [46/48] RUN make && make install #50 0.056 make all-recursive
 #50 0.059 make[1]: Entering directory '/workspace/extrae' #50 0.063
 Making all in libaddr2line #50 0.065 make[2]: Entering directory
 '/workspace/extrae/libaddr2line' #50 0.067 make all-recursive #50
 0.070 make[3]: Entering directory '/workspace/extrae/libaddr2line'
 #50 0.073 Making all in src #50 0.075 make[4]: Entering directory
 '/workspace/extrae/libaddr2line/src' #50 0.075 /bin/bash ../libtool -
 tag=CC -mode=compile gcc -DHAVE_CONFIG_H -I. -I. -g -O2 -c -o
 maps.lo maps.c #50 0.095 libtool: compile: gcc -DHAVE_CONFIG_H -
 I. -I. -g -O2 -c maps.c -fPIC -DPIC -o .libs/maps.o #50 0.140 libtool:
 compile: gcc -DHAVE_CONFIG_H -I. -I. -g -O2 -c maps.c -o maps.o
 >/dev/null 2>&1 #50 0.185 /bin/bash ../libtool -tag=CC -mode=link
 gcc -g -O2 -o libmaps.la -rpath /usr/local/extrae/lib maps.lo
 #50 0.226 libtool: link: gcc -shared -fPIC -DPIC .libs/maps.o -g -O2 -
 Wl,-soname -Wl,libmaps.so.0 -o .libs/libmaps.so.0.0.0 #50 0.245
 libtool: link: (cd ".libs" && rm -f "libmaps.so.0" && ln -s
 "libmaps.so.0.0.0" "libmaps.so.0") #50 0.250 libtool: link: (cd ".libs"
 && rm -f "libmaps.so" && ln -s "libmaps.so.0.0.0" "libmaps.so") #50
 0.255 libtool: link: ar cr .libs/libmaps.a maps.o #50 0.258 libtool: link:
 ranlib .libs/libmaps.a #50 0.267 libtool: link: (cd ".libs" && rm -f
 "libmaps.la" && ln -s "../libmaps.la" "libmaps.la") #50 0.270
 /bin/bash ../libtool -tag=CC -mode=compile gcc -DHAVE_CONFIG_H -
 I. -I. -g -O2 -c -o addr2line.lo addr2line.c #50 0.287 libtool: compile:
 gcc -DHAVE_CONFIG_H -I. -I. -g -O2 -c addr2line.c -fPIC -DPIC -o
 .libs/addr2line.o #50 0.380 libtool: compile: gcc -DHAVE_CONFIG_H -
 I. -I. -g -O2 -c addr2line.c -o addr2line.o >/dev/null 2>&1 #50 0.473
 /bin/bash ../libtool -tag=CC -mode=link gcc -g -O2 -o libaddr2line.la -
 rpath /usr/local/extrae/lib addr2line.lo libmaps.la #50 0.523 libtool:
 link: gcc -shared -fPIC -DPIC .libs/addr2line.o -Wl,-rpath -
 Wl,/workspace/extrae/libaddr2line/src/.libs -Wl,-rpath -
 Wl,/usr/local/extrae/lib .libs/libmaps.so -g -O2 -Wl,-soname -
 Wl,libaddr2line.so.0 -o .libs/libaddr2line.so.0.0.0 #50 0.543 libtool:
 link: (cd ".libs" && rm -f "libaddr2line.so.0" && ln -s
 "libaddr2line.so.0.0.0" "libaddr2line.so.0") #50 0.548 libtool: link: (cd
 ".libs" && rm -f "libaddr2line.so" && ln -s "libaddr2line.so.0.0.0"
 "libaddr2line.so") #50 0.554 libtool: link: ar cr .libs/libaddr2line.a
 addr2line.o #50 0.556 libtool: link: ranlib .libs/libaddr2line.a #50
 0.568 libtool: link: (cd ".libs" && rm -f "libaddr2line.la" && ln -s
 "../libaddr2line.la" "libaddr2line.la") #50 0.571 make[4]: Leaving

```

directory '/workspace/extrae/libaddr2line/src' #50 0.573 make[4]:
Entering directory '/workspace/extrae/libaddr2line' #50 0.575
make[4]: Leaving directory '/workspace/extrae/libaddr2line' #50
0.576 make[3]: Leaving directory '/workspace/extrae/libaddr2line'
#50 0.576 make[2]: Leaving directory
'/workspace/extrae/libaddr2line' #50 0.576 Making all in src #50
0.579 make[2]: Entering directory '/workspace/extrae/src' #50 0.582
Making all in loader #50 0.585 make[3]: Entering directory
'/workspace/extrae/src/loader' #50 0.586 CC extrae-loader.o #50
0.609 extrae-loader.c: In function 'look_for_symbol': #50 0.609 extrae-
loader.c:83:9: warning: variable 'symbol_ptr' set but not used [-
Wunused-but-set-variable] #50 0.609 83 | void symbol_ptr = NULL;
#50 0.609 | ^~~~~~ #50 0.610 extrae-loader.c: In function
'main': #50 0.610 extrae-loader.c:247:5: warning: argument 2 null
where non-null expected [-Wnonnull] #50 0.610 247 | execv
("/home/bsc41/bsc41127/tests/single-lib-extrae/app", NULL); #50
0.610 | ^~~~~ #50 0.610 In file included from extrae-loader.c:27:
#50 0.610 /usr/include/unistd.h:584:12: note: in a call to function
'execv' declared 'nonnull' #50 0.610 584 | extern int execv (const char
__path, char *const __argv[]) #50 0.610 | ^~~~~ #50 0.610 extrae-
loader.c:177:10: warning: variable 'have_opencl' set but not used [-
Wunused-but-set-variable] #50 0.610 177 | int have_opencl = 0; #50
0.610 | ^~~~~~ #50 0.610 extrae-loader.c:176:10: warning:
variable 'have_cuda' set but not used [-Wunused-but-set-variable] #50
0.610 176 | int have_cuda = 0; #50 0.610 | ^~~~~~ #50 0.610
extrae-loader.c:175:10: warning: variable 'have_pthreads' set but not
used [-Wunused-but-set-variable] #50 0.610 175 | int have_pthreads =
0; #50 0.610 | ^~~~~~ #50 0.659 CCLD extrae-loader
#50 0.717 make[3]: Leaving directory '/workspace/extrae/src/loader'
#50 0.718 Making all in launcher #50 0.720 make[3]: Entering
directory '/workspace/extrae/src/launcher' #50 0.723 Making all in
static #50 0.726 make[4]: Entering directory
'/workspace/extrae/src/launcher/static' #50 0.727 CC extrae_static-
extrae.o #50 0.774 CCLD extrae_static #50 0.831 make[4]: Leaving
directory '/workspace/extrae/src/launcher/static' #50 0.834 make[4]:
Entering directory '/workspace/extrae/src/launcher' #50 0.834
make[4]: Nothing to be done for 'all-am'. #50 0.834 make[4]: Leaving
directory '/workspace/extrae/src/launcher' #50 0.834 make[3]:
Leaving directory '/workspace/extrae/src/launcher' #50 0.835 Making
all in common #50 0.838 make[3]: Entering directory
'/workspace/extrae/src/common' #50 0.841 Making all in MPI #50
0.844 make[4]: Entering directory
'/workspace/extrae/src/common/MPI' #50 0.845 CC
libcommon_mpi_la-utils_mpi.lo #50 0.954 In file included from
/usr/include/string.h:535, #50 0.954 from utils_mpi.c:33: #50 0.954 In
function 'strncpy', #50 0.954 inlined from 'MPI_Distribute_XML_File'
at utils_mpi.c:300:3: #50 0.954 /usr/include/x86_64-linux-
gnu/bits/string_fortified.h:95:10: warning: '__builtin_strncpy' output
truncated before terminating nul copying as many bytes from a string
as its length [-Wstringop-truncation] #50 0.954 95 | return
builtin_strncpy_chk (__dest, __src, __len, #50 0.954 |
^~~~~~
~~~~ #50 0.954 96 | __glibc_objsize (__dest)); #50 0.954 |
~~~~~ #50 0.954 utils_mpi.c: In
function 'MPI_Distribute_XML_File': #50 0.954 utils_mpi.c:300:17:
note: length computed here #50 0.954 300 | strncpy (result_file, file,
strlen(file)); #50 0.954 |
^~~~~~
#50 1.101 CCLD libcommon_mpi_la #50 1.159 make[4]: Leaving
directory '/workspace/extrae/src/common/MPI' #50 1.162 make[4]:

```

```

Entering directory '/workspace/extrae/src/common' #50 1.163 CC
libcommon_la-utils.lo #50 1.255 In file included from
/usr/include/string.h:535, #50 1.255 from utils.c:26: #50 1.255 In
function 'strncpy', #50 1.255 inlined from
'__Extrae_Utils_getFactorValue' at utils.c:305:2: #50 1.255
/usr/include/x86_64-linux-gnu/bits/string_fortified.h:95:10: warning:
'__builtin_strncpy' specified bound 256 equals destination size [-
Wstringop-truncation] #50 1.255 95 | return builtin_strncpy_chk
(__dest, __src, __len, #50 1.255 |
^~~~~~
~~~~~ #50 1.255 96 | __glibc_objsize (__dest)); #50 1.255 |
~~~~~ #50 1.261 In function
'strncpy', #50 1.261 inlined from ' __Extrae_Utils_getTimeFromStr' at
utils.c:362:5: #50 1.261 /usr/include/x86_64-linux-
gnu/bits/string_fortified.h:95:10: warning: ' __builtin_strncpy' specified
bound 256 equals destination size [-Wstringop-truncation] #50 1.261
95 | return builtin_strncpy_chk (__dest, __src, __len, #50 1.261 |
^~~~~~
~~~~~ #50 1.261 96 | __glibc_objsize (__dest)); #50 1.261 |
~~~~~ #50 1.279 In function
'strncpy', #50 1.279 inlined from ' __Extrae_Utils_shorten_string' at
utils.c:574:3: #50 1.279 /usr/include/x86_64-linux-
gnu/bits/string_fortified.h:95:10: warning: ' __builtin_strncpy' output
truncated before terminating nul copying as many bytes from a string as
its length [-Wstringop-truncation] #50 1.279 95 | return
builtin_strncpy_chk (__dest, __src, __len, #50 1.279 |
^~~~~~
~~~~~ #50 1.279 96 | __glibc_objsize (__dest)); #50 1.279 |
~~~~~ #50 1.279 utils.c: In
function ' __Extrae_Utils_shorten_string': #50 1.279 utils.c:564:13:
note: length computed here #50 1.279 564 | if (strlen(string) >=
nprefix+nsuffix+strlen(infix)) #50 1.279 | ^~~~~~ #50
1.279 In file included from /usr/include/string.h:535, #50 1.279 from
utils.c:26: #50 1.279 In function 'strncpy', #50 1.279 inlined from
' __Extrae_Utils_shorten_string' at utils.c:567:3: #50 1.279
/usr/include/x86_64-linux-gnu/bits/string_fortified.h:95:10: warning:
' __builtin_strncpy' output truncated before terminating nul copying as
many bytes from a string as its length [-Wstringop-truncation] #50
1.279 95 | return builtin_strncpy_chk (__dest, __src, __len, #50 1.279
|
^~~~~~
~~~~~ #50 1.279 96 | __glibc_objsize (__dest)); #50 1.279 |
~~~~~ #50 1.279 utils.c: In
function ' __Extrae_Utils_shorten_string': #50 1.279 utils.c:567:17:
note: length computed here #50 1.279 567 | strncpy
(&buffer[nprefix], infix, strlen(infix)); #50 1.279 |
^~~~~~
~~~~~ #50 1.429 CC libcommon_la-events.lo #50 1.554 CC
libcommon_la-openshmem_events.lo #50 1.606 CC libcommon_la-
timesync.lo #50 1.882 CC libcommon_la-new-queue.lo #50 2.002 CC
libcommon_la-extrae_vector.lo #50 2.103 CC libcommon_la-
MurmurHash2.lo #50 2.140 MurmurHash2.c: In function
'MurmurHash2': #50 2.140 MurmurHash2.c:59:19: warning: this
statement may fall through [-Wimplicit-fallthrough=] #50 2.140 59 |
case 3: h ^= data[2] << 16; #50 2.140 | ^~~~~~ #50
2.140 MurmurHash2.c:60:9: note: here #50 2.140 60 | case 2: h ^=
data[1] << 8; #50 2.140 | ^~~~ #50 2.140 MurmurHash2.c:60:19:
warning: this statement may fall through [-Wimplicit-fallthrough=]
#50 2.140 60 | case 2: h ^= data[1] << 8; #50 2.140 |
^~~~~~ #50 2.140 MurmurHash2.c:61:9: note: here

```

```

#50 2.140 61 | case 1: h ^= data[0]; #50 2.140 | ^~~~ #50 2.189
CCLD libcommon.la #50 2.252 make[4]: Leaving directory
'/workspace/extrae/src/common' #50 2.252 make[3]: Leaving
directory '/workspace/extrae/src/common' #50 2.253 Making all in
merger #50 2.257 make[3]: Entering directory
'/workspace/extrae/src/merger' #50 2.261 Making all in parallel #50
2.264 make[4]: Entering directory
'/workspace/extrae/src/merger/parallel' #50 2.269 CC ../mpimpi2prv-
merger.o #50 2.352 CC ../paraver/libmpimpi2prv_la-addr2types.lo
#50 2.495 CC ../paraver/libmpimpi2prv_la-addr2info.lo #50 2.579
../paraver/addr2info.c: In function 'translate_data_address': #50 2.579
../paraver/addr2info.c:885:72: warning: format '%p' expects argument
of type 'void ', but argument 4 has type 'UINT64' {aka 'long unsigned
int'} [-Wformat=] #50 2.579 885 | snprintf(caddress, sizeof(caddress),
"%p", address); #50 2.579 | ~^ ~~~~~~ #50 2.579 || #50 2.579
|| UINT64 {aka long unsigned int} #50 2.579 | void #50 2.579 | %ld
#50 2.580 ../paraver/addr2info.c: In function
'Address2Info_Translate_MemReference': #50 2.580
../paraver/addr2info.c:981:59: warning: zero-length gnu_printf format
string [-Wformat-zero-length] #50 2.580 981 | snprintf(buffer,
sizeof(buffer), ""); #50 2.580 | ^~ #50 2.603 ../paraver/addr2info.c:
In function 'Address2Info_Unify': #50 2.603
../paraver/addr2info.c:1882:43: warning: comparison of integer
expressions of different signedness: 'int' and 'unsigned int' [-Wsign-
compare] #50 2.603 1882 | for (int i = 0; i <
AddressCollector_Count(CollectedAddresses); i++) #50 2.603 | ^ #50
3.248 CC ../paraver/libmpimpi2prv_la-addr2info_hashcache.lo #50
3.387 CC ../paraver/libmpimpi2prv_la-file_set.lo #50 3.490 In file
included from ../src/common/utils.h:30, #50 3.490 from
../paraver/file_set.c:67: #50 3.490 ../paraver/file_set.c: In function
'GetNextObj_FS': #50 3.490 ../paraver/file_set.c:111:29: warning:
comparison of integer expressions of different signedness: 'int' and
'unsigned int' [-Wsign-compare] #50 3.490 111 | ASSERT (file >= 0
&& file < fset->nfiles, "Invalid file identifier"); #50 3.490 | ^ #50
3.490 ../src/common/debug.h:39:10: note: in definition of macro
'ASSERT' #50 3.490 39 | if (!(condition)) {
#50 3.490 | ^~~~~~ #50 3.490 ../paraver/file_set.c: In function
'isTaskInMyGroup': #50 3.490 ../paraver/file_set.c:137:45: warning:
comparison of integer expressions of different signedness: 'unsigned
int' and 'int' [-Wsign-compare] #50 3.490 137 | if ((fset->files[i].ptask-
1 == ptask) && (fset->files[i].task-1 == task)) #50 3.490 | ^~ #50
3.490 ../paraver/file_set.c:137:81: warning: comparison of integer
expressions of different signedness: 'unsigned int' and 'int' [-Wsign-
compare] #50 3.490 137 | if ((fset->files[i].ptask-1 == ptask) &&
(fset->files[i].task-1 == task)) #50 3.490 | ^~ #50 3.490
../paraver/file_set.c: In function 'inWhichGroup': #50 3.491
../paraver/file_set.c:147:51: warning: comparison of integer
expressions of different signedness: 'unsigned int' and 'int' [-Wsign-
compare] #50 3.491 147 | if ((fset->input_files[i].ptask-1 == ptask)
&& (fset->input_files[i].task-1 == task)) #50 3.491 | ^~ #50 3.491
../paraver/file_set.c:147:93: warning: comparison of integer
expressions of different signedness: 'unsigned int' and 'int' [-Wsign-
compare] #50 3.491 147 | if ((fset->input_files[i].ptask-1 == ptask)
&& (fset->input_files[i].task-1 == task)) #50 3.491 | ^~ #50 3.492
../paraver/file_set.c: In function 'Create_FS': #50 3.492
../paraver/file_set.c:478:23: warning: comparison of integer
expressions of different signedness: 'int' and 'unsigned int' [-Wsign-
compare] #50 3.492 478 | for (i = 0; i < fset->nfiles; i++) #50 3.492 |
^ #50 3.493 ../paraver/file_set.c:489:39: warning: comparison of
integer expressions of different signedness: 'int' and 'unsigned int' [-

```

```

Wsign-compare] #50 3.493 489 | for (j = 0; j < fset->nfiles; j++) #50
3.493 | ^ #50 3.493 ../paraver/file_set.c: In function
'Map_Paraver_files': #50 3.493 ../paraver/file_set.c:561:23: warning:
comparison of integer expressions of different signedness: 'int' and
'unsigned int' [-Wsign-compare] #50 3.493 561 | for (i = 0; i < fset-
>nfiles; i++) #50 3.493 | ^ #50 3.494 ../paraver/file_set.c: In function
'Free_Map_Paraver_Files': #50 3.495 ../paraver/file_set.c:759:23:
warning: comparison of integer expressions of different signedness:
'int' and 'unsigned int' [-Wsign-compare] #50 3.495 759 | for (i = 0; i
< infset->nfiles; i++) #50 3.495 | ^ #50 3.496 ../paraver/file_set.c: In
function 'Search_MPI_Irecv_threads': #50 3.497
../paraver/file_set.c:1181:49: warning: unused parameter 'current' [-
Wunused-parameter] #50 3.497 1181 | event_t *
Search_MPI_Irecv_threads (event_t * current, long long request,
FileItem_t * freceive, int * found in thread) #50 3.497 |
~~~~~^~~~~~ #50 4.162 CC ../paraver/libmpimpi2prv_la-
communication_queues.lo #50 4.253
../paraver/communication_queues.c: In function 'CompareSend_cbk':
#50 4.253 ../paraver/communication_queues.c:101:26: warning:
comparison of integer expressions of different signedness: 'int' and
'unsigned int' [-Wsign-compare] #50 4.253 101 | return (ref->tag ==
d->tag || ref->tag == MPI_ANY_TAG) && #50 4.253 | ^~ #50 4.253
../paraver/communication_queues.c:102:23: warning: comparison of
integer expressions of different signedness: 'int' and 'unsigned int' [-
Wsign-compare] #50 4.253 102 | ref->target == d->partner && ref-
>key == d->key; #50 4.253 | ^~ #50 4.253
../paraver/communication_queues.c: In function 'CompareRecv_cbk':
#50 4.253 ../paraver/communication_queues.c:198:26: warning:
comparison of integer expressions of different signedness: 'int' and
'unsigned int' [-Wsign-compare] #50 4.253 198 | return (ref->tag ==
d->tag || MPI_ANY_TAG == Get_EvTag(d->recv_end)) && #50 4.253 |
^~ #50 4.253 ../paraver/communication_queues.c:199:23: warning:
comparison of integer expressions of different signedness: 'int' and
'unsigned int' [-Wsign-compare] #50 4.253 199 | ref->target == d-
>partner && ref->key == d->key; #50 4.253 | ^~ #50 4.386 CC
../paraver/libmpimpi2prv_la-mpi_comunicadors.lo #50 4.707 CC
../paraver/libmpimpi2prv_la-labels.lo #50 4.817 ../paraver/labels.c: In
function 'Labels_loadSYMfile': #50 4.817 ../paraver/labels.c:592:42:
warning: unused parameter 'allobjects' [-Wunused-parameter] #50
4.817 592 | void Labels_loadSYMfile (int taskid, int allobjects,
unsigned ptask, #50 4.817 | ~~~^~~~~~ #50 4.874 In file
included from /usr/include/string.h:535, #50 4.874 from
../paraver/labels.c:48: #50 4.874 In function 'strncpy', #50 4.874
inlined from 'Labels_loadSYMfile' at ../paraver/labels.c:726:7: #50
4.874 /usr/include/x86_64-linux-gnu/bits/string_fortified.h:95:10:
warning: '__builtin_strncpy' output may be truncated copying 256
bytes from a string of length 1023 [-Wstringop-truncation] #50 4.874
95 | return builtin_strncpy_chk (__dest, __src, __len, #50 4.874 |
^~~~~~
~~~~~ #50 4.874 96 | __glibc_objsize (__dest)); #50 4.874 |
~~~~~ #50 4.874 In function
'strncpy', #50 4.874 inlined from 'Labels_loadSYMfile' at
../paraver/labels.c:769:7: #50 4.874 /usr/include/x86_64-linux-
gnu/bits/string_fortified.h:95:10: warning: '__builtin_strncpy' output
may be truncated copying 256 bytes from a string of length 1023 [-
Wstringop-truncation] #50 4.874 95 | return builtin_strncpy_chk
(__dest, __src, __len, #50 4.874 |
^~~~~~
~~~~~ #50 4.874 96 | __glibc_objsize (__dest)); #50 4.874 |
~~~~~ #50 4.876

```



```

../paraver/labels.c: In function 'Labels_loadSYMfile': #50 4.877
../paraver/labels.c:661:49: warning: 'type' may be used uninitialized in
this function [-Wmaybe-uninitialized] #50 4.877 661 |
Address2Info_AddSymbol (address, type, fname, modname, line); #50
4.877 |
^~~~~~
~~~~~ #50 5.332 CC
../paraver/libmpimpi2prv_la-HardwareCounters.lo #50 5.434 In file
included from ../../src/merger/common/object_tree.h:34, #50 5.434
from ../paraver/HardwareCounters.c:57: #50 5.434
../paraver/HardwareCounters.c: In function
'HardwareCounters_AssignGlobalID': #50 5.435
../../src/merger/paraver/HardwareCounters.h:116:25: warning:
operand of '?:' changes signedness from 'int' to 'unsigned int' due to
unsignedness of other operand [-Wsign-compare] #50 5.435 116 |
(IS_PRESET(x) ? (HWC_BASE_PAPI_PRESET + (x & 0x0000FFFF)) :
#50 5.435 |
^~~~~~
#50 5.435 ../paraver/HardwareCounters.c:203:46: note: in expansion of
macro 'GET_PARAVER_CODE_FOR_HWC' #50 5.435 203 |
local to_global->global_id =
GET_PARAVER_CODE_FOR_HWC(local_id, hash_string); #50 5.435 |
^~~~~~ #50 5.441 At top level: #50
5.441 ../paraver/HardwareCounters.c:82:13: warning:
'dump_counter_data' defined but not used [-Wunused-function] #50
5.441 82 | static void dump_counter_data() #50 5.441 |
^~~~~~ #50 5.930 CC libmpimpi2prv_la-
parallel_merge_aux.lo #50 6.617 CC libmpimpi2prv_la-tree-logistics.lo
#50 6.747 CC ../dimemas/libmpimpi2prv_la-dimemas_generator.lo
#50 6.850 ../dimemas/dimemas_generator.c: In function
'Dimemas_WriteHeader': #50 6.850
../dimemas/dimemas_generator.c:92:44: warning: format '%d' expects
argument of type 'int', but argument 3 has type 'thread_t' {aka
'struct thread_st'} [-Wformat=] #50 6.850 92 | fprintf (trf_fd, "%d,",
task_info->threads); #50 6.850 | ~^ ~~~~~~
#50 6.850 || #50 6.850 | int thread_t * {aka struct thread_st *} #50
6.850 ../dimemas/dimemas_generator.c:113:48: warning: format '%d'
expects argument of type 'int', but argument 3 has type 'uintptr_t'
{aka 'long unsigned int'} [-Wformat=] #50 6.850 113 | fprintf (trf_fd,
"d:1:%d:%d", com.id, com.num_tasks); #50 6.850 | ~^ ~~~~~~ #50
6.850 || #50 6.850 | int uintptr_t {aka long unsigned int} #50 6.850
| %ld #50 6.850 ../dimemas/dimemas_generator.c:114:39: warning:
comparison of integer expressions of different signedness: 'int' and
'unsigned int' [-Wsign-compare] #50 6.850 114 | for (i = 0; i <
com.num_tasks; i++) #50 6.850 | ^ #50 6.850
../dimemas/dimemas_generator.c: In function 'Dimemas_WriteOffsets':
#50 6.850 ../dimemas/dimemas_generator.c:143:31: warning:
comparison of integer expressions of different signedness: 'int' and
'unsigned int' [-Wsign-compare] #50 6.850 143 | for (i = 0; i <
numfiles; i++) #50 6.850 | ^ #50 6.851
../dimemas/dimemas_generator.c: In function
'Dimemas_NX_Generic_Send': #50 6.851
../dimemas/dimemas_generator.c:169:33: warning: format '%lld'
expects argument of type 'long long int', but argument 7 has type
'UINT64' {aka 'long unsigned int'} [-Wformat=] #50 6.851 169 | #
define NX_GENERIC_SEND_STRING "2:%d:%d:%d:%d:%lld:%d:%d"
#50 6.851 | ^~~~~~ #50 6.851
../dimemas/dimemas_generator.c:175:17: note: in expansion of macro
'NX_GENERIC_SEND_STRING' #50 6.851 175 |
NX_GENERIC_SEND_STRING, #50 6.851 |

```

```

^~~~~~ #50 6.851
../dimemas/dimemas_generator.c:169:51: note: format string is
defined here #50 6.851 169 | # define NX_GENERIC_SEND_STRING
"2:%d:%d:%d:%d:%lld:%d:%d" #50 6.851 | ~^#50 6.851|| #50
6.851|long long int #50 6.851| %ld #50 6.851
../dimemas/dimemas_generator.c: In function 'Dimemas_NX_Send':
#50 6.851 ../dimemas/dimemas_generator.c:194:25: warning: format
'%lld' expects argument of type 'long long int', but argument 7 has
type 'UINT64' {aka 'long unsigned int'} [-Wformat=] #50 6.851 194|
# define NX_SEND_STRING "2:%d:%d:%d:%d:%lld:%d:0" #50 6.851|
^~~~~~ #50 6.851
../dimemas/dimemas_generator.c:199:28: note: in expansion of macro
'NX_SEND_STRING' #50 6.851 199 | return fprintf(fd,
NX_SEND_STRING, task, thread, task_r, size, tag, commid); #50
6.851 | ^~~~~~ #50 6.851
../dimemas/dimemas_generator.c:194:43: note: format string is
defined here #50 6.851 194 | # define NX_SEND_STRING
"2:%d:%d:%d:%d:%lld:%d:0" #50 6.851 | ~^#50 6.851|| #50 6.851
|long long int #50 6.851| %ld #50 6.851
../dimemas/dimemas_generator.c: In function
'Dimemas_NX_ImmediateSend': #50 6.851
../dimemas/dimemas_generator.c:219:26: warning: format '%lld'
expects argument of type 'long long int', but argument 7 has type
'UINT64' {aka 'long unsigned int'} [-Wformat=] #50 6.851 219 | #
define NX_ISEND_STRING "2:%d:%d:%d:%d:%lld:%d:2" #50 6.851|
^~~~~~ #50 6.851
../dimemas/dimemas_generator.c:224:29: note: in expansion of macro
'NX_ISEND_STRING' #50 6.851 224 | return fprintf (fd,
NX_ISEND_STRING, task, thread, task_r, size, tag, commid); #50
6.851 | ^~~~~~ #50 6.851
../dimemas/dimemas_generator.c:219:44: note: format string is
defined here #50 6.851 219 | # define NX_ISEND_STRING
"2:%d:%d:%d:%d:%lld:%d:2" #50 6.851 | ~^#50 6.851|| #50 6.851
|long long int #50 6.851| %ld #50 6.851
../dimemas/dimemas_generator.c: In function
'Dimemas_NX_BlockingSend': #50 6.851
../dimemas/dimemas_generator.c:244:26: warning: format '%lld'
expects argument of type 'long long int', but argument 7 has type
'UINT64' {aka 'long unsigned int'} [-Wformat=] #50 6.851 244 | #
define NX_BSEND_STRING "2:%d:%d:%d:%d:%lld:%d:1" #50 6.851|
^~~~~~ #50 6.851
../dimemas/dimemas_generator.c:249:28: note: in expansion of macro
'NX_BSEND_STRING' #50 6.851 249 | return fprintf(fd,
NX_BSEND_STRING, task, thread, task_r, size, tag, commid); #50
6.851 | ^~~~~~ #50 6.851
../dimemas/dimemas_generator.c:244:44: note: format string is
defined here #50 6.851 244 | # define NX_BSEND_STRING
"2:%d:%d:%d:%d:%lld:%d:1" #50 6.851 | ~^#50 6.851|| #50 6.851
|long long int #50 6.851| %ld #50 6.851
../dimemas/dimemas_generator.c: In function
'Dimemas_NX_Generic_Recv': #50 6.851
../dimemas/dimemas_generator.c:267:33: warning: format '%lld'
expects argument of type 'long long int', but argument 7 has type
'UINT64' {aka 'long unsigned int'} [-Wformat=] #50 6.851 267 | #
define NX_GENERIC_RECV_STRING "3:%d:%d:%d:%d:%lld:%d:%d"
#50 6.851| ^~~~~~ #50 6.851
../dimemas/dimemas_generator.c:273:17: note: in expansion of macro
'NX_GENERIC_RECV_STRING' #50 6.851 273 |
NX_GENERIC_RECV_STRING, #50 6.851 |
^~~~~~ #50 6.852

```

```

../dimemas/dimemas_generator.c:267:51: note: format string is
defined here #50 6.852 267 | # define NX_GENERIC_RECV_STRING
"3:%d:%d:%d:%d:%lld:%d:%d" #50 6.852 | ~^#50 6.852 || #50
6.852 | long long int #50 6.852 | %ld #50 6.852
../dimemas/dimemas_generator.c: In function 'Dimemas_NX_Recv':
#50 6.852 ../dimemas/dimemas_generator.c:291:25: warning: format
'%lld' expects argument of type 'long long int', but argument 7 has
type 'UINT64' {aka 'long unsigned int'} [-Wformat=] #50 6.852 291 |
# define NX_RECV_STRING "3:%d:%d:%d:%d:%lld:%d:0" #50 6.852 |
^~~~~~ #50 6.852
../dimemas/dimemas_generator.c:296:29: note: in expansion of macro
'NX_RECV_STRING' #50 6.852 296 | return fprintf(fd,
NX_RECV_STRING, task, thread, task_s, size, tag, commid); #50
6.852 | ^~~~~~ #50 6.852
../dimemas/dimemas_generator.c:291:43: note: format string is
defined here #50 6.852 291 | # define NX_RECV_STRING
"3:%d:%d:%d:%d:%lld:%d:0" #50 6.852 | ~^#50 6.852 || #50 6.852
| long long int #50 6.852 | %ld #50 6.852
../dimemas/dimemas_generator.c: In function 'Dimemas_NX_Irecv':
#50 6.852 ../dimemas/dimemas_generator.c:313:26: warning: format
'%lld' expects argument of type 'long long int', but argument 7 has
type 'UINT64' {aka 'long unsigned int'} [-Wformat=] #50 6.852 313 |
# define NX_Irecv_STRING "3:%d:%d:%d:%d:%lld:%d:1" #50 6.852
| ^~~~~~ #50 6.852
../dimemas/dimemas_generator.c:318:29: note: in expansion of macro
'NX_Irecv_STRING' #50 6.852 318 | return fprintf(fd,
NX_Irecv_STRING, task, thread, task_s, size, tag, commid); #50
6.852 | ^~~~~~ #50 6.852
../dimemas/dimemas_generator.c:313:44: note: format string is
defined here #50 6.852 313 | # define NX_Irecv_STRING
"3:%d:%d:%d:%d:%lld:%d:1" #50 6.852 | ~^#50 6.852 || #50 6.852
| long long int #50 6.852 | %ld #50 6.852
../dimemas/dimemas_generator.c: In function 'Dimemas_NX_Wait':
#50 6.852 ../dimemas/dimemas_generator.c:334:25: warning: format
'%lld' expects argument of type 'long long int', but argument 7 has
type 'UINT64' {aka 'long unsigned int'} [-Wformat=] #50 6.852 334 |
# define NX_WAIT_STRING "3:%d:%d:%d:%d:%lld:%d:2" #50 6.852 |
^~~~~~ #50 6.852
../dimemas/dimemas_generator.c:339:28: note: in expansion of macro
'NX_WAIT_STRING' #50 6.852 339 | return fprintf(fd,
NX_WAIT_STRING, task, thread, task_s, size, tag, commid); #50 6.852
| ^~~~~~ #50 6.852
../dimemas/dimemas_generator.c:334:43: note: format string is
defined here #50 6.852 334 | # define NX_WAIT_STRING
"3:%d:%d:%d:%d:%lld:%d:2" #50 6.852 | ~^#50 6.852 || #50 6.852
| long long int #50 6.852 | %ld #50 6.852
../dimemas/dimemas_generator.c: In function 'Dimemas_User_Event':
#50 6.852 ../dimemas/dimemas_generator.c:425:28: warning: format
'%lld' expects argument of type 'long long int', but argument 5 has
type 'UINT64' {aka 'long unsigned int'} [-Wformat=] #50 6.852 425 |
# define USER_EVENT_STRING "20:%d:%d:%lld:%lld" #50 6.852 |
^~~~~~ #50 6.852
../dimemas/dimemas_generator.c:430:28: note: in expansion of macro
'USER_EVENT_STRING' #50 6.852 430 | return fprintf(fd,
USER_EVENT_STRING, task, thread, type, value); #50 6.852 |
^~~~~~ #50 6.853
../dimemas/dimemas_generator.c:425:41: note: format string is
defined here #50 6.853 425 | # define USER_EVENT_STRING
"20:%d:%d:%lld:%lld" #50 6.853 | ~^#50 6.853 || #50 6.853 | long
long int #50 6.853 | %ld #50 6.853

```

```

../dimemas/dimemas_generator.c:425:28: warning: format '%lld'
expects argument of type 'long long int', but argument 6 has type
'UINT64' {aka 'long unsigned int'} [-Wformat=] #50 6.853 425 | #
define USER_EVENT_STRING "20:%d:%d:%lld:%lld" #50 6.853 |
^~~~~~ #50 6.853
../dimemas/dimemas_generator.c:430:28: note: in expansion of macro
'USER_EVENT_STRING' #50 6.853 430 | return fprintf(fd,
USER_EVENT_STRING, task, thread, type, value); #50 6.853 |
^~~~~~ #50 6.853
../dimemas/dimemas_generator.c:425:46: note: format string is
defined here #50 6.853 425 | # define USER_EVENT_STRING
"20:%d:%d:%lld:%lld" #50 6.853 | ~^ #50 6.853 || #50 6.853 | long
long int #50 6.853 | %ld #50 6.853 ../dimemas/dimemas_generator.c:
In function 'Dimemas_Global_OP': #50 6.853
../dimemas/dimemas_generator.c:528:27: warning: format '%lld'
expects argument of type 'long long int', but argument 9 has type
'UINT64' {aka 'long unsigned int'} [-Wformat=] #50 6.853 528 | #
define GLOBAL_OP_STRING "10:%d:%d:%d:%d:%d:%d:%d:%lld:%lld"
#50 6.853 | ^~~~~~ #50
6.853 ../dimemas/dimemas_generator.c:528:27: note: in definition of
macro 'GLOBAL_OP_STRING' #50 6.853 528 | # define
GLOBAL_OP_STRING "10:%d:%d:%d:%d:%d:%d:%d:%lld:%lld" #50 6.853
| ^~~~~~ #50 6.853
../dimemas/dimemas_generator.c:528:52: note: format string is
defined here #50 6.853 528 | # define GLOBAL_OP_STRING
"10:%d:%d:%d:%d:%d:%d:%d:%lld:%lld" #50 6.853 | ~^ #50 6.853 ||
#50 6.853 | long long int #50 6.853 | %ld #50 6.853
../dimemas/dimemas_generator.c:528:27: warning: format '%lld'
expects argument of type 'long long int', but argument 10 has type
'UINT64' {aka 'long unsigned int'} [-Wformat=] #50 6.853 528 | #
define GLOBAL_OP_STRING "10:%d:%d:%d:%d:%d:%d:%d:%lld:%lld"
#50 6.853 | ^~~~~~ #50
6.853 ../dimemas/dimemas_generator.c:528:27: note: in definition of
macro 'GLOBAL_OP_STRING' #50 6.853 528 | # define
GLOBAL_OP_STRING "10:%d:%d:%d:%d:%d:%d:%d:%lld:%lld" #50 6.853
| ^~~~~~ #50 6.854
../dimemas/dimemas_generator.c:528:57: note: format string is
defined here #50 6.854 528 | # define GLOBAL_OP_STRING
"10:%d:%d:%d:%d:%d:%d:%d:%lld:%lld" #50 6.854 | ~~~^ #50 6.854 ||
#50 6.854 | long long int #50 6.854 | %ld #50 7.032 CC
../dimemas/libmpimpi2prv_la-mpi_trf_semantics.lo #50 7.135
../dimemas/mpi_trf_semantics.c: In function 'SendRecv_Event': #50
7.135 ../dimemas/mpi_trf_semantics.c:485:38: warning: comparison of
integer expressions of different signedness: 'unsigned int' and 'int' [-
Wsign-compare] #50 7.135 485 | if (receiver != MPI_PROC_NULL)
#50 7.135 | ^~ #50 7.374 CC ../dimemas/libmpimpi2prv_la-
misc_trf_semantics.lo #50 7.454 ../dimemas/misc_trf_semantics.c: In
function 'Evt_SetCounters': #50 7.454
../dimemas/misc_trf_semantics.c:148:32: warning: comparison of
integer expressions of different signedness: 'int' and 'unsigned int' [-
Wsign-compare] #50 7.454 148 | if (NO_COUNTER != hwctype[i])
#50 7.454 | ^~ #50 7.562 CC ../dimemas/libmpimpi2prv_la-
trace_to_trf.lo #50 7.698 In file included from
/usr/include/string.h:535, #50 7.698 from
../dimemas/trace_to_trf.c:54: #50 7.698 In function 'strncpy', #50
7.698 inlined from 'Dimemas_ProcessTraceFiles' at
../dimemas/trace_to_trf.c:219:4: #50 7.698 /usr/include/x86_64-linux-
gnu/bits/string_fortified.h:95:10: warning: '__builtin_strncpy' specified
bound 1024 equals destination size [-Wstringop-truncation] #50 7.698
95 | return builtin_strncpy_chk (__dest, __src, __len, #50 7.698 |

```

```

^~~~~~
~~~~ #50 7.698 96 | __glibc_objsize (__dest)); #50 7.698 |
~~~~~ #50 7.698 In function
'strncpy', #50 7.698 inlined from 'Dimemas_ProcessTraceFiles' at
../dimemas/trace_to_trf.c:224:5: #50 7.698 /usr/include/x86_64-linux-
gnu/bits/string_fortified.h:95:10: warning: '__builtin_strncpy' output
truncated before terminating nul copying as many bytes from a string
as its length [-Wstringop-truncation] #50 7.698 95 | return
builtin_strncpy_chk (__dest, __src, __len, #50 7.698 |
^~~~~~
~~~~ #50 7.698 96 | __glibc_objsize (__dest)); #50 7.698 |
~~~~~ #50 7.698
../dimemas/trace_to_trf.c: In function 'Dimemas_ProcessTraceFiles':
#50 7.698 ../dimemas/trace_to_trf.c:224:33: note: length computed
here #50 7.698 224 | strncpy (&tmp[strlen(tmp)-strlen(".dim")], extra,
strlen(extra)); #50 7.698 |
^~~~~~
~~~~~ #50 7.975 CC
../paraver/libmpimpi2prv_la-bswap.lo #50 8.075 CC
../paraver/libmpimpi2prv_la-trace_communication.lo #50 8.261 CC
../paraver/libmpimpi2prv_la-paraver_generator.lo #50 8.368
../paraver/paraver_generator.c: In function 'paraver_state': #50 8.368
../paraver/paraver_generator.c:454:43: warning: format '%lu' expects
argument of type 'long unsigned int', but argument 7 has type 'long
long unsigned int' [-Wformat=] #50 8.368 454 | sprintf (buffer,
"1:%d:%d:%d:%d:%lu:%lu:%d", #50 8.368 | ~^ #50 8.368 | | #50
8.368 | long unsigned int #50 8.368 | %llu #50 8.368 455 | cpu, ptask,
task, thread, ini_time, end_time, state); #50 8.368 | ~~~~~~ #50
8.368 | | #50 8.368 | long long unsigned int #50 8.368
../paraver/paraver_generator.c:454:47: warning: format '%lu' expects
argument of type 'long unsigned int', but argument 8 has type 'long
long unsigned int' [-Wformat=] #50 8.368 454 | sprintf (buffer,
"1:%d:%d:%d:%d:%lu:%lu:%d", #50 8.368 | ~^ #50 8.368 | | #50
8.368 | long unsigned int #50 8.368 | %llu #50 8.368 455 | cpu, ptask,
task, thread, ini_time, end_time, state); #50 8.368 | ~~~~~~ #50
8.368 | | #50 8.368 | long long unsigned int #50 8.369
../paraver/paraver_generator.c: In function 'paraver_multi_event': #50
8.369 ../paraver/paraver_generator.c:508:37: warning: format '%lu'
expects argument of type 'long unsigned int', but argument 7 has type
'long long unsigned int' [-Wformat=] #50 8.369 508 | sprintf (buffer,
"2:%d:%d:%d:%d:%lu", cpu, ptask, task, thread, time); #50 8.369 |
~^ ~~~~ #50 8.369 | | #50 8.369 | long unsigned int long long
unsigned int #50 8.369 | %llu #50 8.369
../paraver/paraver_generator.c: In function 'paraver_communication':
#50 8.369 ../paraver/paraver_generator.c:578:37: warning: format
'%lu' expects argument of type 'long unsigned int', but argument 7
has type 'long long unsigned int' [-Wformat=] #50 8.369 578 | sprintf
(buffer, "3:%d:%d:%d:%d:%lu:%lu:%d:%d:%d:%d:%lu:%lu:%d:%u",
#50 8.369 | ~^ #50 8.369 | | #50 8.369 | long unsigned int #50
8.369 | %llu #50 8.369 579 | cpu_s, ptask_s, task_s, thread_s, log_s,
phy_s, #50 8.369 | ~~~~ #50 8.369 | | #50 8.369 | long long
unsigned int #50 8.369 ../paraver/paraver_generator.c:578:41:
warning: format '%lu' expects argument of type 'long unsigned int',
but argument 8 has type 'long long unsigned int' [-Wformat=] #50
8.369 578 | sprintf (buffer,
"3:%d:%d:%d:%d:%lu:%lu:%d:%d:%d:%d:%lu:%lu:%d:%u", #50 8.369
| ~^ #50 8.369 | | #50 8.369 | long unsigned int #50 8.369 | %llu
#50 8.369 579 | cpu_s, ptask_s, task_s, thread_s, log_s, phy_s, #50
8.369 | ~~~~ #50 8.369 | | #50 8.369 | long long unsigned int #50
8.370 ../paraver/paraver_generator.c:578:57: warning: format '%lu'

```

```

expects argument of type 'long unsigned int', but argument 13 has
type 'long long unsigned int' [-Wformat=] #50 8.370 578 | sprintf
(buffer, "3:%d:%d:%d:%d:%lu:%lu:%d:%d:%d:%d:%lu:%lu:%d:%u",
#50 8.370 | ~^ #50 8.370 | | #50 8.370 | long unsigned int #50
8.370 | %llu #50 8.370 579 | cpu_s, ptask_s, task_s, thread_s, log_s,
phy_s, #50 8.370 580 | cpu_r, ptask_r, task_r, thread_r, log_r, phy_r,
size, tag); #50 8.370 | ~~~~~
#50 8.370 | | #50 8.370 | long long unsigned int #50 8.370
../paraver/paraver_generator.c:578:61: warning: format '%lu' expects
argument of type 'long unsigned int', but argument 14 has type 'long
long unsigned int' [-Wformat=] #50 8.370 578 | sprintf (buffer,
"3:%d:%d:%d:%d:%lu:%lu:%d:%d:%d:%d:%lu:%lu:%d:%u", #50 8.370
| ~^ #50 8.370 | | #50 8.370 | long unsigned int #50 8.370 | %llu
#50 8.370 579 | cpu_s, ptask_s, task_s, thread_s, log_s, phy_s, #50
8.370 580 | cpu_r, ptask_r, task_r, thread_r, log_r, phy_r, size, tag); #50
8.370 | ~~~~~
#50 8.370 | | #50 8.370 | long long unsigned int #50 8.370
../paraver/paraver_generator.c: In function
'paraver_translate_address_event': #50 8.370
../paraver/paraver_generator.c:666:59: warning: comparison of integer
expressions of different signedness: 'int' and 'unsigned int' [-Wsign-
compare] #50 8.370 666 | if (element->FunctionType == eventtype)
#50 8.370 | ^~ #50 8.370 ../paraver/paraver_generator.c:669:60:
warning: comparison of integer expressions of different signedness:
'int' and 'unsigned int' [-Wsign-compare] #50 8.370 669 | else if
(element->LineType == eventtype) #50 8.370 | ^~ #50 8.372
../paraver/paraver_generator.c: In function 'Paraver_WriteHeader':
#50 8.372 ../paraver/paraver_generator.c:890:51: warning: format
'%lu' expects argument of type 'long unsigned int', but argument 4
has type 'long long unsigned int' [-Wformat=] #50 8.372 890 | sprintf
(Header, "#Paraver (%s):%lu_ns:", Date, Ftime); #50 8.372 | ~^
~~~~~ #50 8.372 | | #50 8.372 | | long long unsigned int #50 8.372
| long unsigned int #50 8.372 | %llu #50 8.375
../paraver/paraver_generator.c: In function 'Paraver_JoinFiles': #50
8.375 ../paraver/paraver_generator.c:1276:24: warning: variable
'isGzip' set but not used [-Wunused-but-set-variable] #50 8.375 1276 |
unsigned short isGzip = 1; #50 8.375 | ^~~~~~ #50 8.959 CC
../paraver/libmpimpi2prv_la-paraver_state.lo #50 9.039
../paraver/paraver_state.c: In function 'Pop_State': #50 9.039
../paraver/paraver_state.c:126:19: warning: comparison of integer
expressions of different signedness: 'unsigned int' and 'int' [-Wsign-
compare] #50 9.039 126 | if ((old_state != STATE_ANY) && (top_state
!= old_state)) #50 9.039 | ^~ #50 9.039 ../paraver/paraver_state.c: In
function 'State_Excluded': #50 9.039
../paraver/paraver_state.c:217:30: warning: comparison of integer
expressions of different signedness: 'int' and 'unsigned int' [-Wsign-
compare] #50 9.039 217 | if (excluded_states[i] == state) #50 9.039 |
^~ #50 9.226 CC ../paraver/libmpimpi2prv_la-trace_to_prv.lo #50
9.334 ../paraver/trace_to_prv.c: In function
'Paraver_ProcessTraceFiles': #50 9.334
../paraver/trace_to_prv.c:470:78: warning: comparison of integer
expressions of different signedness: 'int' and 'UINT64' {aka 'long
unsigned int'} [-Wsign-compare] #50 9.334 470 | found = addr2types-
>LineType == Get_EvValue(current event); #50 9.334 | ^~ #50
9.383 In file included from /usr/include/string.h:535, #50 9.383 from
../paraver/trace_to_prv.c:54: #50 9.383 In function 'strncpy', #50
9.383 inlined from 'Paraver_ProcessTraceFiles' at
../paraver/trace_to_prv.c:266:4: #50 9.383 /usr/include/x86_64-linux-
gnu/bits/string_fortified.h:95:10: warning: '__builtin_strncpy' specified
bound 1024 equals destination size [-Wstringop-truncation] #50 9.383

```

```

95 | return builtin_strncpy_chk (__dest, __src, __len, #50 9.383 |
^~~~~~
~~~~~ #50 9.383 96 | __glibc_objsize (__dest)); #50 9.383 |
~~~~~ #50 9.383 In function
'strncpy', #50 9.383 inlined from 'Paraver_ProcessTraceFiles' at
../paraver/trace_to_prv.c:277:5: #50 9.383 /usr/include/x86_64-linux-
gnu/bits/string_fortified.h:95:10: warning: '__builtin_strncpy' output
truncated before terminating nul copying as many bytes from a string
as its length [-Wstringop-truncation] #50 9.383 95 | return
builtin_strncpy_chk (__dest, __src, __len, #50 9.383 |
^~~~~~
~~~~~ #50 9.383 96 | __glibc_objsize (__dest)); #50 9.383 |
~~~~~ #50 9.383
../paraver/trace_to_prv.c: In function 'Paraver_ProcessTraceFiles': #50
9.383 ../paraver/trace_to_prv.c:277:33: note: length computed here
#50 9.383 277 | strncpy (&tmp[strlen(tmp)-strlen(".prv.gz")], extra,
strlen(extra)); #50 9.383 |
^~~~~~
~~~~~ #50 9.383 In file included
from /usr/include/string.h:535, #50 9.383 from
../paraver/trace_to_prv.c:54: #50 9.383 In function 'strncpy', #50
9.383 inlined from 'Paraver_ProcessTraceFiles' at
../paraver/trace_to_prv.c:271:5: #50 9.383 /usr/include/x86_64-linux-
gnu/bits/string_fortified.h:95:10: warning: '__builtin_strncpy' output
truncated before terminating nul copying as many bytes from a string
as its length [-Wstringop-truncation] #50 9.383 95 | return
builtin_strncpy_chk (__dest, __src, __len, #50 9.383 |
^~~~~~
~~~~~ #50 9.383 96 | __glibc_objsize (__dest)); #50 9.383 |
~~~~~ #50 9.383
../paraver/trace_to_prv.c: In function 'Paraver_ProcessTraceFiles': #50
9.383 ../paraver/trace_to_prv.c:271:33: note: length computed here
#50 9.383 271 | strncpy (&tmp[strlen(tmp)-strlen(".prv")], extra,
strlen(extra)); #50 9.383 |
^~~~~~
~~~~~ #50 9.737 CC
../paraver/libmpimpi2prv_la-mpi_prv_semantics.lo #50 9.838
../paraver/mpi_prv_semantics.c: In function 'GlobalOP_event': #50
9.838 ../paraver/mpi_prv_semantics.c:567:40: warning: comparison of
integer expressions of different signedness: 'INT32' {aka 'int'} and
'unsigned int' [-Wsign-compare] #50 9.838 567 |
(Get_EvSize(current_event) == ObjectTree_getNumTasks(ptask)) &&
/* World collective / #50 9.838 | ^~ #50 10.27 CC
../paraver/libmpimpi2prv_la-omp_prv_semantics.lo #50 10.61 CC
../paraver/libmpimpi2prv_la-misc_prv_semantics.lo #50 10.69
../paraver/misc_prv_semantics.c: In function 'Stats_Event': #50 10.69
../paraver/misc_prv_semantics.c:591:13: warning: unused variable 'i' [-
Wunused-variable] #50 10.69 591 | int i; #50 10.69 | ^ #50 10.70
../paraver/misc_prv_semantics.c: In function 'User_Send_Event': #50
10.70 ../paraver/misc_prv_semantics.c:1197:48: warning: comparison
of integer expressions of different signedness: 'INT32' {aka 'int'} and
'unsigned int' [-Wsign-compare] #50 10.70 1197 | if
(Get_EvTarget(current_event)==EXTRAE_COMM_PARTNER_MYSELF
) #50 10.70 | ^~ #50 10.70 ../paraver/misc_prv_semantics.c: In
function 'User_Recv_Event': #50 10.70
../paraver/misc_prv_semantics.c:1268:48: warning: comparison of
integer expressions of different signedness: 'INT32' {aka 'int'} and
'unsigned int' [-Wsign-compare] #50 10.70 1268 | if
(Get_EvTarget(current_event)==EXTRAE_COMM_PARTNER_MYSELF
) #50 10.70 | ^~ #50 10.70 ../paraver/misc_prv_semantics.c: In

```

```

function 'DynamicMemory_Partition_Event': #50 10.70
../paraver/misc_prv_semantics.c:1704:18: warning: unused variable
'EvType' [-Wunused-variable] #50 10.70 1704 | unsigned EvType =
Get_EvEvent (event); #50 10.70 | ^~~~~~ #50 10.70
../paraver/misc_prv_semantics.c:1702:60: warning: unused parameter
'fset' [-Wunused-parameter] #50 10.70 1702 | unsigned int task,
unsigned int thread, FileSet_t fset) #50 10.70 | ~~~~~~^~ #50
10.70 ../paraver/misc_prv_semantics.c: In function
'DynamicMemory_Tracking_Event': #50 10.70
../paraver/misc_prv_semantics.c:1714:60: warning: unused parameter
'fset' [-Wunused-parameter] #50 10.70 1714 | unsigned int task,
unsigned int thread, FileSet_t fset) #50 10.70 | ~~~~~~^~ #50
10.70 ../paraver/misc_prv_semantics.c: In function
'SystemCall_Event': #50 10.70
../paraver/misc_prv_semantics.c:1730:18: warning: unused variable
'EvType' [-Wunused-variable] #50 10.70 1730 | unsigned EvType =
Get_EvEvent (event); #50 10.70 | ^~~~~~ #50 10.70
../paraver/misc_prv_semantics.c:1727:60: warning: unused parameter
'fset' [-Wunused-parameter] #50 10.70 1727 | unsigned int task,
unsigned int thread, FileSet_t fset) #50 10.70 | ~~~~~~^~ #50
11.20 CC ../paraver/libmpimpi2prv_la-pthread_prv_semantics.lo #50
11.28 ../paraver/pthread_prv_semantics.c: In function 'pthread_Call':
#50 11.28 ../paraver/pthread_prv_semantics.c:99:77: warning:
passing argument 4 of 'Translate_pthread_Operation' from
incompatible pointer type [-Wincompatible-pointer-types] #50 11.28
99 | Translate_pthread_Operation (EvType, EvValue?1:0, &nEvType,
&nEvValue); #50 11.28 | ^~~~~~ #50 11.28 | | #50 11.28 |
UINT64 * {aka long unsigned int } #50 11.28 In file included from
../paraver/pthread_prv_semantics.c:37: #50 11.28
../paraver/pthread_prv_events.h:35:29: note: expected 'long long
unsigned int ' but argument is of type 'UINT64 ' {aka 'long unsigned
int '} #50 11.28 35 | unsigned long long out_evtvalue); #50 11.28 |
~~~~~^~~~~~ #50 11.28
../paraver/pthread_prv_semantics.c:101:73: warning: passing
argument 4 of 'Translate_pthread_Operation' from incompatible
pointer type [-Wincompatible-pointer-types] #50 11.28 101 |
Translate_pthread_Operation (EvType, EvValue, &nEvType,
&nEvValue); #50 11.28 | ^~~~~~ #50 11.28 | | #50 11.28 |
UINT64 {aka long unsigned int } #50 11.28 In file included from
../paraver/pthread_prv_semantics.c:37: #50 11.28
../paraver/pthread_prv_events.h:35:29: note: expected 'long long
unsigned int ' but argument is of type 'UINT64 ' {aka 'long unsigned
int '} #50 11.28 35 | unsigned long long out_evtvalue); #50 11.28 |
~~~~~^~~~~~ #50 11.38 CC
../paraver/libmpimpi2prv_la-java_prv_semantics.lo #50 11.55 CC
../paraver/libmpimpi2prv_la-cuda_prv_semantics.lo #50 11.74 CC
../paraver/libmpimpi2prv_la-openssl_prv_semantics.lo #50 11.82
../paraver/openssl_prv_semantics.c: In function 'OpenCL_Acc_Call':
#50 11.82 ../paraver/openssl_prv_semantics.c:100:64: warning:
passing argument 4 of 'Translate_OpenCL_Operation' from
incompatible pointer type [-Wincompatible-pointer-types] #50 11.82
100 | Translate_OpenCL_Operation (EvType, EvValue, &nEvType,
&nEvValue); #50 11.82 | ^~~~~~ #50 11.82 | | #50 11.82 |
UINT64 {aka long unsigned int } #50 11.82 In file included from
../paraver/openssl_prv_semantics.c:49: #50 11.82
../paraver/openssl_prv_events.h:32:29: note: expected 'long long
unsigned int ' but argument is of type 'UINT64 ' {aka 'long unsigned
int '} #50 11.82 32 | unsigned long long out_evtvalue); #50 11.82 |
~~~~~^~~~~~ #50 11.83
../paraver/openssl_prv_semantics.c: In function 'OpenCL_Host_Call':

```



```

#50 11.83 ../paraver/openccl_prv_semantics.c:175:64: warning:
passing argument 4 of 'Translate_OpenCL_Operation' from
incompatible pointer type [-Wincompatible-pointer-types] #50 11.83
175 | Translate_OpenCL_Operation (EvType, EvValue, &nEvType,
&nEvValue); #50 11.83 | ^~~~~~ #50 11.83 | | #50 11.83 |
UINT64 {aka long unsigned int } #50 11.83 In file included from
../paraver/openccl_prv_semantics.c:49: #50 11.83
../paraver/openccl_prv_events.h:32:29: note: expected 'long long
unsigned int ' but argument is of type 'UINT64 ' {aka 'long unsigned
int '} #50 11.83 32 | unsigned long long out_evtvalue); #50 11.83 |
~~~~~^~~~~~ #50 11.94 CC
../paraver/libmpimpi2prv_la-openshmem_prv_semantics.lo #50 12.12
CC ../paraver/libmpimpi2prv_la-openacc_prv_semantics.lo #50 12.28
CC ../paraver/libmpimpi2prv_la-gaspi_prv_semantics.lo #50 12.44 CC
../paraver/libmpimpi2prv_la-mpi_prv_events.lo #50 12.73 CC
../paraver/libmpimpi2prv_la-omp_prv_events.lo #50 13.02 CC
../paraver/libmpimpi2prv_la-pthread_prv_events.lo #50 13.24 CC
../paraver/libmpimpi2prv_la-misc_prv_events.lo #50 13.59 CC
../paraver/libmpimpi2prv_la-java_prv_events.lo #50 13.78 CC
../paraver/libmpimpi2prv_la-cuda_prv_events.lo #50 14.01 CC
../paraver/libmpimpi2prv_la-openccl_prv_events.lo #50 14.28 CC
../paraver/libmpimpi2prv_la-openshmem_prv_events.lo #50 14.42 CC
../paraver/libmpimpi2prv_la-openacc_prv_events.lo #50 14.58 CC
../paraver/libmpimpi2prv_la-gaspi_prv_events.lo #50 14.76 CC
../paraver/libmpimpi2prv_la-write_file_buffer.lo #50 14.83
../paraver/write_file_buffer.c: In function 'WriteFileBuffer_flush': #50
14.83 ../paraver/write_file_buffer.c:124:52: warning: comparison of
integer expressions of different signedness: 'size_t' {aka 'long
unsigned int'} and 'ssize_t' {aka 'long int'} [-Wsign-compare] #50
14.83 124 | else if (wfb->numElementswfb->sizeElement !=
res_write) #50 14.83 | ^~ #50 14.83 ../paraver/write_file_buffer.c: In
function 'WriteFileBuffer_removeLast': #50 14.83
../paraver/write_file_buffer.c:231:46: warning: comparison of integer
expressions of different signedness: 'off_t' {aka 'long int'} and 'size_t'
{aka 'long unsigned int'} [-Wsign-compare] #50 14.83 231 | if (wfb-
>lastWrittenLocation >= wfb->sizeElement) #50 14.83 | ^~ #50
14.98 CC ../paraver/libmpimpi2prv_la-paraver_nprintf.lo #50 15.37
CC ../common/libmpimpi2prv_la-dump.lo #50 15.62 CC
../common/libmpimpi2prv_la-communicators.lo #50 15.70
../common/communicators.c: In function 'GenerateAliesComunicator':
#50 15.70 ../common/communicators.c:178:22: warning: unused
variable 'EvType' [-Wunused-variable] #50 15.70 178 | unsigned int
EvType = Get_EvEvent (current_event); #50 15.70 | ^~~~~~ #50
15.70 ../common/communicators.c:173:40: warning: unused
parameter 'traceformat' [-Wunused-parameter] #50 15.70 173 |
unsigned long long num_events, int traceformat) #50 15.70 |
~~~~~^~~~~~ #50 15.85 CC ../common/libmpimpi2prv_la-
intercommunicators.lo #50 15.92 ../common/intercommunicators.c: In
function 'intercommunicators_load': #50 15.92
../common/intercommunicators.c:82:3: warning: ignoring return value
of 'fgets' declared with attribute 'warn_unused_result' [-Wunused-
result] #50 15.92 82 | fgets(line, sizeof(line), fd); / Skip the first line
(the synchronization latency) */ #50 15.92 |
^~~~~~ #50 16.08 CC
../common/libmpimpi2prv_la-checkoptions.lo #50 16.29 CC
../common/libmpimpi2prv_la-cpunode.lo #50 16.57 CC
../common/libmpimpi2prv_la-mpi2out.lo #50 16.67
../common/mpi2out.c: In function 'Read_SPAWN_file': #50 16.67
../common/mpi2out.c:311:32: warning: comparison of integer
expressions of different signedness: 'unsigned int' and 'int' [-Wsign-

```

```

compare] #50 16.67 311 | if (InputTraces[i].ptask == current_ptask)
#50 16.67 | ^~ #50 16.67 ../common/mpi2out.c: In function
'Read_MPITS_file': #50 16.67 ../common/mpi2out.c:346:57: warning:
passing argument 1 of ' __Extrae_Utils_sync_on_file' discards 'const'
qualifier from pointer target type [-Wdiscarded-qualifiers] #50 16.67
346 | int delay = __Extrae_Utils_sync_on_file(file); #50 16.67 | ^~~~
#50 16.67 In file included from ../common/mpi2out.c:57: #50 16.67
../././src/common/utils.h:55:40: note: expected 'char ' but argument is
of type 'const char ' #50 16.67 55 | int
__Extrae_Utils_sync_on_file(char file); #50 16.67 | ~~~~^~ #50
16.67 ../common/mpi2out.c:457:26: warning: passing argument 1 of
'Read_SPAWN_file' discards 'const' qualifier from pointer target type
[-Wdiscarded-qualifiers] #50 16.67 457 | Read_SPAWN_file (file,
cptask); #50 16.67 | ^~~~ #50 16.67 ../common/mpi2out.c:284:29:
note: expected 'char ' but argument is of type 'const char ' #50 16.67
284 | void Read_SPAWN_file (char mpit_file, int current_ptask) #50
16.67 | ~~~~^~~~~~ #50 16.67 ../common/mpi2out.c: In function
'ProcessArgs': #50 16.67 ../common/mpi2out.c:684:64: warning:
pointer targets in passing argument 2 of 'Read_MPITS_file' differ in
signedness [-Wpointer-sign] #50 16.67 684 | Read_MPITS_file
(argv[CurArg], &cur_ptask, FileOpen_Default, rank); #50 16.67 |
^~~~~~ #50 16.67 | | #50 16.67 | unsigned int #50 16.67
../common/mpi2out.c:331:46: note: expected 'int ' but argument is of
type 'unsigned int ' #50 16.67 331 | void Read_MPITS_file (const char
file, int cptask, FileOpen_t opentype, int taskid) #50 16.67 |
~~~~^~~~ #50 16.67 ../common/mpi2out.c:700:64: warning: pointer
targets in passing argument 2 of 'Read_MPITS_file' differ in
signedness [-Wpointer-sign] #50 16.67 700 | Read_MPITS_file
(argv[CurArg], &cur_ptask, FileOpen_Relative, rank); #50 16.67 |
^~~~~~ #50 16.67 | | #50 16.67 | unsigned int #50 16.67
../common/mpi2out.c:331:46: note: expected 'int ' but argument is of
type 'unsigned int ' #50 16.67 331 | void Read_MPITS_file (const char
file, int cptask, FileOpen_t opentype, int taskid) #50 16.67 |
~~~~^~~~ #50 16.67 ../common/mpi2out.c:716:64: warning: pointer
targets in passing argument 2 of 'Read_MPITS_file' differ in
signedness [-Wpointer-sign] #50 16.67 716 | Read_MPITS_file
(argv[CurArg], &cur_ptask, FileOpen_Absolute, rank); #50 16.67 |
^~~~~~ #50 16.67 | | #50 16.67 | unsigned int #50 16.67
../common/mpi2out.c:331:46: note: expected 'int ' but argument is of
type 'unsigned int ' #50 16.67 331 | void Read_MPITS_file (const char
file, int cptask, FileOpen_t opentype, int taskid) #50 16.67 |
~~~~^~~~ #50 16.68 ../common/mpi2out.c:981:64: warning: pointer
targets in passing argument 3 of 'Process_MPIT_File' differ in
signedness [-Wpointer-sign] #50 16.68 981 | Process_MPIT_File
(argv[CurArg], NULL, &cur_ptask, rank); #50 16.68 | ^~~~~~
#50 16.68 | | #50 16.68 | unsigned int #50 16.68
../common/mpi2out.c:155:64: note: expected 'int ' but argument is of
type 'unsigned int ' #50 16.68 155 | static void Process_MPIT_File
(char file, char thdname, int cptask, #50 16.68 | ~~~~^~~~ #50
16.68 ../common/mpi2out.c: In function 'DistributeWork': #50 16.68
../common/mpi2out.c:1274:17: warning: this 'for' clause does not
guard... [-Wmisleading-indentation] #50 16.68 1274 | for (index = 0 ;
index < nTraces; index++) #50 16.68 | ^~~ #50 16.68
../common/mpi2out.c:1280:25: note: ...this statement, but the latter is
misleadingly indented as if it were guarded by the 'for' #50 16.68
1280 | fflush(stdout); #50 16.68 | ^~~~~~ #50 16.68
../common/mpi2out.c: In function 'merger_post': #50 16.68
../common/mpi2out.c:1389:22: warning: comparison of integer
expressions of different signedness: 'int' and 'unsigned int' [-Wsign-
compare] #50 16.68 1389 | if (numtasks > nTraces) #50 16.68 | ^

```

```

#50 16.68 ../common/mpi2out.c: In function 'Read_SPAWN_file': #50
16.68 ../common/mpi2out.c:305:5: warning: ignoring return value of
'fgets' declared with attribute 'warn_unused_result' [-Wunused-result]
#50 16.68 305 | fgets(line, sizeof(line), fd); #50 16.68 |
^~~~~~ #50 17.39 CC
../common/libmpimpi2prv_la-options.lo #50 17.59 CC
../common/libmpimpi2prv_la-object_tree.lo #50 17.90 CC
../common/libmpimpi2prv_la-semantics.lo #50 18.10 CC
../common/libmpimpi2prv_la-addresses.lo #50 18.38 CC
../common/libmpimpi2prv_la-vector.lo #50 18.54 CC
../common/libmpimpi2prv_la-stack.lo #50 18.70 CC
../common/libmpimpi2prv_la-thread_dependencies.lo #50 18.77
../common/thread_dependencies.c: In function
'ThreadDependency_add': #50 18.77
../common/thread_dependencies.c:81:61: warning: assignment
discards 'const' qualifier from pointer target type [-Wdiscarded-
qualifiers] #50 18.77 81 | td->Dependencies[u].dependency_data =
dependency_data; #50 18.77 | ^ #50 18.88 CC
../common/libmpimpi2prv_la-address_space.lo #50 19.09 CCLD
libmpimpi2prv_la #50 19.23 CCLD mpimpi2prv #50 19.42 make[4]:
Leaving directory '/workspace/extrac/src/merger/parallel' #50 19.42
make[4]: Entering directory '/workspace/extrac/src/merger' #50
19.43 CC mpi2prv-merger.o #50 19.45 CC paraver/libmpi2prv_la-
addr2types.lo #50 19.53 CC paraver/libmpi2prv_la-addr2info.lo #50
19.59 paraver/addr2info.c: In function 'translate_data_address': #50
19.59 paraver/addr2info.c:885:72: warning: format '%p' expects
argument of type 'void ', but argument 4 has type 'UINT64' {aka 'long
unsigned int'} [-Wformat=] #50 19.59 885 | snprintf(caddress,
sizeof(caddress), "%p", address); #50 19.59 | ~^ ~~~~~~ #50
19.59 | | #50 19.59 | | UINT64 {aka long unsigned int} #50 19.59 |
void #50 19.59 | %ld #50 19.59 paraver/addr2info.c: In function
'Address2Info_Translate_MemReference': #50 19.59
paraver/addr2info.c:981:59: warning: zero-length gnu_printf format
string [-Wformat-zero-length] #50 19.59 981 | snprintf (buffer,
sizeof(buffer), ""); #50 19.59 | ^~ #50 19.60 paraver/addr2info.c: In
function 'Address2Info_Unify': #50 19.60
paraver/addr2info.c:1882:43: warning: comparison of integer
expressions of different signedness: 'int' and 'unsigned int' [-Wsign-
compare] #50 19.60 1882 | for (int i = 0; i <
AddressCollector_Count(CollectedAddresses); i++) #50 19.60 | ^ #50
19.60 paraver/addr2info.c:1867:29: warning: unused parameter
'numtasks' [-Wunused-parameter] #50 19.60 1867 | void
Address2Info_Unify(int numtasks, int taskid, struct
address_collector t*CollectedAddresses) #50 19.60 | ~^~~~~~
#50 19.70 In file included from /usr/include/string.h:535, #50 19.70
from paraver/addr2info.c:30: #50 19.70 In function 'strncat', #50
19.70 inlined from 'Address2Info_Translate_MemReference' at
paraver/addr2info.c:1015:6: #50 19.70 /usr/include/x86_64-linux-
gnu/bits/string_fortified.h:138:10: warning: 'builtin_strncat_chk'
specified bound 2048 equals destination size [-Wstringop-overflow=]
#50 19.70 138 | return builtin_strncat_chk (__dest, __src, __len, #50
19.70 |
^~~~~~
~~~~ #50 19.70 139 | __glibc_objsize (__dest)); #50 19.70 |
~~~~~ #50 19.70 In function
'strncat', #50 19.70 inlined from
'Address2Info_Translate_MemReference' at
paraver/addr2info.c:1044:6: #50 19.70 /usr/include/x86_64-linux-
gnu/bits/string_fortified.h:138:10: warning: 'builtin_strncat_chk'
specified bound 2048 equals destination size [-Wstringop-overflow=]

```

```

#50 19.70 138 | return builtin_strncat_chk (__dest, __src, __len, #50
19.70 |
^~~~~~
~~~~~ #50 19.70 139 | __glibc_objsize (__dest)); #50 19.70 |
~~~~~ #50 20.17 CC
paraver/libmpi2prv_la-addr2info_hashcache.lo #50 20.25 CC
paraver/libmpi2prv_la-file_set.lo #50 20.31 In file included from
../../src/common/utils.h:30, #50 20.31 from paraver/file_set.c:67: #50
20.31 paraver/file_set.c: In function 'GetNextObj_FS': #50 20.31
paraver/file_set.c:111:29: warning: comparison of integer expressions
of different signedness: 'int' and 'unsigned int' [-Wsign-compare] #50
20.31 111 | ASSERT (file >= 0 && file < fset->nfiles, "Invalid file
identifier"); #50 20.31 | ^ #50 20.31 ../../src/common/debug.h:39:10:
note: in definition of macro 'ASSERT' #50 20.31 39 | if (!(condition)) {
#50 20.31 | ^~~~~~ #50 20.31 paraver/file_set.c: In function
'isTaskInMyGroup': #50 20.31 paraver/file_set.c:137:45: warning:
comparison of integer expressions of different signedness: 'unsigned
int' and 'int' [-Wsign-compare] #50 20.31 137 | if ((fset->files[i].ptask-
1 == ptask) && (fset->files[i].task-1 == task)) #50 20.31 | ^~ #50
20.31 paraver/file_set.c:137:81: warning: comparison of integer
expressions of different signedness: 'unsigned int' and 'int' [-Wsign-
compare] #50 20.31 137 | if ((fset->files[i].ptask-1 == ptask) &&
(fset->files[i].task-1 == task)) #50 20.31 | ^~ #50 20.31
paraver/file_set.c: In function 'inWhichGroup': #50 20.31
paraver/file_set.c:147:51: warning: comparison of integer expressions
of different signedness: 'unsigned int' and 'int' [-Wsign-compare] #50
20.31 147 | if ((fset->input_files[i].ptask-1 == ptask) && (fset-
>input_files[i].task-1 == task)) #50 20.31 | ^~ #50 20.31
paraver/file_set.c:147:93: warning: comparison of integer expressions
of different signedness: 'unsigned int' and 'int' [-Wsign-compare] #50
20.31 147 | if ((fset->input_files[i].ptask-1 == ptask) && (fset-
>input_files[i].task-1 == task)) #50 20.31 | ^~ #50 20.31
paraver/file_set.c: In function 'Create_FS': #50 20.31
paraver/file_set.c:478:23: warning: comparison of integer expressions
of different signedness: 'int' and 'unsigned int' [-Wsign-compare] #50
20.31 478 | for (i = 0; i < fset->nfiles; i++) #50 20.31 | ^ #50 20.31
paraver/file_set.c:489:39: warning: comparison of integer expressions
of different signedness: 'int' and 'unsigned int' [-Wsign-compare] #50
20.31 489 | for (j = 0; j < fset->nfiles; j++) #50 20.31 | ^ #50 20.32
paraver/file_set.c: In function 'Search_MPI_Irecv_threads': #50
20.32 paraver/file_set.c:1181:49: warning: unused parameter 'current'
[-Wunused-parameter] #50 20.32 1181 | event_t *
Search_MPI_Irecv_threads (event_t * current, long long request,
FileItem_t * freceive, int * found_in_thread) #50 20.32 |
~~~~~^~~~~~ #50 20.82 CC paraver/libmpi2prv_la-
communication_queues.lo #50 20.88
paraver/communication_queues.c: In function 'CompareSend_cbk':
#50 20.88 paraver/communication_queues.c:101:26: warning:
comparison of integer expressions of different signedness: 'int' and
'unsigned int' [-Wsign-compare] #50 20.88 101 | return (ref->tag ==
d->tag || ref->tag == MPI_ANY_TAG) && #50 20.88 | ^~ #50 20.88
paraver/communication_queues.c:102:23: warning: comparison of
integer expressions of different signedness: 'int' and 'unsigned int' [-
Wsign-compare] #50 20.88 102 | ref->target == d->partner && ref-
>key == d->key; #50 20.88 | ^~ #50 20.88
paraver/communication_queues.c: In function 'CompareRecv_cbk':
#50 20.88 paraver/communication_queues.c:198:26: warning:
comparison of integer expressions of different signedness: 'int' and
'unsigned int' [-Wsign-compare] #50 20.88 198 | return (ref->tag ==
d->tag || MPI_ANY_TAG == Get_EvTag(d->recv_end)) && #50 20.88 |

```

```

^~ #50 20.88 paraver/communication_queues.c:199:23: warning:
comparison of integer expressions of different signedness: 'int' and
'unsigned int' [-Wsign-compare] #50 20.88 199 | ref->target == d-
>partner && ref->key == d->key; #50 20.88 | ^~ #50 20.99 CC
paraver/libmpi2prv_la-mpi_comunicadors.lo #50 21.26 CC
paraver/libmpi2prv_la-labels.lo #50 21.32 paraver/labels.c: In
function 'Labels_loadSYMfile': #50 21.32 paraver/labels.c:592:42:
warning: unused parameter 'allobjects' [-Wunused-parameter] #50
21.32 592 | void Labels_loadSYMfile (int taskid, int allobjects,
unsigned ptask, #50 21.32 | ~^~~~~~ #50 21.37 In file
included from /usr/include/string.h:535, #50 21.37 from
paraver/labels.c:48: #50 21.37 In function 'strncpy', #50 21.37
inlined from 'Labels_loadSYMfile' at paraver/labels.c:726:7: #50 21.37
/usr/include/x86_64-linux-gnu/bits/string_fortified.h:95:10: warning:
'__builtin_strncpy' output may be truncated copying 256 bytes from a
string of length 1023 [-Wstringop-truncation] #50 21.37 95 | return
builtin_strncpy_chk (__dest, __src, __len, #50 21.37 |
^~~~~~
~~~~ #50 21.37 96 | __glibc_objsize (__dest)); #50 21.37 |
~~~~~ #50 21.37 In function
'strncpy', #50 21.37 inlined from 'Labels_loadSYMfile' at
paraver/labels.c:769:7: #50 21.37 /usr/include/x86_64-linux-
gnu/bits/string_fortified.h:95:10: warning: '__builtin_strncpy' output
may be truncated copying 256 bytes from a string of length 1023 [-
Wstringop-truncation] #50 21.37 95 | return builtin_strncpy_chk
(__dest, __src, __len, #50 21.37 |
^~~~~~
~~~~ #50 21.37 96 | __glibc_objsize (__dest)); #50 21.37 |
~~~~~ #50 21.37 paraver/labels.c:
In function 'Labels_loadSYMfile': #50 21.37 paraver/labels.c:661:49:
warning: 'type' may be used uninitialized in this function [-Wmaybe-
uninitialized] #50 21.37 661 | Address2Info_AddSymbol (address,
type, fname, modname, line); #50 21.37 |
^~~~~~
~~~~~ #50 21.74 CC paraver/libmpi2prv_la-
HardwareCounters.lo #50 21.80 In file included from
../src/merger/common/object_tree.h:34, #50 21.80 from
paraver/HardwareCounters.c:57: #50 21.80
paraver/HardwareCounters.c: In function
'HardwareCounters_AssignGlobalID': #50 21.80
../src/merger/paraver/HardwareCounters.h:116:25: warning:
operand of '?:' changes signedness from 'int' to 'unsigned int' due to
unsignedness of other operand [-Wsign-compare] #50 21.80 116 |
(IS_PRESET(x) ? (HWC_BASE_PAPI_PRESET + (x & 0x0000FFFF)) :
#50 21.80 |
^~~~~~
#50 21.80 paraver/HardwareCounters.c:203:46: note: in expansion of
macro 'GET_PRAVER_CODE_FOR_HWC' #50 21.80 203 |
local_to_global->global_id =
GET_PRAVER_CODE_FOR_HWC(local_id, hash_string); #50 21.80 |
^~~~~~ #50 21.81 At top level: #50
21.81 paraver/HardwareCounters.c:82:13: warning:
'dump_counter_data' defined but not used [-Wunused-function] #50
21.81 82 | static void dump_counter_data() #50 21.81 |
^~~~~~ #50 22.10 CC dimemas/libmpi2prv_la-
dimemas_generator.lo #50 22.16 dimemas/dimemas_generator.c: In
function 'Dimemas_WriteHeader': #50 22.16
dimemas/dimemas_generator.c:92:44: warning: format '%d' expects
argument of type 'int', but argument 3 has type 'thread_t' {aka
'struct thread_st'} [-Wformat=] #50 22.16 92 | fprintf (trf_fd, "%d,",

```

```

task_info->threads); #50 22.16 | ~^ ~~~~~
#50 22.16 || #50 22.16 | int thread_t * {aka struct thread_st *} #50
22.16 dimemas/dimemas_generator.c:113:48: warning: format '%d'
expects argument of type 'int', but argument 3 has type 'uintptr_t'
{aka 'long unsigned int'} [-Wformat=] #50 22.16 113 | fprintf (trf_fd,
"d:1:%d:%d", com.id, com.num_tasks); #50 22.16 | ~^ ~~~~~ #50
22.16 || #50 22.16 | int uintptr_t {aka long unsigned int} #50 22.16
| %ld #50 22.16 dimemas/dimemas_generator.c:114:39: warning:
comparison of integer expressions of different signedness: 'int' and
'unsigned int' [-Wsign-compare] #50 22.16 114 | for (i = 0; i <
com.num_tasks; i++) #50 22.16 | ^ #50 22.16
dimemas/dimemas_generator.c: In function 'Dimemas_WriteOffsets':
#50 22.16 dimemas/dimemas_generator.c:143:31: warning:
comparison of integer expressions of different signedness: 'int' and
'unsigned int' [-Wsign-compare] #50 22.16 143 | for (i = 0; i <
numfiles; i++) #50 22.16 | ^ #50 22.17
dimemas/dimemas_generator.c: In function
'Dimemas_NX_Generic_Send': #50 22.17
dimemas/dimemas_generator.c:169:33: warning: format '%lld' expects
argument of type 'long long int', but argument 7 has type 'UINT64'
{aka 'long unsigned int'} [-Wformat=] #50 22.17 169 | # define
NX_GENERIC_SEND_STRING "2:%d:%d:%d:%d:%lld:%d:%d" #50
22.17 | ^~~~~~ #50 22.17
dimemas/dimemas_generator.c:175:17: note: in expansion of macro
'NX_GENERIC_SEND_STRING' #50 22.17 175 |
NX_GENERIC_SEND_STRING, #50 22.17 |
^~~~~~ #50 22.17
dimemas/dimemas_generator.c:169:51: note: format string is defined
here #50 22.17 169 | # define NX_GENERIC_SEND_STRING
"2:%d:%d:%d:%d:%lld:%d:%d" #50 22.17 | ~^ #50 22.17 || #50
22.17 | long long int #50 22.17 | %ld #50 22.17
dimemas/dimemas_generator.c: In function 'Dimemas_NX_Send': #50
22.17 dimemas/dimemas_generator.c:194:25: warning: format '%lld'
expects argument of type 'long long int', but argument 7 has type
'UINT64' {aka 'long unsigned int'} [-Wformat=] #50 22.17 194 | #
define NX_SEND_STRING "2:%d:%d:%d:%d:%lld:%d:0" #50 22.17 |
^~~~~~ #50 22.17
dimemas/dimemas_generator.c:199:28: note: in expansion of macro
'NX_SEND_STRING' #50 22.17 199 | return fprintf(fd,
NX_SEND_STRING, task, thread, task_r, size, tag, commid); #50
22.17 | ^~~~~~ #50 22.17
dimemas/dimemas_generator.c:194:43: note: format string is defined
here #50 22.17 194 | # define NX_SEND_STRING
"2:%d:%d:%d:%d:%lld:%d:0" #50 22.17 | ~^ #50 22.17 || #50 22.17
| long long int #50 22.17 | %ld #50 22.17
dimemas/dimemas_generator.c: In function
'Dimemas_NX_ImmediateSend': #50 22.17
dimemas/dimemas_generator.c:219:26: warning: format '%lld' expects
argument of type 'long long int', but argument 7 has type 'UINT64'
{aka 'long unsigned int'} [-Wformat=] #50 22.17 219 | # define
NX_ISEND_STRING "2:%d:%d:%d:%d:%lld:%d:2" #50 22.17 |
^~~~~~ #50 22.17
dimemas/dimemas_generator.c:224:29: note: in expansion of macro
'NX_ISEND_STRING' #50 22.17 224 | return fprintf (fd,
NX_ISEND_STRING, task, thread, task_r, size, tag, commid); #50
22.17 | ^~~~~~ #50 22.17
dimemas/dimemas_generator.c:219:44: note: format string is defined
here #50 22.17 219 | # define NX_ISEND_STRING
"2:%d:%d:%d:%d:%lld:%d:2" #50 22.17 | ~^ #50 22.17 || #50 22.17
| long long int #50 22.17 | %ld #50 22.17

```

```

dimemas/dimemas_generator.c: In function
'Dimemas_NX_BlockingSend': #50 22.17
dimemas/dimemas_generator.c:244:26: warning: format '%lld' expects
argument of type 'long long int', but argument 7 has type 'UINT64'
{aka 'long unsigned int'} [-Wformat=] #50 22.17 244 | # define
NX_BSEND_STRING "2:%d:%d:%d:%d:%d:%lld:%d:1" #50 22.17 |
^~~~~~ #50 22.17
dimemas/dimemas_generator.c:249:28: note: in expansion of macro
'NX_BSEND_STRING' #50 22.17 249 | return fprintf(fd,
NX_BSEND_STRING, task, thread, task_r, size, tag, commid); #50
22.17 | ^~~~~~ #50 22.17
dimemas/dimemas_generator.c:244:44: note: format string is defined
here #50 22.17 244 | # define NX_BSEND_STRING
"2:%d:%d:%d:%d:%d:%lld:%d:1" #50 22.17 | ~^ #50 22.17 || #50 22.17
| long long int #50 22.17 | %ld #50 22.17
dimemas/dimemas_generator.c: In function
'Dimemas_NX_Generic_Recv': #50 22.17
dimemas/dimemas_generator.c:267:33: warning: format '%lld' expects
argument of type 'long long int', but argument 7 has type 'UINT64'
{aka 'long unsigned int'} [-Wformat=] #50 22.17 267 | # define
NX_GENERIC_RECV_STRING "3:%d:%d:%d:%d:%d:%lld:%d:%d" #50
22.17 | ^~~~~~ #50 22.17
dimemas/dimemas_generator.c:273:17: note: in expansion of macro
'NX_GENERIC_RECV_STRING' #50 22.17 273 |
NX_GENERIC_RECV_STRING, #50 22.17 |
^~~~~~ #50 22.17
dimemas/dimemas_generator.c:267:51: note: format string is defined
here #50 22.17 267 | # define NX_GENERIC_RECV_STRING
"3:%d:%d:%d:%d:%d:%lld:%d:%d" #50 22.17 | ~^ #50 22.17 || #50
22.17 | long long int #50 22.17 | %ld #50 22.17
dimemas/dimemas_generator.c: In function 'Dimemas_NX_Recv': #50
22.17 dimemas/dimemas_generator.c:291:25: warning: format '%lld'
expects argument of type 'long long int', but argument 7 has type
'UINT64' {aka 'long unsigned int'} [-Wformat=] #50 22.17 291 | #
define NX_RECV_STRING "3:%d:%d:%d:%d:%d:%lld:%d:0" #50 22.17 |
^~~~~~ #50 22.17
dimemas/dimemas_generator.c:296:29: note: in expansion of macro
'NX_RECV_STRING' #50 22.17 296 | return fprintf (fd,
NX_RECV_STRING, task, thread, task_s, size, tag, commid); #50
22.17 | ^~~~~~ #50 22.17
dimemas/dimemas_generator.c:291:43: note: format string is defined
here #50 22.17 291 | # define NX_RECV_STRING
"3:%d:%d:%d:%d:%d:%lld:%d:0" #50 22.17 | ~^ #50 22.17 || #50 22.17
| long long int #50 22.17 | %ld #50 22.17
dimemas/dimemas_generator.c: In function 'Dimemas_NX_Irecv': #50
22.17 dimemas/dimemas_generator.c:313:26: warning: format '%lld'
expects argument of type 'long long int', but argument 7 has type
'UINT64' {aka 'long unsigned int'} [-Wformat=] #50 22.17 313 | #
define NX_Irecv_STRING "3:%d:%d:%d:%d:%d:%lld:%d:1" #50 22.17 |
^~~~~~ #50 22.17
dimemas/dimemas_generator.c:318:29: note: in expansion of macro
'NX_Irecv_STRING' #50 22.17 318 | return fprintf (fd,
NX_Irecv_STRING, task, thread, task_s, size, tag, commid); #50
22.17 | ^~~~~~ #50 22.17
dimemas/dimemas_generator.c:313:44: note: format string is defined
here #50 22.17 313 | # define NX_Irecv_STRING
"3:%d:%d:%d:%d:%d:%lld:%d:1" #50 22.17 | ~^ #50 22.17 || #50 22.17
| long long int #50 22.17 | %ld #50 22.17
dimemas/dimemas_generator.c: In function 'Dimemas_NX_Wait': #50
22.17 dimemas/dimemas_generator.c:334:25: warning: format '%lld'

```

```

expects argument of type 'long long int', but argument 7 has type
'UINT64' {aka 'long unsigned int'} [-Wformat=] #50 22.17 334 | #
define NX_WAIT_STRING "3:%d:%d:%d:%d:%lld:%d:2" #50 22.17 |
^~~~~~ #50 22.17
dimemas/dimemas_generator.c:339:28: note: in expansion of macro
'NX_WAIT_STRING' #50 22.17 339 | return fprintf(fd,
NX_WAIT_STRING, task, thread, task_s, size, tag, commid); #50 22.17
| ^~~~~~ #50 22.17
dimemas/dimemas_generator.c:334:43: note: format string is defined
here #50 22.17 334 | # define NX_WAIT_STRING
"3:%d:%d:%d:%d:%lld:%d:2" #50 22.17 | ~^ #50 22.17 || #50 22.17
| long long int #50 22.17 | %ld #50 22.17
dimemas/dimemas_generator.c: In function 'Dimemas_User_Event':
#50 22.17 dimemas/dimemas_generator.c:425:28: warning: format
'%lld' expects argument of type 'long long int', but argument 5 has
type 'UINT64' {aka 'long unsigned int'} [-Wformat=] #50 22.17 425 |
# define USER_EVENT_STRING "20:%d:%d:%lld:%lld" #50 22.17 |
^~~~~~ #50 22.17
dimemas/dimemas_generator.c:430:28: note: in expansion of macro
'USER_EVENT_STRING' #50 22.17 430 | return fprintf(fd,
USER_EVENT_STRING, task, thread, type, value); #50 22.17 |
^~~~~~ #50 22.17
dimemas/dimemas_generator.c:425:41: note: format string is defined
here #50 22.17 425 | # define USER_EVENT_STRING
"20:%d:%d:%lld:%lld" #50 22.17 | ~^ #50 22.17 || #50 22.17 | long
long int #50 22.17 | %ld #50 22.17
dimemas/dimemas_generator.c:425:28: warning: format '%lld' expects
argument of type 'long long int', but argument 6 has type 'UINT64'
{aka 'long unsigned int'} [-Wformat=] #50 22.17 425 | # define
USER_EVENT_STRING "20:%d:%d:%lld:%lld" #50 22.17 |
^~~~~~ #50 22.17
dimemas/dimemas_generator.c:430:28: note: in expansion of macro
'USER_EVENT_STRING' #50 22.17 430 | return fprintf(fd,
USER_EVENT_STRING, task, thread, type, value); #50 22.17 |
^~~~~~ #50 22.17
dimemas/dimemas_generator.c:425:46: note: format string is defined
here #50 22.17 425 | # define USER_EVENT_STRING
"20:%d:%d:%lld:%lld" #50 22.17 | ~^ #50 22.17 || #50 22.17 | long
long int #50 22.17 | %ld #50 22.17 dimemas/dimemas_generator.c: In
function 'Dimemas_Global_OP': #50 22.17
dimemas/dimemas_generator.c:528:27: warning: format '%lld' expects
argument of type 'long long int', but argument 9 has type 'UINT64'
{aka 'long unsigned int'} [-Wformat=] #50 22.17 528 | # define
GLOBAL_OP_STRING "10:%d:%d:%d:%d:%d:%d:%lld:%lld" #50 22.17
| ^~~~~~ #50 22.17
dimemas/dimemas_generator.c:528:27: note: in definition of macro
'GLOBAL_OP_STRING' #50 22.17 528 | # define
GLOBAL_OP_STRING "10:%d:%d:%d:%d:%d:%d:%lld:%lld" #50 22.17
| ^~~~~~ #50 22.17
dimemas/dimemas_generator.c:528:52: note: format string is defined
here #50 22.17 528 | # define GLOBAL_OP_STRING
"10:%d:%d:%d:%d:%d:%d:%lld:%lld" #50 22.17 | ~^ #50 22.17 ||
#50 22.17 | long long int #50 22.17 | %ld #50 22.17
dimemas/dimemas_generator.c:528:27: warning: format '%lld' expects
argument of type 'long long int', but argument 10 has type 'UINT64'
{aka 'long unsigned int'} [-Wformat=] #50 22.17 528 | # define
GLOBAL_OP_STRING "10:%d:%d:%d:%d:%d:%d:%lld:%lld" #50 22.17
| ^~~~~~ #50 22.17
dimemas/dimemas_generator.c:528:27: note: in definition of macro
'GLOBAL_OP_STRING' #50 22.17 528 | # define

```



```

GLOBAL_OP_STRING "10:%d:%d:%d:%d:%d:%d:%d:%d:%d" #50 22.17
| ^~~~~~ #50 22.17
dimemas/dimemas_generator.c:528:57: note: format string is defined
here #50 22.17 528 | # define GLOBAL_OP_STRING
"10:%d:%d:%d:%d:%d:%d:%d:%d:%d" #50 22.17 | ~~~^ #50 22.17 | |
#50 22.17 | long long int #50 22.17 | %ld #50 22.31 CC
dimemas/libmpi2prv_la-mpi_trf_semantics.lo #50 22.39
dimemas/mpi_trf_semantics.c: In function 'SendRecv_Event': #50
22.39 dimemas/mpi_trf_semantics.c:485:38: warning: comparison of
integer expressions of different signedness: 'unsigned int' and 'int' [-Wsign-
compare] #50 22.39 485 | if (receiver != MPI_PROC_NULL)
#50 22.39 | ^~ #50 22.60 CC dimemas/libmpi2prv_la-
misc_trf_semantics.lo #50 22.65 dimemas/misc_trf_semantics.c: In
function 'Evt_SetCounters': #50 22.65
dimemas/misc_trf_semantics.c:148:32: warning: comparison of integer
expressions of different signedness: 'int' and 'unsigned int' [-Wsign-
compare] #50 22.65 148 | if (NO_COUNTER != hwctype[i]) #50 22.65
| ^~ #50 22.74 CC dimemas/libmpi2prv_la-trace_to_trf.lo #50 22.82
In file included from /usr/include/string.h:535, #50 22.82 from
dimemas/trace_to_trf.c:54: #50 22.82 In function 'strncpy', #50 22.82
inlined from 'Dimemas_ProcessTraceFiles' at
dimemas/trace_to_trf.c:219:4: #50 22.82 /usr/include/x86_64-linux-
gnu/bits/string_fortified.h:95:10: warning: '__builtin_strncpy' specified
bound 1024 equals destination size [-Wstringop-truncation] #50 22.82
95 | return builtin_strncpy_chk (__dest, __src, __len, #50 22.82 |
^~~~~~
~~~~~ #50 22.82 96 | __glibc_objsize (__dest)); #50 22.82 |
~~~~~ #50 22.82 In function
'strncpy', #50 22.82 inlined from 'Dimemas_ProcessTraceFiles' at
dimemas/trace_to_trf.c:224:5: #50 22.82 /usr/include/x86_64-linux-
gnu/bits/string_fortified.h:95:10: warning: '__builtin_strncpy' output
truncated before terminating nul copying as many bytes from a string
as its length [-Wstringop-truncation] #50 22.82 95 | return
builtin_strncpy_chk (__dest, __src, __len, #50 22.82 |
^~~~~~
~~~~~ #50 22.82 96 | __glibc_objsize (__dest)); #50 22.82 |
~~~~~ #50 22.82
dimemas/trace_to_trf.c: In function 'Dimemas_ProcessTraceFiles': #50
22.82 dimemas/trace_to_trf.c:224:33: note: length computed here #50
22.82 224 | strncpy (&tmp[strlen(tmp)-strlen(".dim")], extra,
strlen(extra)); #50 22.82 |
^~~~~~
~~~~~ #50 23.04 CC
paraver/libmpi2prv_la-bswap.lo #50 23.09 CC paraver/libmpi2prv_la-
trace_communication.lo #50 23.21 CC paraver/libmpi2prv_la-
paraver_generator.lo #50 23.27 paraver/paraver_generator.c: In
function 'paraver_state': #50 23.27
paraver/paraver_generator.c:454:43: warning: format '%lu' expects
argument of type 'long unsigned int', but argument 7 has type 'long
long unsigned int' [-Wformat=] #50 23.27 454 | sprintf (buffer,
"1:%d:%d:%d:%d:%lu:%lu:%d", #50 23.27 | ~~~^ #50 23.27 | | #50
23.27 | long unsigned int #50 23.27 | %llu #50 23.27 455 | cpu, ptask,
task, thread, ini_time, end_time, state); #50 23.27 | ~~~~~~ #50
23.27 | | #50 23.27 | long long unsigned int #50 23.27
paraver/paraver_generator.c:454:47: warning: format '%lu' expects
argument of type 'long unsigned int', but argument 8 has type 'long
long unsigned int' [-Wformat=] #50 23.27 454 | sprintf (buffer,
"1:%d:%d:%d:%d:%lu:%lu:%d", #50 23.27 | ~~~^ #50 23.27 | | #50
23.27 | long unsigned int #50 23.27 | %llu #50 23.27 455 | cpu, ptask,
task, thread, ini_time, end_time, state); #50 23.27 | ~~~~~~ #50

```

```

23.27 || #50 23.27 | long long unsigned int #50 23.27
paraver/paraver_generator.c: In function 'paraver_multi_event': #50
23.27 paraver/paraver_generator.c:508:37: warning: format '%lu'
expects argument of type 'long unsigned int', but argument 7 has type
'long long unsigned int' [-Wformat=] #50 23.27 508 | sprintf (buffer,
"2:%d:%d:%d:%d:%lu", cpu, ptask, task, thread, time); #50 23.27 |
~~^~~~~ #50 23.27 || #50 23.27 | long unsigned int long long
unsigned int #50 23.27 | %llu #50 23.27 paraver/paraver_generator.c:
In function 'paraver_communication': #50 23.27
paraver/paraver_generator.c:578:37: warning: format '%lu' expects
argument of type 'long unsigned int', but argument 7 has type 'long
long unsigned int' [-Wformat=] #50 23.27 578 | sprintf (buffer,
"3:%d:%d:%d:%d:%lu:%lu:%d:%d:%d:%d:%lu:%lu:%d:%u", #50 23.27
| ~^ #50 23.27 || #50 23.27 | long unsigned int #50 23.27 | %llu
#50 23.27 579 | cpu_s, ptask_s, task_s, thread_s, log_s, phy_s, #50
23.27 | ~~~~~ #50 23.27 | #50 23.27 | long long unsigned int #50
23.27 paraver/paraver_generator.c:578:41: warning: format '%lu'
expects argument of type 'long unsigned int', but argument 8 has type
'long long unsigned int' [-Wformat=] #50 23.27 578 | sprintf (buffer,
"3:%d:%d:%d:%d:%lu:%lu:%d:%d:%d:%d:%lu:%lu:%d:%u", #50 23.27
| ~^ #50 23.27 || #50 23.27 | long unsigned int #50 23.27 | %llu
#50 23.27 579 | cpu_s, ptask_s, task_s, thread_s, log_s, phy_s, #50
23.27 | ~~~~~ #50 23.27 || #50 23.27 | long long unsigned int #50
23.27 paraver/paraver_generator.c:578:57: warning: format '%lu'
expects argument of type 'long unsigned int', but argument 13 has
type 'long long unsigned int' [-Wformat=] #50 23.27 578 | sprintf
(buffer, "3:%d:%d:%d:%d:%lu:%lu:%d:%d:%d:%d:%lu:%lu:%d:%u",
#50 23.27 | ~^ #50 23.27 || #50 23.27 | long unsigned int #50
23.27 | %llu #50 23.27 579 | cpu_s, ptask_s, task_s, thread_s, log_s,
phy_s, #50 23.27 580 | cpu_r, ptask_r, task_r, thread_r, log_r, phy_r,
size, tag); #50 23.27 | ~~~~~
#50 23.27 || #50 23.27 | long long unsigned int #50 23.27
paraver/paraver_generator.c:578:61: warning: format '%lu' expects
argument of type 'long unsigned int', but argument 14 has type 'long
long unsigned int' [-Wformat=] #50 23.27 578 | sprintf (buffer,
"3:%d:%d:%d:%d:%lu:%lu:%d:%d:%d:%d:%lu:%lu:%d:%u", #50 23.27
| ~^ #50 23.27 || #50 23.27 | long unsigned int #50 23.27 | %llu
#50 23.27 579 | cpu_s, ptask_s, task_s, thread_s, log_s, phy_s, #50
23.27 580 | cpu_r, ptask_r, task_r, thread_r, log_r, phy_r, size, tag); #50
23.27 | ~~~~~
#50 23.27 || #50 23.27 | long long unsigned int #50 23.27
paraver/paraver_generator.c: In function
'paraver_translate_address_event': #50 23.27
paraver/paraver_generator.c:666:59: warning: comparison of integer
expressions of different signedness: 'int' and 'unsigned int' [-Wsign-
compare] #50 23.27 666 | if (element->FunctionType == eventtype)
#50 23.27 | ^~ #50 23.27 paraver/paraver_generator.c:669:60:
warning: comparison of integer expressions of different signedness:
'int' and 'unsigned int' [-Wsign-compare] #50 23.27 669 | else if
(element->LineType == eventtype) #50 23.27 | ^~ #50 23.28
paraver/paraver_generator.c: In function 'Paraver_WriteHeader': #50
23.28 paraver/paraver_generator.c:890:51: warning: format '%lu'
expects argument of type 'long unsigned int', but argument 4 has type
'long long unsigned int' [-Wformat=] #50 23.28 890 | sprintf (Header,
"#Paraver (%s):%lu ns:", Date, Ftime); #50 23.28 | ~^~~~~~ #50
23.28 || #50 23.28 || long long unsigned int #50 23.28 | long
unsigned int #50 23.28 | %llu #50 23.28 paraver/paraver_generator.c:
In function 'Paraver_JoinFiles': #50 23.28
paraver/paraver_generator.c:1276:24: warning: variable 'isGzip' set
but not used [-Wunused-but-set-variable] #50 23.28 1276 | unsigned

```

```

short isGzip = 1; #50 23.28 | ^~~~~~ #50 23.71 CC
paraver/libmpi2prv_la-paraver_state.lo #50 23.76
paraver/paraver_state.c: In function 'Pop_State': #50 23.76
paraver/paraver_state.c:126:19: warning: comparison of integer
expressions of different signedness: 'unsigned int' and 'int' [-Wsign-
compare] #50 23.76 126 | if ((old_state != STATE_ANY) && (top_state
!= old_state)) #50 23.76 | ^~ #50 23.76 paraver/paraver_state.c: In
function 'State_Excluded': #50 23.76 paraver/paraver_state.c:217:30:
warning: comparison of integer expressions of different signedness:
'int' and 'unsigned int' [-Wsign-compare] #50 23.76 217 | if
(excluded_states[i] == state) #50 23.76 | ^~ #50 23.92 CC
paraver/libmpi2prv_la-trace_to_prv.lo #50 23.98
paraver/trace_to_prv.c: In function 'Paraver_ProcessTraceFiles': #50
23.98 paraver/trace_to_prv.c:470:78: warning: comparison of integer
expressions of different signedness: 'int' and 'UINT64' {aka 'long
unsigned int'} [-Wsign-compare] #50 23.98 470 | found = addr2types-
>LineType == Get_EvValue(current_event); #50 23.98 | ^~ #50
24.03 In file included from /usr/include/string.h:535, #50 24.03 from
paraver/trace_to_prv.c:54: #50 24.03 In function 'strncpy', #50 24.03
inlined from 'Paraver_ProcessTraceFiles' at
paraver/trace_to_prv.c:266:4: #50 24.03 /usr/include/x86_64-linux-
gnu/bits/string_fortified.h:95:10: warning: '__builtin_strncpy' specified
bound 1024 equals destination size [-Wstringop-truncation] #50 24.03
95 | return builtin_strncpy_chk (__dest, __src, __len, #50 24.03 |
^~~~~~
~~~~~ #50 24.03 96 | __glibc_objsize (__dest)); #50 24.03 |
~~~~~ #50 24.03 In function
'strncpy', #50 24.03 inlined from 'Paraver_ProcessTraceFiles' at
paraver/trace_to_prv.c:277:5: #50 24.03 /usr/include/x86_64-linux-
gnu/bits/string_fortified.h:95:10: warning: '__builtin_strncpy' output
truncated before terminating nul copying as many bytes from a string
as its length [-Wstringop-truncation] #50 24.03 95 | return
builtin_strncpy_chk (__dest, __src, __len, #50 24.03 |
^~~~~~
~~~~~ #50 24.03 96 | __glibc_objsize (__dest)); #50 24.03 |
~~~~~ #50 24.03
paraver/trace_to_prv.c: In function 'Paraver_ProcessTraceFiles': #50
24.03 paraver/trace_to_prv.c:277:33: note: length computed here #50
24.03 277 | strncpy (&tmp[strlen(tmp)-strlen(".prv.gz")], extra,
strlen(extra)); #50 24.03 |
^~~~~~
~~~~~ #50 24.03 In file included
from /usr/include/string.h:535, #50 24.03 from
paraver/trace_to_prv.c:54: #50 24.03 In function 'strncpy', #50 24.03
inlined from 'Paraver_ProcessTraceFiles' at
paraver/trace_to_prv.c:271:5: #50 24.03 /usr/include/x86_64-linux-
gnu/bits/string_fortified.h:95:10: warning: '__builtin_strncpy' output
truncated before terminating nul copying as many bytes from a string
as its length [-Wstringop-truncation] #50 24.03 95 | return
builtin_strncpy_chk (__dest, __src, __len, #50 24.03 |
^~~~~~
~~~~~ #50 24.03 96 | __glibc_objsize (__dest)); #50 24.03 |
~~~~~ #50 24.03
paraver/trace_to_prv.c: In function 'Paraver_ProcessTraceFiles': #50
24.03 paraver/trace_to_prv.c:271:33: note: length computed here #50
24.03 271 | strncpy (&tmp[strlen(tmp)-strlen(".prv")], extra,
strlen(extra)); #50 24.03 |
^~~~~~
~~~~~ #50 24.31 CC
paraver/libmpi2prv_la-mpi_prv_semantics.lo #50 24.38

```

```

paraver/mpi_prv_semantics.c: In function 'GlobalOP_event': #50 24.38
paraver/mpi_prv_semantics.c:567:40: warning: comparison of integer
expressions of different signedness: 'INT32' {aka 'int'} and 'unsigned
int' [-Wsign-compare] #50 24.38 567 | (Get_EvSize(current_event) ==
ObjectTree_getNumTasks(ptask)) && /* World collective / #50 24.38 |
^~ #50 24.76 CC paraver/libmpi2prv_la-omp_prv_semantics.lo #50
25.05 CC paraver/libmpi2prv_la-misc_prv_semantics.lo #50 25.10
paraver/misc_prv_semantics.c: In function 'Stats_Event': #50 25.10
paraver/misc_prv_semantics.c:591:13: warning: unused variable 'i' [-
Wunused-variable] #50 25.10 591 | int i; #50 25.10 | ^ #50 25.11
paraver/misc_prv_semantics.c: In function 'User_Send_Event': #50
25.11 paraver/misc_prv_semantics.c:1197:48: warning: comparison of
integer expressions of different signedness: 'INT32' {aka 'int'} and
'unsigned int' [-Wsign-compare] #50 25.11 1197 | if
(Get_EvTarget(current_event)==EXTRA_COMM_PARTNER_MYSELF
) #50 25.11 | ^~ #50 25.11 paraver/misc_prv_semantics.c: In
function 'User_Recv_Event': #50 25.11
paraver/misc_prv_semantics.c:1268:48: warning: comparison of
integer expressions of different signedness: 'INT32' {aka 'int'} and
'unsigned int' [-Wsign-compare] #50 25.11 1268 | if
(Get_EvTarget(current_event)==EXTRA_COMM_PARTNER_MYSELF
) #50 25.11 | ^~ #50 25.11 paraver/misc_prv_semantics.c: In
function 'DynamicMemory_Partition_Event': #50 25.11
paraver/misc_prv_semantics.c:1704:18: warning: unused variable
'EvType' [-Wunused-variable] #50 25.11 1704 | unsigned EvType =
Get_EvEvent(event); #50 25.11 | ^~~~~~ #50 25.11
paraver/misc_prv_semantics.c:1702:60: warning: unused parameter
'fset' [-Wunused-parameter] #50 25.11 1702 | unsigned int task,
unsigned int thread, FileSet_t fset) #50 25.11 | ~~~~~~^~ #50
25.11 paraver/misc_prv_semantics.c: In function
'DynamicMemory_Tracking_Event': #50 25.11
paraver/misc_prv_semantics.c:1714:60: warning: unused parameter
'fset' [-Wunused-parameter] #50 25.11 1714 | unsigned int task,
unsigned int thread, FileSet_t fset) #50 25.11 | ~~~~~~^~ #50
25.11 paraver/misc_prv_semantics.c: In function 'SystemCall_Event':
#50 25.11 paraver/misc_prv_semantics.c:1730:18: warning: unused
variable 'EvType' [-Wunused-variable] #50 25.11 1730 | unsigned
EvType = Get_EvEvent(event); #50 25.11 | ^~~~~~ #50 25.11
paraver/misc_prv_semantics.c:1727:60: warning: unused parameter
'fset' [-Wunused-parameter] #50 25.11 1727 | unsigned int task,
unsigned int thread, FileSet_t fset) #50 25.11 | ~~~~~~^~ #50
25.58 CC paraver/libmpi2prv_la-pthread_prv_semantics.lo #50 25.63
paraver/pthread_prv_semantics.c: In function 'pthread_Call': #50
25.63 paraver/pthread_prv_semantics.c:99:77: warning: passing
argument 4 of 'Translate_pthread_Operation' from incompatible
pointer type [-Wincompatible-pointer-types] #50 25.63 99 |
Translate_pthread_Operation (EvType, EvValue?1:0, &nEvType,
&nEvValue); #50 25.63 | ^~~~~~ #50 25.63 | | #50 25.63 |
UINT64 * {aka long unsigned int } #50 25.63 In file included from
paraver/pthread_prv_semantics.c:37: #50 25.63
paraver/pthread_prv_events.h:35:29: note: expected 'long long
unsigned int' but argument is of type 'UINT64' {aka 'long unsigned
int'} #50 25.63 35 | unsigned long long out_evtvalue); #50 25.63 |
~~~~~^~~~~~ #50 25.63
paraver/pthread_prv_semantics.c:101:73: warning: passing argument
4 of 'Translate_pthread_Operation' from incompatible pointer type [-
Wincompatible-pointer-types] #50 25.63 101 |
Translate_pthread_Operation (EvType, EvValue, &nEvType,
&nEvValue); #50 25.63 | ^~~~~~ #50 25.63 | | #50 25.63 |
UINT64 {aka long unsigned int } #50 25.63 In file included from

```

```

paraver/pthread_prv_semantics.c:37: #50 25.63
paraver/pthread_prv_events.h:35:29: note: expected 'long long
unsigned int' but argument is of type 'UINT64' {aka 'long unsigned
int'} #50 25.63 35 | unsigned long long out_evtvalue); #50 25.63 |
~~~~~^~~~~~ #50 25.71 CC
paraver/libmpi2prv_la-java_prv_semantics.lo #50 25.83 CC
paraver/libmpi2prv_la-cuda_prv_semantics.lo #50 25.97 CC
paraver/libmpi2prv_la-ocl_prv_semantics.lo #50 26.02
paraver/ocl_prv_semantics.c: In function 'OpenCL_Acc_Call': #50
26.02 paraver/ocl_prv_semantics.c:100:64: warning: passing
argument 4 of 'Translate_OpenCL_Operation' from incompatible
pointer type [-Wincompatible-pointer-types] #50 26.02 100 |
Translate_OpenCL_Operation (EvType, EvValue, &EvType,
&EvValue); #50 26.02 | ^~~~~~ #50 26.02 | | #50 26.02 |
UINT64 {aka long unsigned int} #50 26.02 In file included from
paraver/ocl_prv_semantics.c:49: #50 26.02
paraver/ocl_prv_events.h:32:29: note: expected 'long long
unsigned int' but argument is of type 'UINT64' {aka 'long unsigned
int'} #50 26.02 32 | unsigned long long out_evtvalue); #50 26.02 |
~~~~~^~~~~~ #50 26.02
paraver/ocl_prv_semantics.c: In function 'OpenCL_Host_Call': #50
26.02 paraver/ocl_prv_semantics.c:175:64: warning: passing
argument 4 of 'Translate_OpenCL_Operation' from incompatible
pointer type [-Wincompatible-pointer-types] #50 26.02 175 |
Translate_OpenCL_Operation (EvType, EvValue, &EvType,
&EvValue); #50 26.02 | ^~~~~~ #50 26.02 | | #50 26.02 |
UINT64 {aka long unsigned int} #50 26.02 In file included from
paraver/ocl_prv_semantics.c:49: #50 26.02
paraver/ocl_prv_events.h:32:29: note: expected 'long long
unsigned int' but argument is of type 'UINT64' {aka 'long unsigned
int'} #50 26.02 32 | unsigned long long out_evtvalue); #50 26.02 |
~~~~~^~~~~~ #50 26.12 CC
paraver/libmpi2prv_la-openshmem_prv_semantics.lo #50 26.24 CC
paraver/libmpi2prv_la-openacc_prv_semantics.lo #50 26.35 CC
paraver/libmpi2prv_la-gaspi_prv_semantics.lo #50 26.46 CC
paraver/libmpi2prv_la-mpi_prv_events.lo #50 26.63 CC
paraver/libmpi2prv_la-omp_prv_events.lo #50 26.82 CC
paraver/libmpi2prv_la-misc_prv_events.lo #50 27.05 CC
paraver/libmpi2prv_la-pthread_prv_events.lo #50 27.16 CC
paraver/libmpi2prv_la-java_prv_events.lo #50 27.25 CC
paraver/libmpi2prv_la-cuda_prv_events.lo #50 27.37 CC
paraver/libmpi2prv_la-ocl_prv_events.lo #50 27.53 CC
paraver/libmpi2prv_la-openshmem_prv_events.lo #50 27.62 CC
paraver/libmpi2prv_la-openacc_prv_events.lo #50 27.72 CC
paraver/libmpi2prv_la-gaspi_prv_events.lo #50 27.85 CC
paraver/libmpi2prv_la-write_file_buffer.lo #50 27.90
paraver/write_file_buffer.c: In function 'WriteFileBuffer_flush': #50
27.90 paraver/write_file_buffer.c:124:52: warning: comparison of
integer expressions of different signedness: 'size_t' {aka 'long
unsigned int'} and 'ssize_t' {aka 'long int'} [-Wsign-compare] #50
27.90 124 | else if (wfb->numElementswfb->sizeElement !=
res_write) #50 27.90 | ^~ #50 27.90 paraver/write_file_buffer.c: In
function 'WriteFileBuffer_removeLast': #50 27.90
paraver/write_file_buffer.c:231:46: warning: comparison of integer
expressions of different signedness: 'off_t' {aka 'long int'} and 'size_t'
{aka 'long unsigned int'} [-Wsign-compare] #50 27.90 231 | if (wfb-
>lastWrittenLocation >= wfb->sizeElement) #50 27.90 | ^~ #50
28.01 CC paraver/libmpi2prv_la-paraver_nprintf.lo #50 28.35 CC
common/libmpi2prv_la-dump.lo #50 28.54 CC common/libmpi2prv_la-
checkoptions.lo #50 28.65 CC common/libmpi2prv_la-

```

```

communicators.lo #50 28.70 common/communicators.c: In function
'GenerateAliesComunicator': #50 28.70
common/communicators.c:178:22: warning: unused variable 'EvType'
[-Wunused-variable] #50 28.70 178 | unsigned int EvType =
Get_EvEvent (current_event); #50 28.70 | ^~~~~~ #50 28.70
common/communicators.c:173:40: warning: unused parameter
'traceformat' [-Wunused-parameter] #50 28.70 173 | unsigned long
long num_events, int traceformat) #50 28.70 | ~^~~~~~ #50
28.83 CC common/libmpi2prv_la-intercommunicators.lo #50 28.87
common/intercommunicators.c: In function
'intercommunicators_load': #50 28.87
common/intercommunicators.c:82:3: warning: ignoring return value of
'fgets' declared with attribute 'warn_unused_result' [-Wunused-result]
#50 28.87 82 | fgets(line, sizeof(line), fd); / Skip the first line (the
synchronization latency) */ #50 28.87 |
^~~~~~ #50 29.00 CC
common/libmpi2prv_la-cpunode.lo #50 29.23 CC
common/libmpi2prv_la-mpi2out.lo #50 29.28 common/mpi2out.c: In
function 'Read_SPAWN_file': #50 29.28 common/mpi2out.c:311:32:
warning: comparison of integer expressions of different signedness:
'unsigned int' and 'int' [-Wsign-compare] #50 29.28 311 | if
(InputTraces[i].ptask == current_ptask) #50 29.28 | ^~ #50 29.28
common/mpi2out.c: In function 'Read_MPITS_file': #50 29.28
common/mpi2out.c:346:57: warning: passing argument 1 of
'_Extrae_Utils_sync_on_file' discards 'const' qualifier from pointer
target type [-Wdiscarded-qualifiers] #50 29.28 346 | int delay =
Extrae_Utils_sync_on_file(file); #50 29.28 | ^~~~ #50 29.28 In file
included from common/mpi2out.c:57: #50 29.28
../src/common/utills.h:55:40: note: expected 'char ' but argument is
of type 'const char ' #50 29.28 55 | int
Extrae_Utils_sync_on_file(char file); #50 29.28 | ~~~~^~ #50
29.29 common/mpi2out.c:457:26: warning: passing argument 1 of
'Read_SPAWN_file' discards 'const' qualifier from pointer target type
[-Wdiscarded-qualifiers] #50 29.29 457 | Read_SPAWN_file (file,
cptask); #50 29.29 | ^~~~ #50 29.29 common/mpi2out.c:284:29:
note: expected 'char ' but argument is of type 'const char ' #50 29.29
284 | void Read_SPAWN_file (char mpit_file, int current_ptask) #50
29.29 | ~~~~^~~~~~ #50 29.29 common/mpi2out.c: In function
'ProcessArgs': #50 29.29 common/mpi2out.c:684:64: warning: pointer
targets in passing argument 2 of 'Read_MPITS_file' differ in
signedness [-Wpointer-sign] #50 29.29 684 | Read_MPITS_file
(argv[CurArg], &cur_ptask, FileOpen_Default, rank); #50 29.29 |
^~~~~~ #50 29.29 | | #50 29.29 | unsigned int #50 29.29
common/mpi2out.c:331:46: note: expected 'int ' but argument is of
type 'unsigned int ' #50 29.29 331 | void Read_MPITS_file (const char
file, int cptask, FileOpen_t opentype, int taskid) #50 29.29 |
~~~~^~~~ #50 29.29 common/mpi2out.c:700:64: warning: pointer
targets in passing argument 2 of 'Read_MPITS_file' differ in
signedness [-Wpointer-sign] #50 29.29 700 | Read_MPITS_file
(argv[CurArg], &cur_ptask, FileOpen_Relative, rank); #50 29.29 |
^~~~~~ #50 29.29 | | #50 29.29 | unsigned int #50 29.29
common/mpi2out.c:331:46: note: expected 'int ' but argument is of
type 'unsigned int ' #50 29.29 331 | void Read_MPITS_file (const char
file, int cptask, FileOpen_t opentype, int taskid) #50 29.29 |
~~~~^~~~ #50 29.29 common/mpi2out.c:716:64: warning: pointer
targets in passing argument 2 of 'Read_MPITS_file' differ in
signedness [-Wpointer-sign] #50 29.29 716 | Read_MPITS_file
(argv[CurArg], &cur_ptask, FileOpen_Absolute, rank); #50 29.29 |
^~~~~~ #50 29.29 | | #50 29.29 | unsigned int #50 29.29
common/mpi2out.c:331:46: note: expected 'int ' but argument is of

```

```

type 'unsigned int' #50 29.29 331 | void Read_MPITS_file (const char
file, int cptask, FileOpen_t opentype, int taskid) #50 29.29 |
~~~~^~~~~ #50 29.29 common/mpi2out.c:981:64: warning: pointer
targets in passing argument 3 of 'Process_MPIT_File' differ in
signedness [-Wpointer-sign] #50 29.29 981 | Process_MPIT_File
(argv[CurArg], NULL, &cur_ptask, rank); #50 29.29 | ^~~~~~
#50 29.29 | | #50 29.29 | unsigned int #50 29.29
common/mpi2out.c:155:64: note: expected 'int' but argument is of
type 'unsigned int' #50 29.29 155 | static void Process_MPIT_File
(char file, char thdname, int cptask, #50 29.29 | ~~~^~~~~ #50
29.29 common/mpi2out.c: In function 'DistributeWork': #50 29.29
common/mpi2out.c:1274:17: warning: this 'for' clause does not
guard... [-Wmisleading-indentation] #50 29.29 1274 | for (index = 0 ;
index < nTraces; index++) #50 29.29 | ^~~ #50 29.29
common/mpi2out.c:1280:25: note: ...this statement, but the latter is
misleadingly indented as if it were guarded by the 'for' #50 29.29
1280 | fflush (stdout); #50 29.29 | ^~~~~~ #50 29.29
common/mpi2out.c: In function 'Read_SPAWN_file': #50 29.29
common/mpi2out.c:305:5: warning: ignoring return value of 'fgets'
declared with attribute 'warn_unused_result' [-Wunused-result] #50
29.29 305 | fgets(line, sizeof(line), fd); #50 29.29 |
^~~~~~ #50 29.83 CC
common/libmpi2prv_la-options.lo #50 29.97 CC
common/libmpi2prv_la-object_tree.lo #50 30.23 CC
common/libmpi2prv_la-semantic.lo #50 30.37 CC
common/libmpi2prv_la-addresses.lo #50 30.49 CC
common/libmpi2prv_la-vector.lo #50 30.60 CC common/libmpi2prv_la-
stack.lo #50 30.71 CC common/libmpi2prv_la-thread_dependencies.lo
#50 30.75 common/thread_dependencies.c: In function
'ThreadDependency_add': #50 30.75
common/thread_dependencies.c:81:61: warning: assignment discards
'const' qualifier from pointer target type [-Wdiscarded-qualifiers] #50
30.75 81 | td->Dependencies[u].dependency_data = dependency_data;
#50 30.75 | ^ #50 30.83 CC common/libmpi2prv_la-address_space.lo
#50 30.98 CCLD libmpi2prv_la #50 31.12 CCLD mpi2prv #50 31.24
make[4]: Leaving directory '/workspace/extrac/src/merger' #50 31.25
make[3]: Leaving directory '/workspace/extrac/src/merger' #50 31.25
Making all in tracer #50 31.26 make[3]: Entering directory
'/workspace/extrac/src/tracer' #50 31.27 Making all in clocks #50
31.27 make[4]: Entering directory
'/workspace/extrac/src/tracer/clocks' #50 31.27 CC libclock_la-
clock.lo #50 31.38 CC libclock_la-posix_clock.lo #50 31.44 CC
libclock_la-rusage_clock.lo #50 31.51 CC libclock_la-ia32_clock.lo #50
31.59 CCLD libclock_la #50 31.64 make[4]: Leaving directory
'/workspace/extrac/src/tracer/clocks' #50 31.65 Making all in hwc
#50 31.65 make[4]: Entering directory
'/workspace/extrac/src/tracer/hwc' #50 31.65 CC libhwc_la-
common_hwc.lo #50 31.71 In file included from common_hwc.c:145:
#50 31.71 common_hwc.c: In function
'HWC_Get_Set_Counters_ParaverIds': #50 31.71
../merger/paraver/HardwareCounters.h:113:59: warning: argument
1 null where non-null expected [-Wnonnull] #50 31.71 113 | # define
HASH(name) ((name != NULL) ? (MurmurHash2(name, strlen(name),
0) % (1000000)) : 0) #50 31.71 | ^~~~~~ #50 31.71
../merger/paraver/HardwareCounters.h:117:68: note: in expansion
of macro 'HASH' #50 31.71 117 | (IS_UNCORE(name) ?
(HWC_BASE_PAPI_UNCORE + HASH(name)) :
#50 31.71 | ^~~~~ #50 31.71 common_hwc.c:170:29: note: in
expansion of macro 'GET_PARAVER_CODE_FOR_HWC' #50 31.71 170
| HWCIds[i] = GET_PARAVER_CODE_FOR_HWC(HWCIds[i], NULL /*

```

```

See #ONLINE-HWC-IDS# /); #50 31.71 |
^~~~~~ #50 31.71 In file included
from common_hwc.c:30: #50 31.71 /usr/include/string.h:407:15: note:
in a call to function 'strlen' declared 'nonnull' #50 31.71 407 | extern
size_t strlen (const char __s) #50 31.71 | ^~~~~~ #50 31.71 In file
included from common_hwc.c:145: #50 31.71
../merger/paraver/HardwareCounters.h:113:59: warning: argument
1 null where non-null expected [-Wnonnull] #50 31.71 113 | # define
HASH(name) ((name != NULL) ? (MurmurHash2(name, strlen(name),
0) % (1000000)) : 0) #50 31.71 | ^~~~~~ #50 31.71
../merger/paraver/HardwareCounters.h:118:68: note: in expansion
of macro 'HASH' #50 31.71 118 | (HWC_BASE_PAPI_NATIVE +
HASH(name)))) #50 31.71 | ^~~~~ #50 31.71 common_hwc.c:170:29:
note: in expansion of macro 'GET_PRAVER_CODE_FOR_HWC' #50
31.71 170 | HWCIds[i] =
GET_PRAVER_CODE_FOR_HWC(HWCIds[i], NULL /* See #ONLINE-
HWC-IDS# /); #50 31.71 | ^~~~~~
#50 31.71 In file included from common_hwc.c:30: #50 31.71
/usr/include/string.h:407:15: note: in a call to function 'strlen'
declared 'nonnull' #50 31.71 407 | extern size_t strlen (const char __s)
#50 31.71 | ^~~~~~ #50 31.71 In file included from
common_hwc.c:145: #50 31.71
../merger/paraver/HardwareCounters.h:116:25: warning: operand of
'?:' changes signedness from 'int' to 'unsigned int' due to
unsignedness of other operand [-Wsign-compare] #50 31.71 116 |
(IS_PRESET(x) ? (HWC_BASE_PAPI_PRESET + (x & 0x0000FFFF)) :
#50 31.71 |
^~~~~~
#50 31.71 common_hwc.c:170:29: note: in expansion of macro
'GET_PRAVER_CODE_FOR_HWC' #50 31.71 170 | HWCIds[i] =
GET_PRAVER_CODE_FOR_HWC(HWCIds[i], NULL /* See #ONLINE-
HWC-IDS# /); #50 31.71 | ^~~~~~
#50 31.71 common_hwc.c: In function 'HWC_Get_Position_In_Set':
#50 31.71 ../merger/paraver/HardwareCounters.h:113:59: warning:
argument 1 null where non-null expected [-Wnonnull] #50 31.71 113 |
# define HASH(name) ((name != NULL) ? (MurmurHash2(name,
strlen(name), 0) % (1000000)) : 0) #50 31.71 | ^~~~~~ #50 31.71
../merger/paraver/HardwareCounters.h:117:68: note: in expansion
of macro 'HASH' #50 31.71 117 | (IS_UNCORE(name) ?
(HWC_BASE_PAPI_UNCORE + HASH(name)) :
#50 31.71 | ^~~~~ #50 31.71 common_hwc.c:187:30: note: in
expansion of macro 'GET_PRAVER_CODE_FOR_HWC' #50 31.71 187
| cur_hwc_id =
GET_PRAVER_CODE_FOR_HWC(HWC_sets[set_id].counters[i],
NULL / See #ONLINE-HWC-IDS# /); #50 31.71 |
^~~~~~ #50 31.71 In file included
from common_hwc.c:30: #50 31.71 /usr/include/string.h:407:15: note:
in a call to function 'strlen' declared 'nonnull' #50 31.71 407 | extern
size_t strlen (const char __s) #50 31.71 | ^~~~~~ #50 31.71 In file
included from common_hwc.c:145: #50 31.71
../merger/paraver/HardwareCounters.h:113:59: warning: argument
1 null where non-null expected [-Wnonnull] #50 31.71 113 | # define
HASH(name) ((name != NULL) ? (MurmurHash2(name, strlen(name),
0) % (1000000)) : 0) #50 31.71 | ^~~~~~ #50 31.71
../merger/paraver/HardwareCounters.h:118:68: note: in expansion
of macro 'HASH' #50 31.71 118 | (HWC_BASE_PAPI_NATIVE +
HASH(name)))) #50 31.71 | ^~~~~ #50 31.71 common_hwc.c:187:30:
note: in expansion of macro 'GET_PRAVER_CODE_FOR_HWC' #50
31.71 187 | cur_hwc_id =
GET_PRAVER_CODE_FOR_HWC(HWC_sets[set_id].counters[i],

```



```

NULL /* See #ONLINE-HWC-IDS# /); #50 31.71 |
^~~~~~ #50 31.71 In file included
from common_hwc.c:30: #50 31.71 /usr/include/string.h:407:15: note:
in a call to function 'strlen' declared 'nonnull' #50 31.71 407 | extern
size_t strlen (const char __s) #50 31.71 | ^~~~~~ #50 31.71 In file
included from common_hwc.c:145: #50 31.71
../merger/paraver/HardwareCounters.h:116:25: warning: operand of
'?:' changes signedness from 'int' to 'unsigned int' due to
unsignedness of other operand [-Wsign-compare] #50 31.71 116 |
(IS_PRESET(x) ? (HWC_BASE_PAPI_PRESET + (x & 0x0000FFFF)) :
#50 31.71 |
^~~~~~
#50 31.71 common_hwc.c:187:30: note: in expansion of macro
'GET_PARAVER_CODE_FOR_HWC' #50 31.71 187 | cur_hwc_id =
GET_PARAVER_CODE_FOR_HWC(HWC_sets[set_id].counters[i],
NULL /* See #ONLINE-HWC-IDS# */); #50 31.71 |
^~~~~~ #50 31.71 common_hwc.c: In
function 'HWC_Parse_XML_Config': #50 31.71
common_hwc.c:473:29: warning: unused variable 'i' [-Wunused-
variable] #50 31.71 473 | int i; #50 31.71 | ^ #50 32.08 CC libhwc_la-
papi_hwc.lo #50 32.21 papi_hwc.c: In function
'HWCBE_PAPI_Add_Set': #50 32.21 papi_hwc.c:87:60: warning: '['
directive output may be truncated writing 1 byte into a region of size
between 0 and 2046 [-Wformat-truncation=] #50 32.21 87 |
MAX_HWC_DESCRIPTION_LENGTH, "%s [%s]", code, description);
#50 32.21 | ^ #50 32.21 In file included from /usr/include/stdio.h:894,
#50 32.21 from ../src/common/debug.h:28, #50 32.21 from
../src/common/utils.h:30, #50 32.21 from papi_hwc.c:39: #50
32.21 /usr/include/x86_64-linux-gnu/bits/stdio2.h:71:10: note:
'builtin_snprintf_chk' output between 4 and 2050 bytes into a
destination of size 2048 #50 32.21 71 | return builtin_snprintf_chk
(__s, __n, __USE_FORTIFY_LEVEL - 1, #50 32.21 |
^~~~~~
~~~~~ #50 32.21 72 | __glibc_objsize (__s),
__fmt, #50 32.21 | ~~~~~
#50 32.21 73 | __va_arg_pack ()); #50 32.21 |
~~~~~ #50 32.54 CCLD libhwc.la #50 32.60
make[4]: Leaving directory '/workspace/extrae/src/tracer/hwc' #50
32.60 Making all in interfaces #50 32.60 make[4]: Entering directory
'/workspace/extrae/src/tracer/interfaces' #50 32.61 Making all in API
#50 32.61 make[5]: Entering directory
'/workspace/extrae/src/tracer/interfaces/API' #50 32.61 CC
libiface_api_la-misc_interface.lo #50 32.66 In file included from
misc_interface.c:42: #50 32.66 misc_interface.h:50:17: warning:
'SEQtrace_register_codelocation_type' alias between functions of
incompatible types 'void(extrae_type_t, const char , const char )' {aka
'void(unsigned int, const char , const char )'} and 'void(extrae_type_t,
extrae_type_t, const char , const char )' {aka 'void(unsigned int,
unsigned int, const char , const char )'} [-Wattribute-alias=] #50
32.66 50 | rettype SEQtrace##base params attribute ((alias
(#orig))); #50 32.66 | ^~~~~~ #50 32.66 misc_interface.c:874:1:
note: in expansion of macro 'INTERFACE_ALIASES_C' #50 32.66 874
|
INTERFACE_ALIASES_C(register_codelocation_type,Extrae_register_
codelocation_type,(extrae_type_t,const char ,const char ),void) #50
32.66 | ^~~~~~ #50 32.66
misc_interface.c:875:6: note: aliased declaration here #50 32.66 875 |
void Extrae_register_codelocation_type (extrae_type_t t1,
extrae_type_t t2, const char* s1, const char*s2) #50 32.66 |
^~~~~~ #50 32.66 In

```

```

file included from misc_interface.c:42: #50 32.66
misc_interface.h:49:17: warning:
'OMPItrace_register_codelocation_type' alias between functions of
incompatible types 'void(extrae_type_t, const char , const char )' {aka
'void(unsigned int, const char , const char )'} and 'void(extrae_type_t,
extrae_type_t, const char , const char )' {aka 'void(unsigned int,
unsigned int, const char , const char )'} [-Wattribute-alias=] #50
32.66 49 | rettype OMPiTrace##base params attribute ((alias
(#orig)));
#50 32.66 | ^~~~~~ #50 32.66 misc_interface.c:874:1: note: in
expansion of macro 'INTERFACE_ALIASES_C' #50 32.66 874 |
INTERFACE_ALIASES_C(register_codelocation_type,Extrae_register_
codelocation_type,(extrae_type_t,const char, const char),void) #50
32.66 | ^~~~~~ #50 32.66
misc_interface.c:875:6: note: aliased declaration here #50 32.66 875 |
void Extrae_register_codelocation_type (extrae_type_t t1,
extrae_type_t t2, const char* s1, const char *s2) #50 32.66 |
^~~~~~ #50 32.66 In
file included from misc_interface.c:42: #50 32.66
misc_interface.h:48:17: warning:
'OMPtrace_register_codelocation_type' alias between functions of
incompatible types 'void(extrae_type_t, const char , const char )' {aka
'void(unsigned int, const char , const char )'} and 'void(extrae_type_t,
extrae_type_t, const char , const char )' {aka 'void(unsigned int,
unsigned int, const char , const char )'} [-Wattribute-alias=] #50
32.66 48 | rettype OMPtrace##base params attribute ((alias
(#orig)));
#50 32.66 | ^~~~~~ #50 32.66 misc_interface.c:874:1: note: in
expansion of macro 'INTERFACE_ALIASES_C' #50 32.66 874 |
INTERFACE_ALIASES_C(register_codelocation_type,Extrae_register_
codelocation_type,(extrae_type_t,const char, const char),void) #50
32.66 | ^~~~~~ #50 32.66
misc_interface.c:875:6: note: aliased declaration here #50 32.66 875 |
void Extrae_register_codelocation_type (extrae_type_t t1,
extrae_type_t t2, const char* s1, const char *s2) #50 32.66 |
^~~~~~ #50 32.66 In
file included from misc_interface.c:42: #50 32.66
misc_interface.h:47:17: warning:
'MPItrace_register_codelocation_type' alias between functions of
incompatible types 'void(extrae_type_t, const char , const char )' {aka
'void(unsigned int, const char , const char )'} and 'void(extrae_type_t,
extrae_type_t, const char , const char )' {aka 'void(unsigned int,
unsigned int, const char , const char )'} [-Wattribute-alias=] #50
32.66 47 | rettype MPITrace##base params attribute ((alias
(#orig)));
#50 32.66 | ^~~~~~ #50 32.66 misc_interface.c:874:1: note: in
expansion of macro 'INTERFACE_ALIASES_C' #50 32.66 874 |
INTERFACE_ALIASES_C(register_codelocation_type,Extrae_register_
codelocation_type,(extrae_type_t,const char, const char),void) #50
32.66 | ^~~~~~ #50 32.66
misc_interface.c:875:6: note: aliased declaration here #50 32.66 875 |
void Extrae_register_codelocation_type (extrae_type_t t1,
extrae_type_t t2, const char* s1, const char *s2) #50 32.66 |
^~~~~~ #50 32.85
CCLD libiface_api.la #50 32.91 CC libiface_api_pthread_la-
misc_interface.lo #50 32.96 In file included from misc_interface.c:42:
#50 32.96 misc_interface.h:50:17: warning:
'SEQtrace_register_codelocation_type' alias between functions of
incompatible types 'void(extrae_type_t, const char , const char )' {aka
'void(unsigned int, const char , const char )'} and 'void(extrae_type_t,

```

```

extrae_type_t, const char , const char )' {aka 'void(unsigned int,
unsigned int, const char , const char )'} [-Wattribute-alias=] #50
32.96 50 | rettype SEQtrace##base params attribute ((alias
(#orig))); #50 32.96 | ^~~~~~ #50 32.96 misc_interface.c:874:1:
note: in expansion of macro 'INTERFACE_ALIASES_C' #50 32.96 874
|
INTERFACE_ALIASES_C( register_codelocation_type,Extrae_register_
codelocation_type,(extrae_type_t,const char , const char ),void) #50
32.96 | ^~~~~~ #50 32.96
misc_interface.c:875:6: note: aliased declaration here #50 32.96 875 |
void Extrae_register_codelocation_type (extrae_type_t t1,
extrae_type_t t2, const char* s1, const char *s2) #50 32.96 |
^~~~~~ #50 32.96 In
file included from misc_interface.c:42: #50 32.96
misc_interface.h:49:17: warning:
'OMPItrace_register_codelocation_type' alias between functions of
incompatible types 'void(extrae_type_t, const char , const char )' {aka
'void(unsigned int, const char , const char )'} and 'void(extrae_type_t,
extrae_type_t, const char , const char )' {aka 'void(unsigned int,
unsigned int, const char , const char )'} [-Wattribute-alias=] #50
32.96 49 | rettype OMPItrace##base params attribute ((alias
(#orig)));
#50 32.96 | ^~~~~~ #50 32.96 misc_interface.c:874:1: note: in
expansion of macro 'INTERFACE_ALIASES_C' #50 32.96 874 |
INTERFACE_ALIASES_C( register_codelocation_type,Extrae_register_
codelocation_type,(extrae_type_t,const char , const char ),void) #50
32.96 | ^~~~~~ #50 32.96
misc_interface.c:875:6: note: aliased declaration here #50 32.96 875 |
void Extrae_register_codelocation_type (extrae_type_t t1,
extrae_type_t t2, const char* s1, const char *s2) #50 32.96 |
^~~~~~ #50 32.96 In
file included from misc_interface.c:42: #50 32.96
misc_interface.h:48:17: warning:
'OMPtrace_register_codelocation_type' alias between functions of
incompatible types 'void(extrae_type_t, const char , const char )' {aka
'void(unsigned int, const char , const char )'} and 'void(extrae_type_t,
extrae_type_t, const char , const char )' {aka 'void(unsigned int,
unsigned int, const char , const char )'} [-Wattribute-alias=] #50
32.96 48 | rettype OMPtrace##base params attribute ((alias
(#orig)));
#50 32.96 | ^~~~~~ #50 32.96 misc_interface.c:874:1: note: in
expansion of macro 'INTERFACE_ALIASES_C' #50 32.96 874 |
INTERFACE_ALIASES_C( register_codelocation_type,Extrae_register_
codelocation_type,(extrae_type_t,const char , const char ),void) #50
32.96 | ^~~~~~ #50 32.96
misc_interface.c:875:6: note: aliased declaration here #50 32.96 875 |
void Extrae_register_codelocation_type (extrae_type_t t1,
extrae_type_t t2, const char* s1, const char *s2) #50 32.96 |
^~~~~~ #50 32.96 In
file included from misc_interface.c:42: #50 32.96
misc_interface.h:47:17: warning:
'MPItrace_register_codelocation_type' alias between functions of
incompatible types 'void(extrae_type_t, const char , const char )' {aka
'void(unsigned int, const char , const char )'} and 'void(extrae_type_t,
extrae_type_t, const char , const char )' {aka 'void(unsigned int,
unsigned int, const char , const char )'} [-Wattribute-alias=] #50
32.96 47 | rettype MPItrace##base params attribute ((alias
(#orig)));
#50 32.96 | ^~~~~~ #50 32.96 misc_interface.c:874:1: note: in
expansion of macro 'INTERFACE_ALIASES_C' #50 32.96 874 |

```

```

INTERFACE_ALIASES_C( register_codelocation_type,Extrae_register_
codelocation_type,(extrae_type_t,const char, const char),void) #50
32.96 | ^~~~~~ #50 32.96
misc interface.c:875:6: note: aliased declaration here #50 32.96 875 |
void Extrae_register_codelocation_type (extrae_type_t t1,
extrae_type_t t2, const char* s1, const char s2) #50 32.96 |
^~~~~~ #50 33.14
CCLD libiface_api_pthread.la #50 33.20 make[5]: Leaving directory
'/workspace/extrae/src/tracer/interfaces/API' #50 33.20 Making all in
MPI #50 33.21 make[5]: Entering directory
'/workspace/extrae/src/tracer/interfaces/MPI' #50 33.21 CC
libiface_mpif_la-mpi_interface.lo #50 33.53 CC libiface_mpif_la-
mpi_interface_p2p_c.lo #50 33.68 CC libiface_mpif_la-
mpi_interface_p2p_f.lo #50 34.07 CC libiface_mpif_la-
mpi_interface_coll_c.lo #50 34.22 CC libiface_mpif_la-
mpi_interface_coll_f.lo #50 34.79 CC libiface_mpif_la-
mpi_interface_1sided_c.lo #50 34.94 CC libiface_mpif_la-
mpi_interface_1sided_f.lo #50 35.22 CC libiface_mpif_la-
mpi_interface_io_c.lo #50 35.37 CC libiface_mpif_la-
mpi_interface_io_f.lo #50 35.70 CC libiface_mpif_la-
mpi_interface_coll_helper.lo #50 35.77 mpi_interface_coll_helper.c: In
function 'Extrae MPI ProcessCollectiveCommunicator': #50 35.77
mpi_interface_coll_helper.c:45:13: warning: unused variable 'res' [-
Wunused-variable] #50 35.77 45 | int res; #50 35.77 | ^~~ #50 35.85
CCLD libiface_mpif.la #50 35.93 CC libiface_mpi_la-mpi_interface.lo
#50 36.24 CC libiface_mpi_la-mpi_interface_p2p_c.lo #50 36.62 CC
libiface_mpi_la-mpi_interface_p2p_f.lo #50 36.76 CC libiface_mpi_la-
mpi_interface_coll_c.lo #50 37.31 CC libiface_mpi_la-
mpi_interface_coll_f.lo #50 37.46 CC libiface_mpi_la-
mpi_interface_1sided_c.lo #50 37.73 CC libiface_mpi_la-
mpi_interface_1sided_f.lo #50 37.88 CC libiface_mpi_la-
mpi_interface_io_c.lo #50 37.96 In file included from
mpi_interface_io_c.c:46: #50 37.96 mpi_interface_io_c.c: In function
'MPI_File_write_ordered': #50 37.96 mpi_interface_io_c.c:698:51:
warning: passing argument 2 of 'DLB_MPI_File_write_ordered_enter'
discards 'const' qualifier from pointer target type [-Wdiscarded-
qualifiers] #50 37.96 698 | DLB(DLB_MPI_File_write_ordered_enter,
fh, buf, count, datatype, status); #50 37.96 | ^~~ #50 37.96
dlb.h:28:46: note: in definition of macro 'DLB' #50 37.96 28 | #define
DLB(func, args...) if ( func ) func( args ); #50 37.96 | ^~~~ #50
37.96 In file included from mpi_interface_io_c.c:46: #50 37.96
dlb.h:835:58: note: expected 'void ' but argument is of type 'const void
' #50 37.96 835 | void DLB MPI_File_write_ordered_enter(MPI_File
fh, void buf, int count, #50 37.96 | ~~~~^ #50 37.96
mpi_interface_io_c.c:703:60: warning: passing argument 2 of
'MPI_File_write_ordered_C_Wrapper' discards 'const' qualifier from
pointer target type [-Wdiscarded-qualifiers] #50 37.96 703 | res =
MPI_File_write_ordered_C_Wrapper(fh, buf, count, datatype, status);
#50 37.96 | ^~~ #50 37.96 In file included from
.././././src/tracer/wrappers/MPI/mpi_wrapper.h:240, #50 37.96 from
mpi_interface_io_c.c:43: #50 37.96
.././././src/tracer/wrappers/MPI/mpi_wrapper_io_c.h:106:57: note:
expected 'void ' but argument is of type 'const void ' #50 37.96 106 |
int MPI_File_write_ordered_C_Wrapper(MPI_File fh, void buf, int
count, #50 37.96 | ~~~~^ #50 37.96 In file included from
mpi_interface_io_c.c:46: #50 37.96 mpi_interface_io_c.c: In function
'MPI_File_write_ordered_begin': #50 37.96
mpi_interface_io_c.c:725:57: warning: passing argument 2 of
'DLB_MPI_File_write_ordered_begin_enter' discards 'const' qualifier
from pointer target type [-Wdiscarded-qualifiers] #50 37.96 725 |

```

DLB(DLB_MPI_File_write_ordered_begin_enter, fh, buf, count, datatype); #50 37.96 | ^~~ #50 37.96 dlb.h:28:46: note: in definition of macro 'DLB' #50 37.96 28 | #define DLB(func, args...) if (func) func(args); #50 37.96 | ^~~~ #50 37.96 In file included from mpi_interface_io_c.c:46: #50 37.96 dlb.h:840:64: note: expected 'void' but argument is of type 'const void' #50 37.96 840 | void DLB_MPI_File_write_ordered_begin_enter(MPI_File fh, void buf, int count, #50 37.96 | ~~~~^ #50 37.96 mpi_interface_io_c.c:730:66: warning: passing argument 2 of 'MPI_File_write_ordered_begin_C Wrapper' discards 'const' qualifier from pointer target type [-Wdiscarded-qualifiers] #50 37.96 730 | res = MPI_File_write_ordered_begin_C Wrapper(fh, buf, count, datatype); #50 37.96 | ^~~ #50 37.96 In file included from .././../src/tracer/wrappers/MPI/mpi_wrapper.h:240, #50 37.96 from mpi_interface_io_c.c:43: #50 37.96 .././../src/tracer/wrappers/MPI/mpi_wrapper_io_c.h:109:63: note: expected 'void' but argument is of type 'const void' #50 37.96 109 | int MPI_File_write_ordered_begin_C Wrapper(MPI_File fh, void buf, int count, #50 37.96 | ~~~~^ #50 37.96 In file included from mpi_interface_io_c.c:46: #50 37.96 mpi_interface_io_c.c: In function 'MPI_File_write_ordered_end': #50 37.96 mpi_interface_io_c.c:752:55: warning: passing argument 2 of 'DLB_MPI_File_write_ordered_end_enter' discards 'const' qualifier from pointer target type [-Wdiscarded-qualifiers] #50 37.96 752 | DLB(DLB_MPI_File_write_ordered_end_enter, fh, buf, status); #50 37.96 | ^~~ #50 37.96 dlb.h:28:46: note: in definition of macro 'DLB' #50 37.96 28 | #define DLB(func, args...) if (func) func(args); #50 37.96 | ^~~~ #50 37.96 In file included from mpi_interface_io_c.c:46: #50 37.96 dlb.h:845:62: note: expected 'void' but argument is of type 'const void' #50 37.96 845 | void DLB_MPI_File_write_ordered_end_enter(MPI_File fh, void buf, #50 37.96 | ~~~~^ #50 37.96 mpi_interface_io_c.c:757:64: warning: passing argument 2 of 'MPI_File_write_ordered_end_C Wrapper' discards 'const' qualifier from pointer target type [-Wdiscarded-qualifiers] #50 37.96 757 | res = MPI_File_write_ordered_end_C Wrapper(fh, buf, status); #50 37.96 | ^~~ #50 37.96 In file included from .././../src/tracer/wrappers/MPI/mpi_wrapper.h:240, #50 37.96 from mpi_interface_io_c.c:43: #50 37.96 .././../src/tracer/wrappers/MPI/mpi_wrapper_io_c.h:112:61: note: expected 'void' but argument is of type 'const void' #50 37.96 112 | int MPI_File_write_ordered_end_C Wrapper(MPI_File fh, void buf, MPI_Status status); #50 37.96 | ~~~~^ #50 37.96 In file included from mpi_interface_io_c.c:46: #50 37.96 mpi_interface_io_c.c: In function 'MPI_File_write_shared': #50 37.96 mpi_interface_io_c.c:779:50: warning: passing argument 2 of 'DLB_MPI_File_write_shared_enter' discards 'const' qualifier from pointer target type [-Wdiscarded-qualifiers] #50 37.96 779 | DLB(DLB_MPI_File_write_shared_enter, fh, buf, count, datatype, status); #50 37.96 | ^~~ #50 37.96 dlb.h:28:46: note: in definition of macro 'DLB' #50 37.96 28 | #define DLB(func, args...) if (func) func(args); #50 37.96 | ^~~~ #50 37.96 In file included from mpi_interface_io_c.c:46: #50 37.96 dlb.h:850:57: note: expected 'void' but argument is of type 'const void' #50 37.96 850 | void DLB_MPI_File_write_shared_enter(MPI_File fh, void buf, int count, #50 37.96 | ~~~~^ #50 37.96 mpi_interface_io_c.c:784:59: warning: passing argument 2 of 'MPI_File_write_shared_C Wrapper' discards 'const' qualifier from pointer target type [-Wdiscarded-qualifiers] #50 37.96 784 | res = MPI_File_write_shared_C Wrapper(fh, buf, count, datatype, status); #50 37.96 | ^~~ #50 37.96 In file included from

```

.././././src/tracer/wrappers/MPI/mpi_wrapper.h:240, #50 37.96 from
mpi_interface_io_c.c:43: #50 37.96
.././././src/tracer/wrappers/MPI/mpi_wrapper_io_c.h:114:56: note:
expected 'void' but argument is of type 'const void' #50 37.96 114 |
int MPI_File_write_shared_C_Wrapper(MPI_File fh, void buf, int count,
#50 37.96 | ~~~~^ #50 38.21 CC libiface_mpi_la-
mpi_interface_io_f.lo #50 38.35 CC libiface_mpi_la-
mpi_interface_coll_helper.lo #50 38.42 mpi_interface_coll_helper.c: In
function 'Extrae_MPI_ProcessCollectiveCommunicator': #50 38.42
mpi_interface_coll_helper.c:45:13: warning: unused variable 'res' [-
Wunused-variable] #50 38.42 45 | int res; #50 38.42 | ^~~ #50 38.50
CCLD libiface_mpi_la #50 38.58 CC libiface_mplicf_la-mpi_interface.lo
#50 39.05 CC libiface_mplicf_la-mpi_interface_p2p_c.lo #50 39.44 CC
libiface_mplicf_la-mpi_interface_p2p_f.lo #50 39.83 CC
libiface_mplicf_la-mpi_interface_coll_c.lo #50 40.39 CC
libiface_mplicf_la-mpi_interface_coll_f.lo #50 40.96 CC
libiface_mplicf_la-mpi_interface_1sided_c.lo #50 41.24 CC
libiface_mplicf_la-mpi_interface_1sided_f.lo #50 41.52 CC
libiface_mplicf_la-mpi_interface_io_c.lo #50 41.60 In file included from
mpi_interface_io_c.c:46: #50 41.60 mpi_interface_io_c.c: In function
'MPI_File_write_ordered': #50 41.60 mpi_interface_io_c.c:698:51:
warning: passing argument 2 of 'DLB_MPI_File_write_ordered_enter'
discards 'const' qualifier from pointer target type [-Wdiscarded-
qualifiers] #50 41.60 698 | DLB(DLB_MPI_File_write_ordered_enter,
fh, buf, count, datatype, status); #50 41.60 | ^~~ #50 41.60
dlb.h:28:46: note: in definition of macro 'DLB' #50 41.60 28 | #define
DLB(func, args...) if ( func ) func( args ); #50 41.60 | ^~~~ #50
41.60 In file included from mpi_interface_io_c.c:46: #50 41.60
dlb.h:835:58: note: expected 'void' but argument is of type 'const void'
#50 41.60 835 | void DLB_MPI_File_write_ordered_enter(MPI_File
fh, void buf, int count, #50 41.60 | ~~~~^ #50 41.60
mpi_interface_io_c.c:703:60: warning: passing argument 2 of
'MPI_File_write_ordered_C_Wrapper' discards 'const' qualifier from
pointer target type [-Wdiscarded-qualifiers] #50 41.60 703 | res =
MPI_File_write_ordered_C_Wrapper(fh, buf, count, datatype, status);
#50 41.60 | ^~~ #50 41.60 In file included from
.././././src/tracer/wrappers/MPI/mpi_wrapper.h:240, #50 41.60 from
mpi_interface_io_c.c:43: #50 41.60
.././././src/tracer/wrappers/MPI/mpi_wrapper_io_c.h:106:57: note:
expected 'void' but argument is of type 'const void' #50 41.60 106 |
int MPI_File_write_ordered_C_Wrapper(MPI_File fh, void buf, int
count, #50 41.60 | ~~~~^ #50 41.60 In file included from
mpi_interface_io_c.c:46: #50 41.60 mpi_interface_io_c.c: In function
'MPI_File_write_ordered_begin': #50 41.60
mpi_interface_io_c.c:725:57: warning: passing argument 2 of
'DLB_MPI_File_write_ordered_begin_enter' discards 'const' qualifier
from pointer target type [-Wdiscarded-qualifiers] #50 41.60 725 |
DLB(DLB_MPI_File_write_ordered_begin_enter, fh, buf, count,
datatype); #50 41.60 | ^~~ #50 41.60 dlb.h:28:46: note: in definition
of macro 'DLB' #50 41.60 28 | #define DLB(func, args...) if ( func )
func( args ); #50 41.60 | ^~~~ #50 41.60 In file included from
mpi_interface_io_c.c:46: #50 41.60 dlb.h:840:64: note: expected 'void'
but argument is of type 'const void' #50 41.60 840 | void
DLB_MPI_File_write_ordered_begin_enter(MPI_File fh, void buf, int
count, #50 41.60 | ~~~~^ #50 41.60 mpi_interface_io_c.c:730:66:
warning: passing argument 2 of
'MPI_File_write_ordered_begin_C_Wrapper' discards 'const' qualifier
from pointer target type [-Wdiscarded-qualifiers] #50 41.60 730 | res
= MPI_File_write_ordered_begin_C_Wrapper(fh, buf, count, datatype);
#50 41.60 | ^~~ #50 41.60 In file included from

```

```

.././././src/tracer/wrappers/MPI/mpi_wrapper.h:240, #50 41.60 from
mpi_interface_io_c.c:43: #50 41.60
.././././src/tracer/wrappers/MPI/mpi_wrapper_io_c.h:109:63: note:
expected 'void' but argument is of type 'const void' #50 41.60 109 |
int MPI_File_write_ordered_begin_C_Wrapper(MPI_File fh, void buf,
int count, #50 41.60 | ~~~~^ #50 41.60 In file included from
mpi_interface_io_c.c:46: #50 41.60 mpi_interface_io_c.c: In function
'MPI_File_write_ordered_end': #50 41.60 mpi_interface_io_c.c:752:55:
warning: passing argument 2 of
'DLB_MPI_File_write_ordered_end_enter' discards 'const' qualifier
from pointer target type [-Wdiscarded-qualifiers] #50 41.60 752 |
DLB(DLB_MPI_File_write_ordered_end_enter, fh, buf, status); #50
41.60 | ^~~ #50 41.60 dlb.h:28:46: note: in definition of macro 'DLB'
#50 41.60 28 | #define DLB(func, args...) if ( func ) func( args ); #50
41.60 | ^~~~ #50 41.60 In file included from
mpi_interface_io_c.c:46: #50 41.60 dlb.h:845:62: note: expected 'void'
' but argument is of type 'const void' #50 41.60 845 | void
DLB_MPI_File_write_ordered_end_enter(MPI_File fh, void buf, #50
41.60 | ~~~~^ #50 41.60 mpi_interface_io_c.c:757:64: warning:
passing argument 2 of 'MPI_File_write_ordered_end_C_Wrapper'
discards 'const' qualifier from pointer target type [-Wdiscarded-
qualifiers] #50 41.60 757 | res =
MPI_File_write_ordered_end_C_Wrapper(fh, buf, status); #50 41.60 |
^~~ #50 41.60 In file included from
.././././src/tracer/wrappers/MPI/mpi_wrapper.h:240, #50 41.60 from
mpi_interface_io_c.c:43: #50 41.60
.././././src/tracer/wrappers/MPI/mpi_wrapper_io_c.h:112:61: note:
expected 'void' but argument is of type 'const void' #50 41.60 112 |
int MPI_File_write_ordered_end_C_Wrapper(MPI_File fh, void buf,
MPI_Status status); #50 41.60 | ~~~~^ #50 41.60 In file included
from mpi_interface_io_c.c:46: #50 41.60 mpi_interface_io_c.c: In
function 'MPI_File_write_shared': #50 41.60
mpi_interface_io_c.c:779:50: warning: passing argument 2 of
'DLB_MPI_File_write_shared_enter' discards 'const' qualifier from
pointer target type [-Wdiscarded-qualifiers] #50 41.60 779 |
DLB(DLB_MPI_File_write_shared_enter, fh, buf, count, datatype,
status); #50 41.60 | ^~~ #50 41.60 dlb.h:28:46: note: in definition of
macro 'DLB' #50 41.60 28 | #define DLB(func, args...) if ( func ) func(
args ); #50 41.60 | ^~~~ #50 41.60 In file included from
mpi_interface_io_c.c:46: #50 41.60 dlb.h:850:57: note: expected 'void'
' but argument is of type 'const void' #50 41.60 850 | void
DLB_MPI_File_write_shared_enter(MPI_File fh, void buf, int count,
#50 41.60 | ~~~~^ #50 41.60 mpi_interface_io_c.c:784:59: warning:
passing argument 2 of 'MPI_File_write_shared_C_Wrapper' discards
'const' qualifier from pointer target type [-Wdiscarded-qualifiers] #50
41.60 784 | res = MPI_File_write_shared_C_Wrapper(fh, buf, count,
datatype, status); #50 41.60 | ^~~ #50 41.60 In file included from
.././././src/tracer/wrappers/MPI/mpi_wrapper.h:240, #50 41.60 from
mpi_interface_io_c.c:43: #50 41.60
.././././src/tracer/wrappers/MPI/mpi_wrapper_io_c.h:114:56: note:
expected 'void' but argument is of type 'const void' #50 41.60 114 |
int MPI_File_write_shared_C_Wrapper(MPI_File fh, void buf, int count,
#50 41.60 | ~~~~^ #50 41.85 CC libiface_mpicf_la-
mpi_interface_io_f.lo #50 42.18 CC libiface_mpicf_la-
mpi_interface_coll_helper.lo #50 42.25 mpi_interface_coll_helper.c: In
function 'Extrae_MPI_ProcessCollectiveCommunicator': #50 42.25
mpi_interface_coll_helper.c:45:13: warning: unused variable 'res' [-
Wunused-variable] #50 42.25 45 | int res; #50 42.25 | ^~~ #50 42.33
CCLD libiface_mpicf_la #50 42.41 make[5]: Leaving directory
'/workspace/extrae/src/tracer/interfaces/MPI' #50 42.41 make[5]:

```

```

Entering directory '/workspace/extrae/src/tracer/interfaces' #50
42.41 make[5]: Nothing to be done for 'all-am'. #50 42.41 make[5]:
Leaving directory '/workspace/extrae/src/tracer/interfaces' #50 42.41
make[4]: Leaving directory '/workspace/extrae/src/tracer/interfaces'
#50 42.41 Making all in wrappers #50 42.41 make[4]: Entering
directory '/workspace/extrae/src/tracer/wrappers' #50 42.42 Making
all in MALLOC #50 42.42 make[5]: Entering directory
'/workspace/extrae/src/tracer/wrappers/MALLOC' #50 42.42 CC
libwrap_malloc_la-malloc_wrapper.lo #50 42.48 malloc_wrapper.c: In
function 'xtr_mem_tracked_allocs_add': #50 42.48
malloc_wrapper.c:145:30: warning: assignment discards 'const'
qualifier from pointer target type [-Wdiscarded-qualifiers] #50 42.48
145 | newNode->val = p; #50 42.48 | ^ #50 42.48
malloc_wrapper.c:135:63: warning: unused parameter 's' [-Wunused-
parameter] #50 42.48 135 | static void xtr_mem_tracked_allocs_add
(const void p, size_t s) #50 42.48 | ~~~~~~^ #50 42.63 CC
libwrap_malloc_la-malloc_probe.lo #50 43.26 CCLD libwrap_malloc_la
#50 43.32 make[5]: Leaving directory
'/workspace/extrae/src/tracer/wrappers/MALLOC' #50 43.32 Making
all in IO #50 43.33 make[5]: Entering directory
'/workspace/extrae/src/tracer/wrappers/IO' #50 43.33 CC
libwrap_io_la-io_wrapper.lo #50 43.59 CC libwrap_io_la-io_probe.lo
#50 44.16 CCLD libwrap_io_la #50 44.22 make[5]: Leaving directory
'/workspace/extrae/src/tracer/wrappers/IO' #50 44.23 Making all in
SYSCALL #50 44.23 make[5]: Entering directory
'/workspace/extrae/src/tracer/wrappers/SYSCALL' #50 44.23 CC
libwrap_syscall_la-syscall_wrapper.lo #50 44.34 CC
libwrap_syscall_la-syscall_probe.lo #50 44.47 CCLD libwrap_syscall_la
#50 44.53 make[5]: Leaving directory
'/workspace/extrae/src/tracer/wrappers/SYSCALL' #50 44.53 Making
all in fork #50 44.53 make[5]: Entering directory
'/workspace/extrae/src/tracer/wrappers/fork' #50 44.54 CC
libwrap_fork_la-fork_wrapper.lo #50 44.61 In file included from
/usr/include/string.h:535, #50 44.61 from
../../../../../src/tracer/trace_macros.h:31, #50 44.61 from
../../../../../src/tracer/wrappers/API/wrapper.h:38, #50 44.61 from
fork_wrapper.c:30: #50 44.61 In function 'strncpy', #50 44.61 inlined
from 'Extrae_Probe_exec_v_Entry' at fork_wrapper.c:189:4: #50 44.61
/usr/include/x86_64-linux-gnu/bits/string_fortified.h:95:10: warning:
'__builtin_strncpy' output truncated before terminating nul copying as
many bytes from a string as its length [-Wstringop-truncation] #50
44.61 95 | return builtin_strncpy_chk (__dest, __src, __len, #50 44.61
|
| ~~~~~~
~~~~~ #50 44.61 96 | __glibc_objsize (__dest)); #50 44.61 |
~~~~~ #50 44.61 fork_wrapper.c:
In function 'Extrae_Probe_exec_v_Entry': #50 44.61
fork_wrapper.c:185:30: note: length computed here #50 44.61 185 |
int length = strlen (argv[i]); #50 44.61 | ^~~~~~
#50 44.70 CC libwrap_fork_la-fork_probe.lo #50 44.90 CCLD
libwrap_fork_la #50 44.96 make[5]: Leaving directory
'/workspace/extrae/src/tracer/wrappers/fork' #50 44.96 Making all in
pthread #50 44.96 make[5]: Entering directory
'/workspace/extrae/src/tracer/wrappers/pthread' #50 44.96 CC
libwrap_pthread_la-pthread_wrapper.lo #50 45.02
/usr/include/pthread.h: In function 'pthread_exit': #50 45.02
pthread_wrapper.c:423:1: warning: 'noreturn' function does return
#50 45.02 423 | } #50 45.02 | ^ #50 45.18 CC libwrap_pthread_la-
pthread_probe.lo #50 45.63 CCLD libwrap_pthread_la #50 45.69
make[5]: Leaving directory

```



```

/workspace/extrae/src/tracer/wrappers/pthread' #50 45.69 Making
all in OMP #50 45.69 make[5]: Entering directory
/workspace/extrae/src/tracer/wrappers/OMP' #50 45.70 Making all in
intel-kmpc-11-intermediate #50 45.70 make[6]: Entering directory
/workspace/extrae/src/tracer/wrappers/OMP/intel-kmpc-11-
intermediate' #50 45.70 CC libintel_kmpc_11_intermediate_la-intel-
kmpc-11-intermediate-part1.lo #50 45.73 In file included from
../../../../../src/tracer/wrappers/API/wrapper.h:37, #50 45.73 from intel-
kmpc-11-intermediate-part1.c:3: #50 45.73
../../../../../src/common/record.h:53:3: error: unknown type name
'size_t' #50 45.73 53 | size_t memSize; #50 45.73 | ^~~~~~ #50
45.75 intel-kmpc-11-intermediate-part1.c: In function
'_kmpc_parallel_sched_0_args': #50 45.75 intel-kmpc-11-
intermediate-part1.c:7:93: warning: unused parameter 'args' [-
Wunused-parameter] #50 45.75 7 | void
_kmpc_parallel_sched_0_args(void p1, int p2, void task_ptr, void
wrap_ptr, void args) #50 45.75 | ~~~~~^~ #50 45.76 make[6]:
[Makefile:849: libintel_kmpc_11_intermediate_la-intel-kmpc-11-
intermediate-part1.lo] Error 1 #50 45.76 make[6]: Leaving directory
/workspace/extrae/src/tracer/wrappers/OMP/intel-kmpc-11-
intermediate' #50 45.77 make[5]: *** [Makefile:992: all-recursive]
Error 1 #50 45.77 make[5]: Leaving directory
/workspace/extrae/src/tracer/wrappers/OMP' #50 45.77 make[4]: ***
[Makefile:823: all-recursive] Error 1 #50 45.77 make[4]: Leaving
directory '/workspace/extrae/src/tracer/wrappers' #50 45.77 make[3]:
*** [Makefile:8947: all-recursive] Error 1 #50 45.77 make[3]: Leaving
directory '/workspace/extrae/src/tracer' #50 45.77 make[2]: Leaving
directory '/workspace/extrae/src' #50 45.77 make[2]: ***
[Makefile:815: all-recursive] Error 1 #50 45.77 make[1]: ***
[Makefile:1312: all-recursive] Error 1 #50 45.77 make[1]: Leaving
directory '/workspace/extrae' #50 45.77 make: *** [Makefile:1244: all]
Error 2 #50 ERROR: process "/bin/sh -c make && make install" did
not complete successfully: exit code: 2 --- > [46/48] RUN make &&
make install: 45.77 make[5]: Leaving directory
/workspace/extrae/src/tracer/wrappers/OMP' 45.77 make[4]: ***
[Makefile:823: all-recursive] Error 1 45.77 make[4]: Leaving directory
/workspace/extrae/src/tracer/wrappers' 45.77 make[3]: ***
[Makefile:8947: all-recursive] Error 1 45.77 make[3]: Leaving
directory '/workspace/extrae/src/tracer' 45.77 make[2]: Leaving
directory '/workspace/extrae/src' 45.77 make[2]: *** [Makefile:815:
all-recursive] Error 1 45.77 make[1]: *** [Makefile:1312: all-recursive]
Error 1 45.77 make[1]: Leaving directory '/workspace/extrae' 45.77
make: *** [Makefile:1244: all] Error 2 ---

[33m1 warning found (use docker -debug to expand): [0m -
NoEmptyContinuation: Empty continuation line (line 68)
dockerfile:164 ----- 162 | -with-
binutils=$EXTRAЕ_DIR/binutils
163 | -without-dyninst 164 | >>> RUN make && make install 165 |
166 | # ----- #
----- ERROR: failed to build: failed to solve: process "/bin/sh -
c make && make install" did not complete successfully: exit code: 2
Docker image built and pushed successfully

```

Compile PETGEM Log

```

[CC] src/csem_kernel.c [CC] src/common.c [CC] src/inputs.c [CC]
src/transmitter.c [CC] src/grid.c [CC] src/assembly.c [CC] src/hvfem.c
[CC] src/solver.c [CC] src/postprocessing.c [LD] build/csem_kernel

```

PETGEM compiled successfully

Documentation Log

```
[CLEAN] Cleaning documentation rm -rf
docs/build/html/* docs/doxygen/* docs/source/api/*
docs/source/readme/* docs/build/html [DOC]
Generating Doxygen XML doxygen Doxyfile warning:
ignoring unsupported tag 'CREATE_SUBDIRS_LEVEL'
at line 93, file Doxyfile warning: ignoring
unsupported tag 'MARKDOWN_ID_STYLE' at line
375, file Doxyfile warning: ignoring unsupported tag
'TIMESTAMP' at line 507, file Doxyfile warning:
ignoring unsupported tag 'SHOW_HEADERFILE' at
line 652, file Doxyfile warning: ignoring unsupported
tag 'WARN_IF_INCOMPLETE_DOC' at line 870, file
Doxyfile warning: ignoring unsupported tag
'WARN_IF_UNDOC_ENUM_VAL' at line 888, file
Doxyfile warning: ignoring unsupported tag
'WARN_LINE_FORMAT' at line 925, file Doxyfile
warning: ignoring unsupported tag
'INPUT_FILE_ENCODING' at line 967, file Doxyfile
warning: ignoring unsupported tag
'FORTRAN_COMMENT_AFTER' at line 1168, file
Doxyfile warning: ignoring unsupported tag
'HTML_COLORSTYLE' at line 1421, file Doxyfile
warning: ignoring unsupported tag
'HTML_CODE_FOLDING' at line 1477, file Doxyfile
warning: ignoring unsupported tag
'DOCSET_FEEDURL' at line 1520, file Doxyfile
warning: ignoring unsupported tag 'SITEMAP_URL' at
line 1617, file Doxyfile warning: ignoring
unsupported tag 'FULL_SIDEBAR' at line 1741, file
Doxyfile warning: ignoring unsupported tag
'OBFUSCATE_EMAILS' at line 1772, file Doxyfile
warning: ignoring unsupported tag
'MATHJAX_VERSION' at line 1820, file Doxyfile
warning: ignoring unsupported tag
'GENERATE_SQLITE3' at line 2317, file Doxyfile
warning: ignoring unsupported tag
'SQLITE3_OUTPUT' at line 2325, file Doxyfile
warning: ignoring unsupported tag
'SQLITE3_RECREATE_DB' at line 2333, file Doxyfile
warning: ignoring unsupported tag
'DOT_COMMON_ATTR' at line 2538, file Doxyfile
warning: ignoring unsupported tag
'DOT_EDGE_ATTR' at line 2547, file Doxyfile
warning: ignoring unsupported tag
'DOT_NODE_ATTR' at line 2555, file Doxyfile
warning: ignoring unsupported tag
'DIR_GRAPH_MAX_DEPTH' at line 2721, file Doxyfile
warning: ignoring unsupported tag 'MSCGEN_TOOL'
at line 2855, file Doxyfile Doxygen version used: 1.9.1
Notice: Output directory './docs/doxygen' does not
exist. I have created it for you. Searching for include
files... Searching for example files... Searching for
images... Searching for dot files... Searching for msc
files... Searching for dia files... Searching for files to
exclude Searching INPUT for files to process...
```

Searching for files in directory /app/src Searching for files in directory /app/include Reading and parsing tag files Parsing files Preprocessing /app/src/assembly.c... Parsing file /app/src/assembly.c... Preprocessing /app/src/common.c... Parsing file /app/src/common.c... Preprocessing /app/src/csem_kernel.c... Parsing file /app/src/csem_kernel.c... Preprocessing /app/src/grid.c... Parsing file /app/src/grid.c... Preprocessing /app/src/hvfem.c... Parsing file /app/src/hvfem.c... Preprocessing /app/src/inputs.c... Parsing file /app/src/inputs.c... Preprocessing /app/src/postprocessing.c... Parsing file /app/src/postprocessing.c... Preprocessing /app/src/solver.c... Parsing file /app/src/solver.c... Preprocessing /app/src/transmitter.c... Parsing file /app/src/transmitter.c... Preprocessing /app/include/assembly.h... Parsing file /app/include/assembly.h... Preprocessing /app/include/common.h... Parsing file /app/include/common.h... Preprocessing /app/include/constants.h... Parsing file /app/include/constants.h... Preprocessing /app/include/grid.h... Parsing file /app/include/grid.h... Preprocessing /app/include/hvfem.h... Parsing file /app/include/hvfem.h... Preprocessing /app/include/inputs.h... Parsing file /app/include/inputs.h... Preprocessing /app/include/postprocessing.h... Parsing file /app/include/postprocessing.h... Preprocessing /app/include/receivers.h... Parsing file /app/include/receivers.h... Preprocessing /app/include/solver.h... Parsing file /app/include/solver.h... Preprocessing /app/include/transmitter.h... Parsing file /app/include/transmitter.h... Preprocessing /app/include/version.h... Parsing file /app/include/version.h... Building macro definition list... Building group list... Building directory list... Building namespace list... Building file list... Building class list... Computing nesting relations for classes... Associating documentation with classes... Building example list... Searching for enumerations... Searching for documented typedefs... Searching for members imported via using declarations... Searching for included using directives... Searching for documented variables... Building interface member list... Building member list... Searching for friends... Searching for documented defines... Computing class inheritance relations... Computing class usage relations... Flushing cached template relations that have become invalid... Computing class relations... Add enum values to enums... Searching for member function documentation... Creating members for template instances... Building page list... Search for main page... Computing page relations... Determining the scope of groups... Sorting lists... Determining which enums are

documented Computing member relations... Building full member lists recursively... Adding members to member groups. Computing member references... Inheriting documentation... Generating disk names... Adding source references... Adding xrefitems... Sorting member lists... Setting anonymous enum type... Computing dependencies between directories... Generating citations page... Counting members... Counting data structures... Resolving user defined references... Finding anchors and sections in the documentation... Transferring function references... Combining using relations... Adding members to index pages... Correcting members for VHDL... Computing tooltip texts... Generating style sheet... Generating search indices... Generating example documentation... Generating file sources... Generating code for file include/assembly.h... Generating code for file include/common.h... Generating code for file include/constants.h... Generating code for file include/grid.h... Generating code for file include/hvfem.h... Generating code for file include/inputs.h... Generating code for file include/postprocessing.h... Generating code for file include/receivers.h... Generating code for file include/solver.h... Generating code for file include/transmitter.h... Generating code for file include/version.h... Generating file documentation... Generating docs for file include/assembly.h... Generating docs for file include/common.h... Generating docs for file include/constants.h... Generating docs for file include/grid.h... Generating docs for file include/hvfem.h... Generating docs for file include/inputs.h... Generating docs for file include/postprocessing.h... Generating docs for file include/receivers.h... Generating docs for file include/solver.h... Generating docs for file include/transmitter.h... Generating docs for file include/version.h... Generating docs for file src/assembly.c... Generating docs for file src/common.c... Generating docs for file src/csem_kernel.c... Generating docs for file src/grid.c... Generating docs for file src/hvfem.c... Generating docs for file src/inputs.c... Generating docs for file src/postprocessing.c... Generating docs for file src/solver.c... Generating docs for file src/transmitter.c... Generating page documentation... Generating group documentation... Generating class documentation... Generating docs for compound CsemSource... Generating docs for compound CsemSourceSet... Generating docs for compound Grid... Generating docs for compound Params... Generating namespace index... Generating graph info page... Generating directory documentation... Generating dependency graph for directory src finalizing index lists... writing tag file... Generating XML output... Generating XML output for class CsemSource Generating XML output for class CsemSourceSet Generating XML output for class Grid Generating XML output for class Params Generating XML output for file assembly.h

```

Generating XML output for file common.h Generating
XML output for file constants.h Generating XML
output for file grid.h Generating XML output for file
hvfem.h Generating XML output for file inputs.h
Generating XML output for file postprocessing.h
Generating XML output for file receivers.h
Generating XML output for file solver.h Generating
XML output for file transmitter.h Generating XML
output for file version.h Generating XML output for
file assembly.c Generating XML output for file
common.c Generating XML output for file
csem_kernel.c Generating XML output for file grid.c
Generating XML output for file hvfem.c Generating
XML output for file inputs.c Generating XML output
for file postprocessing.c Generating XML output for
file solver.c Generating XML output for file
transmitter.c Generate XML output for dir
/app/include/ Generate XML output for dir /app/src/
Running plantuml with JAVA... Running dot... lookup
cache used 141/65536 hits=1043 misses=146
finished... [DOC] Running API generator
(api_generator) python3
scripts/auto_doc/api_rst_generator.py Directory
created: ../../docs/source/api Generated:
../../docs/source/api/grid.rst Generated:
../../docs/source/api/inputs.rst Generated:
../../docs/source/api/solver.rst Generated:
../../docs/source/api/transmitter.rst Generated:
../../docs/source/api/hvfem.rst Generated:
../../docs/source/api/csem_kernel.rst Generated:
../../docs/source/api/postprocessing.rst Generated:
../../docs/source/api/assembly.rst Generated:
../../docs/source/api/common.rst Generated/Updated
API index: ../../docs/source/api/index.rst [DOC]
Building Sphinx HTML documentation...
LC_ALL=C.UTF-8 LANG=C.UTF-8 python3 -m sphinx
-b html docs/source docs/build/html Running Sphinx
v4.3.2 making output directory... done building [mo]:
targets for 0 po files that are out of date building
[html]: targets for 17 source files that are out of date
updating environment: [new config] 17 added, 0
changed, 0 removed reading sources... [ 5%]
api/assembly reading sources... [ 11%] api/common
reading sources... [ 17%] api/csem_kernel reading
sources... [ 23%] api/grid reading sources... [ 29%]
api/hvfem reading sources... [ 35%] api/index reading
sources... [ 41%] api/inputs reading sources... [ 47%]
api/postprocessing reading sources... [ 52%]
api/solver reading sources... [ 58%] api/transmitter
reading sources... [ 64%] index reading sources... [
70%] manual/about_petgem reading sources... [ 76%]
manual/contact reading sources... [ 82%]
manual/contributing reading sources... [ 88%]
manual/guide reading sources... [ 94%] manual/install
reading sources... [100%] manual/publications

```

```

looking for now-outdated files... none found pickling environment...
done checking consistency... done preparing documents... done
writing output... [ 5%] api/assembly writing output... [ 11%]
api/common writing output... [ 17%] api/csem_kernel writing output...
[ 23%] api/grid writing output... [ 29%] api/hvfem writing output... [

```

35%] api/index writing output... [41%] api/inputs writing output... [47%] api/postprocessing writing output... [52%] api/solver writing output... [58%] api/transmitter writing output... [64%] index writing output... [70%] manual/about_petgem writing output... [76%] manual/contact writing output... [82%] manual/contributing writing output... [88%] manual/guide writing output... [94%] manual/install writing output... [100%] manual/publications

generating indices... genindex done writing additional pages... search done copying images... [100%] _static/petgem_logo.png

copying static files... done copying extra files... done dumping search index in English (code: en)... done dumping object inventory... done build succeeded.

The HTML pages are in docs/build/html. >>> [DOCS] HTML documentation generated in docs/build/html Total functions: 75 Documented functions: 75 Documentation Coverage: 100.00% Generated badge: ./docs/doc_coverage_badge.svg Documentation generated successfully

Test Log

Info : Running 'gmsh tests/canonical_model/mesh.geo -3' [Gmsh 4.14.1, 1 node, max. 1 thread] Info : Started on Fri Sep 12 15:07:10 2025 Info : Reading 'tests/canonical_model/mesh.geo'... Info : Done reading 'tests/canonical_model/mesh.geo' Info : Meshing 1D... Info : [0%] Meshing curve 1 (Line) Info : [10%] Meshing curve 2 (Line) Info : [10%] Meshing curve 3 (Line) Info : [10%] Meshing curve 4 (Line) Info : [20%] Meshing curve 5 (Line) Info : [20%] Meshing curve 6 (Line) Info : [20%] Meshing curve 7 (Line) Info : [20%] Meshing curve 8 (Line) Info : [30%] Meshing curve 9 (Line) Info : [30%] Meshing curve 10 (Line) Info : [30%] Meshing curve 11 (Line) Info : [40%] Meshing curve 12 (Line) Info : [40%] Meshing curve 13 (Line) Info : [40%] Meshing curve 14 (Line) Info : [40%] Meshing curve 15 (Line) Info : [50%] Meshing curve 16 (Line) Info : [50%] Meshing curve 17 (Line) Info : [50%] Meshing curve 18 (Line) Info : [60%] Meshing curve 19 (Line) Info : [60%] Meshing curve 20 (Line) Info : [60%] Meshing curve 21 (Line) Info : [60%] Meshing curve 22 (Line) Info : [70%] Meshing curve 23 (Line) Info : [70%] Meshing curve 24 (Line) Info : [70%] Meshing curve 25 (Line) Info : [70%] Meshing curve 26 (Line) Info : [80%] Meshing curve 27 (Line) Info : [80%] Meshing curve 28 (Line) Info : [80%] Meshing curve 29 (Line) Info : [90%] Meshing curve 30 (Line) Info : [90%] Meshing curve 31 (Line) Info : [90%] Meshing curve 32 (Line) Info : [90%] Meshing curve 34 (Line) Info : [100%] Meshing curve 35 (Line) Info : [100%] Meshing curve 36 (Line) Info : [100%] Meshing curve 37 (Line) Info : Done meshing 1D (Wall 0.00372284s, CPU 0.004411s) Info : Meshing 2D... Info : [0%] Meshing surface 1 (Plane, Frontal-Delaunay) Info : [10%] Meshing surface 2 (Plane, Frontal-Delaunay) Info : [10%] Meshing surface 3 (Plane, Frontal-Delaunay) Info : [20%] Meshing surface 4 (Plane, Frontal-Delaunay) Info : [20%] Meshing surface 5 (Plane, Frontal-Delaunay) Info : [30%] Meshing surface 6 (Plane, Frontal-Delaunay) Info : [30%] Meshing surface 7 (Plane, Frontal-Delaunay) Info : [40%] Meshing surface 8 (Plane, Frontal-Delaunay) Info : [40%] Meshing surface 9 (Plane, Frontal-Delaunay) Info : [50%] Meshing surface 10 (Plane, Frontal-Delaunay) Info : [50%] Meshing surface 11 (Plane, Frontal-Delaunay) Info : [60%] Meshing surface 12 (Plane, Frontal-Delaunay) Info : [60%] Meshing surface 13 (Plane,

Frontal-Delaunay) Info : [70%] Meshing surface 14 (Plane, Frontal-Delaunay) Info : [70%] Meshing surface 15 (Plane, Frontal-Delaunay) Info : [80%] Meshing surface 16 (Plane, Frontal-Delaunay) Info : [80%] Meshing surface 17 (Plane, Frontal-Delaunay) Info : [90%] Meshing surface 18 (Plane, Frontal-Delaunay) Info : [90%] Meshing surface 19 (Plane, Frontal-Delaunay) Info : [100%] Meshing surface 20 (Plane, Frontal-Delaunay) Info : [100%] Meshing surface 21 (Plane, Frontal-Delaunay) Info : Done meshing 2D (Wall 0.0963722s, CPU 0.11553s) Info : Meshing 3D... Info : 3D Meshing 4 volumes with 1 connected component Info : Tetrahedrizing 3030 nodes... Info : Done tetrahedrizing 3038 nodes (Wall 0.0385838s, CPU 0.03559s) Info : Reconstructing mesh... Info : - Creating surface mesh Info : - Identifying boundary edges Info : - Recovering boundary Info : - Added 8 Steiner points Info : Done reconstructing mesh (Wall 0.0889365s, CPU 0.080173s) Info : Found volume 1 Info : Found volume 4 Info : Found volume 3 Info : Found volume 2 Info : It. 0 - 0 nodes created - worst tet radius 6.5706 (nodes removed 0 0) Info : It. 500 - 494 nodes created - worst tet radius 2.41349 (nodes removed 0 6) Info : It. 1000 - 993 nodes created - worst tet radius 1.96959 (nodes removed 0 7) Info : It. 1500 - 1493 nodes created - worst tet radius 1.72506 (nodes removed 0 7) Info : It. 2000 - 1993 nodes created - worst tet radius 1.58124 (nodes removed 0 7) Info : It. 2500 - 2493 nodes created - worst tet radius 1.76683 (nodes removed 0 7) Info : It. 3000 - 2993 nodes created - worst tet radius 1.39458 (nodes removed 0 7) Info : It. 3500 - 3485 nodes created - worst tet radius 1.33269 (nodes removed 0 15) Info : It. 4000 - 3985 nodes created - worst tet radius 1.28202 (nodes removed 0 15) Info : It. 4500 - 4485 nodes created - worst tet radius 1.23473 (nodes removed 0 15) Info : It. 5000 - 4985 nodes created - worst tet radius 1.19299 (nodes removed 0 15) Info : It. 5500 - 5483 nodes created - worst tet radius 1.15483 (nodes removed 0 17) Info : It. 6000 - 5982 nodes created - worst tet radius 1.12367 (nodes removed 0 18) Info : It. 6500 - 6481 nodes created - worst tet radius 1.09755 (nodes removed 0 19) Info : It. 7000 - 6981 nodes created - worst tet radius 1.07116 (nodes removed 0 19) Info : It. 7500 - 7481 nodes created - worst tet radius 1.04876 (nodes removed 0 19) Info : It. 8000 - 7981 nodes created - worst tet radius 1.02801 (nodes removed 0 19) Info : It. 8500 - 8481 nodes created - worst tet radius 1.00789 (nodes removed 0 19) Info : 3D refinement terminated (11739 nodes total): Info : - 3 Delaunay cavities modified for star shapeness Info : - 19 nodes could not be inserted Info : - 69767 tetrahedra created in 0.410132 sec. (170108 tets/s) Info : 18 node relocations Info : Done meshing 3D (Wall 0.731827s, CPU 0.718266s) Info : Optimizing mesh... Info : Optimizing volume 1 Info : Optimization starts (volume = 2.695e+10) with worst = 0.0126867 / average = 0.76209: Info : 0.00 < quality < 0.10 : 15 elements Info : 0.10 < quality < 0.20 : 25 elements Info : 0.20 < quality < 0.30 : 37 elements Info : 0.30 < quality < 0.40 : 58 elements Info : 0.40 < quality < 0.50 : 81 elements Info : 0.50 < quality < 0.60 : 150 elements Info : 0.60 < quality < 0.70 : 551 elements Info : 0.70 < quality < 0.80 : 826 elements Info : 0.80 < quality < 0.90 : 1062 elements Info : 0.90 < quality < 1.00 : 555 elements Info : 76 edge swaps, 3 node relocations (volume = 2.695e+10): worst = 0.258139 / average = 0.776045 (Wall 0.00141238s, CPU 0.001412s) Info : 78 edge swaps, 3 node relocations (volume = 2.695e+10): worst = 0.300235 / average = 0.776415 (Wall 0.00176584s, CPU 0.001722s) Info : No ill-shaped tets in the mesh :) Info : 0.00 < quality < 0.10 : 0 elements Info : 0.10 < quality < 0.20 : 0 elements Info : 0.20 < quality < 0.30 : 0 elements Info : 0.30 < quality < 0.40 : 62 elements Info : 0.40 < quality < 0.50 : 79 elements Info : 0.50 < quality < 0.60 : 147 elements Info : 0.60 < quality < 0.70 : 544 elements Info : 0.70 < quality < 0.80 : 830

elements Info : 0.80 < quality < 0.90 : 1072 elements Info : 0.90 < quality < 1.00 : 558 elements Info : Optimizing volume 2 Info : Optimization starts (volume = 1.925e+09) with worst = 0.145936 / average = 0.52348: Info : 0.00 < quality < 0.10 : 0 elements Info : 0.10 < quality < 0.20 : 12 elements Info : 0.20 < quality < 0.30 : 6 elements Info : 0.30 < quality < 0.40 : 28 elements Info : 0.40 < quality < 0.50 : 56 elements Info : 0.50 < quality < 0.60 : 1089 elements Info : 0.60 < quality < 0.70 : 2 elements Info : 0.70 < quality < 0.80 : 0 elements Info : 0.80 < quality < 0.90 : 0 elements Info : 0.90 < quality < 1.00 : 0 elements Info : 1 edge swaps, 5 node relocations (volume = 1.925e+09): worst = 0.145936 / average = 0.523745 (Wall 0.000348229s, CPU 0.000261s) Info : No ill-shaped tets in the mesh :-) Info : 0.00 < quality < 0.10 : 0 elements Info : 0.10 < quality < 0.20 : 12 elements Info : 0.20 < quality < 0.30 : 4 elements Info : 0.30 < quality < 0.40 : 28 elements Info : 0.40 < quality < 0.50 : 59 elements Info : 0.50 < quality < 0.60 : 1089 elements Info : 0.60 < quality < 0.70 : 2 elements Info : 0.70 < quality < 0.80 : 0 elements Info : 0.80 < quality < 0.90 : 0 elements Info : 0.90 < quality < 1.00 : 0 elements Info : Optimizing volume 3 Info : Optimization starts (volume = 1.925e+10) with worst = 0.0153404 / average = 0.754145: Info : 0.00 < quality < 0.10 : 58 elements Info : 0.10 < quality < 0.20 : 200 elements Info : 0.20 < quality < 0.30 : 435 elements Info : 0.30 < quality < 0.40 : 718 elements Info : 0.40 < quality < 0.50 : 1223 elements Info : 0.50 < quality < 0.60 : 2165 elements Info : 0.60 < quality < 0.70 : 4188 elements Info : 0.70 < quality < 0.80 : 7209 elements Info : 0.80 < quality < 0.90 : 9877 elements Info : 0.90 < quality < 1.00 : 5157 elements Info : 665 edge swaps, 32 node relocations (volume = 1.925e+10): worst = 0.208316 / average = 0.766761 (Wall 0.0130132s, CPU 0.012996s) Info : 672 edge swaps, 34 node relocations (volume = 1.925e+10): worst = 0.265054 / average = 0.76689 (Wall 0.016028s, CPU 0.016004s) Info : No ill-shaped tets in the mesh :-) Info : 0.00 < quality < 0.10 : 0 elements Info : 0.10 < quality < 0.20 : 0 elements Info : 0.20 < quality < 0.30 : 2 elements Info : 0.30 < quality < 0.40 : 689 elements Info : 0.40 < quality < 0.50 : 1236 elements Info : 0.50 < quality < 0.60 : 2143 elements Info : 0.60 < quality < 0.70 : 4214 elements Info : 0.70 < quality < 0.80 : 7273 elements Info : 0.80 < quality < 0.90 : 9949 elements Info : 0.90 < quality < 1.00 : 5136 elements Info : Optimizing volume 4 Info : Optimization starts (volume = 1.925e+10) with worst = 0.00510254 / average = 0.755429: Info : 0.00 < quality < 0.10 : 89 elements Info : 0.10 < quality < 0.20 : 225 elements Info : 0.20 < quality < 0.30 : 471 elements Info : 0.30 < quality < 0.40 : 760 elements Info : 0.40 < quality < 0.50 : 1301 elements Info : 0.50 < quality < 0.60 : 2302 elements Info : 0.60 < quality < 0.70 : 4396 elements Info : 0.70 < quality < 0.80 : 8026 elements Info : 0.80 < quality < 0.90 : 10775 elements Info : 0.90 < quality < 1.00 : 5639 elements Info : 748 edge swaps, 21 node relocations (volume = 1.925e+10): worst = 0.211918 / average = 0.7679 (Wall 0.0143483s, CPU 0.014246s) Info : 757 edge swaps, 23 node relocations (volume = 1.925e+10): worst = 0.211918 / average = 0.767986 (Wall 0.0176216s, CPU 0.017452s) Info : No ill-shaped tets in the mesh :-) Info : 0.00 < quality < 0.10 : 0 elements Info : 0.10 < quality < 0.20 : 0 elements Info : 0.20 < quality < 0.30 : 7 elements Info : 0.30 < quality < 0.40 : 764 elements Info : 0.40 < quality < 0.50 : 1300 elements Info : 0.50 < quality < 0.60 : 2319 elements Info : 0.60 < quality < 0.70 : 4434 elements Info : 0.70 < quality < 0.80 : 8026 elements Info : 0.80 < quality < 0.90 : 10853 elements Info : 0.90 < quality < 1.00 : 5615 elements Info : Done optimizing mesh (Wall 0.105076s, CPU 0.101613s) Info : 11797 nodes 75048 elements Info : Writing 'tests/canonical_model/mesh.msh'... Info : Done writing

'tests/canonical_model/mesh.msh' Info : Stopped on Fri Sep 12
15:07:11 2025 (From start: Wall 1.04634s, CPU 1.04555s) Created
tests/canonical_model/params_nord1.txt Created
tests/canonical_model/params_nord2.txt PETGEM test
preprocessing completed

CI workflow completed at Fri Sep 12 15:07:29 UTC 2025

1.