Softdocs

User Import File Requirements

User Imports support a text file format. The file is a delimited record format that uses a comma or tab as the field separator character and a CRLF as the record delimiter. **Note**: Tab delimited is ***strongly*** recommended since commas can sometimes be in the data and cause mapping issues. Once file creation is automated, it should ***not*** send empty files and should have a ***static*** name (no dates appended to it).

This file should be dropped in directory **W:\Softdocs\Imports\UserImports** on your hybrid server.

The import needs the following fields unless otherwise specified (* indicates required):

1. ***Username**: The id the user enters to identify themselves based on your authentication store (e.g., jsmith).
2. ***First Name**: The first name of the user.
3. ***Last Name**: The last name of the user.
4. ***Email**: A contact email address for the user. This will be used to send notifications to the user.
5. **Active/Inactive flag**: A flag that indicates the user is allowed to use the system. Specify yes, Y, true, 1, on, or active if the user is allowed to use Etrieve. Specify any other value if the user is not allowed to use Etrieve.
6. **Personal Identifier**: personal identifier for the user. An ID (e.g., StudentID, EmployeeID, VendorID, SSN, ErpId) ,that uniquely identifies this user. ***This field is optional. We will use ErpId unless one is specified.***
7. **Groups**: The names of zero or more Etrieve groups the user should be associated with during the import. Multiple group values must be separated by a semicolon (;) or pipe (|). If a group with a given name does not exist, it will be created during the import. Group name matching is case insensitive (e.g., Group 1 = GROUP 1). ***This is optional but helpful if available to place users in the proper security group.***
8. **ExternalID**: A stable, non-volatile serial number assigned to a user account that is shared in common with the managing account. This is used for positively and uniquely identifying a user account. When properly used the Etrieve account will be updated with upstream data changes regardless of information or name changes applied to the other account. Utilization of this field allows for the update of Account Usernames. ***This is optional if it is already a mapped claim in SSO setup and imports will only be sending new users, not updates. If including updates (such as name changes) this must be included.***

Example of Good Etrieve Delimited Records Using GUIDs as ExternalID which are system generated and stable

```
ssmith	Susie	Smith	ssmith@email.com	active	1	12345678	EmployeeID	Group1;Group2
	Role1;Role2	00fecc2a-195e-4c88-a10b-981a6881fa00
jsmith	John	Smith	jsmith@email.com	active	1	23456789	EmployeeID	Group1;Group3
	Role2;Role3	FphnvXza1nkx//y32E++HZs8Z2HZgxot07i1aI=
```

Example of Bad Etrieve Delimited Records Using Emails as ExternalID which are subject to username change

```
ssmith	Susie	Smith	ssmith@email.com	active	1	12345678	EmployeeID	Group1;Group2
	Role1;Role2	smith@email.com
jsmith	John	Smith	jsmith@email.com	active	1	23456789	EmployeeID	Group1;Group3
	Role2;Role3	jsmith@email.com
```