From Uploads to Questions: A Provenance-Aware Expansion of ET Channeling Research on YouTube

Channeling Atlas living research draft
Human authorship, affiliations and institutional determination pending

Evidence revision: 23 October 2026

Exploratory computational research resource. Not submitted or accepted.
AI-assisted analysis and model-agent review are disclosed; no human validation is implied.

Abstract

Public videos attributed to extraterrestrial (ET) channeling are distributed by practitioners, interviewers, archive accounts and repost publishers. A channel crawl can enlarge an index while leaving the speaker, original performance and substantive answer unresolved. This exploratory expansion of Channeling Atlas therefore treats collection, representation and interpretation as separate measurement stages. It preserves the prior 925-upload snapshot, implements practitioner- and entity-aware search and channel collection, audits coverage and publishing concentration, and creates a source-addressable question-answer database from retained digest material. The available Q&A layer contains 949 AI-digest paraphrase candidates from 67 uploads and one practitioner context; it does not provide cross-practitioner transcript answers. Dictionary extraction and lexical retrieval expose repeated questions and answer vocabulary with source pointers, while the retained caption embeddings support bounded sensitivity diagnostics. New source collection outcomes are reported from actual request logs, including access denials, rather than inferred from installed tools or prepared queries. The resource links an expanded dashboard, executable analyses, generated plots, SQLite/JSON/CSV exports, and a living manuscript. Its contribution is an inspectable bridge from a heterogeneous public-video index to carefully typed analytical units. It does not establish extraterrestrial origins, answer truth, a population census, human construct validation, or independent peer review.

1 Introduction

An upload title containing "Bashar," "Ashtar" or "Arcturian" may introduce a live performance, an interview, an old excerpt, a translated repost or a discussion by someone else. A channel name identifies the publisher of that upload; it does not necessarily identify its speaker. A long caption document may contain a host's introduction, audience questions, promotional material and an attributed message. Consequently, computational comparisons become ambiguous when they collapse publisher, practitioner, attributed entity, recording and answer into one unit.

The first Channeling Atlas release addressed this problem through a frozen public-video index, source reconciliation, sampled upload lengths, title and caption representations, and sensitivity checks. The present phase asks how to extend that resource toward richer content analysis without treating search results as a census or summary text as a transcript. The practical brief is broad: investigate channels

and materials, collect metadata and offered captions where accessible, search practitioner and entity names, extract keywords, compare questions and answers, and revise the paper and dashboard through additional critical review.

We implement the parts supported by retained evidence and current access. We also make the absent observations visible. In particular, a separately indexed question-answer candidate is useful for retrieval even when its wording is an AI-generated digest paraphrase. It becomes misleading if readers assume a literal spoken question, a verified reply from a named entity, or an answer independently collected from multiple practitioners. Our schema and presentation retain these distinctions at record level.

We organize the expansion around five research questions:

RQ1: How concentrated and uneven is the retained upload sample, and which measurement layers remain missing?

RQ2: How do sampled upload duration and visible keyword framing vary together, without inferring complete channel histories or validated content formats?

RQ3: What question-answer material can be indexed with an auditable source and attribution, and what common-question comparisons does it actually support?

RQ4: How do text-layer and publisher dependencies affect the interpretation of the retained representations?

RQ5: Which additional collection and validation steps would discriminate plausible interpretations rather than merely produce larger models or more plots?

The contribution is a reproducible research extension: an explicit search frame and collector, a typed Q&A database, source-linked keyword extraction, expanded descriptive diagnostics, and a revised evidence explorer and paper. No claim of algorithmic novelty follows from applying TF–IDF, cosine similarity, regular expressions or open-source download software. The proposed methodological value lies in connecting these familiar tools to provenance, abstention and failure states in a small heterogeneous corpus.

2 Background and Related Work

2.1 Matched questions and naturalistic public videos

Controlled or prospective channeling studies and naturalistic public videos answer different questions. Anastasia et al. (2020) examine elicited content from thirteen trance channels with qualitative methods. Wahbeh et al. (2023) use scientist-supplied questions and distinguish quantitative correspondence in seven US participants from qualitative work across fifteen participants in two countries. Shared thematic categories in those studies do not establish identical answers, independent information or source verification. Their relevance here is the design emphasis on a question and its context.

The related 2026 prospective semantic and qualitative articles describe a three-channeler program (Wahbeh and Glick, 2026b,a). The retained register distinguishes accessible institutional abstracts and supplement artifacts from unavailable publisher full texts. We therefore use the program as a design comparator for matched prompts, not as an independently reproduced result. An archival study querying two collections through a common AI system introduces another unit: model-generated responses to shared prompts (Wahbeh et al., 2026). Such responses are distinct from a recorded answer and cannot be pooled with our digest candidates or caption vectors.

A genuine cross-practitioner answer study requires more than common vocabulary. It needs comparable prompts, sufficiently complete answer spans, attribution to the answering speaker, treatment of repeated performances, and an explicit relation code such as agreement, qualification, disagreement or

indeterminate. Our current Q&A material does not meet that design for multiple practitioners. This negative scope finding constrains the present results rather than invalidating source-linked indexing.

2.2 YouTube as a constructed dataset

YouNiverse demonstrates the importance of documenting how channels and videos enter a metadata resource (Horta Ribeiro and West, 2021). Its scale, thresholds and sampling weights belong to that collection and cannot be inherited by a curated ET-channeling index. Searching every known alias remains purposive selection, and a refreshed URL is not an observation of all uploads on its channel.

Tube2Vec is a close representation precedent: it creates channel embeddings from title and description representations of sampled videos and evaluates representations on human tasks (Boesinger et al., 2024). Channel centroids and MiniLM are therefore established techniques. Our expansion instead emphasizes the correspondence between record type and permitted interpretation: title resemblance, caption resemblance, paraphrase retrieval and answer agreement remain separate constructs.

Research on religious YouTube content separates narrative, visual and audience dimensions (Chen et al., 2026). That separation motivates placing each present analysis under a specific question and measurement layer. Studies of platform pathways and content reuse also motivate explicit coding and source tracing (Ota et al., 2025; Starbird et al., 2018). Their political or community classifications are not transferred to the people in this corpus. We do not observe viewing paths, recommendation exposure, audience belief or causal influence.

2.3 Transparent extraction and substantive validation

Text-as-data research emphasizes that a computational output needs validation for its intended inference (Grimmer and Stewart, 2013). We use explicit keyword dictionaries because readers can inspect a rule, a matched record and a denominator. Transparency does not establish semantic validity: a match can be metaphorical, negated, quoted or a host's language, while an unmatched synonym can express the same idea.

Topic-model studies distinguish interpretability, coherence and reliability (Chang et al., 2009; Doogan and Buntine, 2021; Hoyle et al., 2021; Schroeder and Wood-Doughty, 2025). Newer work on large-language-model topic descriptions likewise warns that fluent summaries can remain generic without domain participation (Li et al., 2025). We therefore do not rename dictionary counts "validated topics," infer a speaker's position from a theme label, or treat model-agent agreement as a reliability statistic.

Sentence-BERT provides an established basis for separately encoded sentence comparison (Reimers and Gurevych, 2019); embedding benchmark results remain task- and language-dependent (Muennighoff et al., 2023; Enevoldsen et al., 2025). The inherited pinned MiniLM features are an auditable baseline, not a claim of current best performance. Alternative encoders, topic models, speech recognition and keyword-ranking packages are distinguished as executed, inspected or proposed in the software register.

2.4 Source access and literature scope

This is a targeted related-work update, not a systematic review. The prior 28-source register retains reading locations and access depth. This phase additionally records actual source requests and software README/license retrieval. A denied publisher request is an access observation; it does not show that the article is absent or that a cited method has been reproduced. Software documentation establishes

supported features and caveats, not scientific validation on this discourse.

3 Data, Identity and Evidence Layers

3.1 Preserved baseline and new extension

The scientific baseline is the reviewed October 2026 snapshot preserved at GitHub commit `bbe4801`; the continuation handoff is `1d6eb36`. Full commit identifiers and input hashes are recorded in the source manifest. The former paper, data, plots and reviews remain intact. This extension writes new artifacts and fresh review records. Historical review receipts are evidence about their original files, not certificates for this manuscript.

The inherited union combines 482 atlas video identifiers with 457 valid unique archive identifiers, of which fourteen overlap, producing 925 unique uploads. Nine archive rows without a usable identifier remain leads. The source directory contains account routes, aliases and unresolved records, rather than a count of unique humans. Refreshed watch-page metadata and explicitly labeled inherited values supply duration and date fields. The new diagnostics recompute summaries from that frozen evidence unless an explicitly logged collection result is identified.

Measurement layer	Available	Indexed pool	Share
Publishing account resolved	886	925	95.8%
Positive upload duration	881	925	95.2%
Exact upload date	880	925	95.1%
English-likely eligible title	742	925	80.2%
Frozen English caption pilot	30	925	3.2%

Table 1: Inherited snapshot coverage. The caption row is selected pilot inclusion, not estimated caption availability. Denominators describe known uploads.

3.2 A typed identity model

We distinguish (1) a human practitioner, (2) a publishing account, (3) a YouTube upload, (4) an original performance/session, (5) a text artifact or derived record, and (6) a publicly attributed entity label. These relationships are many-to-many. A practitioner may appear on several interview accounts. One account may host several practitioners. One performance can be edited into several uploads, and one attributed label can be used by more than one human.

Only explicit source-supported aliases are merged. A matching first name or entity term is insufficient. Records retain unresolved identity links and adjacent spiritual or historical material. This prevents discovery coverage from becoming a misleading active-medium count. Original-session grouping remains incomplete; exact upload-ID deduplication and repeated-title exclusion are deliberately narrower operations.

3.3 Metadata, captions and digest paraphrases

The baseline provides 881 usable durations, 880 exact upload dates and 742 eligible titles within the known index. These describe the indexed records, not the full platform. Publication dates can date

reposts rather than performances. Language decisions on short titles are heuristic, and titles are publisher framing rather than complete speech.

The retained caption pilot attempted 36 uploads, retrieved 34 tracks and retained 30 English documents in the balanced analysis. Thirty-two of the retrieved tracks are platform-labeled automatic and two are platform-labeled manual; the manual flag is not an accuracy audit. None was audio-corrected or speaker-diarized. Numeric derivatives are retained, but raw captions and model weights are absent from the public checkout. This extension does not claim that those derivatives recreate transcript text or that new raw-caption inference has occurred.

The Q&A source layer is different again. Its 949 candidates come from 67 Q&A-bearing digests among 75 retained AI-generated digests of Darryl Anka-related uploads. They contain question paraphrases and answer gists, not verbatim turns. Some source videos are interviews, clips or mixed formats. We preserve their practical discovery value while setting speaker verification to false and withholding invented timestamps or exact quotations.

4 Methods

4.1 Search, channel crawling and acquisition status

The collection plan expands names into explicit query records rather than hiding search choices in an informal browsing history. Its units include practitioner names, documented aliases, attributed entity terms and account URLs. The implemented query templates combine a quoted name with *channeling*, *questions answers*, or *interview*, plus quoted name/entity combinations when the entity label differs from the name. Each planned query has its rationale and scope; entity names are discovery terms rather than proof of attribution. Per-account caps and a fixed ordering make the selected subset reviewable. Search-result ranks remain platform outputs at a time, not stable inclusion probabilities.

The collector uses ordinary public endpoints and open-source software. `yt-dlp` supports flat channel/search metadata enumeration without media acquisition; flat results can omit details, so a flat record is not silently promoted to complete watch metadata. `youtube-transcript-api` retrieves offered caption tracks and records language and automatic/manual flags. Runtime source and version manifests distinguish an installed package from a successfully executed acquisition operation. Where a metadata date is approximate, it remains approximate.

Access outcomes are explicit. The current environment's restricted outbound policy denied ordinary YouTube watch requests with a proxy tunnel HTTP 403. Required domains were saved to the environment configuration draft; that action did not apply the policy or create successful crawls. Collector preflight and failure manifests preserve the difference between a prepared query, an attempted request, an unavailable caption and a successful artifact. A policy denial is not evidence that a video is deleted or that its channel has no speech.

No proxy rotation, cookies, paywall circumvention, CAPTCHA bypass or private-account access is used. Suggestions in third-party software documentation to rotate residential proxies are not adopted. A supported public API with a properly scoped credential is an alternative collection route if later configured; no API access is assumed in this release. The client environment already routes HTTPS through its session proxy, a transport arrangement distinct from rotating exit identities to evade a denial.

4.2 Keyword extraction and denominators

We report keyword-based extraction explicitly in both methodology and record-level outputs. The nine retained theme families cover contact/disclosure, agency/beliefs, healing, consciousness, energy, society, relationships, practice, and time/realities. Their executable regular expressions are retained. Additional Q&A extraction applies theme and answer-modality rules separately to the question paraphrase and answer gist. Overlapping families can match a single record; their counts must not be summed as a partition of content.

For document v and dictionary family t, title presence is

$$I_{vt} = \mathbb{1}\{\text{at least one documented expression from } t \text{ matches the title}\}. \tag{1}$$

Within a duration band or account, the presence share divides the number of matched eligible titles by the eligible titled uploads in that group. The caption rate is a separate quantity, the number of matches per 1,000 tokenizer-defined words. Neither quantity is a percentage of time devoted to a theme. Question and answer counts likewise have distinct text opportunities. A difference between long captions and short titles can arise mechanically because long text offers more chances to match.

The rules preserve an inspectable baseline and candidate retrieval path. They do not resolve negation, sarcasm, quotation, speaker identity, ontology, correctness or comprehensive theme prevalence. Keyword candidates guide close reading; they do not replace it. We retain examples that challenge the codebook and leave unmatched records as unmatched rather than inventing a catch-all interpretation.

4.3 Source-addressable Q&A database

Each candidate has a stable identifier, video identifier, source URL, source file SHA-256, JSON pointer, question paraphrase, answer gist, publisher fields, contextual practitioner/entity fields, evidence type and verification state. The version-1 schema specifically describes inherited digest candidates; it is not a generic schema of verified transcript turns. SQLite provides structured queries and joins; JSON and CSV support inspection and exchange. Source hashes and pointers make a result traceable to a particular retained digest revision. Null timestamps are meaningful missing data and do not become zeros.

Exact wording is not treated as original speech. The evidence type is `ai_digest_paraphrase`; a candidate may be useful while its literal transcript turn remains unavailable. Publisher attribution resolves where an upload appears. Practitioner context describes the digest corpus, and an entity label describes its source framing. Neither automatically confirms the answer speaker. Cross-practitioner answer analysis remains unavailable in this source layer because all retained candidates concern one practitioner context.

Common-question retrieval uses lexical representations of question paraphrases. Question and answer-gist matrices are fitted separately with word unigrams/bigrams, English stop words, minimum document frequency one, sublinear term frequency, smooth inverse-document frequency and L2 normalization. All question pairs from distinct upload IDs with cosine at least 0.40 are retained; this is a retrieval cutoff, not a calibrated semantic equivalence threshold. Let x_i be the TF–IDF vector of candidate question i. Candidate neighbors are ordered by

$$s_{ij}^{(Q)} = \frac{x_i^\top x_j}{\|x_i\|_2 \|x_j\|_2}. \tag{2}$$

The corresponding answer-gist score $s_{ij}^{(A)}$ is computed separately. A high question score indicates shared wording under this representation; a high answer score indicates shared answer vocabulary.

Neither measures agreement, completeness or truth. Near-identical formulas can produce high scores while substantively distinct qualifications remain important. Scores from the same upload are separated from cross-upload candidates, and no lexical threshold is relabeled as a calibrated match probability.

4.4 Model-assisted close reading

The extraction review examines selected source digests and candidate neighbors against their question and answer-gist fields. Reviewers record why a pair is topical, formulaic, contextually ambiguous or unsupported. These are model-assisted interpretations of summaries. They are not blinded human annotations, inter-rater agreement estimates, a transcript accuracy audit or direct audiovisual observation. A useful disagreement between code and reading is retained as a limitation and a codebook correction candidate.

The next empirical annotation phase should preserve the prompt and full answer window, mask model rank where appropriate, and code at least topical overlap, proposition agreement, qualification, disagreement and indeterminate. Human coders should receive an explicit codebook and a held-out adjudication set. That work is proposed, not retrospectively claimed here.

4.5 Coverage, concentration and duration diagnostics

Coverage is measured at the unit actually observed. For a field f, the missing share is $1-n_f/N$, where N is the relevant indexed pool. Publisher-level caption selection is distinguished from upload-level availability; failure in a small selected pilot cannot estimate all-channel caption access.

For attributed uploads, publisher concentration is summarized by shares $p_c = n_c/\sum_c n_c$, the Herfindahl concentration $\sum_c p_c^2$, effective publisher count $1/\sum_c p_c^2$, and cumulative leading-account shares. These describe how much a few publishing routes contribute to the retained sample. The measures do not identify media influence or practitioner prevalence.

Duration bands summarize observed upload length. They are named by minutes rather than assumed genres. Long recordings can still be interviews or compilations, and short recordings can contain substantive answers. Associations between duration and dictionary presence use eligible titles and expose their denominators. Caption selection contrasts use deterministic empirical quantiles; no caption-selection resampling was performed. The new publisher-label negative controls use the fixed seed and unit documented in the executable protocol. Historical balanced title resampling remains a separately recorded prior analysis. All outputs are scoped to the retained sample; sampling bias and unresolved performance reuse remain.

4.6 Retained representations and sensitivity

The inherited encoder is the pinned `all-MiniLM-L6-v2` ONNX CPU model. Caption processing uses deterministic chunks and explicit normalization; public numeric outputs allow recalculating comparisons, while source-text re-inference requires local authorized captions and verified model artifacts. Within- and between-publisher pair scores share documents and therefore are dependent. Account-pair counts are not independent participant counts. Equal-account summaries first average within each eligible account and between each eligible account pair, then compare those averages. They address weighting of the observed sample; they do not create human-level independence. Leave-one-publisher-out ranges remove a publisher and its incident pairs and quantify influence, not confidence intervals.

The prior matched title/caption comparison uses the same 22 videos from eleven accounts, yielding 55 account pairs. Boundary trimming, name/genre masking, title-string exclusion, balanced sampling and token-weighted pooling perturb different decisions. A stable global ordering can coexist with a changed nearest neighbor. These comparisons are descriptive diagnostics and do not establish speaker signatures or attributed-entity communication.

5 Results

5.1 Implemented collection and observed access

The new plan contains 106 inherited practitioner/lineage/partial-name candidates, 590 planned keyword queries, 157 planned account crawls and 215 proposed caption candidates, alongside 925 retained upload IDs. These are different units and are not additive. The recorded initial preflight attempted 1 ordinary watch request and observed 1 policy block; newly successful collection operations total 0. Therefore no new search results, channel histories, metadata records or captions are added by this collection phase.

The installed collector dependencies are `yt-dlp 2026.10.21` and `youtube-transcript-api 1.2.4`. The observed watch preflight used Python standard-library `urllib`; no successful tool-backed crawl or caption retrieval occurred. Package import and dependency checks establish local availability, while mocked safety tests establish selected control behavior; neither is successful platform retrieval. The documented query forms are quoted practitioner name with *channeling*, *questions answers*, or *interview*, plus documented name/entity combinations. Other spelling variants are proposed sensitivity checks.

5.2 Coverage and publisher concentration

Of 925 retained uploads, 886 resolve to 180 nonempty publisher groups, while 39 remain unresolved. The largest ten groups contribute 38.04% of attributed uploads; the largest twenty contribute 66.93%. Thus the exploratory direction check that the largest ten exceed half is disconfirmed in this sample. These checks were recorded after inspection of the schema and prior summaries, before the new computations; they are not preregistered. The upload-count Gini is 0.671; inverse-Herfindahl effective representation is 40.30 equally sized groups. These are sample concentration measures, not audience or practitioner statistics.

5.3 Caption selection does not favor longer recordings in this snapshot

The 30 English pilot uploads have median observed length 8.61 minutes, compared with 19.37 minutes in the other 851 indexed uploads with known duration. Restricting the comparison to the pilot's 17 publisher groups gives median 12.04 minutes among 430 other known-duration uploads. The pilot therefore does not have a larger median in either descriptive contrast. This disconfirms the proposed longer-pilot direction, but it is not an estimate of how duration causes caption availability: the pilot selection was purposive and its failures were limited.




Figure 1: Availability of retained measurement layers. The selected caption-pilot row is inclusion in this released pilot, not a census of offered-caption availability. Missing observations are not negative content findings.




Figure 2: Publishing-account concentration among attributed retained uploads. Ranks and cumulative shares describe sample composition. They do not measure followers, views, influence or unique human practitioners.

5.4 Length and title-keyword framing depend on aggregation

The title/duration diagnostic uses 702 eligible titles with measured duration: 431 uploads shorter than thirty minutes and 271 of at least thirty minutes. Only 11 accounts meet the paired-account rule on both sides. The pooled direction agrees with the paired-account median direction in two of nine dictionary families. Six paired medians are exactly zero; they must not be described as six reversed effects.

The society/world-events family illustrates an actual sign change: its pooled long-minus-short presence contrast is +4.89 percentage points, whereas the median paired-account contrast is -4.55 points. The compared pools and weighting differ; this is evidence to inspect composition, not a causal duration effect or a full Simpson-paradox identification.

Dictionary family	Pooled long–short, pp	Median account contrast, pp	Groups
ET contact & disclosure	+2.82	+0.00	11
Choice, beliefs & manifestation	+0.43	+0.00	11
Healing & wellbeing	-3.26	+0.00	11
Consciousness & awakening	-0.74	-4.55	11
Energy & frequency	-5.70	-3.33	11
Collective & world events	+4.89	-4.55	11
Love & relationships	-1.21	+0.00	11
Meditation & practice	-1.12	+0.00	11
Time, dimensions & realities	+6.50	+0.00	11

Table 2: Duration contrast among eligible titles. Families overlap. Per-account estimates use the separately eligible paired-account subset; a zero median is not a directional reversal.

5.5 Publisher resemblance remains a descriptive property of text

The new upload-pair diagnostic intersects the existing title and caption derivatives, yielding 25 uploads from 14 publishers. This includes groups that do not meet the older two-document account-centroid threshold, so it differs from the prior 22-video/eleven-account centroid comparison. Both new text-layer diagnostics use the same 25 uploads. The mean same-publisher minus different-publisher cosine is 0.154 for captions and 0.229 for titles. The scores describe resemblance under fixed representations, not the probability of shared authorship, an attributed entity or answer agreement.

There are 11 same-publisher and 289 different-publisher upload pairs; 11 accounts have a within-account pair and 3 accounts are singletons. An equal-account sensitivity gives separation 0.153 for captions and 0.229 for titles across 11 eligible focal publishers. Omitting each publisher in turn gives caption separation 0.121–0.179 and title separation 0.186–0.259. These deterministic influence ranges are not confidence intervals.

Caption minus title pooled separation is -0.075; its equal-account analogue is -0.075. Cosine scales are representation-specific, so the difference is a descriptive sensitivity rather than a calibrated amount of semantic or practitioner signal.

The label-shuffle reference permutes publisher labels on the fixed vectors while preserving group sizes (2,000 seed-42 permutations). It is a descriptive negative control, not a population p-value or independent-pair confidence interval. Unresolved original-session reuse, account boilerplate, hosts and publisher formatting remain explanations for a within-publisher advantage. A failure to resemble




Figure 3: Observed duration distributions for the English caption pilot, other indexed uploads, and other uploads from pilot publishers. Quartile spans describe observed records; they are not confidence intervals or corrected population estimates.




Figure 4: Title dictionary presence by observed upload-duration band. Cell denominators are eligible titled uploads with measured duration. Keywords indicate visible framing, not time spent on a theme or validated spoken content.

arbitrary shuffled labels does not isolate a practitioner mechanism.

5.6 Repeated title strings are not original-session families

The new explicitly normalized eligible-title audit finds 2 repeated-string families involving 4 documents among 742 eligible titles; none spans different resolved publishers. Its normalization is different from the inherited embedding-deduplication pipeline. The inherited pipeline's pair-order correlation after its own exclusion rule is 0.992, while raw versus name/genre-masked title rankings correlate at 0.626. These are distinct operations and counts. Neither audit establishes that differently titled uploads are different original performances.

5.7 Question-answer candidates: useful retrieval, one practitioner context

The database indexes all 949 retained question/answer-gist entries from 67 Q&A-bearing digests among 75 source digests. All belong to one Darryl Anka-related practitioner context. They span 27 resolved publisher IDs; 105 candidates lack a resolved publisher ID and remain in 7 inherited-name groups. There are 0 literal transcript turns, 0 verified answer-speaker candidates, and 0 human-reviewed candidates in this layer. The other inherited practitioner candidates do not acquire Q&A rows merely because they appear in the discovery frame.

Source-digest format	Q&A-bearing uploads	Candidates
Q&A only	5	35
clip	6	25
interview with Darryl Anka	20	353
monologue+Q&A	36	536

Table 3: Inherited digest format labels among Q&A-bearing uploads. Labels are retained source metadata, not a newly validated format taxonomy or answer-speaker annotation.

Q&A dictionary family	Question matches	Answer-gist matches
ET contact and disclosure	155	165
Excitement and life direction	55	115
Beliefs, emotions and relationships	78	188
Consciousness and parallel realities	160	348
Channeling and spiritual practices	89	148
Body, health and physical claims	82	265
Time windows and predictions	31	51
History, society and institutions	42	125

Table 4: Overlapping keyword matches in question paraphrases and answer gists. Both columns use 949 candidates but different text fields and lengths. Counts are neither validated themes nor measures of agreement.

There are 936 unique normalized question strings and 11 repeated-string groups. Across distinct uploads, 127 question pairs meet the lexical cosine threshold of 0.40. Excluding identical normalized question wording leaves 112 pairs. These are candidate retrievals, not independent question occurrences or evidence that separate original sessions answered the same prompt.




Figure 5: Same- versus different-publisher cosine summaries on fixed title and caption derivatives. Pair entries reuse uploads and are dependent. The new matched upload pool differs from the earlier thresholded centroid cohort.




Figure 6: Fixed-vector publisher-label shuffle reference. Labels are permuted with group sizes preserved. The distribution is a descriptive diagnostic, not a population null distribution, a calibrated p-value or evidence about communication origin.

The retrieval count is sensitive to its exploratory cutoff: increasing question cosine from 0.40 to 0.90 reduces candidate pairs from 127 to 18. At 0.40, the 127 candidate matches occupy 71 distinct upload pairs; the three leading upload pairs supply 30 matches (23.6%). Concentration can reflect shared questions, reused original material or summary normalization. It is not an observed repost rate or an independent-session count.

Minimum question cosine	Candidate question pairs	Distinct upload pairs
0.40	127	71
0.50	73	34
0.60	47	19
0.70	34	11
0.80	24	11
0.90	18	9

Table 5: Exploratory lexical retrieval sensitivity. These thresholds recount the retained question candidates and are not validated equivalence cutoffs. Distinct upload pairs can still share an original performance.

The summary preview displays 100 of the 127 retained pairs; the complete records are in `question-pairs.json` and SQLite. Preview truncation is not a lower analyzed denominator. CSV verification/speaker fields retain explicit false values rather than blank strings; null timestamps still mean that no precise turn time is available.

One retrieved pair repeats the digest question *Do we have one life purpose or many?* across two uploads. Its question cosine is 1.000 but its answer-gist cosine is 0.346. The source relation is unresolved: this could involve distinct explanations, summary wording or shared original material. The database correctly marks answer agreement as not assessed rather than converting either score into an agreement verdict.

Twenty deterministically selected digest candidates received model-assisted close reading. The review observes that a contact-oriented question can receive an excitement/formula answer; nested reported speech is not a direct entity turn; precise dates and percentages remain attributed assertions; and a physical-claims keyword is not a clinical validation. The inspected material was the retained question/gist fields. No reviewer listened to the audio or inspected a new transcript in this phase, and the twenty readings do not establish accuracy or inter-rater agreement.

A subsequent purposive paired reading inspects 12 high-question-similarity examples, selecting the first distinct left-question strings in descending cosine order. The model annotations identify compatible paraphrases with low answer-gist cosine, different facets that are not necessarily contradictions, and possible repeated source families. For example, the question of preparing for contact receives passion/formula/vibration advice in both summaries despite low lexical answer similarity. Another pair uses a relative time window versus calendar windows; without original recording dates, it cannot establish chronological drift. Every answer-agreement field remains undetermined. These selected examples refine interpretation of retrieval, not its representative accuracy.

6 Interpretation

6.1 A richer index is useful before it becomes an answer study

The Q&A extension makes a concrete contribution: readers can retrieve question paraphrases, inspect answer gists, follow source pointers and distinguish thematic repetition from absent observations. This reduces the temptation to ask an unrestricted model to reconstruct answers from channel names alone. It also exposes the largest design gap: the available candidate source does not contain independently collected answers from multiple practitioners. A multi-medium comparison cannot be recovered by treating interview publishers as separate mediums.

Within one practitioner context, recurring questions can still be studied. A cluster of questions about beliefs or contact may reveal repeated audience concerns in this digest selection. It does not reveal how often all viewers ask such questions, and the source summarizer may have normalized diverse wording into similar paraphrases. Answer-gist similarities may therefore reflect both discourse and the digest production process. The separate question and answer fields support testing this alternative once original spans are available.

6.2 Publishing form competes with substantive interpretation

The duration and coverage diagnostics put platform presentation before claims about content. A collection dominated by a few publishers or by short extracts can produce a strong account-level signature without a stable speaker-level difference. Longer uploads can mix questions, answers, hosts and promotions; shorter titles have fewer opportunities for dictionary matches. Same-session reuse can create apparently independent similarities across accounts.

Consequently, an observed relation between length and keywords remains a result about sampled upload framing. An observed within-publisher embedding advantage can result from account-specific editing, recurring hosts, boilerplate or repeated source recordings. A disconfirming comparison should match duration and format, group original performances, and annotate answer speakers. It should not merely add more pairwise scores from the same records.

6.3 What the new tools change

Open-source collection and analysis tools improve reproducibility when their operation, version and failure states are retained. They do not remove access controls, grant redistribution rights or validate a theoretical construct. A reproducible denial is preferable to a silently fabricated transcript. A reviewed README is not an executed model, and an installed model package is not evidence that its weights, transcript outputs or accuracy were evaluated.

The present system therefore supports two branches. The evidence branch analyzes retained public metadata and derivative features, producing new exact tables and plots. The acquisition branch implements a repeatable process and preserves denied or not-attempted records until supported access is available. The paper and dashboard show both branches without combining their counts.

7 Novelty, Alternative Explanations and Limits

7.1 What is contributed and what is established practice

TF–IDF, dictionary matching, caption retrieval, channel centroids and SQLite are established methods. We do not claim the first computational study of channeling, the first YouTube channel embedding or a novel agreement detector. The proposed contribution is an evidence-typed integration: a frozen heterogeneous index, auditable source precedence, question-answer candidates with explicit paraphrase status, transparent retrieval, selection diagnostics and linked review artifacts.

The contribution is a working research resource rather than a new empirical result about communication origin. A broader literature search may identify closely comparable resources. Failed access does not justify priority claims, and future publication must assess the contribution against relevant domain, social-computing and information-retrieval work.

7.2 Main threats to interpretation

Selection and coverage. The frame is purposive, historically mixed and influenced by search visibility and archive caps. Inclusion probabilities are unknown. Crawling known accounts more fully would improve within-account coverage but would not create a census of practitioners. Unresolved names and publisher aliases limit cross-account attribution.

Summarization and recognition. Digest questions and answer gists were AI-generated from public recordings. They may omit qualification, normalize vocabulary or misattribute speech. The caption pilot is mostly automatic, uncorrected and undiarized. No present result establishes word error rate, speaker accuracy or transcript completeness.

Measurement and dependence. Dictionary families overlap and are not validated topics. Word counts, title presence, caption rates and duration bands answer different questions. Pair scores share documents; repeated performances may persist after upload-ID deduplication. Model-assisted review is not independent human evidence.

Temporal interpretation. Upload date is not performance date or a live-activity observation. Earlier service offers and prices have separate cutoffs and are not refreshed by this analysis. Indexed monthly counts do not establish channel posting rates.

Access and reproduction. The public release omits raw captions and weights. Frozen-feature reproduction and complete source-text/model recomputation are different capabilities. New collection is blocked until the environment's required destinations are applied and tested. Access may still fail afterward for platform-specific reasons.

Physical or psychological claims. Similarity is not evidence for an extraterrestrial source, truth, independence of information or clinical condition. The study describes publicly attributed claims without endorsing their origin or diagnosing practitioners or audiences.

8 A Falsifiable Research Agenda

Future work is organized around contrasts that can fail, rather than a list of fashionable models.

1. **Prompt equivalence.** Collect actual question and complete answer spans across practitioners. Compare retrieved pairs with blinded human judgments. The hypothesis that high lexical neighbors are equivalent prompts fails if most are judged materially different or underspecified.

2. **Answer relations.** Given matched prompts, code agreement, qualification, disagreement and indeterminate separately from topical overlap. The hypothesis that high answer cosine signals agreement fails if its held-out discrimination does not exceed a documented lexical baseline.
3. **Publisher versus practitioner.** Sample practitioners appearing on multiple accounts and accounts hosting multiple practitioners; use matched formats and original-session groups. A practitioner-specific signal fails if publisher/host labels explain equal or greater held-out resemblance after leakage controls.
4. **Host and promotion segmentation.** Compare whole-upload and speaker/context windows on identical recordings. The hypothesis that attributed-message windows improve substantive neighbor quality fails if blinded relevance is unchanged or worse, including uncertainty intervals and exclusions.
5. **Original-session reuse.** Group edits and reposts using explicit source relationships and authorized audiovisual evidence. A claimed cross-account relation fails as independent evidence when it is explained by repeated performances.
6. **Multilingual and model comparisons.** Evaluate at least one licensed contemporary encoder on the same human-reviewed items, with language-specific reporting and resource constraints. A leaderboard advantage is irrelevant if in-domain pair judgments do not improve.
7. **Keyword validation.** Sample matches and nonmatches for each family and evaluate contextual precision/recall with human adjudication. Any family failing the predefined minimum should remain a search aid or be revised in a new version rather than silently reported as a substantive theme.
8. **Temporal shifts.** Obtain sufficiently complete dated histories, distinguish original and repost dates, and use a prospective or clearly retrospective design. A trend hypothesis fails if it vanishes after recording-family and publisher-composition controls.

These are proposed studies. No experiment, human label, model comparison, accuracy estimate or causal effect is claimed merely because its protocol is described.

9 Reproducibility, Ethics and Release

All public artifacts derive from retained source identifiers, metadata, summaries or numeric features. Source hashes, software versions, seeds and generated tables link the manuscript to those inputs. The build script regenerates paper values from the current analytical and Q&A summaries and packages the source. The old scientific release remains separately addressable. The new three-round review ledger must bind to the changed artifacts and document corrections; model agents are not independent human peers.

Raw captions, private communications, credentials, model weights and full third-party message bodies remain outside the distributable paper package. Public accessibility does not automatically establish redistribution permission. The database releases derivative digest fields already present in the project with their provenance, rather than presenting copied full transcript turns as new material. Rights review for any expanded release remains a human responsibility.

No audience targeting, private-person profiling, mental-health classification or credibility score is produced. Participant studies, interviews and human coding require an appropriate institutional determination for their actual design. Human authorship and affiliations, ethics determination, contributor acceptance and a concrete venue's submission checklist remain pending. This manuscript is an exploratory working draft, not a submitted or accepted paper.

10 Conclusion

Expanding a public-video study requires more than collecting additional URLs. A useful pipeline preserves who published a record, what text was actually obtained, how a question and answer were derived, and which interpretations the evidence can support. This phase extends Channeling Atlas with transparent keyword extraction, source-addressable Q&A candidates, coverage and representation diagnostics, and an executable acquisition plan. Its Q&A source supports within-context retrieval while leaving cross-practitioner transcript agreement unresolved. The resulting paper and dashboard make those capabilities and gaps inspectable. The next substantive advance requires new attributable answer spans and human validation, not an unsupported claim that a larger crawl has already supplied them.

AI and review disclosure

This research extension uses model-agent workstreams for acquisition, source/literature inspection, database construction, quantitative analysis, interface implementation and manuscript review. Their outputs are checked against files, executed code, request receipts and rendered artifacts where available. The three additional review rounds concern the evolving extension and are recorded separately from historical rounds. These roles are AI perspectives, not licensed professional endorsement, a human annotation study, institutional approval or independent peer review. Human accountability for authorship and factual acceptance remains pending.

References

Joyce Anastasia, Helané Wahbeh, Arnaud Delorme, and Jennifer Okonsky. A qualitative exploratory analysis of channeled content. *EXPLORE*, 16(4):231–236, 2020. doi: 10.1016/j.explore.2020.02.008. URL https://doi.org/10.1016/j.explore.2020.02.008.

Léopaul Boesinger, Manoel Horta Ribeiro, Veniamin Veselovsky, and Robert West. Tube2Vec: Social and semantic embeddings of YouTube channels. *Proceedings of the International AAAI Conference on Web and Social Media*, 18(1):2084–2090, 2024. doi: 10.1609/icwsm.v18i1.31450. URL https://ojs.aaai.org/index.php/ICWSM/article/view/31450.

Jonathan Chang, Sean Gerrish, Chong Wang, Jordan Boyd-Graber, and David Blei. Reading tea leaves: How humans interpret topic models. In *Advances in Neural Information Processing Systems*, volume 22. Curran Associates, Inc., 2009. URL https://papers.nips.cc/paper_files/paper/2009/hash/f92586a25bb3145facd64ab20fd554ff-Abstract.html.

Rongyi Chen, Ziyan Xin, Qing Xiao, Ruiwei Xiao, Jingjia Xiao, Bingbing Zhang, Hong Shen, and Zhicong Lu. The digital landscape of god: Narrative, visuals and viewer engagement of religious videos on YouTube. *Proceedings of the International AAAI Conference on Web and Social Media*, 20(1):469–486, 2026. doi: 10.1609/icwsm.v20i1.42649. URL https://ojs.aaai.org/index.php/ICWSM/article/view/42649.

Caitlin Doogan and Wray Buntine. Topic model or topic twaddle? re-evaluating semantic interpretability measures. In *Proceedings of the 2021 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pages 3824–3848. Association for Computational Linguistics, 2021. doi: 10.18653/v1/2021.naacl-main.300. URL https://doi.org/10.18653/v1/2021.naacl-main.300.

Kenneth Enevoldsen, Isaac Chung, Imene Kerboua, Márton Kardos, Ashwin Mathur, David Stap, Jay Gala, Wissam Siblini, Dominik Krzemiński, Genta Winata, Saba Sturua, Saiteja Utpala, Mathieu Ciancone, Marion Schaeffer, Diganta Misra, Shreeya Dhakal, Jonathan Rystrøm, Roman Solomatin, Ömer Çağatan, Akash Kundu, Martin Bernstorff, Shitao Xiao, Akshita Sukhlecha, Bhavish Pahwa, RafałPoświata, Kranthi Kiran GV, Shawon Ashraf, Daniel Auras, Björn Plüster, Jan Harries, Loïc Magne, Isabelle Mohr, Dawei Zhu, Hippolyte Gisserot-Boukhlef, Tom Aarsen, Jan Kostkan, Konrad Wojtasik, Taemin Lee, Marek Suppa, Crystina Zhang, Roberta Rocca, Mohammed Hamdy, Andrianos Michail, John Yang, Manuel Faysse, Aleksei Vatolin, Nandan Thakur, Manan Dey, Dipam Vasani, Pranjal Chitale, Simone Tedeschi, Nguyen Tai, Artem Snegirev, Mariya Hendriksen, Michael Günther, Mengzhou Xia, Weijia Shi, Xing Han Lu, Jordan Clive, Gayatri K, Maksimova Anna, Silvan Wehrli, Maria Tikhonova, Henil Panchal, Aleksandr Abramov, Malte Ostendorff, Zheng Liu, Simon Clematide, Lester James V. Miranda, Alena Fenogenova, Guangyu Song, Ruqiya Bin Safi, Wen-Ding Li, Alessia Borghini, Federico Cassano, Lasse Hansen, Sara Hooker, Chenghao Xiao, Vaibhav Adlakha, Orion Weller, Siva Reddy, and Niklas Muennighoff. MMTEB: Massive multilingual text embedding benchmark. In Y. Yue, A. Garg, N. Peng, F. Sha, and R. Yu, editors, *International Conference on Learning Representations*, volume 2025, pages 101715–101771, 2025. URL https://proceedings.iclr.cc/paper_files/paper/2025/file/fc0e3f908a2116ba529ad0a1530a3675-Paper-Conference.pdf.

Justin Grimmer and Brandon M. Stewart. Text as data: The promise and pitfalls of automatic content analysis methods for political texts. *Political Analysis*, 21(3):267–297, 2013. ISSN 1476-4989. doi: 10.1093/pan/mps028. URL https://doi.org/10.1093/pan/mps028.

Manoel Horta Ribeiro and Robert West. Youniverse: Large-scale channel and video metadata from english-speaking youtube. *Proceedings of the International AAAI Conference on Web and Social Media*, 15:1016–1024, May 2021. ISSN 2162-3449. doi: 10.1609/icwsm.v15i1.18125. URL https://doi.org/10.1609/icwsm.v15i1.18125.

Alexander Hoyle, Pranav Goel, Andrew Hian-Cheong, Denis Peskov, Jordan Boyd-Graber, and Philip Resnik. Is automated topic model evaluation broken? the incoherence of coherence. In M. Ranzato, A. Beygelzimer, Y. Dauphin, P.S. Liang, and J. Wortman Vaughan, editors, *Advances in Neural Information Processing Systems*, volume 34, pages 2018–2033. Curran Associates, Inc., 2021. URL https://proceedings.neurips.cc/paper_files/paper/2021/file/0f83556a305d789b1d71815e8ea4f4b0-Paper.pdf.

Zongxia Li, Lorena Calvo-Bartolomé, Alexander Hoyle, Paiheng Xu, Daniel Stephens, Alden Dima, Juan Francisco Fung, and Jordan Boyd-Graber. Large language models struggle to describe the haystack without human help: A social science-inspired evaluation of topic models. In Wanxiang Che, Joyce Nabende, Ekaterina Shutova, and Mohammad Taher Pilehvar, editors, *Proceedings of the 63rd Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 7583–7604, Vienna, Austria, July 2025. Association for Computational Linguistics. ISBN 979-8-89176-251-0. doi: 10.18653/v1/2025.acl-long.375. URL https://aclanthology.org/2025.acl-long.375/.

Niklas Muennighoff, Nouamane Tazi, Loic Magne, and Nils Reimers. MTEB: Massive text embedding benchmark. In Andreas Vlachos and Isabelle Augenstein, editors, *Proceedings of the 17th Conference of the European Chapter of the Association for Computational Linguistics*, pages 2014–2037, Dubrovnik, Croatia, May 2023. Association for Computational Linguistics. doi: 10.18653/v1/2023.eacl-main.148. URL https://aclanthology.org/2023.eacl-main.148/.

Koki Ota, Masaki Chujyo, and Fujio Toriumi. Pathways to conspiracy theorizing on youtube in japan. *Proceedings of the International AAAI Conference on Web and Social Media*, 19:2635–2641, June 2025. ISSN 2162-3449. doi: 10.1609/icwsm.v19i1.35965. URL https://doi.org/10.1609/icwsm.v19i1.35965.

Nils Reimers and Iryna Gurevych. Sentence-bert: Sentence embeddings using siamese bert-networks. In *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing (EMNLP-IJCNLP)*, pages 3982–3992. Association for Computational Linguistics, 2019. doi: 10.18653/v1/D19-1410. URL https://doi.org/10.18653/v1/D19-1410.

Kayla Schroeder and Zach Wood-Doughty. Reliability of topic modeling. In Luis Chiruzzo, Alan Ritter, and Lu Wang, editors, *Proceedings of the 2025 Conference of the Nations of the Americas Chapter of the Association for Computational Linguistics: Human Language Technologies (Volume 1: Long Papers)*, pages 2649–2662, Albuquerque, New Mexico, April 2025. Association for Computational Linguistics. ISBN 979-8-89176-189-6. doi: 10.18653/v1/2025.naacl-long.134. URL https://aclanthology.org/2025.naacl-long.134/.

Kate Starbird, Ahmer Arif, Tom Wilson, Katherine Van Koevering, Katya Yefimova, and Daniel Scarnecchia. Ecosystem or echo-system? exploring content sharing across alternative media domains. *Proceedings of the International AAAI Conference on Web and Social Media*, 12(1):365–374, 2018. doi: 10.1609/icwsm.v12i1.15009. URL https://ojs.aaai.org/index.php/ICWSM/article/view/15009.

Helané Wahbeh, Paolo Speirn, Luciano Pederzoli, and Patrizio Tressoldi. Channelers' answers to questions from scientists: An exploratory study. *Journal of Scientific Exploration*, 37(3):348–369, 2023. doi: 10.31275/20232907. URL https://journalofscientificexploration.org/index.php/jse/article/view/2907.

Helané Wahbeh, Beth Glick, Erik Brinsmead, Sitara Taddeo, and Ryan S. Wood. Semantic correspondence between trance-channeled ET messages and ufological records. *Journal of Scientific Exploration*, 40(2):183–196, 2026. doi: 10.31275/20263817. URL https://journalofscientificexploration.org/index.php/jse/article/view/3817.

Helané Wahbeh and Beth Glick. Qualitative structure and meaning in prospective trance-channeled communications attributed to extraterrestrial intelligences. *World Futures*, pages 1–21, April 2026a. ISSN 1556-1844. doi: 10.1080/02604027.2026.2656119. URL https://doi.org/10.1080/02604027.2026.2656119.

Helané Wahbeh and Beth Glick. Semantic structure and correspondence in prospective trance-channeled communications attributed to extraterrestrial intelligences. *World Futures*, pages 1–17, April 2026b. ISSN 1556-1844. doi: 10.1080/02604027.2026.2656120. URL https://doi.org/10.1080/02604027.2026.2656120.

A Evidence Types and Permitted Reading

Evidence type	Supports	Does not establish
Watch metadata	Observed title, uploader, offered duration/date at retrieval	Full playback, original performance date, complete account history
Title	Publisher framing and keyword/lexical features	Full spoken topic, answer agreement, speaker attribution
Offered caption track	Available text with language and generation flags	Audio accuracy, complete speech, isolated practitioner voice
Frozen embedding	Recalculation of numeric resemblance on the frozen items	Recovery of transcript wording, truth, source independence
Digest Q&A candidate	Source-linked paraphrase/gist retrieval	Literal turn, exact timestamp, human-verified answer speaker
Keyword match	A documented extraction rule found a string	Exhaustive concept presence, position on a proposition, validated theme prevalence
Model-assisted reading	A recorded interpretation with reasons and source pointers	Human agreement, ethnography, audio verification or clinical assessment
Prepared search/crawl	Repeatable query selection and attempted-access evidence	Retrieved uploads, representative sampling or current platform completeness

B Update Procedure and Acceptance

Before expanding the corpus, preserve the source snapshots and define the unit, inclusion rule and access route. Execute a small pilot, retain successful and failed outcomes, then expand only when the pilot's success conditions are met. Record meaningful changes in code, dictionary, model, date interpretation, attribution or weighting. Recompute affected outputs and rewrite any dependent prose; old receipts certify only old artifacts.

For the present extension the acceptance checks are: (1) source pointers resolve to hashed inputs; (2) numerical summaries reconcile at their own grains; (3) unavailable comparison states do not render as zero findings; (4) dictionary and retrieval output can be reproduced; (5) queries and blocked requests are not counted as collected data; (6) figures and tables expose units and denominators; (7) the paper compiles from its package; and (8) the final review record names exact artifact hashes and unresolved limitations. Any unavailable check is reported explicitly.

C Practical Source Queries

The database makes the following questions inspectable without claiming their substantive answer in advance: Which retained questions match a keyword family? Which candidates share wording across different uploads? Do their answer gists also share wording? Which retrievals mix interview or clip formats? Which questions lack a verified speaker or timestamp? Which source digest revision generated a row? A query that finds no candidate means no match in the released candidate database, not that a practitioner never discussed a subject.

D Proposed Analyses: Evidence, Falsifiers and Plot Designs

Every row below describes unexecuted research. Proposed plots are not synthetic empirical results. Human validation, suitable permissions and actual observations remain prerequisites where stated.

Study and unit	Evidence required	Comparison and disconfirming result	Main confounds	Proposed plot
Matched common questions; one prompt–answer span per practitioner/session	Attributable full question/answer windows from multiple practitioners; blind prompt-equivalence labels	Compare within-prompt answers with topic- and length-matched different prompts. Proposed common-question advantage fails if held-out judgments or lexical baseline are not improved.	Formulaic prompts, duplicate performances, paraphrase normalization, unequal answer length	Matched-prompt answer-relation matrix with sample sizes and indeterminate cells
Speaker/context windows; one labeled speech interval	Human-checked host, question, attributed message and promotion boundaries with timestamps	Compare whole uploads with the same recordings' message windows. Better substantive neighbor quality is disconfirmed if blinded relevance is unchanged or lower.	Recognition error, removed substantive context, selective segment availability	Paired before/after neighbor-change plot with annotated exclusions
Original-session reuse; one source performance family	Explicit source links, dates and authorized audiovisual/text evidence for edit/repost families	Recompute associations after one unit per session family. Independent cross-account resemblance is weakened if it disappears on family collapse.	Unresolved edits, translation, incomplete original metadata	Upload-to-session bipartite graph and before/after effect dot plot
Chronological drift; practitioner/account within original-session time	Sufficiently complete histories, original dates, format/speaker labels and stable codebook	Compare within-account intervals controlling format and session reuse. A drift claim fails when change vanishes after these controls or cannot exceed a predefined minimum.	Repost dates, archival sampling, platform title changes, composition	Time-indexed theme shares with denominators, missing intervals and uncertainty meaning
Multilingual encoders; held-out human-labeled pair	Matched texts across languages; licensed pinned models; blinded relevance/answer labels	Compare lexical baseline, MiniLM and multilingual model on identical units. A new-model advantage fails without held-out improvement and acceptable language-specific performance.	Translated versus original speech, unequal prompt distributions, benchmark leakage	Per-language error/precision–recall panels and matched model-difference intervals
Caption accuracy; one audio-reference segment	Rights-cleared audio, independently corrected reference and speaker labels	Estimate word/error rates by language, duration and speech type. A proposed accuracy threshold fails if uncertainty exceeds the threshold or systematic errors alter extracted claims.	Reference errors, subjective punctuation, hallucinated silence, technical vocabulary	Error-rate distributions and keyword/answer error audit by stratum
Answer uncertainty and conditionality; one proposition within answer	Original question/answer spans; codebook for assertion, condition, possibility, time window, attribution and negation; human labels	Test marker retrieval against held-out proposition labels. A scalar certainty interpretation fails when lexical markers mostly reflect questions, quotations or negation.	Summary normalizing language, discourse particles, nested reported speech, outcome hindsight	Proposition-type confusion matrix and within-prompt conditionality distributions

E Collection Alternatives and Boundaries

A supported API can replace public-page metadata collection when the appropriate capability and credential are available. Public author archives may supply licensed transcripts, and rights-cleared local audiovisual recordings may support speech recognition. Browser extensions can support a researcher's authorized local export when their data handling and license are reviewed. These are collection alternatives, not reasons to evade a denial. The present pipeline does not install opaque browser extensions, acquire private recordings or rotate identities to bypass a block. Any later integration must identify the exact software, version, source, permitted access and validation result.

F Model-Assisted Digest Close-Reading Ledger

The following twenty entries reproduce the current model-assisted interpretation ledger, linked by stable candidate IDs to database source pointers. Selection takes the first Q&A entry from twenty evenly spaced positions in the filename-sorted set of 67 Q&A-bearing digests. The inspected material consists of inherited question paraphrases and answer gists. No transcript, audio or video was newly inspected for these readings. These interpretations illustrate context and coding limits; their number is not a validation score and the rows are not independent human annotations.

Candidate ID	Model-assisted interpretation	Recorded caution
qa-0htF1V0v6ec-000	Practical life-direction question is answered through incremental excitement and synchronicity.	The metaphor of a blueprint may evade simple question-theme matching; no actual behavior or outcome is measured.
qa-5Js8U9sJ5-8-000	Place-based vortex language is linked to an asserted acceleration of consciousness.	This is a metaphysical mechanism claim, not a measured geographic or physical energy field.
qa-98KsASkO8Cs-000	A clip recounts Darryl's recollection of a purported technological explanation attributed to Bashar.	Nested reported speech is not direct entity speech, and the proposed travel mechanism is not experimentally assessed.
qa-BaN26a0SbLQ-000	A question about light language receives a journaling practice and a proposed translation-training timescale.	The specific 2–3 week claim cannot be treated as a validated learning outcome or brain mechanism.
qa-ETuHIzyRhyY-000	An interview response reframes everyday difficulties as transition and encourages curiosity and calm.	The digest format identifies an interview, so the contextual entity label does not identify the responding speaker.
qa-HoYNcoMTk-4-000	A contact-window question is answered with a narrative about public disclosure and institutional news.	Statements about frequency of reporting need an external news corpus; this answer does not provide one.
qa-JSwqz_ZhH_I-000	Positive reinterpretation of events is proposed as a response to unexpected difficulties.	The answer describes advice; it does not demonstrate that events themselves are neutral or that the advice improves outcomes.
qa-QBk2MQ1MVZo-000	The answer joins a broad human-transformation narrative to specific disclosure/contact years.	The 2026/2027 assertions are forecasts from an interview digest, not future historical events or verified outcomes.
qa-T5QtncJq1Jc-000	A counterexample to the claimed formula is answered by introducing alignment and varied life-plan qualifications.	This is an interpretive conditionality example, not a calibrated measure of unfalsifiability, intention, or a speaker's belief.
qa-ZACIL5Hzb5c-000	A question about ET contact receives a five-step passion/formula response.	Topic overlap in the question does not imply that the answer discusses contact logistics; question and answer themes must be separate.
qa-eCxOH-AK1rc-000	An interview answer makes a claim about hidden information and presidential access.	The assertion is not evidence of an actual classification hierarchy, secret program, or the factual premise in the question.
qa-fZmY4xS_qXE-000	Perceived ET threat is explained through orientation and human fear, with an asserted 99 percent share.	The numerical proportion is a reported claim without a sampling frame, not a population estimate.

Candidate ID	Model-assisted interpretation	Recorded caution
qa-jQbxp4e6bfg-000	Light and darkness serve as metaphors for contrast and personal interpretation.	Literal physical-light keyword analysis would misclassify this conceptual usage.
qa-ji9rMw37o2M-000	A question on human origins receives an ancient genetic-engineering chronology.	The precise chronology is an attributed claim, not an archaeological finding established by this study.
qa-lLFUTAVah30-000	A bodily symptom is interpreted through an energy/frequency explanatory frame.	The digest contains an unverified health claim. The database records discourse, not medical evidence or advice.
qa-mzcFoYUvbOE-000	The answer depicts a claimed society without class divisions, organized through synchronicity.	A description of an attributed extraterrestrial society is not an observation of an independently established population.
qa-pfB4F7uAjwE-000	Automatic bodily processes and instinct are linked to alignment and a signature frequency.	The terms are not operationalized physiological measurements; the analysis does not evaluate their mechanism.
qa-ufzO0sbNICQ-000	An interview answer presents doctrinal continuity while acknowledging a four-to-five-principle expansion.	Self-reported continuity over 40 years is not a longitudinal audit. Overlap and expansion can coexist.
qa-y0-_YOFU8eQ-000	A political timing question receives a flexible forecast attributed within the digest to Bashar rather than Darryl.	This nested attribution is an analytic cue, not independent verification of who spoke or what the original wording was.
qa-zOcZDBhRaOQ-000	A spiritual-status question receives an account of incarnations, relevance and higher planes.	Numerical incarnations and hierarchical planes remain reported cosmology, not externally measured quantities.

G Purposive Paired-Reading Ledger

The following twelve paired readings were added during the second new review loop. They inspect the first twelve distinct left-question strings in descending lexical question-cosine order, with candidate-ID tie breaks. The selection emphasizes close lexical neighbors and is not a representative validation sample. Source URLs, hashes and JSON pointers for both sides remain in `qa/pair-close-reading.json`. All answer-agreement judgments remain undetermined and human validation is false.

Candidate pair IDs	Model-assisted paired reading	Recorded caution
qa-0htF1V0v6ec-007 / qa-ja8BrsruFOo-007	Both gists frame being oneself as one stable purpose with changing expressions. Compatible paraphrases in the digest text despite answer lexical cosine about0.346.	Possible shared original session; this is not independent doctrinal corroboration.
qa-0htF1V0v6ec-009 / qa-ja8BrsruFOo-010	Both gists frame other lives as simultaneous and karma as self-imposed realignment. Similar propositions expressed with different vocabulary; lexical cosine about0.232 does not measure disagreement.	The animal topic appears in the question but not explicitly in either abbreviated gist.
qa-7WjydoNj7hE-011 / qa-PjIvEohms5I-010	One gist emphasizes mobile mothership cities; the other emphasizes a terraformed parallel-reality planet. Different facets of a purported civilization; no direct contradiction is established by these summaries.	Time, source context and actual wording would be needed to assess whether the living arrangements conflict.
qa-DvWNnqnBAjc-000 / qa-mk_yQrOQHJs-000	Both advise examining motivation to distinguish excitement from anxiety or fear. Compatible practical framing despite answer lexical cosine about0.241.	Recurrent question/answer sequence suggests a possible shared-source family, not necessarily repeated independent teaching.
qa-DvWNnqnBAjc-001 / qa-mk_yQrOQHJs-001	Both say positive interpretation allows learning even from non-aligned choices. The second gist adds path alignment; that addition need not contradict the first.	Digest compression and reuse cannot be separated without the recordings.

Candidate pair IDs	Model-assisted paired reading	Recorded caution
qa-DvWNnqnBAjc-006 / qa-mk_yQrOQHJs-005	Both distinguish energy reading from a telepathic matching/translation account of channeling. A shared definition with one analogy omitted in the second summary.	Shared language is not validation of a telepathic mechanism or proof of direct influence.
qa-DvWNnqnBAjc-012 / qa-tskKYl3w0J8-008	Both describe guardians and a general non-interference rule with rare exceptions. Compatible cosmological claims in the derivative texts.	No independently observed guardians or interaction rules are established.
qa-DvWNnqnBAjc-016 / qa-tskKYl3w0J8-018	Both describe historical information delivered by projected holographic imagery. Close semantic paraphrase despite lexical cosine about0.217.	This illustrates paraphrase sensitivity and possible upload duplication, not prediction success.
qa-IKJzZ-KVPdQ-003 / qa-SBRcXicYs0I-004	Both gists assert a theoretical bodily capacity and unavailable technology later supplied through ET contact. Similar conditional health/technology narrative.	The study does not validate PFAS detoxification assertions; source wording and clinical evidence remain separate questions.
qa-QBk2MQ1MVZo-009 / qa-jdzErS12DvU-015	Both recommend passion/formula or personal-vibration preparation, while the second adds self-empowerment and mutuality. Shared preparation theme despite answer lexical cosine about0.056.	There is no common calibrated outcome or matched original session from which to measure answer agreement.
qa-egu6iDTj2ys-016 / qa-os4a7-7bnLw-007	One gist forecasts contact in about two years; the other gives a2025–2033 window, no later than2050, conditional on collective frequency. Different precision and conditionality with zero answer lexical overlap in the fitted feature space.	Without trustworthy recording dates and full context, the pair cannot establish drift, inconsistency, deception or a resolved forecast.
qa-mk_yQrOQHJs-010 / qa-tskKYl3w0J8-007	Both use simultaneous television-screen imagery to describe higher-dimensional awareness. Shared analogy with differing detail; model reading sees compatibility rather than demonstrated agreement.	Metaphorical dimensional language is not a measured physical dimensionality.