



David Voegele
Judge Executive
dvoegele@oldhamcountky.gov

Kevin Nuss
Deputy Judge Executive
knuss@oldhamcountky.gov

FISCAL COURT AGENDA ITEM REQUEST FORM

Today's Date

6/24/26

Name of Document and/or Agenda Item

EVAPAR contracts - event center, police, road, senior center

Submitted by (Name - Department - Committee)

(phone / email)

Rodney Gabbert

Does this require Fiscal Court's approval?

Yes: X No:

Fiscal Court Presentation Date

6/29/26

Who will be presenting Item to Fiscal Court?


(Ex: Committee, Chairperson, Department, Staff, Name)

Rodney Gabbert

What action (motion) are you requesting of the court?

Judge Voegele's signature of approval

*** REVIEWED AND APPROVED AS TO FORM & LEGALITY BY COUNTY ATTORNEY ***



(Signature)

D. Berry Baxter, Oldham County Attorney

06/26/2026

Date



3/6/2026

Customer: 418945 | Oldham Co. Police Dept.
Attn: Rodney Gabbert / Bo Glass
1815 KY 393
LaGrange, KY 40031
502-664-7964 | rgabbert@oldhamcountky.gov Bglass@oldhamcountky.gov

Generator Planned Maintenance Agreement Renewal-Liquid Cooled Units (Semi-Annual)

Thank you for the confidence you have placed in EVAPAR regarding the preventive maintenance of your emergency power equipment. Regular preventive maintenance provides peace of mind and ensures your equipment is ready when you need it, helping you avoid unexpected downtime. Our factory-trained professionals are dedicated to maintaining your systems with the expertise and care that aligns with our mission:

"At EVAPAR, we are committed to delivering reliable energy and industrial solutions with integrity, expertise, and customer-first service. Through innovative technologies, skilled professionals, and unwavering support, we ensure businesses and communities have the power they need—when and where they need it. By prioritizing long-term partnerships and exceptional service, we bring peace of mind to every customer, every time."

Enclosed is your renewal agreement. Once it is signed, a separate invoice will be issued according to the payment terms outlined. Pre-paid customers will continue to enjoy a 10% discount on labor for services not included in this agreement.

We sincerely appreciate your past patronage and look forward to continuing our partnership. If you have any questions, please feel free to contact me.

Respectfully,

Landon Sholar

EVAPAR
Service Sales Specialist
502-297-3544 (Cellular)
502-267-6315 (Office)
502-267-6206 (Fax)
Landon.Sholar@evapar.com

PLANNED MAINTENANCE

SCOPE OF WORK

Engine

- Below 350kW: Replace air filter(s) every three years.
- 350kW and Larger: Inspect air filter(s), clean, or replace as needed for an additional cost.
- Check the condition/ tension of belts (adjust as needed)
- Check ignition system, distributor coils, and wires (if applicable)
- Check fuel lines for leaks/damage
- Check flexible fuel line connections
- Lubricate governor and linkage
- Inspect hoses, and clamps for any air intake restrictions

Oil System

- Change oil (annually)
- Change oil filter(s) (annually)
- Inspect for leaks

Cooling System

- Check radiator coolant level
- Annual Coolant Sample Analysis with Report
- Test/record anti-freeze temperature
- Test/record anti-freeze nitrites
- Check for leaks
- Check all hoses
- Check the operation of the engine block heater

Battery

- Inspect / clean terminal on cables
- Clean and treat battery post/cable
- Check battery fluid level
- Check/ record battery volts/amps
- Check/record charger volts/amps
- Check/ record alternator volts/amps
- Load test or perform specific gravity test

Starting System

- Check start solenoid terminals
- Check starter connections

Electrical

- Inspect control panel: Check gauges, meters, and indicator lights
- Visually inspect electrical connections
- Inspect the main line circuit breaker
- Check the generator output voltage

Fuel System

- Change fuel filter(s) (annually)
- Check for fuel leaks
- Clean/ inspect the fuel bowl or water separator (if applicable)
- Check injection pump lines
- Check day tank operation and record level
- Check the fuel transfer pump
- Check fuel solenoid
- Check the fuel pressure regulator
- Inspect the fuel tank and rupture basin for leaks

Exhaust System

- Visually inspect for leaks/damage
- Visually inspect flexible exhaust
- Drain condensation trap

Operating Check

- Run and inspect for proper: oil pressure, coolant/ oil temperature, alternator charger rate, generator voltage, and frequency
- Record gauge and meter readings
- Check for leaks and excessive vibration
- Test safety shutdowns
- Check operation of louvers (if applicable)

Automatic Transfer Switch

- Inspect ATS & enclosure for corrosion/moisture
- Inspect controls and calibrate as needed
- Exercise clock-check and verify operation
- Record normal and emergency frequency/voltage at ATS connection
- Perform power failure or building load test (with approval), check/ record amperage/voltage on each leg
- Check transfer switch contacts for voltage drop(normal and emergency)
- Replace exerciser battery as needed.
- Return all switches into proper operating mode

Reports and Instruction

- Submit inspection/ test report to owner, with any recommendations of future work/ parts required
- Instruct owner personnel in operating or upkeep procedure

OPTIONAL SERVICES

- Diesel Fuel Analysis
- Load Bank Testing (NFPA110)
- Remote Monitoring

PLANNED MAINTENANCE AGREEMENT

- This Planned Maintenance Agreement is entered into by EVAPAR and the owner for EVAPAR to perform Planned Maintenance Service(s) on the equipment listed below.
- Semi-Annual: EVAPAR will perform two (2) visits annually. One (1) Inspection and one (1) Full Service, at approximately six (6) month intervals. Work is to be scheduled and performed during regular business hours.
- This scope of work to be performed includes labor, parts, travel time, and mileage.
- Any additional work recommended or required will be brought to the owner's attention, and upon approval, additional work will be performed for an agreed-upon charge.
- Any scheduled maintenance items (such as ATS transfer tests) that are unable to be performed while EVAPAR is on-site for services, due to personnel or logistics changes by the customer on the day of service will result in an additional trip and or labor charges to return to perform those re-scheduled services.
- This agreement does not include expenses to repair damage caused by abuse, accident, theft, acts of a third person, forces of nature, or altering the equipment. EVAPAR shall not be responsible for failure to render the service for causes beyond its control, including pandemics, strikes and labor disputes. This agreement is not assignable without the consent of EVAPAR and can be cancelled by either party through written notice.

Make	Model Number	Serial Number	kW	Location	Price
Generac	75848860300	2091916	20	LaGrange, KY	\$840
TOTAL					\$840

Payment Terms Agreement – Liquid Cooled

Please initial **one (1)** payment term. Note: If you select **Billed Terms**, a credit application is required unless you have an existing approved account.

1. **Pre-Paid Terms** - If this option is selected, an invoice will be issued immediately and payment in full is due before any services are scheduled. Issued Purchase Orders do not constitute payment. Upon receipt of payment, the agreed-upon services will be scheduled. Customers selecting Pre-Paid Terms will receive a 10% discount on labor charges for any additional services performed outside of this agreement.

Customer Initials: _____

2. **Billed Terms (Approved Accounts Only)** - If this option is selected, an invoice will be issued upon completion of the first service visit and payment will be due according to your approved account terms. Billed Terms are available only to customers with approved open accounts. If you do not have an existing account, a credit application will be required prior to scheduling services.

Customer Initials: _____

Company _____

Quote Valid for 30 Days

Name _____

Title _____

Date _____

Signature _____



3/6/2026

Customer: 421358 | Oldham Co. Road Dept.
Attn: Rodney Gabbert / Bo Glass
100 W. Jefferson St., Suite 4
LaGrange, KY 40031
502-664-7694 | rgabbert@oldhamcountyky.gov Bglass@oldhamcountyky.gov

Generator Planned Maintenance Agreement Renewal-Liquid Cooled Units (Semi-Annual)

Thank you for the confidence you have placed in EVAPAR regarding the preventive maintenance of your emergency power equipment. Regular preventive maintenance provides peace of mind and ensures your equipment is ready when you need it, helping you avoid unexpected downtime. Our factory-trained professionals are dedicated to maintaining your systems with the expertise and care that aligns with our mission:

"At EVAPAR, we are committed to delivering reliable energy and industrial solutions with integrity, expertise, and customer-first service. Through innovative technologies, skilled professionals, and unwavering support, we ensure businesses and communities have the power they need—when and where they need it. By prioritizing long-term partnerships and exceptional service, we bring peace of mind to every customer, every time."

Enclosed is your renewal agreement. Once it is signed, a separate invoice will be issued according to the payment terms outlined. Pre-paid customers will continue to enjoy a 10% discount on labor for services not included in this agreement.

We sincerely appreciate your past patronage and look forward to continuing our partnership. If you have any questions, please feel free to contact me.

Respectfully,

Landon Sholar

EVAPAR
Service Sales Specialist
502-297-3544 (Cellular)
502-267-6315 (Office)
502-267-6206 (Fax)
Landon.Sholar@evapar.com

PLANNED MAINTENANCE

SCOPE OF WORK

Engine

- Below 350kW: Replace air filter(s) every three years.
- 350kW and Larger: Inspect air filter(s), clean, or replace as needed for an additional cost.
- Check the condition/ tension of belts (adjust as needed)
- Check ignition system, distributor coils, and wires (if applicable)
- Check fuel lines for leaks/damage
- Check flexible fuel line connections
- Lubricate governor and linkage
- Inspect hoses, and clamps for any air intake restrictions

Oil System

- Change oil (annually)
- Change oil filter(s) (annually)
- Inspect for leaks

Cooling System

- Check radiator coolant level
- Annual Coolant Sample Analysis with Report
- Test/record anti-freeze temperature
- Test/record anti-freeze nitrites
- Check for leaks
- Check all hoses
- Check the operation of the engine block heater

Battery

- Inspect / clean terminal on cables
- Clean and treat battery post/cable
- Check battery fluid level
- Check/ record battery volts/amps
- Check/record charger volts/amps
- Check/ record alternator volts/amps
- Load test or perform specific gravity test

Starting System

- Check start solenoid terminals
- Check starter connections

Electrical

- Inspect control panel: Check gauges, meters, and indicator lights
- Visually inspect electrical connections
- Inspect the main line circuit breaker
- Check the generator output voltage

Fuel System

- Change fuel filter(s) (annually)
- Check for fuel leaks
- Clean/ inspect the fuel bowl or water separator (if applicable)
- Check injection pump lines
- Check day tank operation and record level
- Check the fuel transfer pump
- Check fuel solenoid
- Check the fuel pressure regulator
- Inspect the fuel tank and rupture basin for leaks

Exhaust System

- Visually inspect for leaks/damage
- Visually inspect flexible exhaust
- Drain condensation trap

Operating Check

- Run and inspect for proper: oil pressure, coolant/ oil temperature, alternator charger rate, generator voltage, and frequency
- Record gauge and meter readings
- Check for leaks and excessive vibration
- Test safety shutdowns
- Check operation of louvers (if applicable)

Automatic Transfer Switch

- Inspect ATS & enclosure for corrosion/moisture
- Inspect controls and calibrate as needed
- Exercise clock-check and verify operation
- Record normal and emergency frequency/voltage at ATS connection
- Perform power failure or building load test (with approval), check/ record amperage/voltage on each leg
- Check transfer switch contacts for voltage drop(normal and emergency)
- Replace exerciser battery as needed.
- Return all switches into proper operating mode

Reports and Instruction

- Submit inspection/ test report to owner, with any recommendations of future work/ parts required
- Instruct owner personnel in operating or upkeep procedure

OPTIONAL SERVICES

- Diesel Fuel Analysis
- Load Bank Testing (NFPA110)
- Remote Monitoring

PLANNED MAINTENANCE AGREEMENT

- This Planned Maintenance Agreement is entered into by EVAPAR and the owner for EVAPAR to perform Planned Maintenance Service(s) on the equipment listed below.
- Semi-Annual: EVAPAR will perform two (2) visits annually. One (1) Inspection and one (1) Full Service, at approximately six (6) month intervals. Work is to be scheduled and performed during regular business hours.
- This scope of work to be performed includes labor, parts, travel time, and mileage.
- Any additional work recommended or required will be brought to the owner's attention, and upon approval, additional work will be performed for an agreed-upon charge.
- Any scheduled maintenance items (such as ATS transfer tests) that are unable to be performed while EVAPAR is on-site for services, due to personnel or logistics changes by the customer on the day of service will result in an additional trip and or labor charges to return to perform those re-scheduled services.
- This agreement does not include expenses to repair damage caused by abuse, accident, theft, acts of a third person, forces of nature, or altering the equipment. EVAPAR shall not be responsible for failure to render the service for causes beyond its control, including pandemics, strikes and labor disputes. This agreement is not assignable without the consent of EVAPAR and can be cancelled by either party through written notice.

Make	Model Number	Serial Number	kW	Location	Price
Generac	SD100	3005169916	100	4 Quality Place Buckner, KY	\$985
TOTAL					\$985

Payment Terms Agreement – Liquid Cooled

Please initial **one (1)** payment term. Note: If you select **Billed Terms**, a credit application is required unless you have an existing approved account.

1. **Pre-Paid Terms** - If this option is selected, an invoice will be issued immediately and payment in full is due before any services are scheduled. Issued Purchase Orders do not constitute payment. Upon receipt of payment, the agreed-upon services will be scheduled. Customers selecting Pre-Paid Terms will receive a 10% discount on labor charges for any additional services performed outside of this agreement.

Customer Initials: _____

2. **Billed Terms (Approved Accounts Only)** - If this option is selected, an invoice will be issued upon completion of the first service visit and payment will be due according to your approved account terms. Billed Terms are available only to customers with approved open accounts. If you do not have an existing account, a credit application will be required prior to scheduling services.

Customer Initials: _____

Company _____

Quote Valid for 30 Days

Name _____

Title _____

Date _____

Signature _____



3/6/2026

Customer: 418389 | Oldham Co. Senior Living
Attn: Rodney Gabbert / Bo Glass
1015 Dispatchers Way
LaGrange, KY 40031
502-664-7694 | rgabbert@oldhamcountyky.gov Bglass@oldhamcountyky.gov

Generator Planned Maintenance Agreement Renewal-Liquid Cooled Units (Semi-Annual)

Thank you for the confidence you have placed in EVAPAR regarding the preventive maintenance of your emergency power equipment. Regular preventive maintenance provides peace of mind and ensures your equipment is ready when you need it, helping you avoid unexpected downtime. Our factory-trained professionals are dedicated to maintaining your systems with the expertise and care that aligns with our mission:

"At EVAPAR, we are committed to delivering reliable energy and industrial solutions with integrity, expertise, and customer-first service. Through innovative technologies, skilled professionals, and unwavering support, we ensure businesses and communities have the power they need—when and where they need it. By prioritizing long-term partnerships and exceptional service, we bring peace of mind to every customer, every time."

Enclosed is your renewal agreement. Once it is signed, a separate invoice will be issued according to the payment terms outlined. Pre-paid customers will continue to enjoy a 10% discount on labor for services not included in this agreement.

We sincerely appreciate your past patronage and look forward to continuing our partnership. If you have any questions, please feel free to contact me.

Respectfully,

Landon Sholar

EVAPAR
Service Sales Specialist
502-297-3544 (Cellular)
502-267-6315 (Office)
502-267-6206 (Fax)
Landon.Sholar@evapar.com

PLANNED MAINTENANCE SCOPE OF WORK

Engine

- Below 350kW: Replace air filter(s) every three years.
- 350kW and Larger: Inspect air filter(s), clean, or replace as needed for an additional cost.
- Check the condition/ tension of belts (adjust as needed)
- Check ignition system, distributor coils, and wires (if applicable)
- Check fuel lines for leaks/damage
- Check flexible fuel line connections
- Lubricate governor and linkage
- Inspect hoses, and clamps for any air intake restrictions

Oil System

- Change oil (annually)
- Change oil filter(s) (annually)
- Inspect for leaks

Cooling System

- Check radiator coolant level
- Annual Coolant Sample Analysis with Report
- Test/record anti-freeze temperature
- Test/record anti-freeze nitrites
- Check for leaks
- Check all hoses
- Check the operation of the engine block heater

Battery

- Inspect / clean terminal on cables
- Clean and treat battery post/cable
- Check battery fluid level
- Check/ record battery volts/amps
- Check/record charger volts/amps
- Check/ record alternator volts/amps
- Load test or perform specific gravity test

Starting System

- Check start solenoid terminals
- Check starter connections

Electrical

- Inspect control panel: Check gauges, meters, and indicator lights
- Visually inspect electrical connections
- Inspect the main line circuit breaker
- Check the generator output voltage

Fuel System

- Change fuel filter(s) (annually)
- Check for fuel leaks
- Clean/ inspect the fuel bowl or water separator (if applicable)
- Check injection pump lines
- Check day tank operation and record level
- Check the fuel transfer pump
- Check fuel solenoid
- Check the fuel pressure regulator
- Inspect the fuel tank and rupture basin for leaks

Exhaust System

- Visually inspect for leaks/damage
- Visually inspect flexible exhaust
- Drain condensation trap

Operating Check

- Run and inspect for proper: oil pressure, coolant/ oil temperature, alternator charger rate, generator voltage, and frequency
- Record gauge and meter readings
- Check for leaks and excessive vibration
- Test safety shutdowns
- Check operation of louvers (if applicable)

Automatic Transfer Switch

- Inspect ATS & enclosure for corrosion/moisture
- Inspect controls and calibrate as needed
- Exercise clock-check and verify operation
- Record normal and emergency frequency/voltage at ATS connection
- Perform power failure or building load test (with approval), check/ record amperage/voltage on each leg
- Check transfer switch contacts for voltage drop(normal and emergency)
- Replace exerciser battery as needed.
- Return all switches into proper operating mode

Reports and Instruction

- Submit inspection/ test report to owner, with any recommendations of future work/ parts required
- Instruct owner personnel in operating or upkeep procedure

OPTIONAL SERVICES

- Diesel Fuel Analysis
- Load Bank Testing (NFPA110)
- Remote Monitoring

PLANNED MAINTENANCE AGREEMENT

- This Planned Maintenance Agreement is entered into by EVAPAR and the owner for EVAPAR to perform Planned Maintenance Service(s) on the equipment listed below.
- Semi-Annual: EVAPAR will perform two (2) visits annually. One (1) Inspection and one (1) Full Service, at approximately six (6) month intervals. Work is to be scheduled and performed during regular business hours.
- This scope of work to be performed includes labor, parts, travel time, and mileage.
- Any additional work recommended or required will be brought to the owner's attention, and upon approval, additional work will be performed for an agreed-upon charge.
- Any scheduled maintenance items (such as ATS transfer tests) that are unable to be performed while EVAPAR is on-site for services, due to personnel or logistics changes by the customer on the day of service will result in an additional trip and or labor charges to return to perform those re-scheduled services.
- This agreement does not include expenses to repair damage caused by abuse, accident, theft, acts of a third person, forces of nature, or altering the equipment. EVAPAR shall not be responsible for failure to render the service for causes beyond its control, including pandemics, strikes and labor disputes. This agreement is not assignable without the consent of EVAPAR and can be cancelled by either party through written notice.

Make	Model Number	Serial Number	kW	Location	Price
Generac	1316470100	2111137	100	LaGrange, KY	\$985
TOTAL					\$985

Payment Terms Agreement – Liquid Cooled

Please initial **one (1)** payment term. Note: If you select **Billed Terms**, a credit application is required unless you have an existing approved account.

1. **Pre-Paid Terms** - If this option is selected, an invoice will be issued immediately and payment in full is due before any services are scheduled. Issued Purchase Orders do not constitute payment. Upon receipt of payment, the agreed-upon services will be scheduled. Customers selecting Pre-Paid Terms will receive a 10% discount on labor charges for any additional services performed outside of this agreement.

Customer Initials: _____

2. **Billed Terms (Approved Accounts Only)** - If this option is selected, an invoice will be issued upon completion of the first service visit and payment will be due according to your approved account terms. Billed Terms are available only to customers with approved open accounts. If you do not have an existing account, a credit application will be required prior to scheduling services.

Customer Initials: _____

Company _____

Quote Valid for 30 Days

Name _____

Title _____

Date _____

Signature _____



3/6/2026

Customer: 420312 | Oldham Co. Event Center
Attn: Rodney Gabbert / Bo Glass
100 W. Jefferson St.
LaGrange, KY 40031
502-664-7694 | rgabbert@oldhamcountyny.gov Bglass@oldhamcountyny.gov

Generator Planned Maintenance Agreement Renewal-Liquid Cooled Units (Semi-Annual)

Thank you for the confidence you have placed in EVAPAR regarding the preventive maintenance of your emergency power equipment. Regular preventive maintenance provides peace of mind and ensures your equipment is ready when you need it, helping you avoid unexpected downtime. Our factory-trained professionals are dedicated to maintaining your systems with the expertise and care that aligns with our mission:

"At EVAPAR, we are committed to delivering reliable energy and industrial solutions with integrity, expertise, and customer-first service. Through innovative technologies, skilled professionals, and unwavering support, we ensure businesses and communities have the power they need—when and where they need it. By prioritizing long-term partnerships and exceptional service, we bring peace of mind to every customer, every time."

Enclosed is your renewal agreement. Once it is signed, a separate invoice will be issued according to the payment terms outlined. Pre-paid customers will continue to enjoy a 10% discount on labor for services not included in this agreement.

We sincerely appreciate your past patronage and look forward to continuing our partnership. If you have any questions, please feel free to contact me.

Respectfully,

Landon Sholar

EVAPAR
Service Sales Specialist
502-297-3544 (Cellular)
502-267-6315 (Office)
502-267-6206 (Fax)
Landon.Sholar@evapar.com

PLANNED MAINTENANCE SCOPE OF WORK

Engine

- Below 350kW: Replace air filter(s) every three years.
- 350kW and Larger: Inspect air filter(s), clean, or replace as needed for an additional cost.
- Check the condition/ tension of belts (adjust as needed)
- Check ignition system, distributor coils, and wires (if applicable)
- Check fuel lines for leaks/damage
- Check flexible fuel line connections
- Lubricate governor and linkage
- Inspect hoses, and clamps for any air intake restrictions

Oil System

- Change oil (annually)
- Change oil filter(s) (annually)
- Inspect for leaks

Cooling System

- Check radiator coolant level
- Annual Coolant Sample Analysis with Report
- Test/record anti-freeze temperature
- Test/record anti-freeze nitrites
- Check for leaks
- Check all hoses
- Check the operation of the engine block heater

Battery

- Inspect / clean terminal on cables
- Clean and treat battery post/cable
- Check battery fluid level
- Check/ record battery volts/amps
- Check/record charger volts/amps
- Check/ record alternator volts/amps
- Load test or perform specific gravity test

Starting System

- Check start solenoid terminals
- Check starter connections

Electrical

- Inspect control panel: Check gauges, meters, and indicator lights
- Visually inspect electrical connections
- Inspect the main line circuit breaker
- Check the generator output voltage

Fuel System

- Change fuel filter(s) (annually)
- Check for fuel leaks
- Clean/ inspect the fuel bowl or water separator (if applicable)
- Check injection pump lines
- Check day tank operation and record level
- Check the fuel transfer pump
- Check fuel solenoid
- Check the fuel pressure regulator
- Inspect the fuel tank and rupture basin for leaks

Exhaust System

- Visually inspect for leaks/damage
- Visually inspect flexible exhaust
- Drain condensation trap

Operating Check

- Run and inspect for proper: oil pressure, coolant/ oil temperature, alternator charger rate, generator voltage, and frequency
- Record gauge and meter readings
- Check for leaks and excessive vibration
- Test safety shutdowns
- Check operation of louvers (if applicable)

Automatic Transfer Switch

- Inspect ATS & enclosure for corrosion/moisture
- Inspect controls and calibrate as needed
- Exercise clock-check and verify operation
- Record normal and emergency frequency/voltage at ATS connection
- Perform power failure or building load test (with approval), check/ record amperage/voltage on each leg
- Check transfer switch contacts for voltage drop(normal and emergency)
- Replace exerciser battery as needed.
- Return all switches into proper operating mode

Reports and Instruction

- Submit inspection/ test report to owner, with any recommendations of future work/ parts required
- Instruct owner personnel in operating or upkeep procedure

OPTIONAL SERVICES

- Diesel Fuel Analysis
- Load Bank Testing (NFPA110)
- Remote Monitoring

PLANNED MAINTENANCE AGREEMENT

- This Planned Maintenance Agreement is entered into by EVAPAR and the owner for EVAPAR to perform Planned Maintenance Service(s) on the equipment listed below.
- Semi-Annual: EVAPAR will perform two (2) visits annually. One (1) Inspection and one (1) Full Service, at approximately six (6) month intervals. Work is to be scheduled and performed during regular business hours.
- This scope of work to be performed includes labor, parts, travel time, and mileage.
- Any additional work recommended or required will be brought to the owner's attention, and upon approval, additional work will be performed for an agreed-upon charge.
- Any scheduled maintenance items (such as ATS transfer tests) that are unable to be performed while EVAPAR is on-site for services, due to personnel or logistics changes by the customer on the day of service will result in an additional trip and or labor charges to return to perform those re-scheduled services.
- This agreement does not include expenses to repair damage caused by abuse, accident, theft, acts of a third person, forces of nature, or altering the equipment. EVAPAR shall not be responsible for failure to render the service for causes beyond its control, including pandemics, strikes and labor disputes. This agreement is not assignable without the consent of EVAPAR and can be cancelled by either party through written notice.

Make	Model Number	Serial Number	kW	Location	Price
Generac	SG045	3010210595	45	108 W. Jefferson St. LaGrange, KY	\$885
TOTAL					\$885

Payment Terms Agreement – Liquid Cooled

Please initial **one (1)** payment term. Note: If you select **Billed Terms**, a credit application is required unless you have an existing approved account.

1. **Pre-Paid Terms** - If this option is selected, an invoice will be issued immediately and payment in full is due before any services are scheduled. Issued Purchase Orders do not constitute payment. Upon receipt of payment, the agreed-upon services will be scheduled. Customers selecting Pre-Paid Terms will receive a 10% discount on labor charges for any additional services performed outside of this agreement.

Customer Initials: _____

2. **Billed Terms (Approved Accounts Only)** - If this option is selected, an invoice will be issued upon completion of the first service visit and payment will be due according to your approved account terms. Billed Terms are available only to customers with approved open accounts. If you do not have an existing account, a credit application will be required prior to scheduling services.

Customer Initials: _____

Company _____

Quote Valid for 30 Days

Name _____

Title _____

Date _____

Signature _____