

Initial configuration

Administrator Username is invalid, username is reserved

If you run Forgejo inside Docker, please read the [documentation](#) before changing any settings.

Database settings

Forgejo requires MySQL, PostgreSQL, SQLite3 or TiDB (MySQL protocol).

Database type *	<input type="text" value="PostgreSQL"/>
Host *	<input type="text" value="192.168.1.5:5432"/>
Username *	<input type="text" value="forgejo"/>
Password *	<input type="password" value="....."/>
Database name *	<input type="text" value="forgejo"/>
SSL *	<input type="text" value="Disable"/>
Schema	<input type="text"/>

Leave blank for database default ("public").

General settings

Instance title *	<input type="text" value="Forgejo"/>
Enter your instance name here. It will be displayed on every page.	
Instance slogan	<input type="text" value="Beyond coding. We Forge."/>
Enter your instance slogan here. Leave empty to disable.	
Repository root path *	<input type="text" value="/var/lib/forgejo/data/forgejo-repositories"/>
Remote Git repositories will be saved to this directory.	

Git LFS root path

Files tracked by Git LFS will be stored in this directory. Leave empty to disable.

User to run as *

The operating system username that Forgejo runs as. Note that this user must have access to the repository root path.

Server domain *

Domain or host address for the server.

SSH server port

Port number that will be used by the SSH server. Leave empty to disable SSH server.

HTTP listen port *

Port number that will be used by the Forgejo web server.

Base URL *

Base address for HTTP(S) clone URLs and email notifications.

Log path *

Log files will be written to this directory.

☒ **Disable self-registration**

Only instance administrators will be able to create new user accounts. It is highly recommended to keep registration disabled unless you intend to host a public instance for everyone and ready to deal with large amounts of spam accounts.

☒ **Enable update checker**

It will periodically check for new Forgejo versions by checking a TXT DNS record at release.forgejo.org.

Optional settings

► Email settings

► Server and third-party service settings

▼ Administrator account settings

Creating an administrator account is optional. The first registered user will automatically become an administrator.

Administrator username

Email address

Password

Confirm password

These configuration options will be saved in: /etc/forgejo/app.ini

Install Forgejo

Powered by **Forgejo** Version: 9.0.3+gitea-1.22.0 Page: **4ms** Template: **0ms**

🌐 [English](#) | [Licenses](#) | [API](#)