

Erreur:

Started by user CHAUMONT Olivier

```
> git rev-parse --resolve-git-dir  
/var/jenkins_home/caches/git-0c5b43738a3cbae16fa5732956f1a739/.git # timeout=10
```

Setting origin to https://gheprivate.intra.corp/ATOM/7DAE-ltm-dashboard.git

```
> git config remote.origin.url https://gheprivate.intra.corp/ATOM/7DAE-ltm-dashboard.git #  
timeout=10
```

Fetching origin...

Fetching upstream changes from origin

```
> git --version # timeout=10
```

```
> git --version # 'git version 2.47.3'
```

```
> git config --get remote.origin.url # timeout=10
```

using GIT_ASKPASS to set credentials git_token

```
> git fetch --tags --force --progress -- origin +refs/heads/*:refs/remotes/origin/* # timeout=10
```

Seen branch in repository origin/master

Seen 1 remote branch

Obtained Jenkinsfile from d4d209cd9089adfe654886868851a06971c868cb

[Pipeline] Start of Pipeline

[Pipeline] node

Agent 2.5-nodejs-20.9.0-cypress-13.6.3-jdk-17.0.9-76xtz

is provisioned from template 2.5_nodejs-20.9.0_cypress-13.6.3_jdk-17.0.9

apiVersion: "v1"

kind: "Pod"

metadata:

annotations:

kubernetes.jenkins.io/last-refresh: "1780427821618"

labels:

jenkins: "slave"

jenkins/label-digest: "e3ab66ecb562d6197caa015dc1767bb0d0c8f485"

jenkins/label: "2_5_nodejs-20_9_0_cypress-13_6_3_jdk-17_0_9"

kubernetes.jenkins.io/controller:

"jenkins_2b82-devops_aws_cloud_airbus_corp_devops4ev-2k77x"

cloudbees.com/master: "devops4ev-2k77"

name: "2.5-nodejs-20.9.0-cypress-13.6.3-jdk-17.0.9-76xtz"

namespace: "jenkins-slaves"

spec:

activeDeadlineSeconds: 14400

affinity:

podAntiAffinity:

preferredDuringSchedulingIgnoredDuringExecution:

- podAffinityTerm:

labelSelector:

matchExpressions:

- key: "com.cloudbees.cje.type"

operator: "In"

values:

- "master"

- "cjoc"

topologyKey: "kubernetes.io/hostname"

weight: 1

containers:

- args:

_ "*****"

- "2.5-nodejs-20.9.0-cypress-13.6.3-jdk-17.0.9-76xtz"

env:

- name: "LANGUAGE"

value: "en_US.UTF-8"

- name: "JENKINS_SECRET"

value: "*****"

- name: "JENKINS_AGENT_NAME"

value: "2.5-nodejs-20.9.0-cypress-13.6.3-jdk-17.0.9-76xtz"

- name: "LC_ALL"

value: "en_US.UTF-8"

- name: "CIBLE"

value: "RHEL8X64"

- name: "JENKINS_WEB_SOCKET"

value: "true"

- name: "REMOTING_OPTS"

value: "-noReconnectAfter 1d"

- name: "JENKINS_NAME"

value: "2.5-nodejs-20.9.0-cypress-13.6.3-jdk-17.0.9-76xtz"

- name: "JENKINS_AGENT_WORKDIR"

value: "/home/sa-2k77-jenkins/agent"

- name: "LANG"

value: "en_US.UTF-8"

- name: "JENKINS_URL"

value: "https://oc.jenkins.2b82-devops.aws.cloud.airbus.corp/devops4ev-2k77/"

image:

"r-2k77-devops-docker-releases-local.artifactory.fr.eu.airbus.corp/after/jenkins-slave-nodejs-cypress:2.5.3_nodejs-20.9.0_cypress-13.6.3_jdk-17.0.9"

imagePullPolicy: "IfNotPresent"

name: "jnlp"

resources: {}

securityContext:

runAsGroup: 265976

runAsUser: 165976

tty: false

volumeMounts:

- mountPath: "/home/sa-2k77-jenkins/.config"

name: "home-config"

readOnly: false

- mountPath: "/home/sa-2k77-jenkins/agent"

name: "workspace-volume"

readOnly: false

workingDir: "/home/sa-2k77-jenkins/agent"

enableServiceLinks: false

nodeSelector:

kubernetes.io/os: "linux"

restartPolicy: "Never"

volumes:

- name: "home-config"

emptydir: {}

- emptyDir:

medium: ""

name: "workspace-volume"

Running on 2.5-nodejs-20.9.0-cypress-13.6.3-jdk-17.0.9-76xtz

in /home/sa-2k77-jenkins/agent/workspace/7DAE-ltm-dashboard_master

[Pipeline] {

[Pipeline] stage

[Pipeline] { (Declarative: Checkout SCM)

[Pipeline] checkout

Selected Git installation does not exist. Using Default

The recommended git tool is: NONE

using credential git_token_sa-2k77-devops

Cloning the remote Git repository

Cloning with configured refspecs honoured and without tags

Cloning repository https://gheprivate.intra.corp/ATOM/7DAE-ltm-dashboard.git

> git init /home/sa-2k77-jenkins/agent/workspace/7DAE-ltm-dashboard_master # timeout=10

Fetching upstream changes from https://gheprivate.intra.corp/ATOM/7DAE-ltm-dashboard.git

> git --version # timeout=10

```
> git --version # 'git version 2.43.5'
```

using GIT_ASKPASS to set credentials git_token

```
> git fetch --no-tags --force --progress --  
https://gheprivate.intra.corp/ATOM/7DAE-ltm-dashboard.git +refs/heads/*:refs/remotes/origin/* #  
timeout=10
```

```
> git config remote.origin.url https://gheprivate.intra.corp/ATOM/7DAE-ltm-dashboard.git #  
timeout=10
```

```
> git config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10
```

Avoid second fetch

Checking out Revision d4d209cd9089adfe654886868851a06971c868cb (master)

```
> git config core.sparsecheckout # timeout=10
```

```
> git checkout -f d4d209cd9089adfe654886868851a06971c868cb # timeout=10
```

Commit message: "update"

```
> git rev-list --no-walk c99aeb6497101ebd42503a31b014e20e779708b2 # timeout=10
```

[Pipeline] }

[Pipeline] // stage

[Pipeline] withEnv

[Pipeline] {

[Pipeline] withEnv

[Pipeline] {

[Pipeline] stage

[Pipeline] { (System & Environment Check)

[Pipeline] sh

```
+ echo '===== SYSTEM & ENVIRONMENT INFO  
====='
```

```
===== SYSTEM & ENVIRONMENT INFO  
=====
```

```
+ uname -a
```

```
Linux 2.5-nodejs-20.9.0-cypress-13.6.3-jdk-17.0.9-76xtz 4.18.0-553.111.1.el8_10.x86_64 #1  
SMP Sat Feb 28 00:49:56 EST 2026 x86_64 x86_64 x86_64 GNU/Linux
```

```
+ cat /etc/os-release
```

```
NAME="Red Hat Enterprise Linux"
```

```
VERSION="8.10 (Ootpa)"
```

```
ID="rhel"
```

```
ID_LIKE="fedora"
```

```
VERSION_ID="8.10"
```

```
PLATFORM_ID="platform:el8"
```

```
PRETTY_NAME="Red Hat Enterprise Linux 8.10 (Ootpa)"
```

```
ANSI_COLOR="0;31"
```

```
CPE_NAME="cpe:/o:redhat:enterprise_linux:8::baseos"
```

```
HOME_URL="https://www.redhat.com/"
```

```
DOCUMENTATION_URL="https://access.redhat.com/documentation/en-us/red_hat_enterprise_  
linux/8"
```

```
BUG_REPORT_URL="https://issues.redhat.com/"
```

```
REDHAT_BUGZILLA_PRODUCT="Red Hat Enterprise Linux 8"
```

```
REDHAT_BUGZILLA_PRODUCT_VERSION=8.10
```

```
REDHAT_SUPPORT_PRODUCT="Red Hat Enterprise Linux"
```

```
REDHAT_SUPPORT_PRODUCT_VERSION="8.10"
```

```
+ echo '\n[Node.js]'
```

```
\n[Node.js]
```

```
+ node -v
```

v20.9.0

+ echo '\n[NPM]'

\n[NPM]

+ npm -v

10.1.0

+ echo '\n[Disk]'

\n[Disk]

+ df -h /

Filesystem	Size	Used	Avail	Use%	Mounted on
------------	------	------	-------	------	------------

overlay	150G	93G	58G	62%	/
---------	------	-----	-----	-----	---

+ echo '\n[Memory]'

\n[Memory]

+ free -h

	total	used	free	shared	buff/cache	available
Mem:	62Gi	32Gi	11Gi	624Mi	18Gi	28Gi
Swap:	29Gi	934Mi	29Gi			

+ echo

=====

=====

=====

=====

[Pipeline] }

[Pipeline] // stage

[Pipeline] stage

[Pipeline] { (Initialize & Configure Workspace)

[Pipeline] withCredentials

Masking supported pattern matches of \$ARTIFACTORY_PASSWORD

```
[Pipeline] {
```

```
[Pipeline] script
```

```
[Pipeline] {
```

```
[Pipeline] readJSON
```

```
[Pipeline] fileExists
```

```
[Pipeline] readFile
```

```
[Pipeline] writeFile
```

```
[Pipeline] echo
```

Updated .npmrc using password/API key from artifactory-atom-credentials

```
[Pipeline] }
```

```
[Pipeline] // script
```

```
[Pipeline] }
```

```
[Pipeline] // withCredentials
```

```
[Pipeline] }
```

```
[Pipeline] // stage
```

```
[Pipeline] stage
```

```
[Pipeline] { (NPM Install)
```

```
[Pipeline] sh
```

```
+ rm -rf package-lock.json
```

```
[Pipeline] sh
```

```
+ npm install
```

```
npm WARN EBADENGINE Unsupported engine {
```

```
npm WARN EBADENGINE   package: 'eslint-visitor-keys@5.0.1',
```

npm WARN EBADENGINE required: { node: '^20.19.0 || ^22.13.0 || >=24' },

npm WARN EBADENGINE current: { node: 'v20.9.0', npm: '10.1.0' }

npm WARN EBADENGINE }

npm WARN deprecated inflight@1.0.6: This module is not supported, and leaks memory. Do not use it. Check out lru-cache if you want a good and tested way to coalesce async requests by a key value, which is much more comprehensive and powerful.

npm WARN deprecated glob@7.2.3: Old versions of glob are not supported, and contain widely publicized security vulnerabilities, which have been fixed in the current version. Please update. Support for old versions may be purchased (at exorbitant rates) by contacting i@izs.me

npm WARN deprecated @types/mapbox-gl@3.5.0: This is a stub types definition. mapbox-gl provides its own type definitions, so you do not need this installed.

npm WARN deprecated rimraf@3.0.2: Rimraf versions prior to v4 are no longer supported

npm WARN deprecated @humanwhocodes/object-schema@2.0.3: Use @eslint/object-schema instead

npm WARN deprecated @humanwhocodes/config-array@0.13.0: Use @eslint/config-array instead

npm WARN deprecated eslint@8.57.1: This version is no longer supported. Please see <https://eslint.org/version-support> for other options.

added 518 packages, and audited 519 packages in 3m

155 packages are looking for funding

run `npm fund` for details

2 moderate severity vulnerabilities

To address all issues (including breaking changes), run:

npm audit fix --force

Run `npm audit` for details.

```
[Pipeline] }
```

```
[Pipeline] // stage
```

```
[Pipeline] stage
```

```
[Pipeline] { (Build)
```

```
[Pipeline] script
```

```
[Pipeline] {
```

```
[Pipeline] sh
```

```
+ BASE_HREF=/atom-ltm-dashboard
```

```
+ NEXT_PUBLIC_BASE_HREF=/atom-ltm-dashboard
```

```
+
```

```
NEXT_PUBLIC_ATOM_API_BASE_URL=https://gateway2-val.after-val.eu.airbus.corp/atom-syn  
chronizer-val
```

```
+ npm run build
```

```
> ltm-dashboard@0.1.0 build
```

```
> next build
```

⚠ No build cache found. Please configure build caching for faster rebuilds. Read more:
<https://nextjs.org/docs/messages/no-cache>

Attention: Next.js now collects completely anonymous telemetry regarding usage.

This information is used to shape Next.js' roadmap and prioritize features.

You can learn more, including how to opt-out if you'd not like to participate in this anonymous program, by visiting the following URL:

<https://nextjs.org/telemetry>

▲ Next.js 15.5.19

Creating an optimized production build ...

⚠ Compiled with warnings in 11.0s

./app/api/export/pdf/route.ts

Attempted import error: 'ATOM_API_BASE_URL' is not exported from '@lib/atom-api' (imported as 'ATOM_API_BASE_URL').

Import trace for requested module:

./app/api/export/pdf/route.ts

./app/api/export/pdf/route.ts

Attempted import error: 'ATOM_API_BASE_URL' is not exported from '@lib/atom-api' (imported as 'ATOM_API_BASE_URL').

Import trace for requested module:

./app/api/export/pdf/route.ts

./app/api/photo/[id]/route.ts

Attempted import error: 'ATOM_API_BASE_URL' is not exported from '@lib/atom-api' (imported as 'ATOM_API_BASE_URL').

Import trace for requested module:

./app/api/photo/[id]/route.ts

./app/api/photo/[id]/route.ts

Attempted import error: 'ATOM_API_BASE_URL' is not exported from '@lib/atom-api' (imported as 'ATOM_API_BASE_URL').

Import trace for requested module:

./app/api/photo/[id]/route.ts

✓ Compiled successfully in 27.4s

Linting and checking validity of types ...

./components/Gallery.tsx

13:5 Warning: Using `` could result in slower LCP and higher bandwidth. Consider using `https://nextjs.org/docs/messages/no-img-element @next/next/no-img-element

42:7 Warning: Using `` could result in slower LCP and higher bandwidth. Consider using `https://nextjs.org/docs/messages/no-img-element @next/next/no-img-element

62:9 Warning: Using `` could result in slower LCP and higher bandwidth. Consider using `https://nextjs.org/docs/messages/no-img-element @next/next/no-img-element

./components/Header.tsx

37:13 Warning: Using `` could result in slower LCP and higher bandwidth. Consider using `https://nextjs.org/docs/messages/no-img-element @next/next/no-img-element

./components/LabTestMeanCard.tsx

27:9 Warning: Using `` could result in slower LCP and higher bandwidth. Consider using `https://nextjs.org/docs/messages/no-img-element @next/next/no-img-element

./components/pdf/BenchDetailPage.tsx

99:11 Warning: Image elements must have an alt prop, either with meaningful text, or an empty string for decorative images. jsx-a11y/alt-text

info - Need to disable some ESLint rules? Learn more here: <https://nextjs.org/docs/app/api-reference/config/eslint#disabling-rules>

Failed to compile.

./app/api/export/pdf/route.ts:14:10

Type error: Module "'@/lib/atom-api'" has no exported member 'ATOM_API_BASE_URL'.

[0m [90m 12 |[39m type [33mResolvedBench[39m[33m,[39m

[90m 13 |[39m } [36mfrom[39m [32m"@/components/pdf/CatalogueExport"[39m[33m,[39m

[31m[1m>[22m[39m[90m 14 |[39m [36mimport[39m { [33mATOM_API_BASE_URL[39m }
[36mfrom[39m [32m"@/lib/atom-api"[39m[33m,[39m

[90m |[39m [31m[1m^[22m[39m

[90m 15 |[39m [36mimport[39m type { [33mLabTestMean[39m } [36mfrom[39m
[32m"@/lib/types"[39m[33m,[39m

[90m 16 |[39m

[90m 17 |[39m [36mexport[39m [36mconst[39m runtime [33m=[39m
[32m"nodejs"[39m[33m,[39m[0m

Next.js build worker exited with code: 1 and signal: null

[Pipeline] }

[Pipeline] // script

[Pipeline] }

[Pipeline] // stage

[Pipeline] stage

[Pipeline] { (Docker Image)

Stage "Docker Image" skipped due to earlier failure(s)

[Pipeline] getContext

[Pipeline] }

[Pipeline] // stage

[Pipeline] stage

[Pipeline] { (Helm Deploy on AFTER)

Stage "Helm Deploy on AFTER" skipped due to earlier failure(s)

[Pipeline] getContext

[Pipeline] }

[Pipeline] // stage

[Pipeline] stage

[Pipeline] { (Declarative: Post Actions)

[Pipeline] cleanWs

[WS-CLEANUP] Deleting project workspace...

[WS-CLEANUP] Deferred wipeout is used...

[WS-CLEANUP] done

[Pipeline] }

```
[Pipeline] // stage

[Pipeline] }

[Pipeline] // withEnv

[Pipeline] }

[Pipeline] // withEnv

[Pipeline] }

[Pipeline] // node

[Pipeline] End of Pipeline

ERROR: script returned exit code 1

Finished: FAILURE
```

Le problème a complètement changé de nature. Vos infrastructures et votre pipeline Jenkins fonctionnent désormais à la perfection. Le build Next.js se lance bien, mais il plante à cause d'une **erreur de code TypeScript / JavaScript** dans votre application:

Plaintext

None

Failed to compile.

```
./app/api/export/pdf/route.ts:14:10
Type error: Module '"@/lib/atom-api"' has no exported member
'ATOM_API_BASE_URL'.
```

Origine du problème

Dans vos fichiers `./app/api/export/pdf/route.ts` (à la ligne 14) et `./app/api/photo/[id]/route.ts`, votre code tente d'importer une constante nommée `ATOM_API_BASE_URL` depuis votre fichier central d'API `@/lib/atom-api`.

Or, cette variable n'est pas exportée (ou n'existe pas sous ce nom exact) dans votre fichier `lib/atom-api.ts` (ou `.js`).

C'est d'autant plus logique que dans votre `Jenkinsfile`, vous avez injecté la variable d'environnement sous le nom : `NEXT_PUBLIC_ATOM_API_BASE_URL`.

Solutions

Option 1 : Utiliser directement la variable d'environnement (Recommandé)

Si `ATOM_API_BASE_URL` n'est pas définie dans votre bibliothèque, vous pouvez utiliser directement la variable d'environnement que vous transmettez via Jenkins.

Ouvrez les fichiers coupables :

- `app/api/export/pdf/route.ts`
- `app/api/photo/[id]/route.ts`

Supprimez l'import problématique :

TypeScript

```
None
// ✗ À SUPPRIMER
import { ATOM_API_BASE_URL } from "@lib/atom-api";
```

Et remplacez son utilisation dans le fichier par l'appel système standard :

TypeScript

```
None
// À UTILISER à la place
const apiUrl = process.env.NEXT_PUBLIC_ATOM_API_BASE_URL;
```

Option 2 : Corriger l'export dans `lib/atom-api.ts`

Si vous préférez centraliser vos URLs dans votre fichier de configuration d'API, ouvrez votre fichier `lib/atom-api.ts` (ou `.js`) et assurez-vous d'y ajouter l'export manquant en lui associant la variable d'environnement lue par Next.js :

TypeScript

```
None
// À ajouter ou corriger dans lib/atom-api.ts
export const ATOM_API_BASE_URL =
process.env.NEXT_PUBLIC_ATOM_API_BASE_URL ||
```

```
"https://gateway2-val.after-val.eu.airbus.corp/atom-synchronizer-val";
```

⚠ Une dernière remarque importante sur votre Jenkinsfile !

En lisant votre nouveau **Jenkinsfile**, j'ai remarqué que vous avez conservé dans l'étape **Docker Image** les commandes de restructuration d'un build **standalone**:

Groovy

```
None
sh """
    cp -r public/ .next/standalone/public/
    ...
"""

dir('.next/standalone') { ... } // ❌ Ne fonctionnera plus ensuite
```

Mais dans votre fichier **next.config.mjs**, vous avez modifié l'output pour en faire un export statique pur :

JavaScript

```
None
output: "export", // 👉 Génère un dossier "out/", pas de dossier
".next/standalone" !
```

Une fois l'erreur de code corrigée, l'étape **Build** va réussir et générer un dossier **out/**. Dès que le pipeline arrivera à l'étape **Docker Image**, il plantera à nouveau car le dossier **.next/standalone** n'existera pas.

Pour anticiper cela, nettoyez dès maintenant l'étape **Docker Image** de votre **Jenkinsfile** pour qu'elle corresponde à votre **Dockerfile** (qui lui est correct et copie le dossier **out/**):

Groovy

```
None

stage("Docker Image") {
    when { expression { return EXEC_DOCKER_BUILD == "true" } }

    agent { node '2.4_dind-20.10.14' }
```

```

        steps {
            withCredentials([
                usernamePassword(
                    credentialsId:
'artifactory-atom-credentials',
                    usernameVariable:
'ARTIFACTORY_USERNAME',
                    passwordVariable:
'ARTIFACTORY_PASSWORD'
                )
            ]) {
                script {
                    // 1. On extrait le dossier "out/" généré
par le build statique
                    unstash 'next-build'

                    // 2. On lance directement le build là où
se trouvent le Dockerfile et le dossier out/
                    echo "Building Image:
${env.FULL_IMAGE_NAME}"
                    sh "docker build --rm -t
${env.FULL_IMAGE_NAME} ."

                    echo "Pushing Image..."
                    sh "docker image push
${env.FULL_IMAGE_NAME}"
                }
            }
        }
        post { always { cleanWs() } }
    }
}

```