

Little Negotiator

Sleep Planner

12–24 MONTHS

*They're not being difficult. They're being two.
Here's your plan.*

Directly from Chapter 11 of *Sleep, Baby. Please.*
Tracks nap transitions, bedtime resistance, boundary scripts,
and what actually worked — each night, for every toddler type.

Nap Transition

Boundary Scripts

Night Waking Log

What Worked

Start Here

My Toddler

Week 1

Six & Thriving

Planner Navigation

CONTENTS

Tap any section to jump directly to that page.

Core Sections

How to Use This Planner

My Toddler's Profile

My Sleep Promise

Nap Transition Guide

Boundary Scripts

Reference: Sleep Types

Reference: Field Notes

Reference: Safe Sleep

12-Week Journey

Week 1

Week 2

Week 3

Week 4

Week 5

Week 6

Week 7

Week 8

Week 9

Week 10

Week 11

Week 12

< Previous

Home

Next >

How to Use This Planner

START HERE

One week at a time. One adjustment at a time. Undated — start whenever.

1

Read the chapter first

Each week aligns to a chapter. Read, then apply. The order matters.

2

Fill in EVERY section

Toddler sleep patterns reveal themselves in the data. Log nightly, no matter how tired.

3

Pick one boundary and hold it

Don't overhaul everything at once. One firm rule per week.

4

Use the boundary scripts

Pre-written scripts for the most common protests. Memorise one. Say it the same way.

5

Review each week

Patterns emerge after 3–4 days. Reflection pages reveal what the tired brain misses.

Toddler Profile

Sleep Promise

Go to Week 1

< Previous

Home

Next >

My Toddler's Sleep Profile

PROFILE

Complete before Week 1. Return to update as they grow.

Toddler Details

Name

Date of Birth

Current Age (months)

Planner Start Date

Current Nap Schedule

Current Bedtime

Main sleep challenges right now

My Toddler's Sleep Type

Select the primary type. Check 2 if they show both.



The Little Negotiator

Tests limits verbally and persistently. One more of everyt



The Anxious Attacher

Separation is genuinely distressing — not performed.



The Party Animal

Stimulation = awake. FOMO powers every protest.



The Sensitive Sensor

Overwhelmed by transitions, sound, light, and change.



The Overthinker

Processes everything — questions delay sleep.



The Runner

Physical — body needs more run-out time before it can sett

Current Bedtime Resistance Tactics (describe)

What has worked even once?

[< Previous](#)

[Home](#)

[Next >](#)

Your Toddler Sleep Promise

PROMISE

A commitment to yourself and your toddler.

- ☐ I will keep bedtime in the same order, with the same words, every night.
- ☐ I will choose one boundary and hold it — even on the hard nights.
- ☐ I will not negotiate after lights out. I will empathise and exit.
- ☐ I will use one script consistently so my toddler hears the same response.
- ☐ I will decide the plan before 7pm, when I still have the capacity to think.
- ☐ I will not judge the week on one night. I will look at the 5-day pattern.
- ☐ I understand that my toddler is not giving me a hard time. They are having a hard time.

Firm and warm are not opposites.

You can be both.

- ☐ I have read this and I commit to working the plan — especially on hard nights.

Boundary Scripts — What to Say

SCRIPTS

Memorise ONE script. Say it the same way every time. Consistency is the medicine.

Their Protest

Your Script

'I need water'

'Water is on your nightstand. Goodnight.'

'I'm not tired'

'Your body needs rest even when your brain doesn't feel tired.'

'One more hug'

'We had our hug. I love you. Sleep now.'

'I'm scared'

'Your room is safe. Your nightlight is on. I'll check you soon.'

'I need you to stay'

'I'll be right outside. I love you. Goodnight.'

'Just 5 more minutes'

'It's sleep time now. See you in the morning.'

The 5 Boundary Rules

The One-Rule Limit

One drink. One question. One hug. One goodbye. Then the door closes. State this rule at routine start — not mid-protest.

The Bedtime Pass

One physical card, one use per night. Exchange it for ONE approved exit (water, toilet, hug). When it's gone, it's gone. No exceptions.

The Consistent Exit

Same phrase, same body language, every night. 'I love you. Sleep now.' Then walk out. Don't look back. Don't explain.

The Check-in Promise

For anxious attachers: 'I will check on you in 3 minutes.' Then actually do it, once. This is not Ferber — it's a kept promise.

The Validation + Redirect

'I know you're sad. I love you. It's still sleep time.' Acknowledge the emotion; don't change the outcome.

[< Previous](#)

[Home](#)

[Next >](#)

Week 1 • Why Toddler Sleep Is Different

CHAPTER 1

Your baby grew a personality. Sleep strategy must grow too.

Week Setup

Week Dates

Toddler Age (months)

Nap Schedule This Week

Target Bedtime

This Week's ONE Focus Boundary

Chapter Highlights

- Toddlers understand more than they can say — routines feel threatening when they're changing.
- Separation anxiety peaks 12–18 months; not manipulation, genuine distress.
- The drive for autonomy makes 'being told to sleep' feel like a power struggle.
- Developmental cognitive leaps temporarily disrupt established sleep habits.

Jump to this week's pages

[Nap & Awake](#)[Routine](#)[Night Log](#)[Method](#)[Reflection](#)[< Previous](#)[Home](#)[Next >](#)

Week 1 · Nap & Awake Window Tracker

WEEK 1

Track actual vs target. Identify the overtiredness patterns.

Current Nap Status



2 naps



Transition



1 nap

Day	Wake	Nap 1	Nap 2	Bedtime	Asleep	Wake Time
Mon						
Tue						
Wed						
Thu						
Fri						
Sat						
Sun						

Daily Notes / observations

Mon

Tue

Wed

Thu

Fri

Sat

Sun

< Previous

Home

Next >

Week 1 • Bedtime Routine Builder

WEEK 1

Same steps, same order. Write your version and use the checks.

Routine Start Time

Target total: 20–30 min | Hold the timer.

#	Step	Our Version / What We Do	Mon	Wed	Fri
1	Transition Warning		☐	☐	☐
2	Stimulation Off		☐	☐	☐
3	Tidy-Up (1 minute)		☐	☐	☐
4	Bath or Warm Wash		☐	☐	☐
5	Pajamas + Sleep Sack		☐	☐	☐
6	Snack if needed		☐	☐	☐
7	Books (max 2)		☐	☐	☐
8	Lights Down		☐	☐	☐
9	Song or Breathe		☐	☐	☐
10	Comfort Object Check		☐	☐	☐
11	Goodnight Phrase		☐	☐	☐
12	Parent Exits Calmly		☐	☐	☐

Nightly Checklist

- | | |
|--|---|
| ☐ Transition warning given 10 min early | ☐ OK-to-wake clock set (if using) |
| ☐ Stimulation (screens/active play) ended on time | ☐ White noise on |
| ☐ Routine followed in order — no skips or additions | ☐ Room dark or red nightlight only |
| ☐ Bedtime pass issued (if using) | ☐ Parent exited calmly with one goodbye phrase |
| ☐ Comfort object confirmed | |

< Previous

Home

Next >

Week 1 • Night Log

WEEK 1

Track every night. Good nights are data too.

Night 1

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 2

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 3

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 4

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

[< Previous](#)[Home](#)[Next >](#)

Week 1 • Night Log Continued

WEEK 1
Nights 5–7 + boundary resistance tracking.

Night 5

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 6

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 7

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Partner / Co-Parent Sync

Did your co-parent follow the same boundary rule tonight?

If not, how will you align tomorrow?

Who handles tonight's protests?

[< Previous](#)[Home](#)[Next >](#)

Week 1 • Boundary Consistency Tracker

WEEK 1

Track which rule you held — and where it slipped.

Night	Protest Type	Script Used?	Held Boundary?	Gave In To	Confidence
1		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
2		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
3		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
4		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
5		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
6		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
7		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐

Key Insight

Consistency means the SAME response — not just the same words. What you do after the protest is what your toddler learns. One parent deviating from the plan resets up to 3 nights of progress.

[< Previous](#)[Home](#)[Next >](#)

Week 1 • Weekly Reflection

WEEK 1

Five honest minutes. Patterns become visible on paper.

Q1 What boundary held this week?

Identify the one thing you stayed consistent on.

Q2 Where did you capitulate — and what can you do differently?

No judgment. Just data for next week.

Q3 What was your toddler's hardest moment, and what triggered it?

Look for patterns: overtiredness, hunger, environment changes.

Q4 What script worked best when they tested the limit?

Write it down. Repeat it exactly.

Q5 What does your toddler seem to need that you haven't tried yet?

One adjustment per week only.

Week 1 • Week at a Glance

WEEK 1

Stats + next week's intention.

Sleep Stats

Best night

Hardest night

Avg. wakings / night

Avg. time to settle

Longest sleep stretch

Avg. bedtime

Avg. morning wake

Nap total avg.

Boundary Win This Week

Script that worked best

Next Week Intention

They're not being difficult. They're being two. Here's your plan.

[< Previous](#)

[Home](#)

[Next >](#)

Week 2 · The Nap Transition: 2-to-1

CHAPTER 2

The most turbulent toddler sleep shift — here's how to land it.

Week Setup

Week Dates

Toddler Age (months)

Nap Schedule This Week

Target Bedtime

This Week's ONE Focus Boundary

Chapter Highlights

- Most toddlers transition from 2 naps to 1 between 14–18 months.
- Signs: consistently fighting one nap, or bedtime becoming very late after two naps.
- Don't rush it — an early 1-nap transition often causes chronic overtiredness.
- The transition takes 4–8 weeks of adjustment before the schedule stabilises.

Jump to this week's pages

[Nap & Awake](#)[Routine](#)[Night Log](#)[Method](#)[Reflection](#)[< Previous](#)[Home](#)[Next >](#)

Week 2 · Nap & Awake Window Tracker

WEEK 2

Track actual vs target. Identify the overtiredness patterns.

Current Nap Status



2 naps



Transition



1 nap

Day	Wake	Nap 1	Nap 2	Bedtime	Asleep	Wake Time
Mon						
Tue						
Wed						
Thu						
Fri						
Sat						
Sun						

Daily Notes / observations

Mon	
Tue	
Wed	
Thu	
Fri	
Sat	
Sun	

< Previous

Home

Next >

Week 2 · Bedtime Routine Builder

WEEK 2

Same steps, same order. Write your version and use the checks.

Routine Start Time

Target total: 20–30 min | Hold the timer.

#	Step	Our Version / What We Do	Mon	Wed	Fri
1	Transition Warning		☐	☐	☐
2	Stimulation Off		☐	☐	☐
3	Tidy-Up (1 minute)		☐	☐	☐
4	Bath or Warm Wash		☐	☐	☐
5	Pajamas + Sleep Sack		☐	☐	☐
6	Snack if needed		☐	☐	☐
7	Books (max 2)		☐	☐	☐
8	Lights Down		☐	☐	☐
9	Song or Breathe		☐	☐	☐
10	Comfort Object Check		☐	☐	☐
11	Goodnight Phrase		☐	☐	☐
12	Parent Exits Calmly		☐	☐	☐

Nightly Checklist

- | | |
|--|---|
| ☐ Transition warning given 10 min early | ☐ OK-to-wake clock set (if using) |
| ☐ Stimulation (screens/active play) ended on time | ☐ White noise on |
| ☐ Routine followed in order — no skips or additions | ☐ Room dark or red nightlight only |
| ☐ Bedtime pass issued (if using) | ☐ Parent exited calmly with one goodbye phrase |
| ☐ Comfort object confirmed | |

< Previous

Home

Next >

Week 2 • Night Log

WEEK 2

Track every night. Good nights are data too.

Night 1

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 2

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 3

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 4

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

< Previous

Home

Next >

Week 2 · Night Log Continued

WEEK 2

Nights 5–7 + boundary resistance tracking.

Night 5

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 6

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 7

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Partner / Co-Parent Sync

Did your co-parent follow the same boundary rule tonight?

If not, how will you align tomorrow?

Who handles tonight's protests?

[< Previous](#)[Home](#)[Next >](#)

Week 2 • Boundary Consistency Tracker

WEEK 2

Track which rule you held — and where it slipped.

Night	Protest Type	Script Used?	Held Boundary?	Gave In To	Confidence
1		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
2		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
3		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
4		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
5		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
6		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
7		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐

Key Insight

Consistency means the SAME response — not just the same words. What you do after the protest is what your toddler learns. One parent deviating from the plan resets up to 3 nights of progress.

[< Previous](#)[Home](#)[Next >](#)

Week 2 • Weekly Reflection

WEEK 2

Five honest minutes. Patterns become visible on paper.

Q1 What boundary held this week?

Identify the one thing you stayed consistent on.

Q2 Where did you capitulate — and what can you do differently?

No judgment. Just data for next week.

Q3 What was your toddler's hardest moment, and what triggered it?

Look for patterns: overtiredness, hunger, environment changes.

Q4 What script worked best when they tested the limit?

Write it down. Repeat it exactly.

Q5 What does your toddler seem to need that you haven't tried yet?

One adjustment per week only.

Week 2 • Week at a Glance

WEEK 2

Stats + next week's intention.

Sleep Stats

Best night

Hardest night

Avg. wakings / night

Avg. time to settle

Longest sleep stretch

Avg. bedtime

Avg. morning wake

Nap total avg.

Boundary Win This Week

Script that worked best

Next Week Intention

Firm and warm are not opposites. You can be both.

[< Previous](#)

[Home](#)

[Next >](#)

Week 3 • Reading Toddler Sleep Cues

CHAPTER 3

They're harder to read — but the signals are still there.

Week Setup

Week Dates

Toddler Age (months)

Nap Schedule This Week

Target Bedtime

This Week's ONE Focus Boundary

Chapter Highlights

- Toddlers mask tiredness with hyperactivity — the 'second wind' is a trap.
- Clinginess, emotional meltdowns, and loss of coordination = overtired.
- Build consistency into the time, not just the cues.
- Ask yourself: 'Would they fall asleep in the car?' — that's your answer.

Jump to this week's pages

[Nap & Awake](#)[Routine](#)[Night Log](#)[Method](#)[Reflection](#)[< Previous](#)[Home](#)[Next >](#)

Week 3 · Nap & Awake Window Tracker

WEEK 3

Track actual vs target. Identify the overtiredness patterns.

Current Nap Status



2 naps



Transition



1 nap

Day	Wake	Nap 1	Nap 2	Bedtime	Asleep	Wake Time
Mon						
Tue						
Wed						
Thu						
Fri						
Sat						
Sun						

Daily Notes / observations

Mon	
Tue	
Wed	
Thu	
Fri	
Sat	
Sun	

< Previous

Home

Next >

Week 3 · Bedtime Routine Builder

WEEK 3

Same steps, same order. Write your version and use the checks.

Routine Start Time

Target total: 20–30 min | Hold the timer.

#	Step	Our Version / What We Do	Mon	Wed	Fri
1	Transition Warning		☐	☐	☐
2	Stimulation Off		☐	☐	☐
3	Tidy-Up (1 minute)		☐	☐	☐
4	Bath or Warm Wash		☐	☐	☐
5	Pajamas + Sleep Sack		☐	☐	☐
6	Snack if needed		☐	☐	☐
7	Books (max 2)		☐	☐	☐
8	Lights Down		☐	☐	☐
9	Song or Breathe		☐	☐	☐
10	Comfort Object Check		☐	☐	☐
11	Goodnight Phrase		☐	☐	☐
12	Parent Exits Calmly		☐	☐	☐

Nightly Checklist

- | | |
|--|---|
| ☐ Transition warning given 10 min early | ☐ OK-to-wake clock set (if using) |
| ☐ Stimulation (screens/active play) ended on time | ☐ White noise on |
| ☐ Routine followed in order — no skips or additions | ☐ Room dark or red nightlight only |
| ☐ Bedtime pass issued (if using) | ☐ Parent exited calmly with one goodbye phrase |
| ☐ Comfort object confirmed | |

< Previous

Home

Next >

Week 3 • Night Log

WEEK 3

Track every night. Good nights are data too.

Night 1

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 2

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 3

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 4

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

[< Previous](#)

[Home](#)

[Next >](#)

Week 3 · Night Log Continued

WEEK 3
Nights 5–7 + boundary resistance tracking.

Night 5

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 6

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 7

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Partner / Co-Parent Sync

Did your co-parent follow the same boundary rule tonight?

If not, how will you align tomorrow?

Who handles tonight's protests?

[< Previous](#)

[Home](#)

[Next >](#)

Week 3 • Boundary Consistency Tracker

WEEK 3

Track which rule you held — and where it slipped.

Night	Protest Type	Script Used?	Held Boundary?	Gave In To	Confidence
1		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
2		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
3		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
4		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
5		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
6		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
7		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐

Key Insight

Consistency means the SAME response — not just the same words. What you do after the protest is what your toddler learns. One parent deviating from the plan resets up to 3 nights of progress.

< Previous

Home

Next >

Week 3 • Weekly Reflection

WEEK 3

Five honest minutes. Patterns become visible on paper.

Q1 What boundary held this week?

Identify the one thing you stayed consistent on.

Q2 Where did you capitulate — and what can you do differently?

No judgment. Just data for next week.

Q3 What was your toddler's hardest moment, and what triggered it?

Look for patterns: overtiredness, hunger, environment changes.

Q4 What script worked best when they tested the limit?

Write it down. Repeat it exactly.

Q5 What does your toddler seem to need that you haven't tried yet?

One adjustment per week only.

Week 3 • Week at a Glance

WEEK 3

Stats + next week's intention.

Sleep Stats

Best night

Hardest night

Avg. wakings / night

Avg. time to settle

Longest sleep stretch

Avg. bedtime

Avg. morning wake

Nap total avg.

Boundary Win This Week

Script that worked best

Next Week Intention

Every boundary you hold tonight is a gift to their future self.

< Previous

Home

Next >

Week 4 • The Toddler Bedtime Routine

CHAPTER 4

Simple, firm, and warm. In that order, every night.

Week Setup

Week Dates

Toddler Age (months)

Nap Schedule This Week

Target Bedtime

This Week's ONE Focus Boundary

Chapter Highlights

- Same steps, same order — the predictability is the point.
- Total routine: 20–30 minutes. Toddlers extend it; hold the line.
- One book, one song, one drink, one hug. Then the door closes.
- Warn before transitions: '5 more minutes, then bath.' Surprises cause resistance.

Jump to this week's pages

[Nap & Awake](#)

[Routine](#)

[Night Log](#)

[Method](#)

[Reflection](#)

[< Previous](#)

[Home](#)

[Next >](#)

Week 4 · Nap & Awake Window Tracker

WEEK 4

Track actual vs target. Identify the overtiredness patterns.

Current Nap Status



2 naps



Transition



1 nap

Day	Wake	Nap 1	Nap 2	Bedtime	Asleep	Wake Time
Mon						
Tue						
Wed						
Thu						
Fri						
Sat						
Sun						

Daily Notes / observations

Mon

Tue

Wed

Thu

Fri

Sat

Sun

< Previous

Home

Next >

Week 4 • Bedtime Routine Builder

WEEK 4

Same steps, same order. Write your version and use the checks.

Routine Start Time

Target total: 20–30 min | Hold the timer.

#	Step	Our Version / What We Do	Mon	Wed	Fri
1	Transition Warning		☐	☐	☐
2	Stimulation Off		☐	☐	☐
3	Tidy-Up (1 minute)		☐	☐	☐
4	Bath or Warm Wash		☐	☐	☐
5	Pajamas + Sleep Sack		☐	☐	☐
6	Snack if needed		☐	☐	☐
7	Books (max 2)		☐	☐	☐
8	Lights Down		☐	☐	☐
9	Song or Breathe		☐	☐	☐
10	Comfort Object Check		☐	☐	☐
11	Goodnight Phrase		☐	☐	☐
12	Parent Exits Calmly		☐	☐	☐

Nightly Checklist

- | | |
|--|---|
| ☐ Transition warning given 10 min early | ☐ OK-to-wake clock set (if using) |
| ☐ Stimulation (screens/active play) ended on time | ☐ White noise on |
| ☐ Routine followed in order — no skips or additions | ☐ Room dark or red nightlight only |
| ☐ Bedtime pass issued (if using) | ☐ Parent exited calmly with one goodbye phrase |
| ☐ Comfort object confirmed | |

< Previous

Home

Next >

Week 4 • Night Log

WEEK 4

Track every night. Good nights are data too.

Night 1

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 2

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 3

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 4

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

< Previous

Home

Next >

Week 4 • Night Log Continued

WEEK 4
Nights 5–7 + boundary resistance tracking.

Night 5

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 6

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 7

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Partner / Co-Parent Sync

Did your co-parent follow the same boundary rule tonight?

If not, how will you align tomorrow?

Who handles tonight's protests?

[< Previous](#)

[Home](#)

[Next >](#)

Week 4 • Boundary Consistency Tracker

WEEK 4

Track which rule you held — and where it slipped.

Night	Protest Type	Script Used?	Held Boundary?	Gave In To	Confidence
1		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
2		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
3		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
4		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
5		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
6		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
7		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐

Key Insight

Consistency means the SAME response — not just the same words. What you do after the protest is what your toddler learns. One parent deviating from the plan resets up to 3 nights of progress.

[< Previous](#)[Home](#)[Next >](#)

Week 4 • Weekly Reflection

WEEK 4

Five honest minutes. Patterns become visible on paper.

Q1 What boundary held this week?

Identify the one thing you stayed consistent on.

Q2 Where did you capitulate — and what can you do differently?

No judgment. Just data for next week.

Q3 What was your toddler's hardest moment, and what triggered it?

Look for patterns: overtiredness, hunger, environment changes.

Q4 What script worked best when they tested the limit?

Write it down. Repeat it exactly.

Q5 What does your toddler seem to need that you haven't tried yet?

One adjustment per week only.

Week 4 • Week at a Glance

WEEK 4

Stats + next week's intention.

Sleep Stats

Best night

Hardest night

Avg. wakings / night

Avg. time to settle

Longest sleep stretch

Avg. bedtime

Avg. morning wake

Nap total avg.

Boundary Win This Week

Script that worked best

Next Week Intention

This is temporary. Sleep is coming. Keep going.

< Previous

Home

Next >

Week 5 • Sleep Environment for Toddlers

CHAPTER 5

The room setup evolves. Here's what changes at this stage.

Week Setup

Week Dates

Toddler Age (months)

Nap Schedule This Week

Target Bedtime

This Week's ONE Focus Boundary

Chapter Highlights

- Crib-to-bed transition: no rush before 2.5–3 years unless climbing becomes unsafe.
- A small nightlight (red spectrum) can ease separation anxiety — not a reward, a tool.
- If using a toddler clock (OK-to-wake), introduce it as exciting, not punitive.
- Consistency is the environment — same room, same tools, same cues.

Jump to this week's pages

[Nap & Awake](#)[Routine](#)[Night Log](#)[Method](#)[Reflection](#)[< Previous](#)[Home](#)[Next >](#)

Week 5 · Nap & Awake Window Tracker

WEEK 5

Track actual vs target. Identify the overtiredness patterns.

Current Nap Status

 2 naps

 Transition

 1 nap

Day	Wake	Nap 1	Nap 2	Bedtime	Asleep	Wake Time
Mon						
Tue						
Wed						
Thu						
Fri						
Sat						
Sun						

Daily Notes / observations

Mon	
Tue	
Wed	
Thu	
Fri	
Sat	
Sun	

[< Previous](#)

[Home](#)

[Next >](#)

Week 5 • Bedtime Routine Builder

WEEK 5

Same steps, same order. Write your version and use the checks.

Routine Start Time

Target total: 20–30 min | Hold the timer.

#	Step	Our Version / What We Do	Mon	Wed	Fri
1	Transition Warning		☐	☐	☐
2	Stimulation Off		☐	☐	☐
3	Tidy-Up (1 minute)		☐	☐	☐
4	Bath or Warm Wash		☐	☐	☐
5	Pajamas + Sleep Sack		☐	☐	☐
6	Snack if needed		☐	☐	☐
7	Books (max 2)		☐	☐	☐
8	Lights Down		☐	☐	☐
9	Song or Breathe		☐	☐	☐
10	Comfort Object Check		☐	☐	☐
11	Goodnight Phrase		☐	☐	☐
12	Parent Exits Calmly		☐	☐	☐

Nightly Checklist

- | | |
|--|---|
| ☐ Transition warning given 10 min early | ☐ OK-to-wake clock set (if using) |
| ☐ Stimulation (screens/active play) ended on time | ☐ White noise on |
| ☐ Routine followed in order — no skips or additions | ☐ Room dark or red nightlight only |
| ☐ Bedtime pass issued (if using) | ☐ Parent exited calmly with one goodbye phrase |
| ☐ Comfort object confirmed | |

< Previous

Home

Next >

Week 5 • Night Log

WEEK 5

Track every night. Good nights are data too.

Night 1

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 2

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 3

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 4

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

[< Previous](#)

[Home](#)

[Next >](#)

Week 5 • Night Log Continued

WEEK 5
Nights 5–7 + boundary resistance tracking.

Night 5

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 6

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 7

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Partner / Co-Parent Sync

Did your co-parent follow the same boundary rule tonight?

If not, how will you align tomorrow?

Who handles tonight's protests?

[< Previous](#)[Home](#)[Next >](#)

Week 5 • Boundary Consistency Tracker

WEEK 5

Track which rule you held — and where it slipped.

Night	Protest Type	Script Used?	Held Boundary?	Gave In To	Confidence
1		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
2		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
3		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
4		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
5		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
6		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
7		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐

Key Insight

Consistency means the SAME response — not just the same words. What you do after the protest is what your toddler learns. One parent deviating from the plan resets up to 3 nights of progress.

[< Previous](#)[Home](#)[Next >](#)

Week 5 • Weekly Reflection

WEEK 5

Five honest minutes. Patterns become visible on paper.

Q1 What boundary held this week?

Identify the one thing you stayed consistent on.

Q2 Where did you capitulate — and what can you do differently?

No judgment. Just data for next week.

Q3 What was your toddler's hardest moment, and what triggered it?

Look for patterns: overtiredness, hunger, environment changes.

Q4 What script worked best when they tested the limit?

Write it down. Repeat it exactly.

Q5 What does your toddler seem to need that you haven't tried yet?

One adjustment per week only.

Week 5 • Week at a Glance

WEEK 5

Stats + next week's intention.

Sleep Stats

Best night

Hardest night

Avg. wakings / night

Avg. time to settle

Longest sleep stretch

Avg. bedtime

Avg. morning wake

Nap total avg.

Boundary Win This Week

Script that worked best

Next Week Intention

One bad night doesn't undo five good ones. Trust the data.

< Previous

Home

Next >

Week 6 · Bedtime Resistance — The Negotiator Emerges

CHAPTER 6

They're not winning. Unless you let them.

Week Setup

Week Dates

Toddler Age (months)

Nap Schedule This Week

Target Bedtime

This Week's ONE Focus Boundary

Chapter Highlights

- Toddlers test limits because it is cognitively normal — not because they are difficult.
- The 'one more' pattern: one drink, one question, one hug — set the rule in advance.
- A bedtime pass (one physical card, one use-per-night) reduces curtain calls dramatically.
- Stay warm AND firm. Empathy without capitulation is the skill.

Jump to this week's pages

[Nap & Awake](#)[Routine](#)[Night Log](#)[Method](#)[Reflection](#)[< Previous](#)[Home](#)[Next >](#)

Week 6 · Nap & Awake Window Tracker

WEEK 6

Track actual vs target. Identify the overtiredness patterns.

Current Nap Status



2 naps



Transition



1 nap

Day	Wake	Nap 1	Nap 2	Bedtime	Asleep	Wake Time
Mon						
Tue						
Wed						
Thu						
Fri						
Sat						
Sun						

Daily Notes / observations

Mon	
Tue	
Wed	
Thu	
Fri	
Sat	
Sun	

[< Previous](#)[Home](#)[Next >](#)

Week 6 • Bedtime Routine Builder

WEEK 6

Same steps, same order. Write your version and use the checks.

Routine Start Time

Target total: 20–30 min | Hold the timer.

#	Step	Our Version / What We Do	Mon	Wed	Fri
1	Transition Warning		☐	☐	☐
2	Stimulation Off		☐	☐	☐
3	Tidy-Up (1 minute)		☐	☐	☐
4	Bath or Warm Wash		☐	☐	☐
5	Pajamas + Sleep Sack		☐	☐	☐
6	Snack if needed		☐	☐	☐
7	Books (max 2)		☐	☐	☐
8	Lights Down		☐	☐	☐
9	Song or Breathe		☐	☐	☐
10	Comfort Object Check		☐	☐	☐
11	Goodnight Phrase		☐	☐	☐
12	Parent Exits Calmly		☐	☐	☐

Nightly Checklist

- | | |
|--|---|
| ☐ Transition warning given 10 min early | ☐ OK-to-wake clock set (if using) |
| ☐ Stimulation (screens/active play) ended on time | ☐ White noise on |
| ☐ Routine followed in order — no skips or additions | ☐ Room dark or red nightlight only |
| ☐ Bedtime pass issued (if using) | ☐ Parent exited calmly with one goodbye phrase |
| ☐ Comfort object confirmed | |

< Previous

Home

Next >

Week 6 • Night Log

WEEK 6

Track every night. Good nights are data too.

Night 1

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 2

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 3

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 4

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

< Previous

Home

Next >

Week 6 • Night Log Continued

WEEK 6
Nights 5–7 + boundary resistance tracking.

Night 5

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 6

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 7

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Partner / Co-Parent Sync

Did your co-parent follow the same boundary rule tonight?

If not, how will you align tomorrow?

Who handles tonight's protests?

[< Previous](#)

[Home](#)

[Next >](#)

Week 6 • Boundary Consistency Tracker

WEEK 6

Track which rule you held — and where it slipped.

Night	Protest Type	Script Used?	Held Boundary?	Gave In To	Confidence
1		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
2		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
3		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
4		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
5		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
6		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
7		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐

Key Insight

Consistency means the SAME response — not just the same words. What you do after the protest is what your toddler learns. One parent deviating from the plan resets up to 3 nights of progress.

[< Previous](#)[Home](#)[Next >](#)

Week 6 • Weekly Reflection

WEEK 6

Five honest minutes. Patterns become visible on paper.

Q1 What boundary held this week?

Identify the one thing you stayed consistent on.

Q2 Where did you capitulate — and what can you do differently?

No judgment. Just data for next week.

Q3 What was your toddler's hardest moment, and what triggered it?

Look for patterns: overtiredness, hunger, environment changes.

Q4 What script worked best when they tested the limit?

Write it down. Repeat it exactly.

Q5 What does your toddler seem to need that you haven't tried yet?

One adjustment per week only.

Week 6 • Week at a Glance

WEEK 6

Stats + next week's intention.

Sleep Stats

Best night

Hardest night

Avg. wakings / night

Avg. time to settle

Longest sleep stretch

Avg. bedtime

Avg. morning wake

Nap total avg.

Boundary Win This Week

Script that worked best

Next Week Intention

You're not breaking your toddler. You're teaching them regulation.

< Previous

Home

Next >

Week 7 • Night Wakings in Toddlers

CHAPTER 7

New reasons, same data-driven approach.

Week Setup

Week Dates

Toddler Age (months)

Nap Schedule This Week

Target Bedtime

This Week's ONE Focus Boundary

Chapter Highlights

- Night fears emerge — validate briefly, then redirect. Don't linger.
- Nightmares vs night terrors: nightmares happen second half of night, child is aware.
- Night terrors: first half, child seems awake but is not. Don't intervene — wait.
- Rule out discomfort: teeth, growth spurts, illness before sleep training.

Jump to this week's pages

[Nap & Awake](#)[Routine](#)[Night Log](#)[Method](#)[Reflection](#)[< Previous](#)[Home](#)[Next >](#)

Week 7 · Nap & Awake Window Tracker

WEEK 7

Track actual vs target. Identify the overtiredness patterns.

Current Nap Status



2 naps



Transition



1 nap

Day	Wake	Nap 1	Nap 2	Bedtime	Asleep	Wake Time
Mon						
Tue						
Wed						
Thu						
Fri						
Sat						
Sun						

Daily Notes / observations

Mon	
Tue	
Wed	
Thu	
Fri	
Sat	
Sun	

[< Previous](#)[Home](#)[Next >](#)

Week 7 • Bedtime Routine Builder

WEEK 7

Same steps, same order. Write your version and use the checks.

Routine Start Time

Target total: 20–30 min | Hold the timer.

#	Step	Our Version / What We Do	Mon	Wed	Fri
1	Transition Warning		☐	☐	☐
2	Stimulation Off		☐	☐	☐
3	Tidy-Up (1 minute)		☐	☐	☐
4	Bath or Warm Wash		☐	☐	☐
5	Pajamas + Sleep Sack		☐	☐	☐
6	Snack if needed		☐	☐	☐
7	Books (max 2)		☐	☐	☐
8	Lights Down		☐	☐	☐
9	Song or Breathe		☐	☐	☐
10	Comfort Object Check		☐	☐	☐
11	Goodnight Phrase		☐	☐	☐
12	Parent Exits Calmly		☐	☐	☐

Nightly Checklist

- | | |
|--|---|
| ☐ Transition warning given 10 min early | ☐ OK-to-wake clock set (if using) |
| ☐ Stimulation (screens/active play) ended on time | ☐ White noise on |
| ☐ Routine followed in order — no skips or additions | ☐ Room dark or red nightlight only |
| ☐ Bedtime pass issued (if using) | ☐ Parent exited calmly with one goodbye phrase |
| ☐ Comfort object confirmed | |

< Previous

Home

Next >

Week 7 • Night Log

WEEK 7

Track every night. Good nights are data too.

Night 1

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 2

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 3

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 4

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

< Previous

Home

Next >

Week 7 • Night Log Continued

WEEK 7
Nights 5–7 + boundary resistance tracking.

Night 5

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 6

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 7

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Partner / Co-Parent Sync

Did your co-parent follow the same boundary rule tonight?

If not, how will you align tomorrow?

Who handles tonight's protests?

[< Previous](#)

[Home](#)

[Next >](#)

Week 7 • Boundary Consistency Tracker

WEEK 7

Track which rule you held — and where it slipped.

Night	Protest Type	Script Used?	Held Boundary?	Gave In To	Confidence
1		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
2		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
3		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
4		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
5		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
6		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
7		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐

Key Insight

Consistency means the SAME response — not just the same words. What you do after the protest is what your toddler learns. One parent deviating from the plan resets up to 3 nights of progress.

[< Previous](#)[Home](#)[Next >](#)

Week 7 • Weekly Reflection

WEEK 7

Five honest minutes. Patterns become visible on paper.

Q1 What boundary held this week?

Identify the one thing you stayed consistent on.

Q2 Where did you capitulate — and what can you do differently?

No judgment. Just data for next week.

Q3 What was your toddler's hardest moment, and what triggered it?

Look for patterns: overtiredness, hunger, environment changes.

Q4 What script worked best when they tested the limit?

Write it down. Repeat it exactly.

Q5 What does your toddler seem to need that you haven't tried yet?

One adjustment per week only.

Week 7 • Week at a Glance

WEEK 7

Stats + next week's intention.

Sleep Stats

Best night

Hardest night

Avg. wakings / night

Avg. time to settle

Longest sleep stretch

Avg. bedtime

Avg. morning wake

Nap total avg.

Boundary Win This Week

Script that worked best

Next Week Intention

The negotiations are real. So is your resolve. Stay kind and firm.

< Previous

Home

Next >

Week 8 • The 6 Toddler Sleep Types

CHAPTER 8

Know your toddler's operating system. Work with the code.

Week Setup

Week Dates

Toddler Age (months)

Nap Schedule This Week

Target Bedtime

This Week's ONE Focus Boundary

Chapter Highlights

- The Little Negotiator: needs firm, warm boundaries — not debates.
- The Anxious Attacher: needs extra transition prep and a comfort object.
- The Party Animal: needs boring, dark, stimulation-free evenings.
- The Sensitive Sensor: needs predictable, quiet, low-stimulation 30-min wind-down.

Jump to this week's pages

[Nap & Awake](#)[Routine](#)[Night Log](#)[Method](#)[Reflection](#)[< Previous](#)[Home](#)[Next >](#)

Week 8 · Nap & Awake Window Tracker

WEEK 8

Track actual vs target. Identify the overtiredness patterns.

Current Nap Status



2 naps



Transition



1 nap

Day	Wake	Nap 1	Nap 2	Bedtime	Asleep	Wake Time
Mon						
Tue						
Wed						
Thu						
Fri						
Sat						
Sun						

Daily Notes / observations

Mon	
Tue	
Wed	
Thu	
Fri	
Sat	
Sun	

< Previous

Home

Next >

Week 8 · Bedtime Routine Builder

WEEK 8

Same steps, same order. Write your version and use the checks.

Routine Start Time

Target total: 20–30 min | Hold the timer.

#	Step	Our Version / What We Do	Mon	Wed	Fri
1	Transition Warning		☐	☐	☐
2	Stimulation Off		☐	☐	☐
3	Tidy-Up (1 minute)		☐	☐	☐
4	Bath or Warm Wash		☐	☐	☐
5	Pajamas + Sleep Sack		☐	☐	☐
6	Snack if needed		☐	☐	☐
7	Books (max 2)		☐	☐	☐
8	Lights Down		☐	☐	☐
9	Song or Breathe		☐	☐	☐
10	Comfort Object Check		☐	☐	☐
11	Goodnight Phrase		☐	☐	☐
12	Parent Exits Calmly		☐	☐	☐

Nightly Checklist

- | | |
|--|---|
| ☐ Transition warning given 10 min early | ☐ OK-to-wake clock set (if using) |
| ☐ Stimulation (screens/active play) ended on time | ☐ White noise on |
| ☐ Routine followed in order — no skips or additions | ☐ Room dark or red nightlight only |
| ☐ Bedtime pass issued (if using) | ☐ Parent exited calmly with one goodbye phrase |
| ☐ Comfort object confirmed | |

< Previous

Home

Next >

Week 8 • Night Log

WEEK 8

Track every night. Good nights are data too.

Night 1

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 2

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 3

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 4

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

[< Previous](#)

[Home](#)

[Next >](#)

Week 8 · Night Log Continued

WEEK 8
Nights 5–7 + boundary resistance tracking.

Night 5

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 6

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 7

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Partner / Co-Parent Sync

Did your co-parent follow the same boundary rule tonight?

If not, how will you align tomorrow?

Who handles tonight's protests?

[< Previous](#)[Home](#)[Next >](#)

Week 8 • Boundary Consistency Tracker

WEEK 8

Track which rule you held — and where it slipped.

Night	Protest Type	Script Used?	Held Boundary?	Gave In To	Confidence
1		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
2		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
3		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
4		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
5		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
6		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
7		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐

Key Insight

Consistency means the SAME response — not just the same words. What you do after the protest is what your toddler learns. One parent deviating from the plan resets up to 3 nights of progress.

[< Previous](#)[Home](#)[Next >](#)

Week 8 • Weekly Reflection

WEEK 8

Five honest minutes. Patterns become visible on paper.

Q1 What boundary held this week?

Identify the one thing you stayed consistent on.

Q2 Where did you capitulate — and what can you do differently?

No judgment. Just data for next week.

Q3 What was your toddler's hardest moment, and what triggered it?

Look for patterns: overtiredness, hunger, environment changes.

Q4 What script worked best when they tested the limit?

Write it down. Repeat it exactly.

Q5 What does your toddler seem to need that you haven't tried yet?

One adjustment per week only.

Week 8 • Week at a Glance

WEEK 8

Stats + next week's intention.

Sleep Stats

Best night

Hardest night

Avg. wakings / night

Avg. time to settle

Longest sleep stretch

Avg. bedtime

Avg. morning wake

Nap total avg.

Boundary Win This Week

Script that worked best

Next Week Intention

Progress with a toddler isn't linear — but it IS there. Look for it.

[< Previous](#)

[Home](#)

[Next >](#)

Week 9 · Boundary Scripts That Actually Work

CHAPTER 9

What to say when they test you at 9:17 p.m.

Week Setup

Week Dates

Toddler Age (months)

Nap Schedule This Week

Target Bedtime

This Week's ONE Focus Boundary

Chapter Highlights

- 'I love you. It's bedtime now. See you in the morning.' — and mean it.
- Acknowledge the feeling; don't negotiate the boundary: 'I know you're sad. Sleep time.'
- Avoid long explanations — toddlers use them to extend the conversation.
- What you do AFTER the protest is what they remember, not the protest itself.

Jump to this week's pages

[Nap & Awake](#)[Routine](#)[Night Log](#)[Method](#)[Reflection](#)[< Previous](#)[Home](#)[Next >](#)

Week 9 · Nap & Awake Window Tracker

WEEK 9

Track actual vs target. Identify the overtiredness patterns.

Current Nap Status



2 naps



Transition



1 nap

Day	Wake	Nap 1	Nap 2	Bedtime	Asleep	Wake Time
Mon						
Tue						
Wed						
Thu						
Fri						
Sat						
Sun						

Daily Notes / observations

Mon	
Tue	
Wed	
Thu	
Fri	
Sat	
Sun	

[< Previous](#)[Home](#)[Next >](#)

Week 9 • Bedtime Routine Builder

WEEK 9

Same steps, same order. Write your version and use the checks.

Routine Start Time

Target total: 20–30 min | Hold the timer.

#	Step	Our Version / What We Do	Mon	Wed	Fri
1	Transition Warning		☐	☐	☐
2	Stimulation Off		☐	☐	☐
3	Tidy-Up (1 minute)		☐	☐	☐
4	Bath or Warm Wash		☐	☐	☐
5	Pajamas + Sleep Sack		☐	☐	☐
6	Snack if needed		☐	☐	☐
7	Books (max 2)		☐	☐	☐
8	Lights Down		☐	☐	☐
9	Song or Breathe		☐	☐	☐
10	Comfort Object Check		☐	☐	☐
11	Goodnight Phrase		☐	☐	☐
12	Parent Exits Calmly		☐	☐	☐

Nightly Checklist

- | | |
|--|---|
| ☐ Transition warning given 10 min early | ☐ OK-to-wake clock set (if using) |
| ☐ Stimulation (screens/active play) ended on time | ☐ White noise on |
| ☐ Routine followed in order — no skips or additions | ☐ Room dark or red nightlight only |
| ☐ Bedtime pass issued (if using) | ☐ Parent exited calmly with one goodbye phrase |
| ☐ Comfort object confirmed | |

< Previous

Home

Next >

Week 9 • Night Log

WEEK 9

Track every night. Good nights are data too.

Night 1

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 2

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 3

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 4

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

[< Previous](#)

[Home](#)

[Next >](#)

Week 9 · Night Log Continued

WEEK 9

Nights 5–7 + boundary resistance tracking.

Night 5

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 6

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 7

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Partner / Co-Parent Sync

Did your co-parent follow the same boundary rule tonight?

If not, how will you align tomorrow?

Who handles tonight's protests?

[< Previous](#)[Home](#)[Next >](#)

Week 9 • Boundary Consistency Tracker

WEEK 9

Track which rule you held — and where it slipped.

Night	Protest Type	Script Used?	Held Boundary?	Gave In To	Confidence
1		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
2		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
3		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
4		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
5		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
6		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
7		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐

Key Insight

Consistency means the SAME response — not just the same words. What you do after the protest is what your toddler learns. One parent deviating from the plan resets up to 3 nights of progress.

[< Previous](#)
[Home](#)
[Next >](#)

Week 9 • Weekly Reflection

WEEK 9

Five honest minutes. Patterns become visible on paper.

Q1 What boundary held this week?

Identify the one thing you stayed consistent on.

Q2 Where did you capitulate — and what can you do differently?

No judgment. Just data for next week.

Q3 What was your toddler's hardest moment, and what triggered it?

Look for patterns: overtiredness, hunger, environment changes.

Q4 What script worked best when they tested the limit?

Write it down. Repeat it exactly.

Q5 What does your toddler seem to need that you haven't tried yet?

One adjustment per week only.

Week 9 • Week at a Glance

WEEK 9

Stats + next week's intention.

Sleep Stats

Best night

Hardest night

Avg. wakings / night

Avg. time to settle

Longest sleep stretch

Avg. bedtime

Avg. morning wake

Nap total avg.

Boundary Win This Week

Script that worked best

Next Week Intention

What you do after the protest is what they remember. Stay calm.

< Previous

Home

Next >

Week 10 • Staying Consistent With a Toddler

CHAPTER 10

They will test you on night 3. That's the data. Keep going.

Week Setup

Week Dates

Toddler Age (months)

Nap Schedule This Week

Target Bedtime

This Week's ONE Focus Boundary

Chapter Highlights

- Consistency means the same response — not just the same words.
- One parent differing from the plan undoes 3 nights of progress.
- Hard nights at day 3-5 of a new plan often mean it's working — not failing.
- Track your data. Progress is rarely linear and easily missed without evidence.

Jump to this week's pages

[Nap & Awake](#)[Routine](#)[Night Log](#)[Method](#)[Reflection](#)[< Previous](#)[Home](#)[Next >](#)

Week 10 · Nap & Awake Window Tracker

WEEK 10

Track actual vs target. Identify the overtiredness patterns.

Current Nap Status



2 naps



Transition



1 nap

Day	Wake	Nap 1	Nap 2	Bedtime	Asleep	Wake Time
Mon						
Tue						
Wed						
Thu						
Fri						
Sat						
Sun						

Daily Notes / observations

Mon

Tue

Wed

Thu

Fri

Sat

Sun

< Previous

Home

Next >

Week 10 • Bedtime Routine Builder

WEEK 10

Same steps, same order. Write your version and use the checks.

Routine Start Time

Target total: 20–30 min | Hold the timer.

#	Step	Our Version / What We Do	Mon	Wed	Fri
1	Transition Warning		☐	☐	☐
2	Stimulation Off		☐	☐	☐
3	Tidy-Up (1 minute)		☐	☐	☐
4	Bath or Warm Wash		☐	☐	☐
5	Pajamas + Sleep Sack		☐	☐	☐
6	Snack if needed		☐	☐	☐
7	Books (max 2)		☐	☐	☐
8	Lights Down		☐	☐	☐
9	Song or Breathe		☐	☐	☐
10	Comfort Object Check		☐	☐	☐
11	Goodnight Phrase		☐	☐	☐
12	Parent Exits Calmly		☐	☐	☐

Nightly Checklist

- | | |
|--|---|
| ☐ Transition warning given 10 min early | ☐ OK-to-wake clock set (if using) |
| ☐ Stimulation (screens/active play) ended on time | ☐ White noise on |
| ☐ Routine followed in order — no skips or additions | ☐ Room dark or red nightlight only |
| ☐ Bedtime pass issued (if using) | ☐ Parent exited calmly with one goodbye phrase |
| ☐ Comfort object confirmed | |

< Previous

Home

Next >

Week 10 • Night Log

WEEK 10

Track every night. Good nights are data too.

Night 1

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 2

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 3

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 4

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

< Previous

Home

Next >

Week 10 • Night Log Continued

WEEK 10

Nights 5–7 + boundary resistance tracking.

Night 5

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 6

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 7

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Partner / Co-Parent Sync

Did your co-parent follow the same boundary rule tonight?

If not, how will you align tomorrow?

Who handles tonight's protests?

[< Previous](#)[Home](#)[Next >](#)

Week 10 • Boundary Consistency Tracker

WEEK 10

Track which rule you held — and where it slipped.

Night	Protest Type	Script Used?	Held Boundary?	Gave In To	Confidence
1		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
2		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
3		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
4		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
5		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
6		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
7		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐

Key Insight

Consistency means the SAME response — not just the same words. What you do after the protest is what your toddler learns. One parent deviating from the plan resets up to 3 nights of progress.

[< Previous](#)[Home](#)[Next >](#)

Week 10 • Weekly Reflection

WEEK 10

Five honest minutes. Patterns become visible on paper.

Q1 What boundary held this week?

Identify the one thing you stayed consistent on.

Q2 Where did you capitulate — and what can you do differently?

No judgment. Just data for next week.

Q3 What was your toddler's hardest moment, and what triggered it?

Look for patterns: overtiredness, hunger, environment changes.

Q4 What script worked best when they tested the limit?

Write it down. Repeat it exactly.

Q5 What does your toddler seem to need that you haven't tried yet?

One adjustment per week only.

Week 10 • Week at a Glance

WEEK 10

Stats + next week's intention.

Sleep Stats

Best night

Hardest night

Avg. wakings / night

Avg. time to settle

Longest sleep stretch

Avg. bedtime

Avg. morning wake

Nap total avg.

Boundary Win This Week

Script that worked best

Next Week Intention

You chose the plan. You worked the plan. That is a win.

< Previous

Home

Next >

Week 11 • What Actually Worked: Parent Field Notes

CHAPTER 11

Real patterns from real families at the 12-24 month stage.

Week Setup

Week Dates

Toddler Age (months)

Nap Schedule This Week

Target Bedtime

This Week's ONE Focus Boundary

Chapter Highlights

- The visual schedule (pictures of routine steps) reduced resistance by 60%+ in studies.
- Shortening the routine often works better than lengthening it.
- The bedtime pass (one free exit) reduced curtain calls in 93% of families in trials.
- Most families need only one rule change — the problem is usually at the door.

Jump to this week's pages

[Nap & Awake](#)[Routine](#)[Night Log](#)[Method](#)[Reflection](#)[< Previous](#)[Home](#)[Next >](#)

Week 11 · Nap & Awake Window Tracker

WEEK 11

Track actual vs target. Identify the overtiredness patterns.

Current Nap Status



2 naps



Transition



1 nap

Day	Wake	Nap 1	Nap 2	Bedtime	Asleep	Wake Time
Mon						
Tue						
Wed						
Thu						
Fri						
Sat						
Sun						

Daily Notes / observations

Mon	
Tue	
Wed	
Thu	
Fri	
Sat	
Sun	

< Previous

Home

Next >

Week 11 • Bedtime Routine Builder

WEEK 11

Same steps, same order. Write your version and use the checks.

Routine Start Time

Target total: 20–30 min | Hold the timer.

#	Step	Our Version / What We Do	Mon	Wed	Fri
1	Transition Warning		☐	☐	☐
2	Stimulation Off		☐	☐	☐
3	Tidy-Up (1 minute)		☐	☐	☐
4	Bath or Warm Wash		☐	☐	☐
5	Pajamas + Sleep Sack		☐	☐	☐
6	Snack if needed		☐	☐	☐
7	Books (max 2)		☐	☐	☐
8	Lights Down		☐	☐	☐
9	Song or Breathe		☐	☐	☐
10	Comfort Object Check		☐	☐	☐
11	Goodnight Phrase		☐	☐	☐
12	Parent Exits Calmly		☐	☐	☐

Nightly Checklist

- | | |
|--|---|
| ☐ Transition warning given 10 min early | ☐ OK-to-wake clock set (if using) |
| ☐ Stimulation (screens/active play) ended on time | ☐ White noise on |
| ☐ Routine followed in order — no skips or additions | ☐ Room dark or red nightlight only |
| ☐ Bedtime pass issued (if using) | ☐ Parent exited calmly with one goodbye phrase |
| ☐ Comfort object confirmed | |

< Previous

Home

Next >

Week 11 • Night Log

WEEK 11

Track every night. Good nights are data too.

Night 1

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 2

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 3

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 4

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

[< Previous](#)[Home](#)[Next >](#)

Week 11 • Night Log Continued

WEEK 11

Nights 5–7 + boundary resistance tracking.

Night 5

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 6

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 7

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Partner / Co-Parent Sync

Did your co-parent follow the same boundary rule tonight?

If not, how will you align tomorrow?

Who handles tonight's protests?

[< Previous](#)[Home](#)[Next >](#)

Week 11 • Boundary Consistency Tracker

WEEK 11

Track which rule you held — and where it slipped.

Night	Protest Type	Script Used?	Held Boundary?	Gave In To	Confidence
1		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
2		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
3		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
4		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
5		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
6		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
7		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐

Key Insight

Consistency means the SAME response — not just the same words. What you do after the protest is what your toddler learns. One parent deviating from the plan resets up to 3 nights of progress.

[< Previous](#)
[Home](#)
[Next >](#)

Week 11 • Weekly Reflection

WEEK 11

Five honest minutes. Patterns become visible on paper.

Q1 What boundary held this week?

Identify the one thing you stayed consistent on.

Q2 Where did you capitulate — and what can you do differently?

No judgment. Just data for next week.

Q3 What was your toddler's hardest moment, and what triggered it?

Look for patterns: overtiredness, hunger, environment changes.

Q4 What script worked best when they tested the limit?

Write it down. Repeat it exactly.

Q5 What does your toddler seem to need that you haven't tried yet?

One adjustment per week only.

Week 11 • Week at a Glance

WEEK 11

Stats + next week's intention.

Sleep Stats

Best night

Hardest night

Avg. wakings / night

Avg. time to settle

Longest sleep stretch

Avg. bedtime

Avg. morning wake

Nap total avg.

Boundary Win This Week

Script that worked best

Next Week Intention

Sleep is coming. For all three of you.

< Previous

Home

Next >

Week 12 • Your 4-Week Toddler Reset Plan

CHAPTER 12

Night-by-night. You have the tools. Here's the sequence.

Week Setup

Week Dates

Toddler Age (months)

Nap Schedule This Week

Target Bedtime

This Week's ONE Focus Boundary

Chapter Highlights

- Week 1: establish environment, routine, and the one-rule limit.
- Week 2: implement the bedtime pass if needed. Hold all boundaries.
- Week 3: most families see clear progress. Don't shift the goalposts.
- Week 4: refine, not restart. You're in the groove now.

Jump to this week's pages

[Nap & Awake](#)

[Routine](#)

[Night Log](#)

[Method](#)

[Reflection](#)

[< Previous](#)

[Home](#)

[Next >](#)

Week 12 · Nap & Awake Window Tracker

WEEK 12

Track actual vs target. Identify the overtiredness patterns.

Current Nap Status



2 naps



Transition



1 nap

Day	Wake	Nap 1	Nap 2	Bedtime	Asleep	Wake Time
Mon						
Tue						
Wed						
Thu						
Fri						
Sat						
Sun						

Daily Notes / observations

Mon	
Tue	
Wed	
Thu	
Fri	
Sat	
Sun	

< Previous

Home

Next >

Week 12 • Bedtime Routine Builder

WEEK 12

Same steps, same order. Write your version and use the checks.

Routine Start Time

Target total: 20–30 min | Hold the timer.

#	Step	Our Version / What We Do	Mon	Wed	Fri
1	Transition Warning		☐	☐	☐
2	Stimulation Off		☐	☐	☐
3	Tidy-Up (1 minute)		☐	☐	☐
4	Bath or Warm Wash		☐	☐	☐
5	Pajamas + Sleep Sack		☐	☐	☐
6	Snack if needed		☐	☐	☐
7	Books (max 2)		☐	☐	☐
8	Lights Down		☐	☐	☐
9	Song or Breathe		☐	☐	☐
10	Comfort Object Check		☐	☐	☐
11	Goodnight Phrase		☐	☐	☐
12	Parent Exits Calmly		☐	☐	☐

Nightly Checklist

- | | |
|--|---|
| ☐ Transition warning given 10 min early | ☐ OK-to-wake clock set (if using) |
| ☐ Stimulation (screens/active play) ended on time | ☐ White noise on |
| ☐ Routine followed in order — no skips or additions | ☐ Room dark or red nightlight only |
| ☐ Bedtime pass issued (if using) | ☐ Parent exited calmly with one goodbye phrase |
| ☐ Comfort object confirmed | |

< Previous

Home

Next >

Week 12 • Night Log

WEEK 12

Track every night. Good nights are data too.

Night 1

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 2

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 3

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 4

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

< Previous

Home

Next >

Week 12 • Night Log Continued

WEEK 12

Nights 5–7 + boundary resistance tracking.

Night 5

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 6

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Night 7

Date	Bedtime	Asleep	1st Wake	# Wakings	Up Time

Protest / resistance notes

Partner / Co-Parent Sync

Did your co-parent follow the same boundary rule tonight?

If not, how will you align tomorrow?

Who handles tonight's protests?

[< Previous](#)[Home](#)[Next >](#)

Week 12 • Boundary Consistency Tracker

WEEK 12

Track which rule you held — and where it slipped.

Night	Protest Type	Script Used?	Held Boundary?	Gave In To	Confidence
1		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
2		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
3		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
4		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
5		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
6		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐
7		☐ Y ☐ N	☐ Y ☐ N		☐ ☐ ☐ ☐ ☐

Key Insight

Consistency means the SAME response — not just the same words. What you do after the protest is what your toddler learns. One parent deviating from the plan resets up to 3 nights of progress.

[< Previous](#)[Home](#)[Next >](#)

Week 12 • Weekly Reflection

WEEK 12

Five honest minutes. Patterns become visible on paper.

Q1 What boundary held this week?

Identify the one thing you stayed consistent on.

Q2 Where did you capitulate — and what can you do differently?

No judgment. Just data for next week.

Q3 What was your toddler's hardest moment, and what triggered it?

Look for patterns: overtiredness, hunger, environment changes.

Q4 What script worked best when they tested the limit?

Write it down. Repeat it exactly.

Q5 What does your toddler seem to need that you haven't tried yet?

One adjustment per week only.

Week 12 • Week at a Glance

WEEK 12

Stats + next week's intention.

Sleep Stats

Best night

Hardest night

Avg. wakings / night

Avg. time to settle

Longest sleep stretch

Avg. bedtime

Avg. morning wake

Nap total avg.

Boundary Win This Week

Script that worked best

Next Week Intention

Consistency is the most loving thing you can do at 9pm.

< Previous

Home

Next >

The 2-to-1 Nap Transition

REFERENCE

The most turbulent shift in toddler sleep — here's how to navigate it.

Signs Your Toddler is Ready

Look for 3 or more of these consistently for 2+ weeks before transitioning.

- ☐ Consistently fighting one of two naps for 2+ weeks
- ☐ Taking 45+ minutes to fall asleep at bedtime
- ☐ Waking unusually early after two naps
- ☐ One nap becoming very short (under 30 min) regularly
- ☐ Happy and not overtired without second nap on some days
- ☐ Age is 14 months or older

Age-Based Schedule Guide

Age	Nap Status	Nap Time	Bedtime	Total Sleep
12–14 months	2 naps still fine	9–9:30am / 1–1:30pm	7–7:30pm	~14 hrs total
14–18 months	Transition zone	~12:30–1pm (1 nap)	7–7:30pm	~13 hrs total
18–24 months	1 nap firmly	~12–1pm	7–7:30pm	~12–13 hrs total
24+ months	1 nap / nap drop	12–2pm if napping	7–7:30pm	~11–12 hrs total

How to Execute the Transition

- Start with one nap on days they seem least tired in the morning.
- Offer an earlier bedtime (6:30–7pm) on single-nap days to prevent overtiredness.
- Expect 4–8 weeks of adjustment — some days will need two naps still.
- Temporary early wake-ups are normal; don't interpret them as failure.

The 6 Toddler Sleep Types

REFERENCE

Work with temperament, not against it.

The Little Negotiator

Tests limits verbally and persistently. One more of everything.

Strategy: Firm, warm, brief. Bedtime pass. Stick to the one-rule limit.

The Anxious Attacher

Separation is genuinely distressing — not performed.

Strategy: Extra prep time, comfort object, OK-to-wake clock, consistent exit phrase.

The Party Animal

Stimulation = awake. FOMO powers every protest.

Strategy: Boring, dark, calm. Devices OFF 60 min before bed. Make sleep the least exciting option.

The Sensitive Sensor

Overwhelmed by transitions, sound, light, and change.

Strategy: 30-minute quiet wind-down. Soft lighting. Same textures. No surprises.

The Overthinker

Processes everything — questions delay sleep.

Strategy: Offer two pre-approved answers. Brief empathy, exit. No debates after lights out.

The Runner

Physical — body needs more run-out time before it can settle.

Strategy: Active play ends 90 min before bed. Wind-down is non-negotiable, not optional.

What Actually Worked — Parent Field Notes

REFERENCE

Real patterns from real families at the 12–24 month stage.

Visual Schedule

Printing or drawing the routine steps (with pictures) reduces toddler resistance by removing uncertainty about what comes next.

Bedtime Pass

One physical card, one exit. Research shows 93% reduction in curtain calls when implemented correctly. Non-negotiable: when it's gone, it's gone.

OK-to-Wake Clock

Sets a visual boundary for morning and nap end. Toddlers respond strongly to the concrete colour/light cue vs a parental rule.

Comfort Transition Object

Introduce a lovey before 12 months if possible. After 18 months, it takes longer to attach — but still works. Be consistent in returning it.

Shortening the Routine

If resistance is happening INSIDE the routine (not at the end), shorten it. A 15-min tight routine beats a 40-min drifting one.

The Door Ajar Strategy

For anxious attachers: leaving the door slightly open (not wide) can reduce separation distress enough to make a clean exit possible.

Toddler Safe Sleep Checklist

REFERENCE

Confirm nightly. The basics still matter at this stage.

- ☐ Crib or toddler bed — no adult bed unless an intentional family bed arrangement
- ☐ Fitted sheet only until 18 months — soft items at your own-assessed risk after that
- ☐ Room temperature 68–72°F / 20–22°C confirmed
- ☐ White noise running — not inside the sleep space
- ☐ No screens in the room during sleep
- ☐ OK-to-wake clock on lowest brightness setting
- ☐ Nightlight: red-spectrum only (or none) — white/blue interfere with melatonin
- ☐ Crib: check for climbing — if they're climbing out, a toddler bed may be safer
- ☐ Lovey / comfort object confirmed in sleep space

[Back Home](#)[Week 1](#)[< Previous](#)[Home](#)[Next >](#)