



*"Finally — a planner built around YOUR baby,
not a generic schedule."*

- ◆ 12 weekly modules — one per chapter of the ebook
- ◆ Awake Window Tracker personalised to your baby's age
 - ◆ 7-night Night Waking Log with pattern notes
 - ◆ Bedtime Routine Builder — write it, post it, own it
- ◆ Sleep Method Tracker — commit and stay consistent
- ◆ Weekly Reflection prompts to guide your progress
- ◆ Quick-reference charts: awake windows, sleep methods

How to Use This Planner

*This planner is your active, hands-on companion to Sleep, Baby. Please.
Work through one week at a time — undated so you can start whenever you're ready.*

■ Read the Chapter

Each week maps to one chapter of the ebook. Read it first — then use the corresponding planner pages to apply what you learned.

■ Fill in Every Section

Don't skip the Night Waking Log or the Reflection. The patterns you'll find there are where the breakthroughs live.

Write It Down

The Bedtime Routine Builder is designed to be posted on your nursery door. Write yours in, tear it out — or photograph it.

■ Review Weekly

Every Sunday (or whatever day works), compare this week's log to last week's. Progress is often invisible until you see it on paper.

■ Grace Over Perfection

A partially filled planner used consistently beats a perfect planner abandoned after two weeks. Done is better than perfect.

EACH WEEK CONTAINS

Week Opener	Chapter theme, focus intention, and baby's age this week.
Awake Window Tracker	Set your target windows for each day based on your baby's age.
Bedtime Routine	Check off each step. Note tweaks. Lock in the sequence.
Night Waking Log	7-night log of wakings, response, and resettle time.
Method Tracker	Daily confidence check-in on your chosen sleep method.
Weekly Reflection	5 guided prompts to process the week and set next week's focus.

A note from Six & Thriving:

This planner was built around the real patterns of real babies — not a clinical ideal. Your baby may not follow every line perfectly, and that's the point. Track what actually happens, notice what shifts, and use the reflections to guide your next step. Sleep is coming. This planner helps you see it arriving.

My Baby's Sleep Profile

Fill this in before Week 1. Return to it as your baby grows.

Baby's Name

Date of Birth

Current Age at Start of Planner

Planner Start Date (Week 1)

Pediatrician / Healthcare Provider Name & Contact

Current Sleep Challenges (write in your own words)

MY BABY'S SLEEP PERSONALITY (CIRCLE ONE)

■ The Snacker

Needs frequent small feeds. Key: gradually lengthen feed gaps.

■ The Overthinker

Startles easily. Key: very consistent routine, deep swaddle.

■ The Sensitive Soul

Overwhelmed quickly. Key: extra calm-down time before crib.

■ The Night Owl

Wired late. Key: push bedtime earlier by 10-min increments.

■ The Catnapper

Wakes after 45 min. Key: extend naps via settling practice.

■ The Party Animal

FOMO keeps them up. Key: boring darkness — no eye contact.

MY CHOSEN SLEEP METHOD

- Extinction (CIO)

Cry level: High | Speed: Fast (3-5 days) | Best for: Persistent babies
- Ferber

Cry level: Moderate | Speed: Medium (5-7 days) | Best for: Most temperaments
- Chair Method

Cry level: Low-Moderate | Speed: Slower (2-3 wks) | Best for: Sensitive babies
- Fading

Cry level: Low | Speed: Slowest (3-4+ wks) | Best for: Gentle approach
- Pick Up / Put Down

Cry level: Low | Speed: Variable | Best for: Young babies 3-5 mo

My reason for choosing this method:



Why Your Baby Won't Sleep

Understanding the 'why' is the first step to sleep.

SLEEP, BABY. PLEASE. · SIX & THRIVING



WEEK SETUP

Week dates (e.g. Jan 6 – Jan 12)

Baby's current age

Baby's weight (optional — note growth spurts)

Sleep method in use this week

THIS WEEK'S INTENTION

Before the week begins, set ONE clear focus. What are you committing to this week?

This week I will focus on:

AWAKE WINDOW TARGET THIS WEEK

Based on your baby's current age, what awake window are you working with? (See quick-reference chart at the back.)

Morning Awake Window	Nap 1 Length (Target)	Nap 2 Length (Target)	Bedtime Target	Expected Wakings

CHAPTER 1 — KEY TAKEAWAY THIS WEEK

- ☐ Your baby waking is biology — not failure.
- ☐ Sleep associations form fast. Watch what you do at sleep onset.
- ☐ Overtiredness = cortisol = harder settling. Timing matters.

Awake Window Tracker

Track actual vs target awake windows for each day. Patterns become visible within 3 days.

	Wake Time	Nap 1 Start/End	Nap 2 Start/End	Nap 3 (if any)	Bedtime (into crib)	Settled By	Awake Window Actual	Notes
Mon								
Tue								
Wed								
Thu								
Fri								
Sat								
Sun								

■ Overtiredness Warning Signs

Second wind (suddenly wired) · Arching back · Inconsolable fussing · Rubbing ears · Glazed eyes
If you see these: skip the rest of the routine. Lights off, white noise on, into crib now.

WEEKLY AWAKE WINDOW SUMMARY

Average actual awake window this week:

Most common settling challenge:

Plan for next week:

QUICK REFERENCE — AWAKE WINDOWS BY AGE

Baby's Age	Awake Window	Max Naps	Bedtime Target
0-6 weeks	45-60 min	4-5/day	Variable
6-12 weeks	60-90 min	4/day	8-9 p.m.
3-4 months	90 min	3-4/day	7:30-8:30 p.m.
4-6 months	2 hrs	3/day	7-8 p.m.
6-8 months	2.5 hrs	2-3/day	7-8 p.m.
8-12 months	3-3.5 hrs	2/day	6:30-7:30 p.m.
12-18 months	4-5 hrs	1-2/day	7-7:30 p.m.
18-24 months	5-6 hrs	1/day	7-7:30 p.m.

Bedtime Routine Builder

Same order, every night. Write your sequence below — then post it on the nursery door.

#	Step	Our Version / Notes	What This Teaches	Done Mon	Done Wed	Done Fri
1	Transition Signal <i>e.g. 'Let's get ready for sleep time'</i>			☐	☐	☐
2	Active play / screens OFF <i>Stop stimulating activity</i>			☐	☐	☐
3	Bath or warm wipe-down <i>5-10 minutes</i>			☐	☐	☐
4	Lotion massage <i>Slow, calm strokes — 5 minutes</i>			☐	☐	☐
5	Pajamas + sleep sack <i>Dress for room temperature</i>			☐	☐	☐
6	Feed (in dim, quiet room) <i>Baby must NOT fall asleep during feed</i>			☐	☐	☐
7	Books or song <i>1-3 short books or 1-2 lullabies</i>			☐	☐	☐
8	Final goodnight phrase <i>Same words every night</i>			☐	☐	☐
9	White noise ON <i>60-65 dB, few feet from crib</i>			☐	☐	☐
10	Room fully dark <i>Blackout + all LEDs covered</i>			☐	☐	☐
11	Into crib — drowsy, awake <i>This is the key skill</i>			☐	☐	☐
12	Parent exits calmly <i>Same phrase, same exit, every night</i>			☐	☐	☐

■ Routine Timing Target

Total routine: 20-30 minutes from transition signal to crib. Too short = not enough wind-down.
Too long = baby may fall asleep during the routine. Aim for consistent timing.

OUR ROUTINE — PRINTABLE REMINDER CARD

◆ OUR BEDTIME ROUTINE ◆

1. Transition Signal

3. Bath or warm wipe-down

5. Pajamas + sleep sack

7. Books or song

9. White noise ON

11. Into crib — drowsy, awake
2. Active play / screens OFF

4. Lotion massage

6. Feed (in dim, quiet room)

8. Final goodnight phrase

10. Room fully dark

12. Parent exits calmly

Night Waking Log

Track every waking — even good nights. Patterns emerge by night 3-4.

Night 1

(Sunday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night 2

(Monday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night 3

(Tuesday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night Waking Log

Track every waking — even good nights. Patterns emerge by night 3-4.

Night 4(Wednesday)Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Night 5(Thursday)Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Night 6(Friday)Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Night 7(Saturday)Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Sleep Method Tracker

Commit to one method for the full week. Document what happened each night.

MY METHOD THIS WEEK



- Extinction (CIO)** Cry: High · Speed: Fast (3-5 days) · Best for: Persistent babies
- Ferber** Cry: Moderate · Speed: Medium (5-7 days) · Best for: Most temperaments
- Chair Method** Cry: Low-Moderate · Speed: Slower (2-3 wks) · Best for: Sensitive babies
- Fading** Cry: Low · Speed: Slowest (3-4+ wks) · Best for: Gentle approach
- Pick Up / Put Down** Cry: Low · Speed: Variable · Best for: Young babies 3-5 mo

If I feel tempted to switch methods this week, I will:

NIGHTLY METHOD LOG

Night	Method Used	Followed Plan?		Biggest Challenge	What I Did Differently	Confidence (1-5 ★)
1		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
2		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
3		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
4		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
5		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
6		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
7		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐

■ The Consistency Pledge

"Consistency, even on hard nights, is where progress lives."
When tonight is hard — I will check this box before I change the plan:
☐ I am choosing to stay consistent tonight.

PARTNER SYNC

Did your partner follow the same plan tonight? ☐ Yes ☐ No ☐ We discussed it

If no — what was different, and how will you align for tomorrow?

Who is handling tonight's wakings (write name or take turns)?

Weekly Reflection

Take 5 minutes at the end of the week. Honest reflection accelerates progress.

Q1 What went well this week?

Even one small win. A longer stretch, a faster settle, a routine that clicked.

Q2 What was the hardest moment?

Name it. Acknowledge it. You survived it.

Q3 What patterns did I notice in the Night Waking Log?

Same waking time? Same night? Improvement on nights 5-7 vs nights 1-2?

Q4 What would I do differently next week?

One specific change. Not a complete overhaul — one tweak.

Q5 What is my baby teaching me this week?

Every week reveals something. About their temperament, their timing, their needs.

WEEK AT A GLANCE — SLEEP STATS

Best night (fewest wakings):

Night #

Hardest night:

Night #

Average night wakings this week:

per night

Average time baby settled after waking:

minutes

Longest sleep stretch this week:

hours

Bedtime avg:

pm

Morning wake avg:

am

SETTING UP WEEK 2

Next week: Chapter 2 — Sleep Science Every Parent Needs

Awake windows, cortisol, melatonin — made practical.

My intention for Week 2:



Sleep Science Every Parent Needs

Awake windows, cortisol, melatonin — made practical.

SLEEP, BABY. PLEASE. · SIX & THRIVING



WEEK SETUP

Week dates (e.g. Jan 6 – Jan 12)

Baby's current age

Baby's weight (optional — note growth spurts)

Sleep method in use this week

THIS WEEK'S INTENTION

Before the week begins, set ONE clear focus. What are you committing to this week?

This week I will focus on:

AWAKE WINDOW TARGET THIS WEEK

Based on your baby's current age, what awake window are you working with? (See quick-reference chart at the back.)

Morning Awake Window	Nap 1 Length (Target)	Nap 2 Length (Target)	Bedtime Target	Expected Wakings

CHAPTER 2 — KEY TAKEAWAY THIS WEEK

- ☐ Sleep pressure builds with awake time. Hit the sweet spot.
- ☐ The circadian rhythm can be trained. Light is the lever.
- ☐ 'Sleeping through' = 5-6 hrs. A 3-month stretch IS a win.

Awake Window Tracker

Track actual vs target awake windows for each day. Patterns become visible within 3 days.

	Wake Time	Nap 1 Start/End	Nap 2 Start/End	Nap 3 (if any)	Bedtime (into crib)	Settled By	Awake Window Actual	Notes
Mon								
Tue								
Wed								
Thu								
Fri								
Sat								
Sun								

■ Overtiredness Warning Signs

Second wind (suddenly wired) · Arching back · Inconsolable fussing · Rubbing ears · Glazed eyes

If you see these: skip the rest of the routine. Lights off, white noise on, into crib now.

WEEKLY AWAKE WINDOW SUMMARY

Average actual awake window this week:

Most common settling challenge:

Plan for next week:

QUICK REFERENCE — AWAKE WINDOWS BY AGE

Baby's Age	Awake Window	Max Naps	Bedtime Target
0-6 weeks	45-60 min	4-5/day	Variable
6-12 weeks	60-90 min	4/day	8-9 p.m.
3-4 months	90 min	3-4/day	7:30-8:30 p.m.
4-6 months	2 hrs	3/day	7-8 p.m.
6-8 months	2.5 hrs	2-3/day	7-8 p.m.
8-12 months	3-3.5 hrs	2/day	6:30-7:30 p.m.
12-18 months	4-5 hrs	1-2/day	7-7:30 p.m.
18-24 months	5-6 hrs	1/day	7-7:30 p.m.

Bedtime Routine Builder

Same order, every night. Write your sequence below — then post it on the nursery door.

#	Step	Our Version / Notes	What This Teaches	Done Mon	Done Wed	Done Fri
1	Transition Signal <i>e.g. 'Let's get ready for sleep time'</i>			☐	☐	☐
2	Active play / screens OFF <i>Stop stimulating activity</i>			☐	☐	☐
3	Bath or warm wipe-down <i>5-10 minutes</i>			☐	☐	☐
4	Lotion massage <i>Slow, calm strokes — 5 minutes</i>			☐	☐	☐
5	Pajamas + sleep sack <i>Dress for room temperature</i>			☐	☐	☐
6	Feed (in dim, quiet room) <i>Baby must NOT fall asleep during feed</i>			☐	☐	☐
7	Books or song <i>1-3 short books or 1-2 lullabies</i>			☐	☐	☐
8	Final goodnight phrase <i>Same words every night</i>			☐	☐	☐
9	White noise ON <i>60-65 dB, few feet from crib</i>			☐	☐	☐
10	Room fully dark <i>Blackout + all LEDs covered</i>			☐	☐	☐
11	Into crib — drowsy, awake <i>This is the key skill</i>			☐	☐	☐
12	Parent exits calmly <i>Same phrase, same exit, every night</i>			☐	☐	☐

■ Routine Timing Target

Total routine: 20-30 minutes from transition signal to crib. Too short = not enough wind-down.
Too long = baby may fall asleep during the routine. Aim for consistent timing.

OUR ROUTINE — PRINTABLE REMINDER CARD

◆ OUR BEDTIME ROUTINE ◆

1. Transition Signal

3. Bath or warm wipe-down

5. Pajamas + sleep sack

7. Books or song

9. White noise ON

11. Into crib — drowsy, awake
2. Active play / screens OFF

4. Lotion massage

6. Feed (in dim, quiet room)

8. Final goodnight phrase

10. Room fully dark

12. Parent exits calmly

Night Waking Log

Track every waking — even good nights. Patterns emerge by night 3-4.

Night 1 (Sunday) Date:

Bedtime (into crib) Fell asleep by First wake Total wakings # Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night 2 (Monday) Date:

Bedtime (into crib) Fell asleep by First wake Total wakings # Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night 3 (Tuesday) Date:

Bedtime (into crib) Fell asleep by First wake Total wakings # Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night Waking Log

Track every waking — even good nights. Patterns emerge by night 3-4.

Night 4(Wednesday)Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Night 5(Thursday)Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Night 6(Friday)Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Night 7(Saturday)Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Sleep Method Tracker

Commit to one method for the full week. Document what happened each night.

MY METHOD THIS WEEK



- Extinction (CIO)** Cry: High · Speed: Fast (3-5 days) · Best for: Persistent babies
- Ferber** Cry: Moderate · Speed: Medium (5-7 days) · Best for: Most temperaments
- Chair Method** Cry: Low-Moderate · Speed: Slower (2-3 wks) · Best for: Sensitive babies
- Fading** Cry: Low · Speed: Slowest (3-4+ wks) · Best for: Gentle approach
- Pick Up / Put Down** Cry: Low · Speed: Variable · Best for: Young babies 3-5 mo

If I feel tempted to switch methods this week, I will:

NIGHTLY METHOD LOG

Night	Method Used	Followed Plan?		Biggest Challenge	What I Did Differently	Confidence (1-5 ★)
1		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
2		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
3		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
4		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
5		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
6		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
7		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐

■ The Consistency Pledge

"Consistency, even on hard nights, is where progress lives."
When tonight is hard — I will check this box before I change the plan:
☐ I am choosing to stay consistent tonight.

PARTNER SYNC

Did your partner follow the same plan tonight? ☐ Yes ☐ No ☐ We discussed it

If no — what was different, and how will you align for tomorrow?

Who is handling tonight's wakings (write name or take turns)?

Weekly Reflection

Take 5 minutes at the end of the week. Honest reflection accelerates progress.

Q1 What went well this week?

Even one small win. A longer stretch, a faster settle, a routine that clicked.

Q2 What was the hardest moment?

Name it. Acknowledge it. You survived it.

Q3 What patterns did I notice in the Night Waking Log?

Same waking time? Same night? Improvement on nights 5-7 vs nights 1-2?

Q4 What would I do differently next week?

One specific change. Not a complete overhaul — one tweak.

Q5 What is my baby teaching me this week?

Every week reveals something. About their temperament, their timing, their needs.

WEEK AT A GLANCE — SLEEP STATS

Best night (fewest wakings):

Night #

Hardest night:

Night #

Average night wakings this week:

per night

Average time baby settled after waking:

minutes

Longest sleep stretch this week:

hours

Bedtime avg:

pm

Morning wake avg:

am

SETTING UP WEEK 3

Next week: Chapter 3 — Reading Your Baby's Sleep Cues

Catch the green light before you hit red.

My intention for Week 3:



Reading Your Baby's Sleep Cues

Catch the green light before you hit red.

SLEEP, BABY. PLEASE. · SIX & THRIVING



WEEK SETUP

Week dates (e.g. Jan 6 – Jan 12)

Baby's current age

Baby's weight (optional — note growth spurts)

Sleep method in use this week

THIS WEEK'S INTENTION

Before the week begins, set ONE clear focus. What are you committing to this week?

This week I will focus on:

AWAKE WINDOW TARGET THIS WEEK

Based on your baby's current age, what awake window are you working with? (See quick-reference chart at the back.)

Morning Awake Window	Nap 1 Length (Target)	Nap 2 Length (Target)	Bedtime Target	Expected Wakings

CHAPTER 3 — KEY TAKEAWAY THIS WEEK

- ☐ Green cues → start wind-down. Yellow → into crib now. Red → too late.
- ☐ Yawning is a late cue. Start before the yawn.
- ☐ Know your baby's window. Set a timer. Trust the timer.

Awake Window Tracker

Track actual vs target awake windows for each day. Patterns become visible within 3 days.

	Wake Time	Nap 1 Start/End	Nap 2 Start/End	Nap 3 (if any)	Bedtime (into crib)	Settled By	Awake Window Actual	Notes
Mon								
Tue								
Wed								
Thu								
Fri								
Sat								
Sun								

■ Overtiredness Warning Signs

Second wind (suddenly wired) · Arching back · Inconsolable fussing · Rubbing ears · Glazed eyes

If you see these: skip the rest of the routine. Lights off, white noise on, into crib now.

WEEKLY AWAKE WINDOW SUMMARY

Average actual awake window this week:

Most common settling challenge:

Plan for next week:

QUICK REFERENCE — AWAKE WINDOWS BY AGE

Baby's Age	Awake Window	Max Naps	Bedtime Target
0-6 weeks	45-60 min	4-5/day	Variable
6-12 weeks	60-90 min	4/day	8-9 p.m.
3-4 months	90 min	3-4/day	7:30-8:30 p.m.
4-6 months	2 hrs	3/day	7-8 p.m.
6-8 months	2.5 hrs	2-3/day	7-8 p.m.
8-12 months	3-3.5 hrs	2/day	6:30-7:30 p.m.
12-18 months	4-5 hrs	1-2/day	7-7:30 p.m.
18-24 months	5-6 hrs	1/day	7-7:30 p.m.

Bedtime Routine Builder

Same order, every night. Write your sequence below — then post it on the nursery door.

#	Step	Our Version / Notes	What This Teaches	Done Mon	Done Wed	Done Fri
1	Transition Signal <i>e.g. 'Let's get ready for sleep time'</i>			☐	☐	☐
2	Active play / screens OFF <i>Stop stimulating activity</i>			☐	☐	☐
3	Bath or warm wipe-down <i>5-10 minutes</i>			☐	☐	☐
4	Lotion massage <i>Slow, calm strokes — 5 minutes</i>			☐	☐	☐
5	Pajamas + sleep sack <i>Dress for room temperature</i>			☐	☐	☐
6	Feed (in dim, quiet room) <i>Baby must NOT fall asleep during feed</i>			☐	☐	☐
7	Books or song <i>1-3 short books or 1-2 lullabies</i>			☐	☐	☐
8	Final goodnight phrase <i>Same words every night</i>			☐	☐	☐
9	White noise ON <i>60-65 dB, few feet from crib</i>			☐	☐	☐
10	Room fully dark <i>Blackout + all LEDs covered</i>			☐	☐	☐
11	Into crib — drowsy, awake <i>This is the key skill</i>			☐	☐	☐
12	Parent exits calmly <i>Same phrase, same exit, every night</i>			☐	☐	☐

■ Routine Timing Target

Total routine: 20-30 minutes from transition signal to crib. Too short = not enough wind-down.
Too long = baby may fall asleep during the routine. Aim for consistent timing.

OUR ROUTINE — PRINTABLE REMINDER CARD

◆ OUR BEDTIME ROUTINE ◆

1. Transition Signal

3. Bath or warm wipe-down

5. Pajamas + sleep sack

7. Books or song

9. White noise ON

11. Into crib — drowsy, awake
2. Active play / screens OFF

4. Lotion massage

6. Feed (in dim, quiet room)

8. Final goodnight phrase

10. Room fully dark

12. Parent exits calmly

Night Waking Log

Track every waking — even good nights. Patterns emerge by night 3-4.

Night 1

(Sunday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night 2

(Monday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night 3

(Tuesday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night Waking Log

Track every waking — even good nights. Patterns emerge by night 3-4.

Night 4(Wednesday)Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Night 5(Thursday)Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Night 6(Friday)Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Night 7(Saturday)Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Sleep Method Tracker

Commit to one method for the full week. Document what happened each night.

MY METHOD THIS WEEK

- ☐
- Extinction (CIO)** Cry: High · Speed: Fast (3-5 days) · Best for: Persistent babies
- ☐
- Ferber** Cry: Moderate · Speed: Medium (5-7 days) · Best for: Most temperaments
- ☐
- Chair Method** Cry: Low-Moderate · Speed: Slower (2-3 wks) · Best for: Sensitive babies
- ☐
- Fading** Cry: Low · Speed: Slowest (3-4+ wks) · Best for: Gentle approach
- ☐
- Pick Up / Put Down** Cry: Low · Speed: Variable · Best for: Young babies 3-5 mo

If I feel tempted to switch methods this week, I will:

NIGHTLY METHOD LOG

Night	Method Used	Followed Plan?		Biggest Challenge	What I Did Differently	Confidence (1-5 ★)
1		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
2		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
3		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
4		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
5		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
6		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
7		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐

■ The Consistency Pledge

"Consistency, even on hard nights, is where progress lives."

When tonight is hard — I will check this box before I change the plan:

☐ I am choosing to stay consistent tonight.

PARTNER SYNC

Did your partner follow the same plan tonight? ☐ Yes ☐ No ☐ We discussed it

If no — what was different, and how will you align for tomorrow?

Who is handling tonight's wakings (write name or take turns)?

Weekly Reflection

Take 5 minutes at the end of the week. Honest reflection accelerates progress.

Q1 What went well this week?

Even one small win. A longer stretch, a faster settle, a routine that clicked.

Q2 What was the hardest moment?

Name it. Acknowledge it. You survived it.

Q3 What patterns did I notice in the Night Waking Log?

Same waking time? Same night? Improvement on nights 5-7 vs nights 1-2?

Q4 What would I do differently next week?

One specific change. Not a complete overhaul — one tweak.

Q5 What is my baby teaching me this week?

Every week reveals something. About their temperament, their timing, their needs.

WEEK AT A GLANCE — SLEEP STATS

Best night (fewest wakings):

Night #

Hardest night:

Night #

Average night wakings this week:

per night

Average time baby settled after waking:

minutes

Longest sleep stretch this week:

hours

Bedtime avg:

pm

Morning wake avg:

am

SETTING UP WEEK 4

Next week: Chapter 4 — Building a Bedtime Routine

Same order, every night. This week, lock it in.

My intention for Week 4:



Building a Bedtime Routine

Same order, every night. This week, lock it in.

SLEEP, BABY. PLEASE. · SIX & THRIVING



WEEK SETUP

Week dates (e.g. Jan 6 – Jan 12)

Baby's current age

Baby's weight (optional — note growth spurts)

Sleep method in use this week

THIS WEEK'S INTENTION

Before the week begins, set ONE clear focus. What are you committing to this week?

This week I will focus on:

AWAKE WINDOW TARGET THIS WEEK

Based on your baby's current age, what awake window are you working with? (See quick-reference chart at the back.)

Morning Awake Window	Nap 1 Length (Target)	Nap 2 Length (Target)	Bedtime Target	Expected Wakings

CHAPTER 4 — KEY TAKEAWAY THIS WEEK

- ☐ Same order every night. The order is the signal.
- ☐ Bath → Lotion → PJs → Feed → Song → Crib.
- ☐ 20-30 min total. Not shorter, not longer.

Awake Window Tracker

Track actual vs target awake windows for each day. Patterns become visible within 3 days.

	Wake Time	Nap 1 Start/End	Nap 2 Start/End	Nap 3 (if any)	Bedtime (into crib)	Settled By	Awake Window Actual	Notes
Mon								
Tue								
Wed								
Thu								
Fri								
Sat								
Sun								

■ Overtiredness Warning Signs

Second wind (suddenly wired) · Arching back · Inconsolable fussing · Rubbing ears · Glazed eyes

If you see these: skip the rest of the routine. Lights off, white noise on, into crib now.

WEEKLY AWAKE WINDOW SUMMARY

Average actual awake window this week:

Most common settling challenge:

Plan for next week:

QUICK REFERENCE — AWAKE WINDOWS BY AGE

Baby's Age	Awake Window	Max Naps	Bedtime Target
0-6 weeks	45-60 min	4-5/day	Variable
6-12 weeks	60-90 min	4/day	8-9 p.m.
3-4 months	90 min	3-4/day	7:30-8:30 p.m.
4-6 months	2 hrs	3/day	7-8 p.m.
6-8 months	2.5 hrs	2-3/day	7-8 p.m.
8-12 months	3-3.5 hrs	2/day	6:30-7:30 p.m.
12-18 months	4-5 hrs	1-2/day	7-7:30 p.m.
18-24 months	5-6 hrs	1/day	7-7:30 p.m.

Bedtime Routine Builder

Same order, every night. Write your sequence below — then post it on the nursery door.

#	Step	Our Version / Notes	What This Teaches	Done Mon	Done Wed	Done Fri
1	Transition Signal <i>e.g. 'Let's get ready for sleep time'</i>			☐	☐	☐
2	Active play / screens OFF <i>Stop stimulating activity</i>			☐	☐	☐
3	Bath or warm wipe-down <i>5-10 minutes</i>			☐	☐	☐
4	Lotion massage <i>Slow, calm strokes — 5 minutes</i>			☐	☐	☐
5	Pajamas + sleep sack <i>Dress for room temperature</i>			☐	☐	☐
6	Feed (in dim, quiet room) <i>Baby must NOT fall asleep during feed</i>			☐	☐	☐
7	Books or song <i>1-3 short books or 1-2 lullabies</i>			☐	☐	☐
8	Final goodnight phrase <i>Same words every night</i>			☐	☐	☐
9	White noise ON <i>60-65 dB, few feet from crib</i>			☐	☐	☐
10	Room fully dark <i>Blackout + all LEDs covered</i>			☐	☐	☐
11	Into crib — drowsy, awake <i>This is the key skill</i>			☐	☐	☐
12	Parent exits calmly <i>Same phrase, same exit, every night</i>			☐	☐	☐

■ Routine Timing Target

Total routine: 20-30 minutes from transition signal to crib. Too short = not enough wind-down.
Too long = baby may fall asleep during the routine. Aim for consistent timing.

OUR ROUTINE — PRINTABLE REMINDER CARD

◆ OUR BEDTIME ROUTINE ◆

1. Transition Signal

3. Bath or warm wipe-down

5. Pajamas + sleep sack

7. Books or song

9. White noise ON

11. Into crib — drowsy, awake
2. Active play / screens OFF

4. Lotion massage

6. Feed (in dim, quiet room)

8. Final goodnight phrase

10. Room fully dark

12. Parent exits calmly

Night Waking Log

Track every waking — even good nights. Patterns emerge by night 3-4.

Night 1

(Sunday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night 2

(Monday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night 3

(Tuesday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night Waking Log

Track every waking — even good nights. Patterns emerge by night 3-4.

Night 4

(Wednesday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Night 5

(Thursday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Night 6

(Friday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Night 7

(Saturday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Sleep Method Tracker

Commit to one method for the full week. Document what happened each night.

MY METHOD THIS WEEK

- Extinction (CIO)

Cry: High · Speed: Fast (3-5 days) · Best for: Persistent babies
- Ferber

Cry: Moderate · Speed: Medium (5-7 days) · Best for: Most temperaments
- Chair Method

Cry: Low-Moderate · Speed: Slower (2-3 wks) · Best for: Sensitive babies
- Fading

Cry: Low · Speed: Slowest (3-4+ wks) · Best for: Gentle approach
- Pick Up / Put Down

Cry: Low · Speed: Variable · Best for: Young babies 3-5 mo

If I feel tempted to switch methods this week, I will:

NIGHTLY METHOD LOG

Night	Method Used	Followed Plan?		Biggest Challenge	What I Did Differently	Confidence (1-5 ★)
1		Yes	No			
2		Yes	No			
3		Yes	No			
4		Yes	No			
5		Yes	No			
6		Yes	No			
7		Yes	No			

■ The Consistency Pledge

"Consistency, even on hard nights, is where progress lives."

When tonight is hard — I will check this box before I change the plan:

☐ I am choosing to stay consistent tonight.

PARTNER SYNC

Did your partner follow the same plan tonight? ☐ Yes ☐ No ☐ We discussed it

If no — what was different, and how will you align for tomorrow?

Who is handling tonight's wakings (write name or take turns)?

Weekly Reflection

Take 5 minutes at the end of the week. Honest reflection accelerates progress.

Q1 What went well this week?

Even one small win. A longer stretch, a faster settle, a routine that clicked.

Q2 What was the hardest moment?

Name it. Acknowledge it. You survived it.

Q3 What patterns did I notice in the Night Waking Log?

Same waking time? Same night? Improvement on nights 5-7 vs nights 1-2?

Q4 What would I do differently next week?

One specific change. Not a complete overhaul — one tweak.

Q5 What is my baby teaching me this week?

Every week reveals something. About their temperament, their timing, their needs.

WEEK AT A GLANCE — SLEEP STATS

Best night (fewest wakings):

Night #

Hardest night:

Night #

Average night wakings this week:

per night

Average time baby settled after waking:

minutes

Longest sleep stretch this week:

hours

Bedtime avg:

pm

Morning wake avg:

am

SETTING UP WEEK 5

Next week: Chapter 5 — Setting the Sleep Environment

Darkness, white noise, temperature — your checklist.

My intention for Week 5:



Setting the Sleep Environment

Darkness, white noise, temperature — your checklist.

SLEEP, BABY. PLEASE. · SIX & THRIVING



WEEK SETUP

Week dates (e.g. Jan 6 – Jan 12)

Baby's current age

Baby's weight (optional — note growth spurts)

Sleep method in use this week

THIS WEEK'S INTENTION

Before the week begins, set ONE clear focus. What are you committing to this week?

This week I will focus on:

AWAKE WINDOW TARGET THIS WEEK

Based on your baby's current age, what awake window are you working with? (See quick-reference chart at the back.)

Morning Awake Window	Nap 1 Length (Target)	Nap 2 Length (Target)	Bedtime Target	Expected Wakings

CHAPTER 5 — KEY TAKEAWAY THIS WEEK

- ☐ True blackout. Cover every LED. Hallway gap matters.
- ☐ White noise at 60-65 dB. Not inside the crib.
- ☐ 68-72°F / 20-22°C. Dress baby warmer than yourself.

Awake Window Tracker

Track actual vs target awake windows for each day. Patterns become visible within 3 days.

	Wake Time	Nap 1 Start/End	Nap 2 Start/End	Nap 3 (if any)	Bedtime (into crib)	Settled By	Awake Window Actual	Notes
Mon								
Tue								
Wed								
Thu								
Fri								
Sat								
Sun								

■ Overtiredness Warning Signs

Second wind (suddenly wired) · Arching back · Inconsolable fussing · Rubbing ears · Glazed eyes

If you see these: skip the rest of the routine. Lights off, white noise on, into crib now.

WEEKLY AWAKE WINDOW SUMMARY

Average actual awake window this week:

Most common settling challenge:

Plan for next week:

QUICK REFERENCE — AWAKE WINDOWS BY AGE

Baby's Age	Awake Window	Max Naps	Bedtime Target
0-6 weeks	45-60 min	4-5/day	Variable
6-12 weeks	60-90 min	4/day	8-9 p.m.
3-4 months	90 min	3-4/day	7:30-8:30 p.m.
4-6 months	2 hrs	3/day	7-8 p.m.
6-8 months	2.5 hrs	2-3/day	7-8 p.m.
8-12 months	3-3.5 hrs	2/day	6:30-7:30 p.m.
12-18 months	4-5 hrs	1-2/day	7-7:30 p.m.
18-24 months	5-6 hrs	1/day	7-7:30 p.m.

Bedtime Routine Builder

Same order, every night. Write your sequence below — then post it on the nursery door.

#	Step	Our Version / Notes	What This Teaches	Done Mon	Done Wed	Done Fri
1	Transition Signal <i>e.g. 'Let's get ready for sleep time'</i>			☐	☐	☐
2	Active play / screens OFF <i>Stop stimulating activity</i>			☐	☐	☐
3	Bath or warm wipe-down <i>5-10 minutes</i>			☐	☐	☐
4	Lotion massage <i>Slow, calm strokes — 5 minutes</i>			☐	☐	☐
5	Pajamas + sleep sack <i>Dress for room temperature</i>			☐	☐	☐
6	Feed (in dim, quiet room) <i>Baby must NOT fall asleep during feed</i>			☐	☐	☐
7	Books or song <i>1-3 short books or 1-2 lullabies</i>			☐	☐	☐
8	Final goodnight phrase <i>Same words every night</i>			☐	☐	☐
9	White noise ON <i>60-65 dB, few feet from crib</i>			☐	☐	☐
10	Room fully dark <i>Blackout + all LEDs covered</i>			☐	☐	☐
11	Into crib — drowsy, awake <i>This is the key skill</i>			☐	☐	☐
12	Parent exits calmly <i>Same phrase, same exit, every night</i>			☐	☐	☐

■ Routine Timing Target

Total routine: 20-30 minutes from transition signal to crib. Too short = not enough wind-down.
Too long = baby may fall asleep during the routine. Aim for consistent timing.

OUR ROUTINE — PRINTABLE REMINDER CARD

◆ OUR BEDTIME ROUTINE ◆

1. Transition Signal

3. Bath or warm wipe-down

5. Pajamas + sleep sack

7. Books or song

9. White noise ON

11. Into crib — drowsy, awake
2. Active play / screens OFF

4. Lotion massage

6. Feed (in dim, quiet room)

8. Final goodnight phrase

10. Room fully dark

12. Parent exits calmly

Night Waking Log

Track every waking — even good nights. Patterns emerge by night 3-4.

Night 1(Sunday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night 2(Monday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night 3(Tuesday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night Waking Log

Track every waking — even good nights. Patterns emerge by night 3-4.

Night 4(Wednesday)Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Night 5(Thursday)Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Night 6(Friday)Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Night 7(Saturday)Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Sleep Method Tracker

Commit to one method for the full week. Document what happened each night.

MY METHOD THIS WEEK

- Extinction (CIO)

Cry: High · Speed: Fast (3-5 days) · Best for: Persistent babies
- Ferber

Cry: Moderate · Speed: Medium (5-7 days) · Best for: Most temperaments
- Chair Method

Cry: Low-Moderate · Speed: Slower (2-3 wks) · Best for: Sensitive babies
- Fading

Cry: Low · Speed: Slowest (3-4+ wks) · Best for: Gentle approach
- Pick Up / Put Down

Cry: Low · Speed: Variable · Best for: Young babies 3-5 mo

If I feel tempted to switch methods this week, I will:

NIGHTLY METHOD LOG

Night	Method Used	Followed Plan?		Biggest Challenge	What I Did Differently	Confidence (1-5 ★)
1		Yes	No			
2		Yes	No			
3		Yes	No			
4		Yes	No			
5		Yes	No			
6		Yes	No			
7		Yes	No			

■ The Consistency Pledge

"Consistency, even on hard nights, is where progress lives."

When tonight is hard — I will check this box before I change the plan:

☐ I am choosing to stay consistent tonight.

PARTNER SYNC

Did your partner follow the same plan tonight? ☐ Yes ☐ No ☐ We discussed it

If no — what was different, and how will you align for tomorrow?

Who is handling tonight's wakings (write name or take turns)?

Weekly Reflection

Take 5 minutes at the end of the week. Honest reflection accelerates progress.

Q1 What went well this week?

Even one small win. A longer stretch, a faster settle, a routine that clicked.

Q2 What was the hardest moment?

Name it. Acknowledge it. You survived it.

Q3 What patterns did I notice in the Night Waking Log?

Same waking time? Same night? Improvement on nights 5-7 vs nights 1-2?

Q4 What would I do differently next week?

One specific change. Not a complete overhaul — one tweak.

Q5 What is my baby teaching me this week?

Every week reveals something. About their temperament, their timing, their needs.

WEEK AT A GLANCE — SLEEP STATS

Best night (fewest wakings):

Night #

Hardest night:

Night #

Average night wakings this week:

per night

Average time baby settled after waking:

minutes

Longest sleep stretch this week:

hours

Bedtime avg:

pm

Morning wake avg:

am

SETTING UP WEEK 6

Next week: Chapter 6 — The Sleep Training Debate

Choose YOUR method. Write it down. Stick to it.

My intention for Week 6:



The Sleep Training Debate

Choose YOUR method. Write it down. Stick to it.

SLEEP, BABY. PLEASE. · SIX & THRIVING



WEEK SETUP

Week dates (e.g. Jan 6 – Jan 12)

Baby's current age

Baby's weight (optional — note growth spurts)

Sleep method in use this week

THIS WEEK'S INTENTION

Before the week begins, set ONE clear focus. What are you committing to this week?

This week I will focus on:

AWAKE WINDOW TARGET THIS WEEK

Based on your baby's current age, what awake window are you working with? (See quick-reference chart at the back.)

Morning Awake Window	Nap 1 Length (Target)	Nap 2 Length (Target)	Bedtime Target	Expected Wakings

CHAPTER 6 — KEY TAKEAWAY THIS WEEK

- ☐ Choose your method before tonight. Write it down.
- ☐ Any method works if done consistently. Inconsistency hurts.
- ☐ There's no wrong method — only wrong inconsistency.

Awake Window Tracker

Track actual vs target awake windows for each day. Patterns become visible within 3 days.

	Wake Time	Nap 1 Start/End	Nap 2 Start/End	Nap 3 (if any)	Bedtime (into crib)	Settled By	Awake Window Actual	Notes
Mon								
Tue								
Wed								
Thu								
Fri								
Sat								
Sun								

■ Overtiredness Warning Signs

Second wind (suddenly wired) · Arching back · Inconsolable fussing · Rubbing ears · Glazed eyes
If you see these: skip the rest of the routine. Lights off, white noise on, into crib now.

WEEKLY AWAKE WINDOW SUMMARY

Average actual awake window this week:

Most common settling challenge:

Plan for next week:

QUICK REFERENCE — AWAKE WINDOWS BY AGE

Baby's Age	Awake Window	Max Naps	Bedtime Target
0-6 weeks	45-60 min	4-5/day	Variable
6-12 weeks	60-90 min	4/day	8-9 p.m.
3-4 months	90 min	3-4/day	7:30-8:30 p.m.
4-6 months	2 hrs	3/day	7-8 p.m.
6-8 months	2.5 hrs	2-3/day	7-8 p.m.
8-12 months	3-3.5 hrs	2/day	6:30-7:30 p.m.
12-18 months	4-5 hrs	1-2/day	7-7:30 p.m.
18-24 months	5-6 hrs	1/day	7-7:30 p.m.

Bedtime Routine Builder

Same order, every night. Write your sequence below — then post it on the nursery door.

#	Step	Our Version / Notes	What This Teaches	Done Mon	Done Wed	Done Fri
1	Transition Signal <i>e.g. 'Let's get ready for sleep time'</i>			☐	☐	☐
2	Active play / screens OFF <i>Stop stimulating activity</i>			☐	☐	☐
3	Bath or warm wipe-down <i>5-10 minutes</i>			☐	☐	☐
4	Lotion massage <i>Slow, calm strokes — 5 minutes</i>			☐	☐	☐
5	Pajamas + sleep sack <i>Dress for room temperature</i>			☐	☐	☐
6	Feed (in dim, quiet room) <i>Baby must NOT fall asleep during feed</i>			☐	☐	☐
7	Books or song <i>1-3 short books or 1-2 lullabies</i>			☐	☐	☐
8	Final goodnight phrase <i>Same words every night</i>			☐	☐	☐
9	White noise ON <i>60-65 dB, few feet from crib</i>			☐	☐	☐
10	Room fully dark <i>Blackout + all LEDs covered</i>			☐	☐	☐
11	Into crib — drowsy, awake <i>This is the key skill</i>			☐	☐	☐
12	Parent exits calmly <i>Same phrase, same exit, every night</i>			☐	☐	☐

■ Routine Timing Target

Total routine: 20-30 minutes from transition signal to crib. Too short = not enough wind-down.
Too long = baby may fall asleep during the routine. Aim for consistent timing.

OUR ROUTINE — PRINTABLE REMINDER CARD

◆ OUR BEDTIME ROUTINE ◆

1. Transition Signal

3. Bath or warm wipe-down

5. Pajamas + sleep sack

7. Books or song

9. White noise ON

11. Into crib — drowsy, awake
2. Active play / screens OFF

4. Lotion massage

6. Feed (in dim, quiet room)

8. Final goodnight phrase

10. Room fully dark

12. Parent exits calmly

Night Waking Log

Track every waking — even good nights. Patterns emerge by night 3-4.

Night 1

(Sunday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night 2

(Monday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night 3

(Tuesday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night Waking Log

Track every waking — even good nights. Patterns emerge by night 3-4.

Night 4(Wednesday)Date:

Bedtime (into crib)Fell asleep byFirst wakeTotal wakings #Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Night 5(Thursday)Date:

Bedtime (into crib)Fell asleep byFirst wakeTotal wakings #Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Night 6(Friday)Date:

Bedtime (into crib)Fell asleep byFirst wakeTotal wakings #Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Night 7(Saturday)Date:

Bedtime (into crib)Fell asleep byFirst wakeTotal wakings #Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Sleep Method Tracker

Commit to one method for the full week. Document what happened each night.

MY METHOD THIS WEEK



- Extinction (CIO)** Cry: High · Speed: Fast (3-5 days) · Best for: Persistent babies
- Ferber** Cry: Moderate · Speed: Medium (5-7 days) · Best for: Most temperaments
- Chair Method** Cry: Low-Moderate · Speed: Slower (2-3 wks) · Best for: Sensitive babies
- Fading** Cry: Low · Speed: Slowest (3-4+ wks) · Best for: Gentle approach
- Pick Up / Put Down** Cry: Low · Speed: Variable · Best for: Young babies 3-5 mo

If I feel tempted to switch methods this week, I will:

NIGHTLY METHOD LOG

Night	Method Used	Followed Plan?		Biggest Challenge	What I Did Differently	Confidence (1-5 ★)
1		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
2		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
3		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
4		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
5		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
6		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
7		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐

The Consistency Pledge

"Consistency, even on hard nights, is where progress lives."

When tonight is hard — I will check this box before I change the plan:

☐ I am choosing to stay consistent tonight.

PARTNER SYNC

Did your partner follow the same plan tonight? ☐ Yes ☐ No ☐ We discussed it

If no — what was different, and how will you align for tomorrow?

Who is handling tonight's wakings (write name or take turns)?

Weekly Reflection

Take 5 minutes at the end of the week. Honest reflection accelerates progress.

Q1 What went well this week?

Even one small win. A longer stretch, a faster settle, a routine that clicked.

Q2 What was the hardest moment?

Name it. Acknowledge it. You survived it.

Q3 What patterns did I notice in the Night Waking Log?

Same waking time? Same night? Improvement on nights 5-7 vs nights 1-2?

Q4 What would I do differently next week?

One specific change. Not a complete overhaul — one tweak.

Q5 What is my baby teaching me this week?

Every week reveals something. About their temperament, their timing, their needs.

WEEK AT A GLANCE — SLEEP STATS

Best night (fewest wakings):

Night #

Hardest night:

Night #

Average night wakings this week:

per night

Average time baby settled after waking:

minutes

Longest sleep stretch this week:

hours

Bedtime avg:

pm

Morning wake avg:

am

SETTING UP WEEK 7

Next week: Chapter 7 — Night Wakings

Handle them without creating new habits.

My intention for Week 7:



Night Wakings

Handle them without creating new habits.

SLEEP, BABY. PLEASE. · SIX & THRIVING



WEEK SETUP

Week dates (e.g. Jan 6 – Jan 12)

Baby's current age

Baby's weight (optional — note growth spurts)

Sleep method in use this week

THIS WEEK'S INTENTION

Before the week begins, set ONE clear focus. What are you committing to this week?

This week I will focus on:

AWAKE WINDOW TARGET THIS WEEK

Based on your baby's current age, what awake window are you working with? (See quick-reference chart at the back.)

Morning Awake Window	Nap 1 Length (Target)	Nap 2 Length (Target)	Bedtime Target	Expected Wakings

CHAPTER 7 — KEY TAKEAWAY THIS WEEK

- ☐ Pause 2-3 mins before entering. Many babies resettle alone.
- ☐ Don't create new habits solving old night wakings.
- ☐ Feed only if genuinely hungry. Respond, don't rescue.

Awake Window Tracker

Track actual vs target awake windows for each day. Patterns become visible within 3 days.

	Wake Time	Nap 1 Start/End	Nap 2 Start/End	Nap 3 (if any)	Bedtime (into crib)	Settled By	Awake Window Actual	Notes
Mon								
Tue								
Wed								
Thu								
Fri								
Sat								
Sun								

■ Overtiredness Warning Signs

Second wind (suddenly wired) · Arching back · Inconsolable fussing · Rubbing ears · Glazed eyes
If you see these: skip the rest of the routine. Lights off, white noise on, into crib now.

WEEKLY AWAKE WINDOW SUMMARY

Average actual awake window this week:

Most common settling challenge:

Plan for next week:

QUICK REFERENCE — AWAKE WINDOWS BY AGE

Baby's Age	Awake Window	Max Naps	Bedtime Target
0-6 weeks	45-60 min	4-5/day	Variable
6-12 weeks	60-90 min	4/day	8-9 p.m.
3-4 months	90 min	3-4/day	7:30-8:30 p.m.
4-6 months	2 hrs	3/day	7-8 p.m.
6-8 months	2.5 hrs	2-3/day	7-8 p.m.
8-12 months	3-3.5 hrs	2/day	6:30-7:30 p.m.
12-18 months	4-5 hrs	1-2/day	7-7:30 p.m.
18-24 months	5-6 hrs	1/day	7-7:30 p.m.

Bedtime Routine Builder

Same order, every night. Write your sequence below — then post it on the nursery door.

#	Step	Our Version / Notes	What This Teaches	Done Mon	Done Wed	Done Fri
1	Transition Signal <i>e.g. 'Let's get ready for sleep time'</i>			☐	☐	☐
2	Active play / screens OFF <i>Stop stimulating activity</i>			☐	☐	☐
3	Bath or warm wipe-down <i>5-10 minutes</i>			☐	☐	☐
4	Lotion massage <i>Slow, calm strokes — 5 minutes</i>			☐	☐	☐
5	Pajamas + sleep sack <i>Dress for room temperature</i>			☐	☐	☐
6	Feed (in dim, quiet room) <i>Baby must NOT fall asleep during feed</i>			☐	☐	☐
7	Books or song <i>1-3 short books or 1-2 lullabies</i>			☐	☐	☐
8	Final goodnight phrase <i>Same words every night</i>			☐	☐	☐
9	White noise ON <i>60-65 dB, few feet from crib</i>			☐	☐	☐
10	Room fully dark <i>Blackout + all LEDs covered</i>			☐	☐	☐
11	Into crib — drowsy, awake <i>This is the key skill</i>			☐	☐	☐
12	Parent exits calmly <i>Same phrase, same exit, every night</i>			☐	☐	☐

■ Routine Timing Target

Total routine: 20-30 minutes from transition signal to crib. Too short = not enough wind-down.
Too long = baby may fall asleep during the routine. Aim for consistent timing.

OUR ROUTINE — PRINTABLE REMINDER CARD

◆ OUR BEDTIME ROUTINE ◆

1. Transition Signal

3. Bath or warm wipe-down

5. Pajamas + sleep sack

7. Books or song

9. White noise ON

11. Into crib — drowsy, awake
2. Active play / screens OFF

4. Lotion massage

6. Feed (in dim, quiet room)

8. Final goodnight phrase

10. Room fully dark

12. Parent exits calmly

Night Waking Log

Track every waking — even good nights. Patterns emerge by night 3-4.

Night 1 (Sunday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night 2 (Monday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night 3 (Tuesday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night Waking Log

Track every waking — even good nights. Patterns emerge by night 3-4.

Night 4

(Wednesday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Night 5

(Thursday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Night 6

(Friday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Night 7

(Saturday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Sleep Method Tracker

Commit to one method for the full week. Document what happened each night.

MY METHOD THIS WEEK



- Extinction (CIO)** Cry: High · Speed: Fast (3-5 days) · Best for: Persistent babies
- Ferber** Cry: Moderate · Speed: Medium (5-7 days) · Best for: Most temperaments
- Chair Method** Cry: Low-Moderate · Speed: Slower (2-3 wks) · Best for: Sensitive babies
- Fading** Cry: Low · Speed: Slowest (3-4+ wks) · Best for: Gentle approach
- Pick Up / Put Down** Cry: Low · Speed: Variable · Best for: Young babies 3-5 mo

If I feel tempted to switch methods this week, I will:

NIGHTLY METHOD LOG

Night	Method Used	Followed Plan?		Biggest Challenge	What I Did Differently	Confidence (1-5 ★)
1		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐
2		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐
3		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐
4		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐
5		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐
6		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐
7		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐

■ The Consistency Pledge

"Consistency, even on hard nights, is where progress lives."
When tonight is hard — I will check this box before I change the plan:
☐ I am choosing to stay consistent tonight.

PARTNER SYNC

Did your partner follow the same plan tonight? ☐ Yes ☐ No ☐ We discussed it

If no — what was different, and how will you align for tomorrow?

Who is handling tonight's wakings (write name or take turns)?

Weekly Reflection

Take 5 minutes at the end of the week. Honest reflection accelerates progress.

Q1 What went well this week?

Even one small win. A longer stretch, a faster settle, a routine that clicked.

Q2 What was the hardest moment?

Name it. Acknowledge it. You survived it.

Q3 What patterns did I notice in the Night Waking Log?

Same waking time? Same night? Improvement on nights 5-7 vs nights 1-2?

Q4 What would I do differently next week?

One specific change. Not a complete overhaul — one tweak.

Q5 What is my baby teaching me this week?

Every week reveals something. About their temperament, their timing, their needs.

WEEK AT A GLANCE — SLEEP STATS

Best night (fewest wakings):

Night #

Hardest night:

Night #

Average night wakings this week:

per night

Average time baby settled after waking:

minutes

Longest sleep stretch this week:

hours

Bedtime avg:

pm

Morning wake avg:

am

SETTING UP WEEK 8

Next week: Chapter 8 — The Six Sleep Personalities

Know your baby's type. Work with it, not against it.

My intention for Week 8:



The Six Sleep Personalities

Know your baby's type. Work with it, not against it.

SLEEP, BABY. PLEASE. · SIX & THRIVING



WEEK SETUP

Week dates (e.g. Jan 6 – Jan 12)

Baby's current age

Baby's weight (optional — note growth spurts)

Sleep method in use this week

THIS WEEK'S INTENTION

Before the week begins, set ONE clear focus. What are you committing to this week?

This week I will focus on:

AWAKE WINDOW TARGET THIS WEEK

Based on your baby's current age, what awake window are you working with? (See quick-reference chart at the back.)

Morning Awake Window	Nap 1 Length (Target)	Nap 2 Length (Target)	Bedtime Target	Expected Wakings

CHAPTER 8 — KEY TAKEAWAY THIS WEEK

- ☐ Know your baby's sleep personality. It changes how you approach everything.
- ☐ Snackers need longer feed gaps. Night Owls need earlier bedtimes.
- ☐ Sensitive Souls need extra calm-down before crib.

Awake Window Tracker

Track actual vs target awake windows for each day. Patterns become visible within 3 days.

	Wake Time	Nap 1 Start/End	Nap 2 Start/End	Nap 3 (if any)	Bedtime (into crib)	Settled By	Awake Window Actual	Notes
Mon								
Tue								
Wed								
Thu								
Fri								
Sat								
Sun								

■ Overtiredness Warning Signs

Second wind (suddenly wired) · Arching back · Inconsolable fussing · Rubbing ears · Glazed eyes
If you see these: skip the rest of the routine. Lights off, white noise on, into crib now.

WEEKLY AWAKE WINDOW SUMMARY

Average actual awake window this week:

Most common settling challenge:

Plan for next week:

QUICK REFERENCE — AWAKE WINDOWS BY AGE

Baby's Age	Awake Window	Max Naps	Bedtime Target
0-6 weeks	45-60 min	4-5/day	Variable
6-12 weeks	60-90 min	4/day	8-9 p.m.
3-4 months	90 min	3-4/day	7:30-8:30 p.m.
4-6 months	2 hrs	3/day	7-8 p.m.
6-8 months	2.5 hrs	2-3/day	7-8 p.m.
8-12 months	3-3.5 hrs	2/day	6:30-7:30 p.m.
12-18 months	4-5 hrs	1-2/day	7-7:30 p.m.
18-24 months	5-6 hrs	1/day	7-7:30 p.m.

Bedtime Routine Builder

Same order, every night. Write your sequence below — then post it on the nursery door.

#	Step	Our Version / Notes	What This Teaches	Done Mon	Done Wed	Done Fri
1	Transition Signal <i>e.g. 'Let's get ready for sleep time'</i>			☐	☐	☐
2	Active play / screens OFF <i>Stop stimulating activity</i>			☐	☐	☐
3	Bath or warm wipe-down <i>5-10 minutes</i>			☐	☐	☐
4	Lotion massage <i>Slow, calm strokes — 5 minutes</i>			☐	☐	☐
5	Pajamas + sleep sack <i>Dress for room temperature</i>			☐	☐	☐
6	Feed (in dim, quiet room) <i>Baby must NOT fall asleep during feed</i>			☐	☐	☐
7	Books or song <i>1-3 short books or 1-2 lullabies</i>			☐	☐	☐
8	Final goodnight phrase <i>Same words every night</i>			☐	☐	☐
9	White noise ON <i>60-65 dB, few feet from crib</i>			☐	☐	☐
10	Room fully dark <i>Blackout + all LEDs covered</i>			☐	☐	☐
11	Into crib — drowsy, awake <i>This is the key skill</i>			☐	☐	☐
12	Parent exits calmly <i>Same phrase, same exit, every night</i>			☐	☐	☐

■ Routine Timing Target

Total routine: 20-30 minutes from transition signal to crib. Too short = not enough wind-down.
Too long = baby may fall asleep during the routine. Aim for consistent timing.

OUR ROUTINE — PRINTABLE REMINDER CARD

◆ OUR BEDTIME ROUTINE ◆

1. Transition Signal

3. Bath or warm wipe-down

5. Pajamas + sleep sack

7. Books or song

9. White noise ON

11. Into crib — drowsy, awake
2. Active play / screens OFF

4. Lotion massage

6. Feed (in dim, quiet room)

8. Final goodnight phrase

10. Room fully dark

12. Parent exits calmly

Night Waking Log

Track every waking — even good nights. Patterns emerge by night 3-4.

Night 1(Sunday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night 2(Monday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night 3(Tuesday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night Waking Log

Track every waking — even good nights. Patterns emerge by night 3-4.

Night 4(Wednesday)Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Night 5(Thursday)Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Night 6(Friday)Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Night 7(Saturday)Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Sleep Method Tracker

Commit to one method for the full week. Document what happened each night.

MY METHOD THIS WEEK



- Extinction (CIO)** Cry: High · Speed: Fast (3-5 days) · Best for: Persistent babies
- Ferber** Cry: Moderate · Speed: Medium (5-7 days) · Best for: Most temperaments
- Chair Method** Cry: Low-Moderate · Speed: Slower (2-3 wks) · Best for: Sensitive babies
- Fading** Cry: Low · Speed: Slowest (3-4+ wks) · Best for: Gentle approach
- Pick Up / Put Down** Cry: Low · Speed: Variable · Best for: Young babies 3-5 mo

If I feel tempted to switch methods this week, I will:

NIGHTLY METHOD LOG

Night	Method Used	Followed Plan?		Biggest Challenge	What I Did Differently	Confidence (1-5 ★)
1		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
2		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
3		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
4		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
5		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
6		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
7		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐

The Consistency Pledge

"Consistency, even on hard nights, is where progress lives."

When tonight is hard — I will check this box before I change the plan:

☐ I am choosing to stay consistent tonight.

PARTNER SYNC

Did your partner follow the same plan tonight? ☐ Yes ☐ No ☐ We discussed it

If no — what was different, and how will you align for tomorrow?

Who is handling tonight's wakings (write name or take turns)?

Weekly Reflection

Take 5 minutes at the end of the week. Honest reflection accelerates progress.

Q1 What went well this week?

Even one small win. A longer stretch, a faster settle, a routine that clicked.

Q2 What was the hardest moment?

Name it. Acknowledge it. You survived it.

Q3 What patterns did I notice in the Night Waking Log?

Same waking time? Same night? Improvement on nights 5-7 vs nights 1-2?

Q4 What would I do differently next week?

One specific change. Not a complete overhaul — one tweak.

Q5 What is my baby teaching me this week?

Every week reveals something. About their temperament, their timing, their needs.

WEEK AT A GLANCE — SLEEP STATS

Best night (fewest wakings):

Night #

Hardest night:

Night #

Average night wakings this week:

per night

Average time baby settled after waking:

minutes

Longest sleep stretch this week:

hours

Bedtime avg:

pm

Morning wake avg:

am

SETTING UP WEEK 9

Next week: Chapter 9 — Common Mistakes Parents Make

Awareness is the first step to breaking the cycle.

My intention for Week 9:



Common Mistakes Parents Make

Awareness is the first step to breaking the cycle.

SLEEP, BABY. PLEASE. · SIX & THRIVING



WEEK SETUP

Week dates (e.g. Jan 6 – Jan 12)

Baby's current age

Baby's weight (optional — note growth spurts)

Sleep method in use this week

THIS WEEK'S INTENTION

Before the week begins, set ONE clear focus. What are you committing to this week?

This week I will focus on:

AWAKE WINDOW TARGET THIS WEEK

Based on your baby's current age, what awake window are you working with? (See quick-reference chart at the back.)

Morning Awake Window	Nap 1 Length (Target)	Nap 2 Length (Target)	Bedtime Target	Expected Wakings

CHAPTER 9 — KEY TAKEAWAY THIS WEEK

- ☐ Inconsistency is the #1 mistake. One rule, every night.
- ☐ Feeding to sleep is a common trap — break it gently.
- ☐ Rushing in at the first sound prevents self-settling.

Awake Window Tracker

Track actual vs target awake windows for each day. Patterns become visible within 3 days.

	Wake Time	Nap 1 Start/End	Nap 2 Start/End	Nap 3 (if any)	Bedtime (into crib)	Settled By	Awake Window Actual	Notes
Mon								
Tue								
Wed								
Thu								
Fri								
Sat								
Sun								

■ Overtiredness Warning Signs

Second wind (suddenly wired) · Arching back · Inconsolable fussing · Rubbing ears · Glazed eyes
If you see these: skip the rest of the routine. Lights off, white noise on, into crib now.

WEEKLY AWAKE WINDOW SUMMARY

Average actual awake window this week:

Most common settling challenge:

Plan for next week:

QUICK REFERENCE — AWAKE WINDOWS BY AGE

Baby's Age	Awake Window	Max Naps	Bedtime Target
0-6 weeks	45-60 min	4-5/day	Variable
6-12 weeks	60-90 min	4/day	8-9 p.m.
3-4 months	90 min	3-4/day	7:30-8:30 p.m.
4-6 months	2 hrs	3/day	7-8 p.m.
6-8 months	2.5 hrs	2-3/day	7-8 p.m.
8-12 months	3-3.5 hrs	2/day	6:30-7:30 p.m.
12-18 months	4-5 hrs	1-2/day	7-7:30 p.m.
18-24 months	5-6 hrs	1/day	7-7:30 p.m.

Bedtime Routine Builder

Same order, every night. Write your sequence below — then post it on the nursery door.

#	Step	Our Version / Notes	What This Teaches	Done Mon	Done Wed	Done Fri
1	Transition Signal <i>e.g. 'Let's get ready for sleep time'</i>			☐	☐	☐
2	Active play / screens OFF <i>Stop stimulating activity</i>			☐	☐	☐
3	Bath or warm wipe-down <i>5-10 minutes</i>			☐	☐	☐
4	Lotion massage <i>Slow, calm strokes — 5 minutes</i>			☐	☐	☐
5	Pajamas + sleep sack <i>Dress for room temperature</i>			☐	☐	☐
6	Feed (in dim, quiet room) <i>Baby must NOT fall asleep during feed</i>			☐	☐	☐
7	Books or song <i>1-3 short books or 1-2 lullabies</i>			☐	☐	☐
8	Final goodnight phrase <i>Same words every night</i>			☐	☐	☐
9	White noise ON <i>60-65 dB, few feet from crib</i>			☐	☐	☐
10	Room fully dark <i>Blackout + all LEDs covered</i>			☐	☐	☐
11	Into crib — drowsy, awake <i>This is the key skill</i>			☐	☐	☐
12	Parent exits calmly <i>Same phrase, same exit, every night</i>			☐	☐	☐

■ Routine Timing Target

Total routine: 20-30 minutes from transition signal to crib. Too short = not enough wind-down.
Too long = baby may fall asleep during the routine. Aim for consistent timing.

OUR ROUTINE — PRINTABLE REMINDER CARD

◆ OUR BEDTIME ROUTINE ◆

1. Transition Signal

3. Bath or warm wipe-down

5. Pajamas + sleep sack

7. Books or song

9. White noise ON

11. Into crib — drowsy, awake
2. Active play / screens OFF

4. Lotion massage

6. Feed (in dim, quiet room)

8. Final goodnight phrase

10. Room fully dark

12. Parent exits calmly

Night Waking Log

Track every waking — even good nights. Patterns emerge by night 3-4.

Night 1

(Sunday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night 2

(Monday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night 3

(Tuesday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night Waking Log

Track every waking — even good nights. Patterns emerge by night 3-4.

Night 4

(Wednesday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Night 5

(Thursday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Pattern note / what I noticed:

Night 6

(Friday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Pattern note / what I noticed:

Night 7

(Saturday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Pattern note / what I noticed:

Sleep Method Tracker

Commit to one method for the full week. Document what happened each night.

MY METHOD THIS WEEK



- Extinction (CIO)** Cry: High · Speed: Fast (3-5 days) · Best for: Persistent babies
- Ferber** Cry: Moderate · Speed: Medium (5-7 days) · Best for: Most temperaments
- Chair Method** Cry: Low-Moderate · Speed: Slower (2-3 wks) · Best for: Sensitive babies
- Fading** Cry: Low · Speed: Slowest (3-4+ wks) · Best for: Gentle approach
- Pick Up / Put Down** Cry: Low · Speed: Variable · Best for: Young babies 3-5 mo

If I feel tempted to switch methods this week, I will:

NIGHTLY METHOD LOG

Night	Method Used	Followed Plan?		Biggest Challenge	What I Did Differently	Confidence (1-5 ★)
1		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
2		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
3		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
4		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
5		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
6		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐
7		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐ ☐

■ The Consistency Pledge

"Consistency, even on hard nights, is where progress lives."
When tonight is hard — I will check this box before I change the plan:
☐ I am choosing to stay consistent tonight.

PARTNER SYNC

Did your partner follow the same plan tonight? ☐ Yes ☐ No ☐ We discussed it

If no — what was different, and how will you align for tomorrow?

Who is handling tonight's wakings (write name or take turns)?

Weekly Reflection

Take 5 minutes at the end of the week. Honest reflection accelerates progress.

Q1 What went well this week?

Even one small win. A longer stretch, a faster settle, a routine that clicked.

Q2 What was the hardest moment?

Name it. Acknowledge it. You survived it.

Q3 What patterns did I notice in the Night Waking Log?

Same waking time? Same night? Improvement on nights 5-7 vs nights 1-2?

Q4 What would I do differently next week?

One specific change. Not a complete overhaul — one tweak.

Q5 What is my baby teaching me this week?

Every week reveals something. About their temperament, their timing, their needs.

WEEK AT A GLANCE — SLEEP STATS

Best night (fewest wakings):

Night #

Hardest night:

Night #

Average night wakings this week:

per night

Average time baby settled after waking:

minutes

Longest sleep stretch this week:

hours

Bedtime avg:

pm

Morning wake avg:

am

SETTING UP WEEK 10

Next week: Chapter 10 — Staying Consistent

Consistency on hard nights is where progress lives.

My intention for Week 10:



Staying Consistent

Consistency on hard nights is where progress lives.

SLEEP, BABY. PLEASE. · SIX & THRIVING



WEEK SETUP

Week dates (e.g. Jan 6 – Jan 12)

Baby's current age

Baby's weight (optional — note growth spurts)

Sleep method in use this week

THIS WEEK'S INTENTION

Before the week begins, set ONE clear focus. What are you committing to this week?

This week I will focus on:

AWAKE WINDOW TARGET THIS WEEK

Based on your baby's current age, what awake window are you working with? (See quick-reference chart at the back.)

Morning Awake Window	Nap 1 Length (Target)	Nap 2 Length (Target)	Bedtime Target	Expected Wakings

CHAPTER 10 — KEY TAKEAWAY THIS WEEK

- ☐ Consistency on hard nights is where progress is actually made.
- ☐ Tell your partner the plan. United front matters.
- ☐ Sleep deprivation distorts judgment. Trust the plan.

Awake Window Tracker

Track actual vs target awake windows for each day. Patterns become visible within 3 days.

	Wake Time	Nap 1 Start/End	Nap 2 Start/End	Nap 3 (if any)	Bedtime (into crib)	Settled By	Awake Window Actual	Notes
Mon								
Tue								
Wed								
Thu								
Fri								
Sat								
Sun								

■ Overtiredness Warning Signs

Second wind (suddenly wired) · Arching back · Inconsolable fussing · Rubbing ears · Glazed eyes

If you see these: skip the rest of the routine. Lights off, white noise on, into crib now.

WEEKLY AWAKE WINDOW SUMMARY

Average actual awake window this week:

Most common settling challenge:

Plan for next week:

QUICK REFERENCE — AWAKE WINDOWS BY AGE

Baby's Age	Awake Window	Max Naps	Bedtime Target
0-6 weeks	45-60 min	4-5/day	Variable
6-12 weeks	60-90 min	4/day	8-9 p.m.
3-4 months	90 min	3-4/day	7:30-8:30 p.m.
4-6 months	2 hrs	3/day	7-8 p.m.
6-8 months	2.5 hrs	2-3/day	7-8 p.m.
8-12 months	3-3.5 hrs	2/day	6:30-7:30 p.m.
12-18 months	4-5 hrs	1-2/day	7-7:30 p.m.
18-24 months	5-6 hrs	1/day	7-7:30 p.m.

Bedtime Routine Builder

Same order, every night. Write your sequence below — then post it on the nursery door.

#	Step	Our Version / Notes	What This Teaches	Done Mon	Done Wed	Done Fri
1	Transition Signal <i>e.g. 'Let's get ready for sleep time'</i>			☐	☐	☐
2	Active play / screens OFF <i>Stop stimulating activity</i>			☐	☐	☐
3	Bath or warm wipe-down <i>5-10 minutes</i>			☐	☐	☐
4	Lotion massage <i>Slow, calm strokes — 5 minutes</i>			☐	☐	☐
5	Pajamas + sleep sack <i>Dress for room temperature</i>			☐	☐	☐
6	Feed (in dim, quiet room) <i>Baby must NOT fall asleep during feed</i>			☐	☐	☐
7	Books or song <i>1-3 short books or 1-2 lullabies</i>			☐	☐	☐
8	Final goodnight phrase <i>Same words every night</i>			☐	☐	☐
9	White noise ON <i>60-65 dB, few feet from crib</i>			☐	☐	☐
10	Room fully dark <i>Blackout + all LEDs covered</i>			☐	☐	☐
11	Into crib — drowsy, awake <i>This is the key skill</i>			☐	☐	☐
12	Parent exits calmly <i>Same phrase, same exit, every night</i>			☐	☐	☐

■ Routine Timing Target

Total routine: 20-30 minutes from transition signal to crib. Too short = not enough wind-down.
Too long = baby may fall asleep during the routine. Aim for consistent timing.

OUR ROUTINE — PRINTABLE REMINDER CARD

◆ OUR BEDTIME ROUTINE ◆

1. Transition Signal

3. Bath or warm wipe-down

5. Pajamas + sleep sack

7. Books or song

9. White noise ON

11. Into crib — drowsy, awake
2. Active play / screens OFF

4. Lotion massage

6. Feed (in dim, quiet room)

8. Final goodnight phrase

10. Room fully dark

12. Parent exits calmly

Night Waking Log

Track every waking — even good nights. Patterns emerge by night 3-4.

Night 1

(Sunday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night 2

(Monday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night 3

(Tuesday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night Waking Log

Track every waking — even good nights. Patterns emerge by night 3-4.

Night 4

(Wednesday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Night 5

(Thursday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Night 6

(Friday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Night 7

(Saturday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Sleep Method Tracker

Commit to one method for the full week. Document what happened each night.

MY METHOD THIS WEEK

- ☐
- Extinction (CIO)** Cry: High · Speed: Fast (3-5 days) · Best for: Persistent babies
- ☐
- Ferber** Cry: Moderate · Speed: Medium (5-7 days) · Best for: Most temperaments
- ☐
- Chair Method** Cry: Low-Moderate · Speed: Slower (2-3 wks) · Best for: Sensitive babies
- ☐
- Fading** Cry: Low · Speed: Slowest (3-4+ wks) · Best for: Gentle approach
- ☐
- Pick Up / Put Down** Cry: Low · Speed: Variable · Best for: Young babies 3-5 mo

If I feel tempted to switch methods this week, I will:

NIGHTLY METHOD LOG

Night	Method Used	Followed Plan?		Biggest Challenge	What I Did Differently	Confidence (1-5 ★)
1		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐
2		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐
3		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐
4		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐
5		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐
6		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐
7		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐

■ The Consistency Pledge

"Consistency, even on hard nights, is where progress lives."

When tonight is hard — I will check this box before I change the plan:

☐ I am choosing to stay consistent tonight.

PARTNER SYNC

Did your partner follow the same plan tonight? ☐ Yes ☐ No ☐ We discussed it

If no — what was different, and how will you align for tomorrow?

Who is handling tonight's wakings (write name or take turns)?

Weekly Reflection

Take 5 minutes at the end of the week. Honest reflection accelerates progress.

Q1 What went well this week?

Even one small win. A longer stretch, a faster settle, a routine that clicked.

Q2 What was the hardest moment?

Name it. Acknowledge it. You survived it.

Q3 What patterns did I notice in the Night Waking Log?

Same waking time? Same night? Improvement on nights 5-7 vs nights 1-2?

Q4 What would I do differently next week?

One specific change. Not a complete overhaul — one tweak.

Q5 What is my baby teaching me this week?

Every week reveals something. About their temperament, their timing, their needs.

WEEK AT A GLANCE — SLEEP STATS

Best night (fewest wakings):

Night #

Hardest night:

Night #

Average night wakings this week:

per night

Average time baby settled after waking:

minutes

Longest sleep stretch this week:

hours

Bedtime avg:

pm

Morning wake avg:

am

SETTING UP WEEK 11

Next week: Chapter 11 — Toddler Sleep

When babies become little negotiators — stay firm.

My intention for Week 11:



Toddler Sleep

When babies become little negotiators — stay firm.

SLEEP, BABY. PLEASE. · SIX & THRIVING



WEEK SETUP

Week dates (e.g. Jan 6 – Jan 12)

Baby's current age

Baby's weight (optional — note growth spurts)

Sleep method in use this week

THIS WEEK'S INTENTION

Before the week begins, set ONE clear focus. What are you committing to this week?

This week I will focus on:

AWAKE WINDOW TARGET THIS WEEK

Based on your baby's current age, what awake window are you working with? (See quick-reference chart at the back.)

Morning Awake Window	Nap 1 Length (Target)	Nap 2 Length (Target)	Bedtime Target	Expected Wakings

CHAPTER 11 — KEY TAKEAWAY THIS WEEK

- ☐ Toddlers negotiate. Don't negotiate after lights out.
- ☐ One drink, one hug, one question — then goodbye.
- ☐ The routine still works. It works even harder now.

Awake Window Tracker

Track actual vs target awake windows for each day. Patterns become visible within 3 days.

	Wake Time	Nap 1 Start/End	Nap 2 Start/End	Nap 3 (if any)	Bedtime (into crib)	Settled By	Awake Window Actual	Notes
Mon								
Tue								
Wed								
Thu								
Fri								
Sat								
Sun								

■ Overtiredness Warning Signs

Second wind (suddenly wired) · Arching back · Inconsolable fussing · Rubbing ears · Glazed eyes
If you see these: skip the rest of the routine. Lights off, white noise on, into crib now.

WEEKLY AWAKE WINDOW SUMMARY

Average actual awake window this week:

Most common settling challenge:

Plan for next week:

QUICK REFERENCE — AWAKE WINDOWS BY AGE

Baby's Age	Awake Window	Max Naps	Bedtime Target
0-6 weeks	45-60 min	4-5/day	Variable
6-12 weeks	60-90 min	4/day	8-9 p.m.
3-4 months	90 min	3-4/day	7:30-8:30 p.m.
4-6 months	2 hrs	3/day	7-8 p.m.
6-8 months	2.5 hrs	2-3/day	7-8 p.m.
8-12 months	3-3.5 hrs	2/day	6:30-7:30 p.m.
12-18 months	4-5 hrs	1-2/day	7-7:30 p.m.
18-24 months	5-6 hrs	1/day	7-7:30 p.m.

Bedtime Routine Builder

Same order, every night. Write your sequence below — then post it on the nursery door.

#	Step	Our Version / Notes	What This Teaches	Done Mon	Done Wed	Done Fri
1	Transition Signal <i>e.g. 'Let's get ready for sleep time'</i>			☐	☐	☐
2	Active play / screens OFF <i>Stop stimulating activity</i>			☐	☐	☐
3	Bath or warm wipe-down <i>5-10 minutes</i>			☐	☐	☐
4	Lotion massage <i>Slow, calm strokes — 5 minutes</i>			☐	☐	☐
5	Pajamas + sleep sack <i>Dress for room temperature</i>			☐	☐	☐
6	Feed (in dim, quiet room) <i>Baby must NOT fall asleep during feed</i>			☐	☐	☐
7	Books or song <i>1-3 short books or 1-2 lullabies</i>			☐	☐	☐
8	Final goodnight phrase <i>Same words every night</i>			☐	☐	☐
9	White noise ON <i>60-65 dB, few feet from crib</i>			☐	☐	☐
10	Room fully dark <i>Blackout + all LEDs covered</i>			☐	☐	☐
11	Into crib — drowsy, awake <i>This is the key skill</i>			☐	☐	☐
12	Parent exits calmly <i>Same phrase, same exit, every night</i>			☐	☐	☐

■ Routine Timing Target

Total routine: 20-30 minutes from transition signal to crib. Too short = not enough wind-down.
Too long = baby may fall asleep during the routine. Aim for consistent timing.

OUR ROUTINE — PRINTABLE REMINDER CARD

◆ OUR BEDTIME ROUTINE ◆

1. Transition Signal

3. Bath or warm wipe-down

5. Pajamas + sleep sack

7. Books or song

9. White noise ON

11. Into crib — drowsy, awake
2. Active play / screens OFF

4. Lotion massage

6. Feed (in dim, quiet room)

8. Final goodnight phrase

10. Room fully dark

12. Parent exits calmly

Night Waking Log

Track every waking — even good nights. Patterns emerge by night 3-4.

Night 1

(Sunday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night 2

(Monday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night 3

(Tuesday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night Waking Log

Track every waking — even good nights. Patterns emerge by night 3-4.

Night 4

(Wednesday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Night 5

(Thursday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Pattern note / what I noticed:

Night 6

(Friday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Pattern note / what I noticed:

Night 7

(Saturday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Pattern note / what I noticed:

Sleep Method Tracker

Commit to one method for the full week. Document what happened each night.

MY METHOD THIS WEEK



- Extinction (CIO)** Cry: High · Speed: Fast (3-5 days) · Best for: Persistent babies
- Ferber** Cry: Moderate · Speed: Medium (5-7 days) · Best for: Most temperaments
- Chair Method** Cry: Low-Moderate · Speed: Slower (2-3 wks) · Best for: Sensitive babies
- Fading** Cry: Low · Speed: Slowest (3-4+ wks) · Best for: Gentle approach
- Pick Up / Put Down** Cry: Low · Speed: Variable · Best for: Young babies 3-5 mo

If I feel tempted to switch methods this week, I will:

NIGHTLY METHOD LOG

Night	Method Used	Followed Plan?		Biggest Challenge	What I Did Differently	Confidence (1-5 ★)
1		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐
2		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐
3		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐
4		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐
5		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐
6		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐
7		☐ Yes	☐ No			☐ ☐ ☐ ☐ ☐

■ The Consistency Pledge

"Consistency, even on hard nights, is where progress lives."
When tonight is hard — I will check this box before I change the plan:
☐ I am choosing to stay consistent tonight.

PARTNER SYNC

Did your partner follow the same plan tonight? ☐ Yes ☐ No ☐ We discussed it

If no — what was different, and how will you align for tomorrow?

Who is handling tonight's wakings (write name or take turns)?

Weekly Reflection

Take 5 minutes at the end of the week. Honest reflection accelerates progress.

Q1 What went well this week?

Even one small win. A longer stretch, a faster settle, a routine that clicked.

Q2 What was the hardest moment?

Name it. Acknowledge it. You survived it.

Q3 What patterns did I notice in the Night Waking Log?

Same waking time? Same night? Improvement on nights 5-7 vs nights 1-2?

Q4 What would I do differently next week?

One specific change. Not a complete overhaul — one tweak.

Q5 What is my baby teaching me this week?

Every week reveals something. About their temperament, their timing, their needs.

WEEK AT A GLANCE — SLEEP STATS

Best night (fewest wakings):

Night #

Hardest night:

Night #

Average night wakings this week:

per night

Average time baby settled after waking:

minutes

Longest sleep stretch this week:

hours

Bedtime avg:

pm

Morning wake avg:

am

SETTING UP WEEK 12

Next week: Chapter 12 — Your First-Week Game Plan

Night-by-night. You have everything you need.

My intention for Week 12:



Your First-Week Game Plan

Night-by-night. You have everything you need.

SLEEP, BABY. PLEASE. · SIX & THRIVING



WEEK SETUP

Week dates (e.g. Jan 6 – Jan 12)

Baby's current age

Baby's weight (optional — note growth spurts)

Sleep method in use this week

THIS WEEK'S INTENTION

Before the week begins, set ONE clear focus. What are you committing to this week?

This week I will focus on:

AWAKE WINDOW TARGET THIS WEEK

Based on your baby's current age, what awake window are you working with? (See quick-reference chart at the back.)

Morning Awake Window	Nap 1 Length (Target)	Nap 2 Length (Target)	Bedtime Target	Expected Wakings

CHAPTER 12 — KEY TAKEAWAY THIS WEEK

- ☐ You have everything you need. Start tonight.
- ☐ Night 1-2: hardest. Night 3-4: usually a shift. Night 5-7: the groove.
- ☐ Progress is not linear. A bad night is not a failed plan.

Awake Window Tracker

Track actual vs target awake windows for each day. Patterns become visible within 3 days.

	Wake Time	Nap 1 Start/End	Nap 2 Start/End	Nap 3 (if any)	Bedtime (into crib)	Settled By	Awake Window Actual	Notes
Mon								
Tue								
Wed								
Thu								
Fri								
Sat								
Sun								

■ Overtiredness Warning Signs

Second wind (suddenly wired) · Arching back · Inconsolable fussing · Rubbing ears · Glazed eyes
If you see these: skip the rest of the routine. Lights off, white noise on, into crib now.

WEEKLY AWAKE WINDOW SUMMARY

Average actual awake window this week:

Most common settling challenge:

Plan for next week:

QUICK REFERENCE — AWAKE WINDOWS BY AGE

Baby's Age	Awake Window	Max Naps	Bedtime Target
0-6 weeks	45-60 min	4-5/day	Variable
6-12 weeks	60-90 min	4/day	8-9 p.m.
3-4 months	90 min	3-4/day	7:30-8:30 p.m.
4-6 months	2 hrs	3/day	7-8 p.m.
6-8 months	2.5 hrs	2-3/day	7-8 p.m.
8-12 months	3-3.5 hrs	2/day	6:30-7:30 p.m.
12-18 months	4-5 hrs	1-2/day	7-7:30 p.m.
18-24 months	5-6 hrs	1/day	7-7:30 p.m.

Bedtime Routine Builder

Same order, every night. Write your sequence below — then post it on the nursery door.

#	Step	Our Version / Notes	What This Teaches	Done Mon	Done Wed	Done Fri
1	Transition Signal <i>e.g. 'Let's get ready for sleep time'</i>			☐	☐	☐
2	Active play / screens OFF <i>Stop stimulating activity</i>			☐	☐	☐
3	Bath or warm wipe-down <i>5-10 minutes</i>			☐	☐	☐
4	Lotion massage <i>Slow, calm strokes — 5 minutes</i>			☐	☐	☐
5	Pajamas + sleep sack <i>Dress for room temperature</i>			☐	☐	☐
6	Feed (in dim, quiet room) <i>Baby must NOT fall asleep during feed</i>			☐	☐	☐
7	Books or song <i>1-3 short books or 1-2 lullabies</i>			☐	☐	☐
8	Final goodnight phrase <i>Same words every night</i>			☐	☐	☐
9	White noise ON <i>60-65 dB, few feet from crib</i>			☐	☐	☐
10	Room fully dark <i>Blackout + all LEDs covered</i>			☐	☐	☐
11	Into crib — drowsy, awake <i>This is the key skill</i>			☐	☐	☐
12	Parent exits calmly <i>Same phrase, same exit, every night</i>			☐	☐	☐

■ Routine Timing Target

Total routine: 20-30 minutes from transition signal to crib. Too short = not enough wind-down.
Too long = baby may fall asleep during the routine. Aim for consistent timing.

OUR ROUTINE — PRINTABLE REMINDER CARD

◆ OUR BEDTIME ROUTINE ◆

1. Transition Signal

3. Bath or warm wipe-down

5. Pajamas + sleep sack

7. Books or song

9. White noise ON

11. Into crib — drowsy, awake
2. Active play / screens OFF

4. Lotion massage

6. Feed (in dim, quiet room)

8. Final goodnight phrase

10. Room fully dark

12. Parent exits calmly

Night Waking Log

Track every waking — even good nights. Patterns emerge by night 3-4.

Night 1(Sunday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night 2(Monday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night 3(Tuesday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				
3				

Pattern note / what I noticed:

Night Waking Log

Track every waking — even good nights. Patterns emerge by night 3-4.

Night 4

(Wednesday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Night 5

(Thursday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Night 6

(Friday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Night 7

(Saturday)

Date:

Bedtime (into crib)

Fell asleep by

First wake

Total wakings #

Wake time (morning)

Waking #	Time	Response Used	Back to Sleep In	Notes
1				
2				

Pattern note / what I noticed:

Sleep Method Tracker

Commit to one method for the full week. Document what happened each night.

MY METHOD THIS WEEK

- Extinction (CIO)

Cry: High · Speed: Fast (3-5 days) · Best for: Persistent babies
- Ferber

Cry: Moderate · Speed: Medium (5-7 days) · Best for: Most temperaments
- Chair Method

Cry: Low-Moderate · Speed: Slower (2-3 wks) · Best for: Sensitive babies
- Fading

Cry: Low · Speed: Slowest (3-4+ wks) · Best for: Gentle approach
- Pick Up / Put Down

Cry: Low · Speed: Variable · Best for: Young babies 3-5 mo

If I feel tempted to switch methods this week, I will:

NIGHTLY METHOD LOG

Night	Method Used	Followed Plan?		Biggest Challenge	What I Did Differently	Confidence (1-5 ★)
1		Yes	No			
2		Yes	No			
3		Yes	No			
4		Yes	No			
5		Yes	No			
6		Yes	No			
7		Yes	No			

■ The Consistency Pledge

"Consistency, even on hard nights, is where progress lives."

When tonight is hard — I will check this box before I change the plan:

☐ I am choosing to stay consistent tonight.

PARTNER SYNC

Did your partner follow the same plan tonight? ☐ Yes ☐ No ☐ We discussed it

If no — what was different, and how will you align for tomorrow?

Who is handling tonight's wakings (write name or take turns)?

Weekly Reflection

Take 5 minutes at the end of the week. Honest reflection accelerates progress.

Q1 What went well this week?

Even one small win. A longer stretch, a faster settle, a routine that clicked.

Q2 What was the hardest moment?

Name it. Acknowledge it. You survived it.

Q3 What patterns did I notice in the Night Waking Log?

Same waking time? Same night? Improvement on nights 5-7 vs nights 1-2?

Q4 What would I do differently next week?

One specific change. Not a complete overhaul — one tweak.

Q5 What is my baby teaching me this week?

Every week reveals something. About their temperament, their timing, their needs.

WEEK AT A GLANCE — SLEEP STATS

Best night (fewest wakings):

Night #

Hardest night:

Night #

Average night wakings this week:

per night

Average time baby settled after waking:

minutes

Longest sleep stretch this week:

hours

Bedtime avg:

pm

Morning wake avg:

am

FINAL REFLECTION

My baby's biggest sleep transformation over 12 weeks:

One thing I want to remember from this journey:

Awake Windows — Quick Reference

Pull this out whenever you need it. Laminate it. Post it. Use it.

Baby's Age	Awake Window	Max Naps/Day	Bedtime Target	Notes
0-6 weeks	45-60 min	4-5/day	Variable	Wide variation. Feed-wake-sleep cycle.
6-12 weeks	60-90 min	4/day	8-9 p.m.	Circadian rhythm developing from 6 wks.
3-4 months	90 min	3-4/day	7:30-8:30 p.m.	4-month regression risk zone.
4-6 months	2 hrs	3/day	7-8 p.m.	Sleep cycles maturing rapidly.
6-8 months	2.5 hrs	2-3/day	7-8 p.m.	2-nap transition happening.
8-12 months	3-3.5 hrs	2/day	6:30-7:30 p.m.	Final 2-nap consolidation.
12-18 months	4-5 hrs	1-2/day	7-7:30 p.m.	1-nap transition begins 12-15 mo.
18-24 months	5-6 hrs	1/day	7-7:30 p.m.	1 nap firm. Nap drop looms around 2-3.

SLEEP SCIENCE CHEAT SHEET

Sleep Pressure

Builds with awake time. Hit the sweet spot — not too early, not too late.

Melatonin

Sleep hormone. Released in darkness. Suppressed by light — even dim light.

Circadian Rhythm

Set by light/dark. Bright morning light, dim evenings. Blackout at night.

Self-Settling

The core skill. Drowsy in crib awake. Practice = independence over time.

Cortisol

Stress hormone released when overtired. Wires baby up. Avoid by timing well.

Sleep Cycles

Baby cycles: ~45 min. Wakes at cycle end. Self-settling bridges the gap.

Sleep Association

Whatever baby does at sleep onset, they'll need at every waking. Watch it.

SAFE SLEEP CHECKLIST — RUN THROUGH EVERY NIGHT

- ☐ Firm, flat mattress — no incline, wedge, or pillow-top
- ☐ Baby placed on back — every sleep, every time, no exceptions
- ☐ Room temperature 68-72°F / 20-22°C
- ☐ White noise running (not inside crib)
- ☐ No nightlight (or red-spectrum only)
- ☐ Fitted sheet ONLY — no blankets, bumpers, pillows, positioners
- ☐ Sleep sack used instead of a blanket
- ☐ True blackout achieved — you cannot see your hand
- ☐ Monitor LEDs covered with electrical tape
- ☐ Crib, bassinet, or play yard only — not swing, car seat, or bouncer

Sleep Method Comparison

Choose one method and work it consistently for at least 5 nights before evaluating.

Method	Cry Level	Speed	Best For	Key Principle
Extinction (CIO)	High	Fast (3-5 days)	Persistent babies; high-sleep-need families	Place baby in crib awake. Do not return until morning (or set feed time).
Ferber	Moderate	Medium (5-7 days)	Most temperaments; parents who need to act	Timed check-ins at increasing intervals. Comfort without picking up.
Chair Method	Low-Moderate	Slower (2-3 wks)	Sensitive babies; parents not ready to step back	Parent sits in chair by crib, moves further away every 2-3 nights.
Fading	Low	Slowest (3-4+ wks)	Gentle approach; adaptable babies	Gradually fade your role — less rocking, less patting, over time.
Pick Up / Put Down	Low	Variable	Young babies (3-5 months); high support needs	Pick up when crying. Put down when calm. Repeat until asleep.

THE SIX SLEEP PERSONALITIES

Identify your baby's type. Your approach should match their temperament.

The Snacker

Needs frequent small feeds.
Key: gradually lengthen feed gaps.

The Overthinker

Startles easily. Key: very consistent routine, deep swaddle.

The Sensitive Soul

Overwhelmed quickly. Key: extra calm-down time before crib.

The Night Owl

Wired late. Key: push bedtime earlier by 10-min increments.

The Catnapper


Wakes after 45 min. Key: extend naps via settling practice.

The Party Animal

FOMO keeps them up. Key: boring darkness — no eye contact.

Your Sleep Promise

- ☐ I will keep bedtime simple and in the same order every night.
- ☐ I will watch awake windows and act on them before overtiredness sets in.
- ☐ I will decide how I will respond to night wakings before the night begins.
- ☐ I will wait before I go in, and give my baby the chance to resettle.
- ☐ I will not judge the whole plan on one difficult night.
- ☐ I will stay consistent — especially on the nights when it is hardest.
- ☐ I am not just surviving the night: I am teaching my baby a lifelong skill.



Sleep, Baby. Please.

THE SYSTEM PLANNER

"Sleep is coming. For both of you."

— Six & Thriving

This planner is a companion to the ebook:

Sleep, Baby. Please.

A Mom of 6 Shares the Exact Steps That Got Every One of Her Babies
Sleeping Through the Night

- ★ 12 weekly modules — one per chapter
- ★ Awake Window Tracker (daily + reference table)
- ★ Bedtime Routine Builder — write yours in
- ★ Night Waking Log — 7 nights per week
- ★ Sleep Method Tracker — stay consistent
- ★ Weekly Reflection — 5 guided prompts
- ★ Safe Sleep Checklist — run through nightly
- ★ Six Sleep Personalities reference card

SIX & THRIVING

sixandthriving.com